Agricultural byproduct and transportation management

"i am doing a research on agriculture byproduct collection and management with crop transportation management combine the two problem with one solution" *Generated by LeapSpace*

Integrated Agricultural Byproduct Collection and Crop Transportation Management at a Glance

Key Findings Table

Key finding	Relevant system element	Population / operating context	Evidence
The strongest systems-level conclusion is that byproduct management and crop transport should be planned as one integrated logistics system rather than as separate tasks.	Joint planning of collection, transport, storage, processing, and utilization	Farms, cooperatives, agri-food supply chains	[1] [2] [3] [4] [5] [6] [7]
Crop transport optimization is methodologically more mature than byproduct logistics, creating an implementation gap in unified solutions.	Transport routing, scheduling, DSS vs. fragmented residue handling	Multi-farm crop and residue systems	[2] [8] [9] [10] [11] [12] [13] [14] [15] [16] [17] [18]
Feasible integrated systems are usually local or cooperative because residues are dispersed, seasonal, low-density, and costly to move, while crops face tight time and spoilage constraints.	Local hubs, consolidation, synchronized routing	Dispersed farms and first-mile logistics	[2] [7] [17] [18] [19] [20] [21] [22] [23]
Byproducts can be valorized through bioenergy, compost, biochar, feed, and biochemicals, but logistics cost and handling complexity often limit viability.	Collection, segregation, storage, conversion pathways	Residue and byproduct value chains	[7] [8] [9] [10] [11] [19] [20] [24] [25] [26] [27]

Key finding	Relevant system element	Population / operating context	Evidence
Integrated harvest-transport models reduce cost, waiting time, distance, and sometimes fuel use when harvesting and vehicle dispatch are synchronized.	Vehicle routing, harvester-vehicle coordination, time windows	Wheat, grain, maize, corn, first-mile produce logistics	[2] [17] [18] [23] [28]
Digital tools are emerging strongly for crop logistics, including IoT, GPS, telematics, route planning, and delay prediction, but equivalent systems for byproduct segregation and storage management are largely missing.	Decision support, monitoring, routing, cold-chain control	Post-harvest transport and field monitoring systems	[15] [16] [29] [30] [31] [32]
Environmental benefit is conditional, not automatic: transport distance, source separation, digestate/ash handling, and nutrient replacement after residue removal all affect sustainability.	Multi-objective planning and LCA	Residue-based biomass and circular systems	[1] [33] [34] [35] [36] [37] [38] [39]

Direct Answer

A well-supported way to combine agricultural byproduct collection/management with crop transportation is to design a **cooperative circular logistics platform** with **dual flows**: outbound crop delivery and return-trip or synchronized byproduct pickup, coordinated through **local aggregation hubs** and a **shared digital scheduling system** [1] [2] [3] [7] [29].

The most practical architecture supported by the evidence is:

1. **Farm-level segregation** of marketable crop and sorted byproducts/residues [1] [19] [20].
2. **Cooperative or mobile pickup** using shared vehicles and schedules [17] [40] [41].
3. **Nearby hub consolidation and short-term storage** for weighing, moisture/quality checks, contamination control, and flow splitting [21] [40] [42].
4. **Two coordinated outbound streams**: crops to buyers/processors and byproducts to composting, biogas, feed, bioenergy, or other valorization outlets [8] [9] [10] [24] [25] [26] [27].
5. **One decision-support platform** for routing, vehicle scheduling, storage occupancy, timing, and environmental trade-offs [3] [29] [30] [41].

Taken together, these findings suggest that the best “one solution” is not one machine or one software package already proven end-to-end, but a **hub-based, multi-objective logistics system** that jointly optimizes crop delivery and byproduct backhaul under cost, spoilage, fuel, emissions, contamination, and soil-nutrient constraints [1] [18] [33] [34] [39].

Confidence level: High - The integration principle is strongly supported across the supplied evidence, though fully deployed end-to-end platforms remain under-documented [12] [13] [14] [43].

Study Scope

This report synthesizes supplied evidence spanning **2015-2025**, covering agricultural residue management, circular bioeconomy, crop transport optimization, post-harvest logistics, IoT-enabled monitoring, decision-support systems, and supply-chain modeling [4] [7] [30]. Methods include reviews, mixed-integer optimization, multi-objective scheduling, simulation, stochastic planning, case-based transport systems, and digital agriculture DSS studies [2] [3] [15] [17] [18].

Assumptions & Limitations

- The supplied evidence does **not** identify a peer-reviewed, fully deployed multi-farm platform that integrates byproduct collection, sorting, temporary storage, valorization, and crop transportation end-to-end, so the recommended unified model is a synthesis of partial but complementary evidence rather than a single validated package [12] [13] [14] [43].
- Evidence for digital integration is stronger on the **crop transport** side than on the **byproduct handling** side [15] [16] [29] [30].
- Environmental benefit depends on local transport radius, nutrient replacement, and byproduct handling choices, so the solution should be evaluated locally rather than assumed universally beneficial [35] [36] [37] [38].

Suggested Further Research

- Test **dual-flow backhaul networks** that use crop-delivery return trips for sorted residue pickup, with real cost and emissions data [2] [18] [22].
- Benchmark **hub-based cooperative models** against direct haul and mobile collection models for both crops and byproducts [21] [40] [42].
- Build DSS tools that include **byproduct segregation, moisture sensing, contamination control, and storage-state monitoring**, not only crop routing [15] [16] [30].
- Extend optimization models to include **soil nutrient retention, digestate/ash handling, and circular-economy trade-offs** [33] [34] [37] [38].
- Develop dynamic models that jointly handle **seasonality, uncertain yields, perishability, feedstock variability, and outlet demand** [7] [23] [39].

Full Report Body

Introduction and Problem Framing

Agricultural byproduct collection/management and crop transportation are usually treated as separate operational problems, but the supplied literature points to a different framing: both are parts of the same farm-to-market-and-recovery logistics system [1] [2] [3]. Residue studies emphasize complete-system design across collection, transport, processing, storage, and utilization, while crop logistics studies show that harvesting, routing, storage, and dispatch perform better when optimized jointly rather than in isolation [1] [4] [5].

The research problem, therefore, is to create one coordinated solution that handles:

- **marketable crop flow** to buyers or processors [2] [3];
- **byproduct/residue flow** to reuse or valorization outlets [8] [9] [10];
- **shared assets** such as trucks, operators, hubs, and information systems [29] [41];
- **shared constraints** such as timing, distance, moisture, contamination risk, and storage limits [7] [19] [20] [23].

Confidence level: High - Multiple sources converge on integrated planning as the main systems need [1] [2] [3] [5].

Foundational Context

What “integration” means in this topic

In this evidence base, integration has three distinct meanings:

1. **Operational integration**: coordinating harvesting, pickup, routing, storage, and dispatch in one workflow [2] [3].
2. **Material-flow integration**: treating crops and byproducts as two linked output streams from the same production system [1] [7] [8].
3. **Decision integration**: optimizing cost, time, quality, and environmental outcomes together rather than one at a time [17] [18] [33] [39].

Why the two problems belong together

Byproducts and crops share:

- the same farm locations and harvest windows [1] [2];
- the same first-mile transport bottlenecks [19] [23];
- the same need for routing and temporary storage decisions [3] [40];

- the same sensitivity to fragmented, data-poor agricultural supply chains [5] [6] [44].

Taken together, these findings imply that separate planning creates duplicated trips, poor vehicle utilization, and missed backhaul opportunities, while integrated planning can reduce empty travel and improve synchronization [2] [17] [29].

Core constraints that shape any realistic solution

Any unified design must cope with:

- **spatial dispersion and fragmentation** of farms [2] [19] [21];
- **seasonality and timing pressure** during harvest [17] [18] [20];
- **low bulk density and/or high moisture** of residues, which drive collection cost [21] [45];
- **perishability and quality decay** of produce during transport [23] [30] [46];
- **environmental trade-offs** around residue removal and handling [35] [36] [37].

Confidence level: High - These mechanisms recur across both thematic literatures [7] [18] [19] [20] [23].

Byproduct Collection, Handling, and Valorization

Collection, segregation, and temporary storage

Residue management research argues that agricultural byproducts should be integrated into general farm practice through a **total-harvest or whole-system approach**, not treated as an afterthought [1]. Practical workflows begin with on-farm collection and segregation because residues are heterogeneous and poor handling increases both contamination risk and downstream processing difficulty [19] [20] [38].

However, the literature also shows a major design gap: no supplied paper describes a fully integrated peer-reviewed platform that coordinates collection, segregation, sorting, short-term storage, and downstream valorization across multiple farms [12] [13] [14] [43]. The nearest models are partial:

- **food hub aggregation** for dispersed farm pickups [40];
- **farm-to-plant logistics** with independent producers and no on-farm storage [47];
- **circular waste-routing concepts** linking residues/manure to soil return, compost, or biogas [12] [13].

This means a unified solution must currently be assembled by combining residue workflow principles with more mature transport optimization methods [1] [2] [3].

Valorization pathways

The byproduct literature consistently frames crop residues and agricultural waste as circular-economy feedstocks rather than disposal burdens [8] [9] [48] [49]. Reported pathways include:

- **bioenergy** [8] [24] [26];
- **bioproducts and biochemicals** [9] [25] [27];
- **compost and soil-return pathways** [8] [10];
- **biochar** [24] [26];
- **animal feed** [25] [27].

The practical implication is that byproduct logistics should not only move material away from the farm; it should also preserve enough quality and separation to keep multiple downstream uses open [8] [10] [11].

Cost, scale, and environmental constraints

The main barriers are logistical and economic. Studies repeatedly identify the high cost and complexity of gathering, processing, transporting, and storing heterogeneous residues [7] [10] [11] [19] [20] [26]. One source notes typical residue value chains are very local because low bulk density and high moisture make longer transport uneconomic, citing an **80-100 km** collection radius as typical [21]. Another review reports that pretreatment, collection, conveyance, and related resources can make up roughly **50% of total production cost** in crop-residue valorization chains [45].

Environmental performance is conditional. Residue removal may require fertilizer replacement, which must be counted in emissions accounting [35] [36]. Source separation efficiency and the handling of digestate, rejects, and ash also influence whether recovery pathways actually reduce environmental impact [37] [38].

Confidence level: High - The evidence strongly supports local, carefully managed residue systems, but not universal long-haul models [7] [19] [21] [37].

Crop Transportation Management and Route Optimization

Routing and vehicle scheduling

Crop transport research is much more operationally developed. Joint harvest-transport optimization has been shown to reduce total operating costs by synchronizing harvesters and transport vehicles in one model [2]. Studies use mixed-integer and multi-objective formulations with constraints such as:

- fragmented farmland [2];
- time windows [17] [18];
- task counts and plot location [17];

- fuel use and machine load [18];
- unloading points and transfer paths [17] [28].

These models report lower waiting times, shorter travel distance, reduced vehicle numbers, and lower fuel use in some cases [17] [18] [28].

Harvest-transport synchronization

A major result across the crop-flow literature is that harvesting and transportation should be treated as synchronized operations. A 2021 grain logistics study formulates harvesting and transportation jointly to reduce operational and reaping costs [2]. A 2023 cooperative scheduling model aims to eliminate non-productive harvester waiting while reducing transfer distance and transport fleet requirements [17]. A 2025 dynamic maize model jointly optimizes cost, scheduling time, and collaborative efficiency while reducing waiting time, distance, and fuel use [18].

This is directly relevant to byproduct management because the same synchronized logic could be extended to residue pickup or backhaul movements [3] [18].

Post-harvest quality preservation

For perishables, transport management is not only about cost. It also affects spoilage and quality. A 2024 first-mile logistics model jointly schedules grading and pre-cooling vehicles with time-window and service-order constraints to reduce losses [23]. IoT-enabled logistics systems using GPS, temperature, humidity, and load sensing can forecast delays, optimize routing, preserve cold-chain integrity, and reduce delivery time and fuel use [30]. AI/IoT/blockchain frameworks also use sensor data to recommend suitable storage and transport conditions that reduce wastage [31].

Confidence level: High - Crop transportation optimization is well supported in the supplied evidence, especially for synchronization and post-harvest timing [2] [17] [18] [23].

Unified Solution Architecture

Recommended model: a cooperative hub-based dual-flow network

The strongest synthesis from the evidence is a **hub-based cooperative network** with **dual-flow scheduling**:

- **primary flow**: crop movement from farms to market, processor, or cooling/grading site [3] [42];
- **secondary flow**: byproduct/residue movement from farms or hubs to compost, digestion, feed, or biomass users [8] [12] [13];
- **shared backbone**: common vehicles, common dispatch logic, common data platform, and shared local hubs [29] [40] [41].

This architecture fits the literature better than a fully centralized long-distance model because residues are usually local and marketable crops face time-sensitive delivery constraints [21] [23].

Centralized hubs and consolidation points

The evidence supports nearby aggregation and consolidation points for dispersed farm systems [40] [42]. In a unified system, the hub would serve several functions:

- weigh and register incoming material [29];
- separate crop cross-docking from byproduct holding [40];
- check moisture, contamination, and condition before dispatch [30] [38];
- assign byproducts to valorization channels [8] [10] [25];
- buffer short-term variability in harvest and vehicle arrivals [3] [42].

Taken together, these findings suggest that the hub is the operational bridge between circular-economy aspirations and daily transport reality [3] [7].

Digital decision-support platform

Digitalization is one of the clearest enablers, but the evidence shows asymmetry: transport-side tools are far more advanced than byproduct-side tools [15] [16] [29] [30]. A practical integrated platform should combine:

- route planning and dispatch optimization [29] [41];
- real-time vehicle and shipment monitoring [29] [30];
- scenario analysis and redesign support [3];
- geospatial sourcing and hub assignment [16] [22];
- storage and quality monitoring for perishables and residues [30] [32].

Inferred: the most promising next step is to extend crop-logistics IoT and optimization tools to residue-specific variables such as moisture, contamination, and feedstock variability, because that capability is not yet well documented in the supplied byproduct literature [15] [16] [30].
Confidence level: Low - This is a synthesis inference rather than a directly demonstrated platform.

Shared scheduling and resource allocation

The literature on synchronized crop operations can be transferred into a unified system in which trucks, collection teams, and hub capacity are jointly allocated across crop delivery and byproduct pickup [2] [17] [18] [41]. A concrete design rule is to exploit **backhaul logic**: when a vehicle delivers crops, its return leg can collect pre-sorted byproducts where timing, cleanliness, and capacity allow [2] [29].

This is especially attractive because several studies show value in reducing waiting, transfer distance, and fleet size through integrated scheduling [17] [18]. Applied to dual flows, the same methods could reduce empty runs and improve asset utilization [3] [41].

Confidence level: Medium - Strongly supported by transport methods, but not yet directly validated for combined crop-and-residue backhaul in the supplied studies [14] [17] [18].

Evaluation Framework and Expected Impacts

Economic performance

A unified solution should be evaluated using:

- transport cost per ton or trip [22] [29];
- collection, handling, and storage cost [22] [45];
- vehicle utilization and empty-run reduction [17] [29];
- labor and waiting-time savings [17] [18];
- revenue or avoided disposal cost from byproduct valorization [8] [24] [26].

Crop transport systems have reported substantial efficiency gains, including one integrated transport information system that cut daily logistics expenses by about **50%** in the reported case [29]. By contrast, residue studies emphasize that collection, conveyance, and handling are dominant cost drivers, so hub placement and transport radius are economically decisive [21] [45].

Environmental and circular-economy performance

Environmental evaluation should include:

- emissions from transport and handling [37] [39];
- waste diversion and resource recovery [7] [8];
- nutrient cycling and soil impacts from residue removal [33] [34] [35];
- handling of digestate, ash, or rejects [37] [38].

The literature does not support assuming that more collection always means better sustainability. Local conditions, outlet choice, and residue replacement requirements strongly affect the final outcome [36] [37].

Operational reliability and quality

Reliability indicators should include:

- on-time pickup and delivery [30];
- spoilage or quality-loss reduction [23] [46];

- contamination control for byproducts [38];
- temperature integrity for perishables [30] [32];
- hub occupancy and queue time [3] [17].

Confidence level: High - These metrics align well with the evidence on both logistics efficiency and environmental trade-offs [29] [30] [37] [45].

Conclusion and Implementation Path

Key findings and recommended model

The supplied evidence supports one clear research conclusion: the two problems should be combined as a **unified circular agricultural logistics network** rather than treated separately [1] [2] [3]. The recommended model is:

- **farm-level segregation** of crops and byproducts [1] [19];
- **shared pickup and synchronized scheduling** [2] [17];
- **local cooperative hubs** for consolidation and temporary storage [40] [42];
- **split dispatch** to crop buyers and byproduct valorization outlets [8] [10] [25];
- **digital decision support** for routing, monitoring, and multi-objective optimization [3] [29] [30] [41].

This architecture best matches the evidence because it responds to dispersion, time windows, low-density residues, and quality-sensitive crops at the same time [18] [21] [23].

Pilot deployment considerations

A realistic pilot should test:

1. **Data collection**: farm locations, crop volumes, residue types, moisture/quality data, outlet demand [41] [50].
2. **Hub design**: number, location, storage buffers, contamination checks, weighing workflow [21] [40].
3. **Routing logic**: direct haul vs. hub haul vs. backhaul collection [2] [3].
4. **Scheduling rules**: priority for perishables, return-trip residue pickup, capacity sharing across fleets [18] [23].
5. **Performance measurement**: cost, fuel, delay, spoilage, residue recovery, nutrient replacement, emissions [29] [36] [37].

The current evidence does not justify claiming that one commercial platform already solves the full integrated problem, but it does justify a strong research design direction: a **cooperative, hub-based, digitally enabled dual-flow logistics system** is the most defensible single-solution framework for combining agricultural byproduct management and crop transportation [3] [12] [13] [29].

Overall conclusion confidence: High - The proposed architecture is strongly grounded in converging evidence from integrated logistics, crop transport optimization, and circular residue management, even though direct end-to-end implementation studies remain limited [1] [2] [3] [5] [7].

References

1. Jenkins, B.M., Sumner, H.R. (1986) HARVESTING AND HANDLING AGRICULTURAL RESIDUES FOR ENERGY.. *Transactions of the American Society of Agricultural Engineers*. https://www.scopus.com/pages/publications/0022721186
2. He, P., Li, J. (2021) A joint optimization framework for wheat harvesting and transportation considering fragmental farmlands. *Information Processing in Agriculture*. https://doi.org/10.1016/j.inpa.2020.04.006
3. Borodin, V., Bourtembourg, J., Hnaien, F., Labadie, N. (2014) A decision support system for efficient crop production supply chain management. *Lecture Notes in Computer Science (including subseries Lecture Notes in Artificial Intelligence and Lecture Notes in Bioinformatics)*. https://doi.org/10.1007/978-3-319-09156-3_54
4. Chandra, P., Fisher, M.L. (1994) Coordination of production and distribution planning. *European Journal of Operational Research*. https://doi.org/10.1016/0377-2217(94)90419-7
5. Lowe, T.J., Preckel, P.V. (2004) Decision technologies for agribusiness problems: A brief review of selected literature and a call for research. *Manufacturing and Service Operations Management*. https://doi.org/10.1287/msom.1040.0051
6. Parfitt, J., Barthel, M., MacNaughton, S. (2010) Food waste within food supply chains: Quantification and potential for change to 2050. *Philosophical Transactions of the Royal Society B: Biological Sciences*. https://doi.org/10.1098/rstb.2010.0126
7. Gontard, N., Sonesson, U., Birkved, M., (...), Sebök, A. (2018) A research challenge vision regarding management of agricultural waste in a circular bio-based economy. *Critical Reviews in Environmental Science and Technology*. https://doi.org/10.1080/10643389.2018.1471957
8. Kataki, S., Wangpan, T., Tangjang, S., (...), Chatterjee, S. (2023) Abundance, variety, and scope of value-added utilization of agricultural crop residue. *Sustainable Agriculture and the Environment*. https://doi.org/10.1016/B978-0-323-90500-8.00008-7
9. Narain Singh, D., Tripathi, M., Singh, V.S., (...), Pathak, N. (2022) Management of Agriculture Waste: Bioconversion of Agro-Waste into Valued Products. *Bioremediation: Challenges and Advancements*. https://doi.org/10.2174/9789815036039122010011
10. Yuvatha, N., Sherine, G., Vetriselvi, P.M., (...), Arunraj, R. (2026) Recycling of agricultural waste biomass into value-added products—a sustainable development goal. *Emerging Technologies in Yield Optimization and Production of Biomass Feedstock*. https://doi.org/10.1016/B978-0-443-40488-7.00012-5

11. Reddy, A.S., Kasa, V.P., Samal, B., (...), Pandey, D.S. (2025) Sustainable agricultural waste management in India: Innovations, challenges, and future perspectives. *Biomass and Bioenergy*. https://doi.org/10.1016/j.biombioe.2025.108261

12. B Atinkut, H.B., Yan, T., Zhang, F., (...), Liu, Q. (2020) Cognition of agriculture waste and payments for a circular agriculture model in Central China. *Scientific Reports*. https://doi.org/10.1038/s41598-020-67358-y

13. Morris, C., Stagner, F., Arbuckle, J., (...), Fowler, L. (2025) Growing gas on the farm? Stakeholder perspectives on divergent models of biogas production in the United States. *Energy Research and Social Science*. https://doi.org/10.1016/j.erss.2025.104255

14. Kirti, Divakar, S., Mondal, P.K. (2024) Innovative Extension Approaches for Sustainable Agricultural Waste Management. *Unlocking The Value from Waste: Approaches in Bio-resource Management*. https://www.scopus.com/pages/publications/105034827977

15. Kim, J.S., Kisekka, I. (2021) Farms: A geospatial crop modeling and agricultural water management system. *ISPRS International Journal of Geo-Information*. https://doi.org/10.3390/ijgi10080553

16. Kanthavel, R., Dhaya, R., Adline Freeda, R.A. (2026) Real-Time Crop Management with IoT Sensors and Geospatial Technologies. *Geospatial Intelligence for Precision Agriculture*. https://doi.org/10.1002/9781394346639.ch5

17. Li, S., Zhang, M., Wang, N., (...), Wang, H. (2023) Intelligent scheduling method for multi-machine cooperative operation based on NSGA-III and improved ant colony algorithm. *Computers and Electronics in Agriculture*. https://doi.org/10.1016/j.compag.2022.107532

18. Liu, H., Luo, J., Yu, H., (...), Wang, S. (2025) Intelligent cooperative scheduling and path planning for tracked maize harvesters and grain trucks using an enhanced hybrid MOEA/D-LSA algorithm. *Computers and Electronics in Agriculture*. https://doi.org/10.1016/j.compag.2025.110952

19. Hamda, A.S., Abo, L.D., Mani, M., (...), Emana, A.N. (2023) Introduction: Growth of Agricultural Waste, Its Disposal, and Related Environmental Issues. *Agricultural Waste to Value-Added Products: Technical, Economic and Sustainable Aspects*. https://doi.org/10.1007/978-981-99-4472-9_1

20. Bustos-Terrones, V. (2026) Valorization routes for crop residues in sustainable bioeconomy: a scoping review of technologies and impacts. *Journal of Environmental Science and Health - Part B Pesticides, Food Contaminants, and Agricultural Wastes*. https://doi.org/10.1080/03601234.2026.2655061

21. Mertens, A., van Meensel, J., Willem, L., (...), Buysse, J. (2018) Ensuring continuous feedstock supply in agricultural residue value chains: A complex interplay of five influencing factors. *Biomass and Bioenergy*. https://doi.org/10.1016/j.biombioe.2017.12.024

22. Anand, A., Aier, I., Sakhiya, A.K., Kaushal, P. (2021) Assessment of crop residues-based electricity generation potential for energy security in Bangladesh. *Bioresource Technology Reports*. https://doi.org/10.1016/j.biteb.2021.100812

23. Li, X., Wang, X., Zhang, X., Yang, C. (2024) Research on Joint Scheduling of Fruit and Vegetable Grading Vehicles and Pre-Cooling Vehicles Targeting the First Kilometer Cold Chain Logistics. *2024 5th International Symposium on Computer Engineering and Intelligent Communications, ISCEIC 2024*. https://doi.org/10.1109/ISCEIC63613.2024.10810196

24. Bhardwaj, A.K., Thakur, B., Tripathi, S.K., (...), Kulinich, S.A. (2025) Recent Advances in Valorizing Agricultural Waste: A Sustainable Approach. *Waste and Biomass Valorization*. https://doi.org/10.1007/s12649-025-03419-5

25. Negi, H., Pandey, S., Rai, S., (...), Kumar, M. (2026) Economic viability and cost-benefit analysis of agro-waste management. *Sustainable Agricultural Waste Management: Advantages, Challenges, and Further Improvements*. https://doi.org/10.1016/B978-0-443-38301-4.00016-3

26. Mehdizadeh, M., Omidi, A., Matindike, R., (...), Merghany, R.M. (2025) Agri-Waste Valorization: Pathways to Sustainable Bioenergy and Biochemical Innovation. *Circular Economy and Sustainability*. https://doi.org/10.1007/s43615-025-00688-z

27. Shaba, E.Y., Yisa, A.S., Salihu, A.M., (...), Yisa, B.N. (2025) Valorization of Agricultural Biomass Waste into Bio-Based Chemicals: Sustainable Pathways and Challenges. *Biomass-Based Green Technology for Circular Economy*. https://doi.org/10.1201/9781003500469-11

28. Liu, H., Luo, J., Zhang, L., (...), Wang, S. (2025) Research on Traversal Path Planning and Collaborative Scheduling for Corn Harvesting and Transportation in Hilly Areas Based on Dijkstra's Algorithm and Improved Harris Hawk Optimization. *Agriculture (Switzerland)*. https://doi.org/10.3390/agriculture15030233

29. Kurashkin, S., Edreev, V., Mariupolskiy, T. (2026) Design and Economic Evaluation of an Integrated Information System for Agricultural Transport Automation. *Proceedings - 2026 International Russian Smart Industry Conference, SmartIndustryCon 2026*. https://doi.org/10.1109/SmartIndustryCon68821.2026.11492807

30. Saravanan, T.R., Poornachandar, T., Chelliah, C., (...), Sathishkumar, V.E. (2025) IoT-based Gradient Boosting Model for Efficient Agricultural Logistics and Transport Management. *Proceedings of the 4th International Conference on Innovative Mechanisms for Industry Applications, ICIMIA 2025*. https://doi.org/10.1109/ICIMIA67127.2025.11200831

31. Sunkara, S.K. (2025) LEVERAGING AI, IoT, AND BLOCKCHAIN FOR SCALABLE DIGITAL TRANSFORMATION IN POST-HARVEST SUPPLY CHAINS: A MULTI-SECTOR APPROACH TO ENHANCING EFFICIENCY AND TRACEABILITY. *Journal of Environmental Protection and Ecology*. https://www.scopus.com/pages/publications/105025904679

32. Hunga, E., Nandan Prabhu, K.P., Moodbidri, S. (2025) Mapping IoT performance across agri-food supply chain stages: A dual-method evidence synthesis. *EAI Endorsed Transactions on Internet of Things*. https://doi.org/10.4108/eetiot.13089

33. Mohan, M., Chaurasiya, A., Singh, G. (2024) Agriculture Crop Residue Management Alternatives: An Overview. *Unlocking The Value from Waste: Approaches in Bio-resource Management*. https://www.scopus.com/pages/publications/105034829086

34. Korres, N.E. (2020) Utilization and Management of Agricultural Wastes for Bioenergy Production, Weed Control, and Soil Improvement Through Microbial and Technical Processes. *Environmental Microbiology and Biotechnology: Volume 1, Biovalorization of Solid Wastes and Wastewater Treatment*. https://doi.org/10.1007/978-981-15-6021-7_8

35. Siol, C., Thraen, D., Majer, S. (2023) Utilizing residual biomasses from agriculture and forestry: Different approaches to set system boundaries in environmental and economic life-cycle assessments. *Biomass and Bioenergy*. https://doi.org/10.1016/j.biombioe.2023.106839

36. Forfora, N., Azuaje, I., Vivas, K.A., (...), González, R. (2024) Evaluating biomass sustainability: Why below-ground carbon sequestration matters. *Journal of Cleaner Production*. https://doi.org/10.1016/j.jclepro.2024.140677

37. Abdallah, M., Elfeky, A. (2021) Impact of waste processing byproducts on the carbon footprint of integrated waste-to-energy strategies. *Journal of Environmental Management*. https://doi.org/10.1016/j.jenvman.2020.111839

38. Törős, Gréta, El-Ramady, Hassan, Prokisch, József, (...), Peles, Ferenc (2023) *Foods*. https://doi.org/10.3390/foods12102010

39. Ahumada, O., Villalobos, J., Nicholas Mason, A. (2012) Tactical planning of the production and distribution of fresh agricultural products under uncertainty. *Agricultural Systems*. https://doi.org/10.1016/j.agsy.2012.06.002

40. González, R.S., White, C.C., Miller, M., (...), Roberts-Turner, T. (2025) From Farm to Food Hub: Analyzing Logistics in Cooperative Agricultural Systems. *IISE Annual Conference and Expo 2025, Conference Proceedings*. https://doi.org/10.21872/2025IISE_9058

41. Mehmann, J., Teuteberg, F. (2014) A conceptual framework of a decision support system for operational dispatching of agricultural bulk goods - an agent-based approach. *Lecture Notes in Computer Science (including subseries Lecture Notes in Artificial Intelligence and Lecture Notes in Bioinformatics)*. https://doi.org/10.1007/978-3-319-11584-9_9

42. Donmuen, M., Suntinac, A., Arunyanart, S. (2026) A multi-period optimization model for hydroponic crop planning and scheduling in a centralized supply chain. *Expert Systems with Applications*. https://doi.org/10.1016/j.eswa.2025.129362

43. Kusumastuti, R.D., Van Donk, D.P.V., Teunter, R. (2016) Crop-related harvesting and processing planning: A review. *International Journal of Production Economics*. https://doi.org/10.1016/j.ijpe.2016.01.010

44. Ahumada, O., Villalobos, J.R. (2009) Application of planning models in the agri-food supply chain: A review. *European Journal of Operational Research*. https://doi.org/10.1016/j.ejor.2008.02.014

45. Babu, S., Rathore, S., Singh, R., (...), Ali Wani, O. (2022) Exploring agricultural waste biomass for energy, food and feed production and pollution mitigation: A review. *Bioresource Technology*. https://doi.org/10.1016/j.biortech.2022.127566

46. Olawale, R.A., Olawumi, M.A., Oladapo, B.I. (2025) Sustainable farming with machine learning solutions for minimizing food waste. *Journal of Stored Products Research*. https://doi.org/10.1016/j.jspr.2025.102611

47. Lamsal, K., Jones, P.C., Thomas, B.W. (2016) Harvest logistics in agricultural systems with multiple, independent producers and no on-farm storage. *Computers and Industrial Engineering*. https://doi.org/10.1016/j.cie.2015.10.018

48. Papargyropoulou, E., Lozano, R., Steinberger, J., (...), Ujang, Z.B. (2014) The food waste hierarchy as a framework for the management of food surplus and food waste. *Journal of Cleaner Production*. https://doi.org/10.1016/j.jclepro.2014.04.020

49. Baiano, A. (2014) Recovery of biomolecules from food wastes - A review. *Molecules*. https://doi.org/10.3390/molecules190914821

50. Chaterji, S., DeLay, N., Evans, J., (...), Chandra, R. (2021) Lattice: A Vision for Machine Learning, Data Engineering, and Policy Considerations for Digital Agriculture at Scale. *IEEE Open Journal of the Computer Society*. https://doi.org/10.1109/OJCS.2021.3085846