

Paper Layout Fixture

A draft page that exercises every element of the research paper template

Andrew P Hunter

Working paper · Version 0.1 · 3 October 2026
<https://plainsight-systems.com/research/paper-layout-fixture/>
© 2026 Andrew P Hunter · CC BY 4.0

Abstract

This page is a layout fixture, not a paper. It exists so the research paper template can be checked in a browser: the header, the action row, the abstract, the contents rail, headings at two levels, a table, a code block, a block quote, and footnotes. It is marked as a draft, so production builds never include it.

1 Introduction

The body column holds the reading measure at 44rem and starts on the same left edge as the navigation. Long paragraphs should wrap comfortably at this width on a desktop screen and reflow without horizontal scrolling on a phone. This sentence is here to make the paragraph long enough to show three or more lines of text at the widest breakpoint.

A second paragraph checks spacing between paragraphs, carries a footnote marker,¹ points ahead to Figure 1, Table 1, Eq. (1) and Section 4, and cites two sources so the bibliography is exercised: the source coding theorem (Shannon 1948), and usable information under computational constraints (Xu et al. 2020).

2 Background

2.1 A third-level heading

Third-level headings appear indented in the contents rail. The rail is sticky on wide screens and drops above the body as a plain list below 1024px.

A block quote, set off from the body by a rule on its left.

¹Footnotes render as endnotes, set smaller, with a link back to their marker.

2.2 A table

Table 1. Elements of the template and where each renders.

Element	Where it renders	Checked by
Action row	Page header	Download, Cite, DOI
Contents	Right rail or above body	Viewport width
Footnotes	End of body	Back-links

3 Method

A code block checks monospace setting and horizontal overflow:

```
scripts/build-paper.sh paper-layout-fixture # resolves citations,  
↪ renders the PDF
```

Inline code such as `index.md` should sit in the line without changing its height.

4 Results

Inline math sits in the line: the entropy of a source is $H(X) = -\sum_x p(x) \log_2 p(x)$, measured in bits. Dollar signs are never math, so a salary of \$431K and a budget of \$10 stay literal.

Display math is centered and scrolls sideways on narrow screens rather than overflowing:

$$\mathbb{E}_{x \sim p} [-\log q(x)] = H(p) + D_{\text{KL}}(p \parallel q) \quad (1)$$

A wide equation checks the horizontal scroll:

$$\mathcal{L}(\theta) = \underbrace{H(X)}_{\text{source}} + \underbrace{\varepsilon_{\text{approx}}}_{\text{expression}} + \underbrace{\varepsilon_{\text{est}}}_{\text{data}} + \underbrace{\varepsilon_{\text{opt}}}_{\text{compute}} + \underbrace{\varepsilon_{\text{other}}}_{\text{everything else}}$$

A standalone image becomes a numbered figure captioned by its alt text:

5 Conclusion

The fixture ends here. Its footnote follows.²

²A second footnote checks numbering.




Figure 1. One markdown source, two outputs: pandoc resolves citations once and writes both the web page and the PDF.

References

Shannon, Claude E. 1948. “A Mathematical Theory of Communication.” *Bell System Technical Journal* 27 (3): 379–423. <https://doi.org/10.1002/j.1538-7305.1948.tb01338.x>.

Xu, Yilun, Shengjia Zhao, Jiaming Song, Russell Stewart, and Stefano Ermon. 2020. “A Theory of Usable Information Under Computational Constraints.” *International Conference on Learning Representations*.