CHALLENGE #6

HTML STYLES - CSS

```
margin: 0;
    padding: 0;
    box-sizing: border-box;
    font-family: 'Poppins', sans-serif;
nav{
    position: fixed;
    top: 0;
    left: 0;
    width: 100%;
    display: flex;
    align-items: center;
    justify-content: space-between;
    padding: 15px 10%;
    border-bottom: 1px solid #000;
    z-index: 10;
nav ul li{
    list-style: none;
    display: inline-block;
    margin: 10px 20px;
    font-weight: 500;
    cursor: pointer;
nav .logo{
    width: 50px;
    cursor: pointer;
.nav__btn {
    background: #000;
    color: #fff;
    font-size: 16px;
    padding: 15px 25px;
    border: 0;
    outline: 0;
    border-radius: 40px;
    cursor: pointer;
```

```
.nav__btn img{
   width: 16px;
   margin-left: 8px;
.header{
   width: 100%;
   min-height: 100vh;
   background: linear-gradient(#eefff9 0%, #ffccc1 49%, #dcdbff 100%);
   padding: 0 10%;
   display: flex;
   justify-content: center;
   flex-direction: column;
.header h1{
   margin-top: 100px;
   font-size: 13vw;
   line-height: 11vw;
.btn__container{
   margin: 20px 0;
.header button{
   border: 0;
   outline: 0;
   display: inline-flex;
   align-items: center;
   font-size: 18px;
   margin-right: 20px;
   cursor: pointer;
.btn dark{
   background: #000;
   color: #fff;
   padding: 10px 10px 10px 30px;
   border-radius: 40px;
.btn__dark a{
   color: white;
.btn__dark img{
   width: 40px;
```

```
background: #fff;
    border-radius: 50%;
    padding: 10px;
    margin-left: 30px;
.btn__light{
    background: transparent;
    text-decoration: underline;
.btn__light img{
   width: 20px;
   margin-left: 10px;
.header p{
   max-width: 360px;
    font-weight: 500;
.user__img{
   width: 80%;
   max-width: 500px;
   position: absolute;
    right: 13%;
    bottom: 0;
/*animation*/
.header h1 span{
    background: linear-gradient(#000, #000);
    background-repeat: no-repeat;
    -webkit-text-fill-color: transparent;
    -webkit-background-clip: text;
    background-size: 50%;
.header h1 span:first-child{
    animation: textcolor1 2s linear infinite alternate;
.header h1 span:last-child{
    animation: textcolor2 2s linear infinite alternate;
@keyframes textcolor1 {
   0%{
```

```
background-size: 0%;
   40%{
        background-size: 100%;
    100%{
        background-size: 100%;
@keyframes textcolor2 {
   0%{
        background-size: 0%;
    40%{
        background-size: 0%;
    100%{
        background-size: 100%;
.menu-icon{
    display: none;
@media only screen and (max-width: 600px){
   nav ul{
        position: absolute;
        width: 100%;
        background: #000;
        color: #fff;
        left: 0;
        top: 100%;
        text-align: center;
        max-height: 0;
        overflow: hidden;
        transition: max-height 0.5s;
   .nav__btn{
        display: none;
```

```
nav .logo{
        width: 150px;
    nav ul li{
       margin: 10px;
        font-size: 14px;
    .menu-icon{
       display: block;
       width: 30px;
    .show-menu{
        max-height: 60px;
.user-img{
   width: 80%;
   max-width: 500px;
   position: absolute;
   right: 13%;
    bottom: 0;
@media only screen and (max-width: 600px){
    .header{
       min-height: auto;
        padding: 0;
    .user-img{
       width: 100%;
        right: auto;
        position: relative;
        margin-top: 100px;
    .header-content{
        position: absolute;
       bottom: 0;
```

```
padding: 0 10%;
    z-index: 2;
   padding-bottom: 40px;
   background: linear-gradient(transparent, #fff);
.btn__container{
   margin: 5px 0;
.header button{
   font-size: 14px;
   margin-right: 10px;
.btn__dark{
   padding: 7px 7px 7px 20px;
   margin-bottom: 10px;
.btn__dark img{
   width:30px;
   padding: 5px;
   margin-left: 15px;
.btn__light img{
   width: 12px;
   margin-left: 5px;
.header h1{
   font-size: 70px;
   line-height: 60px;
   margin-bottom: 20px;
```

RESULT:

