Starbucks Nutrition API (v1)

Download OpenAPI specification: Download

E-mail: sc22y3z@leeds.ac.uk

Web Services Coursework 1 API Documentation

beverages

beverages_list

AUTHORIZATIONS: > *Basic*

Responses

200

RESPONSE SCHEMA: application/json

```
Array [
```

id	integer (ID)
category required	string (Category) [1 .. 100] characters
name required	string (Name) [1 .. 200] characters
preparation required	string (Preparation) [1 .. 100] characters
calories required	integer (Calories) [-9223372036854776000 .. 9223372036854776000]
total_fat_g	number or null (Total fat g)

sugar_g	integer or null (Sugar g) [-9223372036854776000 .. 9223372036854776000]
caffeine_mg	number or null (Caffeine mg)

]

GET /beverages/

Response samples

200

Content type
application/json

Copy Expand all Collapse all


```
[
  - {
        "id": 0,
        "category": "string",
        "name": "string",
        "preparation": "string",
        "calories": -9223372036854776000,
        "total_fat_g": 0,
        "sugar_g": -9223372036854776000,
        "caffeine_mg": 0
    }
]
```


beverages_create

AUTHORIZATIONS: > *Basic*

REQUEST BODY SCHEMA: application/json

category required	string (Category) [1 .. 100] characters

name required	string (Name) [1 .. 200] characters
preparation required	string (Preparation) [1 .. 100] characters
calories required	integer (Calories) [-9223372036854776000 .. 9223372036854776000]
total_fat_g	number or null (Total fat g)
sugar_g	integer or null (Sugar g) [-9223372036854776000 .. 9223372036854776000]
caffeine_mg	number or null (Caffeine mg)

Responses

201

RESPONSE SCHEMA: application/json

id	integer (ID)
category required	string (Category) [1 .. 100] characters
name required	string (Name) [1 .. 200] characters
preparation required	string (Preparation) [1 .. 100] characters
calories required	integer (Calories) [-9223372036854776000 .. 9223372036854776000]
total_fat_g	number or null (Total fat g)
sugar_g	integer or null (Sugar g) [-9223372036854776000 .. 9223372036854776000]
caffeine_mg	number or null (Caffeine mg)

POST /beverages/

Request samples

Payload

Content type
application/json

Copy


```
{
    "category": "string",
    "name": "string",
    "preparation": "string",
    "calories": -9223372036854776000,
    "total_fat_g": 0,
    "sugar_g": -9223372036854776000,
    "caffeine_mg": 0
}
```


Response samples

201

Content type
application/json

Copy


```
{
    "id": 0,
    "category": "string",
    "name": "string",
    "preparation": "string",
    "calories": -9223372036854776000,
    "total_fat_g": 0,
    "sugar_g": -9223372036854776000,
    "caffeine_mg": 0
}
```


beverages_read

AUTHORIZATIONS: > *Basic*

PATH PARAMETERS

id required	integer A unique integer value identifying this beverage.

Responses

200

RESPONSE SCHEMA: application/json

id	integer (ID)
category required	string (Category) [1 .. 100] characters
name required	string (Name) [1 .. 200] characters
preparation required	string (Preparation) [1 .. 100] characters
calories required	integer (Calories) [-9223372036854776000 .. 9223372036854776000]
total_fat_g	number or null (Total fat g)
sugar_g	integer or null (Sugar g) [-9223372036854776000 .. 9223372036854776000]
caffeine_mg	number or null (Caffeine mg)

GET /beverages/{id}/

Response samples

200

Content type
application/json

Copy

```
{
    "id": 0,
    "category": "string",
    "name": "string",
    "preparation": "string",
    "calories": -9223372036854776000,
    "total_fat_g": 0,
    "sugar_g": -9223372036854776000,
    "caffeine_mg": 0
}
```


beverages_update

AUTHORIZATIONS: > *Basic*

PATH PARAMETERS

id required	integer A unique integer value identifying this beverage.

REQUEST BODY SCHEMA: application/json

category required	string (Category) [1 .. 100] characters
name required	string (Name) [1 .. 200] characters
preparation required	string (Preparation) [1 .. 100] characters
calories required	integer (Calories) [-9223372036854776000 .. 9223372036854776000]
total_fat_g	number or null (Total fat g)
sugar_g	integer or null (Sugar g) [-9223372036854776000 .. 9223372036854776000]
caffeine_mg	number or null (Caffeine mg)

Responses

200

RESPONSE SCHEMA: application/json

id	integer (ID)
category required	string (Category) [1 .. 100] characters
name required	string (Name) [1 .. 200] characters
preparation required	string (Preparation) [1 .. 100] characters
calories required	integer (Calories) [-9223372036854776000 .. 9223372036854776000]
total_fat_g	number or null (Total fat g)
sugar_g	integer or null (Sugar g) [-9223372036854776000 .. 9223372036854776000]
caffeine_mg	number or null (Caffeine mg)

PUT /beverages/{id}/

Request samples

Payload

Content type
application/json

Copy

```
{
    "category": "string",
    "name": "string",
    "preparation": "string",
    "calories": -9223372036854776000,
    "total_fat_g": 0,
    "sugar_g": -9223372036854776000,
    "caffeine_mg": 0
}
```

Response samples

200

Content type
application/json

Copy


```
{
    "id": 0,
    "category": "string",
    "name": "string",
    "preparation": "string",
    "calories": -9223372036854776000,
    "total_fat_g": 0,
    "sugar_g": -9223372036854776000,
    "caffeine_mg": 0
}
```


beverages_partial_update

AUTHORIZATIONS: > *Basic*

PATH PARAMETERS

id required	integer A unique integer value identifying this beverage.

REQUEST BODY SCHEMA: application/json

category required	string (Category) [1 .. 100] characters
name required	string (Name) [1 .. 200] characters
preparation required	string (Preparation) [1 .. 100] characters
calories required	integer (Calories) [-9223372036854776000 .. 9223372036854776000]
total_fat_g	number or null (Total fat g)
sugar_g	integer or null (Sugar g) [-9223372036854776000 .. 9223372036854776000]

caffeine_mg — number or null (Caffeine mg)

Responses

200

RESPONSE SCHEMA: application/json

- id — integer (ID)
- category *required* — string (Category) [1 .. 100] characters
- name *required* — string (Name) [1 .. 200] characters
- preparation *required* — string (Preparation) [1 .. 100] characters
- calories *required* — integer (Calories) [-9223372036854776000 .. 9223372036854776000]
- total_fat_g — number or null (Total fat g)
- sugar_g — integer or null (Sugar g) [-9223372036854776000 .. 9223372036854776000]
- caffeine_mg — number or null (Caffeine mg)

PATCH /beverages/{id}/

Request samples

Payload

Content type
application/json

Copy

```
{
    "category": "string",
```

```
    "name": "string",
    "preparation": "string",
    "calories": -9223372036854776000,
    "total_fat_g": 0,
    "sugar_g": -9223372036854776000,
    "caffeine_mg": 0
}
```


Response samples

200

Content type
application/json

Copy


```
{
    "id": 0,
    "category": "string",
    "name": "string",
    "preparation": "string",
    "calories": -9223372036854776000,
    "total_fat_g": 0,
    "sugar_g": -9223372036854776000,
    "caffeine_mg": 0
}
```


beverages_delete

AUTHORIZATIONS: > *Basic*

PATH PARAMETERS

id required	integer A unique integer value identifying this beverage.

Responses

— 204

DELETE /beverages/{id}/