



mxr

01 / 10



Talk to your coding agent about your email

I built mxr. It brings all your accounts into one local mailbox, so your agent can search years of mail locally, tell you what needs attention, and help you handle it.

mxr · "Mixer" · mxr.sh

mxr · all mail

synced

All Mail Threads (1208)

> 1	★	Alex Demo ↻2	Re: Launch checklist for
2		Alex Demo ↻5	Re: Canary rollout notes
3		U SQLite Notes	Customer feedback from t
4	N	Ari Stone ↻5	Re: Draft positioning fo
5	N ★	Ruth Vega ↻5	Re: Security review foll
6	N	Ari Stone ↻3	Re: QBR prep and open qu
7	N	Cal Brooks ↻4	Re: Contract renewal det
8	N	USPS Informed Delivery	Your USPS package is out
9	N	Uptime Robot	Interview panel for Staf
10	N	Iris Chen ↻3	Re: Receipt for workspac
11	N	Leo Park ↻3	Re: Flight options for t
12	N	Prize Desk	Incident review: delayed
13		U Conference Passes	Weekly local-first readi
14	N ★	Account Verification	Build failed on release
15	N	Jon Bell ↻3	Re: Pricing page copy re
16		Alex Demo ↻5	Re: API migration plan +
17		U Ops Digest	Research notes: terminal
18	N ★	Samir Patel ↻2	Re: Action required: unu
19	N	Cal Brooks ↻5	Re: Spring upgrade offer
20	N	Cal Brooks ↻4	Re: Limited-time launch
21	N ★	Leo Park ↻5	Re: Urgent password rese
22	N	Pager Relay	Launch checklist for Pro
23	N	Leo Park ↻3	Re: Canary rollout notes
24	N	Theo Nash ↻4	Re: Customer feedback fr
25	N	Payroll Notice	Draft positioning for th
26	★	U Cloud Deals	Security review follow-u
27	N ★	Prize Desk	QBR prep and open questi
28	N	Samir Patel ↻4	Re: Contract renewal det
29		Alex Demo ↻5	Re: Interview panel for



Which emails should I be careful with?

The agent uses mxr to search my local mailbox, open the relevant threads, and report what deserves attention.

● ● ● coding agent · shell

synthetic demo mailbox

```
$ mxr search "label:inbox" --format json --limit 5000 | jq -r '.results[] |
select(.from|test("claim-now|security-mail|notice-demo|promo.demo")) | .from' | sort | uniq -c | sort -nr (timeout
30s)
```

... (2 earlier lines, ctrl+d to expand)

```
55 Payroll Notice <payroll@notice-demo.mxr.local>
42 Flight Fare Drop <fares@promo.demo.mxr.local>
42 Desk Gear Outlet <gear@promo.demo.mxr.local>
42 Conference Passes <events@promo.demo.mxr.local>
42 Cloud Deals <offers@promo.demo.mxr.local>
```


Took 0.6s

mxr search across the local mailbox, grouped by sender



All my accounts, one local mailbox


Gmail, Outlook, Microsoft 365, and any IMAP account sync into SQLite on my machine. Tantivy indexes it for fast local search. I send through Gmail, Outlook, or any SMTP server.





Search stays on the machine

Because the mailbox is already synced and indexed, a question starts with a fast local lookup. I don't notice the search. **The only thing I wait for is the model.**





I can analyse the whole mailbox at once

Every synced message body, sender, thread, timestamp, and attachment metadata is already in SQLite. mxr can answer questions across years of email without fetching messages one by one.

● ● ● mxr · year in review

local SQLite queries

\$ mxr wrapped --ytd

volume

top contacts

reply time

storage

newsletters

or ask something narrower

Who am I slow to reply to?

→ mxr response-time

Which relationships have gone quiet?

→ mxr contacts decay

Which newsletters do I rarely open?

→ mxr subscriptions --rank

What is taking up space?

→ mxr storage --by message



The agent uses the same CLI I do

A shell-capable agent discovers commands with `--help`, asks for JSON, and passes IDs from one command to the next. mxr also ships an MCP server for clients that prefer typed tools.

● ● ● agent · shell

```
$ mxr search "from:maya" --format ids
```

```
01JFQ7K3M2X8N5R0VYZA9CTBPF
```

```
$ mxr thread 01JFQ7K3M2X8N5R0VYZA9CTBPF --format json
```

```
$ mxr profile maya@example.com --format json
```



Drafting for one person

mxr retrieves the thread and adds local context from our previous emails, so the draft sounds like me writing to Maya.

what I ask

> Find the latest thread with Maya,
look at how I usually write to her,
and draft a reply. Don't send it.

weighs most

◆ the current thread

◆ my instruction

background context


recent messages I sent to her

contact style profile



A draft is still a draft

Drafting stops at text. **Sending** is a separate operation that needs my command, a daemon policy check, and confirmation.




email content

Data, never an instruction. It cannot authorise a send or redirect the task.



Close the TUI. Sync keeps going.

The agent comes and goes too. Every client talks to one mxr daemon and sees the same mailbox, search index, rules, and permission checks.





Try mxr with a synthetic mailbox

The demo creates an isolated two-account mailbox with 50,000 messages. It does not touch your real mxr data.

... install and run

```
$ brew install planetaryescape/mxr/mxr
```

```
$ mxr demo
```

[mxr.sh](#)

github.com/planetaryescape/mxr

mxr demo isolated

Sidebar

Accounts

alex@demo.mxr.local ●
alex@work.demo.mxr.local

System

Inbox27/2755

Sent418

Spam3/92

Starred2/244

All Mail

Subscriptions8

Owed

Calendar invites

Labels

Alerts5/217

family

Hiring3/279

Newsletters185

Potential Spam8/496

priority-04

All Mail Threads (1208)

> 1 ★ Alex Demo ↵2

2 Alex Demo ↵5

3 U SQLite Notes

4 N Ari Stone ↵5

5 N ★ Ruth Vega ↵5

6 N Ari Stone ↵3

7 N Cal Brooks ↵4

8 N USPS Informed Delivery

9 N Uptime Robot

10 N Iris Chen ↵3

11 N Leo Park ↵3

12 N Prize Desk

13 U Conference Passes

14 N ★ Account Verification

15 N Jon Bell ↵3

16 Alex Demo ↵5

17 U Ops Digest

18 N ★ Samir Patel ↵2

19 N Cal Brooks ↵5

20 N Cal Brooks ↵4

21 N ★ Leo Park ↵5