




Model View Controller

ERIN KEITH

Goals

1. Use
2. Description
3. Example

What's it good for?

Anything with a UI!

- Web Applications
- terminal/console application
- Mobile applications

Whyeeeeee?

- parallel development
- code reuse



The Models

Classes representing application components

- responsible for encapsulating the data
- little to know behavior
- data pulled from long term storage goes here
- passed to Views for rendering

The Views

Classes comprising the User Interface

- responsible for rendering Models
 - a chart, diagram, or menu list
 - a webpage
- presents interactive components (like buttons, etc.)
- sends updates to the Controller
- sends information to the Controller about where to go next


The Controllers

Classes comprising the User Interface

- populates Models
 - from long term storage sources
 - processes updates from the Views
- triggers Views
 - creates “next” View and calls appropriate rendering function
- coordinates populating Models for Views
 - provides Views with any necessary Models
- most additional “business logic” goes here

How?

Frequently, there is an MVC for each component



How?

Sometimes a View may need multiple Models.

- Example: a semester Schedule View may need a student Model and a collection of Course Models

projector

desk

Group 1

Group 2

Group 3

Group 4

Group 5

Group 6

Group 7

Group 8

Group 9

Group 10

Group 11

Group 12

Group 13

Group 14

Group 15

Group 16

Group 17

Group 18

Group 19

Group 20

Group 21

Group 22

Group 23

Group 24

Group 25

Group 26

Group 27

Group 28

Group 29

pillar

skateboards

door