

ERD — eProposal RSPI (Struktur Database Target / Rebuild)

Entity Relationship Diagram · sumber: PRD §8 · **Foreign key ditunda** (relasi logis; kolom *_id ada, constraint menyusul)

Domain Proposal Users & RBAC / Menu Survey Kepuasan Pendukung Primary Key Relasi (kolom *_id)

Domain Proposal (inti)

proposal	INTI	proposal_documents	FILE/BARIS	proposal_status_history	AUDIT	proposal_reviewers	PENUGASAN
 id	uuid	 id	uuid	 id	uuid	 id	uuid
nomor	bigint	 proposal_id	uuid	 proposal_id	uuid	 proposal_id	uuid
kode	varchar	jenis	enum	from_status	varchar	 reviewer_id	uuid
peneliti_utama	varchar	path	varchar	to_status	varchar	status	varchar
tim_peneliti	text	nama_asli	varchar	unit	varchar	timestamps · softDeletes	
judul_penelitian	text	versi	smallint	 actor_id	uuid	KEPK menunjuk ≥ 1 reviewer; status: menunggu acc revisi. Semua acc → proposal otomatis "Disetujui Reviewer". Revisi peneliti → semua reset "menunggu".	
institusi_asal	varchar	 uploaded_by	uuid	catatan	text		
email / phone	varchar	timestamps · softDeletes		timestamps · softDeletes			
 user_id	uuid	jenis: surat_pengantar, proposal, kaji_etik, sertifikat_gcp, form_kaji_etik, informed_consent, pks, kerahasiaan_data, bukti_bayar_cru, bukti_bayar_kepk, laporan_penelitian, raw_data, izin_draft, izin_final, surat_penolakan, surat_tanggapan, tanggapan_reviewer					
status	enum						
unit_sekarang	varchar						
tanggal_presentasi	ts						
kategori/media_presentasi	varchar						
isi_survey_kepuasan	bool						
created_by / updated_by / deleted_by	uuid						
timestamps · softDeletes							

proposal_reviews	KOMENTAR
 id	uuid
 proposal_id	uuid
tahap	tinyint
unit	varchar
 reviewer_id	uuid
keputusan	varchar
komentar	text
ronde	smallint
timestamps · softDeletes	

Users, RBAC & Menu

users	
 id	uuid
status_user	varchar
name / username	varchar
email	varchar
password	varchar
phone / jk	varchar
institusi_asal	varchar
kategori_pendidikan	varchar
timestamps · softDeletes	

menus		DINAMIS
 id		uuid
nama		varchar
slug		varchar
route		varchar
icon		varchar
 parent_id		uuid
urutan		int
aktif		bool
slug → permission {slug}.read/create/update/delete		

roles / permissions		SPATIE
roles		id, name, guard
permissions		id, name, guard
model_has_roles		role_id, model_id
role_has_permissions		role_id, perm_id
model_has_permissions		perm_id, model_id

Survey Kepuasan & Pendukung

master_aspek	
 id	uuid
nama_aspek	varchar
deskripsi	varchar
urutan	int
status_aktif	varchar

master_pertanyaan	
 id	uuid
 master_aspek_id	uuid
pertanyaan	text
is_required	varchar
urutan / status_aktif	—

master_skala	
 id	uuid
nama_skala	varchar
nilai	int
urutan	int

respon	
 id	uuid
 proposal_id	uuid
 responden_id	uuid
responden	varchar
jenis_responden	varchar
saran	text

jawaban	
 id	uuid
 respon_id	uuid
 master_pertanyaan_id	uuid
 master_skala_id	uuid
pertanyaan / jawaban	text

informasi_kontak		CONFIG
 id		uuid
telepon/fax/hotline/email		varchar
fb/ig/twitter/whatsapp		varchar
cp_* / wa_* (kaji etik/pks/mta)		varchar
rekening / bank / biaya		varchar

Catatan Skema	
• FK ditunda — relasi di atas bersifat logis. • <code>proposal</code> ramping: kolom file pindah ke <code>proposal_documents</code>. • <code>proposal_tahapan</code> dibuang → turunan dari <code>status</code>. • Semua tabel: PK <code>id</code> uuid (v7), <code>created_at</code> / <code>updated_at</code> , <code>deleted_at</code> (softDeletes), serta <code>created_by</code> / <code>updated_by</code> / <code>deleted_by</code>.	

Relasi Antar Tabel

DARI	KARDINALITAS	KE	VIA KOLOM
users	1 — N	proposal	proposal.user_id
proposal	1 — N	proposal_documents	proposal_id
proposal	1 — N	proposal_status_history	proposal_id
proposal	1 — N	proposal_reviews	proposal_id
proposal	1 — N	proposal_reviewers (penugasan)	proposal_id
users (role reviewer)	1 — N	proposal_reviewers	reviewer_id

proposal	1 — 1	respon (survey per proposal)	respon.proposal_id
users	1 — N	proposal_documents / _status_history / _reviews	uploaded_by / actor_id / reviewer_id
master_aspek	1 — N	master_pertanyaan	master_aspek_id
respon	1 — N	jawaban	respon_id
master_pertanyaan	1 — N	jawaban	master_pertanyaan_id
master_skala	1 — N	jawaban	master_skala_id
users	1 — N	respon	responden_id
users	N — M	roles	model_has_roles
roles	N — M	permissions	role_has_permissions
menus	1 — N	menus (submenu)	parent_id (self)
menus	1 — N (logis)	permissions	slug → {slug}.aksi