

# Lobbipad Okta integration Single Sign On and SCIM provisioning

1. Add the Lobbipad app to your Okta organization
2. Goto the Single sign on page and copy the Client ID, Client Secret and Client Audience URL.

The screenshot shows the 'Settings' page for an application in Okta. The 'Sign On' tab is selected. Under 'Sign on methods', 'OpenID Connect' is chosen. The 'Client ID' field contains '0oam5authhz1P7SuV5d7'. The 'Client secret' field is masked with dots. Both fields have a copy icon to the right. Explanatory text is provided for both fields.

General   **Sign On**   Provisioning   Import   Assignments   Okta API Scopes   Applic

### Settings [Edit](#)

**Sign on methods**

The sign-on method determines how a user signs into and manages their credentials for an application. Some sign-on methods require additional configuration in the 3<sup>rd</sup> party application.

Application username is determined by the user profile mapping. [Configure profile mapping](#)

☒ OpenID Connect

**Client ID**

0oam5authhz1P7SuV5d7 [Copy](#)

Public identifier for the client that is required for all OAuth flows.

**Client secret**

..... [Copy](#)

Secret used by the client to exchange an authorization code for a token. This must be kept confidential! Do not include it in apps which cannot keep it secret, such as those running on a client.

?

jeroen@theoffix.c...

okta-dev-15699577

**Chamath Abeysinghe**

jeroen@theoffix.com

dev-15699577.okta.com

[My settings](#)

[Sign out](#)

on Rat

(You can copy the audience URL here. Add the https:// part to the url.)

3. Log into the Lobbipad account and goto the URL <https://app.offixdev.com/settings/api/integrations> and enable Okta integration. Enter the copied values in the previous step.
4. Create a new Lobbipad API key here, <https://app.offixdev.com/settings/api/api-keys>
5. Goto the provisioning app of the Lobbipad Okta app.
6. Configure API Integration -> Enable API integration and enter the API key and Save it.

General

Sign On

Provisioning

Import

Assignments

Okta API Scopes

Application Rate Limits

Settings

Integration

Lobbipad test app: Configuration Guide

Provisioning Certification: Okta Verified

This provisioning integration is partner-built by Lobbipad test app

Cancel

☒ Enable API integration

Enter your Lobbipad test app credentials to enable user import and provisioning features.

API Token

.....

Test API Credentials

Save

7. Go to the To APP and edit the configurations as in the image and save it.

Settings

To App

To Okta

Integration

okta

→

Provisioning to App

Cancel

Create Users

Enable

Creates or links a user in Lobbipad test app when assigning the app to a user in Okta.

The [default username](#) used to create accounts is set to **Okta username**.

Set password when creating new users ☐ Enable

Update User Attributes

Enable

Okta updates a user's attributes in Lobbipad test app when the app is assigned. Future attribute changes made to the Okta user profile will automatically overwrite the corresponding attribute value in Lobbipad test app.



















Deactivate Users

Enable

Deactivates a user's Lobbipad test app account when it is unassigned in Okta or their Okta account is deactivated. Accounts can be reactivated if the app is reassigned to a user in Okta.

Save

8. Configure the Attributes mappings on the same page.

Attribute	Attribute Type	Value	Apply on		
Username userName	Personal	Configured in <a href="#">Sign On settings</a>			
Given name givenName	Personal	user.firstName	Create and update		
Family name familyName	Personal	user.lastName	Create and update		
Honorific suffix honorificSuffix	Personal	user.honorificSuffix	Create and update		
Email email	Personal	user.email	Create and update		
Display name displayName	Personal	user.displayName	Create and update		
appRole appRole	Personal	user.userType	Create and update		
location location	Personal	user.city	Create and update		
mobileNumber mobileNumber	Personal	user.mobilePhone	Create and update		
hostDepartment hostDepartment	Personal	user.department	Create and update		
<a href="#">Show Unmapped Attributes</a>					

Lobbipad expects bellow parameters

- Username: email address
- givenName : String
- familyName : String
- email: String email

Below attributes are custom attributes

- appRole(optional) : Admin, receptionist, user (default user)
- location(optional) : String
- mobileNumber(optional): Formatted with the country code, eg: +94712803294
- hostDepartment(optional) : String

To add custom attributes goto the Profile Editor -> Add attribute. Use below configurations to add the attributes

hostDepartment

Data type

string

Display name

hostDepartment

Variable name

scim2testapp.hostDepartment

External name

hostDepartment

External namespace

urn:ietf:params:scim:schemas:extension:lobbipad:2.0:User

Description

Enum

☐ Define enumerated list of values

Attribute required

☐ Yes

Attribute type

☒ Personal  
☐ Group

Mutability

READ\_WRITE

Save Attribute

Cancel

mobileNumber

Data type

string

Display name

mobileNumber

Variable name

scim2testapp.mobileNumber

External name

mobileNumber

External namespace

urn:ietf:params:scim:schemas:extension:lobbipad:2.0:User

Description

Enum

☐ Define enumerated list of values

Attribute required

☐ Yes

Attribute type

☒ Personal  
☐ Group

Mutability

READ\_WRITE

Save Attribute

Cancel

location

Data type

string

Display name

location

Variable name

scim2testapp.location

External name

location

External namespace

urn:ietf:params:scim:schemas:extension:lobbipad:2.0:User

Description

Enum

☐ Define enumerated list of values

Attribute required

☐ Yes

Attribute type

☒ Personal  
☐ Group

Mutability

READ\_WRITE

Save Attribute

Cancel

appRole

Data type

string

Display name

appRole

Variable name

scim2testapp.appRole

External name

appRole

External namespace

urn:ietf:params:scim:schemas:extension:lobbipad:2.0:User

Description

Enum

☐ Define enumerated list of values

Attribute required

☐ Yes

Attribute type

☒ Personal  
☐ Group

Mutability

READ\_WRITE

Save Attribute

Cancel

9. Assign users to the app

Go to the Assign tab -> Assign people and assign people to the app.

