

*Estimated N/A-Not Applicable N/R-Not Restricted N/E-Not Established

MATERIAL SAFETY DATA SHEET

NOTE: BLANK SPACES ARE NOT PE	KMII IED.	IF ANY ITEM I	S NOT APPLICABLE, TE		I BE MARKE	D TO INDICATE THAT.				
IDENTITY	CDVD 44	#0# +FD000Y	PART NO.							
(As shown on Label or package) SUPER	GRIP 11.	50Z AEROSOL		IF APPLICABLE						
SECTION I				1						
MANUFACTURER'S				EMERGENCY PHONE No.						
NAME Plasti Dip Internatio				USA only: 1-800-424-9300 INT'L: 703-527-3887						
ADDRESS (NUMBER, STREET, CITY, S	STATE AN	D ZIP CODE)		REVISION# 0003						
3920 Pheasant Ridge Drive										
D1: ND155440				MANUFACTURER'S PHONE						
Blaine, MN 55449				No. FOR INFORMATION 1-763-785-2156						
				DATE MSDS WAS PREPARED May 25, 2007						
SECTION II - HAZARDOUS INGREDIE	ENTS INFO	RMATION. All l	Health Hazards which com							
carcinogens if 0.1% of the composition or greater.										
HAZARDOUS COMPONENTS CHEMI	% Wt.	CAS NO.	OSHA	ACGIH	GIH OTHER LIMITS					
IDENTITY AND COMMON NAME	E (S)	(OPTIONAL)		PEL	TLV	RECOMMEND				
Toluene	20 - 30	108-88-3	100 ppmn	50 ppm	None					
Propane		10 - 20	74-98-6	1000 ppm	2500 ppm	None				
Methyl Acetate	10 - 20	79-20-9	200 ppm	200 ppm	None					
N Butane	10 - 15	106-97-8	800 ppm	800 ppm	None					
VM & P Naphtha				300 ppm	300 ppm	None				
Heptane	5 - 10	142-82-5	400 ppm	400 ppm	None					
Methyl Ethyl Ketone	1 - 5	78-93-3	200 ppm	200 ppm	None					
SECTION III - PHYSICAL / CHEMICAL	L CHARA(CTERISTICS								
BOILING	SPECIFI	C GRAVITY (H ₂	=1) APPROXIMATE WEIGHT PER GALLON (LBS)							
POINT < 0°F		0.7	24	6.02						
VAPOR PRESSURE	VAPOR	DENSITY		EVAPORATI						
5585.20 mmHg @ 20°C	(AIR = 1)	N/A		(BUTYL ACE	ETATE =1) 4.	6				
SOLUBILITY IN WATER	% VOLA			OTHER						
Insoluble 859			(IF ANY) None							
APPEARANCE										
AND ODOR Clear liquid, Mild Solvent										
SECTION IV-FIRE AND EXPLOSION I	IAZARD D			1	1					
FLASH POINT		FL	AMMABLE LIMITS			JEL 160				
Less than -25°F			0.9 16.0		16.0					
EXTINGUISHING MEDIA Control District Description										
MEDIA Carbon Dioxide, Dry Ch	iemical, or F	oam								
	ained breath	ning annaratus with	a full face niece, operated in	n nressure demand	l or other positiv	ve pressure mode				
FIGHTING PROCEDURES Self contained breathing apparatus with a full face piece, operated in pressure demand or other positive pressure mode. UNUSUAL FIRE AND This material is flammable and may be ignited by heat, sparks, flame or static electricity.										
EXPLOSION HAZARDS Level 3 aerosol (NFPA 30B). Contents under pressure if heated over 120°F aerosol can could explode, even when empty.										
HAZARDOUS PRODUCTS FORMED BY										
FIRE OR THERMAL DECOMPOSITION Carbon Dioxide and/or Carbon Monoxide										
EXPLOSIVE LIMITS										
(% BY VOLUME IN AIR) 0.9 – 16.0										
SECTION V - OPTIONAL HAZARD RA	TINGS IDI	ENTIFICATION								
HAZARD RATING National Fire Protection Association (NFPA)										
4-EXTREME										
3-HIGH	FIRE 4 REACTIVITY 0.									
2-MODERATE										
1-SLIGHT 0-INSIGNIFICANT	HEALTH 2 CRECIAL HAZADDO N									
**SEE SECTION IV	HEALTH 2 SPECIAL HAZARDS None.									
<u> </u>										





SECTION VI - REACTIVITY AND STABILITY DATA								
STABILITY	UNSTAB	LE	STABLE X					
INCOMPATIBILITY (Ma			Strong oxidizing a	gents				
HAZARDOUS DECOMPO				8				
				oxide, and u	nidentifiable or	ganic m	naterials	
HAZARDOUS	y produce c	carbon dioxide, carbon monoxide, and unidentifiable organic materials. MAY OCCUR CONDITIONS TO AVOID						
POLYMERIZATION			L NOT OCCUR	x		oid contact with heat, sparks, and open flame. Product may explode if heated.		
SECTION VII - HEALTH HAZARD DATA								
ROUTES OF ENTRY	IIAZAKI		ALATION? Yes	SKIN?	Vac IN	CECTI	ON? Yes EYES? Yes	
	or torte		See Signs and Sym			GESTI	ON: 1es E1ES: 1es	
	UTE	X				1	locato consistem con decues). Design con Constitue atria	
HAZARDS CHRONIC X Brain and Nervous System Damage (Referred to as solvents or painters syndrome). Drying or Cracking skin.								
CARCINOGENICITY: This product contains no reported carcinogens or suspected carcinogens.								
GYGYG AND								
SIGNS AND	-	TT 1	1 D: : D			T .1	. Oli In The	
SYMPTOMS OF	-				iness, Fatigue, Irregular Heartbeat, Skin and Eye Irritation.			
EXPOSURE	-	Targe	Target Organs: CNS, CVS, PNS, Liver, Kidneys, Lungs, Respiratory System, Skin.					
MEDICAL CONDITIONS	S GENERA	ALLY	AGGRAVATED B	Y EXPOSU	RE Pre-existin	g Heart	, Liver, Kidney and Lung disorders.	
	_							
EMERGENCY AND	_		tion: Contact Physic					
FIRST AID	_	Inhal	ation: Remove to fre	sh air. Adm	inister Oxygen	or Artif	ficial Respiration if Necessary.	
PROCEDURES	PROCEDURES Eye Contact: Flush with large amounts of water. If irritation persists, contact Physician.				persists, contact Physician.			
	-	Skin:	Wash with soap and	d water.				
SECTION VIII - PRECAU	UTIONS F	OR SA	AFE HANDLING A	ND USE				
STEPS TO BE TAKEN	-	Wipe	Wipe up with floor absorbent. Transfer to hood. Prevent run-off to sewers.					
IN CASE MATERIAL IS	-	Eliminate all sources of ignition. Ventilate to maintain exposure below PEL's						
RELEASED OR	-							
SPILLED	-							
WASTE DISPOSAL MET	HODS	Disno	ose of product in acco	ordance with	local county s	state and	d federal regulations	
(VIII) 12 2 2 3 3 3 3 1 3 1 3 1 3 1 3 1 3 1 3	11020	Dispe	or product in acco	ziddiice with	rocar, county, s	rate are	- Touchar Togaracions	
PRECAUTIONS TO BE	-	Keen	Keep away from sparks, flame and heat sources. Do not store above 120°F.				e above 120°F	
TAKEN IN HANDLING	-		1 3 aerosol (NFPA 30		it sources. Do i	not store	7 400 (6 120 1.	
AND STORAGE	-	Leve	3 de10301 (14117130	ъ).				
ANDSTORAGE								
OTHER	-	Keep Container Closed When Not In Use. Store this product with adequate ventilation in cool areas. Never place						
PRECAUTIONS	-					roduct	with adequate ventuation in coor areas. Thever place	
PRECAUTIONS aerosol container in flame or fire, even when empty. SECTION IX - CONTROL MEASURES								
							DD OWN CWAY DO A DAVING	
RESPIRATORY PROTEC						on,	PROTECTIVE GLOVES	
	use a respirator with appropriate NIOSH approved cartridge or supplied air equipment				upment.		Impervious Gloves	
VENTILATION LOCAL EXHAUST Supplememental (if needed)					SPECIAL None			
	CHANICA	AL (GI	ENERAL) To main	ntain exposu	re below PELs		OTHER None	
EYE PROTECTION OTHER PROTECTIVE CLOTHING OR EQUIPM								
Chemical splash goggles, or approved eye protection. Chemical Apron/Eye bath/Safety Shower								
WORK HYGIENIC PRACTICES Wash thoroughly after handling.								
SECTION X - TRANSPORTATION INFORMATION (Optional)								
DOT PROPER SHIPPING NAME Aerosols DO				DOT HA	OT HAZARD CLASS 2.1			
DOT UN NUMBER UN 1950			DOT PA	DOT PACKING GROUP N/A				
DOT EXCEPTIONS								
Ground shipment of limited or excepted quantities of aerosols in containers of 1 quart or less may ship as CONSUMER COMMODITY, ORM-D								
THIS PRODUCT CONTAINS THE FOLLOWING CHEMICALS SUBJECT TO REPORTING REQUIREMENTS OF SECTION 313 OF THE								
EMERGENCY PLANNING AND COMMUNITY RIGHT -TO-KNOW ACT OF 1986, 40 CFR 372, (see table on page 1 for CAS # and percent by weight).								
Toluene and Methyl Ethyl Ketone								
WARNING: THIS PRODUCT CONTAINS A CHEMICAL KNOWN TO THE STATE OF CALIFORNIA TO CAUSE CANCER AND BIRTH DEFECTS,								
OR OTHER REPRODUCTIVE HARM.								

This is the "back" when printed in duplex. Page 2 of 2 pages if not duplex.

Prepared By:	Mark Kenow