

# 1. HOW TO SEND EMAILS FROM GRAPE IN POSTGRESQL

### 1.1 Setup

The following needs to be set up in order to send emails from within SQL functions:

1. *smtp* settings in config

```
smtp: {
  host: 'mail.platsoft.net',
  from: 'Merlot <merlot-live@platsoft.net>',
  secureConnection: true,
  port: 465,
  auth: {
    user: 'username',
    pass: 'password'
  }
}
```

2. email\_template\_directory in config containing templates, typically \_dirname + '/email\_templates'

#### 1.2 Send an email

Call grape.send\_email (to TEXT, template TEXT, data JSON, headers JSON) to send an email. The values of the parameters should be as follows:

- to Email address of receiver
- template Template name (see Email templates below)
- data Template data
- headers Optional this is an array of additional headers to include in the email. For example: {'X-Key1': 'value', 'X-Key2': 'value'}

#### 1.3 Custom headers

Commonly used custom headers:

- From: Change the From field
- Reply-To: Reply To field

### 1.4 Email templates

Email templates live in the *email\_template\_directory* defined in the app's config. Each template has 4 files (each starting with the specified *templatename*):

- templatename.subject To generate the subject
- templatename.text To generate the plain-text body of the email
- templatename.html To generate the HTML body of the email
- templatename.attachments To generate a list of attachments to include in the email

Underscore's template engine is used. The data sent to *grape.send\_email* (to, template, data) is accessible inside the template files. For example, if an email is called with the following data:

```
{ "firstname": "Piet" }
```

The field firstname is accessable inside of the templates using <%= firstname %>



# 1.5 Example

A typical welcome email will have the following templates (assuming the template name is welcome):

welcome.subject:

```
Hi <%= firstname %>! Welcome to <%= product_name %>
```

#### welcome.text:

```
Hi <%= firstname %>!
  Welcome to <%= product_name %>.

Your login details are as follows:
  Username: <%= username %>
  Password: <%= password %>

Goodbye
```

The HTML file is optional, and follows the same pattern.

This template must be called with a JSON object containing at least fields *firstname*, *product\_name*, *username* and *password*. The send this email, call the grape.send\_email function:

```
SELECT grape.send_email('piet@platsoft.net', 'welcome',
   '{"firstname": "Piet",
   "product_name": "Some System",
   "username": "Piet",
   "password": "Piet123"}'::JSON);
```