Dev/Ops Workshop – Setup

Start up:

1. Go to https://login.broadcom.com/

2. In the Username box enter the supplied user id:
   mfwsuserXX@demo.broadcom.com. The XX will be the number assigned
   to you. Then click the Next button.

Enter the password: Event@Share@2023 then click the Sign In button.

3. Then click the box that says GTO Secure Access Cloud(SAC) – Customers

4. You will be brought to the following screen.

5. Click on the MSD-Workshop button.

6. You will be brought to the following screen where you need to enter your e – mail address. Click the Proceed button.

7. The next screen you will need to create your workspace from a template. Click on the Workspaces tab at the top of the screen.

8. Then click the drop down from the Create Workspace box.

9. Then click on Create from Template.

10. On the following screen click on the Select Template* drop down

11. Select WorkshopDemos from the drop down.

12. Then select the Launch button.

13. You will be brought to the following screen. Notice under the column Status it states "pending". This means the workspace is being generated. This can take a few minutes.

14. After waiting a few minutes, click the refresh button or F5 to refresh the web page. Notice under the Status column it now states "running"

15. Move the mouse so it is over the "running" and it will change to "open". Click it.

16. At this point you are now in your workspace in a VS Code session.

17. As the terminal start notice at the bottom in the TERMINAL tab. If you are not seeing itYou are looking for the following messages: Startup script finished

18. Here is the complete message log from the terminal, remember to be looking for "Startup scripted finished".

developer@ws-805520147629576-0:~/doggos-gse$ strongcli startupScript
Reading package lists... Done
Building dependency tree... Done
Reading state information... Done
curl is already the newest version (7.81.0-1ubuntu1.10).
0 upgraded, 0 newly installed, 0 to remove and 3 not upgraded.
tput: unknown terminal "unknown"

Installing the NodeSource Node.js 18.x repo...

Populating apt-get cache...

+ apt-get update
Get:1 https://deb.nodesource.com/node_19.x jammy InRelease [4,563 B]
Get:2 http://security.ubuntu.com/ubuntu jammy-security InRelease [110 kB]
Hit:3 https://dl.yarnpkg.com/debian stable InRelease
Get:4 https://apt.releases.hashicorp.com jammy InRelease [12.9 kB]
Get:5 https://packages.microsoft.com/repos/azure-cli jammy InRelease [3,575 B]
Hit:6 http://archive.ubuntu.com/ubuntu jammy InRelease
Get:7 http://archive.ubuntu.com/ubuntu jammy-updates InRelease [119 kB]

Get:9 https://apt.releases.hashicorp.com jammy/main amd64 Packages [115 kB]
Get:10 https://packages.microsoft.com/repos/azure-cli jammy/main amd64 Packages [922 B]
Get:11 https://deb.nodesource.com/node_19.x jammy/main amd64 Packages [773 B]
Get:12 http://archive.ubuntu.com/ubuntu jammy-backports InRelease [109 kB]
Get:13 http://security.ubuntu.com/ubuntu jammy-security/universe amd64 Packages [979 kB]
Get:14 http://archive.ubuntu.com/ubuntu jammy-updates/multiverse amd64 Packages [49.9 kB]
Get:15 http://archive.ubuntu.com/ubuntu jammy-updates/universe amd64 Packages [1,235 kB]
Get:8 https://packagecloud.io/github/git-lfs/ubuntu jammy InRelease [25.8 kB]
Get:16 http://security.ubuntu.com/ubuntu jammy-security/multiverse amd64 Packages [44.0 kB]
Get:17 http://security.ubuntu.com/ubuntu jammy-security/restricted amd64 Packages [849 kB]
Get:18 http://security.ubuntu.com/ubuntu jammy-security/main amd64 Packages [834 kB]
Get:19 http://archive.ubuntu.com/ubuntu jammy-updates/main amd64 Packages [1,103 kB]
Get:20 http://archive.ubuntu.com/ubuntu jammy-updates/restricted amd64 Packages [864 kB]
Get:21 http://archive.ubuntu.com/ubuntu jammy-backports/main amd64 Packages [49.2 kB]
Get:22 http://archive.ubuntu.com/ubuntu jammy-backports/universe amd64 Packages [25.6 kB]
Get:23 https://packagecloud.io/github/git-lfs/ubuntu jammy/main amd64 Packages [1,461 B]
Fetched 6,536 kB in 1s (5,957 kB/s)
Reading package lists... Done
W: https://dl.yarnpkg.com/debian/dists/stable/InRelease: Key is stored in legacy trusted.gpg keyring
(/etc/apt/trusted.gpg), see the DEPRECATION section in apt-key(8) for details.
W: https://apt.releases.hashicorp.com/dists/jammy/InRelease: Key is stored in legacy trusted.gpg keyring
(/etc/apt/trusted.gpg), see the DEPRECATION section in apt-key(8) for details.

Confirming "jammy" is supported...

+ curl -sLf -o /dev/null 'https://deb.nodesource.com/node_18.x/dists/jammy/Release'

Adding the NodeSource signing key to your keyring...

+ curl -s https://deb.nodesource.com/gpgkey/nodesource.gpg.key | gpg --dearmor | tee
/usr/share/keyrings/nodesource.gpg >/dev/null

Creating apt sources list file for the NodeSource Node.js 18.x repo...

+ echo 'deb [signed-by=/usr/share/keyrings/nodesource.gpg] https://deb.nodesource.com/node_18.x jammy main'
> /etc/apt/sources.list.d/nodesource.list
+ echo 'deb-src [signed-by=/usr/share/keyrings/nodesource.gpg] https://deb.nodesource.com/node_18.x jammy
main' >> /etc/apt/sources.list.d/nodesource.list

Running `apt-get update` for you...

+ apt-get update
Hit:1 https://apt.releases.hashicorp.com jammy InRelease
Hit:2 http://security.ubuntu.com/ubuntu jammy-security InRelease
Hit:3 https://dl.yarnpkg.com/debian stable InRelease
Get:4 https://deb.nodesource.com/node_18.x jammy InRelease [4,563 B]
Hit:5 https://packages.microsoft.com/repos/azure-cli jammy InRelease
Hit:7 http://archive.ubuntu.com/ubuntu jammy InRelease
Get:8 https://deb.nodesource.com/node_18.x jammy/main amd64 Packages [775 B]
Hit:9 http://archive.ubuntu.com/ubuntu jammy-updates InRelease
Hit:6 https://packagecloud.io/github/git-lfs/ubuntu jammy InRelease
Hit:10 http://archive.ubuntu.com/ubuntu jammy-backports InRelease
Fetched 5,338 B in 1s (7,411 B/s)
Reading package lists... Done

W: https://apt.releases.hashicorp.com/dists/jammy/InRelease: Key is stored in legacy trusted.gpg keyring (/etc/apt/trusted.gpg), see the DEPRECATION section in apt-key(8) for details.
W: https://dl.yarnpkg.com/debian/dists/stable/InRelease: Key is stored in legacy trusted.gpg keyring (/etc/apt/trusted.gpg), see the DEPRECATION section in apt-key(8) for details.

Run `sudo apt-get install -y nodejs` to install Node.js 18.x and npm
You may also need development tools to build native addons:
    sudo apt-get install gcc g++ make
To install the Yarn package manager, run:
    curl -sL https://dl.yarnpkg.com/debian/pubkey.gpg | gpg --dearmor | sudo tee /usr/share/keyrings/yarnkey.gpg >/dev/null
    echo "deb [signed-by=/usr/share/keyrings/yarnkey.gpg] https://dl.yarnpkg.com/debian stable main" | sudo tee /etc/apt/sources.list.d/yarn.list
    sudo apt-get update && sudo apt-get install yarn

Reading package lists... Done
Building dependency tree... Done
Reading state information... Done
nodejs is already the newest version (19.8.1-deb-1nodesource1).
0 upgraded, 0 newly installed, 0 to remove and 162 not upgraded.

added 282 packages in 11s

13 packages are looking for funding
  run `npm fund` for details
npm notice
npm notice New minor version of npm available! 9.6.2 -> 9.8.1
npm notice Changelog: https://github.com/npm/cli/releases/tag/v9.8.1
npm notice Run npm install -g npm@9.8.1 to update!
npm notice
Plug-ins within the Imperative CLI Framework can legitimately gain
control of the zowe CLI application during the execution of every command.
Install 3rd party plug-ins at your own risk.

Registry = https://registry.npmjs.org/

_____
Installed plugin name = '@zowe/cics-for-zowe-cli'

_____ Validation results for plugin '@zowe/cics-for-zowe-cli' _____
This plugin was successfully validated. Enjoy the plugin.
_____
Installed plugin name = '@zowe/db2-for-zowe-cli'

_____ Validation results for plugin '@zowe/db2-for-zowe-cli' _____
This plugin was successfully validated. Enjoy the plugin.
_____
Installed plugin name = '@zowe/ims-for-zowe-cli'

_____ Validation results for plugin '@zowe/ims-for-zowe-cli' _____
This plugin was successfully validated. Enjoy the plugin.
_____
Installed plugin name = '@zowe/mq-for-zowe-cli'

_____ Validation results for plugin '@zowe/mq-for-zowe-cli' _____
This plugin was successfully validated. Enjoy the plugin.

_____

Installed plugin name = '@zowe/zos-ftp-for-zowe-cli'

_____ Validation results for plugin '@zowe/zos-ftp-for-zowe-cli' _____
This plugin was successfully validated. Enjoy the plugin.

Unexpected Command Error:
Please review the message and stack below.
Contact the creator of handler:
"/usr/lib/node_modules/@zowe/cli/node_modules/@zowe/imperative/lib/imperative/src/config/cmd/init/init.handl
er"
Message:
[keyring] "glib" library returned an error:

"\"Cannot autolaunch D-Bus without X11 $DISPLAY\""
Stack:
Error: [keyring] "glib" library returned an error:

"\"Cannot autolaunch D-Bus without X11 $DISPLAY\""
Data set deleted successfully.
Data set deleted successfully.

$ rm: FSUM9195 cannot unlink entry "/u/users/cust010/doggos": EDC5129I No such file or directory.
Command Error:
z/OSMF REST API Error:
Rest API failure with HTTP(S) status 404
category: 4
rc: 8
reason: 0
message: LMERASE error
details:
  - ISRZ002 Data set not cataloged - 'CUST010.DOGGOS.COPYBOOK' was not found in catalog.

Error Details:
HTTP(S) error status "404" received.
Review request details (resource, base path, credentials, payload) and ensure correctness.

Protocol: https
Host: 10.1.2.73
Port: 10443
Base Path:
Resource: /zosmf/restfiles/ds/CUST010.DOGGOS.COPYBOOK
Request: DELETE
Headers: [{"Accept-Encoding":"gzip"},{"X-CSRF-ZOSMF-HEADER":true}]
Payload: undefined
Command Error:
z/OSMF REST API Error:
Rest API failure with HTTP(S) status 404
category: 4
rc: 8
reason: 0
message: LMERASE error

details:
  - ISRZ002 Data set not cataloged - 'CUST010.PUBLIC.LOADLIB' was not found in catalog.

Error Details:
HTTP(S) error status "404" received.
Review request details (resource, base path, credentials, payload) and ensure correctness.

Protocol: https
Host: 10.1.2.73
Port: 10443
Base Path:
Resource: /zosmf/restfiles/ds/CUST010.PUBLIC.LOADLIB
Request: DELETE
Headers: [{"Accept-Encoding":"gzip"},{"X-CSRF-ZOSMF-HEADER":true}]
Payload: undefined
Command Error:
z/OSMF REST API Error:
Rest API failure with HTTP(S) status 404
category: 4
rc: 8
reason: 0
message: LMERASE error
details:
  - ISRZ002 Data set not cataloged - 'CUST010.PUBLIC.PROFLIB' was not found in catalog.

Error Details:
HTTP(S) error status "404" received.
Review request details (resource, base path, credentials, payload) and ensure correctness.

Protocol: https
Host: 10.1.2.73
Port: 10443
Base Path:
Resource: /zosmf/restfiles/ds/CUST010.PUBLIC.PROFLIB
Request: DELETE
Headers: [{"Accept-Encoding":"gzip"},{"X-CSRF-ZOSMF-HEADER":true}]
Payload: undefined
Command Error:
z/OSMF REST API Error:
Rest API failure with HTTP(S) status 500
category: 1
rc: 8
reason: 9
message: IDCAMS completed with return code=8
details:
  - DELETE -
  - CUST010.PUBLIC.PROTSYM -
  - CLUSTER -
  - NOERASE -
  - NOPURGE
  - IDC3012I ENTRY CUST010.PUBLIC.PROTSYM NOT FOUND
  - IDC3009I ** VSAM CATALOG RETURN CODE IS 8 - REASON CODE IS IGG0CLA3-42
  - IDC0551I ** ENTRY CUST010.PUBLIC.PROTSYM NOT DELETED
  - IDC0001I FUNCTION COMPLETED, HIGHEST CONDITION CODE WAS 8

- IDC0002I IDCAMS PROCESSING COMPLETE. MAXIMUM CONDITION CODE WAS 8

Error Details:
HTTP(S) error status "500" received.
Review request details (resource, base path, credentials, payload) and ensure correctness.

Protocol: https
Host: 10.1.2.73
Port: 10443
Base Path:
Resource: /zosmf/restfiles/ams
Request: PUT
Headers: [{"Content-Type":"application/json"},{"Content-Length":"83"},{"Accept-Encoding":"gzip"},{"X-CSRF-ZOSMF-HEADER":true}]
Payload: {
 input: [
   'DELETE -',
   'CUST010.PUBLIC.PROTSYM -',
   'CLUSTER -',
   'NOERASE -',
   'NOPURGE'
 ]
}
Data set created successfully.
success: true
from: /home/developer/doggos-gse/scripts/files/tmp/DBGDOG.jcl
to: CUST010.PUBLIC.JCL(DBGDOG)

success: true
from: /home/developer/doggos-gse/scripts/files/tmp/LSTPRF.jcl
to: CUST010.PUBLIC.JCL(LSTPRF)

success: true
from: /home/developer/doggos-gse/scripts/files/tmp/RUNDOG.jcl
to: CUST010.PUBLIC.JCL(RUNDOG)

file_to_upload: 3
success: 3
error: 0
skipped: 0

Data set uploaded successfully.
Data set created successfully.
success: true
from: /home/developer/doggos-gse/scripts/files/DOGGOS.INPUT
to: CUST010.PUBLIC.INPUT

file_to_upload: 1
success: 1
error: 0
skipped: 0

Data set uploaded successfully.
Startup script finished

Installing a VS Code Extension:

1. Before you can start the workshop an extension has to be installed to allow you to complete it. Click the Extensions box on the left side of the screen.


2. The following screen will allow you to search for the needed plugin. In the Search Extensions in Marketplace box enter Code4z.

3. Click on the Install box for Code4z. The one that looks like the logo for the Fantastic 4.


4. At this point Broadcom's Code4z is being installed into VS Code in the workspace. Notice the extra extensions that have been installed.

At this point you are ready to start the workshop. To return to the Explorer view click on the extension that looks like two pieces of paper.

It will return you to the main view.

Congratulations you have completed the workshop setup.