

```
1 System·ID: ·  
1 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
1 /6B215A5C5379FFD27D27193FFFA3603B.xml↵  
2 Main·validation·file: ·  
2 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
2 /6B215A5C5379FFD27D27193FFFA3603B.xml↵  
3 Scenario·name: ·gg-sch↵  
4 Schema: ·  
4 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm  
ent..sch↵  
5 Engine·name: ·ISO·Schematron↵  
6 Severity: ·error↵  
7 Description: ·A·paragraph·must·have·an·ancestor·  
7 subSection·or·subSubSection.↵  
8 Start·location: ·295:107↵  
9 ↵  
10 System·ID: ·  
10 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
10 /6B215A5C5379FFD27D27193FFFA3603B.xml↵  
11 Main·validation·file: ·  
11 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
11 /6B215A5C5379FFD27D27193FFFA3603B.xml↵  
12 Scenario·name: ·gg-sch↵  
13 Schema: ·  
13 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm  
ent..sch↵  
14 Engine·name: ·ISO·Schematron↵  
15 Severity: ·error↵  
16 Description: ·A·paragraph·must·have·an·ancestor·  
16 subSection·or·subSubSection.↵  
17 Start·location: ·298:128↵  
18 ↵  
19 System·ID: ·  
19 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
19 /6B215A5C5379FFD27D27193FFFA3603B.xml↵
```

```
20 Main-validation-file: ·
20 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
20 /6B215A5C5379FFD27D27193FFFA3603B.xml↵
21 Scenario-name: ·gg-sch↵
22 Schema: ·
22 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
22 ent..sch↵
23 Engine-name: ·ISO ·Schematron↵
24 Severity: ·error↵
25 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
25 subSection ·or ·subSubSection.↵
26 Start-location: ·299:128↵
27 ↵
28 System-ID: ·
28 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
28 /6B215A5C5379FFD27D27193FFFA3603B.xml↵
29 Main-validation-file: ·
29 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
29 /6B215A5C5379FFD27D27193FFFA3603B.xml↵
30 Scenario-name: ·gg-sch↵
31 Schema: ·
31 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
31 ent..sch↵
32 Engine-name: ·ISO ·Schematron↵
33 Severity: ·error↵
34 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
34 subSection ·or ·subSubSection.↵
35 Start-location: ·300:128↵
36 ↵
37 System-ID: ·
37 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
37 /6B215A5C5379FFD27D27193FFFA3603B.xml↵
38 Main-validation-file: ·
38 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
38 /6B215A5C5379FFD27D27193FFFA3603B.xml↵
```

```
39 Scenario·name: ·gg-sch↵
40 Schema: ·
40 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
40 ent..sch↵
41 Engine·name: ·ISO ·Schematron↵
42 Severity: ·error↵
43 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
43 subSection ·or ·subSubSection.↵
44 Start ·location: ·301:128↵
45 ↵
46 System ·ID: ·
46 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
46 /6B215A5C5379FFD27D27193FFFA3603B.xml↵
47 Main ·validation ·file: ·
47 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
47 /6B215A5C5379FFD27D27193FFFA3603B.xml↵
48 Scenario·name: ·gg-sch↵
49 Schema: ·
49 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
49 ent..sch↵
50 Engine·name: ·ISO ·Schematron↵
51 Severity: ·error↵
52 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
52 subSection ·or ·subSubSection.↵
53 Start ·location: ·302:128↵
54 ↵
55 System ·ID: ·
55 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
55 /6B215A5C5379FFD27D27193FFFA3603B.xml↵
56 Main ·validation ·file: ·
56 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
56 /6B215A5C5379FFD27D27193FFFA3603B.xml↵
57 Scenario·name: ·gg-sch↵
58 Schema: ·
58 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
```

```
58 ent..sch↵
59 Engine.name: ·ISO ·Schematron↵
60 Severity: ·error↵
61 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
61 subSection ·or ·subSubSection.↵
62 Start ·location: ·303:130↵
63 ↵
64 System ·ID: ·
64 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
64 /6B215A5C5379FFD27D27193FFFA3603B.xml↵
65 Main ·validation ·file: ·
65 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
65 /6B215A5C5379FFD27D27193FFFA3603B.xml↵
66 Scenario ·name: ·gg-sch↵
67 Schema: ·
67 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
67 ent..sch↵
68 Engine.name: ·ISO ·Schematron↵
69 Severity: ·error↵
70 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
70 subSection ·or ·subSubSection.↵
71 Start ·location: ·306:106↵
72 ↵
73 System ·ID: ·
73 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
73 /6B215A5C5379FFD27D27193FFFA3603B.xml↵
74 Main ·validation ·file: ·
74 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
74 /6B215A5C5379FFD27D27193FFFA3603B.xml↵
75 Scenario ·name: ·gg-sch↵
76 Schema: ·
76 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
76 ent..sch↵
77 Engine.name: ·ISO ·Schematron↵
78 Severity: ·error↵
```

79 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
79 subSection ·or ·subSubSection. ↵  
80 Start ·location: ·317:132 ↵  
81 ↵  
82 System ·ID: ·  
82 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
82 /6B215A5C5379FFD27D27193FFFA3603B.xml ↵  
83 Main ·validation ·file: ·  
83 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
83 /6B215A5C5379FFD27D27193FFFA3603B.xml ↵  
84 Scenario ·name: ·gg-sch ↵  
85 Schema: ·  
85 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
85 ent..sch ↵  
86 Engine ·name: ·ISO ·Schematron ↵  
87 Severity: ·error ↵  
88 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
88 subSection ·or ·subSubSection. ↵  
89 Start ·location: ·321:107 ↵  
90 ↵  
91 System ·ID: ·  
91 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
91 /6B215A5C5379FFD27D27193FFFA3603B.xml ↵  
92 Main ·validation ·file: ·  
92 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
92 /6B215A5C5379FFD27D27193FFFA3603B.xml ↵  
93 Scenario ·name: ·gg-sch ↵  
94 Schema: ·  
94 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
94 ent..sch ↵  
95 Engine ·name: ·ISO ·Schematron ↵  
96 Severity: ·error ↵  
97 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
97 subSection ·or ·subSubSection. ↵  
98 Start ·location: ·325:107 ↵

```
99 ←
100 System·ID: ·
100 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
100 /6B215A5C5379FFD27D27193FFFA3603B.xml←
101 Main·validation·file: ·
101 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
101 /6B215A5C5379FFD27D27193FFFA3603B.xml←
102 Scenario·name: ·gg-sch←
103 Schema: ·
103 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
103 ent..sch←
104 Engine·name: ·ISO·Schematron←
105 Severity: ·error←
106 Description: ·A·paragraph·must·have·an·ancestor·
106 subSection·or·subSubSection.←
107 Start·location: ·329:107←
108 ←
109 System·ID: ·
109 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
109 /6B215A5C5379FFD27D27193FFFA3603B.xml←
110 Main·validation·file: ·
110 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
110 /6B215A5C5379FFD27D27193FFFA3603B.xml←
111 Scenario·name: ·gg-sch←
112 Schema: ·
112 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
112 ent..sch←
113 Engine·name: ·ISO·Schematron←
114 Severity: ·error←
115 Description: ·A·paragraph·must·have·an·ancestor·
115 subSection·or·subSubSection.←
116 Start·location: ·330:107←
117 ←
118 System·ID: ·
118 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
```

```
118 /6B215A5C5379FFD27D27193FFA3603B.xml↵
119 Main-validation-file: ·
119 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
119 /6B215A5C5379FFD27D27193FFA3603B.xml↵
120 Scenario-name: ·gg-sch↵
121 Schema: ·
121 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
121 ent..sch↵
122 Engine-name: ·ISO ·Schematron↵
123 Severity: ·error↵
124 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
124 subSection ·or ·subSubSection.↵
125 Start ·location: ·389:107↵
126 ↵
127 System ·ID: ·
127 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
127 /6B215A5C5379FFD27D27193FFA3603B.xml↵
128 Main-validation-file: ·
128 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
128 /6B215A5C5379FFD27D27193FFA3603B.xml↵
129 Scenario-name: ·gg-sch↵
130 Schema: ·
130 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
130 ent..sch↵
131 Engine-name: ·ISO ·Schematron↵
132 Severity: ·error↵
133 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
133 subSection ·or ·subSubSection.↵
134 Start ·location: ·447:107↵
135 ↵
136 System ·ID: ·
136 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
136 /6B215A5C5379FFD27D27193FFA3603B.xml↵
137 Main-validation-file: ·
137 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
```

```
137 /6B215A5C5379FFD27D27193FFA3603B.xml↵
138 Scenario·name: ·gg-sch↵
139 Schema: ·
139 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
139 ent..sch↵
140 Engine·name: ·ISO ·Schematron↵
141 Severity: ·error↵
142 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
142 subSection ·or ·subSubSection.↵
143 Start ·location: ·505:107↵
144 ↵
145 System ·ID: ·
145 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
145 /6B215A5C5379FFD27D27193FFA3603B.xml↵
146 Main ·validation ·file: ·
146 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
146 /6B215A5C5379FFD27D27193FFA3603B.xml↵
147 Scenario·name: ·gg-sch↵
148 Schema: ·
148 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
148 ent..sch↵
149 Engine·name: ·ISO ·Schematron↵
150 Severity: ·error↵
151 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
151 subSection ·or ·subSubSection.↵
152 Start ·location: ·646:108↵
153 ↵
154 System ·ID: ·
154 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
154 /6B215A5C5379FFD27D27193FFA3603B.xml↵
155 Main ·validation ·file: ·
155 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
155 /6B215A5C5379FFD27D27193FFA3603B.xml↵
156 Scenario·name: ·gg-sch↵
157 Schema: ·
```

```
157 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm  
157 ent..sch↵  
158 Engine.name: ·ISO ·Schematron↵  
159 Severity: ·error↵  
160 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
160 subSection ·or ·subSubSection.↵  
161 Start ·location: ·668:108↵  
162 ↵  
163 System ·ID: ·  
163 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
163 /6B215A5C5379FFD27D27193FFFA3603B.xml↵  
164 Main ·validation ·file: ·  
164 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
164 /6B215A5C5379FFD27D27193FFFA3603B.xml↵  
165 Scenario ·name: ·gg-sch↵  
166 Schema: ·  
166 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm  
166 ent..sch↵  
167 Engine.name: ·ISO ·Schematron↵  
168 Severity: ·error↵  
169 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
169 subSection ·or ·subSubSection.↵  
170 Start ·location: ·704:135↵  
171 ↵  
172 System ·ID: ·  
172 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
172 /6B215A5C5379FFD27D27193FFFA3603B.xml↵  
173 Main ·validation ·file: ·  
173 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
173 /6B215A5C5379FFD27D27193FFFA3603B.xml↵  
174 Scenario ·name: ·gg-sch↵  
175 Schema: ·  
175 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm  
175 ent..sch↵  
176 Engine.name: ·ISO ·Schematron↵
```

```
177 Severity: ·error↵
178 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
178 subSection ·or ·subSubSection.↵
179 Start ·location: ·708:176↵
180 ↵
181 System ·ID: ·
181 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
181 /6B215A5C5379FFD27D27193FFFA3603B.xml↵
182 Main ·validation ·file: ·
182 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
182 /6B215A5C5379FFD27D27193FFFA3603B.xml↵
183 Scenario ·name: ·gg-sch↵
184 Schema: ·
184 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
184 ent..sch↵
185 Engine ·name: ·ISO ·Schematron↵
186 Severity: ·error↵
187 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
187 subSection ·or ·subSubSection.↵
188 Start ·location: ·728:132↵
189 ↵
190 System ·ID: ·
190 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
190 /6B215A5C5379FFD27D27193FFFA3603B.xml↵
191 Main ·validation ·file: ·
191 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
191 /6B215A5C5379FFD27D27193FFFA3603B.xml↵
192 Scenario ·name: ·gg-sch↵
193 Schema: ·
193 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
193 ent..sch↵
194 Engine ·name: ·ISO ·Schematron↵
195 Severity: ·error↵
196 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
196 subSection ·or ·subSubSection.↵
```

```
197 Start ·location: ·733:107↵
198 ↵
199 System ·ID: ·
199 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
199 /6B215A5C5379FFD27D27193FFFA3603B.xml↵
200 Main ·validation ·file: ·
200 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
200 /6B215A5C5379FFD27D27193FFFA3603B.xml↵
201 Scenario ·name: ·gg-sch↵
202 Schema: ·
202 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
202 ent..sch↵
203 Engine ·name: ·ISO ·Schematron↵
204 Severity: ·error↵
205 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
205 subSection ·or ·subSubSection.↵
206 Start ·location: ·751:132↵
207 ↵
208 System ·ID: ·
208 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
208 /6B215A5C5379FFD27D27193FFFA3603B.xml↵
209 Main ·validation ·file: ·
209 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
209 /6B215A5C5379FFD27D27193FFFA3603B.xml↵
210 Scenario ·name: ·gg-sch↵
211 Schema: ·
211 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
211 ent..sch↵
212 Engine ·name: ·ISO ·Schematron↵
213 Severity: ·error↵
214 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
214 subSection ·or ·subSubSection.↵
215 Start ·location: ·755:130↵
216 ↵
217 System ·ID: ·
```

```
217 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
217 /6B215A5C5379FFD27D27193FFFA3603B.xml↵
218 Main-validation-file: .
218 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
218 /6B215A5C5379FFD27D27193FFFA3603B.xml↵
219 Scenario-name: .gg-sch↵
220 Schema: .
220 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
220 ent..sch↵
221 Engine-name: .ISO-Schematron↵
222 Severity: .error↵
223 Description: .A .paragraph .must .have .an .ancestor .
223 subSection .or .subSubSection.↵
224 Start-location: .758:108↵
225 ↵
226 System-ID: .
226 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
226 /6B215A5C5379FFD27D27193FFFA3603B.xml↵
227 Main-validation-file: .
227 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
227 /6B215A5C5379FFD27D27193FFFA3603B.xml↵
228 Scenario-name: .gg-sch↵
229 Schema: .
229 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
229 ent..sch↵
230 Engine-name: .ISO-Schematron↵
231 Severity: .error↵
232 Description: .A .paragraph .must .have .an .ancestor .
232 subSection .or .subSubSection.↵
233 Start-location: .759:134↵
234 ↵
235 System-ID: .
235 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
235 /6B215A5C5379FFD27D27193FFFA3603B.xml↵
236 Main-validation-file: .
```

```
236 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
236 /6B215A5C5379FFD27D27193FFA3603B.xml↵
237 Scenario·name: ·gg-sch↵
238 Schema: ·
238 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
238 ent..sch↵
239 Engine·name: ·ISO ·Schematron↵
240 Severity: ·error↵
241 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
241 subSection ·or ·subSubSection.↵
242 Start ·location: ·764:109↵
243 ↵
244 System ·ID: ·
244 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
244 /6B215A5C5379FFD27D27193FFA3603B.xml↵
245 Main ·validation ·file: ·
245 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
245 /6B215A5C5379FFD27D27193FFA3603B.xml↵
246 Scenario·name: ·gg-sch↵
247 Schema: ·
247 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
247 ent..sch↵
248 Engine·name: ·ISO ·Schematron↵
249 Severity: ·error↵
250 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
250 subSection ·or ·subSubSection.↵
251 Start ·location: ·765:105↵
252 ↵
253 System ·ID: ·
253 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
253 /6B215A5C5379FFD27D27193FFA3603B.xml↵
254 Main ·validation ·file: ·
254 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
254 /6B215A5C5379FFD27D27193FFA3603B.xml↵
255 Scenario·name: ·gg-sch↵
```

```
256 Schema: .
256 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
256 ent..sch↵
257 Engine.name: .ISO.Schematron↵
258 Severity: .error↵
259 Description: .A.paragraph.must.have.an.ancestor.
259 subSection.or.subSubSection.↵
260 Start.location: .766:105↵
261 ↵
262 System.ID: .
262 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
262 /6B215A5C5379FFD27D27193FFFA3603B.xml↵
263 Main.validation.file: .
263 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
263 /6B215A5C5379FFD27D27193FFFA3603B.xml↵
264 Scenario.name: .gg-sch↵
265 Schema: .
265 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
265 ent..sch↵
266 Engine.name: .ISO.Schematron↵
267 Severity: .error↵
268 Description: .A.paragraph.must.have.an.ancestor.
268 subSection.or.subSubSection.↵
269 Start.location: .770:105↵
270 ↵
271 System.ID: .
271 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
271 /6B215A5C5379FFD27D27193FFFA3603B.xml↵
272 Main.validation.file: .
272 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
272 /6B215A5C5379FFD27D27193FFFA3603B.xml↵
273 Scenario.name: .gg-sch↵
274 Schema: .
274 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
274 ent..sch↵
```

275 Engine·name: ·ISO ·Schematron↵  
276 Severity: ·error↵  
277 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
277 subSection ·or ·subSubSection.↵  
278 Start ·location: ·774:107↵  
279 ↵  
280 System ·ID: ·  
280 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
280 /6B215A5C5379FFD27D27193FFFA3603B.xml↵  
281 Main ·validation ·file: ·  
281 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
281 /6B215A5C5379FFD27D27193FFFA3603B.xml↵  
282 Scenario ·name: ·gg-sch↵  
283 Schema: ·  
283 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch↵  
284 Engine·name: ·ISO ·Schematron↵  
285 Severity: ·error↵  
286 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
286 subSection ·or ·subSubSection.↵  
287 Start ·location: ·775:107↵  
288 ↵  
289 System ·ID: ·  
289 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
289 /6B215A5C5379FFD27D27193FFFA3603B.xml↵  
290 Main ·validation ·file: ·  
290 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
290 /6B215A5C5379FFD27D27193FFFA3603B.xml↵  
291 Scenario ·name: ·gg-sch↵  
292 Schema: ·  
292 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch↵  
293 Engine·name: ·ISO ·Schematron↵  
294 Severity: ·error↵  
295 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·

```
295 subSection ·or ·subSubSection. ↵
296 Start ·location: ·794:132 ↵
297 ↵
298 System ·ID: ·
298 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
298 /6B215A5C5379FFD27D27193FFFA3603B.xml ↵
299 Main ·validation ·file: ·
299 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
299 /6B215A5C5379FFD27D27193FFFA3603B.xml ↵
300 Scenario ·name: ·gg-sch ↵
301 Schema: ·
301 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
301 ent..sch ↵
302 Engine ·name: ·ISO ·Schematron ↵
303 Severity: ·error ↵
304 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
304 subSection ·or ·subSubSection. ↵
305 Start ·location: ·795:108 ↵
306 ↵
307 System ·ID: ·
307 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
307 /6B215A5C5379FFD27D27193FFFA3603B.xml ↵
308 Main ·validation ·file: ·
308 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
308 /6B215A5C5379FFD27D27193FFFA3603B.xml ↵
309 Scenario ·name: ·gg-sch ↵
310 Schema: ·
310 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
310 ent..sch ↵
311 Engine ·name: ·ISO ·Schematron ↵
312 Severity: ·error ↵
313 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
313 subSection ·or ·subSubSection. ↵
314 Start ·location: ·799:109 ↵
315 ↵
```

```
316 System·ID: ·  
316 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
316 /6B215A5C5379FFD27D27193FFFA3603B.xml↵  
317 Main·validation·file: ·  
317 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
317 /6B215A5C5379FFD27D27193FFFA3603B.xml↵  
318 Scenario·name: ·gg-sch↵  
319 Schema: ·  
319 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm  
319 ent..sch↵  
320 Engine·name: ·ISO·Schematron↵  
321 Severity: ·error↵  
322 Description: ·A·paragraph·must·have·an·ancestor·  
322 subSection·or·subSubSection.↵  
323 Start·location: ·803:136↵  
324 ↵  
325 System·ID: ·  
325 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
325 /6B215A5C5379FFD27D27193FFFA3603B.xml↵  
326 Main·validation·file: ·  
326 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
326 /6B215A5C5379FFD27D27193FFFA3603B.xml↵  
327 Scenario·name: ·gg-sch↵  
328 Schema: ·  
328 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm  
328 ent..sch↵  
329 Engine·name: ·ISO·Schematron↵  
330 Severity: ·error↵  
331 Description: ·A·paragraph·must·have·an·ancestor·  
331 subSection·or·subSubSection.↵  
332 Start·location: ·804:109↵  
333 ↵  
334 System·ID: ·  
334 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
334 /6B215A5C5379FFD27D27193FFFA3603B.xml↵
```

```
335 Main-validation-file: ·  
335 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
335 /6B215A5C5379FFD27D27193FFFA3603B.xml↵  
336 Scenario-name: ·gg-sch↵  
337 Schema: ·  
337 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm  
337 ent..sch↵  
338 Engine-name: ·ISO ·Schematron↵  
339 Severity: ·error↵  
340 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
340 subSection ·or ·subSubSection.↵  
341 Start-location: ·808:109↵  
342 ↵  
343 System-ID: ·  
343 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
343 /6B215A5C5379FFD27D27193FFFA3603B.xml↵  
344 Main-validation-file: ·  
344 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
344 /6B215A5C5379FFD27D27193FFFA3603B.xml↵  
345 Scenario-name: ·gg-sch↵  
346 Schema: ·  
346 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm  
346 ent..sch↵  
347 Engine-name: ·ISO ·Schematron↵  
348 Severity: ·error↵  
349 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
349 subSection ·or ·subSubSection.↵  
350 Start-location: ·812:109↵  
351 ↵  
352 System-ID: ·  
352 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
352 /6B215A5C5379FFD27D27193FFFA3603B.xml↵  
353 Main-validation-file: ·  
353 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
353 /6B215A5C5379FFD27D27193FFFA3603B.xml↵
```

```
354 Scenario·name: ·gg-sch↵
355 Schema: ·
355 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
355 ent..sch↵
356 Engine·name: ·ISO·Schematron↵
357 Severity: ·error↵
358 Description: ·A·paragraph·must·have·an·ancestor·
358 subSection·or·subSubSection.↵
359 Start·location: ·816:109↵
360 ↵
361 System·ID: ·
361 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
361 /6B215A5C5379FFD27D27193FFFA3603B.xml↵
362 Main·validation·file: ·
362 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
362 /6B215A5C5379FFD27D27193FFFA3603B.xml↵
363 Scenario·name: ·gg-sch↵
364 Schema: ·
364 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
364 ent..sch↵
365 Engine·name: ·ISO·Schematron↵
366 Severity: ·error↵
367 Description: ·A·paragraph·must·have·an·ancestor·
367 subSection·or·subSubSection.↵
368 Start·location: ·817:109↵
369 ↵
370 System·ID: ·
370 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
370 /6B215A5C5379FFD27D27193FFFA3603B.xml↵
371 Main·validation·file: ·
371 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
371 /6B215A5C5379FFD27D27193FFFA3603B.xml↵
372 Scenario·name: ·gg-sch↵
373 Schema: ·
373 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
```

```
373 ent..sch↵
374 Engine.name: ·ISO ·Schematron↵
375 Severity: ·error↵
376 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
376 subSection ·or ·subSubSection.↵
377 Start ·location: ·818:107↵
378 ↵
379 System ·ID: ·
379 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
379 /6B215A5C5379FFD27D27193FFFA3603B.xml↵
380 Main ·validation ·file: ·
380 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
380 /6B215A5C5379FFD27D27193FFFA3603B.xml↵
381 Scenario ·name: ·gg-sch↵
382 Schema: ·
382 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
382 ent..sch↵
383 Engine.name: ·ISO ·Schematron↵
384 Severity: ·error↵
385 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
385 subSection ·or ·subSubSection.↵
386 Start ·location: ·829:107↵
387 ↵
388 System ·ID: ·
388 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
388 /6B215A5C5379FFD27D27193FFFA3603B.xml↵
389 Main ·validation ·file: ·
389 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
389 /6B215A5C5379FFD27D27193FFFA3603B.xml↵
390 Scenario ·name: ·gg-sch↵
391 Schema: ·
391 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
391 ent..sch↵
392 Engine.name: ·ISO ·Schematron↵
393 Severity: ·error↵
```

394 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
394 subSection ·or ·subSubSection. ↵  
395 Start ·location: ·830:130 ↵  
396 ↵  
397 System ·ID: ·  
397 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
397 /6B215A5C5379FFD27D27193FFFA3603B.xml ↵  
398 Main ·validation ·file: ·  
398 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
398 /6B215A5C5379FFD27D27193FFFA3603B.xml ↵  
399 Scenario ·name: ·gg-sch ↵  
400 Schema: ·  
400 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
400 ent..sch ↵  
401 Engine ·name: ·ISO ·Schematron ↵  
402 Severity: ·error ↵  
403 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
403 subSection ·or ·subSubSection. ↵  
404 Start ·location: ·835:108 ↵  
405 ↵  
406 System ·ID: ·  
406 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
406 /6B215A5C5379FFD27D27193FFFA3603B.xml ↵  
407 Main ·validation ·file: ·  
407 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
407 /6B215A5C5379FFD27D27193FFFA3603B.xml ↵  
408 Scenario ·name: ·gg-sch ↵  
409 Schema: ·  
409 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
409 ent..sch ↵  
410 Engine ·name: ·ISO ·Schematron ↵  
411 Severity: ·error ↵  
412 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
412 subSection ·or ·subSubSection. ↵  
413 Start ·location: ·836:108 ↵

```
414 <!--
415 System·ID: ·
415 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
415 /6B215A5C5379FFD27D27193FFFA3603B.xml<!--
416 Main·validation·file: ·
416 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
416 /6B215A5C5379FFD27D27193FFFA3603B.xml<!--
417 Scenario·name: ·gg-sch<!--
418 Schema: ·
418 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
418 ent..sch<!--
419 Engine·name: ·ISO·Schematron<!--
420 Severity: ·error<!--
421 Description: ·A·paragraph·must·have·an·ancestor·
421 subSection·or·subSubSection.<!--
422 Start·location: ·837:136<!--
423 <!--
424 System·ID: ·
424 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
424 /6B215A5C5379FFD27D27193FFFA3603B.xml<!--
425 Main·validation·file: ·
425 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
425 /6B215A5C5379FFD27D27193FFFA3603B.xml<!--
426 Scenario·name: ·gg-sch<!--
427 Schema: ·
427 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
427 ent..sch<!--
428 Engine·name: ·ISO·Schematron<!--
429 Severity: ·error<!--
430 Description: ·A·paragraph·must·have·an·ancestor·
430 subSection·or·subSubSection.<!--
431 Start·location: ·838:109<!--
432 <!--
433 System·ID: ·
433 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
```

```
433 /6B215A5C5379FFD27D27193FFA3603B.xml↵
434 Main-validation-file: ·
434 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
434 /6B215A5C5379FFD27D27193FFA3603B.xml↵
435 Scenario-name: ·gg-sch↵
436 Schema: ·
436 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
436 ent..sch↵
437 Engine-name: ·ISO ·Schematron↵
438 Severity: ·error↵
439 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
439 subSection ·or ·subSubSection.↵
440 Start ·location: ·842:109↵
441 ↵
442 System ·ID: ·
442 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
442 /6B215A5C5379FFD27D27193FFA3603B.xml↵
443 Main-validation-file: ·
443 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
443 /6B215A5C5379FFD27D27193FFA3603B.xml↵
444 Scenario-name: ·gg-sch↵
445 Schema: ·
445 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
445 ent..sch↵
446 Engine-name: ·ISO ·Schematron↵
447 Severity: ·error↵
448 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
448 subSection ·or ·subSubSection.↵
449 Start ·location: ·846:107↵
450 ↵
451 System ·ID: ·
451 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
451 /6B215A5C5379FFD27D27193FFA3603B.xml↵
452 Main-validation-file: ·
452 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
```

```
452 /6B215A5C5379FFD27D27193FFA3603B.xml↵
453 Scenario·name: ·gg-sch↵
454 Schema: ·
454 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
ent..sch↵
455 Engine·name: ·ISO ·Schematron↵
456 Severity: ·error↵
457 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
457 subSection ·or ·subSubSection.↵
458 Start ·location: ·847:107↵
459 ↵
460 System ·ID: ·
460 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
460 /6B215A5C5379FFD27D27193FFA3603B.xml↵
461 Main ·validation ·file: ·
461 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
461 /6B215A5C5379FFD27D27193FFA3603B.xml↵
462 Scenario·name: ·gg-sch↵
463 Schema: ·
463 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
ent..sch↵
464 Engine·name: ·ISO ·Schematron↵
465 Severity: ·error↵
466 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
466 subSection ·or ·subSubSection.↵
467 Start ·location: ·851:107↵
468 ↵
469 System ·ID: ·
469 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
469 /6B215A5C5379FFD27D27193FFA3603B.xml↵
470 Main ·validation ·file: ·
470 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
470 /6B215A5C5379FFD27D27193FFA3603B.xml↵
471 Scenario·name: ·gg-sch↵
472 Schema: ·
```

```
472 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm  
472 ent..sch↵  
473 Engine.name: ·ISO ·Schematron↵  
474 Severity: ·error↵  
475 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
475 subSection ·or ·subSubSection.↵  
476 Start ·location: ·857:109↵  
477 ↵  
478 System ·ID: ·  
478 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
478 /6B215A5C5379FFD27D27193FFFA3603B.xml↵  
479 Main ·validation ·file: ·  
479 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
479 /6B215A5C5379FFD27D27193FFFA3603B.xml↵  
480 Scenario ·name: ·gg-sch↵  
481 Schema: ·  
481 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm  
481 ent..sch↵  
482 Engine.name: ·ISO ·Schematron↵  
483 Severity: ·error↵  
484 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
484 subSection ·or ·subSubSection.↵  
485 Start ·location: ·862:109↵  
486 ↵  
487 System ·ID: ·  
487 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
487 /6B215A5C5379FFD27D27193FFFA3603B.xml↵  
488 Main ·validation ·file: ·  
488 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
488 /6B215A5C5379FFD27D27193FFFA3603B.xml↵  
489 Scenario ·name: ·gg-sch↵  
490 Schema: ·  
490 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm  
490 ent..sch↵  
491 Engine.name: ·ISO ·Schematron↵
```

```
492 Severity: ·error↵
493 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
493 subSection ·or ·subSubSection.↵
494 Start ·location: ·867:109↵
495 ↵
496 System ·ID: ·
496 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
496 /6B215A5C5379FFD27D27193FFFA3603B.xml↵
497 Main ·validation ·file: ·
497 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
497 /6B215A5C5379FFD27D27193FFFA3603B.xml↵
498 Scenario ·name: ·gg-sch↵
499 Schema: ·
499 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
ent..sch↵
500 Engine ·name: ·ISO ·Schematron↵
501 Severity: ·error↵
502 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
502 subSection ·or ·subSubSection.↵
503 Start ·location: ·872:109↵
504 ↵
505 System ·ID: ·
505 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
505 /6B215A5C5379FFD27D27193FFFA3603B.xml↵
506 Main ·validation ·file: ·
506 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
506 /6B215A5C5379FFD27D27193FFFA3603B.xml↵
507 Scenario ·name: ·gg-sch↵
508 Schema: ·
508 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
ent..sch↵
509 Engine ·name: ·ISO ·Schematron↵
510 Severity: ·error↵
511 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
511 subSection ·or ·subSubSection.↵
```

```
512 Start ·location: ·877:135↵
513 ↵
514 System ·ID: ·
514 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
514 /6B215A5C5379FFD27D27193FFFA3603B.xml↵
515 Main ·validation ·file: ·
515 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
515 /6B215A5C5379FFD27D27193FFFA3603B.xml↵
516 Scenario ·name: ·gg-sch↵
517 Schema: ·
517 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
517 ent..sch↵
518 Engine ·name: ·ISO ·Schematron↵
519 Severity: ·error↵
520 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
520 subSection ·or ·subSubSection.↵
521 Start ·location: ·878:109↵
522 ↵
523 System ·ID: ·
523 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
523 /6B215A5C5379FFD27D27193FFFA3603B.xml↵
524 Main ·validation ·file: ·
524 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
524 /6B215A5C5379FFD27D27193FFFA3603B.xml↵
525 Scenario ·name: ·gg-sch↵
526 Schema: ·
526 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
526 ent..sch↵
527 Engine ·name: ·ISO ·Schematron↵
528 Severity: ·error↵
529 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
529 subSection ·or ·subSubSection.↵
530 Start ·location: ·879:179↵
531 ↵
532 System ·ID: ·
```

```
532 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
532 /6B215A5C5379FFD27D27193FFFA3603B.xml↵
533 Main-validation-file: .
533 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
533 /6B215A5C5379FFD27D27193FFFA3603B.xml↵
534 Scenario-name: .gg-sch↵
535 Schema: .
535 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
535 ent..sch↵
536 Engine-name: .ISO-Schematron↵
537 Severity: .error↵
538 Description: .A .paragraph .must .have .an .ancestor .
538 subSection .or .subSubSection.↵
539 Start-location: .888:108↵
540 ↵
541 System-ID: .
541 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
541 /6B215A5C5379FFD27D27193FFFA3603B.xml↵
542 Main-validation-file: .
542 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
542 /6B215A5C5379FFD27D27193FFFA3603B.xml↵
543 Scenario-name: .gg-sch↵
544 Schema: .
544 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
544 ent..sch↵
545 Engine-name: .ISO-Schematron↵
546 Severity: .error↵
547 Description: .A .paragraph .must .have .an .ancestor .
547 subSection .or .subSubSection.↵
548 Start-location: .913:108↵
549 ↵
550 System-ID: .
550 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
550 /6B215A5C5379FFD27D27193FFFA3603B.xml↵
551 Main-validation-file: .
```

551 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
551 /6B215A5C5379FFD27D27193FFA3603B.xml ↵  
552 Scenario.name: .gg-sch ↵  
553 Schema: .  
553 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
553 ent..sch ↵  
554 Engine.name: .ISO .Schematron ↵  
555 Severity: .error ↵  
556 Description: .A .paragraph .must .have .an .ancestor .  
556 subSection .or .subSubSection. ↵  
557 Start.location: .955:178 ↵  
558 ↵  
559 System.ID: .  
559 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
559 /6B215A5C5379FFD27D27193FFA3603B.xml ↵  
560 Main.validation.file: .  
560 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
560 /6B215A5C5379FFD27D27193FFA3603B.xml ↵  
561 Scenario.name: .gg-sch ↵  
562 Schema: .  
562 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
562 ent..sch ↵  
563 Engine.name: .ISO .Schematron ↵  
564 Severity: .error ↵  
565 Description: .A .paragraph .must .have .an .ancestor .  
565 subSection .or .subSubSection. ↵  
566 Start.location: .969:108 ↵  
567 ↵  
568 System.ID: .  
568 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
568 /6B215A5C5379FFD27D27193FFA3603B.xml ↵  
569 Main.validation.file: .  
569 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
569 /6B215A5C5379FFD27D27193FFA3603B.xml ↵  
570 Scenario.name: .gg-sch ↵

571 Schema: .  
571 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
571 ent..sch↵  
572 Engine.name: .ISO .Schematron↵  
573 Severity: .error↵  
574 Description: .A .paragraph .must .have .an .ancestor .  
574 subSection .or .subSubSection.↵  
575 Start.location: .970:108↵  
576 ↵  
577 System.ID: .  
577 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
577 /6B215A5C5379FFD27D27193FFFA3603B.xml↵  
578 Main.validation.file: .  
578 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
578 /6B215A5C5379FFD27D27193FFFA3603B.xml↵  
579 Scenario.name: .gg-sch↵  
580 Schema: .  
580 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
580 ent..sch↵  
581 Engine.name: .ISO .Schematron↵  
582 Severity: .error↵  
583 Description: .A .paragraph .must .have .an .ancestor .  
583 subSection .or .subSubSection.↵  
584 Start.location: .977:132↵  
585 ↵  
586 System.ID: .  
586 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
586 /6B215A5C5379FFD27D27193FFFA3603B.xml↵  
587 Main.validation.file: .  
587 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
587 /6B215A5C5379FFD27D27193FFFA3603B.xml↵  
588 Scenario.name: .gg-sch↵  
589 Schema: .  
589 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
589 ent..sch↵

590 Engine.name: ·ISO ·Schematron↵  
591 Severity: ·error↵  
592 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
592 subSection ·or ·subSubSection.↵  
593 Start.location: ·983:76↵  
594 ↵  
595 System.ID: ·  
595 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
595 /6B215A5C5379FFD27D27193FFFA3603B.xml↵  
596 Main.validation.file: ·  
596 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
596 /6B215A5C5379FFD27D27193FFFA3603B.xml↵  
597 Scenario.name: ·gg-sch↵  
598 Schema: ·  
598 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
598 ent..sch↵  
599 Engine.name: ·ISO ·Schematron↵  
600 Severity: ·error↵  
601 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
601 subSection ·or ·subSubSection.↵  
602 Start.location: ·1070:132↵  
603 ↵  
604 System.ID: ·  
604 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
604 /6B215A5C5379FFD27D27193FFFA3603B.xml↵  
605 Main.validation.file: ·  
605 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
605 /6B215A5C5379FFD27D27193FFFA3603B.xml↵  
606 Scenario.name: ·gg-sch↵  
607 Schema: ·  
607 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
607 ent..sch↵  
608 Engine.name: ·ISO ·Schematron↵  
609 Severity: ·error↵  
610 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·

```
610 subSection ·or ·subSubSection. ↵
611 Start ·location: ·1073:108 ↵
612 ↵
613 System ·ID: ·
613 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
613 /6B215A5C5379FFD27D27193FFFA3603B.xml ↵
614 Main ·validation ·file: ·
614 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
614 /6B215A5C5379FFD27D27193FFFA3603B.xml ↵
615 Scenario ·name: ·gg-sch ↵
616 Schema: ·
616 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
616 ent..sch ↵
617 Engine ·name: ·ISO ·Schematron ↵
618 Severity: ·error ↵
619 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
619 subSection ·or ·subSubSection. ↵
620 Start ·location: ·1074:108 ↵
621 ↵
622 System ·ID: ·
622 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
622 /6B215A5C5379FFD27D27193FFFA3603B.xml ↵
623 Main ·validation ·file: ·
623 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
623 /6B215A5C5379FFD27D27193FFFA3603B.xml ↵
624 Scenario ·name: ·gg-sch ↵
625 Schema: ·
625 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
625 ent..sch ↵
626 Engine ·name: ·ISO ·Schematron ↵
627 Severity: ·error ↵
628 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
628 subSection ·or ·subSubSection. ↵
629 Start ·location: ·1075:108 ↵
630 ↵
```

```
631 System·ID: ·  
631 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
631 /6B215A5C5379FFD27D27193FFFA3603B.xml↵  
632 Main·validation·file: ·  
632 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
632 /6B215A5C5379FFD27D27193FFFA3603B.xml↵  
633 Scenario·name: ·gg-sch↵  
634 Schema: ·  
634 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm  
634 ent..sch↵  
635 Engine·name: ·ISO·Schematron↵  
636 Severity: ·error↵  
637 Description: ·A·paragraph·must·have·an·ancestor·  
637 subSection·or·subSubSection.↵  
638 Start·location: ·1082:108↵  
639 ↵  
640 System·ID: ·  
640 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
640 /6B215A5C5379FFD27D27193FFFA3603B.xml↵  
641 Main·validation·file: ·  
641 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
641 /6B215A5C5379FFD27D27193FFFA3603B.xml↵  
642 Scenario·name: ·gg-sch↵  
643 Schema: ·  
643 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm  
643 ent..sch↵  
644 Engine·name: ·ISO·Schematron↵  
645 Severity: ·error↵  
646 Description: ·A·paragraph·must·have·an·ancestor·  
646 subSection·or·subSubSection.↵  
647 Start·location: ·1083:108↵  
648 ↵  
649 System·ID: ·  
649 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
649 /6B215A5C5379FFD27D27193FFFA3603B.xml↵
```

```
650 Main-validation-file: ·  
650 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
650 /6B215A5C5379FFD27D27193FFFA3603B.xml↵  
651 Scenario-name: ·gg-sch↵  
652 Schema: ·  
652 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm  
652 ent..sch↵  
653 Engine-name: ·ISO ·Schematron↵  
654 Severity: ·error↵  
655 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
655 subSection ·or ·subSubSection.↵  
656 Start ·location: ·1093:110↵  
657 ↵  
658 System ·ID: ·  
658 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
658 /6B215A5C5379FFD27D27193FFFA3603B.xml↵  
659 Main-validation-file: ·  
659 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
659 /6B215A5C5379FFD27D27193FFFA3603B.xml↵  
660 Scenario-name: ·gg-sch↵  
661 Schema: ·  
661 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm  
661 ent..sch↵  
662 Engine-name: ·ISO ·Schematron↵  
663 Severity: ·error↵  
664 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
664 subSection ·or ·subSubSection.↵  
665 Start ·location: ·1112:136↵  
666 ↵  
667 System ·ID: ·  
667 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
667 /6B215A5C5379FFD27D27193FFFA3603B.xml↵  
668 Main-validation-file: ·  
668 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
668 /6B215A5C5379FFD27D27193FFFA3603B.xml↵
```

```
669 Scenario·name: ·gg-sch↵
670 Schema: ·
670 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
670 ent..sch↵
671 Engine·name: ·ISO·Schematron↵
672 Severity: ·error↵
673 Description: ·A·paragraph·must·have·an·ancestor·
673 subSection·or·subSubSection.↵
674 Start·location: ·1113:111↵
675 ↵
676 System·ID: ·
676 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
676 /6B215A5C5379FFD27D27193FFFA3603B.xml↵
677 Main·validation·file: ·
677 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
677 /6B215A5C5379FFD27D27193FFFA3603B.xml↵
678 Scenario·name: ·gg-sch↵
679 Schema: ·
679 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
679 ent..sch↵
680 Engine·name: ·ISO·Schematron↵
681 Severity: ·error↵
682 Description: ·A·paragraph·must·have·an·ancestor·
682 subSection·or·subSubSection.↵
683 Start·location: ·1120:111↵
684 ↵
685 System·ID: ·
685 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
685 /6B215A5C5379FFD27D27193FFFA3603B.xml↵
686 Main·validation·file: ·
686 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
686 /6B215A5C5379FFD27D27193FFFA3603B.xml↵
687 Scenario·name: ·gg-sch↵
688 Schema: ·
688 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
```

```
688 ent..sch↵
689 Engine·name: ·ISO ·Schematron↵
690 Severity: ·error↵
691 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
691 subSection ·or ·subSubSection.↵
692 Start ·location: ·1129:111↵
693 ↵
694 System ·ID: ·
694 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
694 /6B215A5C5379FFD27D27193FFFA3603B.xml↵
695 Main ·validation ·file: ·
695 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
695 /6B215A5C5379FFD27D27193FFFA3603B.xml↵
696 Scenario ·name: ·gg-sch↵
697 Schema: ·
697 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
697 ent..sch↵
698 Engine·name: ·ISO ·Schematron↵
699 Severity: ·error↵
700 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
700 subSection ·or ·subSubSection.↵
701 Start ·location: ·1137:111↵
702 ↵
703 System ·ID: ·
703 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
703 /6B215A5C5379FFD27D27193FFFA3603B.xml↵
704 Main ·validation ·file: ·
704 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
704 /6B215A5C5379FFD27D27193FFFA3603B.xml↵
705 Scenario ·name: ·gg-sch↵
706 Schema: ·
706 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
706 ent..sch↵
707 Engine·name: ·ISO ·Schematron↵
708 Severity: ·error↵
```

709 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
709 subSection ·or ·subSubSection. ↵  
710 Start ·location: ·1146:111 ↵  
711 ↵  
712 System ·ID: ·  
712 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
712 /6B215A5C5379FFD27D27193FFFA3603B.xml ↵  
713 Main ·validation ·file: ·  
713 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
713 /6B215A5C5379FFD27D27193FFFA3603B.xml ↵  
714 Scenario ·name: ·gg-sch ↵  
715 Schema: ·  
715 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
715 ent..sch ↵  
716 Engine ·name: ·ISO ·Schematron ↵  
717 Severity: ·error ↵  
718 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
718 subSection ·or ·subSubSection. ↵  
719 Start ·location: ·1147:112 ↵  
720 ↵  
721 System ·ID: ·  
721 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
721 /6B215A5C5379FFD27D27193FFFA3603B.xml ↵  
722 Main ·validation ·file: ·  
722 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
722 /6B215A5C5379FFD27D27193FFFA3603B.xml ↵  
723 Scenario ·name: ·gg-sch ↵  
724 Schema: ·  
724 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
724 ent..sch ↵  
725 Engine ·name: ·ISO ·Schematron ↵  
726 Severity: ·error ↵  
727 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
727 subSection ·or ·subSubSection. ↵  
728 Start ·location: ·1152:185 ↵

729 ↵  
730 System·ID: ·  
730 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
730 /6B215A5C5379FFD27D27193FFFA3603B.xml↵  
731 Main·validation·file: ·  
731 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
731 /6B215A5C5379FFD27D27193FFFA3603B.xml↵  
732 Scenario·name: ·gg-sch↵  
733 Schema: ·  
733 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch↵  
734 Engine·name: ·ISO·Schematron↵  
735 Severity: ·error↵  
736 Description: ·A·paragraph·must·have·an·ancestor·  
736 subSection·or·subSubSection.↵  
737 Start·location: ·1153:111↵  
738 ↵  
739 System·ID: ·  
739 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
739 /6B215A5C5379FFD27D27193FFFA3603B.xml↵  
740 Main·validation·file: ·  
740 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
740 /6B215A5C5379FFD27D27193FFFA3603B.xml↵  
741 Scenario·name: ·gg-sch↵  
742 Schema: ·  
742 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch↵  
743 Engine·name: ·ISO·Schematron↵  
744 Severity: ·error↵  
745 Description: ·A·paragraph·must·have·an·ancestor·  
745 subSection·or·subSubSection.↵  
746 Start·location: ·1157:111↵  
747 ↵  
748 System·ID: ·  
748 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax

748 /6B215A5C5379FFD27D27193FFA3603B.xml ↵  
749 Main-validation-file: ·  
749 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
749 /6B215A5C5379FFD27D27193FFA3603B.xml ↵  
750 Scenario-name: ·gg-sch ↵  
751 Schema: ·  
751 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
751 ent..sch ↵  
752 Engine-name: ·ISO-Schematron ↵  
753 Severity: ·error ↵  
754 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
754 subSection ·or ·subSubSection. ↵  
755 Start-location: ·1209:111 ↵  
756 ↵  
757 System-ID: ·  
757 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
757 /6B215A5C5379FFD27D27193FFA3603B.xml ↵  
758 Main-validation-file: ·  
758 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
758 /6B215A5C5379FFD27D27193FFA3603B.xml ↵  
759 Scenario-name: ·gg-sch ↵  
760 Schema: ·  
760 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
760 ent..sch ↵  
761 Engine-name: ·ISO-Schematron ↵  
762 Severity: ·error ↵  
763 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
763 subSection ·or ·subSubSection. ↵  
764 Start-location: ·1224:184 ↵  
765 ↵  
766 System-ID: ·  
766 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
766 /6B215A5C5379FFD27D27193FFA3603B.xml ↵  
767 Main-validation-file: ·  
767 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax

767 /6B215A5C5379FFD27D27193FFA3603B.xml ↵  
768 Scenario.name: .gg-sch ↵  
769 Schema: .  
769 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
770 Engine.name: .ISO.Schematron ↵  
771 Severity: .error ↵  
772 Description: .A.paragraph.must.have.an.ancestor.  
772 subSection.or.subSubSection. ↵  
773 Start.location: .1225:111 ↵  
774 ↵  
775 System.ID: .  
775 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
775 /6B215A5C5379FFD27D27193FFA3603B.xml ↵  
776 Main.validation.file: .  
776 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
776 /6B215A5C5379FFD27D27193FFA3603B.xml ↵  
777 Scenario.name: .gg-sch ↵  
778 Schema: .  
778 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
779 Engine.name: .ISO.Schematron ↵  
780 Severity: .error ↵  
781 Description: .A.paragraph.must.have.an.ancestor.  
781 subSection.or.subSubSection. ↵  
782 Start.location: .1229:111 ↵  
783 ↵  
784 System.ID: .  
784 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
784 /6B215A5C5379FFD27D27193FFA3603B.xml ↵  
785 Main.validation.file: .  
785 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
785 /6B215A5C5379FFD27D27193FFA3603B.xml ↵  
786 Scenario.name: .gg-sch ↵  
787 Schema: .

```
787 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm  
787 ent..sch↵  
788 Engine.name: ·ISO ·Schematron↵  
789 Severity: ·error↵  
790 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
790 subSection ·or ·subSubSection.↵  
791 Start ·location: ·1234:112↵  
792 ↵  
793 System ·ID: ·  
793 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
793 /6B215A5C5379FFD27D27193FFFA3603B.xml↵  
794 Main ·validation ·file: ·  
794 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
794 /6B215A5C5379FFD27D27193FFFA3603B.xml↵  
795 Scenario ·name: ·gg-sch↵  
796 Schema: ·  
796 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm  
796 ent..sch↵  
797 Engine.name: ·ISO ·Schematron↵  
798 Severity: ·error↵  
799 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
799 subSection ·or ·subSubSection.↵  
800 Start ·location: ·1239:112↵  
801 ↵  
802 System ·ID: ·  
802 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
802 /6B215A5C5379FFD27D27193FFFA3603B.xml↵  
803 Main ·validation ·file: ·  
803 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
803 /6B215A5C5379FFD27D27193FFFA3603B.xml↵  
804 Scenario ·name: ·gg-sch↵  
805 Schema: ·  
805 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm  
805 ent..sch↵  
806 Engine.name: ·ISO ·Schematron↵
```

807 Severity: ·error ↵  
808 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
808 subSection ·or ·subSubSection. ↵  
809 Start ·location: ·1240:112 ↵  
810 ↵  
811 System ·ID: ·  
811 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
811 /6B215A5C5379FFD27D27193FFFA3603B.xml ↵  
812 Main ·validation ·file: ·  
812 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
812 /6B215A5C5379FFD27D27193FFFA3603B.xml ↵  
813 Scenario ·name: ·gg-sch ↵  
814 Schema: ·  
814 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
815 Engine ·name: ·ISO ·Schematron ↵  
816 Severity: ·error ↵  
817 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
817 subSection ·or ·subSubSection. ↵  
818 Start ·location: ·1247:112 ↵  
819 ↵  
820 System ·ID: ·  
820 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
820 /6B215A5C5379FFD27D27193FFFA3603B.xml ↵  
821 Main ·validation ·file: ·  
821 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
821 /6B215A5C5379FFD27D27193FFFA3603B.xml ↵  
822 Scenario ·name: ·gg-sch ↵  
823 Schema: ·  
823 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
824 Engine ·name: ·ISO ·Schematron ↵  
825 Severity: ·error ↵  
826 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
826 subSection ·or ·subSubSection. ↵

```
827 Start ·location: ·1262:112↵
828 ↵
829 System ·ID: ·
829 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
829 /6B215A5C5379FFD27D27193FFFA3603B.xml↵
830 Main ·validation ·file: ·
830 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
830 /6B215A5C5379FFD27D27193FFFA3603B.xml↵
831 Scenario ·name: ·gg-sch↵
832 Schema: ·
832 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
832 ent..sch↵
833 Engine ·name: ·ISO ·Schematron↵
834 Severity: ·error↵
835 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
835 subSection ·or ·subSubSection.↵
836 Start ·location: ·1269:185↵
837 ↵
838 System ·ID: ·
838 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
838 /6B215A5C5379FFD27D27193FFFA3603B.xml↵
839 Main ·validation ·file: ·
839 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
839 /6B215A5C5379FFD27D27193FFFA3603B.xml↵
840 Scenario ·name: ·gg-sch↵
841 Schema: ·
841 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
841 ent..sch↵
842 Engine ·name: ·ISO ·Schematron↵
843 Severity: ·error↵
844 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
844 subSection ·or ·subSubSection.↵
845 Start ·location: ·1274:111↵
846 ↵
847 System ·ID: ·
```

```
847 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
847 /6B215A5C5379FFD27D27193FFFA3603B.xml↵
848 Main-validation-file: ·
848 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
848 /6B215A5C5379FFD27D27193FFFA3603B.xml↵
849 Scenario-name: ·gg-sch↵
850 Schema: ·
850 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
850 ent..sch↵
851 Engine-name: ·ISO ·Schematron↵
852 Severity: ·error↵
853 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
853 subSection ·or ·subSubSection.↵
854 Start-location: ·1300:111↵
855 ↵
856 System-ID: ·
856 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
856 /6B215A5C5379FFD27D27193FFFA3603B.xml↵
857 Main-validation-file: ·
857 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
857 /6B215A5C5379FFD27D27193FFFA3603B.xml↵
858 Scenario-name: ·gg-sch↵
859 Schema: ·
859 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
859 ent..sch↵
860 Engine-name: ·ISO ·Schematron↵
861 Severity: ·error↵
862 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
862 subSection ·or ·subSubSection.↵
863 Start-location: ·1313:111↵
864 ↵
865 System-ID: ·
865 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
865 /6B215A5C5379FFD27D27193FFFA3603B.xml↵
866 Main-validation-file: ·
```

```
866 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
866 /6B215A5C5379FFD27D27193FFA3603B.xml↵
867 Scenario·name: ·gg-sch↵
868 Schema: ·
868 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
868 ent..sch↵
869 Engine·name: ·ISO ·Schematron↵
870 Severity: ·error↵
871 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
871 subSection ·or ·subSubSection.↵
872 Start ·location: ·1317:111↵
873 ↵
874 System ·ID: ·
874 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
874 /6B215A5C5379FFD27D27193FFA3603B.xml↵
875 Main ·validation ·file: ·
875 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
875 /6B215A5C5379FFD27D27193FFA3603B.xml↵
876 Scenario·name: ·gg-sch↵
877 Schema: ·
877 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
877 ent..sch↵
878 Engine·name: ·ISO ·Schematron↵
879 Severity: ·error↵
880 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
880 subSection ·or ·subSubSection.↵
881 Start ·location: ·1333:111↵
882 ↵
883 System ·ID: ·
883 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
883 /6B215A5C5379FFD27D27193FFA3603B.xml↵
884 Main ·validation ·file: ·
884 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
884 /6B215A5C5379FFD27D27193FFA3603B.xml↵
885 Scenario·name: ·gg-sch↵
```

```
886 Schema: .
886 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
886 ent..sch↵
887 Engine.name: .ISO .Schematron↵
888 Severity: .error↵
889 Description: .A .paragraph .must .have .an .ancestor .
889 subSection .or .subSubSection.↵
890 Start.location: .1337:111↵
891 ↵
892 System.ID: .
892 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
892 /6B215A5C5379FFD27D27193FFFA3603B.xml↵
893 Main.validation.file: .
893 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
893 /6B215A5C5379FFD27D27193FFFA3603B.xml↵
894 Scenario.name: .gg-sch↵
895 Schema: .
895 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
895 ent..sch↵
896 Engine.name: .ISO .Schematron↵
897 Severity: .error↵
898 Description: .A .paragraph .must .have .an .ancestor .
898 subSection .or .subSubSection.↵
899 Start.location: .1348:111↵
900 ↵
901 System.ID: .
901 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
901 /6B215A5C5379FFD27D27193FFFA3603B.xml↵
902 Main.validation.file: .
902 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
902 /6B215A5C5379FFD27D27193FFFA3603B.xml↵
903 Scenario.name: .gg-sch↵
904 Schema: .
904 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
904 ent..sch↵
```

905 Engine ·name: ·ISO ·Schematron ↵  
906 Severity: ·error ↵  
907 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
907 subSection ·or ·subSubSection. ↵  
908 Start ·location: ·1356:111 ↵  
909 ↵  
910 System ·ID: ·  
910 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
910 /6B215A5C5379FFD27D27193FFFA3603B.xml ↵  
911 Main ·validation ·file: ·  
911 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
911 /6B215A5C5379FFD27D27193FFFA3603B.xml ↵  
912 Scenario ·name: ·gg-sch ↵  
913 Schema: ·  
913 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
913 ent..sch ↵  
914 Engine ·name: ·ISO ·Schematron ↵  
915 Severity: ·error ↵  
916 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
916 subSection ·or ·subSubSection. ↵  
917 Start ·location: ·1364:183 ↵  
918 ↵  
919 System ·ID: ·  
919 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
919 /6B215A5C5379FFD27D27193FFFA3603B.xml ↵  
920 Main ·validation ·file: ·  
920 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
920 /6B215A5C5379FFD27D27193FFFA3603B.xml ↵  
921 Scenario ·name: ·gg-sch ↵  
922 Schema: ·  
922 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
922 ent..sch ↵  
923 Engine ·name: ·ISO ·Schematron ↵  
924 Severity: ·error ↵  
925 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·

```
925 subSection ·or ·subSubSection. ↵
926 Start ·location: ·1365:110 ↵
927 ↵
928 System ·ID: ·
928 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
928 /6B215A5C5379FFD27D27193FFFA3603B.xml ↵
929 Main ·validation ·file: ·
929 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
929 /6B215A5C5379FFD27D27193FFFA3603B.xml ↵
930 Scenario ·name: ·gg-sch ↵
931 Schema: ·
931 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
931 ent..sch ↵
932 Engine ·name: ·ISO ·Schematron ↵
933 Severity: ·error ↵
934 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
934 subSection ·or ·subSubSection. ↵
935 Start ·location: ·1370:111 ↵
936 ↵
937 System ·ID: ·
937 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
937 /6B215A5C5379FFD27D27193FFFA3603B.xml ↵
938 Main ·validation ·file: ·
938 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
938 /6B215A5C5379FFD27D27193FFFA3603B.xml ↵
939 Scenario ·name: ·gg-sch ↵
940 Schema: ·
940 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
940 ent..sch ↵
941 Engine ·name: ·ISO ·Schematron ↵
942 Severity: ·error ↵
943 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
943 subSection ·or ·subSubSection. ↵
944 Start ·location: ·1371:111 ↵
945 ↵
```

```
946 System·ID: ·  
946 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
946 /6B215A5C5379FFD27D27193FFFA3603B.xml↵  
947 Main·validation·file: ·  
947 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
947 /6B215A5C5379FFD27D27193FFFA3603B.xml↵  
948 Scenario·name: ·gg-sch↵  
949 Schema: ·  
949 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm  
949 ent..sch↵  
950 Engine·name: ·ISO·Schematron↵  
951 Severity: ·error↵  
952 Description: ·A·paragraph·must·have·an·ancestor·  
952 subSection·or·subSubSection.↵  
953 Start·location: ·1376:111↵  
954 ↵  
955 System·ID: ·  
955 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
955 /6B215A5C5379FFD27D27193FFFA3603B.xml↵  
956 Main·validation·file: ·  
956 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
956 /6B215A5C5379FFD27D27193FFFA3603B.xml↵  
957 Scenario·name: ·gg-sch↵  
958 Schema: ·  
958 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm  
958 ent..sch↵  
959 Engine·name: ·ISO·Schematron↵  
960 Severity: ·error↵  
961 Description: ·A·paragraph·must·have·an·ancestor·  
961 subSection·or·subSubSection.↵  
962 Start·location: ·1377:137↵  
963 ↵  
964 System·ID: ·  
964 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
964 /6B215A5C5379FFD27D27193FFFA3603B.xml↵
```

```
965 Main-validation-file: ·  
965 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
965 /6B215A5C5379FFD27D27193FFFA3603B.xml↵  
966 Scenario-name: ·gg-sch↵  
967 Schema: ·  
967 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm  
967 ent..sch↵  
968 Engine-name: ·ISO ·Schematron↵  
969 Severity: ·error↵  
970 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
970 subSection ·or ·subSubSection.↵  
971 Start ·location: ·1382:184↵  
972 ↵  
973 System ·ID: ·  
973 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
973 /6B215A5C5379FFD27D27193FFFA3603B.xml↵  
974 Main-validation-file: ·  
974 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
974 /6B215A5C5379FFD27D27193FFFA3603B.xml↵  
975 Scenario-name: ·gg-sch↵  
976 Schema: ·  
976 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm  
976 ent..sch↵  
977 Engine-name: ·ISO ·Schematron↵  
978 Severity: ·error↵  
979 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
979 subSection ·or ·subSubSection.↵  
980 Start ·location: ·1383:110↵  
981 ↵  
982 System ·ID: ·  
982 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
982 /6B215A5C5379FFD27D27193FFFA3603B.xml↵  
983 Main-validation-file: ·  
983 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
983 /6B215A5C5379FFD27D27193FFFA3603B.xml↵
```

```
984 Scenario·name: ·gg-sch↵
985 Schema: ·
985 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
985 ent..sch↵
986 Engine·name: ·ISO·Schematron↵
987 Severity: ·error↵
988 Description: ·A·paragraph·must·have·an·ancestor·
988 subSection·or·subSubSection.↵
989 Start·location: ·1388:133↵
990 ↵
991 System·ID: ·
991 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
991 /6B215A5C5379FFD27D27193FFFA3603B.xml↵
992 Main·validation·file: ·
992 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
992 /6B215A5C5379FFD27D27193FFFA3603B.xml↵
993 Scenario·name: ·gg-sch↵
994 Schema: ·
994 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
994 ent..sch↵
995 Engine·name: ·ISO·Schematron↵
996 Severity: ·error↵
997 Description: ·A·paragraph·must·have·an·ancestor·
997 subSection·or·subSubSection.↵
998 Start·location: ·1393:111↵
999 ↵
1000 System·ID: ·
1000 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
1000 /6B215A5C5379FFD27D27193FFFA3603B.xml↵
1001 Main·validation·file: ·
1001 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
1001 /6B215A5C5379FFD27D27193FFFA3603B.xml↵
1002 Scenario·name: ·gg-sch↵
1003 Schema: ·
1003 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
```

```
1003 ent..sch↵
1004 Engine·name: ·ISO ·Schematron↵
1005 Severity: ·error↵
1006 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
1006 subSection ·or ·subSubSection.↵
1007 Start ·location: ·1398:111↵
1008 ↵
1009 System ·ID: ·
1009 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
1009 /6B215A5C5379FFD27D27193FFFA3603B.xml↵
1010 Main ·validation ·file: ·
1010 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
1010 /6B215A5C5379FFD27D27193FFFA3603B.xml↵
1011 Scenario ·name: ·gg-sch↵
1012 Schema: ·
1012 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
1012 ent..sch↵
1013 Engine·name: ·ISO ·Schematron↵
1014 Severity: ·error↵
1015 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
1015 subSection ·or ·subSubSection.↵
1016 Start ·location: ·1399:137↵
1017 ↵
1018 System ·ID: ·
1018 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
1018 /6B215A5C5379FFD27D27193FFFA3603B.xml↵
1019 Main ·validation ·file: ·
1019 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
1019 /6B215A5C5379FFD27D27193FFFA3603B.xml↵
1020 Scenario ·name: ·gg-sch↵
1021 Schema: ·
1021 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
1021 ent..sch↵
1022 Engine·name: ·ISO ·Schematron↵
1023 Severity: ·error↵
```

1024 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
1024 subSection ·or ·subSubSection. ↵  
1025 Start ·location: ·1404:112 ↵  
1026 ↵  
1027 System ·ID: ·  
1027 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
1027 /6B215A5C5379FFD27D27193FFFA3603B.xml ↵  
1028 Main ·validation ·file: ·  
1028 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
1028 /6B215A5C5379FFD27D27193FFFA3603B.xml ↵  
1029 Scenario ·name: ·gg-sch ↵  
1030 Schema: ·  
1030 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
1030 ent..sch ↵  
1031 Engine ·name: ·ISO ·Schematron ↵  
1032 Severity: ·error ↵  
1033 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
1033 subSection ·or ·subSubSection. ↵  
1034 Start ·location: ·1408:137 ↵  
1035 ↵  
1036 System ·ID: ·  
1036 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
1036 /6B215A5C5379FFD27D27193FFFA3603B.xml ↵  
1037 Main ·validation ·file: ·  
1037 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
1037 /6B215A5C5379FFD27D27193FFFA3603B.xml ↵  
1038 Scenario ·name: ·gg-sch ↵  
1039 Schema: ·  
1039 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
1039 ent..sch ↵  
1040 Engine ·name: ·ISO ·Schematron ↵  
1041 Severity: ·error ↵  
1042 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
1042 subSection ·or ·subSubSection. ↵  
1043 Start ·location: ·1412:112 ↵

```
1044 <System>
1045 System·ID: ·
1045 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
1045 /6B215A5C5379FFD27D27193FFFA3603B.xml<
1046 Main·validation·file: ·
1046 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
1046 /6B215A5C5379FFD27D27193FFFA3603B.xml<
1047 Scenario·name: ·gg-sch<
1048 Schema: ·
1048 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
1048 ent..sch<
1049 Engine·name: ·ISO·Schematron<
1050 Severity: ·error<
1051 Description: ·A·paragraph·must·have·an·ancestor·
1051 subSection·or·subSubSection.<
1052 Start·location: ·1416:112<
1053 <
1054 System·ID: ·
1054 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
1054 /6B215A5C5379FFD27D27193FFFA3603B.xml<
1055 Main·validation·file: ·
1055 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
1055 /6B215A5C5379FFD27D27193FFFA3603B.xml<
1056 Scenario·name: ·gg-sch<
1057 Schema: ·
1057 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
1057 ent..sch<
1058 Engine·name: ·ISO·Schematron<
1059 Severity: ·error<
1060 Description: ·A·paragraph·must·have·an·ancestor·
1060 subSection·or·subSubSection.<
1061 Start·location: ·1417:135<
1062 <
1063 System·ID: ·
1063 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
```

1063 /6B215A5C5379FFD27D27193FFA3603B.xml ↵  
1064 Main-validation-file: ·  
1064 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
1064 /6B215A5C5379FFD27D27193FFA3603B.xml ↵  
1065 Scenario-name: ·gg-sch ↵  
1066 Schema: ·  
1066 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
1066 ent..sch ↵  
1067 Engine-name: ·ISO-Schematron ↵  
1068 Severity: ·error ↵  
1069 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
1069 subSection ·or ·subSubSection. ↵  
1070 Start-location: ·1421:135 ↵  
1071 ↵  
1072 System-ID: ·  
1072 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
1072 /6B215A5C5379FFD27D27193FFA3603B.xml ↵  
1073 Main-validation-file: ·  
1073 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
1073 /6B215A5C5379FFD27D27193FFA3603B.xml ↵  
1074 Scenario-name: ·gg-sch ↵  
1075 Schema: ·  
1075 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
1075 ent..sch ↵  
1076 Engine-name: ·ISO-Schematron ↵  
1077 Severity: ·error ↵  
1078 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
1078 subSection ·or ·subSubSection. ↵  
1079 Start-location: ·1425:135 ↵  
1080 ↵  
1081 System-ID: ·  
1081 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
1081 /6B215A5C5379FFD27D27193FFA3603B.xml ↵  
1082 Main-validation-file: ·  
1082 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax

1082 /6B215A5C5379FFD27D27193FFA3603B.xml ↵  
1083 Scenario.name: .gg-sch ↵  
1084 Schema: .  
1084 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
1084 ent..sch ↵  
1085 Engine.name: .ISO.Schematron ↵  
1086 Severity: .error ↵  
1087 Description: .A.paragraph.must.have.an.ancestor.  
1087 subSection.or.subSubSection. ↵  
1088 Start.location: .1429:133 ↵  
1089 ↵  
1090 System.ID: .  
1090 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
1090 /6B215A5C5379FFD27D27193FFA3603B.xml ↵  
1091 Main.validation.file: .  
1091 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
1091 /6B215A5C5379FFD27D27193FFA3603B.xml ↵  
1092 Scenario.name: .gg-sch ↵  
1093 Schema: .  
1093 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
1093 ent..sch ↵  
1094 Engine.name: .ISO.Schematron ↵  
1095 Severity: .error ↵  
1096 Description: .A.paragraph.must.have.an.ancestor.  
1096 subSection.or.subSubSection. ↵  
1097 Start.location: .1435:110 ↵  
1098 ↵  
1099 System.ID: .  
1099 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
1099 /6B215A5C5379FFD27D27193FFA3603B.xml ↵  
1100 Main.validation.file: .  
1100 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
1100 /6B215A5C5379FFD27D27193FFA3603B.xml ↵  
1101 Scenario.name: .gg-sch ↵  
1102 Schema: .

```
1102 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm  
1102 ent..sch↵  
1103 Engine.name: ·ISO ·Schematron↵  
1104 Severity: ·error↵  
1105 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
1105 subSection ·or ·subSubSection.↵  
1106 Start ·location: ·1439:135↵  
1107 ↵  
1108 System ·ID: ·  
1108 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
1108 /6B215A5C5379FFD27D27193FFFA3603B.xml↵  
1109 Main ·validation ·file: ·  
1109 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
1109 /6B215A5C5379FFD27D27193FFFA3603B.xml↵  
1110 Scenario ·name: ·gg-sch↵  
1111 Schema: ·  
1111 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm  
1111 ent..sch↵  
1112 Engine.name: ·ISO ·Schematron↵  
1113 Severity: ·error↵  
1114 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
1114 subSection ·or ·subSubSection.↵  
1115 Start ·location: ·1444:111↵  
1116 ↵  
1117 System ·ID: ·  
1117 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
1117 /6B215A5C5379FFD27D27193FFFA3603B.xml↵  
1118 Main ·validation ·file: ·  
1118 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
1118 /6B215A5C5379FFD27D27193FFFA3603B.xml↵  
1119 Scenario ·name: ·gg-sch↵  
1120 Schema: ·  
1120 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm  
1120 ent..sch↵  
1121 Engine.name: ·ISO ·Schematron↵
```

1122 Severity: ·error ↵  
1123 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
1123 subSection ·or ·subSubSection. ↵  
1124 Start ·location: ·1459:111 ↵  
1125 ↵  
1126 System ·ID: ·  
1126 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
1126 /6B215A5C5379FFD27D27193FFFA3603B.xml ↵  
1127 Main ·validation ·file: ·  
1127 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
1127 /6B215A5C5379FFD27D27193FFFA3603B.xml ↵  
1128 Scenario ·name: ·gg-sch ↵  
1129 Schema: ·  
1129 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
1129 ent..sch ↵  
1130 Engine ·name: ·ISO ·Schematron ↵  
1131 Severity: ·error ↵  
1132 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
1132 subSection ·or ·subSubSection. ↵  
1133 Start ·location: ·1476:111 ↵  
1134 ↵  
1135 System ·ID: ·  
1135 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
1135 /6B215A5C5379FFD27D27193FFFA3603B.xml ↵  
1136 Main ·validation ·file: ·  
1136 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
1136 /6B215A5C5379FFD27D27193FFFA3603B.xml ↵  
1137 Scenario ·name: ·gg-sch ↵  
1138 Schema: ·  
1138 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
1138 ent..sch ↵  
1139 Engine ·name: ·ISO ·Schematron ↵  
1140 Severity: ·error ↵  
1141 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
1141 subSection ·or ·subSubSection. ↵

```
1142 Start ·location: ·1496:111↵
1143 ↵
1144 System ·ID: ·
1144 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
1144 /6B215A5C5379FFD27D27193FFFA3603B.xml↵
1145 Main ·validation ·file: ·
1145 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
1145 /6B215A5C5379FFD27D27193FFFA3603B.xml↵
1146 Scenario ·name: ·gg-sch↵
1147 Schema: ·
1147 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
1147 ent..sch↵
1148 Engine ·name: ·ISO ·Schematron↵
1149 Severity: ·error↵
1150 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
1150 subSection ·or ·subSubSection.↵
1151 Start ·location: ·1514:111↵
1152 ↵
1153 System ·ID: ·
1153 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
1153 /6B215A5C5379FFD27D27193FFFA3603B.xml↵
1154 Main ·validation ·file: ·
1154 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
1154 /6B215A5C5379FFD27D27193FFFA3603B.xml↵
1155 Scenario ·name: ·gg-sch↵
1156 Schema: ·
1156 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
1156 ent..sch↵
1157 Engine ·name: ·ISO ·Schematron↵
1158 Severity: ·error↵
1159 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
1159 subSection ·or ·subSubSection.↵
1160 Start ·location: ·1537:111↵
1161 ↵
1162 System ·ID: ·
```

```
1162 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
1162 /6B215A5C5379FFD27D27193FFFA3603B.xml↵
1163 Main-validation-file: ·
1163 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
1163 /6B215A5C5379FFD27D27193FFFA3603B.xml↵
1164 Scenario-name: ·gg-sch↵
1165 Schema: ·
1165 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
1165 ent..sch↵
1166 Engine-name: ·ISO ·Schematron↵
1167 Severity: ·error↵
1168 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
1168 subSection ·or ·subSubSection.↵
1169 Start-location: ·1557:111↵
1170 ↵
1171 System-ID: ·
1171 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
1171 /6B215A5C5379FFD27D27193FFFA3603B.xml↵
1172 Main-validation-file: ·
1172 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
1172 /6B215A5C5379FFD27D27193FFFA3603B.xml↵
1173 Scenario-name: ·gg-sch↵
1174 Schema: ·
1174 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
1174 ent..sch↵
1175 Engine-name: ·ISO ·Schematron↵
1176 Severity: ·error↵
1177 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
1177 subSection ·or ·subSubSection.↵
1178 Start-location: ·1580:111↵
1179 ↵
1180 System-ID: ·
1180 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
1180 /6B215A5C5379FFD27D27193FFFA3603B.xml↵
1181 Main-validation-file: ·
```

```
1181 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
1181 /6B215A5C5379FFD27D27193FFA3603B.xml↵
1182 Scenario·name: ·gg-sch↵
1183 Schema: ·
1183 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
1183 ent..sch↵
1184 Engine·name: ·ISO ·Schematron↵
1185 Severity: ·error↵
1186 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
1186 subSection ·or ·subSubSection.↵
1187 Start ·location: ·1604:111↵
1188 ↵
1189 System ·ID: ·
1189 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
1189 /6B215A5C5379FFD27D27193FFA3603B.xml↵
1190 Main ·validation ·file: ·
1190 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
1190 /6B215A5C5379FFD27D27193FFA3603B.xml↵
1191 Scenario ·name: ·gg-sch↵
1192 Schema: ·
1192 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
1192 ent..sch↵
1193 Engine·name: ·ISO ·Schematron↵
1194 Severity: ·error↵
1195 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
1195 subSection ·or ·subSubSection.↵
1196 Start ·location: ·1630:111↵
1197 ↵
1198 System ·ID: ·
1198 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
1198 /6B215A5C5379FFD27D27193FFA3603B.xml↵
1199 Main ·validation ·file: ·
1199 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
1199 /6B215A5C5379FFD27D27193FFA3603B.xml↵
1200 Scenario ·name: ·gg-sch↵
```

1201 Schema: .  
1201 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
1201 ent..sch↵  
1202 Engine.name: .ISO .Schematron↵  
1203 Severity: .error↵  
1204 Description: .A .paragraph .must .have .an .ancestor .  
1204 subSection .or .subSubSection.↵  
1205 Start.location: .1656:111↵  
1206 ↵  
1207 System.ID: .  
1207 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
1207 /6B215A5C5379FFD27D27193FFFA3603B.xml↵  
1208 Main.validation.file: .  
1208 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
1208 /6B215A5C5379FFD27D27193FFFA3603B.xml↵  
1209 Scenario.name: .gg-sch↵  
1210 Schema: .  
1210 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
1210 ent..sch↵  
1211 Engine.name: .ISO .Schematron↵  
1212 Severity: .error↵  
1213 Description: .A .paragraph .must .have .an .ancestor .  
1213 subSection .or .subSubSection.↵  
1214 Start.location: .1682:111↵  
1215 ↵  
1216 System.ID: .  
1216 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
1216 /6B215A5C5379FFD27D27193FFFA3603B.xml↵  
1217 Main.validation.file: .  
1217 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
1217 /6B215A5C5379FFD27D27193FFFA3603B.xml↵  
1218 Scenario.name: .gg-sch↵  
1219 Schema: .  
1219 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
1219 ent..sch↵

1220 Engine.name: ·ISO ·Schematron ↵  
1221 Severity: ·error ↵  
1222 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
1222 subSection ·or ·subSubSection. ↵  
1223 Start.location: ·1708:111 ↵  
1224 ↵  
1225 System.ID: ·  
1225 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
1225 /6B215A5C5379FFD27D27193FFFA3603B.xml ↵  
1226 Main.validation.file: ·  
1226 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
1226 /6B215A5C5379FFD27D27193FFFA3603B.xml ↵  
1227 Scenario.name: ·gg-sch ↵  
1228 Schema: ·  
1228 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
1228 ent..sch ↵  
1229 Engine.name: ·ISO ·Schematron ↵  
1230 Severity: ·error ↵  
1231 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
1231 subSection ·or ·subSubSection. ↵  
1232 Start.location: ·1734:111 ↵  
1233 ↵  
1234 System.ID: ·  
1234 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
1234 /6B215A5C5379FFD27D27193FFFA3603B.xml ↵  
1235 Main.validation.file: ·  
1235 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
1235 /6B215A5C5379FFD27D27193FFFA3603B.xml ↵  
1236 Scenario.name: ·gg-sch ↵  
1237 Schema: ·  
1237 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
1237 ent..sch ↵  
1238 Engine.name: ·ISO ·Schematron ↵  
1239 Severity: ·error ↵  
1240 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·

```
1240 subSection ·or ·subSubSection. ↵
1241 Start ·location: ·1760:111 ↵
1242 ↵
1243 System ·ID: ·
1243 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
1243 /6B215A5C5379FFD27D27193FFFA3603B.xml ↵
1244 Main ·validation ·file: ·
1244 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
1244 /6B215A5C5379FFD27D27193FFFA3603B.xml ↵
1245 Scenario ·name: ·gg-sch ↵
1246 Schema: ·
1246 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
1246 ent..sch ↵
1247 Engine ·name: ·ISO ·Schematron ↵
1248 Severity: ·error ↵
1249 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
1249 subSection ·or ·subSubSection. ↵
1250 Start ·location: ·1784:111 ↵
1251 ↵
1252 System ·ID: ·
1252 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
1252 /6B215A5C5379FFD27D27193FFFA3603B.xml ↵
1253 Main ·validation ·file: ·
1253 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
1253 /6B215A5C5379FFD27D27193FFFA3603B.xml ↵
1254 Scenario ·name: ·gg-sch ↵
1255 Schema: ·
1255 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
1255 ent..sch ↵
1256 Engine ·name: ·ISO ·Schematron ↵
1257 Severity: ·error ↵
1258 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
1258 subSection ·or ·subSubSection. ↵
1259 Start ·location: ·1801:111 ↵
1260 ↵
```

1261 System·ID: ·  
1261 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
1261 /6B215A5C5379FFD27D27193FFFA3603B.xml↵  
1262 Main·validation·file: ·  
1262 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
1262 /6B215A5C5379FFD27D27193FFFA3603B.xml↵  
1263 Scenario·name: ·gg-sch↵  
1264 Schema: ·  
1264 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
1264 ent..sch↵  
1265 Engine·name: ·ISO·Schematron↵  
1266 Severity: ·error↵  
1267 Description: ·A·paragraph·must·have·an·ancestor·  
1267 subSection·or·subSubSection.↵  
1268 Start·location: ·1828:111↵  
1269 ↵  
1270 System·ID: ·  
1270 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
1270 /6B215A5C5379FFD27D27193FFFA3603B.xml↵  
1271 Main·validation·file: ·  
1271 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
1271 /6B215A5C5379FFD27D27193FFFA3603B.xml↵  
1272 Scenario·name: ·gg-sch↵  
1273 Schema: ·  
1273 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
1273 ent..sch↵  
1274 Engine·name: ·ISO·Schematron↵  
1275 Severity: ·error↵  
1276 Description: ·A·paragraph·must·have·an·ancestor·  
1276 subSection·or·subSubSection.↵  
1277 Start·location: ·1855:111↵  
1278 ↵  
1279 System·ID: ·  
1279 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
1279 /6B215A5C5379FFD27D27193FFFA3603B.xml↵

```
1280 Main-validation-file: ·  
1280 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
1280 /6B215A5C5379FFD27D27193FFFA3603B.xml↵  
1281 Scenario-name: ·gg-sch↵  
1282 Schema: ·  
1282 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm  
1282 ent..sch↵  
1283 Engine-name: ·ISO ·Schematron↵  
1284 Severity: ·error↵  
1285 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
1285 subSection ·or ·subSubSection.↵  
1286 Start ·location: ·1876:111↵  
1287 ↵  
1288 System ·ID: ·  
1288 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
1288 /6B215A5C5379FFD27D27193FFFA3603B.xml↵  
1289 Main-validation-file: ·  
1289 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
1289 /6B215A5C5379FFD27D27193FFFA3603B.xml↵  
1290 Scenario-name: ·gg-sch↵  
1291 Schema: ·  
1291 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm  
1291 ent..sch↵  
1292 Engine-name: ·ISO ·Schematron↵  
1293 Severity: ·error↵  
1294 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
1294 subSection ·or ·subSubSection.↵  
1295 Start ·location: ·1897:111↵  
1296 ↵  
1297 System ·ID: ·  
1297 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
1297 /6B215A5C5379FFD27D27193FFFA3603B.xml↵  
1298 Main-validation-file: ·  
1298 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
1298 /6B215A5C5379FFD27D27193FFFA3603B.xml↵
```

1299 Scenario ·name: ·gg-sch ↵  
1300 Schema: ·  
1300 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
1300 ent..sch ↵  
1301 Engine ·name: ·ISO ·Schematron ↵  
1302 Severity: ·error ↵  
1303 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
1303 subSection ·or ·subSubSection. ↵  
1304 Start ·location: ·1913:111 ↵  
1305 ↵  
1306 System ·ID: ·  
1306 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
1306 /6B215A5C5379FFD27D27193FFFA3603B.xml ↵  
1307 Main ·validation ·file: ·  
1307 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
1307 /6B215A5C5379FFD27D27193FFFA3603B.xml ↵  
1308 Scenario ·name: ·gg-sch ↵  
1309 Schema: ·  
1309 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
1309 ent..sch ↵  
1310 Engine ·name: ·ISO ·Schematron ↵  
1311 Severity: ·error ↵  
1312 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
1312 subSection ·or ·subSubSection. ↵  
1313 Start ·location: ·1934:111 ↵  
1314 ↵  
1315 System ·ID: ·  
1315 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
1315 /6B215A5C5379FFD27D27193FFFA3603B.xml ↵  
1316 Main ·validation ·file: ·  
1316 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
1316 /6B215A5C5379FFD27D27193FFFA3603B.xml ↵  
1317 Scenario ·name: ·gg-sch ↵  
1318 Schema: ·  
1318 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm

```
1318 ent..sch↵
1319 Engine·name: ·ISO ·Schematron↵
1320 Severity: ·error↵
1321 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
1321 subSection ·or ·subSubSection.↵
1322 Start ·location: ·1950:111↵
1323 ↵
1324 System ·ID: ·
1324 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
1324 /6B215A5C5379FFD27D27193FFFA3603B.xml↵
1325 Main ·validation ·file: ·
1325 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
1325 /6B215A5C5379FFD27D27193FFFA3603B.xml↵
1326 Scenario ·name: ·gg-sch↵
1327 Schema: ·
1327 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
1327 ent..sch↵
1328 Engine·name: ·ISO ·Schematron↵
1329 Severity: ·error↵
1330 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
1330 subSection ·or ·subSubSection.↵
1331 Start ·location: ·1977:111↵
1332 ↵
1333 System ·ID: ·
1333 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
1333 /6B215A5C5379FFD27D27193FFFA3603B.xml↵
1334 Main ·validation ·file: ·
1334 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
1334 /6B215A5C5379FFD27D27193FFFA3603B.xml↵
1335 Scenario ·name: ·gg-sch↵
1336 Schema: ·
1336 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
1336 ent..sch↵
1337 Engine·name: ·ISO ·Schematron↵
1338 Severity: ·error↵
```

1339 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
1339 subSection ·or ·subSubSection. ↵  
1340 Start ·location: ·1996:111 ↵  
1341 ↵  
1342 System ·ID: ·  
1342 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
1342 /6B215A5C5379FFD27D27193FFFA3603B.xml ↵  
1343 Main ·validation ·file: ·  
1343 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
1343 /6B215A5C5379FFD27D27193FFFA3603B.xml ↵  
1344 Scenario ·name: ·gg-sch ↵  
1345 Schema: ·  
1345 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
1345 ent..sch ↵  
1346 Engine ·name: ·ISO ·Schematron ↵  
1347 Severity: ·error ↵  
1348 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
1348 subSection ·or ·subSubSection. ↵  
1349 Start ·location: ·2026:111 ↵  
1350 ↵  
1351 System ·ID: ·  
1351 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
1351 /6B215A5C5379FFD27D27193FFFA3603B.xml ↵  
1352 Main ·validation ·file: ·  
1352 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
1352 /6B215A5C5379FFD27D27193FFFA3603B.xml ↵  
1353 Scenario ·name: ·gg-sch ↵  
1354 Schema: ·  
1354 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
1354 ent..sch ↵  
1355 Engine ·name: ·ISO ·Schematron ↵  
1356 Severity: ·error ↵  
1357 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
1357 subSection ·or ·subSubSection. ↵  
1358 Start ·location: ·2046:111 ↵

```
1359 <!--  
1360 System·ID: ·  
1360 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
1360 /6B215A5C5379FFD27D27193FFFA3603B.xml-->  
1361 Main·validation·file: ·  
1361 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
1361 /6B215A5C5379FFD27D27193FFFA3603B.xml-->  
1362 Scenario·name: ·gg-sch-->  
1363 Schema: ·  
1363 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm  
1363 ent..sch-->  
1364 Engine·name: ·ISO·Schematron-->  
1365 Severity: ·error-->  
1366 Description: ·A·paragraph·must·have·an·ancestor·  
1366 subSection·or·subSubSection.-->  
1367 Start·location: ·2065:111-->  
1368 -->  
1369 System·ID: ·  
1369 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
1369 /6B215A5C5379FFD27D27193FFFA3603B.xml-->  
1370 Main·validation·file: ·  
1370 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
1370 /6B215A5C5379FFD27D27193FFFA3603B.xml-->  
1371 Scenario·name: ·gg-sch-->  
1372 Schema: ·  
1372 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm  
1372 ent..sch-->  
1373 Engine·name: ·ISO·Schematron-->  
1374 Severity: ·error-->  
1375 Description: ·A·paragraph·must·have·an·ancestor·  
1375 subSection·or·subSubSection.-->  
1376 Start·location: ·2086:111-->  
1377 -->  
1378 System·ID: ·  
1378 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
```

1378 /6B215A5C5379FFD27D27193FFA3603B.xml ↵  
1379 Main-validation-file: ·  
1379 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
1379 /6B215A5C5379FFD27D27193FFA3603B.xml ↵  
1380 Scenario-name: ·gg-sch ↵  
1381 Schema: ·  
1381 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
1381 ent..sch ↵  
1382 Engine-name: ·ISO-Schematron ↵  
1383 Severity: ·error ↵  
1384 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
1384 subSection ·or ·subSubSection. ↵  
1385 Start-location: ·2118:111 ↵  
1386 ↵  
1387 System-ID: ·  
1387 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
1387 /6B215A5C5379FFD27D27193FFA3603B.xml ↵  
1388 Main-validation-file: ·  
1388 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
1388 /6B215A5C5379FFD27D27193FFA3603B.xml ↵  
1389 Scenario-name: ·gg-sch ↵  
1390 Schema: ·  
1390 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
1390 ent..sch ↵  
1391 Engine-name: ·ISO-Schematron ↵  
1392 Severity: ·error ↵  
1393 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
1393 subSection ·or ·subSubSection. ↵  
1394 Start-location: ·2144:111 ↵  
1395 ↵  
1396 System-ID: ·  
1396 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
1396 /6B215A5C5379FFD27D27193FFA3603B.xml ↵  
1397 Main-validation-file: ·  
1397 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax

1397 /6B215A5C5379FFD27D27193FFA3603B.xml ↵  
1398 Scenario.name: .gg-sch ↵  
1399 Schema: .  
1399 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
1400 Engine.name: .ISO.Schematron ↵  
1401 Severity: .error ↵  
1402 Description: .A.paragraph.must.have.an.ancestor.  
1402 subSection.or.subSubSection. ↵  
1403 Start.location: .2169:111 ↵  
1404 ↵  
1405 System.ID: .  
1405 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
1405 /6B215A5C5379FFD27D27193FFA3603B.xml ↵  
1406 Main.validation.file: .  
1406 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
1406 /6B215A5C5379FFD27D27193FFA3603B.xml ↵  
1407 Scenario.name: .gg-sch ↵  
1408 Schema: .  
1408 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
1409 Engine.name: .ISO.Schematron ↵  
1410 Severity: .error ↵  
1411 Description: .A.paragraph.must.have.an.ancestor.  
1411 subSection.or.subSubSection. ↵  
1412 Start.location: .2195:111 ↵  
1413 ↵  
1414 System.ID: .  
1414 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
1414 /6B215A5C5379FFD27D27193FFA3603B.xml ↵  
1415 Main.validation.file: .  
1415 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
1415 /6B215A5C5379FFD27D27193FFA3603B.xml ↵  
1416 Scenario.name: .gg-sch ↵  
1417 Schema: .

```
1417 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm  
1417 ent..sch↵  
1418 Engine.name: ·ISO ·Schematron↵  
1419 Severity: ·error↵  
1420 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
1420 subSection ·or ·subSubSection.↵  
1421 Start ·location: ·2214:111↵  
1422 ↵  
1423 System ·ID: ·  
1423 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
1423 /6B215A5C5379FFD27D27193FFFA3603B.xml↵  
1424 Main ·validation ·file: ·  
1424 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
1424 /6B215A5C5379FFD27D27193FFFA3603B.xml↵  
1425 Scenario ·name: ·gg-sch↵  
1426 Schema: ·  
1426 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm  
1426 ent..sch↵  
1427 Engine.name: ·ISO ·Schematron↵  
1428 Severity: ·error↵  
1429 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
1429 subSection ·or ·subSubSection.↵  
1430 Start ·location: ·2230:111↵  
1431 ↵  
1432 System ·ID: ·  
1432 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
1432 /6B215A5C5379FFD27D27193FFFA3603B.xml↵  
1433 Main ·validation ·file: ·  
1433 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
1433 /6B215A5C5379FFD27D27193FFFA3603B.xml↵  
1434 Scenario ·name: ·gg-sch↵  
1435 Schema: ·  
1435 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm  
1435 ent..sch↵  
1436 Engine.name: ·ISO ·Schematron↵
```

1437 Severity: ·error ↵  
1438 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
1438 subSection ·or ·subSubSection. ↵  
1439 Start ·location: ·2247:111 ↵  
1440 ↵  
1441 System ·ID: ·  
1441 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
1441 /6B215A5C5379FFD27D27193FFFA3603B.xml ↵  
1442 Main ·validation ·file: ·  
1442 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
1442 /6B215A5C5379FFD27D27193FFFA3603B.xml ↵  
1443 Scenario ·name: ·gg-sch ↵  
1444 Schema: ·  
1444 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
1444 ent..sch ↵  
1445 Engine ·name: ·ISO ·Schematron ↵  
1446 Severity: ·error ↵  
1447 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
1447 subSection ·or ·subSubSection. ↵  
1448 Start ·location: ·2267:111 ↵  
1449 ↵  
1450 System ·ID: ·  
1450 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
1450 /6B215A5C5379FFD27D27193FFFA3603B.xml ↵  
1451 Main ·validation ·file: ·  
1451 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
1451 /6B215A5C5379FFD27D27193FFFA3603B.xml ↵  
1452 Scenario ·name: ·gg-sch ↵  
1453 Schema: ·  
1453 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
1453 ent..sch ↵  
1454 Engine ·name: ·ISO ·Schematron ↵  
1455 Severity: ·error ↵  
1456 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
1456 subSection ·or ·subSubSection. ↵

1457 Start ·location: ·2286:111 ↵  
1458 ↵  
1459 System ·ID: ·  
1459 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
1459 /6B215A5C5379FFD27D27193FFFA3603B.xml ↵  
1460 Main ·validation ·file: ·  
1460 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
1460 /6B215A5C5379FFD27D27193FFFA3603B.xml ↵  
1461 Scenario ·name: ·gg-sch ↵  
1462 Schema: ·  
1462 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
1462 ent..sch ↵  
1463 Engine ·name: ·ISO ·Schematron ↵  
1464 Severity: ·error ↵  
1465 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
1465 subSection ·or ·subSubSection. ↵  
1466 Start ·location: ·2307:111 ↵  
1467 ↵  
1468 System ·ID: ·  
1468 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
1468 /6B215A5C5379FFD27D27193FFFA3603B.xml ↵  
1469 Main ·validation ·file: ·  
1469 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
1469 /6B215A5C5379FFD27D27193FFFA3603B.xml ↵  
1470 Scenario ·name: ·gg-sch ↵  
1471 Schema: ·  
1471 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
1471 ent..sch ↵  
1472 Engine ·name: ·ISO ·Schematron ↵  
1473 Severity: ·error ↵  
1474 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
1474 subSection ·or ·subSubSection. ↵  
1475 Start ·location: ·2324:111 ↵  
1476 ↵  
1477 System ·ID: ·

1477 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
1477 /6B215A5C5379FFD27D27193FFFA3603B.xml ↵  
1478 Main-validation-file: ·  
1478 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
1478 /6B215A5C5379FFD27D27193FFFA3603B.xml ↵  
1479 Scenario-name: ·gg-sch ↵  
1480 Schema: ·  
1480 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
1480 ent..sch ↵  
1481 Engine-name: ·ISO ·Schematron ↵  
1482 Severity: ·error ↵  
1483 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
1483 subSection ·or ·subSubSection. ↵  
1484 Start-location: ·2343:111 ↵  
1485 ↵  
1486 System-ID: ·  
1486 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
1486 /6B215A5C5379FFD27D27193FFFA3603B.xml ↵  
1487 Main-validation-file: ·  
1487 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
1487 /6B215A5C5379FFD27D27193FFFA3603B.xml ↵  
1488 Scenario-name: ·gg-sch ↵  
1489 Schema: ·  
1489 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
1489 ent..sch ↵  
1490 Engine-name: ·ISO ·Schematron ↵  
1491 Severity: ·error ↵  
1492 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
1492 subSection ·or ·subSubSection. ↵  
1493 Start-location: ·2361:111 ↵  
1494 ↵  
1495 System-ID: ·  
1495 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
1495 /6B215A5C5379FFD27D27193FFFA3603B.xml ↵  
1496 Main-validation-file: ·

```
1496 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
1496 /6B215A5C5379FFD27D27193FFFA3603B.xml↵
1497 Scenario·name: ·gg-sch↵
1498 Schema: ·
1498 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
1498 ent..sch↵
1499 Engine·name: ·ISO ·Schematron↵
1500 Severity: ·error↵
1501 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
1501 subSection ·or ·subSubSection.↵
1502 Start ·location: ·2380:111↵
1503 ↵
1504 System ·ID: ·
1504 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
1504 /6B215A5C5379FFD27D27193FFFA3603B.xml↵
1505 Main ·validation ·file: ·
1505 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
1505 /6B215A5C5379FFD27D27193FFFA3603B.xml↵
1506 Scenario ·name: ·gg-sch↵
1507 Schema: ·
1507 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
1507 ent..sch↵
1508 Engine·name: ·ISO ·Schematron↵
1509 Severity: ·error↵
1510 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
1510 subSection ·or ·subSubSection.↵
1511 Start ·location: ·2410:111↵
1512 ↵
1513 System ·ID: ·
1513 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
1513 /6B215A5C5379FFD27D27193FFFA3603B.xml↵
1514 Main ·validation ·file: ·
1514 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
1514 /6B215A5C5379FFD27D27193FFFA3603B.xml↵
1515 Scenario ·name: ·gg-sch↵
```

1516 Schema: .  
1516 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
1516 ent..sch↵  
1517 Engine.name: .ISO .Schematron↵  
1518 Severity: .error↵  
1519 Description: .A .paragraph .must .have .an .ancestor .  
1519 subSection .or .subSubSection.↵  
1520 Start.location: .2437:111↵  
1521 ↵  
1522 System.ID: .  
1522 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
1522 /6B215A5C5379FFD27D27193FFFA3603B.xml↵  
1523 Main.validation.file: .  
1523 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
1523 /6B215A5C5379FFD27D27193FFFA3603B.xml↵  
1524 Scenario.name: .gg-sch↵  
1525 Schema: .  
1525 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
1525 ent..sch↵  
1526 Engine.name: .ISO .Schematron↵  
1527 Severity: .error↵  
1528 Description: .A .paragraph .must .have .an .ancestor .  
1528 subSection .or .subSubSection.↵  
1529 Start.location: .2455:111↵  
1530 ↵  
1531 System.ID: .  
1531 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
1531 /6B215A5C5379FFD27D27193FFFA3603B.xml↵  
1532 Main.validation.file: .  
1532 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
1532 /6B215A5C5379FFD27D27193FFFA3603B.xml↵  
1533 Scenario.name: .gg-sch↵  
1534 Schema: .  
1534 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
1534 ent..sch↵

1535 Engine ·name: ·ISO ·Schematron ↵  
1536 Severity: ·error ↵  
1537 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
1537 subSection ·or ·subSubSection. ↵  
1538 Start ·location: ·2487:111 ↵  
1539 ↵  
1540 System ·ID: ·  
1540 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
1540 /6B215A5C5379FFD27D27193FFFA3603B.xml ↵  
1541 Main ·validation ·file: ·  
1541 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
1541 /6B215A5C5379FFD27D27193FFFA3603B.xml ↵  
1542 Scenario ·name: ·gg-sch ↵  
1543 Schema: ·  
1543 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
1543 ent..sch ↵  
1544 Engine ·name: ·ISO ·Schematron ↵  
1545 Severity: ·error ↵  
1546 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
1546 subSection ·or ·subSubSection. ↵  
1547 Start ·location: ·2510:111 ↵  
1548 ↵  
1549 System ·ID: ·  
1549 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
1549 /6B215A5C5379FFD27D27193FFFA3603B.xml ↵  
1550 Main ·validation ·file: ·  
1550 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
1550 /6B215A5C5379FFD27D27193FFFA3603B.xml ↵  
1551 Scenario ·name: ·gg-sch ↵  
1552 Schema: ·  
1552 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
1552 ent..sch ↵  
1553 Engine ·name: ·ISO ·Schematron ↵  
1554 Severity: ·error ↵  
1555 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·

```
1555 subSection ·or ·subSubSection. ↵
1556 Start ·location: ·2536:111 ↵
1557 ↵
1558 System ·ID: ·
1558 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
1558 /6B215A5C5379FFD27D27193FFFA3603B.xml ↵
1559 Main ·validation ·file: ·
1559 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
1559 /6B215A5C5379FFD27D27193FFFA3603B.xml ↵
1560 Scenario ·name: ·gg-sch ↵
1561 Schema: ·
1561 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
1561 ent..sch ↵
1562 Engine ·name: ·ISO ·Schematron ↵
1563 Severity: ·error ↵
1564 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
1564 subSection ·or ·subSubSection. ↵
1565 Start ·location: ·2557:111 ↵
1566 ↵
1567 System ·ID: ·
1567 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
1567 /6B215A5C5379FFD27D27193FFFA3603B.xml ↵
1568 Main ·validation ·file: ·
1568 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
1568 /6B215A5C5379FFD27D27193FFFA3603B.xml ↵
1569 Scenario ·name: ·gg-sch ↵
1570 Schema: ·
1570 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
1570 ent..sch ↵
1571 Engine ·name: ·ISO ·Schematron ↵
1572 Severity: ·error ↵
1573 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
1573 subSection ·or ·subSubSection. ↵
1574 Start ·location: ·2576:111 ↵
1575 ↵
```

1576 System·ID: ·  
1576 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
1576 /6B215A5C5379FFD27D27193FFFA3603B.xml↵  
1577 Main·validation·file: ·  
1577 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
1577 /6B215A5C5379FFD27D27193FFFA3603B.xml↵  
1578 Scenario·name: ·gg-sch↵  
1579 Schema: ·  
1579 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
1579 ent..sch↵  
1580 Engine·name: ·ISO·Schematron↵  
1581 Severity: ·error↵  
1582 Description: ·A·paragraph·must·have·an·ancestor·  
1582 subSection·or·subSubSection.↵  
1583 Start·location: ·2602:111↵  
1584 ↵  
1585 System·ID: ·  
1585 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
1585 /6B215A5C5379FFD27D27193FFFA3603B.xml↵  
1586 Main·validation·file: ·  
1586 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
1586 /6B215A5C5379FFD27D27193FFFA3603B.xml↵  
1587 Scenario·name: ·gg-sch↵  
1588 Schema: ·  
1588 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
1588 ent..sch↵  
1589 Engine·name: ·ISO·Schematron↵  
1590 Severity: ·error↵  
1591 Description: ·A·paragraph·must·have·an·ancestor·  
1591 subSection·or·subSubSection.↵  
1592 Start·location: ·2629:111↵  
1593 ↵  
1594 System·ID: ·  
1594 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
1594 /6B215A5C5379FFD27D27193FFFA3603B.xml↵

1595 Main-validation-file: ·  
1595 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
1595 /6B215A5C5379FFD27D27193FFFA3603B.xml ↵  
1596 Scenario-name: ·gg-sch ↵  
1597 Schema: ·  
1597 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
1597 ent..sch ↵  
1598 Engine-name: ·ISO-Schematron ↵  
1599 Severity: ·error ↵  
1600 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
1600 subSection ·or ·subSubSection. ↵  
1601 Start-location: ·2656:111 ↵  
1602 ↵  
1603 System-ID: ·  
1603 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
1603 /6B215A5C5379FFD27D27193FFFA3603B.xml ↵  
1604 Main-validation-file: ·  
1604 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
1604 /6B215A5C5379FFD27D27193FFFA3603B.xml ↵  
1605 Scenario-name: ·gg-sch ↵  
1606 Schema: ·  
1606 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
1606 ent..sch ↵  
1607 Engine-name: ·ISO-Schematron ↵  
1608 Severity: ·error ↵  
1609 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
1609 subSection ·or ·subSubSection. ↵  
1610 Start-location: ·2672:111 ↵  
1611 ↵  
1612 System-ID: ·  
1612 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
1612 /6B215A5C5379FFD27D27193FFFA3603B.xml ↵  
1613 Main-validation-file: ·  
1613 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
1613 /6B215A5C5379FFD27D27193FFFA3603B.xml ↵

```
1614 Scenario·name: ·gg-sch↵
1615 Schema: ·
1615 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
1615 ent..sch↵
1616 Engine·name: ·ISO·Schematron↵
1617 Severity: ·error↵
1618 Description: ·A·paragraph·must·have·an·ancestor·
1618 subSection·or·subSubSection.↵
1619 Start·location: ·2687:111↵
1620 ↵
1621 System·ID: ·
1621 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
1621 /6B215A5C5379FFD27D27193FFFA3603B.xml↵
1622 Main·validation·file: ·
1622 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
1622 /6B215A5C5379FFD27D27193FFFA3603B.xml↵
1623 Scenario·name: ·gg-sch↵
1624 Schema: ·
1624 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
1624 ent..sch↵
1625 Engine·name: ·ISO·Schematron↵
1626 Severity: ·error↵
1627 Description: ·A·paragraph·must·have·an·ancestor·
1627 subSection·or·subSubSection.↵
1628 Start·location: ·2700:111↵
1629 ↵
1630 System·ID: ·
1630 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
1630 /6B215A5C5379FFD27D27193FFFA3603B.xml↵
1631 Main·validation·file: ·
1631 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
1631 /6B215A5C5379FFD27D27193FFFA3603B.xml↵
1632 Scenario·name: ·gg-sch↵
1633 Schema: ·
1633 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
```

```
1633 ent..sch↵
1634 Engine·name: ·ISO ·Schematron↵
1635 Severity: ·error↵
1636 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
1636 subSection ·or ·subSubSection.↵
1637 Start ·location: ·2721:111↵
1638 ↵
1639 System ·ID: ·
1639 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
1639 /6B215A5C5379FFD27D27193FFFA3603B.xml↵
1640 Main ·validation ·file: ·
1640 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
1640 /6B215A5C5379FFD27D27193FFFA3603B.xml↵
1641 Scenario ·name: ·gg-sch↵
1642 Schema: ·
1642 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
1642 ent..sch↵
1643 Engine·name: ·ISO ·Schematron↵
1644 Severity: ·error↵
1645 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
1645 subSection ·or ·subSubSection.↵
1646 Start ·location: ·2746:111↵
1647 ↵
1648 System ·ID: ·
1648 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
1648 /6B215A5C5379FFD27D27193FFFA3603B.xml↵
1649 Main ·validation ·file: ·
1649 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
1649 /6B215A5C5379FFD27D27193FFFA3603B.xml↵
1650 Scenario ·name: ·gg-sch↵
1651 Schema: ·
1651 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
1651 ent..sch↵
1652 Engine·name: ·ISO ·Schematron↵
1653 Severity: ·error↵
```

1654 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
1654 subSection ·or ·subSubSection. ↵  
1655 Start ·location: ·2760:111 ↵  
1656 ↵  
1657 System ·ID: ·  
1657 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
1657 /6B215A5C5379FFD27D27193FFFA3603B.xml ↵  
1658 Main ·validation ·file: ·  
1658 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
1658 /6B215A5C5379FFD27D27193FFFA3603B.xml ↵  
1659 Scenario ·name: ·gg-sch ↵  
1660 Schema: ·  
1660 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
1660 ent..sch ↵  
1661 Engine ·name: ·ISO ·Schematron ↵  
1662 Severity: ·error ↵  
1663 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
1663 subSection ·or ·subSubSection. ↵  
1664 Start ·location: ·2783:111 ↵  
1665 ↵  
1666 System ·ID: ·  
1666 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
1666 /6B215A5C5379FFD27D27193FFFA3603B.xml ↵  
1667 Main ·validation ·file: ·  
1667 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
1667 /6B215A5C5379FFD27D27193FFFA3603B.xml ↵  
1668 Scenario ·name: ·gg-sch ↵  
1669 Schema: ·  
1669 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
1669 ent..sch ↵  
1670 Engine ·name: ·ISO ·Schematron ↵  
1671 Severity: ·error ↵  
1672 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
1672 subSection ·or ·subSubSection. ↵  
1673 Start ·location: ·2804:111 ↵

```
1674 <System·ID: ·  
1675 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
1675 /6B215A5C5379FFD27D27193FFFA3603B.xml<  
1676 Main·validation·file: ·  
1676 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
1676 /6B215A5C5379FFD27D27193FFFA3603B.xml<  
1677 Scenario·name: ·gg-sch<  
1678 Schema: ·  
1678 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm  
1678 ent..sch<  
1679 Engine·name: ·ISO·Schematron<  
1680 Severity: ·error<  
1681 Description: ·A·paragraph·must·have·an·ancestor·  
1681 subSection·or·subSubSection.<  
1682 Start·location: ·2822:111<  
1683 <  
1684 System·ID: ·  
1684 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
1684 /6B215A5C5379FFD27D27193FFFA3603B.xml<  
1685 Main·validation·file: ·  
1685 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
1685 /6B215A5C5379FFD27D27193FFFA3603B.xml<  
1686 Scenario·name: ·gg-sch<  
1687 Schema: ·  
1687 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm  
1687 ent..sch<  
1688 Engine·name: ·ISO·Schematron<  
1689 Severity: ·error<  
1690 Description: ·A·paragraph·must·have·an·ancestor·  
1690 subSection·or·subSubSection.<  
1691 Start·location: ·2847:111<  
1692 <  
1693 System·ID: ·  
1693 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
```

1693 /6B215A5C5379FFD27D27193FFA3603B.xml ↵  
1694 Main-validation-file: ·  
1694 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
1694 /6B215A5C5379FFD27D27193FFA3603B.xml ↵  
1695 Scenario-name: ·gg-sch ↵  
1696 Schema: ·  
1696 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
1696 ent..sch ↵  
1697 Engine-name: ·ISO-Schematron ↵  
1698 Severity: ·error ↵  
1699 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
1699 subSection ·or ·subSubSection. ↵  
1700 Start-location: ·2866:111 ↵  
1701 ↵  
1702 System-ID: ·  
1702 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
1702 /6B215A5C5379FFD27D27193FFA3603B.xml ↵  
1703 Main-validation-file: ·  
1703 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
1703 /6B215A5C5379FFD27D27193FFA3603B.xml ↵  
1704 Scenario-name: ·gg-sch ↵  
1705 Schema: ·  
1705 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
1705 ent..sch ↵  
1706 Engine-name: ·ISO-Schematron ↵  
1707 Severity: ·error ↵  
1708 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
1708 subSection ·or ·subSubSection. ↵  
1709 Start-location: ·2889:111 ↵  
1710 ↵  
1711 System-ID: ·  
1711 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
1711 /6B215A5C5379FFD27D27193FFA3603B.xml ↵  
1712 Main-validation-file: ·  
1712 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax

1712 /6B215A5C5379FFD27D27193FFA3603B.xml ↵  
1713 Scenario.name: .gg-sch ↵  
1714 Schema: .  
1714 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
1715 Engine.name: .ISO.Schematron ↵  
1716 Severity: .error ↵  
1717 Description: .A.paragraph.must.have.an.ancestor.  
subSection.or.subSubSection. ↵  
1718 Start.location: .2909:111 ↵  
1719 ↵  
1720 System.ID: .  
1720 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
1720 /6B215A5C5379FFD27D27193FFA3603B.xml ↵  
1721 Main.validation.file: .  
1721 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
1721 /6B215A5C5379FFD27D27193FFA3603B.xml ↵  
1722 Scenario.name: .gg-sch ↵  
1723 Schema: .  
1723 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
1724 Engine.name: .ISO.Schematron ↵  
1725 Severity: .error ↵  
1726 Description: .A.paragraph.must.have.an.ancestor.  
subSection.or.subSubSection. ↵  
1727 Start.location: .2933:111 ↵  
1728 ↵  
1729 System.ID: .  
1729 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
1729 /6B215A5C5379FFD27D27193FFA3603B.xml ↵  
1730 Main.validation.file: .  
1730 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
1730 /6B215A5C5379FFD27D27193FFA3603B.xml ↵  
1731 Scenario.name: .gg-sch ↵  
1732 Schema: .

```
1732 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm  
1732 ent..sch↵  
1733 Engine.name: ·ISO ·Schematron↵  
1734 Severity: ·error↵  
1735 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
1735 subSection ·or ·subSubSection.↵  
1736 Start ·location: ·2963:111↵  
1737 ↵  
1738 System ·ID: ·  
1738 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
1738 /6B215A5C5379FFD27D27193FFFA3603B.xml↵  
1739 Main ·validation ·file: ·  
1739 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
1739 /6B215A5C5379FFD27D27193FFFA3603B.xml↵  
1740 Scenario ·name: ·gg-sch↵  
1741 Schema: ·  
1741 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm  
1741 ent..sch↵  
1742 Engine.name: ·ISO ·Schematron↵  
1743 Severity: ·error↵  
1744 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
1744 subSection ·or ·subSubSection.↵  
1745 Start ·location: ·2984:111↵  
1746 ↵  
1747 System ·ID: ·  
1747 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
1747 /6B215A5C5379FFD27D27193FFFA3603B.xml↵  
1748 Main ·validation ·file: ·  
1748 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
1748 /6B215A5C5379FFD27D27193FFFA3603B.xml↵  
1749 Scenario ·name: ·gg-sch↵  
1750 Schema: ·  
1750 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm  
1750 ent..sch↵  
1751 Engine.name: ·ISO ·Schematron↵
```

1752 Severity: ·error ↵  
1753 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
1753 subSection ·or ·subSubSection. ↵  
1754 Start ·location: ·2996:111 ↵  
1755 ↵  
1756 System ·ID: ·  
1756 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
1756 /6B215A5C5379FFD27D27193FFFA3603B.xml ↵  
1757 Main ·validation ·file: ·  
1757 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
1757 /6B215A5C5379FFD27D27193FFFA3603B.xml ↵  
1758 Scenario ·name: ·gg-sch ↵  
1759 Schema: ·  
1759 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
1760 Engine ·name: ·ISO ·Schematron ↵  
1761 Severity: ·error ↵  
1762 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
1762 subSection ·or ·subSubSection. ↵  
1763 Start ·location: ·3020:111 ↵  
1764 ↵  
1765 System ·ID: ·  
1765 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
1765 /6B215A5C5379FFD27D27193FFFA3603B.xml ↵  
1766 Main ·validation ·file: ·  
1766 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
1766 /6B215A5C5379FFD27D27193FFFA3603B.xml ↵  
1767 Scenario ·name: ·gg-sch ↵  
1768 Schema: ·  
1768 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
1769 Engine ·name: ·ISO ·Schematron ↵  
1770 Severity: ·error ↵  
1771 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
1771 subSection ·or ·subSubSection. ↵

1772 Start ·location: ·3038:111 ↵  
1773 ↵  
1774 System ·ID: ·  
1774 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
1774 /6B215A5C5379FFD27D27193FFFA3603B.xml ↵  
1775 Main ·validation ·file: ·  
1775 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
1775 /6B215A5C5379FFD27D27193FFFA3603B.xml ↵  
1776 Scenario ·name: ·gg-sch ↵  
1777 Schema: ·  
1777 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
1777 ent..sch ↵  
1778 Engine ·name: ·ISO ·Schematron ↵  
1779 Severity: ·error ↵  
1780 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
1780 subSection ·or ·subSubSection. ↵  
1781 Start ·location: ·3065:111 ↵  
1782 ↵  
1783 System ·ID: ·  
1783 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
1783 /6B215A5C5379FFD27D27193FFFA3603B.xml ↵  
1784 Main ·validation ·file: ·  
1784 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
1784 /6B215A5C5379FFD27D27193FFFA3603B.xml ↵  
1785 Scenario ·name: ·gg-sch ↵  
1786 Schema: ·  
1786 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
1786 ent..sch ↵  
1787 Engine ·name: ·ISO ·Schematron ↵  
1788 Severity: ·error ↵  
1789 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
1789 subSection ·or ·subSubSection. ↵  
1790 Start ·location: ·3086:111 ↵  
1791 ↵  
1792 System ·ID: ·

1792 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
1792 /6B215A5C5379FFD27D27193FFFA3603B.xml ↵  
1793 Main-validation-file: ·  
1793 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
1793 /6B215A5C5379FFD27D27193FFFA3603B.xml ↵  
1794 Scenario-name: ·gg-sch ↵  
1795 Schema: ·  
1795 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
1796 Engine-name: ·ISO ·Schematron ↵  
1797 Severity: ·error ↵  
1798 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
1798 subSection ·or ·subSubSection. ↵  
1799 Start-location: ·3112:111 ↵  
1800 ↵  
1801 System-ID: ·  
1801 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
1801 /6B215A5C5379FFD27D27193FFFA3603B.xml ↵  
1802 Main-validation-file: ·  
1802 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
1802 /6B215A5C5379FFD27D27193FFFA3603B.xml ↵  
1803 Scenario-name: ·gg-sch ↵  
1804 Schema: ·  
1804 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
1805 Engine-name: ·ISO ·Schematron ↵  
1806 Severity: ·error ↵  
1807 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
1807 subSection ·or ·subSubSection. ↵  
1808 Start-location: ·3129:111 ↵  
1809 ↵  
1810 System-ID: ·  
1810 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
1810 /6B215A5C5379FFD27D27193FFFA3603B.xml ↵  
1811 Main-validation-file: ·

```
1811 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
1811 /6B215A5C5379FFD27D27193FFA3603B.xml↵
1812 Scenario·name: ·gg-sch↵
1813 Schema: ·
1813 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
1813 ent..sch↵
1814 Engine·name: ·ISO ·Schematron↵
1815 Severity: ·error↵
1816 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
1816 subSection ·or ·subSubSection.↵
1817 Start ·location: ·3146:111↵
1818 ↵
1819 System ·ID: ·
1819 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
1819 /6B215A5C5379FFD27D27193FFA3603B.xml↵
1820 Main ·validation ·file: ·
1820 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
1820 /6B215A5C5379FFD27D27193FFA3603B.xml↵
1821 Scenario ·name: ·gg-sch↵
1822 Schema: ·
1822 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
1822 ent..sch↵
1823 Engine·name: ·ISO ·Schematron↵
1824 Severity: ·error↵
1825 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
1825 subSection ·or ·subSubSection.↵
1826 Start ·location: ·3178:111↵
1827 ↵
1828 System ·ID: ·
1828 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
1828 /6B215A5C5379FFD27D27193FFA3603B.xml↵
1829 Main ·validation ·file: ·
1829 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
1829 /6B215A5C5379FFD27D27193FFA3603B.xml↵
1830 Scenario ·name: ·gg-sch↵
```

1831 Schema: .  
1831 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
1831 ent..sch↵  
1832 Engine.name: .ISO .Schematron↵  
1833 Severity: .error↵  
1834 Description: .A .paragraph .must .have .an .ancestor .  
1834 subSection .or .subSubSection.↵  
1835 Start.location: .3210:111↵  
1836 ↵  
1837 System.ID: .  
1837 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
1837 /6B215A5C5379FFD27D27193FFFA3603B.xml↵  
1838 Main.validation.file: .  
1838 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
1838 /6B215A5C5379FFD27D27193FFFA3603B.xml↵  
1839 Scenario.name: .gg-sch↵  
1840 Schema: .  
1840 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
1840 ent..sch↵  
1841 Engine.name: .ISO .Schematron↵  
1842 Severity: .error↵  
1843 Description: .A .paragraph .must .have .an .ancestor .  
1843 subSection .or .subSubSection.↵  
1844 Start.location: .3237:111↵  
1845 ↵  
1846 System.ID: .  
1846 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
1846 /6B215A5C5379FFD27D27193FFFA3603B.xml↵  
1847 Main.validation.file: .  
1847 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
1847 /6B215A5C5379FFD27D27193FFFA3603B.xml↵  
1848 Scenario.name: .gg-sch↵  
1849 Schema: .  
1849 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
1849 ent..sch↵

1850 Engine.name: ·ISO ·Schematron ↵  
1851 Severity: ·error ↵  
1852 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
1852 subSection ·or ·subSubSection. ↵  
1853 Start.location: ·3257:111 ↵  
1854 ↵  
1855 System.ID: ·  
1855 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
1855 /6B215A5C5379FFD27D27193FFFA3603B.xml ↵  
1856 Main.validation.file: ·  
1856 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
1856 /6B215A5C5379FFD27D27193FFFA3603B.xml ↵  
1857 Scenario.name: ·gg-sch ↵  
1858 Schema: ·  
1858 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
1858 ent..sch ↵  
1859 Engine.name: ·ISO ·Schematron ↵  
1860 Severity: ·error ↵  
1861 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
1861 subSection ·or ·subSubSection. ↵  
1862 Start.location: ·3278:111 ↵  
1863 ↵  
1864 System.ID: ·  
1864 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
1864 /6B215A5C5379FFD27D27193FFFA3603B.xml ↵  
1865 Main.validation.file: ·  
1865 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
1865 /6B215A5C5379FFD27D27193FFFA3603B.xml ↵  
1866 Scenario.name: ·gg-sch ↵  
1867 Schema: ·  
1867 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
1867 ent..sch ↵  
1868 Engine.name: ·ISO ·Schematron ↵  
1869 Severity: ·error ↵  
1870 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·

1870 subSection ·or ·subSubSection. ↵  
1871 Start ·location: ·3305:111 ↵  
1872 ↵  
1873 System ·ID: ·  
1873 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
1873 /6B215A5C5379FFD27D27193FFFA3603B.xml ↵  
1874 Main ·validation ·file: ·  
1874 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
1874 /6B215A5C5379FFD27D27193FFFA3603B.xml ↵  
1875 Scenario ·name: ·gg-sch ↵  
1876 Schema: ·  
1876 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
1876 ent..sch ↵  
1877 Engine ·name: ·ISO ·Schematron ↵  
1878 Severity: ·error ↵  
1879 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
1879 subSection ·or ·subSubSection. ↵  
1880 Start ·location: ·3332:111 ↵  
1881 ↵  
1882 System ·ID: ·  
1882 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
1882 /6B215A5C5379FFD27D27193FFFA3603B.xml ↵  
1883 Main ·validation ·file: ·  
1883 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
1883 /6B215A5C5379FFD27D27193FFFA3603B.xml ↵  
1884 Scenario ·name: ·gg-sch ↵  
1885 Schema: ·  
1885 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
1885 ent..sch ↵  
1886 Engine ·name: ·ISO ·Schematron ↵  
1887 Severity: ·error ↵  
1888 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
1888 subSection ·or ·subSubSection. ↵  
1889 Start ·location: ·3359:111 ↵  
1890 ↵

1891 System·ID: ·  
1891 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
1891 /6B215A5C5379FFD27D27193FFFA3603B.xml↵  
1892 Main·validation·file: ·  
1892 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
1892 /6B215A5C5379FFD27D27193FFFA3603B.xml↵  
1893 Scenario·name: ·gg-sch↵  
1894 Schema: ·  
1894 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
1894 ent..sch↵  
1895 Engine·name: ·ISO·Schematron↵  
1896 Severity: ·error↵  
1897 Description: ·A·paragraph·must·have·an·ancestor·  
1897 subSection·or·subSubSection.↵  
1898 Start·location: ·3377:111↵  
1899 ↵  
1900 System·ID: ·  
1900 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
1900 /6B215A5C5379FFD27D27193FFFA3603B.xml↵  
1901 Main·validation·file: ·  
1901 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
1901 /6B215A5C5379FFD27D27193FFFA3603B.xml↵  
1902 Scenario·name: ·gg-sch↵  
1903 Schema: ·  
1903 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
1903 ent..sch↵  
1904 Engine·name: ·ISO·Schematron↵  
1905 Severity: ·error↵  
1906 Description: ·A·paragraph·must·have·an·ancestor·  
1906 subSection·or·subSubSection.↵  
1907 Start·location: ·3402:111↵  
1908 ↵  
1909 System·ID: ·  
1909 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
1909 /6B215A5C5379FFD27D27193FFFA3603B.xml↵

1910 Main-validation-file: ·  
1910 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
1910 /6B215A5C5379FFD27D27193FFFA3603B.xml ↵  
1911 Scenario-name: ·gg-sch ↵  
1912 Schema: ·  
1912 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
1912 ent..sch ↵  
1913 Engine-name: ·ISO-Schematron ↵  
1914 Severity: ·error ↵  
1915 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
1915 subSection ·or ·subSubSection. ↵  
1916 Start-location: ·3429:111 ↵  
1917 ↵  
1918 System-ID: ·  
1918 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
1918 /6B215A5C5379FFD27D27193FFFA3603B.xml ↵  
1919 Main-validation-file: ·  
1919 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
1919 /6B215A5C5379FFD27D27193FFFA3603B.xml ↵  
1920 Scenario-name: ·gg-sch ↵  
1921 Schema: ·  
1921 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
1921 ent..sch ↵  
1922 Engine-name: ·ISO-Schematron ↵  
1923 Severity: ·error ↵  
1924 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
1924 subSection ·or ·subSubSection. ↵  
1925 Start-location: ·3460:111 ↵  
1926 ↵  
1927 System-ID: ·  
1927 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
1927 /6B215A5C5379FFD27D27193FFFA3603B.xml ↵  
1928 Main-validation-file: ·  
1928 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
1928 /6B215A5C5379FFD27D27193FFFA3603B.xml ↵

```
1929 Scenario·name: ·gg-sch↵
1930 Schema: ·
1930 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
1930 ent..sch↵
1931 Engine·name: ·ISO·Schematron↵
1932 Severity: ·error↵
1933 Description: ·A·paragraph·must·have·an·ancestor·
1933 subSection·or·subSubSection.↵
1934 Start·location: ·3480:111↵
1935 ↵
1936 System·ID: ·
1936 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
1936 /6B215A5C5379FFD27D27193FFFA3603B.xml↵
1937 Main·validation·file: ·
1937 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
1937 /6B215A5C5379FFD27D27193FFFA3603B.xml↵
1938 Scenario·name: ·gg-sch↵
1939 Schema: ·
1939 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
1939 ent..sch↵
1940 Engine·name: ·ISO·Schematron↵
1941 Severity: ·error↵
1942 Description: ·A·paragraph·must·have·an·ancestor·
1942 subSection·or·subSubSection.↵
1943 Start·location: ·3511:111↵
1944 ↵
1945 System·ID: ·
1945 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
1945 /6B215A5C5379FFD27D27193FFFA3603B.xml↵
1946 Main·validation·file: ·
1946 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
1946 /6B215A5C5379FFD27D27193FFFA3603B.xml↵
1947 Scenario·name: ·gg-sch↵
1948 Schema: ·
1948 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
```

```
1948 ent..sch↵
1949 Engine·name: ·ISO ·Schematron↵
1950 Severity: ·error↵
1951 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
1951 subSection ·or ·subSubSection.↵
1952 Start ·location: ·3534:111↵
1953 ↵
1954 System ·ID: ·
1954 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
1954 /6B215A5C5379FFD27D27193FFFA3603B.xml↵
1955 Main ·validation ·file: ·
1955 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
1955 /6B215A5C5379FFD27D27193FFFA3603B.xml↵
1956 Scenario ·name: ·gg-sch↵
1957 Schema: ·
1957 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
1957 ent..sch↵
1958 Engine·name: ·ISO ·Schematron↵
1959 Severity: ·error↵
1960 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
1960 subSection ·or ·subSubSection.↵
1961 Start ·location: ·3557:111↵
1962 ↵
1963 System ·ID: ·
1963 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
1963 /6B215A5C5379FFD27D27193FFFA3603B.xml↵
1964 Main ·validation ·file: ·
1964 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
1964 /6B215A5C5379FFD27D27193FFFA3603B.xml↵
1965 Scenario ·name: ·gg-sch↵
1966 Schema: ·
1966 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
1966 ent..sch↵
1967 Engine·name: ·ISO ·Schematron↵
1968 Severity: ·error↵
```

1969 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
1969 subSection ·or ·subSubSection. ↵  
1970 Start ·location: ·3587:111 ↵  
1971 ↵  
1972 System ·ID: ·  
1972 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
1972 /6B215A5C5379FFD27D27193FFFA3603B.xml ↵  
1973 Main ·validation ·file: ·  
1973 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
1973 /6B215A5C5379FFD27D27193FFFA3603B.xml ↵  
1974 Scenario ·name: ·gg-sch ↵  
1975 Schema: ·  
1975 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
1975 ent..sch ↵  
1976 Engine ·name: ·ISO ·Schematron ↵  
1977 Severity: ·error ↵  
1978 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
1978 subSection ·or ·subSubSection. ↵  
1979 Start ·location: ·3603:111 ↵  
1980 ↵  
1981 System ·ID: ·  
1981 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
1981 /6B215A5C5379FFD27D27193FFFA3603B.xml ↵  
1982 Main ·validation ·file: ·  
1982 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
1982 /6B215A5C5379FFD27D27193FFFA3603B.xml ↵  
1983 Scenario ·name: ·gg-sch ↵  
1984 Schema: ·  
1984 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
1984 ent..sch ↵  
1985 Engine ·name: ·ISO ·Schematron ↵  
1986 Severity: ·error ↵  
1987 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
1987 subSection ·or ·subSubSection. ↵  
1988 Start ·location: ·3623:111 ↵

```
1989 <!--
1990 System·ID: ·
1990 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
1990 /6B215A5C5379FFD27D27193FFFA3603B.xml<!--
1991 Main·validation·file: ·
1991 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
1991 /6B215A5C5379FFD27D27193FFFA3603B.xml<!--
1992 Scenario·name: ·gg-sch<!--
1993 Schema: ·
1993 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
1993 ent..sch<!--
1994 Engine·name: ·ISO·Schematron<!--
1995 Severity: ·error<!--
1996 Description: ·A·paragraph·must·have·an·ancestor·
1996 subSection·or·subSubSection.<!--
1997 Start·location: ·3653:111<!--
1998 <!--
1999 System·ID: ·
1999 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
1999 /6B215A5C5379FFD27D27193FFFA3603B.xml<!--
2000 Main·validation·file: ·
2000 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
2000 /6B215A5C5379FFD27D27193FFFA3603B.xml<!--
2001 Scenario·name: ·gg-sch<!--
2002 Schema: ·
2002 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
2002 ent..sch<!--
2003 Engine·name: ·ISO·Schematron<!--
2004 Severity: ·error<!--
2005 Description: ·A·paragraph·must·have·an·ancestor·
2005 subSection·or·subSubSection.<!--
2006 Start·location: ·3680:111<!--
2007 <!--
2008 System·ID: ·
2008 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
```

2008 /6C516013FF9FB64EFFB4FFE5FF8E8A53.xml ↵  
2009 Main-validation-file: .  
2009 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
2009 /6C516013FF9FB64EFFB4FFE5FF8E8A53.xml ↵  
2010 Scenario-name: .gg-sch ↵  
2011 Schema: .  
2011 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
2011 ent..sch ↵  
2012 Engine-name: .ISO-Schematron ↵  
2013 Severity: .error ↵  
2014 Description: .A.paragraph.must.have.an.ancestor.  
2014 subSection.or.subSubSection. ↵  
2015 Start-location: .329:99 ↵  
2016 ↵  
2017 System-ID: .  
2017 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
2017 /6C516013FF9FB64EFFB4FFE5FF8E8A53.xml ↵  
2018 Main-validation-file: .  
2018 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
2018 /6C516013FF9FB64EFFB4FFE5FF8E8A53.xml ↵  
2019 Scenario-name: .gg-sch ↵  
2020 Schema: .  
2020 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
2020 ent..sch ↵  
2021 Engine-name: .ISO-Schematron ↵  
2022 Severity: .error ↵  
2023 Description: .A.paragraph.must.have.an.ancestor.  
2023 subSection.or.subSubSection. ↵  
2024 Start-location: .332:107 ↵  
2025 ↵  
2026 System-ID: .  
2026 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
2026 /6C516013FF9FB64EFFB4FFE5FF8E8A53.xml ↵  
2027 Main-validation-file: .  
2027 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax

2027 /6C516013FF9FB64EFFB4FFE5FF8E8A53.xml ↵  
2028 Scenario.name: .gg-sch ↵  
2029 Schema: .  
2029 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
2030 Engine.name: .ISO.Schematron ↵  
2031 Severity: .error ↵  
2032 Description: .A.paragraph.must.have.an.ancestor.  
subSection.or.subSubSection. ↵  
2033 Start.location: .337:130 ↵  
2034 ↵  
2035 System.ID: .  
2035 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
2035 /6C516013FF9FB64EFFB4FFE5FF8E8A53.xml ↵  
2036 Main.validation.file: .  
2036 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
2036 /6C516013FF9FB64EFFB4FFE5FF8E8A53.xml ↵  
2037 Scenario.name: .gg-sch ↵  
2038 Schema: .  
2038 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
2039 Engine.name: .ISO.Schematron ↵  
2040 Severity: .error ↵  
2041 Description: .A.paragraph.must.have.an.ancestor.  
subSection.or.subSubSection. ↵  
2042 Start.location: .341:130 ↵  
2043 ↵  
2044 System.ID: .  
2044 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
2044 /6C516013FF9FB64EFFB4FFE5FF8E8A53.xml ↵  
2045 Main.validation.file: .  
2045 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
2045 /6C516013FF9FB64EFFB4FFE5FF8E8A53.xml ↵  
2046 Scenario.name: .gg-sch ↵  
2047 Schema: .

```
2047 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm  
2047 ent..sch↵  
2048 Engine.name: ·ISO ·Schematron↵  
2049 Severity: ·error↵  
2050 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
2050 subSection ·or ·subSubSection.↵  
2051 Start ·location: ·345:130↵  
2052 ↵  
2053 System ·ID: ·  
2053 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
2053 /6C516013FF9FB64EFFB4FFE5FF8E8A53.xml↵  
2054 Main ·validation ·file: ·  
2054 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
2054 /6C516013FF9FB64EFFB4FFE5FF8E8A53.xml↵  
2055 Scenario ·name: ·gg-sch↵  
2056 Schema: ·  
2056 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm  
2056 ent..sch↵  
2057 Engine.name: ·ISO ·Schematron↵  
2058 Severity: ·error↵  
2059 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
2059 subSection ·or ·subSubSection.↵  
2060 Start ·location: ·346:130↵  
2061 ↵  
2062 System ·ID: ·  
2062 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
2062 /6C516013FF9FB64EFFB4FFE5FF8E8A53.xml↵  
2063 Main ·validation ·file: ·  
2063 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
2063 /6C516013FF9FB64EFFB4FFE5FF8E8A53.xml↵  
2064 Scenario ·name: ·gg-sch↵  
2065 Schema: ·  
2065 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm  
2065 ent..sch↵  
2066 Engine.name: ·ISO ·Schematron↵
```

2067 Severity: ·error ↵  
2068 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
2068 subSection ·or ·subSubSection. ↵  
2069 Start ·location: ·347:107 ↵  
2070 ↵  
2071 System ·ID: ·  
2071 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
2071 /6C516013FF9FB64EFFB4FFE5FF8E8A53.xml ↵  
2072 Main ·validation ·file: ·  
2072 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
2072 /6C516013FF9FB64EFFB4FFE5FF8E8A53.xml ↵  
2073 Scenario ·name: ·gg-sch ↵  
2074 Schema: ·  
2074 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
2074 ent..sch ↵  
2075 Engine ·name: ·ISO ·Schematron ↵  
2076 Severity: ·error ↵  
2077 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
2077 subSection ·or ·subSubSection. ↵  
2078 Start ·location: ·630:130 ↵  
2079 ↵  
2080 System ·ID: ·  
2080 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
2080 /6C516013FF9FB64EFFB4FFE5FF8E8A53.xml ↵  
2081 Main ·validation ·file: ·  
2081 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
2081 /6C516013FF9FB64EFFB4FFE5FF8E8A53.xml ↵  
2082 Scenario ·name: ·gg-sch ↵  
2083 Schema: ·  
2083 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
2083 ent..sch ↵  
2084 Engine ·name: ·ISO ·Schematron ↵  
2085 Severity: ·error ↵  
2086 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
2086 subSection ·or ·subSubSection. ↵

```
2087 Start ·location: ·1854:134↵
2088 ↵
2089 System ·ID: ·
2089 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
2089 /6C516013FF9FB64EFFB4FFE5FF8E8A53.xml↵
2090 Main ·validation ·file: ·
2090 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
2090 /6C516013FF9FB64EFFB4FFE5FF8E8A53.xml↵
2091 Scenario ·name: ·gg-sch↵
2092 Schema: ·
2092 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
2092 ent..sch↵
2093 Engine ·name: ·ISO ·Schematron↵
2094 Severity: ·error↵
2095 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
2095 subSection ·or ·subSubSection.↵
2096 Start ·location: ·1858:144↵
2097 ↵
2098 System ·ID: ·
2098 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
2098 /6C516013FF9FB64EFFB4FFE5FF8E8A53.xml↵
2099 Main ·validation ·file: ·
2099 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
2099 /6C516013FF9FB64EFFB4FFE5FF8E8A53.xml↵
2100 Scenario ·name: ·gg-sch↵
2101 Schema: ·
2101 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
2101 ent..sch↵
2102 Engine ·name: ·ISO ·Schematron↵
2103 Severity: ·error↵
2104 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
2104 subSection ·or ·subSubSection.↵
2105 Start ·location: ·1860:132↵
2106 ↵
2107 System ·ID: ·
```

```
2107 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
2107 /6C516013FF9FB64EFFB4FFE5FF8E8A53.xml↵
2108 Main-validation-file: ·
2108 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
2108 /6C516013FF9FB64EFFB4FFE5FF8E8A53.xml↵
2109 Scenario-name: ·gg-sch↵
2110 Schema: ·
2110 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
2110 ent..sch↵
2111 Engine-name: ·ISO ·Schematron↵
2112 Severity: ·error↵
2113 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
2113 subSection ·or ·subSubSection.↵
2114 Start-location: ·1863:134↵
2115 ↵
2116 System-ID: ·
2116 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
2116 /6C516013FF9FB64EFFB4FFE5FF8E8A53.xml↵
2117 Main-validation-file: ·
2117 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
2117 /6C516013FF9FB64EFFB4FFE5FF8E8A53.xml↵
2118 Scenario-name: ·gg-sch↵
2119 Schema: ·
2119 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
2119 ent..sch↵
2120 Engine-name: ·ISO ·Schematron↵
2121 Severity: ·error↵
2122 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
2122 subSection ·or ·subSubSection.↵
2123 Start-location: ·1864:132↵
2124 ↵
2125 System-ID: ·
2125 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
2125 /125BFF95DA090067C2437B5D4B12FFE9.xml↵
2126 Main-validation-file: ·
```

```
2126 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
2126 /125BFF95DA090067C2437B5D4B12FFE9.xml↵
2127 Scenario·name: ·gg-sch↵
2128 Schema: ·
2128 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
2128 ent..sch↵
2129 Engine·name: ·ISO ·Schematron↵
2130 Severity: ·error↵
2131 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
2131 subSection ·or ·subSubSection.↵
2132 Start ·location: ·1649:108↵
2133 ↵
2134 System ·ID: ·
2134 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
2134 /125BFF95DA090067C2437B5D4B12FFE9.xml↵
2135 Main ·validation ·file: ·
2135 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
2135 /125BFF95DA090067C2437B5D4B12FFE9.xml↵
2136 Scenario ·name: ·gg-sch↵
2137 Schema: ·
2137 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
2137 ent..sch↵
2138 Engine·name: ·ISO ·Schematron↵
2139 Severity: ·error↵
2140 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
2140 subSection ·or ·subSubSection.↵
2141 Start ·location: ·1660:110↵
2142 ↵
2143 System ·ID: ·
2143 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
2143 /125BFF95DA090067C2437B5D4B12FFE9.xml↵
2144 Main ·validation ·file: ·
2144 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
2144 /125BFF95DA090067C2437B5D4B12FFE9.xml↵
2145 Scenario ·name: ·gg-sch↵
```

```
2146 Schema: .
2146 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
2146 ent..sch↵
2147 Engine.name: .ISO .Schematron↵
2148 Severity: .error↵
2149 Description: .A .paragraph .must .have .an .ancestor .
2149 subSection .or .subSubSection.↵
2150 Start.location: .3359:133↵
2151 ↵
2152 System.ID: .
2152 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
2152 /874FFFCBFFEE185DF80A55276C183775.xml↵
2153 Main.validation.file: .
2153 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
2153 /874FFFCBFFEE185DF80A55276C183775.xml↵
2154 Scenario.name: .gg-sch↵
2155 Schema: .
2155 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
2155 ent..sch↵
2156 Engine.name: .ISO .Schematron↵
2157 Severity: .error↵
2158 Description: .A .paragraph .must .have .an .ancestor .
2158 subSection .or .subSubSection.↵
2159 Start.location: .1791:130↵
2160 ↵
2161 System.ID: .
2161 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
2161 /874FFFCBFFEE185DF80A55276C183775.xml↵
2162 Main.validation.file: .
2162 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
2162 /874FFFCBFFEE185DF80A55276C183775.xml↵
2163 Scenario.name: .gg-sch↵
2164 Schema: .
2164 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
2164 ent..sch↵
```

2165 Engine·name: ·ISO ·Schematron↵  
2166 Severity: ·error↵  
2167 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
2167 subSection ·or ·subSubSection.↵  
2168 Start ·location: ·1796:76↵  
2169 ↵  
2170 System ·ID: ·  
2170 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
2170 /874FFFCBFFEE185DF80A55276C183775.xml↵  
2171 Main ·validation ·file: ·  
2171 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
2171 /874FFFCBFFEE185DF80A55276C183775.xml↵  
2172 Scenario ·name: ·gg-sch↵  
2173 Schema: ·  
2173 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
2173 ent..sch↵  
2174 Engine·name: ·ISO ·Schematron↵  
2175 Severity: ·error↵  
2176 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
2176 subSection ·or ·subSubSection.↵  
2177 Start ·location: ·2172:134↵  
2178 ↵  
2179 System ·ID: ·  
2179 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
2179 /874FFFCBFFEE185DF80A55276C183775.xml↵  
2180 Main ·validation ·file: ·  
2180 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
2180 /874FFFCBFFEE185DF80A55276C183775.xml↵  
2181 Scenario ·name: ·gg-sch↵  
2182 Schema: ·  
2182 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
2182 ent..sch↵  
2183 Engine·name: ·ISO ·Schematron↵  
2184 Severity: ·error↵  
2185 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·

```
2185 subSection ·or ·subSubSection. ↵
2186 Start ·location: ·4632:137 ↵
2187 ↵
2188 System ·ID: ·
2188 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
2188 /0935FFC23E7A78676E76FF91FF80FFB4.xml ↵
2189 Main ·validation ·file: ·
2189 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
2189 /0935FFC23E7A78676E76FF91FF80FFB4.xml ↵
2190 Scenario ·name: ·gg-sch ↵
2191 Schema: ·
2191 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
2191 ent..sch ↵
2192 Engine ·name: ·ISO ·Schematron ↵
2193 Severity: ·error ↵
2194 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
2194 subSection ·or ·subSubSection. ↵
2195 Start ·location: ·338:69 ↵
2196 ↵
2197 System ·ID: ·
2197 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
2197 /0935FFC23E7A78676E76FF91FF80FFB4.xml ↵
2198 Main ·validation ·file: ·
2198 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
2198 /0935FFC23E7A78676E76FF91FF80FFB4.xml ↵
2199 Scenario ·name: ·gg-sch ↵
2200 Schema: ·
2200 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
2200 ent..sch ↵
2201 Engine ·name: ·ISO ·Schematron ↵
2202 Severity: ·error ↵
2203 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
2203 subSection ·or ·subSubSection. ↵
2204 Start ·location: ·344:69 ↵
2205 ↵
```

2206 System·ID: ·  
2206 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
2206 /0935FFC23E7A78676E76FF91FF80FFB4.xml↵  
2207 Main·validation·file: ·  
2207 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
2207 /0935FFC23E7A78676E76FF91FF80FFB4.xml↵  
2208 Scenario·name: ·gg-sch↵  
2209 Schema: ·  
2209 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
2209 ent..sch↵  
2210 Engine·name: ·ISO·Schematron↵  
2211 Severity: ·error↵  
2212 Description: ·A·paragraph·must·have·an·ancestor·  
2212 subSection·or·subSubSection.↵  
2213 Start·location: ·351:67↵  
2214 ↵  
2215 System·ID: ·  
2215 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
2215 /0935FFC23E7A78676E76FF91FF80FFB4.xml↵  
2216 Main·validation·file: ·  
2216 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
2216 /0935FFC23E7A78676E76FF91FF80FFB4.xml↵  
2217 Scenario·name: ·gg-sch↵  
2218 Schema: ·  
2218 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
2218 ent..sch↵  
2219 Engine·name: ·ISO·Schematron↵  
2220 Severity: ·error↵  
2221 Description: ·A·paragraph·must·have·an·ancestor·  
2221 subSection·or·subSubSection.↵  
2222 Start·location: ·616:28↵  
2223 ↵  
2224 System·ID: ·  
2224 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
2224 /0935FFC23E7A78676E76FF91FF80FFB4.xml↵

2225 Main-validation-file: ·  
2225 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
2225 /0935FFC23E7A78676E76FF91FF80FFB4.xml ↵  
2226 Scenario-name: ·gg-sch ↵  
2227 Schema: ·  
2227 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
2227 ent..sch ↵  
2228 Engine-name: ·ISO-Schematron ↵  
2229 Severity: ·error ↵  
2230 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
2230 subSection ·or ·subSubSection. ↵  
2231 Start-location: ·623:28 ↵  
2232 ↵  
2233 System-ID: ·  
2233 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
2233 /0935FFC23E7A78676E76FF91FF80FFB4.xml ↵  
2234 Main-validation-file: ·  
2234 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
2234 /0935FFC23E7A78676E76FF91FF80FFB4.xml ↵  
2235 Scenario-name: ·gg-sch ↵  
2236 Schema: ·  
2236 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
2236 ent..sch ↵  
2237 Engine-name: ·ISO-Schematron ↵  
2238 Severity: ·error ↵  
2239 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
2239 subSection ·or ·subSubSection. ↵  
2240 Start-location: ·784:80 ↵  
2241 ↵  
2242 System-ID: ·  
2242 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
2242 /0935FFC23E7A78676E76FF91FF80FFB4.xml ↵  
2243 Main-validation-file: ·  
2243 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
2243 /0935FFC23E7A78676E76FF91FF80FFB4.xml ↵

```
2244 Scenario·name: ·gg-sch↵
2245 Schema: ·
2245 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
2245 ent..sch↵
2246 Engine·name: ·ISO·Schematron↵
2247 Severity: ·error↵
2248 Description: ·A·paragraph·must·have·an·ancestor·
2248 subSection·or·subSubSection.↵
2249 Start·location: ·2226:28↵
2250 ↵
2251 System·ID: ·
2251 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
2251 /3714FFF7FFEB887E6B4F3840873DF753.xml↵
2252 Main·validation·file: ·
2252 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
2252 /3714FFF7FFEB887E6B4F3840873DF753.xml↵
2253 Scenario·name: ·gg-sch↵
2254 Schema: ·
2254 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
2254 ent..sch↵
2255 Engine·name: ·ISO·Schematron↵
2256 Severity: ·error↵
2257 Description: ·A·paragraph·must·have·an·ancestor·
2257 subSection·or·subSubSection.↵
2258 Start·location: ·1514:131↵
2259 ↵
2260 System·ID: ·
2260 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
2260 /3714FFF7FFEB887E6B4F3840873DF753.xml↵
2261 Main·validation·file: ·
2261 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
2261 /3714FFF7FFEB887E6B4F3840873DF753.xml↵
2262 Scenario·name: ·gg-sch↵
2263 Schema: ·
2263 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
```

```
2263 ent..sch↵
2264 Engine·name: ·ISO ·Schematron↵
2265 Severity: ·error↵
2266 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
2266 subSection ·or ·subSubSection.↵
2267 Start ·location: ·1519:132↵
2268 ↵
2269 System ·ID: ·
2269 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
2269 /3714FFF7FFEB887E6B4F3840873DF753.xml↵
2270 Main ·validation ·file: ·
2270 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
2270 /3714FFF7FFEB887E6B4F3840873DF753.xml↵
2271 Scenario ·name: ·gg-sch↵
2272 Schema: ·
2272 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
2272 ent..sch↵
2273 Engine·name: ·ISO ·Schematron↵
2274 Severity: ·error↵
2275 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
2275 subSection ·or ·subSubSection.↵
2276 Start ·location: ·1520:106↵
2277 ↵
2278 System ·ID: ·
2278 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
2278 /3714FFF7FFEB887E6B4F3840873DF753.xml↵
2279 Main ·validation ·file: ·
2279 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
2279 /3714FFF7FFEB887E6B4F3840873DF753.xml↵
2280 Scenario ·name: ·gg-sch↵
2281 Schema: ·
2281 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
2281 ent..sch↵
2282 Engine·name: ·ISO ·Schematron↵
2283 Severity: ·error↵
```

2284 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
2284 subSection ·or ·subSubSection. ↵  
2285 Start ·location: ·1525:131 ↵  
2286 ↵  
2287 System ·ID: ·  
2287 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
2287 /3714FFF7FFEB887E6B4F3840873DF753.xml ↵  
2288 Main ·validation ·file: ·  
2288 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
2288 /3714FFF7FFEB887E6B4F3840873DF753.xml ↵  
2289 Scenario ·name: ·gg-sch ↵  
2290 Schema: ·  
2290 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
2290 ent..sch ↵  
2291 Engine ·name: ·ISO ·Schematron ↵  
2292 Severity: ·error ↵  
2293 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
2293 subSection ·or ·subSubSection. ↵  
2294 Start ·location: ·1530:107 ↵  
2295 ↵  
2296 System ·ID: ·  
2296 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
2296 /3714FFF7FFEB887E6B4F3840873DF753.xml ↵  
2297 Main ·validation ·file: ·  
2297 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
2297 /3714FFF7FFEB887E6B4F3840873DF753.xml ↵  
2298 Scenario ·name: ·gg-sch ↵  
2299 Schema: ·  
2299 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
2299 ent..sch ↵  
2300 Engine ·name: ·ISO ·Schematron ↵  
2301 Severity: ·error ↵  
2302 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
2302 subSection ·or ·subSubSection. ↵  
2303 Start ·location: ·1539:131 ↵

```
2304 <System·ID: ·  
2305 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
2305 /3714FFF7FFEB887E6B4F3840873DF753.xml<  
2306 Main·validation·file: ·  
2306 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
2306 /3714FFF7FFEB887E6B4F3840873DF753.xml<  
2307 Scenario·name: ·gg-sch<  
2308 Schema: ·  
2308 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm  
2308 ent..sch<  
2309 Engine·name: ·ISO·Schematron<  
2310 Severity: ·error<  
2311 Description: ·A·paragraph·must·have·an·ancestor·  
2311 subSection·or·subSubSection.<  
2312 Start·location: ·1543:130<  
2313 <  
2314 System·ID: ·  
2314 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
2314 /3714FFF7FFEB887E6B4F3840873DF753.xml<  
2315 Main·validation·file: ·  
2315 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
2315 /3714FFF7FFEB887E6B4F3840873DF753.xml<  
2316 Scenario·name: ·gg-sch<  
2317 Schema: ·  
2317 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm  
2317 ent..sch<  
2318 Engine·name: ·ISO·Schematron<  
2319 Severity: ·error<  
2320 Description: ·A·paragraph·must·have·an·ancestor·  
2320 subSection·or·subSubSection.<  
2321 Start·location: ·1548:132<  
2322 <  
2323 System·ID: ·  
2323 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
```

2323 /3714FFF7FFEB887E6B4F3840873DF753.xml ↵  
2324 Main-validation-file: ·  
2324 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
2324 /3714FFF7FFEB887E6B4F3840873DF753.xml ↵  
2325 Scenario-name: ·gg-sch ↵  
2326 Schema: ·  
2326 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
2326 ent..sch ↵  
2327 Engine-name: ·ISO-Schematron ↵  
2328 Severity: ·error ↵  
2329 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
2329 subSection ·or ·subSubSection. ↵  
2330 Start-location: ·1549:134 ↵  
2331 ↵  
2332 System-ID: ·  
2332 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
2332 /3714FFF7FFEB887E6B4F3840873DF753.xml ↵  
2333 Main-validation-file: ·  
2333 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
2333 /3714FFF7FFEB887E6B4F3840873DF753.xml ↵  
2334 Scenario-name: ·gg-sch ↵  
2335 Schema: ·  
2335 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
2335 ent..sch ↵  
2336 Engine-name: ·ISO-Schematron ↵  
2337 Severity: ·error ↵  
2338 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
2338 subSection ·or ·subSubSection. ↵  
2339 Start-location: ·1562:134 ↵  
2340 ↵  
2341 System-ID: ·  
2341 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
2341 /3714FFF7FFEB887E6B4F3840873DF753.xml ↵  
2342 Main-validation-file: ·  
2342 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax

```
2342 /3714FFF7FFEB887E6B4F3840873DF753.xml↵
2343 Scenario·name: ·gg-sch↵
2344 Schema: ·
2344 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
2344 ent..sch↵
2345 Engine·name: ·ISO ·Schematron↵
2346 Severity: ·error↵
2347 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
2347 subSection ·or ·subSubSection.↵
2348 Start ·location: ·1567:109↵
2349 ↵
2350 System ·ID: ·
2350 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
2350 /3714FFF7FFEB887E6B4F3840873DF753.xml↵
2351 Main ·validation ·file: ·
2351 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
2351 /3714FFF7FFEB887E6B4F3840873DF753.xml↵
2352 Scenario ·name: ·gg-sch↵
2353 Schema: ·
2353 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
2353 ent..sch↵
2354 Engine·name: ·ISO ·Schematron↵
2355 Severity: ·error↵
2356 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
2356 subSection ·or ·subSubSection.↵
2357 Start ·location: ·1568:134↵
2358 ↵
2359 System ·ID: ·
2359 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
2359 /3714FFF7FFEB887E6B4F3840873DF753.xml↵
2360 Main ·validation ·file: ·
2360 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
2360 /3714FFF7FFEB887E6B4F3840873DF753.xml↵
2361 Scenario ·name: ·gg-sch↵
2362 Schema: ·
```

```
2362 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm  
2362 ent..sch↵  
2363 Engine.name: ·ISO ·Schematron↵  
2364 Severity: ·error↵  
2365 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
2365 subSection ·or ·subSubSection.↵  
2366 Start ·location: ·1573:136↵  
2367 ↵  
2368 System ·ID: ·  
2368 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
2368 /3714FFF7FFEB887E6B4F3840873DF753.xml↵  
2369 Main ·validation ·file: ·  
2369 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
2369 /3714FFF7FFEB887E6B4F3840873DF753.xml↵  
2370 Scenario ·name: ·gg-sch↵  
2371 Schema: ·  
2371 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm  
2371 ent..sch↵  
2372 Engine.name: ·ISO ·Schematron↵  
2373 Severity: ·error↵  
2374 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
2374 subSection ·or ·subSubSection.↵  
2375 Start ·location: ·1574:134↵  
2376 ↵  
2377 System ·ID: ·  
2377 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
2377 /3714FFF7FFEB887E6B4F3840873DF753.xml↵  
2378 Main ·validation ·file: ·  
2378 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
2378 /3714FFF7FFEB887E6B4F3840873DF753.xml↵  
2379 Scenario ·name: ·gg-sch↵  
2380 Schema: ·  
2380 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm  
2380 ent..sch↵  
2381 Engine.name: ·ISO ·Schematron↵
```

2382 Severity: ·error ↵  
2383 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
2383 subSection ·or ·subSubSection. ↵  
2384 Start ·location: ·1575:109 ↵  
2385 ↵  
2386 System ·ID: ·  
2386 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
2386 /3714FFF7FFEB887E6B4F3840873DF753.xml ↵  
2387 Main ·validation ·file: ·  
2387 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
2387 /3714FFF7FFEB887E6B4F3840873DF753.xml ↵  
2388 Scenario ·name: ·gg-sch ↵  
2389 Schema: ·  
2389 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
2389 ent..sch ↵  
2390 Engine ·name: ·ISO ·Schematron ↵  
2391 Severity: ·error ↵  
2392 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
2392 subSection ·or ·subSubSection. ↵  
2393 Start ·location: ·1581:109 ↵  
2394 ↵  
2395 System ·ID: ·  
2395 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
2395 /4923A566B615E903FFF8FA8FFF2FF84.xml ↵  
2396 Main ·validation ·file: ·  
2396 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
2396 /4923A566B615E903FFF8FA8FFF2FF84.xml ↵  
2397 Scenario ·name: ·gg-sch ↵  
2398 Schema: ·  
2398 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
2398 ent..sch ↵  
2399 Engine ·name: ·ISO ·Schematron ↵  
2400 Severity: ·error ↵  
2401 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
2401 subSection ·or ·subSubSection. ↵

2402 Start ·location: ·58:128 ↵  
2403 ↵  
2404 System ·ID: ·  
2404 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
2404 /4923A566B615E903FFF8FA8FFF2FF84.xml ↵  
2405 Main ·validation ·file: ·  
2405 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
2405 /4923A566B615E903FFF8FA8FFF2FF84.xml ↵  
2406 Scenario ·name: ·gg-sch ↵  
2407 Schema: ·  
2407 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
2407 ent..sch ↵  
2408 Engine ·name: ·ISO ·Schematron ↵  
2409 Severity: ·error ↵  
2410 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
2410 subSection ·or ·subSubSection. ↵  
2411 Start ·location: ·61:139 ↵  
2412 ↵  
2413 System ·ID: ·  
2413 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
2413 /4923A566B615E903FFF8FA8FFF2FF84.xml ↵  
2414 Main ·validation ·file: ·  
2414 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
2414 /4923A566B615E903FFF8FA8FFF2FF84.xml ↵  
2415 Scenario ·name: ·gg-sch ↵  
2416 Schema: ·  
2416 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
2416 ent..sch ↵  
2417 Engine ·name: ·ISO ·Schematron ↵  
2418 Severity: ·error ↵  
2419 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
2419 subSection ·or ·subSubSection. ↵  
2420 Start ·location: ·76:106 ↵  
2421 ↵  
2422 System ·ID: ·

```
2422 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
2422 /4923A566B615E903FFF8FA8FFF2FF84.xml↵
2423 Main-validation-file: ·
2423 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
2423 /4923A566B615E903FFF8FA8FFF2FF84.xml↵
2424 Scenario-name: ·gg-sch↵
2425 Schema: ·
2425 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
2425 ent..sch↵
2426 Engine-name: ·ISO ·Schematron↵
2427 Severity: ·error↵
2428 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
2428 subSection ·or ·subSubSection.↵
2429 Start-location: ·137:145↵
2430 ↵
2431 System-ID: ·
2431 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
2431 /4923A566B615E903FFF8FA8FFF2FF84.xml↵
2432 Main-validation-file: ·
2432 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
2432 /4923A566B615E903FFF8FA8FFF2FF84.xml↵
2433 Scenario-name: ·gg-sch↵
2434 Schema: ·
2434 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
2434 ent..sch↵
2435 Engine-name: ·ISO ·Schematron↵
2436 Severity: ·error↵
2437 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
2437 subSection ·or ·subSubSection.↵
2438 Start-location: ·178:178↵
2439 ↵
2440 System-ID: ·
2440 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
2440 /4923A566B615E903FFF8FA8FFF2FF84.xml↵
2441 Main-validation-file: ·
```

```
2441 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
2441 /4923A566B615E903FFF8FA8FFF2FF84.xml↵
2442 Scenario·name: ·gg-sch↵
2443 Schema: ·
2443 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
2443 ent..sch↵
2444 Engine·name: ·ISO ·Schematron↵
2445 Severity: ·error↵
2446 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
2446 subSection ·or ·subSubSection.↵
2447 Start ·location: ·208:108↵
2448 ↵
2449 System ·ID: ·
2449 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
2449 /4923A566B615E903FFF8FA8FFF2FF84.xml↵
2450 Main ·validation ·file: ·
2450 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
2450 /4923A566B615E903FFF8FA8FFF2FF84.xml↵
2451 Scenario·name: ·gg-sch↵
2452 Schema: ·
2452 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
2452 ent..sch↵
2453 Engine·name: ·ISO ·Schematron↵
2454 Severity: ·error↵
2455 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
2455 subSection ·or ·subSubSection.↵
2456 Start ·location: ·214:106↵
2457 ↵
2458 System ·ID: ·
2458 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
2458 /4923A566B615E903FFF8FA8FFF2FF84.xml↵
2459 Main ·validation ·file: ·
2459 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
2459 /4923A566B615E903FFF8FA8FFF2FF84.xml↵
2460 Scenario·name: ·gg-sch↵
```

2461 Schema: .  
2461 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
2461 ent..sch↵  
2462 Engine.name: .ISO .Schematron↵  
2463 Severity: .error↵  
2464 Description: .A .paragraph .must .have .an .ancestor .  
2464 subSection .or .subSubSection.↵  
2465 Start.location: .237:107↵  
2466 ↵  
2467 System.ID: .  
2467 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
2467 /4923A566B615E903FFF8FA8FFF2FF84.xml↵  
2468 Main.validation.file: .  
2468 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
2468 /4923A566B615E903FFF8FA8FFF2FF84.xml↵  
2469 Scenario.name: .gg-sch↵  
2470 Schema: .  
2470 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
2470 ent..sch↵  
2471 Engine.name: .ISO .Schematron↵  
2472 Severity: .error↵  
2473 Description: .A .paragraph .must .have .an .ancestor .  
2473 subSection .or .subSubSection.↵  
2474 Start.location: .244:144↵  
2475 ↵  
2476 System.ID: .  
2476 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
2476 /4923A566B615E903FFF8FA8FFF2FF84.xml↵  
2477 Main.validation.file: .  
2477 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
2477 /4923A566B615E903FFF8FA8FFF2FF84.xml↵  
2478 Scenario.name: .gg-sch↵  
2479 Schema: .  
2479 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
2479 ent..sch↵

2480 Engine.name: ·ISO ·Schematron ↵  
2481 Severity: ·error ↵  
2482 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
2482 subSection ·or ·subSubSection. ↵  
2483 Start.location: ·255:147 ↵  
2484 ↵  
2485 System.ID: ·  
2485 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
2485 /4923A566B615E903FFF8FA8FFF2FF84.xml ↵  
2486 Main.validation.file: ·  
2486 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
2486 /4923A566B615E903FFF8FA8FFF2FF84.xml ↵  
2487 Scenario.name: ·gg-sch ↵  
2488 Schema: ·  
2488 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
2488 ent..sch ↵  
2489 Engine.name: ·ISO ·Schematron ↵  
2490 Severity: ·error ↵  
2491 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
2491 subSection ·or ·subSubSection. ↵  
2492 Start.location: ·278:110 ↵  
2493 ↵  
2494 System.ID: ·  
2494 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
2494 /4923A566B615E903FFF8FA8FFF2FF84.xml ↵  
2495 Main.validation.file: ·  
2495 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
2495 /4923A566B615E903FFF8FA8FFF2FF84.xml ↵  
2496 Scenario.name: ·gg-sch ↵  
2497 Schema: ·  
2497 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
2497 ent..sch ↵  
2498 Engine.name: ·ISO ·Schematron ↵  
2499 Severity: ·error ↵  
2500 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·

2500 subSection ·or ·subSubSection. ↵  
2501 Start ·location: ·293:178 ↵  
2502 ↵  
2503 System ·ID: ·  
2503 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
2503 /4923A566B615E903FFF8FA8FFF2FF84.xml ↵  
2504 Main ·validation ·file: ·  
2504 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
2504 /4923A566B615E903FFF8FA8FFF2FF84.xml ↵  
2505 Scenario ·name: ·gg-sch ↵  
2506 Schema: ·  
2506 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
2506 ent..sch ↵  
2507 Engine ·name: ·ISO ·Schematron ↵  
2508 Severity: ·error ↵  
2509 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
2509 subSection ·or ·subSubSection. ↵  
2510 Start ·location: ·313:106 ↵  
2511 ↵  
2512 System ·ID: ·  
2512 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
2512 /4923A566B615E903FFF8FA8FFF2FF84.xml ↵  
2513 Main ·validation ·file: ·  
2513 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
2513 /4923A566B615E903FFF8FA8FFF2FF84.xml ↵  
2514 Scenario ·name: ·gg-sch ↵  
2515 Schema: ·  
2515 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
2515 ent..sch ↵  
2516 Engine ·name: ·ISO ·Schematron ↵  
2517 Severity: ·error ↵  
2518 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
2518 subSection ·or ·subSubSection. ↵  
2519 Start ·location: ·323:108 ↵  
2520 ↵

2521 System·ID: ·  
2521 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
2521 /4923A566B615E903FFF8FA8FFF2FF84.xml↵  
2522 Main·validation·file: ·  
2522 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
2522 /4923A566B615E903FFF8FA8FFF2FF84.xml↵  
2523 Scenario·name: ·gg-sch↵  
2524 Schema: ·  
2524 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
2524 ent..sch↵  
2525 Engine·name: ·ISO·Schematron↵  
2526 Severity: ·error↵  
2527 Description: ·A·paragraph·must·have·an·ancestor·  
2527 subSection·or·subSubSection.↵  
2528 Start·location: ·346:106↵  
2529 ↵  
2530 System·ID: ·  
2530 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
2530 /4923A566B615E903FFF8FA8FFF2FF84.xml↵  
2531 Main·validation·file: ·  
2531 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
2531 /4923A566B615E903FFF8FA8FFF2FF84.xml↵  
2532 Scenario·name: ·gg-sch↵  
2533 Schema: ·  
2533 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
2533 ent..sch↵  
2534 Engine·name: ·ISO·Schematron↵  
2535 Severity: ·error↵  
2536 Description: ·A·paragraph·must·have·an·ancestor·  
2536 subSection·or·subSubSection.↵  
2537 Start·location: ·369:106↵  
2538 ↵  
2539 System·ID: ·  
2539 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
2539 /4923A566B615E903FFF8FA8FFF2FF84.xml↵

2540 Main-validation-file: ·  
2540 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
2540 /4923A566B615E903FFF8FA8FFF2FF84.xml ↵  
2541 Scenario-name: ·gg-sch ↵  
2542 Schema: ·  
2542 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
2542 ent..sch ↵  
2543 Engine-name: ·ISO-Schematron ↵  
2544 Severity: ·error ↵  
2545 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
2545 subSection ·or ·subSubSection. ↵  
2546 Start-location: ·390:106 ↵  
2547 ↵  
2548 System-ID: ·  
2548 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
2548 /4923A566B615E903FFF8FA8FFF2FF84.xml ↵  
2549 Main-validation-file: ·  
2549 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
2549 /4923A566B615E903FFF8FA8FFF2FF84.xml ↵  
2550 Scenario-name: ·gg-sch ↵  
2551 Schema: ·  
2551 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
2551 ent..sch ↵  
2552 Engine-name: ·ISO-Schematron ↵  
2553 Severity: ·error ↵  
2554 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
2554 subSection ·or ·subSubSection. ↵  
2555 Start-location: ·400:142 ↵  
2556 ↵  
2557 System-ID: ·  
2557 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
2557 /4923A566B615E903FFF8FA8FFF2FF84.xml ↵  
2558 Main-validation-file: ·  
2558 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
2558 /4923A566B615E903FFF8FA8FFF2FF84.xml ↵

```
2559 Scenario·name: ·gg-sch↵
2560 Schema: ·
2560 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
2560 ent..sch↵
2561 Engine·name: ·ISO·Schematron↵
2562 Severity: ·error↵
2563 Description: ·A·paragraph·must·have·an·ancestor·
2563 subSection·or·subSubSection.↵
2564 Start·location: ·408:108↵
2565 ↵
2566 System·ID: ·
2566 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
2566 /4923A566B615E903FFF8FA8FFF2FF84.xml↵
2567 Main·validation·file: ·
2567 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
2567 /4923A566B615E903FFF8FA8FFF2FF84.xml↵
2568 Scenario·name: ·gg-sch↵
2569 Schema: ·
2569 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
2569 ent..sch↵
2570 Engine·name: ·ISO·Schematron↵
2571 Severity: ·error↵
2572 Description: ·A·paragraph·must·have·an·ancestor·
2572 subSection·or·subSubSection.↵
2573 Start·location: ·423:144↵
2574 ↵
2575 System·ID: ·
2575 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
2575 /4923A566B615E903FFF8FA8FFF2FF84.xml↵
2576 Main·validation·file: ·
2576 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
2576 /4923A566B615E903FFF8FA8FFF2FF84.xml↵
2577 Scenario·name: ·gg-sch↵
2578 Schema: ·
2578 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
```

```
2578 ent..sch↵
2579 Engine·name: ·ISO ·Schematron↵
2580 Severity: ·error↵
2581 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
2581 subSection ·or ·subSubSection.↵
2582 Start ·location: ·446:135↵
2583 ↵
2584 System ·ID: ·
2584 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
2584 /4923A566B615E903FFF8FA8FFF2FF84.xml↵
2585 Main ·validation ·file: ·
2585 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
2585 /4923A566B615E903FFF8FA8FFF2FF84.xml↵
2586 Scenario ·name: ·gg-sch↵
2587 Schema: ·
2587 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
2587 ent..sch↵
2588 Engine·name: ·ISO ·Schematron↵
2589 Severity: ·error↵
2590 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
2590 subSection ·or ·subSubSection.↵
2591 Start ·location: ·451:109↵
2592 ↵
2593 System ·ID: ·
2593 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
2593 /4923A566B615E903FFF8FA8FFF2FF84.xml↵
2594 Main ·validation ·file: ·
2594 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
2594 /4923A566B615E903FFF8FA8FFF2FF84.xml↵
2595 Scenario ·name: ·gg-sch↵
2596 Schema: ·
2596 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
2596 ent..sch↵
2597 Engine·name: ·ISO ·Schematron↵
2598 Severity: ·error↵
```

2599 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
2599 subSection ·or ·subSubSection. ↵  
2600 Start ·location: ·471:109 ↵  
2601 ↵  
2602 System ·ID: ·  
2602 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
2602 /4923A566B615E903FFF8FA8FFF2FF84.xml ↵  
2603 Main ·validation ·file: ·  
2603 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
2603 /4923A566B615E903FFF8FA8FFF2FF84.xml ↵  
2604 Scenario ·name: ·gg-sch ↵  
2605 Schema: ·  
2605 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
2605 ent..sch ↵  
2606 Engine ·name: ·ISO ·Schematron ↵  
2607 Severity: ·error ↵  
2608 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
2608 subSection ·or ·subSubSection. ↵  
2609 Start ·location: ·491:135 ↵  
2610 ↵  
2611 System ·ID: ·  
2611 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
2611 /4923A566B615E903FFF8FA8FFF2FF84.xml ↵  
2612 Main ·validation ·file: ·  
2612 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
2612 /4923A566B615E903FFF8FA8FFF2FF84.xml ↵  
2613 Scenario ·name: ·gg-sch ↵  
2614 Schema: ·  
2614 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
2614 ent..sch ↵  
2615 Engine ·name: ·ISO ·Schematron ↵  
2616 Severity: ·error ↵  
2617 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
2617 subSection ·or ·subSubSection. ↵  
2618 Start ·location: ·510:135 ↵

```
2619 <System·ID: ·  
2620 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
2620 /4923A566B615E903FFF8FA8FFF2FF84.xml<  
2621 Main·validation·file: ·  
2621 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
2621 /4923A566B615E903FFF8FA8FFF2FF84.xml<  
2622 Scenario·name: ·gg-sch<  
2623 Schema: ·  
2623 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm  
2623 ent..sch<  
2624 Engine·name: ·ISO·Schematron<  
2625 Severity: ·error<  
2626 Description: ·A·paragraph·must·have·an·ancestor·  
2626 subSection·or·subSubSection.<  
2627 Start·location: ·530:109<  
2628 <  
2629 System·ID: ·  
2629 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
2629 /4923A566B615E903FFF8FA8FFF2FF84.xml<  
2630 Main·validation·file: ·  
2630 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
2630 /4923A566B615E903FFF8FA8FFF2FF84.xml<  
2631 Scenario·name: ·gg-sch<  
2632 Schema: ·  
2632 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm  
2632 ent..sch<  
2633 Engine·name: ·ISO·Schematron<  
2634 Severity: ·error<  
2635 Description: ·A·paragraph·must·have·an·ancestor·  
2635 subSection·or·subSubSection.<  
2636 Start·location: ·556:135<  
2637 <  
2638 System·ID: ·  
2638 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
```

2638 /4923A566B615E903FFF84.xml ↵  
2639 Main-validation-file: ·  
2639 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
2639 /4923A566B615E903FFF84.xml ↵  
2640 Scenario-name: ·gg-sch ↵  
2641 Schema: ·  
2641 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
2641 ent..sch ↵  
2642 Engine-name: ·ISO-Schematron ↵  
2643 Severity: ·error ↵  
2644 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
2644 subSection ·or ·subSubSection. ↵  
2645 Start-location: ·574:109 ↵  
2646 ↵  
2647 System-ID: ·  
2647 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
2647 /4923A566B615E903FFF84.xml ↵  
2648 Main-validation-file: ·  
2648 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
2648 /4923A566B615E903FFF84.xml ↵  
2649 Scenario-name: ·gg-sch ↵  
2650 Schema: ·  
2650 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
2650 ent..sch ↵  
2651 Engine-name: ·ISO-Schematron ↵  
2652 Severity: ·error ↵  
2653 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
2653 subSection ·or ·subSubSection. ↵  
2654 Start-location: ·592:135 ↵  
2655 ↵  
2656 System-ID: ·  
2656 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
2656 /4923A566B615E903FFF84.xml ↵  
2657 Main-validation-file: ·  
2657 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax

2657 /4923A566B615E903FFF8FA8FFF2FF84.xml ↵  
2658 Scenario.name: .gg-sch ↵  
2659 Schema: .  
2659 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
2659 ent..sch ↵  
2660 Engine.name: .ISO.Schematron ↵  
2661 Severity: .error ↵  
2662 Description: .A.paragraph.must.have.an.ancestor.  
2662 subSection.or.subSubSection. ↵  
2663 Start.location: .611:109 ↵  
2664 ↵  
2665 System.ID: .  
2665 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
2665 /4923A566B615E903FFF8FA8FFF2FF84.xml ↵  
2666 Main.validation.file: .  
2666 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
2666 /4923A566B615E903FFF8FA8FFF2FF84.xml ↵  
2667 Scenario.name: .gg-sch ↵  
2668 Schema: .  
2668 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
2668 ent..sch ↵  
2669 Engine.name: .ISO.Schematron ↵  
2670 Severity: .error ↵  
2671 Description: .A.paragraph.must.have.an.ancestor.  
2671 subSection.or.subSubSection. ↵  
2672 Start.location: .635:109 ↵  
2673 ↵  
2674 System.ID: .  
2674 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
2674 /4923A566B615E903FFF8FA8FFF2FF84.xml ↵  
2675 Main.validation.file: .  
2675 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
2675 /4923A566B615E903FFF8FA8FFF2FF84.xml ↵  
2676 Scenario.name: .gg-sch ↵  
2677 Schema: .

```
2677 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm  
2677 ent..sch↵  
2678 Engine.name: ·ISO ·Schematron↵  
2679 Severity: ·error↵  
2680 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
2680 subSection ·or ·subSubSection.↵  
2681 Start ·location: ·655:135↵  
2682 ↵  
2683 System ·ID: ·  
2683 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
2683 /4923A566B615E903FFF8FA8FFF2FF84.xml↵  
2684 Main ·validation ·file: ·  
2684 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
2684 /4923A566B615E903FFF8FA8FFF2FF84.xml↵  
2685 Scenario ·name: ·gg-sch↵  
2686 Schema: ·  
2686 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm  
2686 ent..sch↵  
2687 Engine.name: ·ISO ·Schematron↵  
2688 Severity: ·error↵  
2689 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
2689 subSection ·or ·subSubSection.↵  
2690 Start ·location: ·677:135↵  
2691 ↵  
2692 System ·ID: ·  
2692 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
2692 /4923A566B615E903FFF8FA8FFF2FF84.xml↵  
2693 Main ·validation ·file: ·  
2693 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
2693 /4923A566B615E903FFF8FA8FFF2FF84.xml↵  
2694 Scenario ·name: ·gg-sch↵  
2695 Schema: ·  
2695 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm  
2695 ent..sch↵  
2696 Engine.name: ·ISO ·Schematron↵
```

2697 Severity: ·error ↵  
2698 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
2698 subSection ·or ·subSubSection. ↵  
2699 Start ·location: ·696:135 ↵  
2700 ↵  
2701 System ·ID: ·  
2701 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
2701 /4923A566B615E903FFF8FA8FFF2FF84.xml ↵  
2702 Main ·validation ·file: ·  
2702 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
2702 /4923A566B615E903FFF8FA8FFF2FF84.xml ↵  
2703 Scenario ·name: ·gg-sch ↵  
2704 Schema: ·  
2704 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
2704 ent..sch ↵  
2705 Engine ·name: ·ISO ·Schematron ↵  
2706 Severity: ·error ↵  
2707 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
2707 subSection ·or ·subSubSection. ↵  
2708 Start ·location: ·715:109 ↵  
2709 ↵  
2710 System ·ID: ·  
2710 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
2710 /4923A566B615E903FFF8FA8FFF2FF84.xml ↵  
2711 Main ·validation ·file: ·  
2711 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
2711 /4923A566B615E903FFF8FA8FFF2FF84.xml ↵  
2712 Scenario ·name: ·gg-sch ↵  
2713 Schema: ·  
2713 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
2713 ent..sch ↵  
2714 Engine ·name: ·ISO ·Schematron ↵  
2715 Severity: ·error ↵  
2716 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
2716 subSection ·or ·subSubSection. ↵

2717 Start ·location: ·737:109 ↵  
2718 ↵  
2719 System ·ID: ·  
2719 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
2719 /4923A566B615E903FFF8FA8FFF2FF84.xml ↵  
2720 Main ·validation ·file: ·  
2720 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
2720 /4923A566B615E903FFF8FA8FFF2FF84.xml ↵  
2721 Scenario ·name: ·gg-sch ↵  
2722 Schema: ·  
2722 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
2722 ent..sch ↵  
2723 Engine ·name: ·ISO ·Schematron ↵  
2724 Severity: ·error ↵  
2725 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
2725 subSection ·or ·subSubSection. ↵  
2726 Start ·location: ·759:109 ↵  
2727 ↵  
2728 System ·ID: ·  
2728 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
2728 /4923A566B615E903FFF8FA8FFF2FF84.xml ↵  
2729 Main ·validation ·file: ·  
2729 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
2729 /4923A566B615E903FFF8FA8FFF2FF84.xml ↵  
2730 Scenario ·name: ·gg-sch ↵  
2731 Schema: ·  
2731 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
2731 ent..sch ↵  
2732 Engine ·name: ·ISO ·Schematron ↵  
2733 Severity: ·error ↵  
2734 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
2734 subSection ·or ·subSubSection. ↵  
2735 Start ·location: ·783:109 ↵  
2736 ↵  
2737 System ·ID: ·

```
2737 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
2737 /4923A566B615E903FFF8FA8FFF2FF84.xml↵
2738 Main-validation-file: ·
2738 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
2738 /4923A566B615E903FFF8FA8FFF2FF84.xml↵
2739 Scenario-name: ·gg-sch↵
2740 Schema: ·
2740 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
2740 ent..sch↵
2741 Engine-name: ·ISO ·Schematron↵
2742 Severity: ·error↵
2743 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
2743 subSection ·or ·subSubSection.↵
2744 Start-location: ·807:135↵
2745 ↵
2746 System-ID: ·
2746 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
2746 /4923A566B615E903FFF8FA8FFF2FF84.xml↵
2747 Main-validation-file: ·
2747 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
2747 /4923A566B615E903FFF8FA8FFF2FF84.xml↵
2748 Scenario-name: ·gg-sch↵
2749 Schema: ·
2749 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
2749 ent..sch↵
2750 Engine-name: ·ISO ·Schematron↵
2751 Severity: ·error↵
2752 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
2752 subSection ·or ·subSubSection.↵
2753 Start-location: ·827:135↵
2754 ↵
2755 System-ID: ·
2755 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
2755 /4923A566B615E903FFF8FA8FFF2FF84.xml↵
2756 Main-validation-file: ·
```

```
2756 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
2756 /4923A566B615E903FFF8FA8FFF2FF84.xml↵
2757 Scenario·name: ·gg-sch↵
2758 Schema: ·
2758 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
2758 ent..sch↵
2759 Engine·name: ·ISO ·Schematron↵
2760 Severity: ·error↵
2761 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
2761 subSection ·or ·subSubSection.↵
2762 Start ·location: ·845:135↵
2763 ↵
2764 System ·ID: ·
2764 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
2764 /4923A566B615E903FFF8FA8FFF2FF84.xml↵
2765 Main ·validation ·file: ·
2765 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
2765 /4923A566B615E903FFF8FA8FFF2FF84.xml↵
2766 Scenario·name: ·gg-sch↵
2767 Schema: ·
2767 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
2767 ent..sch↵
2768 Engine·name: ·ISO ·Schematron↵
2769 Severity: ·error↵
2770 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
2770 subSection ·or ·subSubSection.↵
2771 Start ·location: ·856:135↵
2772 ↵
2773 System ·ID: ·
2773 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
2773 /4923A566B615E903FFF8FA8FFF2FF84.xml↵
2774 Main ·validation ·file: ·
2774 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
2774 /4923A566B615E903FFF8FA8FFF2FF84.xml↵
2775 Scenario·name: ·gg-sch↵
```

2776 Schema: .  
2776 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
2776 ent..sch↵  
2777 Engine.name: .ISO .Schematron↵  
2778 Severity: .error↵  
2779 Description: .A .paragraph .must .have .an .ancestor .  
2779 subSection .or .subSubSection.↵  
2780 Start.location: .857:135↵  
2781 ↵  
2782 System.ID: .  
2782 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
2782 /4923A566B615E903FFF8FA8FFF2FF84.xml↵  
2783 Main.validation.file: .  
2783 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
2783 /4923A566B615E903FFF8FA8FFF2FF84.xml↵  
2784 Scenario.name: .gg-sch↵  
2785 Schema: .  
2785 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
2785 ent..sch↵  
2786 Engine.name: .ISO .Schematron↵  
2787 Severity: .error↵  
2788 Description: .A .paragraph .must .have .an .ancestor .  
2788 subSection .or .subSubSection.↵  
2789 Start.location: .876:135↵  
2790 ↵  
2791 System.ID: .  
2791 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
2791 /4923A566B615E903FFF8FA8FFF2FF84.xml↵  
2792 Main.validation.file: .  
2792 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
2792 /4923A566B615E903FFF8FA8FFF2FF84.xml↵  
2793 Scenario.name: .gg-sch↵  
2794 Schema: .  
2794 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
2794 ent..sch↵

2795 Engine·name: ·ISO ·Schematron↵  
2796 Severity: ·error↵  
2797 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
2797 subSection ·or ·subSubSection.↵  
2798 Start ·location: ·894:109↵  
2799 ↵  
2800 System ·ID: ·  
2800 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
2800 /4923A566B615E903FFF8FA8FFF2FF84.xml↵  
2801 Main ·validation ·file: ·  
2801 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
2801 /4923A566B615E903FFF8FA8FFF2FF84.xml↵  
2802 Scenario ·name: ·gg-sch↵  
2803 Schema: ·  
2803 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
2803 ent..sch↵  
2804 Engine·name: ·ISO ·Schematron↵  
2805 Severity: ·error↵  
2806 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
2806 subSection ·or ·subSubSection.↵  
2807 Start ·location: ·916:109↵  
2808 ↵  
2809 System ·ID: ·  
2809 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
2809 /4923A566B615E903FFF8FA8FFF2FF84.xml↵  
2810 Main ·validation ·file: ·  
2810 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
2810 /4923A566B615E903FFF8FA8FFF2FF84.xml↵  
2811 Scenario ·name: ·gg-sch↵  
2812 Schema: ·  
2812 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
2812 ent..sch↵  
2813 Engine·name: ·ISO ·Schematron↵  
2814 Severity: ·error↵  
2815 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·

```
2815 subSection ·or ·subSubSection. ↵
2816 Start ·location: ·940:109 ↵
2817 ↵
2818 System ·ID: ·
2818 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
2818 /4923A566B615E903FFF8FA8FFF2FF84.xml ↵
2819 Main ·validation ·file: ·
2819 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
2819 /4923A566B615E903FFF8FA8FFF2FF84.xml ↵
2820 Scenario ·name: ·gg-sch ↵
2821 Schema: ·
2821 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
2821 ent..sch ↵
2822 Engine ·name: ·ISO ·Schematron ↵
2823 Severity: ·error ↵
2824 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
2824 subSection ·or ·subSubSection. ↵
2825 Start ·location: ·964:137 ↵
2826 ↵
2827 System ·ID: ·
2827 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
2827 /4923A566B615E903FFF8FA8FFF2FF84.xml ↵
2828 Main ·validation ·file: ·
2828 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
2828 /4923A566B615E903FFF8FA8FFF2FF84.xml ↵
2829 Scenario ·name: ·gg-sch ↵
2830 Schema: ·
2830 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
2830 ent..sch ↵
2831 Engine ·name: ·ISO ·Schematron ↵
2832 Severity: ·error ↵
2833 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
2833 subSection ·or ·subSubSection. ↵
2834 Start ·location: ·983:109 ↵
2835 ↵
```

2836 System·ID: ·  
2836 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
2836 /4923A566B615E903FFF8FA8FFF2FF84.xml↵  
2837 Main·validation·file: ·  
2837 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
2837 /4923A566B615E903FFF8FA8FFF2FF84.xml↵  
2838 Scenario·name: ·gg-sch↵  
2839 Schema: ·  
2839 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
2839 ent..sch↵  
2840 Engine·name: ·ISO·Schematron↵  
2841 Severity: ·error↵  
2842 Description: ·A·paragraph·must·have·an·ancestor·  
2842 subSection·or·subSubSection.↵  
2843 Start·location: ·1005:137↵  
2844 ↵  
2845 System·ID: ·  
2845 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
2845 /4923A566B615E903FFF8FA8FFF2FF84.xml↵  
2846 Main·validation·file: ·  
2846 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
2846 /4923A566B615E903FFF8FA8FFF2FF84.xml↵  
2847 Scenario·name: ·gg-sch↵  
2848 Schema: ·  
2848 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
2848 ent..sch↵  
2849 Engine·name: ·ISO·Schematron↵  
2850 Severity: ·error↵  
2851 Description: ·A·paragraph·must·have·an·ancestor·  
2851 subSection·or·subSubSection.↵  
2852 Start·location: ·1027:137↵  
2853 ↵  
2854 System·ID: ·  
2854 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
2854 /4923A566B615E903FFF8FA8FFF2FF84.xml↵

2855 Main-validation-file: ·  
2855 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
2855 /4923A566B615E903FFF8FA8FFF2FF84.xml ↵  
2856 Scenario-name: ·gg-sch ↵  
2857 Schema: ·  
2857 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
2857 ent..sch ↵  
2858 Engine-name: ·ISO-Schematron ↵  
2859 Severity: ·error ↵  
2860 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
2860 subSection ·or ·subSubSection. ↵  
2861 Start-location: ·1046:137 ↵  
2862 ↵  
2863 System-ID: ·  
2863 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
2863 /4923A566B615E903FFF8FA8FFF2FF84.xml ↵  
2864 Main-validation-file: ·  
2864 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
2864 /4923A566B615E903FFF8FA8FFF2FF84.xml ↵  
2865 Scenario-name: ·gg-sch ↵  
2866 Schema: ·  
2866 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
2866 ent..sch ↵  
2867 Engine-name: ·ISO-Schematron ↵  
2868 Severity: ·error ↵  
2869 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
2869 subSection ·or ·subSubSection. ↵  
2870 Start-location: ·1064:109 ↵  
2871 ↵  
2872 System-ID: ·  
2872 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
2872 /4923A566B615E903FFF8FA8FFF2FF84.xml ↵  
2873 Main-validation-file: ·  
2873 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
2873 /4923A566B615E903FFF8FA8FFF2FF84.xml ↵

```
2874 Scenario·name: ·gg-sch↵
2875 Schema: ·
2875 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
2875 ent..sch↵
2876 Engine·name: ·ISO·Schematron↵
2877 Severity: ·error↵
2878 Description: ·A·paragraph·must·have·an·ancestor·
2878 subSection·or·subSubSection.↵
2879 Start·location: ·1084:137↵
2880 ↵
2881 System·ID: ·
2881 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
2881 /4923A566B615E903FFF8FA8FFF2FF84.xml↵
2882 Main·validation·file: ·
2882 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
2882 /4923A566B615E903FFF8FA8FFF2FF84.xml↵
2883 Scenario·name: ·gg-sch↵
2884 Schema: ·
2884 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
2884 ent..sch↵
2885 Engine·name: ·ISO·Schematron↵
2886 Severity: ·error↵
2887 Description: ·A·paragraph·must·have·an·ancestor·
2887 subSection·or·subSubSection.↵
2888 Start·location: ·1102:109↵
2889 ↵
2890 System·ID: ·
2890 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
2890 /4923A566B615E903FFF8FA8FFF2FF84.xml↵
2891 Main·validation·file: ·
2891 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
2891 /4923A566B615E903FFF8FA8FFF2FF84.xml↵
2892 Scenario·name: ·gg-sch↵
2893 Schema: ·
2893 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
```

```
2893 ent..sch↵
2894 Engine·name: ·ISO ·Schematron↵
2895 Severity: ·error↵
2896 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
2896 subSection ·or ·subSubSection.↵
2897 Start ·location: ·1122:109↵
2898 ↵
2899 System ·ID: ·
2899 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
2899 /4923A566B615E903FFF8FA8FFF2FF84.xml↵
2900 Main ·validation ·file: ·
2900 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
2900 /4923A566B615E903FFF8FA8FFF2FF84.xml↵
2901 Scenario ·name: ·gg-sch↵
2902 Schema: ·
2902 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
2902 ent..sch↵
2903 Engine·name: ·ISO ·Schematron↵
2904 Severity: ·error↵
2905 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
2905 subSection ·or ·subSubSection.↵
2906 Start ·location: ·1148:137↵
2907 ↵
2908 System ·ID: ·
2908 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
2908 /4923A566B615E903FFF8FA8FFF2FF84.xml↵
2909 Main ·validation ·file: ·
2909 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
2909 /4923A566B615E903FFF8FA8FFF2FF84.xml↵
2910 Scenario ·name: ·gg-sch↵
2911 Schema: ·
2911 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
2911 ent..sch↵
2912 Engine·name: ·ISO ·Schematron↵
2913 Severity: ·error↵
```

2914 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
2914 subSection ·or ·subSubSection. ↵  
2915 Start ·location: ·1167:137 ↵  
2916 ↵  
2917 System ·ID: ·  
2917 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
2917 /4923A566B615E903FFF8FA8FFF2FF84.xml ↵  
2918 Main ·validation ·file: ·  
2918 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
2918 /4923A566B615E903FFF8FA8FFF2FF84.xml ↵  
2919 Scenario ·name: ·gg-sch ↵  
2920 Schema: ·  
2920 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
2920 ent..sch ↵  
2921 Engine ·name: ·ISO ·Schematron ↵  
2922 Severity: ·error ↵  
2923 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
2923 subSection ·or ·subSubSection. ↵  
2924 Start ·location: ·1186:109 ↵  
2925 ↵  
2926 System ·ID: ·  
2926 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
2926 /4923A566B615E903FFF8FA8FFF2FF84.xml ↵  
2927 Main ·validation ·file: ·  
2927 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
2927 /4923A566B615E903FFF8FA8FFF2FF84.xml ↵  
2928 Scenario ·name: ·gg-sch ↵  
2929 Schema: ·  
2929 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
2929 ent..sch ↵  
2930 Engine ·name: ·ISO ·Schematron ↵  
2931 Severity: ·error ↵  
2932 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
2932 subSection ·or ·subSubSection. ↵  
2933 Start ·location: ·1208:138 ↵

```
2934 <System·ID: ·  
2935 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
2935 /4923A566B615E903FFF8FA8FFF2FF84.xml<  
2936 Main·validation·file: ·  
2936 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
2936 /4923A566B615E903FFF8FA8FFF2FF84.xml<  
2937 Scenario·name: ·gg-sch<  
2938 Schema: ·  
2938 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm  
2938 ent..sch<  
2939 Engine·name: ·ISO·Schematron<  
2940 Severity: ·error<  
2941 Description: ·A·paragraph·must·have·an·ancestor·  
2941 subSection·or·subSubSection.<  
2942 Start·location: ·1213:110<  
2943 <  
2944 System·ID: ·  
2944 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
2944 /4923A566B615E903FFF8FA8FFF2FF84.xml<  
2945 Main·validation·file: ·  
2945 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
2945 /4923A566B615E903FFF8FA8FFF2FF84.xml<  
2946 Scenario·name: ·gg-sch<  
2947 Schema: ·  
2947 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm  
2947 ent..sch<  
2948 Engine·name: ·ISO·Schematron<  
2949 Severity: ·error<  
2950 Description: ·A·paragraph·must·have·an·ancestor·  
2950 subSection·or·subSubSection.<  
2951 Start·location: ·1224:138<  
2952 <  
2953 System·ID: ·  
2953 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
```

2953 /4923A566B615E903FFF8FA8FFF2FF84.xml ↵  
2954 Main-validation-file: ·  
2954 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
2954 /4923A566B615E903FFF8FA8FFF2FF84.xml ↵  
2955 Scenario-name: ·gg-sch ↵  
2956 Schema: ·  
2956 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
2956 ent..sch ↵  
2957 Engine-name: ·ISO-Schematron ↵  
2958 Severity: ·error ↵  
2959 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
2959 subSection ·or ·subSubSection. ↵  
2960 Start-location: ·1229:138 ↵  
2961 ↵  
2962 System-ID: ·  
2962 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
2962 /4923A566B615E903FFF8FA8FFF2FF84.xml ↵  
2963 Main-validation-file: ·  
2963 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
2963 /4923A566B615E903FFF8FA8FFF2FF84.xml ↵  
2964 Scenario-name: ·gg-sch ↵  
2965 Schema: ·  
2965 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
2965 ent..sch ↵  
2966 Engine-name: ·ISO-Schematron ↵  
2967 Severity: ·error ↵  
2968 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
2968 subSection ·or ·subSubSection. ↵  
2969 Start-location: ·1230:138 ↵  
2970 ↵  
2971 System-ID: ·  
2971 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
2971 /4923A566B615E903FFF8FA8FFF2FF84.xml ↵  
2972 Main-validation-file: ·  
2972 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax

2972 /4923A566B615E903FFF8FA8FFF2FF84.xml ↵  
2973 Scenario.name: .gg-sch ↵  
2974 Schema: .  
2974 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
2974 ent..sch ↵  
2975 Engine.name: .ISO.Schematron ↵  
2976 Severity: .error ↵  
2977 Description: .A.paragraph.must.have.an.ancestor.  
2977 subSection.or.subSubSection. ↵  
2978 Start.location: .1231:138 ↵  
2979 ↵  
2980 System.ID: .  
2980 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
2980 /4923A566B615E903FFF8FA8FFF2FF84.xml ↵  
2981 Main.validation.file: .  
2981 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
2981 /4923A566B615E903FFF8FA8FFF2FF84.xml ↵  
2982 Scenario.name: .gg-sch ↵  
2983 Schema: .  
2983 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
2983 ent..sch ↵  
2984 Engine.name: .ISO.Schematron ↵  
2985 Severity: .error ↵  
2986 Description: .A.paragraph.must.have.an.ancestor.  
2986 subSection.or.subSubSection. ↵  
2987 Start.location: .1235:138 ↵  
2988 ↵  
2989 System.ID: .  
2989 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
2989 /4923A566B615E903FFF8FA8FFF2FF84.xml ↵  
2990 Main.validation.file: .  
2990 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
2990 /4923A566B615E903FFF8FA8FFF2FF84.xml ↵  
2991 Scenario.name: .gg-sch ↵  
2992 Schema: .

```
2992 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm  
2992 ent..sch↵  
2993 Engine.name: ·ISO ·Schematron↵  
2994 Severity: ·error↵  
2995 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
2995 subSection ·or ·subSubSection.↵  
2996 Start ·location: ·1236:138↵  
2997 ↵  
2998 System ·ID: ·  
2998 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
2998 /4923A566B615E903FFF8FA8FFF2FF84.xml↵  
2999 Main ·validation ·file: ·  
2999 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
2999 /4923A566B615E903FFF8FA8FFF2FF84.xml↵  
3000 Scenario ·name: ·gg-sch↵  
3001 Schema: ·  
3001 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm  
3001 ent..sch↵  
3002 Engine.name: ·ISO ·Schematron↵  
3003 Severity: ·error↵  
3004 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
3004 subSection ·or ·subSubSection.↵  
3005 Start ·location: ·1241:138↵  
3006 ↵  
3007 System ·ID: ·  
3007 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
3007 /4923A566B615E903FFF8FA8FFF2FF84.xml↵  
3008 Main ·validation ·file: ·  
3008 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
3008 /4923A566B615E903FFF8FA8FFF2FF84.xml↵  
3009 Scenario ·name: ·gg-sch↵  
3010 Schema: ·  
3010 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm  
3010 ent..sch↵  
3011 Engine.name: ·ISO ·Schematron↵
```

3012 Severity: ·error ↵  
3013 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
3013 subSection ·or ·subSubSection. ↵  
3014 Start ·location: ·1242:138 ↵  
3015 ↵  
3016 System ·ID: ·  
3016 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
3016 /4923A566B615E903FFF8FA8FFF2FF84.xml ↵  
3017 Main ·validation ·file: ·  
3017 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
3017 /4923A566B615E903FFF8FA8FFF2FF84.xml ↵  
3018 Scenario ·name: ·gg-sch ↵  
3019 Schema: ·  
3019 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
3019 ent..sch ↵  
3020 Engine ·name: ·ISO ·Schematron ↵  
3021 Severity: ·error ↵  
3022 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
3022 subSection ·or ·subSubSection. ↵  
3023 Start ·location: ·1243:138 ↵  
3024 ↵  
3025 System ·ID: ·  
3025 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
3025 /4923A566B615E903FFF8FA8FFF2FF84.xml ↵  
3026 Main ·validation ·file: ·  
3026 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
3026 /4923A566B615E903FFF8FA8FFF2FF84.xml ↵  
3027 Scenario ·name: ·gg-sch ↵  
3028 Schema: ·  
3028 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
3028 ent..sch ↵  
3029 Engine ·name: ·ISO ·Schematron ↵  
3030 Severity: ·error ↵  
3031 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
3031 subSection ·or ·subSubSection. ↵

3032 Start ·location: ·1244:132 ↵  
3033 ↵  
3034 System ·ID: ·  
3034 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
3034 /4923A566B615E903FFF8FA8FFF2FF84.xml ↵  
3035 Main ·validation ·file: ·  
3035 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
3035 /4923A566B615E903FFF8FA8FFF2FF84.xml ↵  
3036 Scenario ·name: ·gg-sch ↵  
3037 Schema: ·  
3037 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
3037 ent..sch ↵  
3038 Engine ·name: ·ISO ·Schematron ↵  
3039 Severity: ·error ↵  
3040 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
3040 subSection ·or ·subSubSection. ↵  
3041 Start ·location: ·1249:131 ↵  
3042 ↵  
3043 System ·ID: ·  
3043 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
3043 /4923A566B615E903FFF8FA8FFF2FF84.xml ↵  
3044 Main ·validation ·file: ·  
3044 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
3044 /4923A566B615E903FFF8FA8FFF2FF84.xml ↵  
3045 Scenario ·name: ·gg-sch ↵  
3046 Schema: ·  
3046 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
3046 ent..sch ↵  
3047 Engine ·name: ·ISO ·Schematron ↵  
3048 Severity: ·error ↵  
3049 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
3049 subSection ·or ·subSubSection. ↵  
3050 Start ·location: ·1250:130 ↵  
3051 ↵  
3052 System ·ID: ·

3052 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
3052 /4923A566B615E903FFF8FA8FFF2FF84.xml ↵  
3053 Main-validation-file: ·  
3053 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
3053 /4923A566B615E903FFF8FA8FFF2FF84.xml ↵  
3054 Scenario-name: ·gg-sch ↵  
3055 Schema: ·  
3055 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
3055 ent..sch ↵  
3056 Engine-name: ·ISO-Schematron ↵  
3057 Severity: ·error ↵  
3058 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
3058 subSection ·or ·subSubSection. ↵  
3059 Start-location: ·1254:131 ↵  
3060 ↵  
3061 System-ID: ·  
3061 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
3061 /4923A566B615E903FFF8FA8FFF2FF84.xml ↵  
3062 Main-validation-file: ·  
3062 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
3062 /4923A566B615E903FFF8FA8FFF2FF84.xml ↵  
3063 Scenario-name: ·gg-sch ↵  
3064 Schema: ·  
3064 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
3064 ent..sch ↵  
3065 Engine-name: ·ISO-Schematron ↵  
3066 Severity: ·error ↵  
3067 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
3067 subSection ·or ·subSubSection. ↵  
3068 Start-location: ·1259:107 ↵  
3069 ↵  
3070 System-ID: ·  
3070 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
3070 /4923A566B615E903FFF8FA8FFF2FF84.xml ↵  
3071 Main-validation-file: ·

3071 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
3071 /4923A566B615E903FFF8FA8FFF2FF84.xml ↵  
3072 Scenario.name: .gg-sch ↵  
3073 Schema: .  
3073 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
3073 ent..sch ↵  
3074 Engine.name: .ISO .Schematron ↵  
3075 Severity: .error ↵  
3076 Description: .A .paragraph .must .have .an .ancestor .  
3076 subSection .or .subSubSection. ↵  
3077 Start.location: .1264:130 ↵  
3078 ↵  
3079 System.ID: .  
3079 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
3079 /4923A566B615E903FFF8FA8FFF2FF84.xml ↵  
3080 Main.validation.file: .  
3080 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
3080 /4923A566B615E903FFF8FA8FFF2FF84.xml ↵  
3081 Scenario.name: .gg-sch ↵  
3082 Schema: .  
3082 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
3082 ent..sch ↵  
3083 Engine.name: .ISO .Schematron ↵  
3084 Severity: .error ↵  
3085 Description: .A .paragraph .must .have .an .ancestor .  
3085 subSection .or .subSubSection. ↵  
3086 Start.location: .1268:131 ↵  
3087 ↵  
3088 System.ID: .  
3088 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
3088 /4923A566B615E903FFF8FA8FFF2FF84.xml ↵  
3089 Main.validation.file: .  
3089 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
3089 /4923A566B615E903FFF8FA8FFF2FF84.xml ↵  
3090 Scenario.name: .gg-sch ↵

3091 Schema: .  
3091 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
3091 ent..sch↵  
3092 Engine.name: .ISO .Schematron↵  
3093 Severity: .error↵  
3094 Description: .A .paragraph .must .have .an .ancestor .  
3094 subSection .or .subSubSection.↵  
3095 Start.location: .1273:131↵  
3096 ↵  
3097 System.ID: .  
3097 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
3097 /4923A566B615E903FFF8FA8FFF2FF84.xml↵  
3098 Main.validation.file: .  
3098 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
3098 /4923A566B615E903FFF8FA8FFF2FF84.xml↵  
3099 Scenario.name: .gg-sch↵  
3100 Schema: .  
3100 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
3100 ent..sch↵  
3101 Engine.name: .ISO .Schematron↵  
3102 Severity: .error↵  
3103 Description: .A .paragraph .must .have .an .ancestor .  
3103 subSection .or .subSubSection.↵  
3104 Start.location: .1274:132↵  
3105 ↵  
3106 System.ID: .  
3106 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
3106 /4923A566B615E903FFF8FA8FFF2FF84.xml↵  
3107 Main.validation.file: .  
3107 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
3107 /4923A566B615E903FFF8FA8FFF2FF84.xml↵  
3108 Scenario.name: .gg-sch↵  
3109 Schema: .  
3109 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
3109 ent..sch↵

3110 Engine.name: ·ISO ·Schematron ↵  
3111 Severity: ·error ↵  
3112 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
3112 subSection ·or ·subSubSection. ↵  
3113 Start.location: ·1277:133 ↵  
3114 ↵  
3115 System.ID: ·  
3115 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
3115 /4923A566B615E903FFF8FA8FFF2FF84.xml ↵  
3116 Main.validation.file: ·  
3116 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
3116 /4923A566B615E903FFF8FA8FFF2FF84.xml ↵  
3117 Scenario.name: ·gg-sch ↵  
3118 Schema: ·  
3118 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
3118 ent..sch ↵  
3119 Engine.name: ·ISO ·Schematron ↵  
3120 Severity: ·error ↵  
3121 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
3121 subSection ·or ·subSubSection. ↵  
3122 Start.location: ·1278:134 ↵  
3123 ↵  
3124 System.ID: ·  
3124 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
3124 /4923A566B615E903FFF8FA8FFF2FF84.xml ↵  
3125 Main.validation.file: ·  
3125 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
3125 /4923A566B615E903FFF8FA8FFF2FF84.xml ↵  
3126 Scenario.name: ·gg-sch ↵  
3127 Schema: ·  
3127 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
3127 ent..sch ↵  
3128 Engine.name: ·ISO ·Schematron ↵  
3129 Severity: ·error ↵  
3130 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·

3130 subSection ·or ·subSubSection. ↵  
3131 Start ·location: ·1279:109 ↵  
3132 ↵  
3133 System ·ID: ·  
3133 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
3133 /4923A566B615E903FFF8FA8FFF2FF84.xml ↵  
3134 Main ·validation ·file: ·  
3134 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
3134 /4923A566B615E903FFF8FA8FFF2FF84.xml ↵  
3135 Scenario ·name: ·gg-sch ↵  
3136 Schema: ·  
3136 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
3136 ent..sch ↵  
3137 Engine ·name: ·ISO ·Schematron ↵  
3138 Severity: ·error ↵  
3139 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
3139 subSection ·or ·subSubSection. ↵  
3140 Start ·location: ·1285:109 ↵  
3141 ↵  
3142 System ·ID: ·  
3142 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
3142 /05428F600820FF85EC0AFFBD674FFFD4.xml ↵  
3143 Main ·validation ·file: ·  
3143 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
3143 /05428F600820FF85EC0AFFBD674FFFD4.xml ↵  
3144 Scenario ·name: ·gg-sch ↵  
3145 Schema: ·  
3145 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
3145 ent..sch ↵  
3146 Engine ·name: ·ISO ·Schematron ↵  
3147 Severity: ·error ↵  
3148 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
3148 subSection ·or ·subSubSection. ↵  
3149 Start ·location: ·53:107 ↵  
3150 ↵

3151 System·ID: ·  
3151 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
3151 /05428F600820FF85EC0AFFBD674FFFD4.xml↵  
3152 Main·validation·file: ·  
3152 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
3152 /05428F600820FF85EC0AFFBD674FFFD4.xml↵  
3153 Scenario·name: ·gg-sch↵  
3154 Schema: ·  
3154 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
3154 ent..sch↵  
3155 Engine·name: ·ISO·Schematron↵  
3156 Severity: ·error↵  
3157 Description: ·A·paragraph·must·have·an·ancestor·  
3157 subSection·or·subSubSection.↵  
3158 Start·location: ·63:130↵  
3159 ↵  
3160 System·ID: ·  
3160 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
3160 /05428F600820FF85EC0AFFBD674FFFD4.xml↵  
3161 Main·validation·file: ·  
3161 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
3161 /05428F600820FF85EC0AFFBD674FFFD4.xml↵  
3162 Scenario·name: ·gg-sch↵  
3163 Schema: ·  
3163 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
3163 ent..sch↵  
3164 Engine·name: ·ISO·Schematron↵  
3165 Severity: ·error↵  
3166 Description: ·A·paragraph·must·have·an·ancestor·  
3166 subSection·or·subSubSection.↵  
3167 Start·location: ·73:108↵  
3168 ↵  
3169 System·ID: ·  
3169 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
3169 /05428F600820FF85EC0AFFBD674FFFD4.xml↵

3170 Main-validation-file: ·  
3170 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
3170 /05428F600820FF85EC0AFFBD674FFFD4.xml ↵  
3171 Scenario-name: ·gg-sch ↵  
3172 Schema: ·  
3172 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
3172 ent..sch ↵  
3173 Engine-name: ·ISO-Schematron ↵  
3174 Severity: ·error ↵  
3175 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
3175 subSection ·or ·subSubSection. ↵  
3176 Start-location: ·96:109 ↵  
3177 ↵  
3178 System-ID: ·  
3178 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
3178 /05428F600820FF85EC0AFFBD674FFFD4.xml ↵  
3179 Main-validation-file: ·  
3179 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
3179 /05428F600820FF85EC0AFFBD674FFFD4.xml ↵  
3180 Scenario-name: ·gg-sch ↵  
3181 Schema: ·  
3181 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
3181 ent..sch ↵  
3182 Engine-name: ·ISO-Schematron ↵  
3183 Severity: ·error ↵  
3184 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
3184 subSection ·or ·subSubSection. ↵  
3185 Start-location: ·131:136 ↵  
3186 ↵  
3187 System-ID: ·  
3187 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
3187 /05428F600820FF85EC0AFFBD674FFFD4.xml ↵  
3188 Main-validation-file: ·  
3188 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
3188 /05428F600820FF85EC0AFFBD674FFFD4.xml ↵

3189 Scenario ·name: ·gg-sch ↵  
3190 Schema: ·  
3190 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
3190 ent..sch ↵  
3191 Engine ·name: ·ISO ·Schematron ↵  
3192 Severity: ·error ↵  
3193 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
3193 subSection ·or ·subSubSection. ↵  
3194 Start ·location: ·136:107 ↵  
3195 ↵  
3196 System ·ID: ·  
3196 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
3196 /05428F600820FF85EC0AFFBD674FFFD4.xml ↵  
3197 Main ·validation ·file: ·  
3197 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
3197 /05428F600820FF85EC0AFFBD674FFFD4.xml ↵  
3198 Scenario ·name: ·gg-sch ↵  
3199 Schema: ·  
3199 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
3199 ent..sch ↵  
3200 Engine ·name: ·ISO ·Schematron ↵  
3201 Severity: ·error ↵  
3202 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
3202 subSection ·or ·subSubSection. ↵  
3203 Start ·location: ·145:107 ↵  
3204 ↵  
3205 System ·ID: ·  
3205 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
3205 /05428F600820FF85EC0AFFBD674FFFD4.xml ↵  
3206 Main ·validation ·file: ·  
3206 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
3206 /05428F600820FF85EC0AFFBD674FFFD4.xml ↵  
3207 Scenario ·name: ·gg-sch ↵  
3208 Schema: ·  
3208 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm

```
3208 ent..sch↵
3209 Engine.name: ·ISO ·Schematron↵
3210 Severity: ·error↵
3211 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
3211 subSection ·or ·subSubSection.↵
3212 Start ·location: ·166:132↵
3213 ↵
3214 System ·ID: ·
3214 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
3214 /05428F600820FF85EC0AFFBD674FFFD4.xml↵
3215 Main ·validation ·file: ·
3215 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
3215 /05428F600820FF85EC0AFFBD674FFFD4.xml↵
3216 Scenario ·name: ·gg-sch↵
3217 Schema: ·
3217 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
3217 ent..sch↵
3218 Engine.name: ·ISO ·Schematron↵
3219 Severity: ·error↵
3220 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
3220 subSection ·or ·subSubSection.↵
3221 Start ·location: ·171:108↵
3222 ↵
3223 System ·ID: ·
3223 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
3223 /05428F600820FF85EC0AFFBD674FFFD4.xml↵
3224 Main ·validation ·file: ·
3224 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
3224 /05428F600820FF85EC0AFFBD674FFFD4.xml↵
3225 Scenario ·name: ·gg-sch↵
3226 Schema: ·
3226 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
3226 ent..sch↵
3227 Engine.name: ·ISO ·Schematron↵
3228 Severity: ·error↵
```

3229 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
3229 subSection ·or ·subSubSection. ↵  
3230 Start ·location: ·196:108 ↵  
3231 ↵  
3232 System ·ID: ·  
3232 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
3232 /05428F600820FF85EC0AFFBD674FFFD4.xml ↵  
3233 Main ·validation ·file: ·  
3233 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
3233 /05428F600820FF85EC0AFFBD674FFFD4.xml ↵  
3234 Scenario ·name: ·gg-sch ↵  
3235 Schema: ·  
3235 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
3235 ent..sch ↵  
3236 Engine ·name: ·ISO ·Schematron ↵  
3237 Severity: ·error ↵  
3238 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
3238 subSection ·or ·subSubSection. ↵  
3239 Start ·location: ·203:108 ↵  
3240 ↵  
3241 System ·ID: ·  
3241 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
3241 /05428F600820FF85EC0AFFBD674FFFD4.xml ↵  
3242 Main ·validation ·file: ·  
3242 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
3242 /05428F600820FF85EC0AFFBD674FFFD4.xml ↵  
3243 Scenario ·name: ·gg-sch ↵  
3244 Schema: ·  
3244 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
3244 ent..sch ↵  
3245 Engine ·name: ·ISO ·Schematron ↵  
3246 Severity: ·error ↵  
3247 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
3247 subSection ·or ·subSubSection. ↵  
3248 Start ·location: ·217:179 ↵

3249   ↳  
3250   System·ID: ·  
3250    /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
3250    /05428F600820FF85EC0AFFBD674FFFD4.xml↳  
3251   Main·validation·file: ·  
3251    /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
3251    /05428F600820FF85EC0AFFBD674FFFD4.xml↳  
3252   Scenario·name: ·gg-sch↳  
3253   Schema: ·  
3253    /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
3253    ent..sch↳  
3254   Engine·name: ·ISO·Schematron↳  
3255   Severity: ·error↳  
3256   Description: ·A·paragraph·must·have·an·ancestor·  
3256   subSection·or·subSubSection.↳  
3257   Start·location: ·265:109↳  
3258    ↳  
3259   System·ID: ·  
3259    /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
3259    /05428F600820FF85EC0AFFBD674FFFD4.xml↳  
3260   Main·validation·file: ·  
3260    /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
3260    /05428F600820FF85EC0AFFBD674FFFD4.xml↳  
3261   Scenario·name: ·gg-sch↳  
3262   Schema: ·  
3262    /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
3262    ent..sch↳  
3263   Engine·name: ·ISO·Schematron↳  
3264   Severity: ·error↳  
3265   Description: ·A·paragraph·must·have·an·ancestor·  
3265   subSection·or·subSubSection.↳  
3266   Start·location: ·289:109↳  
3267    ↳  
3268   System·ID: ·  
3268    /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax

3268 /05428F600820FF85EC0AFFBD674FFFD4.xml ↵  
3269 Main-validation-file: ·  
3269 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
3269 /05428F600820FF85EC0AFFBD674FFFD4.xml ↵  
3270 Scenario-name: ·gg-sch ↵  
3271 Schema: ·  
3271 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
3271 ent..sch ↵  
3272 Engine-name: ·ISO-Schematron ↵  
3273 Severity: ·error ↵  
3274 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
3274 subSection ·or ·subSubSection. ↵  
3275 Start-location: ·316:109 ↵  
3276 ↵  
3277 System-ID: ·  
3277 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
3277 /05428F600820FF85EC0AFFBD674FFFD4.xml ↵  
3278 Main-validation-file: ·  
3278 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
3278 /05428F600820FF85EC0AFFBD674FFFD4.xml ↵  
3279 Scenario-name: ·gg-sch ↵  
3280 Schema: ·  
3280 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
3280 ent..sch ↵  
3281 Engine-name: ·ISO-Schematron ↵  
3282 Severity: ·error ↵  
3283 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
3283 subSection ·or ·subSubSection. ↵  
3284 Start-location: ·325:76 ↵  
3285 ↵  
3286 System-ID: ·  
3286 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
3286 /05428F600820FF85EC0AFFBD674FFFD4.xml ↵  
3287 Main-validation-file: ·  
3287 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax

3287 /05428F600820FF85EC0AFFBD674FFFD4.xml ↵  
3288 Scenario.name: .gg-sch ↵  
3289 Schema: .  
3289 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
3289 ent..sch ↵  
3290 Engine.name: .ISO.Schematron ↵  
3291 Severity: .error ↵  
3292 Description: .A.paragraph.must.have.an.ancestor.  
3292 subSection.or.subSubSection. ↵  
3293 Start.location: .886:109 ↵  
3294 ↵  
3295 System.ID: .  
3295 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
3295 /05428F600820FF85EC0AFFBD674FFFD4.xml ↵  
3296 Main.validation.file: .  
3296 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
3296 /05428F600820FF85EC0AFFBD674FFFD4.xml ↵  
3297 Scenario.name: .gg-sch ↵  
3298 Schema: .  
3298 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
3298 ent..sch ↵  
3299 Engine.name: .ISO.Schematron ↵  
3300 Severity: .error ↵  
3301 Description: .A.paragraph.must.have.an.ancestor.  
3301 subSection.or.subSubSection. ↵  
3302 Start.location: .895:109 ↵  
3303 ↵  
3304 System.ID: .  
3304 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
3304 /05428F600820FF85EC0AFFBD674FFFD4.xml ↵  
3305 Main.validation.file: .  
3305 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
3305 /05428F600820FF85EC0AFFBD674FFFD4.xml ↵  
3306 Scenario.name: .gg-sch ↵  
3307 Schema: .

3307 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
3307 ent..sch↵  
3308 Engine.name: ·ISO ·Schematron↵  
3309 Severity: ·error↵  
3310 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
3310 subSection ·or ·subSubSection.↵  
3311 Start ·location: ·907:180↵  
3312 ↵  
3313 System ·ID: ·  
3313 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
3313 /05428F600820FF85EC0AFFBD674FFFD4.xml↵  
3314 Main ·validation ·file: ·  
3314 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
3314 /05428F600820FF85EC0AFFBD674FFFD4.xml↵  
3315 Scenario ·name: ·gg-sch↵  
3316 Schema: ·  
3316 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
3316 ent..sch↵  
3317 Engine.name: ·ISO ·Schematron↵  
3318 Severity: ·error↵  
3319 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
3319 subSection ·or ·subSubSection.↵  
3320 Start ·location: ·918:76↵  
3321 ↵  
3322 System ·ID: ·  
3322 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
3322 /05428F600820FF85EC0AFFBD674FFFD4.xml↵  
3323 Main ·validation ·file: ·  
3323 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
3323 /05428F600820FF85EC0AFFBD674FFFD4.xml↵  
3324 Scenario ·name: ·gg-sch↵  
3325 Schema: ·  
3325 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
3325 ent..sch↵  
3326 Engine.name: ·ISO ·Schematron↵

3327 Severity: ·error ↵  
3328 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
3328 subSection ·or ·subSubSection. ↵  
3329 Start ·location: ·1010:76 ↵  
3330 ↵  
3331 System ·ID: ·  
3331 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
3331 /05428F600820FF85EC0AFFBD674FFFD4.xml ↵  
3332 Main ·validation ·file: ·  
3332 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
3332 /05428F600820FF85EC0AFFBD674FFFD4.xml ↵  
3333 Scenario ·name: ·gg-sch ↵  
3334 Schema: ·  
3334 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
3334 ent..sch ↵  
3335 Engine ·name: ·ISO ·Schematron ↵  
3336 Severity: ·error ↵  
3337 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
3337 subSection ·or ·subSubSection. ↵  
3338 Start ·location: ·1214:108 ↵  
3339 ↵  
3340 System ·ID: ·  
3340 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
3340 /05428F600820FF85EC0AFFBD674FFFD4.xml ↵  
3341 Main ·validation ·file: ·  
3341 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
3341 /05428F600820FF85EC0AFFBD674FFFD4.xml ↵  
3342 Scenario ·name: ·gg-sch ↵  
3343 Schema: ·  
3343 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
3343 ent..sch ↵  
3344 Engine ·name: ·ISO ·Schematron ↵  
3345 Severity: ·error ↵  
3346 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
3346 subSection ·or ·subSubSection. ↵

3347 Start ·location: ·1243:109 ↵  
3348 ↵  
3349 System ·ID: ·  
3349 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
3349 /05428F600820FF85EC0AFFBD674FFFD4.xml ↵  
3350 Main ·validation ·file: ·  
3350 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
3350 /05428F600820FF85EC0AFFBD674FFFD4.xml ↵  
3351 Scenario ·name: ·gg-sch ↵  
3352 Schema: ·  
3352 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
3352 ent..sch ↵  
3353 Engine ·name: ·ISO ·Schematron ↵  
3354 Severity: ·error ↵  
3355 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
3355 subSection ·or ·subSubSection. ↵  
3356 Start ·location: ·1260:180 ↵  
3357 ↵  
3358 System ·ID: ·  
3358 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
3358 /05428F600820FF85EC0AFFBD674FFFD4.xml ↵  
3359 Main ·validation ·file: ·  
3359 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
3359 /05428F600820FF85EC0AFFBD674FFFD4.xml ↵  
3360 Scenario ·name: ·gg-sch ↵  
3361 Schema: ·  
3361 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
3361 ent..sch ↵  
3362 Engine ·name: ·ISO ·Schematron ↵  
3363 Severity: ·error ↵  
3364 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
3364 subSection ·or ·subSubSection. ↵  
3365 Start ·location: ·1322:109 ↵  
3366 ↵  
3367 System ·ID: ·

3367 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
3367 /05428F600820FF85EC0AFFBD674FFFD4.xml ↵  
3368 Main-validation-file: ·  
3368 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
3368 /05428F600820FF85EC0AFFBD674FFFD4.xml ↵  
3369 Scenario-name: ·gg-sch ↵  
3370 Schema: ·  
3370 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
3370 ent..sch ↵  
3371 Engine-name: ·ISO ·Schematron ↵  
3372 Severity: ·error ↵  
3373 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
3373 subSection ·or ·subSubSection. ↵  
3374 Start-location: ·1348:135 ↵  
3375 ↵  
3376 System-ID: ·  
3376 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
3376 /05428F600820FF85EC0AFFBD674FFFD4.xml ↵  
3377 Main-validation-file: ·  
3377 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
3377 /05428F600820FF85EC0AFFBD674FFFD4.xml ↵  
3378 Scenario-name: ·gg-sch ↵  
3379 Schema: ·  
3379 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
3379 ent..sch ↵  
3380 Engine-name: ·ISO ·Schematron ↵  
3381 Severity: ·error ↵  
3382 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
3382 subSection ·or ·subSubSection. ↵  
3383 Start-location: ·1353:109 ↵  
3384 ↵  
3385 System-ID: ·  
3385 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
3385 /05428F600820FF85EC0AFFBD674FFFD4.xml ↵  
3386 Main-validation-file: ·

```
3386 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
3386 /05428F600820FF85EC0AFFBD674FFFD4.xml↵
3387 Scenario·name: ·gg-sch↵
3388 Schema: ·
3388 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
3388 ent..sch↵
3389 Engine·name: ·ISO ·Schematron↵
3390 Severity: ·error↵
3391 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
3391 subSection ·or ·subSubSection.↵
3392 Start ·location: ·1362:180↵
3393 ↵
3394 System ·ID: ·
3394 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
3394 /05428F600820FF85EC0AFFBD674FFFD4.xml↵
3395 Main ·validation ·file: ·
3395 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
3395 /05428F600820FF85EC0AFFBD674FFFD4.xml↵
3396 Scenario ·name: ·gg-sch↵
3397 Schema: ·
3397 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
3397 ent..sch↵
3398 Engine·name: ·ISO ·Schematron↵
3399 Severity: ·error↵
3400 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
3400 subSection ·or ·subSubSection.↵
3401 Start ·location: ·1404:76↵
3402 ↵
3403 System ·ID: ·
3403 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
3403 /05428F600820FF85EC0AFFBD674FFFD4.xml↵
3404 Main ·validation ·file: ·
3404 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
3404 /05428F600820FF85EC0AFFBD674FFFD4.xml↵
3405 Scenario ·name: ·gg-sch↵
```

3406 Schema: .  
3406 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
3406 ent..sch↵  
3407 Engine.name: .ISO .Schematron↵  
3408 Severity: .error↵  
3409 Description: .A .paragraph .must .have .an .ancestor .  
3409 subSection .or .subSubSection.↵  
3410 Start.location: .1992:109↵  
3411 ↵  
3412 System.ID: .  
3412 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
3412 /05428F600820FF85EC0AFFBD674FFFD4.xml↵  
3413 Main.validation.file: .  
3413 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
3413 /05428F600820FF85EC0AFFBD674FFFD4.xml↵  
3414 Scenario.name: .gg-sch↵  
3415 Schema: .  
3415 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
3415 ent..sch↵  
3416 Engine.name: .ISO .Schematron↵  
3417 Severity: .error↵  
3418 Description: .A .paragraph .must .have .an .ancestor .  
3418 subSection .or .subSubSection.↵  
3419 Start.location: .2010:109↵  
3420 ↵  
3421 System.ID: .  
3421 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
3421 /05428F600820FF85EC0AFFBD674FFFD4.xml↵  
3422 Main.validation.file: .  
3422 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
3422 /05428F600820FF85EC0AFFBD674FFFD4.xml↵  
3423 Scenario.name: .gg-sch↵  
3424 Schema: .  
3424 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
3424 ent..sch↵

3425 Engine·name: ·ISO ·Schematron↵  
3426 Severity: ·error↵  
3427 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
3427 subSection ·or ·subSubSection.↵  
3428 Start ·location: ·2037:108↵  
3429 ↵  
3430 System ·ID: ·  
3430 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
3430 /05428F600820FF85EC0AFFBD674FFFD4.xml↵  
3431 Main ·validation ·file: ·  
3431 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
3431 /05428F600820FF85EC0AFFBD674FFFD4.xml↵  
3432 Scenario ·name: ·gg-sch↵  
3433 Schema: ·  
3433 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
3433 ent..sch↵  
3434 Engine·name: ·ISO ·Schematron↵  
3435 Severity: ·error↵  
3436 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
3436 subSection ·or ·subSubSection.↵  
3437 Start ·location: ·2060:109↵  
3438 ↵  
3439 System ·ID: ·  
3439 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
3439 /05428F600820FF85EC0AFFBD674FFFD4.xml↵  
3440 Main ·validation ·file: ·  
3440 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
3440 /05428F600820FF85EC0AFFBD674FFFD4.xml↵  
3441 Scenario ·name: ·gg-sch↵  
3442 Schema: ·  
3442 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
3442 ent..sch↵  
3443 Engine·name: ·ISO ·Schematron↵  
3444 Severity: ·error↵  
3445 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·

3445 subSection ·or ·subSubSection. ↵  
3446 Start ·location: ·2061:179 ↵  
3447 ↵  
3448 System ·ID: ·  
3448 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
3448 /05428F600820FF85EC0AFFBD674FFFD4.xml ↵  
3449 Main ·validation ·file: ·  
3449 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
3449 /05428F600820FF85EC0AFFBD674FFFD4.xml ↵  
3450 Scenario ·name: ·gg-sch ↵  
3451 Schema: ·  
3451 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
3451 ent..sch ↵  
3452 Engine ·name: ·ISO ·Schematron ↵  
3453 Severity: ·error ↵  
3454 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
3454 subSection ·or ·subSubSection. ↵  
3455 Start ·location: ·2090:109 ↵  
3456 ↵  
3457 System ·ID: ·  
3457 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
3457 /05428F600820FF85EC0AFFBD674FFFD4.xml ↵  
3458 Main ·validation ·file: ·  
3458 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
3458 /05428F600820FF85EC0AFFBD674FFFD4.xml ↵  
3459 Scenario ·name: ·gg-sch ↵  
3460 Schema: ·  
3460 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
3460 ent..sch ↵  
3461 Engine ·name: ·ISO ·Schematron ↵  
3462 Severity: ·error ↵  
3463 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
3463 subSection ·or ·subSubSection. ↵  
3464 Start ·location: ·2101:109 ↵  
3465 ↵

3466 System·ID: ·  
3466 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
3466 /05428F600820FF85EC0AFFBD674FFFD4.xml↵  
3467 Main·validation·file: ·  
3467 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
3467 /05428F600820FF85EC0AFFBD674FFFD4.xml↵  
3468 Scenario·name: ·gg-sch↵  
3469 Schema: ·  
3469 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
3469 ent..sch↵  
3470 Engine·name: ·ISO·Schematron↵  
3471 Severity: ·error↵  
3472 Description: ·A·paragraph·must·have·an·ancestor·  
3472 subSection·or·subSubSection.↵  
3473 Start·location: ·2111:109↵  
3474 ↵  
3475 System·ID: ·  
3475 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
3475 /05428F600820FF85EC0AFFBD674FFFD4.xml↵  
3476 Main·validation·file: ·  
3476 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
3476 /05428F600820FF85EC0AFFBD674FFFD4.xml↵  
3477 Scenario·name: ·gg-sch↵  
3478 Schema: ·  
3478 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
3478 ent..sch↵  
3479 Engine·name: ·ISO·Schematron↵  
3480 Severity: ·error↵  
3481 Description: ·A·paragraph·must·have·an·ancestor·  
3481 subSection·or·subSubSection.↵  
3482 Start·location: ·2158:109↵  
3483 ↵  
3484 System·ID: ·  
3484 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
3484 /05428F600820FF85EC0AFFBD674FFFD4.xml↵

3485 Main-validation-file: ·  
3485 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
3485 /05428F600820FF85EC0AFFBD674FFFD4.xml ↵  
3486 Scenario-name: ·gg-sch ↵  
3487 Schema: ·  
3487 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
3487 ent..sch ↵  
3488 Engine-name: ·ISO-Schematron ↵  
3489 Severity: ·error ↵  
3490 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
3490 subSection ·or ·subSubSection. ↵  
3491 Start-location: ·2203:109 ↵  
3492 ↵  
3493 System-ID: ·  
3493 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
3493 /05428F600820FF85EC0AFFBD674FFFD4.xml ↵  
3494 Main-validation-file: ·  
3494 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
3494 /05428F600820FF85EC0AFFBD674FFFD4.xml ↵  
3495 Scenario-name: ·gg-sch ↵  
3496 Schema: ·  
3496 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
3496 ent..sch ↵  
3497 Engine-name: ·ISO-Schematron ↵  
3498 Severity: ·error ↵  
3499 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
3499 subSection ·or ·subSubSection. ↵  
3500 Start-location: ·2239:181 ↵  
3501 ↵  
3502 System-ID: ·  
3502 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
3502 /05428F600820FF85EC0AFFBD674FFFD4.xml ↵  
3503 Main-validation-file: ·  
3503 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
3503 /05428F600820FF85EC0AFFBD674FFFD4.xml ↵

3504 Scenario ·name: ·gg-sch ↵  
3505 Schema: ·  
3505 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
3505 ent..sch ↵  
3506 Engine ·name: ·ISO ·Schematron ↵  
3507 Severity: ·error ↵  
3508 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
3508 subSection ·or ·subSubSection. ↵  
3509 Start ·location: ·2269:134 ↵  
3510 ↵  
3511 System ·ID: ·  
3511 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
3511 /05428F600820FF85EC0AFFBD674FFFD4.xml ↵  
3512 Main ·validation ·file: ·  
3512 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
3512 /05428F600820FF85EC0AFFBD674FFFD4.xml ↵  
3513 Scenario ·name: ·gg-sch ↵  
3514 Schema: ·  
3514 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
3514 ent..sch ↵  
3515 Engine ·name: ·ISO ·Schematron ↵  
3516 Severity: ·error ↵  
3517 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
3517 subSection ·or ·subSubSection. ↵  
3518 Start ·location: ·2274:110 ↵  
3519 ↵  
3520 System ·ID: ·  
3520 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
3520 /05428F600820FF85EC0AFFBD674FFFD4.xml ↵  
3521 Main ·validation ·file: ·  
3521 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
3521 /05428F600820FF85EC0AFFBD674FFFD4.xml ↵  
3522 Scenario ·name: ·gg-sch ↵  
3523 Schema: ·  
3523 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm

```
3523 ent..sch↵
3524 Engine·name: ·ISO ·Schematron↵
3525 Severity: ·error↵
3526 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
3526 subSection ·or ·subSubSection.↵
3527 Start ·location: ·2287:110↵
3528 ↵
3529 System ·ID: ·
3529 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
3529 /05428F600820FF85EC0AFFBD674FFFD4.xml↵
3530 Main ·validation ·file: ·
3530 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
3530 /05428F600820FF85EC0AFFBD674FFFD4.xml↵
3531 Scenario ·name: ·gg-sch↵
3532 Schema: ·
3532 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
3532 ent..sch↵
3533 Engine·name: ·ISO ·Schematron↵
3534 Severity: ·error↵
3535 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
3535 subSection ·or ·subSubSection.↵
3536 Start ·location: ·2316:181↵
3537 ↵
3538 System ·ID: ·
3538 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
3538 /05428F600820FF85EC0AFFBD674FFFD4.xml↵
3539 Main ·validation ·file: ·
3539 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
3539 /05428F600820FF85EC0AFFBD674FFFD4.xml↵
3540 Scenario ·name: ·gg-sch↵
3541 Schema: ·
3541 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
3541 ent..sch↵
3542 Engine·name: ·ISO ·Schematron↵
3543 Severity: ·error↵
```

3544 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
3544 subSection ·or ·subSubSection. ↵  
3545 Start ·location: ·2387:109 ↵  
3546 ↵  
3547 System ·ID: ·  
3547 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
3547 /05428F600820FF85EC0AFFBD674FFFD4.xml ↵  
3548 Main ·validation ·file: ·  
3548 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
3548 /05428F600820FF85EC0AFFBD674FFFD4.xml ↵  
3549 Scenario ·name: ·gg-sch ↵  
3550 Schema: ·  
3550 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
3550 ent..sch ↵  
3551 Engine ·name: ·ISO ·Schematron ↵  
3552 Severity: ·error ↵  
3553 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
3553 subSection ·or ·subSubSection. ↵  
3554 Start ·location: ·2420:109 ↵  
3555 ↵  
3556 System ·ID: ·  
3556 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
3556 /05428F600820FF85EC0AFFBD674FFFD4.xml ↵  
3557 Main ·validation ·file: ·  
3557 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
3557 /05428F600820FF85EC0AFFBD674FFFD4.xml ↵  
3558 Scenario ·name: ·gg-sch ↵  
3559 Schema: ·  
3559 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
3559 ent..sch ↵  
3560 Engine ·name: ·ISO ·Schematron ↵  
3561 Severity: ·error ↵  
3562 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
3562 subSection ·or ·subSubSection. ↵  
3563 Start ·location: ·2424:134 ↵

```
3564 <!--
3565 System·ID: ·
3565 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
3565 /05428F600820FF85EC0AFFBD674FFFD4.xml<!--
3566 Main·validation·file: ·
3566 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
3566 /05428F600820FF85EC0AFFBD674FFFD4.xml<!--
3567 Scenario·name: ·gg-sch<!--
3568 Schema: ·
3568 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
3568 ent..sch<!--
3569 Engine·name: ·ISO·Schematron<!--
3570 Severity: ·error<!--
3571 Description: ·A·paragraph·must·have·an·ancestor·
3571 subSection·or·subSubSection.<!--
3572 Start·location: ·2429:110<!--
3573 <!--
3574 System·ID: ·
3574 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
3574 /05428F600820FF85EC0AFFBD674FFFD4.xml<!--
3575 Main·validation·file: ·
3575 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
3575 /05428F600820FF85EC0AFFBD674FFFD4.xml<!--
3576 Scenario·name: ·gg-sch<!--
3577 Schema: ·
3577 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
3577 ent..sch<!--
3578 Engine·name: ·ISO·Schematron<!--
3579 Severity: ·error<!--
3580 Description: ·A·paragraph·must·have·an·ancestor·
3580 subSection·or·subSubSection.<!--
3581 Start·location: ·2430:110<!--
3582 <!--
3583 System·ID: ·
3583 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
```

3583 /05428F600820FF85EC0AFFBD674FFFD4.xml ↵  
3584 Main-validation-file: ·  
3584 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
3584 /05428F600820FF85EC0AFFBD674FFFD4.xml ↵  
3585 Scenario-name: ·gg-sch ↵  
3586 Schema: ·  
3586 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
3586 ent..sch ↵  
3587 Engine-name: ·ISO-Schematron ↵  
3588 Severity: ·error ↵  
3589 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
3589 subSection ·or ·subSubSection. ↵  
3590 Start-location: ·2431:137 ↵  
3591 ↵  
3592 System-ID: ·  
3592 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
3592 /05428F600820FF85EC0AFFBD674FFFD4.xml ↵  
3593 Main-validation-file: ·  
3593 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
3593 /05428F600820FF85EC0AFFBD674FFFD4.xml ↵  
3594 Scenario-name: ·gg-sch ↵  
3595 Schema: ·  
3595 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
3595 ent..sch ↵  
3596 Engine-name: ·ISO-Schematron ↵  
3597 Severity: ·error ↵  
3598 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
3598 subSection ·or ·subSubSection. ↵  
3599 Start-location: ·2436:111 ↵  
3600 ↵  
3601 System-ID: ·  
3601 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
3601 /05428F600820FF85EC0AFFBD674FFFD4.xml ↵  
3602 Main-validation-file: ·  
3602 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax

3602 /05428F600820FF85EC0AFFBD674FFFD4.xml ↵  
3603 Scenario.name: .gg-sch ↵  
3604 Schema: .  
3604 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
3604 ent..sch ↵  
3605 Engine.name: .ISO.Schematron ↵  
3606 Severity: .error ↵  
3607 Description: .A.paragraph.must.have.an.ancestor.  
3607 subSection.or.subSubSection. ↵  
3608 Start.location: .2463:111 ↵  
3609 ↵  
3610 System.ID: .  
3610 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
3610 /05428F600820FF85EC0AFFBD674FFFD4.xml ↵  
3611 Main.validation.file: .  
3611 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
3611 /05428F600820FF85EC0AFFBD674FFFD4.xml ↵  
3612 Scenario.name: .gg-sch ↵  
3613 Schema: .  
3613 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
3613 ent..sch ↵  
3614 Engine.name: .ISO.Schematron ↵  
3615 Severity: .error ↵  
3616 Description: .A.paragraph.must.have.an.ancestor.  
3616 subSection.or.subSubSection. ↵  
3617 Start.location: .2479:111 ↵  
3618 ↵  
3619 System.ID: .  
3619 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
3619 /05428F600820FF85EC0AFFBD674FFFD4.xml ↵  
3620 Main.validation.file: .  
3620 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
3620 /05428F600820FF85EC0AFFBD674FFFD4.xml ↵  
3621 Scenario.name: .gg-sch ↵  
3622 Schema: .

```
3622 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm  
3622 ent..sch↵  
3623 Engine.name: ·ISO ·Schematron↵  
3624 Severity: ·error↵  
3625 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
3625 subSection ·or ·subSubSection.↵  
3626 Start ·location: ·2500:111↵  
3627 ↵  
3628 System ·ID: ·  
3628 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
3628 /05428F600820FF85EC0AFFBD674FFFD4.xml↵  
3629 Main ·validation ·file: ·  
3629 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
3629 /05428F600820FF85EC0AFFBD674FFFD4.xml↵  
3630 Scenario ·name: ·gg-sch↵  
3631 Schema: ·  
3631 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm  
3631 ent..sch↵  
3632 Engine.name: ·ISO ·Schematron↵  
3633 Severity: ·error↵  
3634 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
3634 subSection ·or ·subSubSection.↵  
3635 Start ·location: ·2523:111↵  
3636 ↵  
3637 System ·ID: ·  
3637 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
3637 /05428F600820FF85EC0AFFBD674FFFD4.xml↵  
3638 Main ·validation ·file: ·  
3638 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
3638 /05428F600820FF85EC0AFFBD674FFFD4.xml↵  
3639 Scenario ·name: ·gg-sch↵  
3640 Schema: ·  
3640 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm  
3640 ent..sch↵  
3641 Engine.name: ·ISO ·Schematron↵
```

3642 Severity: ·error ↵  
3643 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
3643 subSection ·or ·subSubSection. ↵  
3644 Start ·location: ·2546:111 ↵  
3645 ↵  
3646 System ·ID: ·  
3646 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
3646 /05428F600820FF85EC0AFFBD674FFFD4.xml ↵  
3647 Main ·validation ·file: ·  
3647 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
3647 /05428F600820FF85EC0AFFBD674FFFD4.xml ↵  
3648 Scenario ·name: ·gg-sch ↵  
3649 Schema: ·  
3649 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
3649 ent..sch ↵  
3650 Engine ·name: ·ISO ·Schematron ↵  
3651 Severity: ·error ↵  
3652 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
3652 subSection ·or ·subSubSection. ↵  
3653 Start ·location: ·2569:111 ↵  
3654 ↵  
3655 System ·ID: ·  
3655 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
3655 /05428F600820FF85EC0AFFBD674FFFD4.xml ↵  
3656 Main ·validation ·file: ·  
3656 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
3656 /05428F600820FF85EC0AFFBD674FFFD4.xml ↵  
3657 Scenario ·name: ·gg-sch ↵  
3658 Schema: ·  
3658 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
3658 ent..sch ↵  
3659 Engine ·name: ·ISO ·Schematron ↵  
3660 Severity: ·error ↵  
3661 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
3661 subSection ·or ·subSubSection. ↵

3662 Start ·location: ·2592:111 ↵  
3663 ↵  
3664 System ·ID: ·  
3664 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
3664 /05428F600820FF85EC0AFFBD674FFFD4.xml ↵  
3665 Main ·validation ·file: ·  
3665 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
3665 /05428F600820FF85EC0AFFBD674FFFD4.xml ↵  
3666 Scenario ·name: ·gg-sch ↵  
3667 Schema: ·  
3667 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
3667 ent..sch ↵  
3668 Engine ·name: ·ISO ·Schematron ↵  
3669 Severity: ·error ↵  
3670 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
3670 subSection ·or ·subSubSection. ↵  
3671 Start ·location: ·2615:111 ↵  
3672 ↵  
3673 System ·ID: ·  
3673 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
3673 /05428F600820FF85EC0AFFBD674FFFD4.xml ↵  
3674 Main ·validation ·file: ·  
3674 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
3674 /05428F600820FF85EC0AFFBD674FFFD4.xml ↵  
3675 Scenario ·name: ·gg-sch ↵  
3676 Schema: ·  
3676 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
3676 ent..sch ↵  
3677 Engine ·name: ·ISO ·Schematron ↵  
3678 Severity: ·error ↵  
3679 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
3679 subSection ·or ·subSubSection. ↵  
3680 Start ·location: ·2638:111 ↵  
3681 ↵  
3682 System ·ID: ·

```
3682 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
3682 /05428F600820FF85EC0AFFBD674FFFD4.xml↵
3683 Main-validation-file: .
3683 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
3683 /05428F600820FF85EC0AFFBD674FFFD4.xml↵
3684 Scenario-name: .gg-sch↵
3685 Schema: .
3685 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
3685 ent..sch↵
3686 Engine-name: .ISO-Schematron↵
3687 Severity: .error↵
3688 Description: .A .paragraph .must .have .an .ancestor .
3688 subSection .or .subSubSection.↵
3689 Start-location: .2665:111↵
3690 ↵
3691 System-ID: .
3691 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
3691 /05428F600820FF85EC0AFFBD674FFFD4.xml↵
3692 Main-validation-file: .
3692 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
3692 /05428F600820FF85EC0AFFBD674FFFD4.xml↵
3693 Scenario-name: .gg-sch↵
3694 Schema: .
3694 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
3694 ent..sch↵
3695 Engine-name: .ISO-Schematron↵
3696 Severity: .error↵
3697 Description: .A .paragraph .must .have .an .ancestor .
3697 subSection .or .subSubSection.↵
3698 Start-location: .2692:111↵
3699 ↵
3700 System-ID: .
3700 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
3700 /05428F600820FF85EC0AFFBD674FFFD4.xml↵
3701 Main-validation-file: .
```

3701 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
3701 /05428F600820FF85EC0AFFBD674FFFD4.xml ↵  
3702 Scenario.name: .gg-sch ↵  
3703 Schema: .  
3703 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
3703 ent..sch ↵  
3704 Engine.name: .ISO .Schematron ↵  
3705 Severity: .error ↵  
3706 Description: .A .paragraph .must .have .an .ancestor .  
3706 subSection .or .subSubSection. ↵  
3707 Start.location: .2717:111 ↵  
3708 ↵  
3709 System.ID: .  
3709 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
3709 /05428F600820FF85EC0AFFBD674FFFD4.xml ↵  
3710 Main.validation.file: .  
3710 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
3710 /05428F600820FF85EC0AFFBD674FFFD4.xml ↵  
3711 Scenario.name: .gg-sch ↵  
3712 Schema: .  
3712 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
3712 ent..sch ↵  
3713 Engine.name: .ISO .Schematron ↵  
3714 Severity: .error ↵  
3715 Description: .A .paragraph .must .have .an .ancestor .  
3715 subSection .or .subSubSection. ↵  
3716 Start.location: .2744:111 ↵  
3717 ↵  
3718 System.ID: .  
3718 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
3718 /05428F600820FF85EC0AFFBD674FFFD4.xml ↵  
3719 Main.validation.file: .  
3719 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
3719 /05428F600820FF85EC0AFFBD674FFFD4.xml ↵  
3720 Scenario.name: .gg-sch ↵

3721 Schema: .  
3721 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
3721 ent..sch↵  
3722 Engine.name: .ISO .Schematron↵  
3723 Severity: .error↵  
3724 Description: .A .paragraph .must .have .an .ancestor .  
3724 subSection .or .subSubSection.↵  
3725 Start.location: .2764:111↵  
3726 ↵  
3727 System.ID: .  
3727 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
3727 /05428F600820FF85EC0AFFBD674FFFD4.xml↵  
3728 Main.validation.file: .  
3728 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
3728 /05428F600820FF85EC0AFFBD674FFFD4.xml↵  
3729 Scenario.name: .gg-sch↵  
3730 Schema: .  
3730 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
3730 ent..sch↵  
3731 Engine.name: .ISO .Schematron↵  
3732 Severity: .error↵  
3733 Description: .A .paragraph .must .have .an .ancestor .  
3733 subSection .or .subSubSection.↵  
3734 Start.location: .2789:111↵  
3735 ↵  
3736 System.ID: .  
3736 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
3736 /05428F600820FF85EC0AFFBD674FFFD4.xml↵  
3737 Main.validation.file: .  
3737 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
3737 /05428F600820FF85EC0AFFBD674FFFD4.xml↵  
3738 Scenario.name: .gg-sch↵  
3739 Schema: .  
3739 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
3739 ent..sch↵

3740 Engine.name: ·ISO ·Schematron↵  
3741 Severity: ·error↵  
3742 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
3742 subSection ·or ·subSubSection.↵  
3743 Start.location: ·2811:111↵  
3744 ↵  
3745 System.ID: ·  
3745 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
3745 /05428F600820FF85EC0AFFBD674FFFD4.xml↵  
3746 Main.validation.file: ·  
3746 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
3746 /05428F600820FF85EC0AFFBD674FFFD4.xml↵  
3747 Scenario.name: ·gg-sch↵  
3748 Schema: ·  
3748 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
3748 ent..sch↵  
3749 Engine.name: ·ISO ·Schematron↵  
3750 Severity: ·error↵  
3751 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
3751 subSection ·or ·subSubSection.↵  
3752 Start.location: ·2834:111↵  
3753 ↵  
3754 System.ID: ·  
3754 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
3754 /05428F600820FF85EC0AFFBD674FFFD4.xml↵  
3755 Main.validation.file: ·  
3755 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
3755 /05428F600820FF85EC0AFFBD674FFFD4.xml↵  
3756 Scenario.name: ·gg-sch↵  
3757 Schema: ·  
3757 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
3757 ent..sch↵  
3758 Engine.name: ·ISO ·Schematron↵  
3759 Severity: ·error↵  
3760 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·

3760 subSection ·or ·subSubSection. ↵  
3761 Start ·location: ·2859:136 ↵  
3762 ↵  
3763 System ·ID: ·  
3763 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
3763 /05428F600820FF85EC0AFFBD674FFFD4.xml ↵  
3764 Main ·validation ·file: ·  
3764 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
3764 /05428F600820FF85EC0AFFBD674FFFD4.xml ↵  
3765 Scenario ·name: ·gg-sch ↵  
3766 Schema: ·  
3766 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
3766 ent..sch ↵  
3767 Engine ·name: ·ISO ·Schematron ↵  
3768 Severity: ·error ↵  
3769 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
3769 subSection ·or ·subSubSection. ↵  
3770 Start ·location: ·2886:111 ↵  
3771 ↵  
3772 System ·ID: ·  
3772 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
3772 /05428F600820FF85EC0AFFBD674FFFD4.xml ↵  
3773 Main ·validation ·file: ·  
3773 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
3773 /05428F600820FF85EC0AFFBD674FFFD4.xml ↵  
3774 Scenario ·name: ·gg-sch ↵  
3775 Schema: ·  
3775 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
3775 ent..sch ↵  
3776 Engine ·name: ·ISO ·Schematron ↵  
3777 Severity: ·error ↵  
3778 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
3778 subSection ·or ·subSubSection. ↵  
3779 Start ·location: ·2911:111 ↵  
3780 ↵

3781 System·ID: ·  
3781 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
3781 /05428F600820FF85EC0AFFBD674FFFD4.xml↵  
3782 Main·validation·file: ·  
3782 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
3782 /05428F600820FF85EC0AFFBD674FFFD4.xml↵  
3783 Scenario·name: ·gg-sch↵  
3784 Schema: ·  
3784 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
3784 ent..sch↵  
3785 Engine·name: ·ISO·Schematron↵  
3786 Severity: ·error↵  
3787 Description: ·A·paragraph·must·have·an·ancestor·  
3787 subSection·or·subSubSection.↵  
3788 Start·location: ·2935:111↵  
3789 ↵  
3790 System·ID: ·  
3790 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
3790 /05428F600820FF85EC0AFFBD674FFFD4.xml↵  
3791 Main·validation·file: ·  
3791 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
3791 /05428F600820FF85EC0AFFBD674FFFD4.xml↵  
3792 Scenario·name: ·gg-sch↵  
3793 Schema: ·  
3793 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
3793 ent..sch↵  
3794 Engine·name: ·ISO·Schematron↵  
3795 Severity: ·error↵  
3796 Description: ·A·paragraph·must·have·an·ancestor·  
3796 subSection·or·subSubSection.↵  
3797 Start·location: ·2954:111↵  
3798 ↵  
3799 System·ID: ·  
3799 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
3799 /05428F600820FF85EC0AFFBD674FFFD4.xml↵

3800 Main-validation-file: ·  
3800 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
3800 /05428F600820FF85EC0AFFBD674FFFD4.xml ↵  
3801 Scenario-name: ·gg-sch ↵  
3802 Schema: ·  
3802 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
3802 ent..sch ↵  
3803 Engine-name: ·ISO-Schematron ↵  
3804 Severity: ·error ↵  
3805 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
3805 subSection ·or ·subSubSection. ↵  
3806 Start-location: ·2983:111 ↵  
3807 ↵  
3808 System-ID: ·  
3808 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
3808 /05428F600820FF85EC0AFFBD674FFFD4.xml ↵  
3809 Main-validation-file: ·  
3809 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
3809 /05428F600820FF85EC0AFFBD674FFFD4.xml ↵  
3810 Scenario-name: ·gg-sch ↵  
3811 Schema: ·  
3811 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
3811 ent..sch ↵  
3812 Engine-name: ·ISO-Schematron ↵  
3813 Severity: ·error ↵  
3814 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
3814 subSection ·or ·subSubSection. ↵  
3815 Start-location: ·3006:111 ↵  
3816 ↵  
3817 System-ID: ·  
3817 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
3817 /05428F600820FF85EC0AFFBD674FFFD4.xml ↵  
3818 Main-validation-file: ·  
3818 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
3818 /05428F600820FF85EC0AFFBD674FFFD4.xml ↵

```
3819 Scenario·name: ·gg-sch↵
3820 Schema: ·
3820 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
3820 ent..sch↵
3821 Engine·name: ·ISO ·Schematron↵
3822 Severity: ·error↵
3823 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
3823 subSection ·or ·subSubSection.↵
3824 Start ·location: ·3035:111↵
3825 ↵
3826 System ·ID: ·
3826 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
3826 /05428F600820FF85EC0AFFBD674FFFD4.xml↵
3827 Main ·validation ·file: ·
3827 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
3827 /05428F600820FF85EC0AFFBD674FFFD4.xml↵
3828 Scenario·name: ·gg-sch↵
3829 Schema: ·
3829 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
3829 ent..sch↵
3830 Engine·name: ·ISO ·Schematron↵
3831 Severity: ·error↵
3832 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
3832 subSection ·or ·subSubSection.↵
3833 Start ·location: ·3060:136↵
3834 ↵
3835 System ·ID: ·
3835 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
3835 /05428F600820FF85EC0AFFBD674FFFD4.xml↵
3836 Main ·validation ·file: ·
3836 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
3836 /05428F600820FF85EC0AFFBD674FFFD4.xml↵
3837 Scenario·name: ·gg-sch↵
3838 Schema: ·
3838 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
```

```
3838 ent..sch↵
3839 Engine·name: ·ISO ·Schematron↵
3840 Severity: ·error↵
3841 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
3841 subSection ·or ·subSubSection.↵
3842 Start ·location: ·3074:111↵
3843 ↵
3844 System ·ID: ·
3844 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
3844 /05428F600820FF85EC0AFFBD674FFFD4.xml↵
3845 Main ·validation ·file: ·
3845 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
3845 /05428F600820FF85EC0AFFBD674FFFD4.xml↵
3846 Scenario ·name: ·gg-sch↵
3847 Schema: ·
3847 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
3847 ent..sch↵
3848 Engine·name: ·ISO ·Schematron↵
3849 Severity: ·error↵
3850 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
3850 subSection ·or ·subSubSection.↵
3851 Start ·location: ·3095:111↵
3852 ↵
3853 System ·ID: ·
3853 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
3853 /05428F600820FF85EC0AFFBD674FFFD4.xml↵
3854 Main ·validation ·file: ·
3854 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
3854 /05428F600820FF85EC0AFFBD674FFFD4.xml↵
3855 Scenario ·name: ·gg-sch↵
3856 Schema: ·
3856 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
3856 ent..sch↵
3857 Engine·name: ·ISO ·Schematron↵
3858 Severity: ·error↵
```

3859 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
3859 subSection ·or ·subSubSection. ↵  
3860 Start ·location: ·3118:111 ↵  
3861 ↵  
3862 System ·ID: ·  
3862 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
3862 /05428F600820FF85EC0AFFBD674FFFD4.xml ↵  
3863 Main ·validation ·file: ·  
3863 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
3863 /05428F600820FF85EC0AFFBD674FFFD4.xml ↵  
3864 Scenario ·name: ·gg-sch ↵  
3865 Schema: ·  
3865 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
3865 ent..sch ↵  
3866 Engine ·name: ·ISO ·Schematron ↵  
3867 Severity: ·error ↵  
3868 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
3868 subSection ·or ·subSubSection. ↵  
3869 Start ·location: ·3145:111 ↵  
3870 ↵  
3871 System ·ID: ·  
3871 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
3871 /05428F600820FF85EC0AFFBD674FFFD4.xml ↵  
3872 Main ·validation ·file: ·  
3872 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
3872 /05428F600820FF85EC0AFFBD674FFFD4.xml ↵  
3873 Scenario ·name: ·gg-sch ↵  
3874 Schema: ·  
3874 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
3874 ent..sch ↵  
3875 Engine ·name: ·ISO ·Schematron ↵  
3876 Severity: ·error ↵  
3877 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
3877 subSection ·or ·subSubSection. ↵  
3878 Start ·location: ·3174:111 ↵

```
3879 <System>
3880   System·ID: ·
3880   /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
3880   /05428F600820FF85EC0AFFBD674FFFD4.xml<
3881   Main·validation·file: ·
3881   /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
3881   /05428F600820FF85EC0AFFBD674FFFD4.xml<
3882   Scenario·name: ·gg-sch<
3883   Schema: ·
3883   /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
3883   ent..sch<
3884   Engine·name: ·ISO·Schematron<
3885   Severity: ·error<
3886   Description: ·A·paragraph·must·have·an·ancestor·
3886   subSection·or·subSubSection.<
3887   Start·location: ·3201:136<
3888 <
3889 <System>
3889   System·ID: ·
3889   /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
3889   /05428F600820FF85EC0AFFBD674FFFD4.xml<
3890   Main·validation·file: ·
3890   /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
3890   /05428F600820FF85EC0AFFBD674FFFD4.xml<
3891   Scenario·name: ·gg-sch<
3892   Schema: ·
3892   /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
3892   ent..sch<
3893   Engine·name: ·ISO·Schematron<
3894   Severity: ·error<
3895   Description: ·A·paragraph·must·have·an·ancestor·
3895   subSection·or·subSubSection.<
3896   Start·location: ·3215:111<
3897 <
3898 <System>
3898   System·ID: ·
3898   /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
```

3898 /05428F600820FF85EC0AFFBD674FFFD4.xml ↵  
3899 Main-validation-file: ·  
3899 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
3899 /05428F600820FF85EC0AFFBD674FFFD4.xml ↵  
3900 Scenario-name: ·gg-sch ↵  
3901 Schema: ·  
3901 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
3901 ent..sch ↵  
3902 Engine-name: ·ISO-Schematron ↵  
3903 Severity: ·error ↵  
3904 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
3904 subSection ·or ·subSubSection. ↵  
3905 Start-location: ·3244:111 ↵  
3906 ↵  
3907 System-ID: ·  
3907 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
3907 /05428F600820FF85EC0AFFBD674FFFD4.xml ↵  
3908 Main-validation-file: ·  
3908 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
3908 /05428F600820FF85EC0AFFBD674FFFD4.xml ↵  
3909 Scenario-name: ·gg-sch ↵  
3910 Schema: ·  
3910 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
3910 ent..sch ↵  
3911 Engine-name: ·ISO-Schematron ↵  
3912 Severity: ·error ↵  
3913 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
3913 subSection ·or ·subSubSection. ↵  
3914 Start-location: ·3273:111 ↵  
3915 ↵  
3916 System-ID: ·  
3916 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
3916 /05428F600820FF85EC0AFFBD674FFFD4.xml ↵  
3917 Main-validation-file: ·  
3917 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax

3917 /05428F600820FF85EC0AFFBD674FFFD4.xml ↵  
3918 Scenario.name: .gg-sch ↵  
3919 Schema: .  
3919 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
3919 ent..sch ↵  
3920 Engine.name: .ISO.Schematron ↵  
3921 Severity: .error ↵  
3922 Description: .A.paragraph.must.have.an.ancestor.  
3922 subSection.or.subSubSection. ↵  
3923 Start.location: .3298:111 ↵  
3924 ↵  
3925 System.ID: .  
3925 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
3925 /05428F600820FF85EC0AFFBD674FFFD4.xml ↵  
3926 Main.validation.file: .  
3926 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
3926 /05428F600820FF85EC0AFFBD674FFFD4.xml ↵  
3927 Scenario.name: .gg-sch ↵  
3928 Schema: .  
3928 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
3928 ent..sch ↵  
3929 Engine.name: .ISO.Schematron ↵  
3930 Severity: .error ↵  
3931 Description: .A.paragraph.must.have.an.ancestor.  
3931 subSection.or.subSubSection. ↵  
3932 Start.location: .3325:111 ↵  
3933 ↵  
3934 System.ID: .  
3934 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
3934 /05428F600820FF85EC0AFFBD674FFFD4.xml ↵  
3935 Main.validation.file: .  
3935 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
3935 /05428F600820FF85EC0AFFBD674FFFD4.xml ↵  
3936 Scenario.name: .gg-sch ↵  
3937 Schema: .

```
3937 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm  
3937 ent..sch↵  
3938 Engine.name: ·ISO ·Schematron↵  
3939 Severity: ·error↵  
3940 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
3940 subSection ·or ·subSubSection.↵  
3941 Start ·location: ·3344:111↵  
3942 ↵  
3943 System ·ID: ·  
3943 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
3943 /05428F600820FF85EC0AFFBD674FFFD4.xml↵  
3944 Main ·validation ·file: ·  
3944 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
3944 /05428F600820FF85EC0AFFBD674FFFD4.xml↵  
3945 Scenario ·name: ·gg-sch↵  
3946 Schema: ·  
3946 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm  
3946 ent..sch↵  
3947 Engine.name: ·ISO ·Schematron↵  
3948 Severity: ·error↵  
3949 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
3949 subSection ·or ·subSubSection.↵  
3950 Start ·location: ·3365:111↵  
3951 ↵  
3952 System ·ID: ·  
3952 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
3952 /05428F600820FF85EC0AFFBD674FFFD4.xml↵  
3953 Main ·validation ·file: ·  
3953 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
3953 /05428F600820FF85EC0AFFBD674FFFD4.xml↵  
3954 Scenario ·name: ·gg-sch↵  
3955 Schema: ·  
3955 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm  
3955 ent..sch↵  
3956 Engine.name: ·ISO ·Schematron↵
```

3957 Severity: ·error↵  
3958 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
3958 subSection ·or ·subSubSection.↵  
3959 Start ·location: ·3386:138↵  
3960 ↵  
3961 System ·ID: ·  
3961 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
3961 /05428F600820FF85EC0AFFBD674FFFD4.xml↵  
3962 Main ·validation ·file: ·  
3962 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
3962 /05428F600820FF85EC0AFFBD674FFFD4.xml↵  
3963 Scenario ·name: ·gg-sch↵  
3964 Schema: ·  
3964 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
3964 ent..sch↵  
3965 Engine ·name: ·ISO ·Schematron↵  
3966 Severity: ·error↵  
3967 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
3967 subSection ·or ·subSubSection.↵  
3968 Start ·location: ·3407:111↵  
3969 ↵  
3970 System ·ID: ·  
3970 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
3970 /05428F600820FF85EC0AFFBD674FFFD4.xml↵  
3971 Main ·validation ·file: ·  
3971 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
3971 /05428F600820FF85EC0AFFBD674FFFD4.xml↵  
3972 Scenario ·name: ·gg-sch↵  
3973 Schema: ·  
3973 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
3973 ent..sch↵  
3974 Engine ·name: ·ISO ·Schematron↵  
3975 Severity: ·error↵  
3976 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
3976 subSection ·or ·subSubSection.↵

3977 Start ·location: ·3430:111 ↵  
3978 ↵  
3979 System ·ID: ·  
3979 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
3979 /05428F600820FF85EC0AFFBD674FFFD4.xml ↵  
3980 Main ·validation ·file: ·  
3980 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
3980 /05428F600820FF85EC0AFFBD674FFFD4.xml ↵  
3981 Scenario ·name: ·gg-sch ↵  
3982 Schema: ·  
3982 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
3982 ent..sch ↵  
3983 Engine ·name: ·ISO ·Schematron ↵  
3984 Severity: ·error ↵  
3985 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
3985 subSection ·or ·subSubSection. ↵  
3986 Start ·location: ·3453:111 ↵  
3987 ↵  
3988 System ·ID: ·  
3988 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
3988 /05428F600820FF85EC0AFFBD674FFFD4.xml ↵  
3989 Main ·validation ·file: ·  
3989 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
3989 /05428F600820FF85EC0AFFBD674FFFD4.xml ↵  
3990 Scenario ·name: ·gg-sch ↵  
3991 Schema: ·  
3991 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
3991 ent..sch ↵  
3992 Engine ·name: ·ISO ·Schematron ↵  
3993 Severity: ·error ↵  
3994 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
3994 subSection ·or ·subSubSection. ↵  
3995 Start ·location: ·3475:111 ↵  
3996 ↵  
3997 System ·ID: ·

```
3997 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
3997 /05428F600820FF85EC0AFFBD674FFFD4.xml↵
3998 Main-validation-file: .
3998 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
3998 /05428F600820FF85EC0AFFBD674FFFD4.xml↵
3999 Scenario-name: .gg-sch↵
4000 Schema: .
4000 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
4000 ent..sch↵
4001 Engine-name: .ISO-Schematron↵
4002 Severity: .error↵
4003 Description: .A paragraph must have an ancestor .
4003 subSection.or subSubSection.↵
4004 Start-location: .3498:111↵
4005 ↵
4006 System-ID: .
4006 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
4006 /05428F600820FF85EC0AFFBD674FFFD4.xml↵
4007 Main-validation-file: .
4007 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
4007 /05428F600820FF85EC0AFFBD674FFFD4.xml↵
4008 Scenario-name: .gg-sch↵
4009 Schema: .
4009 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
4009 ent..sch↵
4010 Engine-name: .ISO-Schematron↵
4011 Severity: .error↵
4012 Description: .A paragraph must have an ancestor .
4012 subSection.or subSubSection.↵
4013 Start-location: .3525:111↵
4014 ↵
4015 System-ID: .
4015 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
4015 /05428F600820FF85EC0AFFBD674FFFD4.xml↵
4016 Main-validation-file: .
```

```
4016 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
4016 /05428F600820FF85EC0AFFBD674FFFD4.xml↵
4017 Scenario·name: ·gg-sch↵
4018 Schema: ·
4018 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
4018 ent..sch↵
4019 Engine·name: ·ISO ·Schematron↵
4020 Severity: ·error↵
4021 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
4021 subSection ·or ·subSubSection.↵
4022 Start ·location: ·3550:138↵
4023 ↵
4024 System ·ID: ·
4024 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
4024 /05428F600820FF85EC0AFFBD674FFFD4.xml↵
4025 Main ·validation ·file: ·
4025 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
4025 /05428F600820FF85EC0AFFBD674FFFD4.xml↵
4026 Scenario ·name: ·gg-sch↵
4027 Schema: ·
4027 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
4027 ent..sch↵
4028 Engine·name: ·ISO ·Schematron↵
4029 Severity: ·error↵
4030 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
4030 subSection ·or ·subSubSection.↵
4031 Start ·location: ·3567:111↵
4032 ↵
4033 System ·ID: ·
4033 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
4033 /05428F600820FF85EC0AFFBD674FFFD4.xml↵
4034 Main ·validation ·file: ·
4034 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
4034 /05428F600820FF85EC0AFFBD674FFFD4.xml↵
4035 Scenario ·name: ·gg-sch↵
```

```
4036 Schema: .
4036 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
4036 ent..sch↵
4037 Engine.name: .ISO .Schematron↵
4038 Severity: .error↵
4039 Description: .A .paragraph .must .have .an .ancestor .
4039 subSection .or .subSubSection.↵
4040 Start.location: .3598:111↵
4041 ↵
4042 System.ID: .
4042 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
4042 /05428F600820FF85EC0AFFBD674FFFD4.xml↵
4043 Main.validation.file: .
4043 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
4043 /05428F600820FF85EC0AFFBD674FFFD4.xml↵
4044 Scenario.name: .gg-sch↵
4045 Schema: .
4045 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
4045 ent..sch↵
4046 Engine.name: .ISO .Schematron↵
4047 Severity: .error↵
4048 Description: .A .paragraph .must .have .an .ancestor .
4048 subSection .or .subSubSection.↵
4049 Start.location: .3621:111↵
4050 ↵
4051 System.ID: .
4051 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
4051 /05428F600820FF85EC0AFFBD674FFFD4.xml↵
4052 Main.validation.file: .
4052 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
4052 /05428F600820FF85EC0AFFBD674FFFD4.xml↵
4053 Scenario.name: .gg-sch↵
4054 Schema: .
4054 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
4054 ent..sch↵
```

4055 Engine.name: ·ISO ·Schematron↵  
4056 Severity: ·error↵  
4057 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
4057 subSection ·or ·subSubSection.↵  
4058 Start.location: ·3646:111↵  
4059 ↵  
4060 System.ID: ·  
4060 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
4060 /05428F600820FF85EC0AFFBD674FFFD4.xml↵  
4061 Main.validation.file: ·  
4061 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
4061 /05428F600820FF85EC0AFFBD674FFFD4.xml↵  
4062 Scenario.name: ·gg-sch↵  
4063 Schema: ·  
4063 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
4063 ent..sch↵  
4064 Engine.name: ·ISO ·Schematron↵  
4065 Severity: ·error↵  
4066 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
4066 subSection ·or ·subSubSection.↵  
4067 Start.location: ·3673:111↵  
4068 ↵  
4069 System.ID: ·  
4069 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
4069 /05428F600820FF85EC0AFFBD674FFFD4.xml↵  
4070 Main.validation.file: ·  
4070 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
4070 /05428F600820FF85EC0AFFBD674FFFD4.xml↵  
4071 Scenario.name: ·gg-sch↵  
4072 Schema: ·  
4072 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
4072 ent..sch↵  
4073 Engine.name: ·ISO ·Schematron↵  
4074 Severity: ·error↵  
4075 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·

4075 subSection ·or ·subSubSection. ↵  
4076 Start ·location: ·3700:111 ↵  
4077 ↵  
4078 System ·ID: ·  
4078 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
4078 /05428F600820FF85EC0AFFBD674FFFD4.xml ↵  
4079 Main ·validation ·file: ·  
4079 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
4079 /05428F600820FF85EC0AFFBD674FFFD4.xml ↵  
4080 Scenario ·name: ·gg-sch ↵  
4081 Schema: ·  
4081 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
4081 ent..sch ↵  
4082 Engine ·name: ·ISO ·Schematron ↵  
4083 Severity: ·error ↵  
4084 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
4084 subSection ·or ·subSubSection. ↵  
4085 Start ·location: ·3727:111 ↵  
4086 ↵  
4087 System ·ID: ·  
4087 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
4087 /05428F600820FF85EC0AFFBD674FFFD4.xml ↵  
4088 Main ·validation ·file: ·  
4088 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
4088 /05428F600820FF85EC0AFFBD674FFFD4.xml ↵  
4089 Scenario ·name: ·gg-sch ↵  
4090 Schema: ·  
4090 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
4090 ent..sch ↵  
4091 Engine ·name: ·ISO ·Schematron ↵  
4092 Severity: ·error ↵  
4093 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
4093 subSection ·or ·subSubSection. ↵  
4094 Start ·location: ·3753:111 ↵  
4095 ↵

4096 System·ID: ·  
4096 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
4096 /05428F600820FF85EC0AFFBD674FFFD4.xml↵  
4097 Main·validation·file: ·  
4097 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
4097 /05428F600820FF85EC0AFFBD674FFFD4.xml↵  
4098 Scenario·name: ·gg-sch↵  
4099 Schema: ·  
4099 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
4099 ent..sch↵  
4100 Engine·name: ·ISO·Schematron↵  
4101 Severity: ·error↵  
4102 Description: ·A·paragraph·must·have·an·ancestor·  
4102 subSection·or·subSubSection.↵  
4103 Start·location: ·3786:110↵  
4104 ↵  
4105 System·ID: ·  
4105 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
4105 /05428F600820FF85EC0AFFBD674FFFD4.xml↵  
4106 Main·validation·file: ·  
4106 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
4106 /05428F600820FF85EC0AFFBD674FFFD4.xml↵  
4107 Scenario·name: ·gg-sch↵  
4108 Schema: ·  
4108 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
4108 ent..sch↵  
4109 Engine·name: ·ISO·Schematron↵  
4110 Severity: ·error↵  
4111 Description: ·A·paragraph·must·have·an·ancestor·  
4111 subSection·or·subSubSection.↵  
4112 Start·location: ·3811:135↵  
4113 ↵  
4114 System·ID: ·  
4114 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
4114 /05428F600820FF85EC0AFFBD674FFFD4.xml↵

```
4115 Main-validation-file: ·  
4115 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
4115 /05428F600820FF85EC0AFFBD674FFFD4.xml↵  
4116 Scenario-name: ·gg-sch↵  
4117 Schema: ·  
4117 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm  
4117 ent..sch↵  
4118 Engine-name: ·ISO ·Schematron↵  
4119 Severity: ·error↵  
4120 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
4120 subSection ·or ·subSubSection.↵  
4121 Start ·location: ·3826:110↵  
4122 ↵  
4123 System ·ID: ·  
4123 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
4123 /05428F600820FF85EC0AFFBD674FFFD4.xml↵  
4124 Main-validation-file: ·  
4124 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
4124 /05428F600820FF85EC0AFFBD674FFFD4.xml↵  
4125 Scenario-name: ·gg-sch↵  
4126 Schema: ·  
4126 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm  
4126 ent..sch↵  
4127 Engine-name: ·ISO ·Schematron↵  
4128 Severity: ·error↵  
4129 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
4129 subSection ·or ·subSubSection.↵  
4130 Start ·location: ·3855:110↵  
4131 ↵  
4132 System ·ID: ·  
4132 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
4132 /05428F600820FF85EC0AFFBD674FFFD4.xml↵  
4133 Main-validation-file: ·  
4133 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
4133 /05428F600820FF85EC0AFFBD674FFFD4.xml↵
```

```
4134 Scenario·name: ·gg-sch↵
4135 Schema: ·
4135 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
4135 ent..sch↵
4136 Engine·name: ·ISO ·Schematron↵
4137 Severity: ·error↵
4138 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
4138 subSection ·or ·subSubSection.↵
4139 Start ·location: ·3886:110↵
4140 ↵
4141 System ·ID: ·
4141 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
4141 /05428F600820FF85EC0AFFBD674FFFD4.xml↵
4142 Main ·validation ·file: ·
4142 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
4142 /05428F600820FF85EC0AFFBD674FFFD4.xml↵
4143 Scenario·name: ·gg-sch↵
4144 Schema: ·
4144 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
4144 ent..sch↵
4145 Engine·name: ·ISO ·Schematron↵
4146 Severity: ·error↵
4147 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
4147 subSection ·or ·subSubSection.↵
4148 Start ·location: ·3916:110↵
4149 ↵
4150 System ·ID: ·
4150 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
4150 /05428F600820FF85EC0AFFBD674FFFD4.xml↵
4151 Main ·validation ·file: ·
4151 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
4151 /05428F600820FF85EC0AFFBD674FFFD4.xml↵
4152 Scenario·name: ·gg-sch↵
4153 Schema: ·
4153 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
```

```
4153 ent..sch↵
4154 Engine·name: ·ISO ·Schematron↵
4155 Severity: ·error↵
4156 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
4156 subSection ·or ·subSubSection.↵
4157 Start ·location: ·3939:110↵
4158 ↵
4159 System ·ID: ·
4159 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
4159 /05428F600820FF85EC0AFFBD674FFFD4.xml↵
4160 Main ·validation ·file: ·
4160 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
4160 /05428F600820FF85EC0AFFBD674FFFD4.xml↵
4161 Scenario ·name: ·gg-sch↵
4162 Schema: ·
4162 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
4162 ent..sch↵
4163 Engine·name: ·ISO ·Schematron↵
4164 Severity: ·error↵
4165 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
4165 subSection ·or ·subSubSection.↵
4166 Start ·location: ·3960:110↵
4167 ↵
4168 System ·ID: ·
4168 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
4168 /05428F600820FF85EC0AFFBD674FFFD4.xml↵
4169 Main ·validation ·file: ·
4169 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
4169 /05428F600820FF85EC0AFFBD674FFFD4.xml↵
4170 Scenario ·name: ·gg-sch↵
4171 Schema: ·
4171 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
4171 ent..sch↵
4172 Engine·name: ·ISO ·Schematron↵
4173 Severity: ·error↵
```

4174 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
4174 subSection ·or ·subSubSection. ↵  
4175 Start ·location: ·3986:135 ↵  
4176 ↵  
4177 System ·ID: ·  
4177 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
4177 /05428F600820FF85EC0AFFBD674FFFD4.xml ↵  
4178 Main ·validation ·file: ·  
4178 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
4178 /05428F600820FF85EC0AFFBD674FFFD4.xml ↵  
4179 Scenario ·name: ·gg-sch ↵  
4180 Schema: ·  
4180 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
4180 ent..sch ↵  
4181 Engine ·name: ·ISO ·Schematron ↵  
4182 Severity: ·error ↵  
4183 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
4183 subSection ·or ·subSubSection. ↵  
4184 Start ·location: ·4002:110 ↵  
4185 ↵  
4186 System ·ID: ·  
4186 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
4186 /05428F600820FF85EC0AFFBD674FFFD4.xml ↵  
4187 Main ·validation ·file: ·  
4187 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
4187 /05428F600820FF85EC0AFFBD674FFFD4.xml ↵  
4188 Scenario ·name: ·gg-sch ↵  
4189 Schema: ·  
4189 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
4189 ent..sch ↵  
4190 Engine ·name: ·ISO ·Schematron ↵  
4191 Severity: ·error ↵  
4192 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
4192 subSection ·or ·subSubSection. ↵  
4193 Start ·location: ·4023:110 ↵

```
4194 <!--  
4195 System·ID: ·  
4195 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
4195 /05428F600820FF85EC0AFFBD674FFFD4.xml-->  
4196 Main·validation·file: ·  
4196 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
4196 /05428F600820FF85EC0AFFBD674FFFD4.xml-->  
4197 Scenario·name: ·gg-sch-->  
4198 Schema: ·  
4198 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm  
4198 ent..sch-->  
4199 Engine·name: ·ISO·Schematron-->  
4200 Severity: ·error-->  
4201 Description: ·A·paragraph·must·have·an·ancestor·  
4201 subSection·or·subSubSection.-->  
4202 Start·location: ·4048:110-->  
4203 -->  
4204 System·ID: ·  
4204 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
4204 /05428F600820FF85EC0AFFBD674FFFD4.xml-->  
4205 Main·validation·file: ·  
4205 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
4205 /05428F600820FF85EC0AFFBD674FFFD4.xml-->  
4206 Scenario·name: ·gg-sch-->  
4207 Schema: ·  
4207 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm  
4207 ent..sch-->  
4208 Engine·name: ·ISO·Schematron-->  
4209 Severity: ·error-->  
4210 Description: ·A·paragraph·must·have·an·ancestor·  
4210 subSection·or·subSubSection.-->  
4211 Start·location: ·4071:110-->  
4212 -->  
4213 System·ID: ·  
4213 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
```

4213 /05428F600820FF85EC0AFFBD674FFFD4.xml ↵  
4214 Main-validation-file: ·  
4214 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
4214 /05428F600820FF85EC0AFFBD674FFFD4.xml ↵  
4215 Scenario-name: ·gg-sch ↵  
4216 Schema: ·  
4216 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
4216 ent..sch ↵  
4217 Engine-name: ·ISO-Schematron ↵  
4218 Severity: ·error ↵  
4219 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
4219 subSection ·or ·subSubSection. ↵  
4220 Start-location: ·4094:110 ↵  
4221 ↵  
4222 System-ID: ·  
4222 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
4222 /05428F600820FF85EC0AFFBD674FFFD4.xml ↵  
4223 Main-validation-file: ·  
4223 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
4223 /05428F600820FF85EC0AFFBD674FFFD4.xml ↵  
4224 Scenario-name: ·gg-sch ↵  
4225 Schema: ·  
4225 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
4225 ent..sch ↵  
4226 Engine-name: ·ISO-Schematron ↵  
4227 Severity: ·error ↵  
4228 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
4228 subSection ·or ·subSubSection. ↵  
4229 Start-location: ·4117:110 ↵  
4230 ↵  
4231 System-ID: ·  
4231 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
4231 /05428F600820FF85EC0AFFBD674FFFD4.xml ↵  
4232 Main-validation-file: ·  
4232 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax

4232 /05428F600820FF85EC0AFFBD674FFFD4.xml ↵  
4233 Scenario.name: .gg-sch ↵  
4234 Schema: .  
4234 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
4234 ent..sch ↵  
4235 Engine.name: .ISO.Schematron ↵  
4236 Severity: .error ↵  
4237 Description: .A.paragraph.must.have.an.ancestor.  
4237 subSection.or.subSubSection. ↵  
4238 Start.location: .4142:135 ↵  
4239 ↵  
4240 System.ID: .  
4240 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
4240 /05428F600820FF85EC0AFFBD674FFFD4.xml ↵  
4241 Main.validation.file: .  
4241 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
4241 /05428F600820FF85EC0AFFBD674FFFD4.xml ↵  
4242 Scenario.name: .gg-sch ↵  
4243 Schema: .  
4243 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
4243 ent..sch ↵  
4244 Engine.name: .ISO.Schematron ↵  
4245 Severity: .error ↵  
4246 Description: .A.paragraph.must.have.an.ancestor.  
4246 subSection.or.subSubSection. ↵  
4247 Start.location: .4161:110 ↵  
4248 ↵  
4249 System.ID: .  
4249 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
4249 /05428F600820FF85EC0AFFBD674FFFD4.xml ↵  
4250 Main.validation.file: .  
4250 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
4250 /05428F600820FF85EC0AFFBD674FFFD4.xml ↵  
4251 Scenario.name: .gg-sch ↵  
4252 Schema: .

```
4252 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm  
4252 ent..sch↵  
4253 Engine.name: ·ISO ·Schematron↵  
4254 Severity: ·error↵  
4255 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
4255 subSection ·or ·subSubSection.↵  
4256 Start ·location: ·4188:110↵  
4257 ↵  
4258 System ·ID: ·  
4258 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
4258 /05428F600820FF85EC0AFFBD674FFFD4.xml↵  
4259 Main ·validation ·file: ·  
4259 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
4259 /05428F600820FF85EC0AFFBD674FFFD4.xml↵  
4260 Scenario ·name: ·gg-sch↵  
4261 Schema: ·  
4261 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm  
4261 ent..sch↵  
4262 Engine.name: ·ISO ·Schematron↵  
4263 Severity: ·error↵  
4264 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
4264 subSection ·or ·subSubSection.↵  
4265 Start ·location: ·4211:110↵  
4266 ↵  
4267 System ·ID: ·  
4267 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
4267 /05428F600820FF85EC0AFFBD674FFFD4.xml↵  
4268 Main ·validation ·file: ·  
4268 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
4268 /05428F600820FF85EC0AFFBD674FFFD4.xml↵  
4269 Scenario ·name: ·gg-sch↵  
4270 Schema: ·  
4270 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm  
4270 ent..sch↵  
4271 Engine.name: ·ISO ·Schematron↵
```

4272 Severity: ·error ↵  
4273 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
4273 subSection ·or ·subSubSection. ↵  
4274 Start ·location: ·4234:136 ↵  
4275 ↵  
4276 System ·ID: ·  
4276 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
4276 /05428F600820FF85EC0AFFBD674FFFD4.xml ↵  
4277 Main ·validation ·file: ·  
4277 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
4277 /05428F600820FF85EC0AFFBD674FFFD4.xml ↵  
4278 Scenario ·name: ·gg-sch ↵  
4279 Schema: ·  
4279 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
4279 ent..sch ↵  
4280 Engine ·name: ·ISO ·Schematron ↵  
4281 Severity: ·error ↵  
4282 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
4282 subSection ·or ·subSubSection. ↵  
4283 Start ·location: ·4249:110 ↵  
4284 ↵  
4285 System ·ID: ·  
4285 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
4285 /05428F600820FF85EC0AFFBD674FFFD4.xml ↵  
4286 Main ·validation ·file: ·  
4286 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
4286 /05428F600820FF85EC0AFFBD674FFFD4.xml ↵  
4287 Scenario ·name: ·gg-sch ↵  
4288 Schema: ·  
4288 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
4288 ent..sch ↵  
4289 Engine ·name: ·ISO ·Schematron ↵  
4290 Severity: ·error ↵  
4291 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
4291 subSection ·or ·subSubSection. ↵

4292 Start ·location: ·4272:110 ↵  
4293 ↵  
4294 System ·ID: ·  
4294 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
4294 /05428F600820FF85EC0AFFBD674FFFD4.xml ↵  
4295 Main ·validation ·file: ·  
4295 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
4295 /05428F600820FF85EC0AFFBD674FFFD4.xml ↵  
4296 Scenario ·name: ·gg-sch ↵  
4297 Schema: ·  
4297 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
4297 ent..sch ↵  
4298 Engine ·name: ·ISO ·Schematron ↵  
4299 Severity: ·error ↵  
4300 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
4300 subSection ·or ·subSubSection. ↵  
4301 Start ·location: ·4301:110 ↵  
4302 ↵  
4303 System ·ID: ·  
4303 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
4303 /05428F600820FF85EC0AFFBD674FFFD4.xml ↵  
4304 Main ·validation ·file: ·  
4304 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
4304 /05428F600820FF85EC0AFFBD674FFFD4.xml ↵  
4305 Scenario ·name: ·gg-sch ↵  
4306 Schema: ·  
4306 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
4306 ent..sch ↵  
4307 Engine ·name: ·ISO ·Schematron ↵  
4308 Severity: ·error ↵  
4309 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
4309 subSection ·or ·subSubSection. ↵  
4310 Start ·location: ·4330:110 ↵  
4311 ↵  
4312 System ·ID: ·

4312 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
4312 /05428F600820FF85EC0AFFBD674FFFD4.xml ↵  
4313 Main-validation-file: ·  
4313 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
4313 /05428F600820FF85EC0AFFBD674FFFD4.xml ↵  
4314 Scenario-name: ·gg-sch ↵  
4315 Schema: ·  
4315 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
4316 Engine-name: ·ISO ·Schematron ↵  
4317 Severity: ·error ↵  
4318 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
4318 subSection ·or ·subSubSection. ↵  
4319 Start-location: ·4361:137 ↵  
4320 ↵  
4321 System-ID: ·  
4321 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
4321 /05428F600820FF85EC0AFFBD674FFFD4.xml ↵  
4322 Main-validation-file: ·  
4322 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
4322 /05428F600820FF85EC0AFFBD674FFFD4.xml ↵  
4323 Scenario-name: ·gg-sch ↵  
4324 Schema: ·  
4324 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
4325 Engine-name: ·ISO ·Schematron ↵  
4326 Severity: ·error ↵  
4327 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
4327 subSection ·or ·subSubSection. ↵  
4328 Start-location: ·4366:111 ↵  
4329 ↵  
4330 System-ID: ·  
4330 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
4330 /05428F600820FF85EC0AFFBD674FFFD4.xml ↵  
4331 Main-validation-file: ·

```
4331 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
4331 /05428F600820FF85EC0AFFBD674FFFD4.xml↵
4332 Scenario·name: ·gg-sch↵
4333 Schema: ·
4333 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
4333 ent..sch↵
4334 Engine·name: ·ISO ·Schematron↵
4335 Severity: ·error↵
4336 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
4336 subSection ·or ·subSubSection.↵
4337 Start ·location: ·4367:137↵
4338 ↵
4339 System ·ID: ·
4339 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
4339 /05428F600820FF85EC0AFFBD674FFFD4.xml↵
4340 Main ·validation ·file: ·
4340 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
4340 /05428F600820FF85EC0AFFBD674FFFD4.xml↵
4341 Scenario·name: ·gg-sch↵
4342 Schema: ·
4342 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
4342 ent..sch↵
4343 Engine·name: ·ISO ·Schematron↵
4344 Severity: ·error↵
4345 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
4345 subSection ·or ·subSubSection.↵
4346 Start ·location: ·4372:111↵
4347 ↵
4348 System ·ID: ·
4348 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
4348 /05428F600820FF85EC0AFFBD674FFFD4.xml↵
4349 Main ·validation ·file: ·
4349 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
4349 /05428F600820FF85EC0AFFBD674FFFD4.xml↵
4350 Scenario·name: ·gg-sch↵
```

4351 Schema: .  
4351 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
4351 ent..sch↵  
4352 Engine.name: .ISO .Schematron↵  
4353 Severity: .error↵  
4354 Description: .A .paragraph .must .have .an .ancestor .  
4354 subSection .or .subSubSection.↵  
4355 Start.location: .4373:136↵  
4356 ↵  
4357 System.ID: .  
4357 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
4357 /05428F600820FF85EC0AFFBD674FFFD4.xml↵  
4358 Main.validation.file: .  
4358 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
4358 /05428F600820FF85EC0AFFBD674FFFD4.xml↵  
4359 Scenario.name: .gg-sch↵  
4360 Schema: .  
4360 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
4360 ent..sch↵  
4361 Engine.name: .ISO .Schematron↵  
4362 Severity: .error↵  
4363 Description: .A .paragraph .must .have .an .ancestor .  
4363 subSection .or .subSubSection.↵  
4364 Start.location: .4378:136↵  
4365 ↵  
4366 System.ID: .  
4366 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
4366 /05428F600820FF85EC0AFFBD674FFFD4.xml↵  
4367 Main.validation.file: .  
4367 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
4367 /05428F600820FF85EC0AFFBD674FFFD4.xml↵  
4368 Scenario.name: .gg-sch↵  
4369 Schema: .  
4369 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
4369 ent..sch↵

4370 Engine.name: ·ISO ·Schematron↵  
4371 Severity: ·error↵  
4372 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
4372 subSection ·or ·subSubSection.↵  
4373 Start.location: ·4379:137↵  
4374 ↵  
4375 System.ID: ·  
4375 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
4375 /05428F600820FF85EC0AFFBD674FFFD4.xml↵  
4376 Main.validation.file: ·  
4376 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
4376 /05428F600820FF85EC0AFFBD674FFFD4.xml↵  
4377 Scenario.name: ·gg-sch↵  
4378 Schema: ·  
4378 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
4378 ent..sch↵  
4379 Engine.name: ·ISO ·Schematron↵  
4380 Severity: ·error↵  
4381 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
4381 subSection ·or ·subSubSection.↵  
4382 Start.location: ·4384:138↵  
4383 ↵  
4384 System.ID: ·  
4384 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
4384 /05428F600820FF85EC0AFFBD674FFFD4.xml↵  
4385 Main.validation.file: ·  
4385 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
4385 /05428F600820FF85EC0AFFBD674FFFD4.xml↵  
4386 Scenario.name: ·gg-sch↵  
4387 Schema: ·  
4387 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
4387 ent..sch↵  
4388 Engine.name: ·ISO ·Schematron↵  
4389 Severity: ·error↵  
4390 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·

```
4390 subSection ·or ·subSubSection. ↵
4391 Start ·location: ·4388:138 ↵
4392 ↵
4393 System ·ID: ·
4393 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
4393 /05428F600820FF85EC0AFFBD674FFFD4.xml ↵
4394 Main ·validation ·file: ·
4394 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
4394 /05428F600820FF85EC0AFFBD674FFFD4.xml ↵
4395 Scenario ·name: ·gg-sch ↵
4396 Schema: ·
4396 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
4396 ent..sch ↵
4397 Engine ·name: ·ISO ·Schematron ↵
4398 Severity: ·error ↵
4399 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
4399 subSection ·or ·subSubSection. ↵
4400 Start ·location: ·4392:138 ↵
4401 ↵
4402 System ·ID: ·
4402 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
4402 /05428F600820FF85EC0AFFBD674FFFD4.xml ↵
4403 Main ·validation ·file: ·
4403 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
4403 /05428F600820FF85EC0AFFBD674FFFD4.xml ↵
4404 Scenario ·name: ·gg-sch ↵
4405 Schema: ·
4405 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
4405 ent..sch ↵
4406 Engine ·name: ·ISO ·Schematron ↵
4407 Severity: ·error ↵
4408 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
4408 subSection ·or ·subSubSection. ↵
4409 Start ·location: ·4396:111 ↵
4410 ↵
```

4411 System·ID: ·  
4411 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
4411 /05428F600820FF85EC0AFFBD674FFFD4.xml↵  
4412 Main·validation·file: ·  
4412 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
4412 /05428F600820FF85EC0AFFBD674FFFD4.xml↵  
4413 Scenario·name: ·gg-sch↵  
4414 Schema: ·  
4414 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
4414 ent..sch↵  
4415 Engine·name: ·ISO·Schematron↵  
4416 Severity: ·error↵  
4417 Description: ·A·paragraph·must·have·an·ancestor·  
4417 subSection·or·subSubSection.↵  
4418 Start·location: ·4400:109↵  
4419 ↵  
4420 System·ID: ·  
4420 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
4420 /05428F600820FF85EC0AFFBD674FFFD4.xml↵  
4421 Main·validation·file: ·  
4421 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
4421 /05428F600820FF85EC0AFFBD674FFFD4.xml↵  
4422 Scenario·name: ·gg-sch↵  
4423 Schema: ·  
4423 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
4423 ent..sch↵  
4424 Engine·name: ·ISO·Schematron↵  
4425 Severity: ·error↵  
4426 Description: ·A·paragraph·must·have·an·ancestor·  
4426 subSection·or·subSubSection.↵  
4427 Start·location: ·4405:132↵  
4428 ↵  
4429 System·ID: ·  
4429 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
4429 /7453FF86FF80FFD711539E41BF31FF92.xml↵

```
4430 Main-validation-file: ·  
4430 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
4430 /7453FF86FF80FFD711539E41BF31FF92.xml↵  
4431 Scenario-name: ·gg-sch↵  
4432 Schema: ·  
4432 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm  
4432 ent..sch↵  
4433 Engine-name: ·ISO ·Schematron↵  
4434 Severity: ·error↵  
4435 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
4435 subSection ·or ·subSubSection.↵  
4436 Start ·location: ·53:133↵  
4437 ↵  
4438 System ·ID: ·  
4438 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
4438 /7453FF86FF80FFD711539E41BF31FF92.xml↵  
4439 Main-validation-file: ·  
4439 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
4439 /7453FF86FF80FFD711539E41BF31FF92.xml↵  
4440 Scenario-name: ·gg-sch↵  
4441 Schema: ·  
4441 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm  
4441 ent..sch↵  
4442 Engine-name: ·ISO ·Schematron↵  
4443 Severity: ·error↵  
4444 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
4444 subSection ·or ·subSubSection.↵  
4445 Start ·location: ·59:133↵  
4446 ↵  
4447 System ·ID: ·  
4447 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
4447 /7453FF86FF80FFD711539E41BF31FF92.xml↵  
4448 Main-validation-file: ·  
4448 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
4448 /7453FF86FF80FFD711539E41BF31FF92.xml↵
```

```
4449 Scenario·name: ·gg-sch↵
4450 Schema: ·
4450 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
4450 ent..sch↵
4451 Engine·name: ·ISO·Schematron↵
4452 Severity: ·error↵
4453 Description: ·A·paragraph·must·have·an·ancestor·
4453 subSection·or·subSubSection.↵
4454 Start·location: ·75:133↵
4455 ↵
4456 System·ID: ·
4456 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
4456 /7453FF86FF80FFD711539E41BF31FF92.xml↵
4457 Main·validation·file: ·
4457 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
4457 /7453FF86FF80FFD711539E41BF31FF92.xml↵
4458 Scenario·name: ·gg-sch↵
4459 Schema: ·
4459 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
4459 ent..sch↵
4460 Engine·name: ·ISO·Schematron↵
4461 Severity: ·error↵
4462 Description: ·A·paragraph·must·have·an·ancestor·
4462 subSection·or·subSubSection.↵
4463 Start·location: ·82:109↵
4464 ↵
4465 System·ID: ·
4465 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
4465 /7453FF86FF80FFD711539E41BF31FF92.xml↵
4466 Main·validation·file: ·
4466 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
4466 /7453FF86FF80FFD711539E41BF31FF92.xml↵
4467 Scenario·name: ·gg-sch↵
4468 Schema: ·
4468 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
```

```
4468 ent..sch↵
4469 Engine·name: ·ISO ·Schematron↵
4470 Severity: ·error↵
4471 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
4471 subSection ·or ·subSubSection.↵
4472 Start ·location: ·86:109↵
4473 ↵
4474 System ·ID: ·
4474 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
4474 /7453FF86FF80FFD711539E41BF31FF92.xml↵
4475 Main ·validation ·file: ·
4475 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
4475 /7453FF86FF80FFD711539E41BF31FF92.xml↵
4476 Scenario ·name: ·gg-sch↵
4477 Schema: ·
4477 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
4477 ent..sch↵
4478 Engine·name: ·ISO ·Schematron↵
4479 Severity: ·error↵
4480 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
4480 subSection ·or ·subSubSection.↵
4481 Start ·location: ·90:109↵
4482 ↵
4483 System ·ID: ·
4483 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
4483 /7453FF86FF80FFD711539E41BF31FF92.xml↵
4484 Main ·validation ·file: ·
4484 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
4484 /7453FF86FF80FFD711539E41BF31FF92.xml↵
4485 Scenario ·name: ·gg-sch↵
4486 Schema: ·
4486 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
4486 ent..sch↵
4487 Engine·name: ·ISO ·Schematron↵
4488 Severity: ·error↵
```

4489 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
4489 subSection ·or ·subSubSection. ↵  
4490 Start ·location: ·120:109 ↵  
4491 ↵  
4492 System ·ID: ·  
4492 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
4492 /7453FF86FF80FFD711539E41BF31FF92.xml ↵  
4493 Main ·validation ·file: ·  
4493 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
4493 /7453FF86FF80FFD711539E41BF31FF92.xml ↵  
4494 Scenario ·name: ·gg-sch ↵  
4495 Schema: ·  
4495 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
4495 ent..sch ↵  
4496 Engine ·name: ·ISO ·Schematron ↵  
4497 Severity: ·error ↵  
4498 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
4498 subSection ·or ·subSubSection. ↵  
4499 Start ·location: ·141:109 ↵  
4500 ↵  
4501 System ·ID: ·  
4501 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
4501 /7453FF86FF80FFD711539E41BF31FF92.xml ↵  
4502 Main ·validation ·file: ·  
4502 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
4502 /7453FF86FF80FFD711539E41BF31FF92.xml ↵  
4503 Scenario ·name: ·gg-sch ↵  
4504 Schema: ·  
4504 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
4504 ent..sch ↵  
4505 Engine ·name: ·ISO ·Schematron ↵  
4506 Severity: ·error ↵  
4507 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
4507 subSection ·or ·subSubSection. ↵  
4508 Start ·location: ·172:110 ↵

4509 ↵  
4510 System·ID: ·  
4510 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
4510 /7453FF86FF80FFD711539E41BF31FF92.xml↵  
4511 Main·validation·file: ·  
4511 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
4511 /7453FF86FF80FFD711539E41BF31FF92.xml↵  
4512 Scenario·name: ·gg-sch↵  
4513 Schema: ·  
4513 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch↵  
4514 Engine·name: ·ISO·Schematron↵  
4515 Severity: ·error↵  
4516 Description: ·A·paragraph·must·have·an·ancestor·  
4516 subSection·or·subSubSection.↵  
4517 Start·location: ·210:181↵  
4518 ↵  
4519 System·ID: ·  
4519 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
4519 /7453FF86FF80FFD711539E41BF31FF92.xml↵  
4520 Main·validation·file: ·  
4520 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
4520 /7453FF86FF80FFD711539E41BF31FF92.xml↵  
4521 Scenario·name: ·gg-sch↵  
4522 Schema: ·  
4522 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch↵  
4523 Engine·name: ·ISO·Schematron↵  
4524 Severity: ·error↵  
4525 Description: ·A·paragraph·must·have·an·ancestor·  
4525 subSection·or·subSubSection.↵  
4526 Start·location: ·255:110↵  
4527 ↵  
4528 System·ID: ·  
4528 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax

```
4528 /7453FF86FF80FFD711539E41BF31FF92.xml↵
4529 Main-validation-file: ·
4529 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
4529 /7453FF86FF80FFD711539E41BF31FF92.xml↵
4530 Scenario-name: ·gg-sch↵
4531 Schema: ·
4531 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
4531 ent..sch↵
4532 Engine-name: ·ISO ·Schematron↵
4533 Severity: ·error↵
4534 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
4534 subSection ·or ·subSubSection.↵
4535 Start ·location: ·274:109↵
4536 ↵
4537 System ·ID: ·
4537 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
4537 /7453FF86FF80FFD711539E41BF31FF92.xml↵
4538 Main-validation-file: ·
4538 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
4538 /7453FF86FF80FFD711539E41BF31FF92.xml↵
4539 Scenario-name: ·gg-sch↵
4540 Schema: ·
4540 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
4540 ent..sch↵
4541 Engine-name: ·ISO ·Schematron↵
4542 Severity: ·error↵
4543 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
4543 subSection ·or ·subSubSection.↵
4544 Start ·location: ·383:109↵
4545 ↵
4546 System ·ID: ·
4546 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
4546 /7453FF86FF80FFD711539E41BF31FF92.xml↵
4547 Main-validation-file: ·
4547 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
```

```
4547 /7453FF86FF80FFD711539E41BF31FF92.xml↵
4548 Scenario·name: ·gg-sch↵
4549 Schema: ·
4549 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
4549 ent..sch↵
4550 Engine·name: ·ISO ·Schematron↵
4551 Severity: ·error↵
4552 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
4552 subSection ·or ·subSubSection.↵
4553 Start ·location: ·407:110↵
4554 ↵
4555 System ·ID: ·
4555 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
4555 /7453FF86FF80FFD711539E41BF31FF92.xml↵
4556 Main ·validation ·file: ·
4556 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
4556 /7453FF86FF80FFD711539E41BF31FF92.xml↵
4557 Scenario ·name: ·gg-sch↵
4558 Schema: ·
4558 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
4558 ent..sch↵
4559 Engine·name: ·ISO ·Schematron↵
4560 Severity: ·error↵
4561 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
4561 subSection ·or ·subSubSection.↵
4562 Start ·location: ·414:181↵
4563 ↵
4564 System ·ID: ·
4564 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
4564 /7453FF86FF80FFD711539E41BF31FF92.xml↵
4565 Main ·validation ·file: ·
4565 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
4565 /7453FF86FF80FFD711539E41BF31FF92.xml↵
4566 Scenario ·name: ·gg-sch↵
4567 Schema: ·
```

```
4567 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm  
4567 ent..sch↵  
4568 Engine.name: ·ISO ·Schematron↵  
4569 Severity: ·error↵  
4570 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
4570 subSection ·or ·subSubSection.↵  
4571 Start ·location: ·505:110↵  
4572 ↵  
4573 System ·ID: ·  
4573 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
4573 /7453FF86FF80FFD711539E41BF31FF92.xml↵  
4574 Main ·validation ·file: ·  
4574 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
4574 /7453FF86FF80FFD711539E41BF31FF92.xml↵  
4575 Scenario ·name: ·gg-sch↵  
4576 Schema: ·  
4576 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm  
4576 ent..sch↵  
4577 Engine.name: ·ISO ·Schematron↵  
4578 Severity: ·error↵  
4579 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
4579 subSection ·or ·subSubSection.↵  
4580 Start ·location: ·511:109↵  
4581 ↵  
4582 System ·ID: ·  
4582 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
4582 /7453FF86FF80FFD711539E41BF31FF92.xml↵  
4583 Main ·validation ·file: ·  
4583 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
4583 /7453FF86FF80FFD711539E41BF31FF92.xml↵  
4584 Scenario ·name: ·gg-sch↵  
4585 Schema: ·  
4585 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm  
4585 ent..sch↵  
4586 Engine.name: ·ISO ·Schematron↵
```

4587 Severity: ·error ↵  
4588 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
4588 subSection ·or ·subSubSection. ↵  
4589 Start ·location: ·516:145 ↵  
4590 ↵  
4591 System ·ID: ·  
4591 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
4591 /7453FF86FF80FFD711539E41BF31FF92.xml ↵  
4592 Main ·validation ·file: ·  
4592 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
4592 /7453FF86FF80FFD711539E41BF31FF92.xml ↵  
4593 Scenario ·name: ·gg-sch ↵  
4594 Schema: ·  
4594 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
4594 ent..sch ↵  
4595 Engine ·name: ·ISO ·Schematron ↵  
4596 Severity: ·error ↵  
4597 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
4597 subSection ·or ·subSubSection. ↵  
4598 Start ·location: ·599:136 ↵  
4599 ↵  
4600 System ·ID: ·  
4600 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
4600 /7453FF86FF80FFD711539E41BF31FF92.xml ↵  
4601 Main ·validation ·file: ·  
4601 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
4601 /7453FF86FF80FFD711539E41BF31FF92.xml ↵  
4602 Scenario ·name: ·gg-sch ↵  
4603 Schema: ·  
4603 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
4603 ent..sch ↵  
4604 Engine ·name: ·ISO ·Schematron ↵  
4605 Severity: ·error ↵  
4606 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
4606 subSection ·or ·subSubSection. ↵

4607 Start ·location: ·601:78 ↵  
4608 ↵  
4609 System ·ID: ·  
4609 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
4609 /7453FF86FF80FFD711539E41BF31FF92.xml ↵  
4610 Main ·validation ·file: ·  
4610 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
4610 /7453FF86FF80FFD711539E41BF31FF92.xml ↵  
4611 Scenario ·name: ·gg-sch ↵  
4612 Schema: ·  
4612 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
4612 ent..sch ↵  
4613 Engine ·name: ·ISO ·Schematron ↵  
4614 Severity: ·error ↵  
4615 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
4615 subSection ·or ·subSubSection. ↵  
4616 Start ·location: ·663:111 ↵  
4617 ↵  
4618 System ·ID: ·  
4618 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
4618 /7453FF86FF80FFD711539E41BF31FF92.xml ↵  
4619 Main ·validation ·file: ·  
4619 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
4619 /7453FF86FF80FFD711539E41BF31FF92.xml ↵  
4620 Scenario ·name: ·gg-sch ↵  
4621 Schema: ·  
4621 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
4621 ent..sch ↵  
4622 Engine ·name: ·ISO ·Schematron ↵  
4623 Severity: ·error ↵  
4624 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
4624 subSection ·or ·subSubSection. ↵  
4625 Start ·location: ·664:133 ↵  
4626 ↵  
4627 System ·ID: ·

4627 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
4627 /7453FF86FF80FFD711539E41BF31FF92.xml ↵  
4628 Main-validation-file: ·  
4628 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
4628 /7453FF86FF80FFD711539E41BF31FF92.xml ↵  
4629 Scenario-name: ·gg-sch ↵  
4630 Schema: ·  
4630 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
4630 ent..sch ↵  
4631 Engine-name: ·ISO ·Schematron ↵  
4632 Severity: ·error ↵  
4633 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
4633 subSection ·or ·subSubSection. ↵  
4634 Start-location: ·669:133 ↵  
4635 ↵  
4636 System-ID: ·  
4636 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
4636 /7453FF86FF80FFD711539E41BF31FF92.xml ↵  
4637 Main-validation-file: ·  
4637 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
4637 /7453FF86FF80FFD711539E41BF31FF92.xml ↵  
4638 Scenario-name: ·gg-sch ↵  
4639 Schema: ·  
4639 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
4639 ent..sch ↵  
4640 Engine-name: ·ISO ·Schematron ↵  
4641 Severity: ·error ↵  
4642 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
4642 subSection ·or ·subSubSection. ↵  
4643 Start-location: ·674:109 ↵  
4644 ↵  
4645 System-ID: ·  
4645 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
4645 /7453FF86FF80FFD711539E41BF31FF92.xml ↵  
4646 Main-validation-file: ·

```
4646 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
4646 /7453FF86FF80FFD711539E41BF31FF92.xml↵
4647 Scenario·name: ·gg-sch↵
4648 Schema: ·
4648 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
4648 ent..sch↵
4649 Engine·name: ·ISO ·Schematron↵
4650 Severity: ·error↵
4651 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
4651 subSection ·or ·subSubSection.↵
4652 Start ·location: ·675:133↵
4653 ↵
4654 System ·ID: ·
4654 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
4654 /7453FF86FF80FFD711539E41BF31FF92.xml↵
4655 Main ·validation ·file: ·
4655 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
4655 /7453FF86FF80FFD711539E41BF31FF92.xml↵
4656 Scenario ·name: ·gg-sch↵
4657 Schema: ·
4657 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
4657 ent..sch↵
4658 Engine·name: ·ISO ·Schematron↵
4659 Severity: ·error↵
4660 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
4660 subSection ·or ·subSubSection.↵
4661 Start ·location: ·678:109↵
4662 ↵
4663 System ·ID: ·
4663 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
4663 /7453FF86FF80FFD711539E41BF31FF92.xml↵
4664 Main ·validation ·file: ·
4664 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
4664 /7453FF86FF80FFD711539E41BF31FF92.xml↵
4665 Scenario ·name: ·gg-sch↵
```

4666 Schema: .  
4666 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
4666 ent..sch↵  
4667 Engine.name: .ISO .Schematron↵  
4668 Severity: .error↵  
4669 Description: .A .paragraph .must .have .an .ancestor .  
4669 subSection .or .subSubSection.↵  
4670 Start.location: .706:133↵  
4671 ↵  
4672 System.ID: .  
4672 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
4672 /7453FF86FF80FFD711539E41BF31FF92.xml↵  
4673 Main.validation.file: .  
4673 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
4673 /7453FF86FF80FFD711539E41BF31FF92.xml↵  
4674 Scenario.name: .gg-sch↵  
4675 Schema: .  
4675 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
4675 ent..sch↵  
4676 Engine.name: .ISO .Schematron↵  
4677 Severity: .error↵  
4678 Description: .A .paragraph .must .have .an .ancestor .  
4678 subSection .or .subSubSection.↵  
4679 Start.location: .709:109↵  
4680 ↵  
4681 System.ID: .  
4681 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
4681 /7453FF86FF80FFD711539E41BF31FF92.xml↵  
4682 Main.validation.file: .  
4682 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
4682 /7453FF86FF80FFD711539E41BF31FF92.xml↵  
4683 Scenario.name: .gg-sch↵  
4684 Schema: .  
4684 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
4684 ent..sch↵

4685 Engine ·name: ·ISO ·Schematron ↵  
4686 Severity: ·error ↵  
4687 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
4687 subSection ·or ·subSubSection. ↵  
4688 Start ·location: ·715:133 ↵  
4689 ↵  
4690 System ·ID: ·  
4690 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
4690 /7453FF86FF80FFD711539E41BF31FF92.xml ↵  
4691 Main ·validation ·file: ·  
4691 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
4691 /7453FF86FF80FFD711539E41BF31FF92.xml ↵  
4692 Scenario ·name: ·gg-sch ↵  
4693 Schema: ·  
4693 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
4693 ent..sch ↵  
4694 Engine ·name: ·ISO ·Schematron ↵  
4695 Severity: ·error ↵  
4696 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
4696 subSection ·or ·subSubSection. ↵  
4697 Start ·location: ·718:109 ↵  
4698 ↵  
4699 System ·ID: ·  
4699 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
4699 /7453FF86FF80FFD711539E41BF31FF92.xml ↵  
4700 Main ·validation ·file: ·  
4700 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
4700 /7453FF86FF80FFD711539E41BF31FF92.xml ↵  
4701 Scenario ·name: ·gg-sch ↵  
4702 Schema: ·  
4702 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
4702 ent..sch ↵  
4703 Engine ·name: ·ISO ·Schematron ↵  
4704 Severity: ·error ↵  
4705 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·

4705 subSection ·or ·subSubSection. ↵  
4706 Start ·location: ·749:135 ↵  
4707 ↵  
4708 System ·ID: ·  
4708 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
4708 /7453FF86FF80FFD711539E41BF31FF92.xml ↵  
4709 Main ·validation ·file: ·  
4709 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
4709 /7453FF86FF80FFD711539E41BF31FF92.xml ↵  
4710 Scenario ·name: ·gg-sch ↵  
4711 Schema: ·  
4711 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
4711 ent..sch ↵  
4712 Engine ·name: ·ISO ·Schematron ↵  
4713 Severity: ·error ↵  
4714 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
4714 subSection ·or ·subSubSection. ↵  
4715 Start ·location: ·752:109 ↵  
4716 ↵  
4717 System ·ID: ·  
4717 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
4717 /7453FF86FF80FFD711539E41BF31FF92.xml ↵  
4718 Main ·validation ·file: ·  
4718 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
4718 /7453FF86FF80FFD711539E41BF31FF92.xml ↵  
4719 Scenario ·name: ·gg-sch ↵  
4720 Schema: ·  
4720 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
4720 ent..sch ↵  
4721 Engine ·name: ·ISO ·Schematron ↵  
4722 Severity: ·error ↵  
4723 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
4723 subSection ·or ·subSubSection. ↵  
4724 Start ·location: ·753:135 ↵  
4725 ↵

4726 System·ID: ·  
4726 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
4726 /7453FF86FF80FFD711539E41BF31FF92.xml↵  
4727 Main·validation·file: ·  
4727 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
4727 /7453FF86FF80FFD711539E41BF31FF92.xml↵  
4728 Scenario·name: ·gg-sch↵  
4729 Schema: ·  
4729 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
4729 ent..sch↵  
4730 Engine·name: ·ISO·Schematron↵  
4731 Severity: ·error↵  
4732 Description: ·A·paragraph·must·have·an·ancestor·  
4732 subSection·or·subSubSection.↵  
4733 Start·location: ·754:135↵  
4734 ↵  
4735 System·ID: ·  
4735 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
4735 /7453FF86FF80FFD711539E41BF31FF92.xml↵  
4736 Main·validation·file: ·  
4736 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
4736 /7453FF86FF80FFD711539E41BF31FF92.xml↵  
4737 Scenario·name: ·gg-sch↵  
4738 Schema: ·  
4738 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
4738 ent..sch↵  
4739 Engine·name: ·ISO·Schematron↵  
4740 Severity: ·error↵  
4741 Description: ·A·paragraph·must·have·an·ancestor·  
4741 subSection·or·subSubSection.↵  
4742 Start·location: ·773:135↵  
4743 ↵  
4744 System·ID: ·  
4744 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
4744 /7453FF86FF80FFD711539E41BF31FF92.xml↵

```
4745 Main-validation-file: ·  
4745 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
4745 /7453FF86FF80FFD711539E41BF31FF92.xml↵  
4746 Scenario-name: ·gg-sch↵  
4747 Schema: ·  
4747 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm  
4747 ent..sch↵  
4748 Engine-name: ·ISO ·Schematron↵  
4749 Severity: ·error↵  
4750 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
4750 subSection ·or ·subSubSection.↵  
4751 Start ·location: ·787:109↵  
4752 ↵  
4753 System ·ID: ·  
4753 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
4753 /7453FF86FF80FFD711539E41BF31FF92.xml↵  
4754 Main-validation-file: ·  
4754 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
4754 /7453FF86FF80FFD711539E41BF31FF92.xml↵  
4755 Scenario-name: ·gg-sch↵  
4756 Schema: ·  
4756 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm  
4756 ent..sch↵  
4757 Engine-name: ·ISO ·Schematron↵  
4758 Severity: ·error↵  
4759 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
4759 subSection ·or ·subSubSection.↵  
4760 Start ·location: ·810:109↵  
4761 ↵  
4762 System ·ID: ·  
4762 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
4762 /7453FF86FF80FFD711539E41BF31FF92.xml↵  
4763 Main-validation-file: ·  
4763 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
4763 /7453FF86FF80FFD711539E41BF31FF92.xml↵
```

4764 Scenario ·name: ·gg-sch ↵  
4765 Schema: ·  
4765 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
4765 ent..sch ↵  
4766 Engine ·name: ·ISO ·Schematron ↵  
4767 Severity: ·error ↵  
4768 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
4768 subSection ·or ·subSubSection. ↵  
4769 Start ·location: ·832:109 ↵  
4770 ↵  
4771 System ·ID: ·  
4771 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
4771 /7453FF86FF80FFD711539E41BF31FF92.xml ↵  
4772 Main ·validation ·file: ·  
4772 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
4772 /7453FF86FF80FFD711539E41BF31FF92.xml ↵  
4773 Scenario ·name: ·gg-sch ↵  
4774 Schema: ·  
4774 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
4774 ent..sch ↵  
4775 Engine ·name: ·ISO ·Schematron ↵  
4776 Severity: ·error ↵  
4777 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
4777 subSection ·or ·subSubSection. ↵  
4778 Start ·location: ·847:109 ↵  
4779 ↵  
4780 System ·ID: ·  
4780 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
4780 /7453FF86FF80FFD711539E41BF31FF92.xml ↵  
4781 Main ·validation ·file: ·  
4781 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
4781 /7453FF86FF80FFD711539E41BF31FF92.xml ↵  
4782 Scenario ·name: ·gg-sch ↵  
4783 Schema: ·  
4783 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm

```
4783 ent..sch↵
4784 Engine·name: ·ISO ·Schematron↵
4785 Severity: ·error↵
4786 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
4786 subSection ·or ·subSubSection.↵
4787 Start ·location: ·868:135↵
4788 ↵
4789 System ·ID: ·
4789 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
4789 /7453FF86FF80FFD711539E41BF31FF92.xml↵
4790 Main ·validation ·file: ·
4790 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
4790 /7453FF86FF80FFD711539E41BF31FF92.xml↵
4791 Scenario ·name: ·gg-sch↵
4792 Schema: ·
4792 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
4792 ent..sch↵
4793 Engine·name: ·ISO ·Schematron↵
4794 Severity: ·error↵
4795 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
4795 subSection ·or ·subSubSection.↵
4796 Start ·location: ·883:109↵
4797 ↵
4798 System ·ID: ·
4798 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
4798 /7453FF86FF80FFD711539E41BF31FF92.xml↵
4799 Main ·validation ·file: ·
4799 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
4799 /7453FF86FF80FFD711539E41BF31FF92.xml↵
4800 Scenario ·name: ·gg-sch↵
4801 Schema: ·
4801 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
4801 ent..sch↵
4802 Engine·name: ·ISO ·Schematron↵
4803 Severity: ·error↵
```

4804 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
4804 subSection ·or ·subSubSection. ↵  
4805 Start ·location: ·905:109 ↵  
4806 ↵  
4807 System ·ID: ·  
4807 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
4807 /7453FF86FF80FFD711539E41BF31FF92.xml ↵  
4808 Main ·validation ·file: ·  
4808 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
4808 /7453FF86FF80FFD711539E41BF31FF92.xml ↵  
4809 Scenario ·name: ·gg-sch ↵  
4810 Schema: ·  
4810 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
4810 ent..sch ↵  
4811 Engine ·name: ·ISO ·Schematron ↵  
4812 Severity: ·error ↵  
4813 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
4813 subSection ·or ·subSubSection. ↵  
4814 Start ·location: ·929:135 ↵  
4815 ↵  
4816 System ·ID: ·  
4816 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
4816 /7453FF86FF80FFD711539E41BF31FF92.xml ↵  
4817 Main ·validation ·file: ·  
4817 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
4817 /7453FF86FF80FFD711539E41BF31FF92.xml ↵  
4818 Scenario ·name: ·gg-sch ↵  
4819 Schema: ·  
4819 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
4819 ent..sch ↵  
4820 Engine ·name: ·ISO ·Schematron ↵  
4821 Severity: ·error ↵  
4822 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
4822 subSection ·or ·subSubSection. ↵  
4823 Start ·location: ·946:109 ↵

```
4824 <System·ID: ·  
4825 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
4825 /7453FF86FF80FFD711539E41BF31FF92.xml<  
4826 Main·validation·file: ·  
4826 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
4826 /7453FF86FF80FFD711539E41BF31FF92.xml<  
4827 Scenario·name: ·gg-sch<  
4828 Schema: ·  
4828 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm  
4828 ent..sch<  
4829 Engine·name: ·ISO·Schematron<  
4830 Severity: ·error<  
4831 Description: ·A·paragraph·must·have·an·ancestor·  
4831 subSection·or·subSubSection.<  
4832 Start·location: ·972:109<  
4833 <  
4834 System·ID: ·  
4834 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
4834 /7453FF86FF80FFD711539E41BF31FF92.xml<  
4835 Main·validation·file: ·  
4835 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
4835 /7453FF86FF80FFD711539E41BF31FF92.xml<  
4836 Scenario·name: ·gg-sch<  
4837 Schema: ·  
4837 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm  
4837 ent..sch<  
4838 Engine·name: ·ISO·Schematron<  
4839 Severity: ·error<  
4840 Description: ·A·paragraph·must·have·an·ancestor·  
4840 subSection·or·subSubSection.<  
4841 Start·location: ·996:109<  
4842 <  
4843 System·ID: ·  
4843 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
```

4843 /7453FF86FF80FFD711539E41BF31FF92.xml ↵  
4844 Main-validation-file: ·  
4844 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
4844 /7453FF86FF80FFD711539E41BF31FF92.xml ↵  
4845 Scenario-name: ·gg-sch ↵  
4846 Schema: ·  
4846 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
4846 ent..sch ↵  
4847 Engine-name: ·ISO-Schematron ↵  
4848 Severity: ·error ↵  
4849 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
4849 subSection ·or ·subSubSection. ↵  
4850 Start-location: ·1027:109 ↵  
4851 ↵  
4852 System-ID: ·  
4852 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
4852 /7453FF86FF80FFD711539E41BF31FF92.xml ↵  
4853 Main-validation-file: ·  
4853 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
4853 /7453FF86FF80FFD711539E41BF31FF92.xml ↵  
4854 Scenario-name: ·gg-sch ↵  
4855 Schema: ·  
4855 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
4855 ent..sch ↵  
4856 Engine-name: ·ISO-Schematron ↵  
4857 Severity: ·error ↵  
4858 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
4858 subSection ·or ·subSubSection. ↵  
4859 Start-location: ·1050:109 ↵  
4860 ↵  
4861 System-ID: ·  
4861 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
4861 /7453FF86FF80FFD711539E41BF31FF92.xml ↵  
4862 Main-validation-file: ·  
4862 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax

4862 /7453FF86FF80FFD711539E41BF31FF92.xml ↵  
4863 Scenario.name: .gg-sch ↵  
4864 Schema: .  
4864 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
4864 ent..sch ↵  
4865 Engine.name: .ISO.Schematron ↵  
4866 Severity: .error ↵  
4867 Description: .A.paragraph.must.have.an.ancestor.  
4867 subSection.or.subSubSection. ↵  
4868 Start.location: .1073:109 ↵  
4869 ↵  
4870 System.ID: .  
4870 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
4870 /7453FF86FF80FFD711539E41BF31FF92.xml ↵  
4871 Main.validation.file: .  
4871 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
4871 /7453FF86FF80FFD711539E41BF31FF92.xml ↵  
4872 Scenario.name: .gg-sch ↵  
4873 Schema: .  
4873 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
4873 ent..sch ↵  
4874 Engine.name: .ISO.Schematron ↵  
4875 Severity: .error ↵  
4876 Description: .A.paragraph.must.have.an.ancestor.  
4876 subSection.or.subSubSection. ↵  
4877 Start.location: .1101:171 ↵  
4878 ↵  
4879 System.ID: .  
4879 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
4879 /7453FF86FF80FFD711539E41BF31FF92.xml ↵  
4880 Main.validation.file: .  
4880 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
4880 /7453FF86FF80FFD711539E41BF31FF92.xml ↵  
4881 Scenario.name: .gg-sch ↵  
4882 Schema: .

```
4882 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm  
4882 ent..sch↵  
4883 Engine.name: ·ISO ·Schematron↵  
4884 Severity: ·error↵  
4885 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
4885 subSection ·or ·subSubSection.↵  
4886 Start ·location: ·1129:110↵  
4887 ↵  
4888 System ·ID: ·  
4888 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
4888 /7453FF86FF80FFD711539E41BF31FF92.xml↵  
4889 Main ·validation ·file: ·  
4889 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
4889 /7453FF86FF80FFD711539E41BF31FF92.xml↵  
4890 Scenario ·name: ·gg-sch↵  
4891 Schema: ·  
4891 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm  
4891 ent..sch↵  
4892 Engine.name: ·ISO ·Schematron↵  
4893 Severity: ·error↵  
4894 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
4894 subSection ·or ·subSubSection.↵  
4895 Start ·location: ·1157:110↵  
4896 ↵  
4897 System ·ID: ·  
4897 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
4897 /7453FF86FF80FFD711539E41BF31FF92.xml↵  
4898 Main ·validation ·file: ·  
4898 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
4898 /7453FF86FF80FFD711539E41BF31FF92.xml↵  
4899 Scenario ·name: ·gg-sch↵  
4900 Schema: ·  
4900 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm  
4900 ent..sch↵  
4901 Engine.name: ·ISO ·Schematron↵
```

4902 Severity: ·error ↵  
4903 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
4903 subSection ·or ·subSubSection. ↵  
4904 Start ·location: ·1177:135 ↵  
4905 ↵  
4906 System ·ID: ·  
4906 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
4906 /7453FF86FF80FFD711539E41BF31FF92.xml ↵  
4907 Main ·validation ·file: ·  
4907 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
4907 /7453FF86FF80FFD711539E41BF31FF92.xml ↵  
4908 Scenario ·name: ·gg-sch ↵  
4909 Schema: ·  
4909 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
4909 ent..sch ↵  
4910 Engine ·name: ·ISO ·Schematron ↵  
4911 Severity: ·error ↵  
4912 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
4912 subSection ·or ·subSubSection. ↵  
4913 Start ·location: ·1201:110 ↵  
4914 ↵  
4915 System ·ID: ·  
4915 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
4915 /7453FF86FF80FFD711539E41BF31FF92.xml ↵  
4916 Main ·validation ·file: ·  
4916 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
4916 /7453FF86FF80FFD711539E41BF31FF92.xml ↵  
4917 Scenario ·name: ·gg-sch ↵  
4918 Schema: ·  
4918 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
4918 ent..sch ↵  
4919 Engine ·name: ·ISO ·Schematron ↵  
4920 Severity: ·error ↵  
4921 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
4921 subSection ·or ·subSubSection. ↵

4922 Start ·location: ·1226:110 ↵  
4923 ↵  
4924 System ·ID: ·  
4924 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
4924 /7453FF86FF80FFD711539E41BF31FF92.xml ↵  
4925 Main ·validation ·file: ·  
4925 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
4925 /7453FF86FF80FFD711539E41BF31FF92.xml ↵  
4926 Scenario ·name: ·gg-sch ↵  
4927 Schema: ·  
4927 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
4927 ent..sch ↵  
4928 Engine ·name: ·ISO ·Schematron ↵  
4929 Severity: ·error ↵  
4930 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
4930 subSection ·or ·subSubSection. ↵  
4931 Start ·location: ·1252:110 ↵  
4932 ↵  
4933 System ·ID: ·  
4933 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
4933 /7453FF86FF80FFD711539E41BF31FF92.xml ↵  
4934 Main ·validation ·file: ·  
4934 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
4934 /7453FF86FF80FFD711539E41BF31FF92.xml ↵  
4935 Scenario ·name: ·gg-sch ↵  
4936 Schema: ·  
4936 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
4936 ent..sch ↵  
4937 Engine ·name: ·ISO ·Schematron ↵  
4938 Severity: ·error ↵  
4939 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
4939 subSection ·or ·subSubSection. ↵  
4940 Start ·location: ·1271:110 ↵  
4941 ↵  
4942 System ·ID: ·

```
4942 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
4942 /7453FF86FF80FFD711539E41BF31FF92.xml↵
4943 Main-validation-file: ·
4943 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
4943 /7453FF86FF80FFD711539E41BF31FF92.xml↵
4944 Scenario-name: ·gg-sch↵
4945 Schema: ·
4945 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
4945 ent..sch↵
4946 Engine-name: ·ISO ·Schematron↵
4947 Severity: ·error↵
4948 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
4948 subSection ·or ·subSubSection.↵
4949 Start-location: ·1287:110↵
4950 ↵
4951 System-ID: ·
4951 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
4951 /7453FF86FF80FFD711539E41BF31FF92.xml↵
4952 Main-validation-file: ·
4952 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
4952 /7453FF86FF80FFD711539E41BF31FF92.xml↵
4953 Scenario-name: ·gg-sch↵
4954 Schema: ·
4954 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
4954 ent..sch↵
4955 Engine-name: ·ISO ·Schematron↵
4956 Severity: ·error↵
4957 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
4957 subSection ·or ·subSubSection.↵
4958 Start-location: ·1302:110↵
4959 ↵
4960 System-ID: ·
4960 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
4960 /7453FF86FF80FFD711539E41BF31FF92.xml↵
4961 Main-validation-file: ·
```

```
4961 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
4961 /7453FF86FF80FFD711539E41BF31FF92.xml↵
4962 Scenario·name: ·gg-sch↵
4963 Schema: ·
4963 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
4963 ent..sch↵
4964 Engine·name: ·ISO ·Schematron↵
4965 Severity: ·error↵
4966 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
4966 subSection ·or ·subSubSection.↵
4967 Start ·location: ·1329:135↵
4968 ↵
4969 System ·ID: ·
4969 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
4969 /7453FF86FF80FFD711539E41BF31FF92.xml↵
4970 Main ·validation ·file: ·
4970 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
4970 /7453FF86FF80FFD711539E41BF31FF92.xml↵
4971 Scenario ·name: ·gg-sch↵
4972 Schema: ·
4972 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
4972 ent..sch↵
4973 Engine·name: ·ISO ·Schematron↵
4974 Severity: ·error↵
4975 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
4975 subSection ·or ·subSubSection.↵
4976 Start ·location: ·1343:135↵
4977 ↵
4978 System ·ID: ·
4978 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
4978 /7453FF86FF80FFD711539E41BF31FF92.xml↵
4979 Main ·validation ·file: ·
4979 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
4979 /7453FF86FF80FFD711539E41BF31FF92.xml↵
4980 Scenario ·name: ·gg-sch↵
```

```
4981 Schema: .
4981 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
4981 ent..sch↵
4982 Engine.name: .ISO .Schematron↵
4983 Severity: .error↵
4984 Description: .A .paragraph .must .have .an .ancestor .
4984 subSection .or .subSubSection.↵
4985 Start.location: .1349:110↵
4986 ↵
4987 System.ID: .
4987 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
4987 /7453FF86FF80FFD711539E41BF31FF92.xml↵
4988 Main.validation.file: .
4988 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
4988 /7453FF86FF80FFD711539E41BF31FF92.xml↵
4989 Scenario.name: .gg-sch↵
4990 Schema: .
4990 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
4990 ent..sch↵
4991 Engine.name: .ISO .Schematron↵
4992 Severity: .error↵
4993 Description: .A .paragraph .must .have .an .ancestor .
4993 subSection .or .subSubSection.↵
4994 Start.location: .1353:110↵
4995 ↵
4996 System.ID: .
4996 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
4996 /7453FF86FF80FFD711539E41BF31FF92.xml↵
4997 Main.validation.file: .
4997 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
4997 /7453FF86FF80FFD711539E41BF31FF92.xml↵
4998 Scenario.name: .gg-sch↵
4999 Schema: .
4999 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
4999 ent..sch↵
```

5000 Engine ·name: ·ISO ·Schematron ↵  
5001 Severity: ·error ↵  
5002 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
5002 subSection ·or ·subSubSection. ↵  
5003 Start ·location: ·1357:110 ↵  
5004 ↵  
5005 System ·ID: ·  
5005 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
5005 /7453FF86FF80FFD711539E41BF31FF92.xml ↵  
5006 Main ·validation ·file: ·  
5006 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
5006 /7453FF86FF80FFD711539E41BF31FF92.xml ↵  
5007 Scenario ·name: ·gg-sch ↵  
5008 Schema: ·  
5008 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
5008 ent..sch ↵  
5009 Engine ·name: ·ISO ·Schematron ↵  
5010 Severity: ·error ↵  
5011 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
5011 subSection ·or ·subSubSection. ↵  
5012 Start ·location: ·1361:135 ↵  
5013 ↵  
5014 System ·ID: ·  
5014 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
5014 /7453FF86FF80FFD711539E41BF31FF92.xml ↵  
5015 Main ·validation ·file: ·  
5015 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
5015 /7453FF86FF80FFD711539E41BF31FF92.xml ↵  
5016 Scenario ·name: ·gg-sch ↵  
5017 Schema: ·  
5017 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
5017 ent..sch ↵  
5018 Engine ·name: ·ISO ·Schematron ↵  
5019 Severity: ·error ↵  
5020 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·

5020 subSection ·or ·subSubSection .↳  
5021 Start ·location: ·1365:134↳  
5022 ↳  
5023 System ·ID: ·  
5023 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
5023 /7873FFFCFFCDFC0E2F61FFC7FFA7FFEB.xml↳  
5024 Main ·validation ·file: ·  
5024 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
5024 /7873FFFCFFCDFC0E2F61FFC7FFA7FFEB.xml↳  
5025 Scenario ·name: ·gg-sch↳  
5026 Schema: ·  
5026 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
5026 ent..sch↳  
5027 Engine ·name: ·ISO ·Schematron↳  
5028 Severity: ·error↳  
5029 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
5029 subSection ·or ·subSubSection .↳  
5030 Start ·location: ·64:129↳  
5031 ↳  
5032 System ·ID: ·  
5032 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
5032 /7873FFFCFFCDFC0E2F61FFC7FFA7FFEB.xml↳  
5033 Main ·validation ·file: ·  
5033 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
5033 /7873FFFCFFCDFC0E2F61FFC7FFA7FFEB.xml↳  
5034 Scenario ·name: ·gg-sch↳  
5035 Schema: ·  
5035 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
5035 ent..sch↳  
5036 Engine ·name: ·ISO ·Schematron↳  
5037 Severity: ·error↳  
5038 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
5038 subSection ·or ·subSubSection .↳  
5039 Start ·location: ·69:128↳  
5040 ↳

5041 System·ID: ·  
5041 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
5041 /7873FFFCFFCDFC0E2F61FFC7FFA7FFEB.xml↵  
5042 Main·validation·file: ·  
5042 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
5042 /7873FFFCFFCDFC0E2F61FFC7FFA7FFEB.xml↵  
5043 Scenario·name: ·gg-sch↵  
5044 Schema: ·  
5044 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
5044 ent..sch↵  
5045 Engine·name: ·ISO·Schematron↵  
5046 Severity: ·error↵  
5047 Description: ·A·paragraph·must·have·an·ancestor·  
5047 subSection·or·subSubSection.↵  
5048 Start·location: ·73:128↵  
5049 ↵  
5050 System·ID: ·  
5050 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
5050 /7873FFFCFFCDFC0E2F61FFC7FFA7FFEB.xml↵  
5051 Main·validation·file: ·  
5051 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
5051 /7873FFFCFFCDFC0E2F61FFC7FFA7FFEB.xml↵  
5052 Scenario·name: ·gg-sch↵  
5053 Schema: ·  
5053 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
5053 ent..sch↵  
5054 Engine·name: ·ISO·Schematron↵  
5055 Severity: ·error↵  
5056 Description: ·A·paragraph·must·have·an·ancestor·  
5056 subSection·or·subSubSection.↵  
5057 Start·location: ·74:128↵  
5058 ↵  
5059 System·ID: ·  
5059 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
5059 /7873FFFCFFCDFC0E2F61FFC7FFA7FFEB.xml↵

5060 Main-validation-file: ·  
5060 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
5060 /7873FFFCFFCDFC0E2F61FFC7FFA7FFEB.xml ↵  
5061 Scenario-name: ·gg-sch ↵  
5062 Schema: ·  
5062 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
5062 ent..sch ↵  
5063 Engine-name: ·ISO-Schematron ↵  
5064 Severity: ·error ↵  
5065 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
5065 subSection ·or ·subSubSection. ↵  
5066 Start-location: ·75:107 ↵  
5067 ↵  
5068 System-ID: ·  
5068 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
5068 /7873FFFCFFCDFC0E2F61FFC7FFA7FFEB.xml ↵  
5069 Main-validation-file: ·  
5069 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
5069 /7873FFFCFFCDFC0E2F61FFC7FFA7FFEB.xml ↵  
5070 Scenario-name: ·gg-sch ↵  
5071 Schema: ·  
5071 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
5071 ent..sch ↵  
5072 Engine-name: ·ISO-Schematron ↵  
5073 Severity: ·error ↵  
5074 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
5074 subSection ·or ·subSubSection. ↵  
5075 Start-location: ·82:107 ↵  
5076 ↵  
5077 System-ID: ·  
5077 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
5077 /7873FFFCFFCDFC0E2F61FFC7FFA7FFEB.xml ↵  
5078 Main-validation-file: ·  
5078 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
5078 /7873FFFCFFCDFC0E2F61FFC7FFA7FFEB.xml ↵

5079 Scenario ·name: ·gg-sch ↵  
5080 Schema: ·  
5080 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
5080 ent..sch ↵  
5081 Engine ·name: ·ISO ·Schematron ↵  
5082 Severity: ·error ↵  
5083 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
5083 subSection ·or ·subSubSection. ↵  
5084 Start ·location: ·118:108 ↵  
5085 ↵  
5086 System ·ID: ·  
5086 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
5086 /7873FFFCFFCDFC0E2F61FFC7FFA7FFEB.xml ↵  
5087 Main ·validation ·file: ·  
5087 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
5087 /7873FFFCFFCDFC0E2F61FFC7FFA7FFEB.xml ↵  
5088 Scenario ·name: ·gg-sch ↵  
5089 Schema: ·  
5089 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
5089 ent..sch ↵  
5090 Engine ·name: ·ISO ·Schematron ↵  
5091 Severity: ·error ↵  
5092 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
5092 subSection ·or ·subSubSection. ↵  
5093 Start ·location: ·125:108 ↵  
5094 ↵  
5095 System ·ID: ·  
5095 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
5095 /7873FFFCFFCDFC0E2F61FFC7FFA7FFEB.xml ↵  
5096 Main ·validation ·file: ·  
5096 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
5096 /7873FFFCFFCDFC0E2F61FFC7FFA7FFEB.xml ↵  
5097 Scenario ·name: ·gg-sch ↵  
5098 Schema: ·  
5098 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm

5098 ent..sch↵  
5099 Engine.name: ·ISO ·Schematron↵  
5100 Severity: ·error↵  
5101 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
5101 subSection ·or ·subSubSection.↵  
5102 Start ·location: ·128:109↵  
5103 ↵  
5104 System ·ID: ·  
5104 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
5104 /7873FFFCFFCDFC0E2F61FFC7FFA7FFEB.xml↵  
5105 Main ·validation ·file: ·  
5105 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
5105 /7873FFFCFFCDFC0E2F61FFC7FFA7FFEB.xml↵  
5106 Scenario ·name: ·gg-sch↵  
5107 Schema: ·  
5107 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
5107 ent..sch↵  
5108 Engine.name: ·ISO ·Schematron↵  
5109 Severity: ·error↵  
5110 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
5110 subSection ·or ·subSubSection.↵  
5111 Start ·location: ·148:109↵  
5112 ↵  
5113 System ·ID: ·  
5113 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
5113 /7873FFFCFFCDFC0E2F61FFC7FFA7FFEB.xml↵  
5114 Main ·validation ·file: ·  
5114 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
5114 /7873FFFCFFCDFC0E2F61FFC7FFA7FFEB.xml↵  
5115 Scenario ·name: ·gg-sch↵  
5116 Schema: ·  
5116 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
5116 ent..sch↵  
5117 Engine.name: ·ISO ·Schematron↵  
5118 Severity: ·error↵

5119 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
5119 subSection ·or ·subSubSection. ↵  
5120 Start ·location: ·175:146 ↵  
5121 ↵  
5122 System ·ID: ·  
5122 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
5122 /7873FFFCFFCDFC0E2F61FFC7FFA7FFEB.xml ↵  
5123 Main ·validation ·file: ·  
5123 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
5123 /7873FFFCFFCDFC0E2F61FFC7FFA7FFEB.xml ↵  
5124 Scenario ·name: ·gg-sch ↵  
5125 Schema: ·  
5125 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
5125 ent..sch ↵  
5126 Engine ·name: ·ISO ·Schematron ↵  
5127 Severity: ·error ↵  
5128 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
5128 subSection ·or ·subSubSection. ↵  
5129 Start ·location: ·198:76 ↵  
5130 ↵  
5131 System ·ID: ·  
5131 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
5131 /7873FFFCFFCDFC0E2F61FFC7FFA7FFEB.xml ↵  
5132 Main ·validation ·file: ·  
5132 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
5132 /7873FFFCFFCDFC0E2F61FFC7FFA7FFEB.xml ↵  
5133 Scenario ·name: ·gg-sch ↵  
5134 Schema: ·  
5134 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
5134 ent..sch ↵  
5135 Engine ·name: ·ISO ·Schematron ↵  
5136 Severity: ·error ↵  
5137 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
5137 subSection ·or ·subSubSection. ↵  
5138 Start ·location: ·421:109 ↵

5139   ↳  
5140 System·ID: ·  
5140   /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
5140   /7873FFFCFFCDFC0E2F61FFC7FFA7FFEB.xml↳  
5141 Main·validation·file: ·  
5141   /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
5141   /7873FFFCFFCDFC0E2F61FFC7FFA7FFEB.xml↳  
5142 Scenario·name: ·gg-sch↳  
5143 Schema: ·  
5143   /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
5143 ent..sch↳  
5144 Engine·name: ·ISO·Schematron↳  
5145 Severity: ·error↳  
5146 Description: ·A·paragraph·must·have·an·ancestor·  
5146 subsection·or·subSubSection.↳  
5147 Start·location: ·426:109↳  
5148   ↳  
5149 System·ID: ·  
5149   /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
5149   /7873FFFCFFCDFC0E2F61FFC7FFA7FFEB.xml↳  
5150 Main·validation·file: ·  
5150   /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
5150   /7873FFFCFFCDFC0E2F61FFC7FFA7FFEB.xml↳  
5151 Scenario·name: ·gg-sch↳  
5152 Schema: ·  
5152   /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
5152 ent..sch↳  
5153 Engine·name: ·ISO·Schematron↳  
5154 Severity: ·error↳  
5155 Description: ·A·paragraph·must·have·an·ancestor·  
5155 subsection·or·subSubSection.↳  
5156 Start·location: ·431:109↳  
5157   ↳  
5158 System·ID: ·  
5158   /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax

5158 /7873FFFCFFC0E2F61FFC7FFA7FFEB.xml ↵  
5159 Main-validation-file: ·  
5159 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
5159 /7873FFFCFFC0E2F61FFC7FFA7FFEB.xml ↵  
5160 Scenario-name: ·gg-sch ↵  
5161 Schema: ·  
5161 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
5161 ent..sch ↵  
5162 Engine-name: ·ISO-Schematron ↵  
5163 Severity: ·error ↵  
5164 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
5164 subSection ·or ·subSubSection. ↵  
5165 Start-location: ·444:109 ↵  
5166 ↵  
5167 System-ID: ·  
5167 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
5167 /7873FFFCFFC0E2F61FFC7FFA7FFEB.xml ↵  
5168 Main-validation-file: ·  
5168 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
5168 /7873FFFCFFC0E2F61FFC7FFA7FFEB.xml ↵  
5169 Scenario-name: ·gg-sch ↵  
5170 Schema: ·  
5170 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
5170 ent..sch ↵  
5171 Engine-name: ·ISO-Schematron ↵  
5172 Severity: ·error ↵  
5173 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
5173 subSection ·or ·subSubSection. ↵  
5174 Start-location: ·453:135 ↵  
5175 ↵  
5176 System-ID: ·  
5176 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
5176 /7873FFFCFFC0E2F61FFC7FFA7FFEB.xml ↵  
5177 Main-validation-file: ·  
5177 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax

5177 /7873FFFCFFCDFC0E2F61FFC7FFA7FFEB.xml ↵  
5178 Scenario.name: .gg-sch ↵  
5179 Schema: .  
5179 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
5180 Engine.name: .ISO.Schematron ↵  
5181 Severity: .error ↵  
5182 Description: .A.paragraph.must.have.an.ancestor.  
5182 subSection.or.subSubSection. ↵  
5183 Start.location: .458:180 ↵  
5184 ↵  
5185 System.ID: .  
5185 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
5185 /7873FFFCFFCDFC0E2F61FFC7FFA7FFEB.xml ↵  
5186 Main.validation.file: .  
5186 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
5186 /7873FFFCFFCDFC0E2F61FFC7FFA7FFEB.xml ↵  
5187 Scenario.name: .gg-sch ↵  
5188 Schema: .  
5188 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
5189 Engine.name: .ISO.Schematron ↵  
5190 Severity: .error ↵  
5191 Description: .A.paragraph.must.have.an.ancestor.  
5191 subSection.or.subSubSection. ↵  
5192 Start.location: .465:109 ↵  
5193 ↵  
5194 System.ID: .  
5194 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
5194 /7873FFFCFFCDFC0E2F61FFC7FFA7FFEB.xml ↵  
5195 Main.validation.file: .  
5195 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
5195 /7873FFFCFFCDFC0E2F61FFC7FFA7FFEB.xml ↵  
5196 Scenario.name: .gg-sch ↵  
5197 Schema: .

5197 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
5197 ent..sch↵  
5198 Engine.name: ·ISO ·Schematron↵  
5199 Severity: ·error↵  
5200 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
5200 subSection ·or ·subSubSection.↵  
5201 Start ·location: ·470:109↵  
5202 ↵  
5203 System ·ID: ·  
5203 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
5203 /7873FFFCFFCDFC0E2F61FFC7FFA7FFEB.xml↵  
5204 Main ·validation ·file: ·  
5204 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
5204 /7873FFFCFFCDFC0E2F61FFC7FFA7FFEB.xml↵  
5205 Scenario ·name: ·gg-sch↵  
5206 Schema: ·  
5206 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
5206 ent..sch↵  
5207 Engine.name: ·ISO ·Schematron↵  
5208 Severity: ·error↵  
5209 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
5209 subSection ·or ·subSubSection.↵  
5210 Start ·location: ·471:109↵  
5211 ↵  
5212 System ·ID: ·  
5212 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
5212 /7873FFFCFFCDFC0E2F61FFC7FFA7FFEB.xml↵  
5213 Main ·validation ·file: ·  
5213 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
5213 /7873FFFCFFCDFC0E2F61FFC7FFA7FFEB.xml↵  
5214 Scenario ·name: ·gg-sch↵  
5215 Schema: ·  
5215 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
5215 ent..sch↵  
5216 Engine.name: ·ISO ·Schematron↵

5217 Severity: ·error ↵  
5218 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
5218 subSection ·or ·subSubSection. ↵  
5219 Start ·location: ·472:180 ↵  
5220 ↵  
5221 System ·ID: ·  
5221 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
5221 /7873FFFCFFCDFC0E2F61FFC7FFA7FFEB.xml ↵  
5222 Main ·validation ·file: ·  
5222 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
5222 /7873FFFCFFCDFC0E2F61FFC7FFA7FFEB.xml ↵  
5223 Scenario ·name: ·gg-sch ↵  
5224 Schema: ·  
5224 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
5224 ent..sch ↵  
5225 Engine ·name: ·ISO ·Schematron ↵  
5226 Severity: ·error ↵  
5227 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
5227 subSection ·or ·subSubSection. ↵  
5228 Start ·location: ·495:109 ↵  
5229 ↵  
5230 System ·ID: ·  
5230 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
5230 /7873FFFCFFCDFC0E2F61FFC7FFA7FFEB.xml ↵  
5231 Main ·validation ·file: ·  
5231 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
5231 /7873FFFCFFCDFC0E2F61FFC7FFA7FFEB.xml ↵  
5232 Scenario ·name: ·gg-sch ↵  
5233 Schema: ·  
5233 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
5233 ent..sch ↵  
5234 Engine ·name: ·ISO ·Schematron ↵  
5235 Severity: ·error ↵  
5236 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
5236 subSection ·or ·subSubSection. ↵

5237 Start ·location: ·500:180 ↵  
5238 ↵  
5239 System ·ID: ·  
5239 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
5239 /7873FFFCFFCDFC0E2F61FFC7FFA7FFEB.xml ↵  
5240 Main ·validation ·file: ·  
5240 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
5240 /7873FFFCFFCDFC0E2F61FFC7FFA7FFEB.xml ↵  
5241 Scenario ·name: ·gg-sch ↵  
5242 Schema: ·  
5242 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
5242 ent..sch ↵  
5243 Engine ·name: ·ISO ·Schematron ↵  
5244 Severity: ·error ↵  
5245 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
5245 subSection ·or ·subSubSection. ↵  
5246 Start ·location: ·510:109 ↵  
5247 ↵  
5248 System ·ID: ·  
5248 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
5248 /7873FFFCFFCDFC0E2F61FFC7FFA7FFEB.xml ↵  
5249 Main ·validation ·file: ·  
5249 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
5249 /7873FFFCFFCDFC0E2F61FFC7FFA7FFEB.xml ↵  
5250 Scenario ·name: ·gg-sch ↵  
5251 Schema: ·  
5251 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
5251 ent..sch ↵  
5252 Engine ·name: ·ISO ·Schematron ↵  
5253 Severity: ·error ↵  
5254 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
5254 subSection ·or ·subSubSection. ↵  
5255 Start ·location: ·517:109 ↵  
5256 ↵  
5257 System ·ID: ·

5257 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
5257 /7873FFFCFFCDFC0E2F61FFC7FFA7FFEB.xml ↵  
5258 Main-validation-file: ·  
5258 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
5258 /7873FFFCFFCDFC0E2F61FFC7FFA7FFEB.xml ↵  
5259 Scenario-name: ·gg-sch ↵  
5260 Schema: ·  
5260 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
5260 ent..sch ↵  
5261 Engine-name: ·ISO ·Schematron ↵  
5262 Severity: ·error ↵  
5263 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
5263 subSection ·or ·subSubSection. ↵  
5264 Start-location: ·522:180 ↵  
5265 ↵  
5266 System-ID: ·  
5266 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
5266 /7873FFFCFFCDFC0E2F61FFC7FFA7FFEB.xml ↵  
5267 Main-validation-file: ·  
5267 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
5267 /7873FFFCFFCDFC0E2F61FFC7FFA7FFEB.xml ↵  
5268 Scenario-name: ·gg-sch ↵  
5269 Schema: ·  
5269 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
5269 ent..sch ↵  
5270 Engine-name: ·ISO ·Schematron ↵  
5271 Severity: ·error ↵  
5272 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
5272 subSection ·or ·subSubSection. ↵  
5273 Start-location: ·533:109 ↵  
5274 ↵  
5275 System-ID: ·  
5275 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
5275 /7873FFFCFFCDFC0E2F61FFC7FFA7FFEB.xml ↵  
5276 Main-validation-file: ·

5276 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
5276 /7873FFFCFFCDFC0E2F61FFC7FFA7FFEB.xml ↵  
5277 Scenario.name: .gg-sch ↵  
5278 Schema: .  
5278 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
5278 ent..sch ↵  
5279 Engine.name: .ISO .Schematron ↵  
5280 Severity: .error ↵  
5281 Description: .A .paragraph .must .have .an .ancestor .  
5281 subSection .or .subSubSection. ↵  
5282 Start.location: .540:76 ↵  
5283 ↵  
5284 System.ID: .  
5284 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
5284 /7873FFFCFFCDFC0E2F61FFC7FFA7FFEB.xml ↵  
5285 Main.validation.file: .  
5285 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
5285 /7873FFFCFFCDFC0E2F61FFC7FFA7FFEB.xml ↵  
5286 Scenario.name: .gg-sch ↵  
5287 Schema: .  
5287 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
5287 ent..sch ↵  
5288 Engine.name: .ISO .Schematron ↵  
5289 Severity: .error ↵  
5290 Description: .A .paragraph .must .have .an .ancestor .  
5290 subSection .or .subSubSection. ↵  
5291 Start.location: .1000:109 ↵  
5292 ↵  
5293 System.ID: .  
5293 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
5293 /7873FFFCFFCDFC0E2F61FFC7FFA7FFEB.xml ↵  
5294 Main.validation.file: .  
5294 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
5294 /7873FFFCFFCDFC0E2F61FFC7FFA7FFEB.xml ↵  
5295 Scenario.name: .gg-sch ↵

5296 Schema: .  
5296 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
5296 ent..sch↵  
5297 Engine.name: .ISO .Schematron↵  
5298 Severity: .error↵  
5299 Description: .A .paragraph .must .have .an .ancestor .  
5299 subSection .or .subSubSection.↵  
5300 Start.location: .1005:109↵  
5301 ↵  
5302 System.ID: .  
5302 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
5302 /7873FFFCFFCDFC0E2F61FFC7FFA7FFEB.xml↵  
5303 Main.validation.file: .  
5303 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
5303 /7873FFFCFFCDFC0E2F61FFC7FFA7FFEB.xml↵  
5304 Scenario.name: .gg-sch↵  
5305 Schema: .  
5305 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
5305 ent..sch↵  
5306 Engine.name: .ISO .Schematron↵  
5307 Severity: .error↵  
5308 Description: .A .paragraph .must .have .an .ancestor .  
5308 subSection .or .subSubSection.↵  
5309 Start.location: .1012:109↵  
5310 ↵  
5311 System.ID: .  
5311 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
5311 /7873FFFCFFCDFC0E2F61FFC7FFA7FFEB.xml↵  
5312 Main.validation.file: .  
5312 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
5312 /7873FFFCFFCDFC0E2F61FFC7FFA7FFEB.xml↵  
5313 Scenario.name: .gg-sch↵  
5314 Schema: .  
5314 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
5314 ent..sch↵

5315 Engine·name: ·ISO ·Schematron↵  
5316 Severity: ·error↵  
5317 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
5317 subSection ·or ·subSubSection.↵  
5318 Start ·location: ·1022:180↵  
5319 ↵  
5320 System ·ID: ·  
5320 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
5320 /7873FFFCFFCDFC0E2F61FFC7FFA7FFEB.xml↵  
5321 Main ·validation ·file: ·  
5321 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
5321 /7873FFFCFFCDFC0E2F61FFC7FFA7FFEB.xml↵  
5322 Scenario ·name: ·gg-sch↵  
5323 Schema: ·  
5323 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
5323 ent..sch↵  
5324 Engine·name: ·ISO ·Schematron↵  
5325 Severity: ·error↵  
5326 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
5326 subSection ·or ·subSubSection.↵  
5327 Start ·location: ·1028:108↵  
5328 ↵  
5329 System ·ID: ·  
5329 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
5329 /7873FFFCFFCDFC0E2F61FFC7FFA7FFEB.xml↵  
5330 Main ·validation ·file: ·  
5330 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
5330 /7873FFFCFFCDFC0E2F61FFC7FFA7FFEB.xml↵  
5331 Scenario ·name: ·gg-sch↵  
5332 Schema: ·  
5332 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
5332 ent..sch↵  
5333 Engine·name: ·ISO ·Schematron↵  
5334 Severity: ·error↵  
5335 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·

5335 subSection ·or ·subSubSection .↳  
5336 Start ·location: ·1033:109↳  
5337 ↳  
5338 System ·ID: ·  
5338 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
5338 /7873FFFCFFCDFC0E2F61FFC7FFA7FFEB.xml↳  
5339 Main ·validation ·file: ·  
5339 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
5339 /7873FFFCFFCDFC0E2F61FFC7FFA7FFEB.xml↳  
5340 Scenario ·name: ·gg-sch↳  
5341 Schema: ·  
5341 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
5341 ent..sch↳  
5342 Engine ·name: ·ISO ·Schematron↳  
5343 Severity: ·error↳  
5344 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
5344 subSection ·or ·subSubSection .↳  
5345 Start ·location: ·1038:135↳  
5346 ↳  
5347 System ·ID: ·  
5347 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
5347 /7873FFFCFFCDFC0E2F61FFC7FFA7FFEB.xml↳  
5348 Main ·validation ·file: ·  
5348 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
5348 /7873FFFCFFCDFC0E2F61FFC7FFA7FFEB.xml↳  
5349 Scenario ·name: ·gg-sch↳  
5350 Schema: ·  
5350 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
5350 ent..sch↳  
5351 Engine ·name: ·ISO ·Schematron↳  
5352 Severity: ·error↳  
5353 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
5353 subSection ·or ·subSubSection .↳  
5354 Start ·location: ·1043:109↳  
5355 ↳

5356 System·ID: ·  
5356 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
5356 /7873FFFCFFCDFC0E2F61FFC7FFA7FFEB.xml↵  
5357 Main·validation·file: ·  
5357 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
5357 /7873FFFCFFCDFC0E2F61FFC7FFA7FFEB.xml↵  
5358 Scenario·name: ·gg-sch↵  
5359 Schema: ·  
5359 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
5359 ent..sch↵  
5360 Engine·name: ·ISO·Schematron↵  
5361 Severity: ·error↵  
5362 Description: ·A·paragraph·must·have·an·ancestor·  
5362 subSection·or·subSubSection.↵  
5363 Start·location: ·1056:109↵  
5364 ↵  
5365 System·ID: ·  
5365 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
5365 /7873FFFCFFCDFC0E2F61FFC7FFA7FFEB.xml↵  
5366 Main·validation·file: ·  
5366 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
5366 /7873FFFCFFCDFC0E2F61FFC7FFA7FFEB.xml↵  
5367 Scenario·name: ·gg-sch↵  
5368 Schema: ·  
5368 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
5368 ent..sch↵  
5369 Engine·name: ·ISO·Schematron↵  
5370 Severity: ·error↵  
5371 Description: ·A·paragraph·must·have·an·ancestor·  
5371 subSection·or·subSubSection.↵  
5372 Start·location: ·1067:179↵  
5373 ↵  
5374 System·ID: ·  
5374 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
5374 /7873FFFCFFCDFC0E2F61FFC7FFA7FFEB.xml↵

5375 Main-validation-file: ·  
5375 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
5375 /7873FFFCFFCDFC0E2F61FFC7FFA7FFEB.xml ↵  
5376 Scenario-name: ·gg-sch ↵  
5377 Schema: ·  
5377 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
5377 ent..sch ↵  
5378 Engine-name: ·ISO-Schematron ↵  
5379 Severity: ·error ↵  
5380 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
5380 subSection ·or ·subSubSection. ↵  
5381 Start-location: ·1086:76 ↵  
5382 ↵  
5383 System-ID: ·  
5383 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
5383 /7873FFFCFFCDFC0E2F61FFC7FFA7FFEB.xml ↵  
5384 Main-validation-file: ·  
5384 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
5384 /7873FFFCFFCDFC0E2F61FFC7FFA7FFEB.xml ↵  
5385 Scenario-name: ·gg-sch ↵  
5386 Schema: ·  
5386 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
5386 ent..sch ↵  
5387 Engine-name: ·ISO-Schematron ↵  
5388 Severity: ·error ↵  
5389 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
5389 subSection ·or ·subSubSection. ↵  
5390 Start-location: ·1465:109 ↵  
5391 ↵  
5392 System-ID: ·  
5392 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
5392 /7873FFFCFFCDFC0E2F61FFC7FFA7FFEB.xml ↵  
5393 Main-validation-file: ·  
5393 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
5393 /7873FFFCFFCDFC0E2F61FFC7FFA7FFEB.xml ↵

5394 Scenario ·name: ·gg-sch ↵  
5395 Schema: ·  
5395 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
5395 ent..sch ↵  
5396 Engine ·name: ·ISO ·Schematron ↵  
5397 Severity: ·error ↵  
5398 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
5398 subSection ·or ·subSubSection. ↵  
5399 Start ·location: ·1470:108 ↵  
5400 ↵  
5401 System ·ID: ·  
5401 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
5401 /7873FFFCFFCDFC0E2F61FFC7FFA7FFEB.xml ↵  
5402 Main ·validation ·file: ·  
5402 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
5402 /7873FFFCFFCDFC0E2F61FFC7FFA7FFEB.xml ↵  
5403 Scenario ·name: ·gg-sch ↵  
5404 Schema: ·  
5404 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
5404 ent..sch ↵  
5405 Engine ·name: ·ISO ·Schematron ↵  
5406 Severity: ·error ↵  
5407 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
5407 subSection ·or ·subSubSection. ↵  
5408 Start ·location: ·1483:108 ↵  
5409 ↵  
5410 System ·ID: ·  
5410 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
5410 /7873FFFCFFCDFC0E2F61FFC7FFA7FFEB.xml ↵  
5411 Main ·validation ·file: ·  
5411 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
5411 /7873FFFCFFCDFC0E2F61FFC7FFA7FFEB.xml ↵  
5412 Scenario ·name: ·gg-sch ↵  
5413 Schema: ·  
5413 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm

5413 ent..sch↵  
5414 Engine.name: ·ISO ·Schematron↵  
5415 Severity: ·error↵  
5416 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
5416 subSection ·or ·subSubSection.↵  
5417 Start ·location: ·1488:108↵  
5418 ↵  
5419 System ·ID: ·  
5419 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
5419 /7873FFFCFFCDFC0E2F61FFC7FFA7FFEB.xml↵  
5420 Main ·validation ·file: ·  
5420 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
5420 /7873FFFCFFCDFC0E2F61FFC7FFA7FFEB.xml↵  
5421 Scenario ·name: ·gg-sch↵  
5422 Schema: ·  
5422 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
5422 ent..sch↵  
5423 Engine.name: ·ISO ·Schematron↵  
5424 Severity: ·error↵  
5425 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
5425 subSection ·or ·subSubSection.↵  
5426 Start ·location: ·1497:108↵  
5427 ↵  
5428 System ·ID: ·  
5428 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
5428 /7873FFFCFFCDFC0E2F61FFC7FFA7FFEB.xml↵  
5429 Main ·validation ·file: ·  
5429 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
5429 /7873FFFCFFCDFC0E2F61FFC7FFA7FFEB.xml↵  
5430 Scenario ·name: ·gg-sch↵  
5431 Schema: ·  
5431 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
5431 ent..sch↵  
5432 Engine.name: ·ISO ·Schematron↵  
5433 Severity: ·error↵

5434 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
5434 subSection ·or ·subSubSection. ↵  
5435 Start ·location: ·1514:108 ↵  
5436 ↵  
5437 System ·ID: ·  
5437 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
5437 /7873FFFCFFCDFC0E2F61FFC7FFA7FFEB.xml ↵  
5438 Main ·validation ·file: ·  
5438 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
5438 /7873FFFCFFCDFC0E2F61FFC7FFA7FFEB.xml ↵  
5439 Scenario ·name: ·gg-sch ↵  
5440 Schema: ·  
5440 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
5440 ent..sch ↵  
5441 Engine ·name: ·ISO ·Schematron ↵  
5442 Severity: ·error ↵  
5443 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
5443 subSection ·or ·subSubSection. ↵  
5444 Start ·location: ·1531:179 ↵  
5445 ↵  
5446 System ·ID: ·  
5446 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
5446 /7873FFFCFFCDFC0E2F61FFC7FFA7FFEB.xml ↵  
5447 Main ·validation ·file: ·  
5447 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
5447 /7873FFFCFFCDFC0E2F61FFC7FFA7FFEB.xml ↵  
5448 Scenario ·name: ·gg-sch ↵  
5449 Schema: ·  
5449 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
5449 ent..sch ↵  
5450 Engine ·name: ·ISO ·Schematron ↵  
5451 Severity: ·error ↵  
5452 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
5452 subSection ·or ·subSubSection. ↵  
5453 Start ·location: ·1556:109 ↵

5454 ↵  
5455 System·ID: ·  
5455 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
5455 /7873FFFCFFCDFC0E2F61FFC7FFA7FFEB.xml↵  
5456 Main·validation·file: ·  
5456 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
5456 /7873FFFCFFCDFC0E2F61FFC7FFA7FFEB.xml↵  
5457 Scenario·name: ·gg-sch↵  
5458 Schema: ·  
5458 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
5458 ent..sch↵  
5459 Engine·name: ·ISO·Schematron↵  
5460 Severity: ·error↵  
5461 Description: ·A·paragraph·must·have·an·ancestor·  
5461 subSection·or·subSubSection.↵  
5462 Start·location: ·1571:133↵  
5463 ↵  
5464 System·ID: ·  
5464 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
5464 /7873FFFCFFCDFC0E2F61FFC7FFA7FFEB.xml↵  
5465 Main·validation·file: ·  
5465 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
5465 /7873FFFCFFCDFC0E2F61FFC7FFA7FFEB.xml↵  
5466 Scenario·name: ·gg-sch↵  
5467 Schema: ·  
5467 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
5467 ent..sch↵  
5468 Engine·name: ·ISO·Schematron↵  
5469 Severity: ·error↵  
5470 Description: ·A·paragraph·must·have·an·ancestor·  
5470 subSection·or·subSubSection.↵  
5471 Start·location: ·1576:109↵  
5472 ↵  
5473 System·ID: ·  
5473 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax

5473 /7873FFFCFFC0E2F61FFC7FFA7FFEB.xml ↵  
5474 Main-validation-file: .  
5474 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
5474 /7873FFFCFFC0E2F61FFC7FFA7FFEB.xml ↵  
5475 Scenario-name: .gg-sch ↵  
5476 Schema: .  
5476 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
5476 ent..sch ↵  
5477 Engine-name: .ISO-Schematron ↵  
5478 Severity: .error ↵  
5479 Description: .A.paragraph.must.have.an.ancestor.  
5479 subSection.or.subSubSection. ↵  
5480 Start-location: .1580:110 ↵  
5481 ↵  
5482 System-ID: .  
5482 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
5482 /7873FFFCFFC0E2F61FFC7FFA7FFEB.xml ↵  
5483 Main-validation-file: .  
5483 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
5483 /7873FFFCFFC0E2F61FFC7FFA7FFEB.xml ↵  
5484 Scenario-name: .gg-sch ↵  
5485 Schema: .  
5485 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
5485 ent..sch ↵  
5486 Engine-name: .ISO-Schematron ↵  
5487 Severity: .error ↵  
5488 Description: .A.paragraph.must.have.an.ancestor.  
5488 subSection.or.subSubSection. ↵  
5489 Start-location: .1596:110 ↵  
5490 ↵  
5491 System-ID: .  
5491 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
5491 /7873FFFCFFC0E2F61FFC7FFA7FFEB.xml ↵  
5492 Main-validation-file: .  
5492 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax

5492 /7873FFFCFFC0E2F61FFC7FFA7FFEB.xml ↵  
5493 Scenario.name: .gg-sch ↵  
5494 Schema: .  
5494 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
5494 ent..sch ↵  
5495 Engine.name: .ISO.Schematron ↵  
5496 Severity: .error ↵  
5497 Description: .A.paragraph.must.have.an.ancestor.  
5497 subSection.or.subSubSection. ↵  
5498 Start.location: .1601:111 ↵  
5499 ↵  
5500 System.ID: .  
5500 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
5500 /7873FFFCFFC0E2F61FFC7FFA7FFEB.xml ↵  
5501 Main.validation.file: .  
5501 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
5501 /7873FFFCFFC0E2F61FFC7FFA7FFEB.xml ↵  
5502 Scenario.name: .gg-sch ↵  
5503 Schema: .  
5503 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
5503 ent..sch ↵  
5504 Engine.name: .ISO.Schematron ↵  
5505 Severity: .error ↵  
5506 Description: .A.paragraph.must.have.an.ancestor.  
5506 subSection.or.subSubSection. ↵  
5507 Start.location: .1605:111 ↵  
5508 ↵  
5509 System.ID: .  
5509 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
5509 /7873FFFCFFC0E2F61FFC7FFA7FFEB.xml ↵  
5510 Main.validation.file: .  
5510 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
5510 /7873FFFCFFC0E2F61FFC7FFA7FFEB.xml ↵  
5511 Scenario.name: .gg-sch ↵  
5512 Schema: .

5512 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
5512 ent..sch↵  
5513 Engine.name: ·ISO ·Schematron↵  
5514 Severity: ·error↵  
5515 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
5515 subSection ·or ·subSubSection.↵  
5516 Start ·location: ·1606:111↵  
5517 ↵  
5518 System ·ID: ·  
5518 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
5518 /7873FFFCFFCDFC0E2F61FFC7FFA7FFEB.xml↵  
5519 Main ·validation ·file: ·  
5519 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
5519 /7873FFFCFFCDFC0E2F61FFC7FFA7FFEB.xml↵  
5520 Scenario ·name: ·gg-sch↵  
5521 Schema: ·  
5521 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
5521 ent..sch↵  
5522 Engine.name: ·ISO ·Schematron↵  
5523 Severity: ·error↵  
5524 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
5524 subSection ·or ·subSubSection.↵  
5525 Start ·location: ·1612:182↵  
5526 ↵  
5527 System ·ID: ·  
5527 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
5527 /7873FFFCFFCDFC0E2F61FFC7FFA7FFEB.xml↵  
5528 Main ·validation ·file: ·  
5528 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
5528 /7873FFFCFFCDFC0E2F61FFC7FFA7FFEB.xml↵  
5529 Scenario ·name: ·gg-sch↵  
5530 Schema: ·  
5530 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
5530 ent..sch↵  
5531 Engine.name: ·ISO ·Schematron↵

5532 Severity: ·error ↵  
5533 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
5533 subSection ·or ·subSubSection. ↵  
5534 Start ·location: ·1619:109 ↵  
5535 ↵  
5536 System ·ID: ·  
5536 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
5536 /7873FFFCFFCDFC0E2F61FFC7FFA7FFEB.xml ↵  
5537 Main ·validation ·file: ·  
5537 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
5537 /7873FFFCFFCDFC0E2F61FFC7FFA7FFEB.xml ↵  
5538 Scenario ·name: ·gg-sch ↵  
5539 Schema: ·  
5539 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
5539 ent..sch ↵  
5540 Engine ·name: ·ISO ·Schematron ↵  
5541 Severity: ·error ↵  
5542 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
5542 subSection ·or ·subSubSection. ↵  
5543 Start ·location: ·1623:109 ↵  
5544 ↵  
5545 System ·ID: ·  
5545 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
5545 /7873FFFCFFCDFC0E2F61FFC7FFA7FFEB.xml ↵  
5546 Main ·validation ·file: ·  
5546 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
5546 /7873FFFCFFCDFC0E2F61FFC7FFA7FFEB.xml ↵  
5547 Scenario ·name: ·gg-sch ↵  
5548 Schema: ·  
5548 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
5548 ent..sch ↵  
5549 Engine ·name: ·ISO ·Schematron ↵  
5550 Severity: ·error ↵  
5551 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
5551 subSection ·or ·subSubSection. ↵

5552 Start ·location: ·1628:109 ↵  
5553 ↵  
5554 System ·ID: ·  
5554 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
5554 /7873FFFCFFCDFC0E2F61FFC7FFA7FFEB.xml ↵  
5555 Main ·validation ·file: ·  
5555 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
5555 /7873FFFCFFCDFC0E2F61FFC7FFA7FFEB.xml ↵  
5556 Scenario ·name: ·gg-sch ↵  
5557 Schema: ·  
5557 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
5557 ent..sch ↵  
5558 Engine ·name: ·ISO ·Schematron ↵  
5559 Severity: ·error ↵  
5560 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
5560 subSection ·or ·subSubSection. ↵  
5561 Start ·location: ·1639:109 ↵  
5562 ↵  
5563 System ·ID: ·  
5563 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
5563 /7873FFFCFFCDFC0E2F61FFC7FFA7FFEB.xml ↵  
5564 Main ·validation ·file: ·  
5564 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
5564 /7873FFFCFFCDFC0E2F61FFC7FFA7FFEB.xml ↵  
5565 Scenario ·name: ·gg-sch ↵  
5566 Schema: ·  
5566 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
5566 ent..sch ↵  
5567 Engine ·name: ·ISO ·Schematron ↵  
5568 Severity: ·error ↵  
5569 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
5569 subSection ·or ·subSubSection. ↵  
5570 Start ·location: ·1654:135 ↵  
5571 ↵  
5572 System ·ID: ·

5572 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
5572 /7873FFFCFFCDFC0E2F61FFC7FFA7FFEB.xml ↵  
5573 Main-validation-file: ·  
5573 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
5573 /7873FFFCFFCDFC0E2F61FFC7FFA7FFEB.xml ↵  
5574 Scenario-name: ·gg-sch ↵  
5575 Schema: ·  
5575 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
5575 ent..sch ↵  
5576 Engine-name: ·ISO ·Schematron ↵  
5577 Severity: ·error ↵  
5578 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
5578 subSection ·or ·subSubSection. ↵  
5579 Start-location: ·1659:137 ↵  
5580 ↵  
5581 System-ID: ·  
5581 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
5581 /7873FFFCFFCDFC0E2F61FFC7FFA7FFEB.xml ↵  
5582 Main-validation-file: ·  
5582 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
5582 /7873FFFCFFCDFC0E2F61FFC7FFA7FFEB.xml ↵  
5583 Scenario-name: ·gg-sch ↵  
5584 Schema: ·  
5584 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
5584 ent..sch ↵  
5585 Engine-name: ·ISO ·Schematron ↵  
5586 Severity: ·error ↵  
5587 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
5587 subSection ·or ·subSubSection. ↵  
5588 Start-location: ·1683:137 ↵  
5589 ↵  
5590 System-ID: ·  
5590 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
5590 /7873FFFCFFCDFC0E2F61FFC7FFA7FFEB.xml ↵  
5591 Main-validation-file: ·

5591 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
5591 /7873FFFCFFCDFC0E2F61FFC7FFA7FFEB.xml ↵  
5592 Scenario.name: .gg-sch ↵  
5593 Schema: .  
5593 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
5593 ent..sch ↵  
5594 Engine.name: .ISO .Schematron ↵  
5595 Severity: .error ↵  
5596 Description: .A .paragraph .must .have .an .ancestor .  
5596 subSection .or .subSubSection. ↵  
5597 Start.location: .1700:137 ↵  
5598 ↵  
5599 System.ID: .  
5599 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
5599 /7873FFFCFFCDFC0E2F61FFC7FFA7FFEB.xml ↵  
5600 Main.validation.file: .  
5600 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
5600 /7873FFFCFFCDFC0E2F61FFC7FFA7FFEB.xml ↵  
5601 Scenario.name: .gg-sch ↵  
5602 Schema: .  
5602 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
5602 ent..sch ↵  
5603 Engine.name: .ISO .Schematron ↵  
5604 Severity: .error ↵  
5605 Description: .A .paragraph .must .have .an .ancestor .  
5605 subSection .or .subSubSection. ↵  
5606 Start.location: .1717:110 ↵  
5607 ↵  
5608 System.ID: .  
5608 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
5608 /7873FFFCFFCDFC0E2F61FFC7FFA7FFEB.xml ↵  
5609 Main.validation.file: .  
5609 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
5609 /7873FFFCFFCDFC0E2F61FFC7FFA7FFEB.xml ↵  
5610 Scenario.name: .gg-sch ↵

5611 Schema: .  
5611 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
5611 ent..sch↵  
5612 Engine.name: .ISO .Schematron↵  
5613 Severity: .error↵  
5614 Description: .A .paragraph .must .have .an .ancestor .  
5614 subSection .or .subSubSection.↵  
5615 Start.location: .1739:137↵  
5616 ↵  
5617 System.ID: .  
5617 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
5617 /7873FFFCFFCDFC0E2F61FFC7FFA7FFEB.xml↵  
5618 Main.validation.file: .  
5618 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
5618 /7873FFFCFFCDFC0E2F61FFC7FFA7FFEB.xml↵  
5619 Scenario.name: .gg-sch↵  
5620 Schema: .  
5620 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
5620 ent..sch↵  
5621 Engine.name: .ISO .Schematron↵  
5622 Severity: .error↵  
5623 Description: .A .paragraph .must .have .an .ancestor .  
5623 subSection .or .subSubSection.↵  
5624 Start.location: .1758:110↵  
5625 ↵  
5626 System.ID: .  
5626 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
5626 /7873FFFCFFCDFC0E2F61FFC7FFA7FFEB.xml↵  
5627 Main.validation.file: .  
5627 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
5627 /7873FFFCFFCDFC0E2F61FFC7FFA7FFEB.xml↵  
5628 Scenario.name: .gg-sch↵  
5629 Schema: .  
5629 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
5629 ent..sch↵

5630 Engine.name: ·ISO ·Schematron ↵  
5631 Severity: ·error ↵  
5632 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
5632 subSection ·or ·subSubSection. ↵  
5633 Start.location: ·1775:110 ↵  
5634 ↵  
5635 System.ID: ·  
5635 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
5635 /7873FFFCFFCDFC0E2F61FFC7FFA7FFEB.xml ↵  
5636 Main.validation.file: ·  
5636 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
5636 /7873FFFCFFCDFC0E2F61FFC7FFA7FFEB.xml ↵  
5637 Scenario.name: ·gg-sch ↵  
5638 Schema: ·  
5638 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
5638 ent..sch ↵  
5639 Engine.name: ·ISO ·Schematron ↵  
5640 Severity: ·error ↵  
5641 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
5641 subSection ·or ·subSubSection. ↵  
5642 Start.location: ·1796:110 ↵  
5643 ↵  
5644 System.ID: ·  
5644 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
5644 /7873FFFCFFCDFC0E2F61FFC7FFA7FFEB.xml ↵  
5645 Main.validation.file: ·  
5645 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
5645 /7873FFFCFFCDFC0E2F61FFC7FFA7FFEB.xml ↵  
5646 Scenario.name: ·gg-sch ↵  
5647 Schema: ·  
5647 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
5647 ent..sch ↵  
5648 Engine.name: ·ISO ·Schematron ↵  
5649 Severity: ·error ↵  
5650 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·

5650 subSection ·or ·subSubSection .↳  
5651 Start ·location: ·1813:137↳  
5652 ↳  
5653 System ·ID: ·  
5653 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
5653 /7873FFFCFFCDFC0E2F61FFC7FFA7FFEB.xml↳  
5654 Main ·validation ·file: ·  
5654 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
5654 /7873FFFCFFCDFC0E2F61FFC7FFA7FFEB.xml↳  
5655 Scenario ·name: ·gg-sch↳  
5656 Schema: ·  
5656 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
5656 ent..sch↳  
5657 Engine ·name: ·ISO ·Schematron↳  
5658 Severity: ·error↳  
5659 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
5659 subSection ·or ·subSubSection .↳  
5660 Start ·location: ·1835:137↳  
5661 ↳  
5662 System ·ID: ·  
5662 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
5662 /7873FFFCFFCDFC0E2F61FFC7FFA7FFEB.xml↳  
5663 Main ·validation ·file: ·  
5663 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
5663 /7873FFFCFFCDFC0E2F61FFC7FFA7FFEB.xml↳  
5664 Scenario ·name: ·gg-sch↳  
5665 Schema: ·  
5665 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
5665 ent..sch↳  
5666 Engine ·name: ·ISO ·Schematron↳  
5667 Severity: ·error↳  
5668 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
5668 subSection ·or ·subSubSection .↳  
5669 Start ·location: ·1856:137↳  
5670 ↳

5671 System·ID: ·  
5671 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
5671 /7873FFFCFFCDFC0E2F61FFC7FFA7FFEB.xml↵  
5672 Main·validation·file: ·  
5672 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
5672 /7873FFFCFFCDFC0E2F61FFC7FFA7FFEB.xml↵  
5673 Scenario·name: ·gg-sch↵  
5674 Schema: ·  
5674 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
5674 ent..sch↵  
5675 Engine·name: ·ISO·Schematron↵  
5676 Severity: ·error↵  
5677 Description: ·A·paragraph·must·have·an·ancestor·  
5677 subSection·or·subSubSection.↵  
5678 Start·location: ·1873:137↵  
5679 ↵  
5680 System·ID: ·  
5680 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
5680 /7873FFFCFFCDFC0E2F61FFC7FFA7FFEB.xml↵  
5681 Main·validation·file: ·  
5681 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
5681 /7873FFFCFFCDFC0E2F61FFC7FFA7FFEB.xml↵  
5682 Scenario·name: ·gg-sch↵  
5683 Schema: ·  
5683 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
5683 ent..sch↵  
5684 Engine·name: ·ISO·Schematron↵  
5685 Severity: ·error↵  
5686 Description: ·A·paragraph·must·have·an·ancestor·  
5686 subSection·or·subSubSection.↵  
5687 Start·location: ·1897:137↵  
5688 ↵  
5689 System·ID: ·  
5689 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
5689 /7873FFFCFFCDFC0E2F61FFC7FFA7FFEB.xml↵

5690 Main-validation-file: ·  
5690 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
5690 /7873FFFCFFCDFC0E2F61FFC7FFA7FFEB.xml ↵  
5691 Scenario-name: ·gg-sch ↵  
5692 Schema: ·  
5692 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
5692 ent..sch ↵  
5693 Engine-name: ·ISO-Schematron ↵  
5694 Severity: ·error ↵  
5695 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
5695 subSection ·or ·subSubSection. ↵  
5696 Start-location: ·1914:137 ↵  
5697 ↵  
5698 System-ID: ·  
5698 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
5698 /7873FFFCFFCDFC0E2F61FFC7FFA7FFEB.xml ↵  
5699 Main-validation-file: ·  
5699 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
5699 /7873FFFCFFCDFC0E2F61FFC7FFA7FFEB.xml ↵  
5700 Scenario-name: ·gg-sch ↵  
5701 Schema: ·  
5701 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
5701 ent..sch ↵  
5702 Engine-name: ·ISO-Schematron ↵  
5703 Severity: ·error ↵  
5704 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
5704 subSection ·or ·subSubSection. ↵  
5705 Start-location: ·1935:110 ↵  
5706 ↵  
5707 System-ID: ·  
5707 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
5707 /7873FFFCFFCDFC0E2F61FFC7FFA7FFEB.xml ↵  
5708 Main-validation-file: ·  
5708 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
5708 /7873FFFCFFCDFC0E2F61FFC7FFA7FFEB.xml ↵

5709 Scenario ·name: ·gg-sch ↵  
5710 Schema: ·  
5710 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
5710 ent..sch ↵  
5711 Engine ·name: ·ISO ·Schematron ↵  
5712 Severity: ·error ↵  
5713 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
5713 subSection ·or ·subSubSection. ↵  
5714 Start ·location: ·1958:137 ↵  
5715 ↵  
5716 System ·ID: ·  
5716 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
5716 /7873FFFCFFCDFC0E2F61FFC7FFA7FFEB.xml ↵  
5717 Main ·validation ·file: ·  
5717 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
5717 /7873FFFCFFCDFC0E2F61FFC7FFA7FFEB.xml ↵  
5718 Scenario ·name: ·gg-sch ↵  
5719 Schema: ·  
5719 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
5719 ent..sch ↵  
5720 Engine ·name: ·ISO ·Schematron ↵  
5721 Severity: ·error ↵  
5722 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
5722 subSection ·or ·subSubSection. ↵  
5723 Start ·location: ·1975:137 ↵  
5724 ↵  
5725 System ·ID: ·  
5725 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
5725 /7873FFFCFFCDFC0E2F61FFC7FFA7FFEB.xml ↵  
5726 Main ·validation ·file: ·  
5726 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
5726 /7873FFFCFFCDFC0E2F61FFC7FFA7FFEB.xml ↵  
5727 Scenario ·name: ·gg-sch ↵  
5728 Schema: ·  
5728 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm

5728 ent..sch↵  
5729 Engine.name: ·ISO ·Schematron↵  
5730 Severity: ·error↵  
5731 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
5731 subSection ·or ·subSubSection.↵  
5732 Start ·location: ·1992:137↵  
5733 ↵  
5734 System ·ID: ·  
5734 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
5734 /7873FFFCFFCDFC0E2F61FFC7FFA7FFEB.xml↵  
5735 Main ·validation ·file: ·  
5735 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
5735 /7873FFFCFFCDFC0E2F61FFC7FFA7FFEB.xml↵  
5736 Scenario ·name: ·gg-sch↵  
5737 Schema: ·  
5737 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
5737 ent..sch↵  
5738 Engine.name: ·ISO ·Schematron↵  
5739 Severity: ·error↵  
5740 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
5740 subSection ·or ·subSubSection.↵  
5741 Start ·location: ·2009:137↵  
5742 ↵  
5743 System ·ID: ·  
5743 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
5743 /7873FFFCFFCDFC0E2F61FFC7FFA7FFEB.xml↵  
5744 Main ·validation ·file: ·  
5744 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
5744 /7873FFFCFFCDFC0E2F61FFC7FFA7FFEB.xml↵  
5745 Scenario ·name: ·gg-sch↵  
5746 Schema: ·  
5746 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
5746 ent..sch↵  
5747 Engine.name: ·ISO ·Schematron↵  
5748 Severity: ·error↵

5749 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
5749 subSection ·or ·subSubSection. ↵  
5750 Start ·location: ·2028:137 ↵  
5751 ↵  
5752 System ·ID: ·  
5752 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
5752 /7873FFFCFFCDFC0E2F61FFC7FFA7FFEB.xml ↵  
5753 Main ·validation ·file: ·  
5753 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
5753 /7873FFFCFFCDFC0E2F61FFC7FFA7FFEB.xml ↵  
5754 Scenario ·name: ·gg-sch ↵  
5755 Schema: ·  
5755 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
5755 ent..sch ↵  
5756 Engine ·name: ·ISO ·Schematron ↵  
5757 Severity: ·error ↵  
5758 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
5758 subSection ·or ·subSubSection. ↵  
5759 Start ·location: ·2045:137 ↵  
5760 ↵  
5761 System ·ID: ·  
5761 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
5761 /7873FFFCFFCDFC0E2F61FFC7FFA7FFEB.xml ↵  
5762 Main ·validation ·file: ·  
5762 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
5762 /7873FFFCFFCDFC0E2F61FFC7FFA7FFEB.xml ↵  
5763 Scenario ·name: ·gg-sch ↵  
5764 Schema: ·  
5764 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
5764 ent..sch ↵  
5765 Engine ·name: ·ISO ·Schematron ↵  
5766 Severity: ·error ↵  
5767 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
5767 subSection ·or ·subSubSection. ↵  
5768 Start ·location: ·2062:110 ↵

5769 ↵  
5770 System·ID: ·  
5770 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
5770 /7873FFFCFFCDFC0E2F61FFC7FFA7FFEB.xml↵  
5771 Main·validation·file: ·  
5771 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
5771 /7873FFFCFFCDFC0E2F61FFC7FFA7FFEB.xml↵  
5772 Scenario·name: ·gg-sch↵  
5773 Schema: ·  
5773 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
5773 ent..sch↵  
5774 Engine·name: ·ISO·Schematron↵  
5775 Severity: ·error↵  
5776 Description: ·A·paragraph·must·have·an·ancestor·  
5776 subSection·or·subSubSection.↵  
5777 Start·location: ·2087:110↵  
5778 ↵  
5779 System·ID: ·  
5779 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
5779 /7873FFFCFFCDFC0E2F61FFC7FFA7FFEB.xml↵  
5780 Main·validation·file: ·  
5780 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
5780 /7873FFFCFFCDFC0E2F61FFC7FFA7FFEB.xml↵  
5781 Scenario·name: ·gg-sch↵  
5782 Schema: ·  
5782 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
5782 ent..sch↵  
5783 Engine·name: ·ISO·Schematron↵  
5784 Severity: ·error↵  
5785 Description: ·A·paragraph·must·have·an·ancestor·  
5785 subSection·or·subSubSection.↵  
5786 Start·location: ·2110:137↵  
5787 ↵  
5788 System·ID: ·  
5788 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax

5788 /7873FFFCFFC0E2F61FFC7FFA7FFEB.xml ↵  
5789 Main-validation-file: .  
5789 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
5789 /7873FFFCFFC0E2F61FFC7FFA7FFEB.xml ↵  
5790 Scenario-name: .gg-sch ↵  
5791 Schema: .  
5791 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
5791 ent..sch ↵  
5792 Engine-name: .ISO-Schematron ↵  
5793 Severity: .error ↵  
5794 Description: .A.paragraph.must.have.an.ancestor.  
5794 subSection.or.subSubSection. ↵  
5795 Start-location: .2125:137 ↵  
5796 ↵  
5797 System-ID: .  
5797 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
5797 /7873FFFCFFC0E2F61FFC7FFA7FFEB.xml ↵  
5798 Main-validation-file: .  
5798 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
5798 /7873FFFCFFC0E2F61FFC7FFA7FFEB.xml ↵  
5799 Scenario-name: .gg-sch ↵  
5800 Schema: .  
5800 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
5800 ent..sch ↵  
5801 Engine-name: .ISO-Schematron ↵  
5802 Severity: .error ↵  
5803 Description: .A.paragraph.must.have.an.ancestor.  
5803 subSection.or.subSubSection. ↵  
5804 Start-location: .2146:137 ↵  
5805 ↵  
5806 System-ID: .  
5806 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
5806 /7873FFFCFFC0E2F61FFC7FFA7FFEB.xml ↵  
5807 Main-validation-file: .  
5807 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax

5807 /7873FFFCFFC0E2F61FFC7FFA7FFEB.xml ↵  
5808 Scenario.name: .gg-sch ↵  
5809 Schema: .  
5809 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
5809 ent..sch ↵  
5810 Engine.name: .ISO.Schematron ↵  
5811 Severity: .error ↵  
5812 Description: .A.paragraph.must.have.an.ancestor.  
5812 subSection.or.subSubSection. ↵  
5813 Start.location: .2166:137 ↵  
5814 ↵  
5815 System.ID: .  
5815 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
5815 /7873FFFCFFC0E2F61FFC7FFA7FFEB.xml ↵  
5816 Main.validation.file: .  
5816 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
5816 /7873FFFCFFC0E2F61FFC7FFA7FFEB.xml ↵  
5817 Scenario.name: .gg-sch ↵  
5818 Schema: .  
5818 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
5818 ent..sch ↵  
5819 Engine.name: .ISO.Schematron ↵  
5820 Severity: .error ↵  
5821 Description: .A.paragraph.must.have.an.ancestor.  
5821 subSection.or.subSubSection. ↵  
5822 Start.location: .2185:110 ↵  
5823 ↵  
5824 System.ID: .  
5824 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
5824 /7873FFFCFFC0E2F61FFC7FFA7FFEB.xml ↵  
5825 Main.validation.file: .  
5825 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
5825 /7873FFFCFFC0E2F61FFC7FFA7FFEB.xml ↵  
5826 Scenario.name: .gg-sch ↵  
5827 Schema: .

5827 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
5827 ent..sch↵  
5828 Engine.name: ·ISO ·Schematron↵  
5829 Severity: ·error↵  
5830 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
5830 subSection ·or ·subSubSection.↵  
5831 Start.location: ·2207:137↵  
5832 ↵  
5833 System.ID: ·  
5833 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
5833 /7873FFFCFFCDFC0E2F61FFC7FFA7FFEB.xml↵  
5834 Main.validation.file: ·  
5834 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
5834 /7873FFFCFFCDFC0E2F61FFC7FFA7FFEB.xml↵  
5835 Scenario.name: ·gg-sch↵  
5836 Schema: ·  
5836 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
5836 ent..sch↵  
5837 Engine.name: ·ISO ·Schematron↵  
5838 Severity: ·error↵  
5839 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
5839 subSection ·or ·subSubSection.↵  
5840 Start.location: ·2226:110↵  
5841 ↵  
5842 System.ID: ·  
5842 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
5842 /7873FFFCFFCDFC0E2F61FFC7FFA7FFEB.xml↵  
5843 Main.validation.file: ·  
5843 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
5843 /7873FFFCFFCDFC0E2F61FFC7FFA7FFEB.xml↵  
5844 Scenario.name: ·gg-sch↵  
5845 Schema: ·  
5845 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
5845 ent..sch↵  
5846 Engine.name: ·ISO ·Schematron↵

5847 Severity: ·error ↵  
5848 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
5848 subSection ·or ·subSubSection. ↵  
5849 Start ·location: ·2245:137 ↵  
5850 ↵  
5851 System ·ID: ·  
5851 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
5851 /7873FFFCFFCDFC0E2F61FFC7FFA7FFEB.xml ↵  
5852 Main ·validation ·file: ·  
5852 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
5852 /7873FFFCFFCDFC0E2F61FFC7FFA7FFEB.xml ↵  
5853 Scenario ·name: ·gg-sch ↵  
5854 Schema: ·  
5854 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
5854 ent..sch ↵  
5855 Engine ·name: ·ISO ·Schematron ↵  
5856 Severity: ·error ↵  
5857 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
5857 subSection ·or ·subSubSection. ↵  
5858 Start ·location: ·2263:137 ↵  
5859 ↵  
5860 System ·ID: ·  
5860 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
5860 /7873FFFCFFCDFC0E2F61FFC7FFA7FFEB.xml ↵  
5861 Main ·validation ·file: ·  
5861 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
5861 /7873FFFCFFCDFC0E2F61FFC7FFA7FFEB.xml ↵  
5862 Scenario ·name: ·gg-sch ↵  
5863 Schema: ·  
5863 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
5863 ent..sch ↵  
5864 Engine ·name: ·ISO ·Schematron ↵  
5865 Severity: ·error ↵  
5866 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
5866 subSection ·or ·subSubSection. ↵

5867 Start ·location: ·2281:110 ↵  
5868 ↵  
5869 System ·ID: ·  
5869 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
5869 /7873FFFCFFCDFC0E2F61FFC7FFA7FFEB.xml ↵  
5870 Main ·validation ·file: ·  
5870 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
5870 /7873FFFCFFCDFC0E2F61FFC7FFA7FFEB.xml ↵  
5871 Scenario ·name: ·gg-sch ↵  
5872 Schema: ·  
5872 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
5872 ent..sch ↵  
5873 Engine ·name: ·ISO ·Schematron ↵  
5874 Severity: ·error ↵  
5875 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
5875 subSection ·or ·subSubSection. ↵  
5876 Start ·location: ·2300:110 ↵  
5877 ↵  
5878 System ·ID: ·  
5878 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
5878 /7873FFFCFFCDFC0E2F61FFC7FFA7FFEB.xml ↵  
5879 Main ·validation ·file: ·  
5879 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
5879 /7873FFFCFFCDFC0E2F61FFC7FFA7FFEB.xml ↵  
5880 Scenario ·name: ·gg-sch ↵  
5881 Schema: ·  
5881 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
5881 ent..sch ↵  
5882 Engine ·name: ·ISO ·Schematron ↵  
5883 Severity: ·error ↵  
5884 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
5884 subSection ·or ·subSubSection. ↵  
5885 Start ·location: ·2318:110 ↵  
5886 ↵  
5887 System ·ID: ·

5887 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
5887 /7873FFFCFFCDFC0E2F61FFC7FFA7FFEB.xml ↵  
5888 Main-validation-file: ·  
5888 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
5888 /7873FFFCFFCDFC0E2F61FFC7FFA7FFEB.xml ↵  
5889 Scenario-name: ·gg-sch ↵  
5890 Schema: ·  
5890 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
5890 ent..sch ↵  
5891 Engine-name: ·ISO ·Schematron ↵  
5892 Severity: ·error ↵  
5893 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
5893 subSection ·or ·subSubSection. ↵  
5894 Start-location: ·2335:110 ↵  
5895 ↵  
5896 System-ID: ·  
5896 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
5896 /7873FFFCFFCDFC0E2F61FFC7FFA7FFEB.xml ↵  
5897 Main-validation-file: ·  
5897 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
5897 /7873FFFCFFCDFC0E2F61FFC7FFA7FFEB.xml ↵  
5898 Scenario-name: ·gg-sch ↵  
5899 Schema: ·  
5899 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
5899 ent..sch ↵  
5900 Engine-name: ·ISO ·Schematron ↵  
5901 Severity: ·error ↵  
5902 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
5902 subSection ·or ·subSubSection. ↵  
5903 Start-location: ·2360:110 ↵  
5904 ↵  
5905 System-ID: ·  
5905 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
5905 /7873FFFCFFCDFC0E2F61FFC7FFA7FFEB.xml ↵  
5906 Main-validation-file: ·

5906 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
5906 /7873FFFCFFCDFC0E2F61FFC7FFA7FFEB.xml ↵  
5907 Scenario.name: .gg-sch ↵  
5908 Schema: .  
5908 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
5908 ent..sch ↵  
5909 Engine.name: .ISO .Schematron ↵  
5910 Severity: .error ↵  
5911 Description: .A .paragraph .must .have .an .ancestor .  
5911 subSection .or .subSubSection. ↵  
5912 Start.location: .2379:135 ↵  
5913 ↵  
5914 System.ID: .  
5914 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
5914 /7873FFFCFFCDFC0E2F61FFC7FFA7FFEB.xml ↵  
5915 Main.validation.file: .  
5915 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
5915 /7873FFFCFFCDFC0E2F61FFC7FFA7FFEB.xml ↵  
5916 Scenario.name: .gg-sch ↵  
5917 Schema: .  
5917 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
5917 ent..sch ↵  
5918 Engine.name: .ISO .Schematron ↵  
5919 Severity: .error ↵  
5920 Description: .A .paragraph .must .have .an .ancestor .  
5920 subSection .or .subSubSection. ↵  
5921 Start.location: .2396:110 ↵  
5922 ↵  
5923 System.ID: .  
5923 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
5923 /7873FFFCFFCDFC0E2F61FFC7FFA7FFEB.xml ↵  
5924 Main.validation.file: .  
5924 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
5924 /7873FFFCFFCDFC0E2F61FFC7FFA7FFEB.xml ↵  
5925 Scenario.name: .gg-sch ↵

5926 Schema: .  
5926 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
5926 ent..sch↵  
5927 Engine.name: .ISO .Schematron↵  
5928 Severity: .error↵  
5929 Description: .A .paragraph .must .have .an .ancestor .  
5929 subSection .or .subSubSection.↵  
5930 Start.location: .2415:135↵  
5931 ↵  
5932 System.ID: .  
5932 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
5932 /7873FFFCFFCDFC0E2F61FFC7FFA7FFEB.xml↵  
5933 Main.validation.file: .  
5933 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
5933 /7873FFFCFFCDFC0E2F61FFC7FFA7FFEB.xml↵  
5934 Scenario.name: .gg-sch↵  
5935 Schema: .  
5935 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
5935 ent..sch↵  
5936 Engine.name: .ISO .Schematron↵  
5937 Severity: .error↵  
5938 Description: .A .paragraph .must .have .an .ancestor .  
5938 subSection .or .subSubSection.↵  
5939 Start.location: .2432:110↵  
5940 ↵  
5941 System.ID: .  
5941 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
5941 /7873FFFCFFCDFC0E2F61FFC7FFA7FFEB.xml↵  
5942 Main.validation.file: .  
5942 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
5942 /7873FFFCFFCDFC0E2F61FFC7FFA7FFEB.xml↵  
5943 Scenario.name: .gg-sch↵  
5944 Schema: .  
5944 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
5944 ent..sch↵

5945 Engine ·name: ·ISO ·Schematron↵  
5946 Severity: ·error↵  
5947 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
5947 subSection ·or ·subSubSection.↵  
5948 Start ·location: ·2453:110↵  
5949 ↵  
5950 System ·ID: ·  
5950 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
5950 /7873FFFCFFCDFC0E2F61FFC7FFA7FFEB.xml↵  
5951 Main ·validation ·file: ·  
5951 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
5951 /7873FFFCFFCDFC0E2F61FFC7FFA7FFEB.xml↵  
5952 Scenario ·name: ·gg-sch↵  
5953 Schema: ·  
5953 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
5953 ent..sch↵  
5954 Engine ·name: ·ISO ·Schematron↵  
5955 Severity: ·error↵  
5956 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
5956 subSection ·or ·subSubSection.↵  
5957 Start ·location: ·2475:110↵  
5958 ↵  
5959 System ·ID: ·  
5959 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
5959 /7873FFFCFFCDFC0E2F61FFC7FFA7FFEB.xml↵  
5960 Main ·validation ·file: ·  
5960 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
5960 /7873FFFCFFCDFC0E2F61FFC7FFA7FFEB.xml↵  
5961 Scenario ·name: ·gg-sch↵  
5962 Schema: ·  
5962 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
5962 ent..sch↵  
5963 Engine ·name: ·ISO ·Schematron↵  
5964 Severity: ·error↵  
5965 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·

5965 subSection ·or ·subSubSection .↳  
5966 Start ·location: ·2492:135↳  
5967 ↳  
5968 System ·ID: ·  
5968 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
5968 /7873FFFCFFCDFC0E2F61FFC7FFA7FFEB.xml↳  
5969 Main ·validation ·file: ·  
5969 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
5969 /7873FFFCFFCDFC0E2F61FFC7FFA7FFEB.xml↳  
5970 Scenario ·name: ·gg-sch↳  
5971 Schema: ·  
5971 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
5971 ent..sch↳  
5972 Engine ·name: ·ISO ·Schematron↳  
5973 Severity: ·error↳  
5974 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
5974 subSection ·or ·subSubSection .↳  
5975 Start ·location: ·2513:135↳  
5976 ↳  
5977 System ·ID: ·  
5977 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
5977 /7873FFFCFFCDFC0E2F61FFC7FFA7FFEB.xml↳  
5978 Main ·validation ·file: ·  
5978 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
5978 /7873FFFCFFCDFC0E2F61FFC7FFA7FFEB.xml↳  
5979 Scenario ·name: ·gg-sch↳  
5980 Schema: ·  
5980 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
5980 ent..sch↳  
5981 Engine ·name: ·ISO ·Schematron↳  
5982 Severity: ·error↳  
5983 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
5983 subSection ·or ·subSubSection .↳  
5984 Start ·location: ·2530:135↳  
5985 ↳

5986 System·ID: ·  
5986 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
5986 /7873FFFCFFCDFC0E2F61FFC7FFA7FFEB.xml↵  
5987 Main·validation·file: ·  
5987 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
5987 /7873FFFCFFCDFC0E2F61FFC7FFA7FFEB.xml↵  
5988 Scenario·name: ·gg-sch↵  
5989 Schema: ·  
5989 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
5989 ent..sch↵  
5990 Engine·name: ·ISO·Schematron↵  
5991 Severity: ·error↵  
5992 Description: ·A·paragraph·must·have·an·ancestor·  
5992 subSection·or·subSubSection.↵  
5993 Start·location: ·2551:135↵  
5994 ↵  
5995 System·ID: ·  
5995 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
5995 /7873FFFCFFCDFC0E2F61FFC7FFA7FFEB.xml↵  
5996 Main·validation·file: ·  
5996 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
5996 /7873FFFCFFCDFC0E2F61FFC7FFA7FFEB.xml↵  
5997 Scenario·name: ·gg-sch↵  
5998 Schema: ·  
5998 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
5998 ent..sch↵  
5999 Engine·name: ·ISO·Schematron↵  
6000 Severity: ·error↵  
6001 Description: ·A·paragraph·must·have·an·ancestor·  
6001 subSection·or·subSubSection.↵  
6002 Start·location: ·2573:110↵  
6003 ↵  
6004 System·ID: ·  
6004 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
6004 /7873FFFCFFCDFC0E2F61FFC7FFA7FFEB.xml↵

6005 Main-validation-file: ·  
6005 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
6005 /7873FFFCFFCDFC0E2F61FFC7FFA7FFEB.xml ↵  
6006 Scenario-name: ·gg-sch ↵  
6007 Schema: ·  
6007 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
6007 ent..sch ↵  
6008 Engine-name: ·ISO-Schematron ↵  
6009 Severity: ·error ↵  
6010 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
6010 subSection ·or ·subSubSection. ↵  
6011 Start-location: ·2590:135 ↵  
6012 ↵  
6013 System-ID: ·  
6013 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
6013 /7873FFFCFFCDFC0E2F61FFC7FFA7FFEB.xml ↵  
6014 Main-validation-file: ·  
6014 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
6014 /7873FFFCFFCDFC0E2F61FFC7FFA7FFEB.xml ↵  
6015 Scenario-name: ·gg-sch ↵  
6016 Schema: ·  
6016 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
6016 ent..sch ↵  
6017 Engine-name: ·ISO-Schematron ↵  
6018 Severity: ·error ↵  
6019 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
6019 subSection ·or ·subSubSection. ↵  
6020 Start-location: ·2612:135 ↵  
6021 ↵  
6022 System-ID: ·  
6022 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
6022 /7873FFFCFFCDFC0E2F61FFC7FFA7FFEB.xml ↵  
6023 Main-validation-file: ·  
6023 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
6023 /7873FFFCFFCDFC0E2F61FFC7FFA7FFEB.xml ↵

6024 Scenario ·name: ·gg-sch ↵  
6025 Schema: ·  
6025 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
6025 ent..sch ↵  
6026 Engine ·name: ·ISO ·Schematron ↵  
6027 Severity: ·error ↵  
6028 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
6028 subSection ·or ·subSubSection. ↵  
6029 Start ·location: ·2629:110 ↵  
6030 ↵  
6031 System ·ID: ·  
6031 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
6031 /7873FFFCFFCDFC0E2F61FFC7FFA7FFEB.xml ↵  
6032 Main ·validation ·file: ·  
6032 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
6032 /7873FFFCFFCDFC0E2F61FFC7FFA7FFEB.xml ↵  
6033 Scenario ·name: ·gg-sch ↵  
6034 Schema: ·  
6034 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
6034 ent..sch ↵  
6035 Engine ·name: ·ISO ·Schematron ↵  
6036 Severity: ·error ↵  
6037 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
6037 subSection ·or ·subSubSection. ↵  
6038 Start ·location: ·2650:110 ↵  
6039 ↵  
6040 System ·ID: ·  
6040 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
6040 /7873FFFCFFCDFC0E2F61FFC7FFA7FFEB.xml ↵  
6041 Main ·validation ·file: ·  
6041 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
6041 /7873FFFCFFCDFC0E2F61FFC7FFA7FFEB.xml ↵  
6042 Scenario ·name: ·gg-sch ↵  
6043 Schema: ·  
6043 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm

6043 ent..sch↵  
6044 Engine.name: ·ISO ·Schematron↵  
6045 Severity: ·error↵  
6046 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
6046 subSection ·or ·subSubSection.↵  
6047 Start ·location: ·2668:110↵  
6048 ↵  
6049 System ·ID: ·  
6049 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
6049 /7873FFFCFFCDFC0E2F61FFC7FFA7FFEB.xml↵  
6050 Main ·validation ·file: ·  
6050 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
6050 /7873FFFCFFCDFC0E2F61FFC7FFA7FFEB.xml↵  
6051 Scenario ·name: ·gg-sch↵  
6052 Schema: ·  
6052 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
6052 ent..sch↵  
6053 Engine.name: ·ISO ·Schematron↵  
6054 Severity: ·error↵  
6055 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
6055 subSection ·or ·subSubSection.↵  
6056 Start ·location: ·2688:135↵  
6057 ↵  
6058 System ·ID: ·  
6058 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
6058 /7873FFFCFFCDFC0E2F61FFC7FFA7FFEB.xml↵  
6059 Main ·validation ·file: ·  
6059 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
6059 /7873FFFCFFCDFC0E2F61FFC7FFA7FFEB.xml↵  
6060 Scenario ·name: ·gg-sch↵  
6061 Schema: ·  
6061 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
6061 ent..sch↵  
6062 Engine.name: ·ISO ·Schematron↵  
6063 Severity: ·error↵

6064 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
6064 subSection ·or ·subSubSection. ↵  
6065 Start ·location: ·2705:135 ↵  
6066 ↵  
6067 System ·ID: ·  
6067 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
6067 /7873FFFCFFCDFC0E2F61FFC7FFA7FFEB.xml ↵  
6068 Main ·validation ·file: ·  
6068 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
6068 /7873FFFCFFCDFC0E2F61FFC7FFA7FFEB.xml ↵  
6069 Scenario ·name: ·gg-sch ↵  
6070 Schema: ·  
6070 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
6070 ent..sch ↵  
6071 Engine ·name: ·ISO ·Schematron ↵  
6072 Severity: ·error ↵  
6073 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
6073 subSection ·or ·subSubSection. ↵  
6074 Start ·location: ·2717:110 ↵  
6075 ↵  
6076 System ·ID: ·  
6076 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
6076 /7873FFFCFFCDFC0E2F61FFC7FFA7FFEB.xml ↵  
6077 Main ·validation ·file: ·  
6077 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
6077 /7873FFFCFFCDFC0E2F61FFC7FFA7FFEB.xml ↵  
6078 Scenario ·name: ·gg-sch ↵  
6079 Schema: ·  
6079 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
6079 ent..sch ↵  
6080 Engine ·name: ·ISO ·Schematron ↵  
6081 Severity: ·error ↵  
6082 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
6082 subSection ·or ·subSubSection. ↵  
6083 Start ·location: ·2734:110 ↵

6084 ↵  
6085 System·ID: ·  
6085 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
6085 /7873FFFCFFCDFC0E2F61FFC7FFA7FFEB.xml↵  
6086 Main·validation·file: ·  
6086 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
6086 /7873FFFCFFCDFC0E2F61FFC7FFA7FFEB.xml↵  
6087 Scenario·name: ·gg-sch↵  
6088 Schema: ·  
6088 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch↵  
6089 Engine·name: ·ISO·Schematron↵  
6090 Severity: ·error↵  
6091 Description: ·A·paragraph·must·have·an·ancestor·  
6091 subSection·or·subSubSection.↵  
6092 Start·location: ·2751:110↵  
6093 ↵  
6094 System·ID: ·  
6094 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
6094 /7873FFFCFFCDFC0E2F61FFC7FFA7FFEB.xml↵  
6095 Main·validation·file: ·  
6095 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
6095 /7873FFFCFFCDFC0E2F61FFC7FFA7FFEB.xml↵  
6096 Scenario·name: ·gg-sch↵  
6097 Schema: ·  
6097 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch↵  
6098 Engine·name: ·ISO·Schematron↵  
6099 Severity: ·error↵  
6100 Description: ·A·paragraph·must·have·an·ancestor·  
6100 subSection·or·subSubSection.↵  
6101 Start·location: ·2776:110↵  
6102 ↵  
6103 System·ID: ·  
6103 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax

6103 /7873FFFCFFCDFC0E2F61FFC7FFA7FFEB.xml ↵  
6104 Main-validation-file: ·  
6104 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
6104 /7873FFFCFFCDFC0E2F61FFC7FFA7FFEB.xml ↵  
6105 Scenario-name: ·gg-sch ↵  
6106 Schema: ·  
6106 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
6106 ent..sch ↵  
6107 Engine-name: ·ISO-Schematron ↵  
6108 Severity: ·error ↵  
6109 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
6109 subSection ·or ·subSubSection. ↵  
6110 Start-location: ·2799:137 ↵  
6111 ↵  
6112 System-ID: ·  
6112 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
6112 /7873FFFCFFCDFC0E2F61FFC7FFA7FFEB.xml ↵  
6113 Main-validation-file: ·  
6113 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
6113 /7873FFFCFFCDFC0E2F61FFC7FFA7FFEB.xml ↵  
6114 Scenario-name: ·gg-sch ↵  
6115 Schema: ·  
6115 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
6115 ent..sch ↵  
6116 Engine-name: ·ISO-Schematron ↵  
6117 Severity: ·error ↵  
6118 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
6118 subSection ·or ·subSubSection. ↵  
6119 Start-location: ·2816:110 ↵  
6120 ↵  
6121 System-ID: ·  
6121 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
6121 /7873FFFCFFCDFC0E2F61FFC7FFA7FFEB.xml ↵  
6122 Main-validation-file: ·  
6122 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax

6122 /7873FFFCFFC0E2F61FFC7FFA7FFEB.xml ↵  
6123 Scenario.name: .gg-sch ↵  
6124 Schema: .  
6124 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
6124 ent..sch ↵  
6125 Engine.name: .ISO.Schematron ↵  
6126 Severity: .error ↵  
6127 Description: .A.paragraph.must.have.an.ancestor.  
6127 subSection.or.subSubSection. ↵  
6128 Start.location: .2836:137 ↵  
6129 ↵  
6130 System.ID: .  
6130 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
6130 /7873FFFCFFC0E2F61FFC7FFA7FFEB.xml ↵  
6131 Main.validation.file: .  
6131 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
6131 /7873FFFCFFC0E2F61FFC7FFA7FFEB.xml ↵  
6132 Scenario.name: .gg-sch ↵  
6133 Schema: .  
6133 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
6133 ent..sch ↵  
6134 Engine.name: .ISO.Schematron ↵  
6135 Severity: .error ↵  
6136 Description: .A.paragraph.must.have.an.ancestor.  
6136 subSection.or.subSubSection. ↵  
6137 Start.location: .2850:110 ↵  
6138 ↵  
6139 System.ID: .  
6139 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
6139 /7873FFFCFFC0E2F61FFC7FFA7FFEB.xml ↵  
6140 Main.validation.file: .  
6140 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
6140 /7873FFFCFFC0E2F61FFC7FFA7FFEB.xml ↵  
6141 Scenario.name: .gg-sch ↵  
6142 Schema: .

6142 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
6142 ent..sch↵  
6143 Engine.name: ·ISO ·Schematron↵  
6144 Severity: ·error↵  
6145 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
6145 subSection ·or ·subSubSection.↵  
6146 Start ·location: ·2870:137↵  
6147 ↵  
6148 System ·ID: ·  
6148 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
6148 /7873FFFCFFCDFC0E2F61FFC7FFA7FFEB.xml↵  
6149 Main ·validation ·file: ·  
6149 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
6149 /7873FFFCFFCDFC0E2F61FFC7FFA7FFEB.xml↵  
6150 Scenario ·name: ·gg-sch↵  
6151 Schema: ·  
6151 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
6151 ent..sch↵  
6152 Engine.name: ·ISO ·Schematron↵  
6153 Severity: ·error↵  
6154 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
6154 subSection ·or ·subSubSection.↵  
6155 Start ·location: ·2886:137↵  
6156 ↵  
6157 System ·ID: ·  
6157 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
6157 /7873FFFCFFCDFC0E2F61FFC7FFA7FFEB.xml↵  
6158 Main ·validation ·file: ·  
6158 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
6158 /7873FFFCFFCDFC0E2F61FFC7FFA7FFEB.xml↵  
6159 Scenario ·name: ·gg-sch↵  
6160 Schema: ·  
6160 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
6160 ent..sch↵  
6161 Engine.name: ·ISO ·Schematron↵

6162 Severity: ·error ↵  
6163 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
6163 subSection ·or ·subSubSection. ↵  
6164 Start ·location: ·2899:110 ↵  
6165 ↵  
6166 System ·ID: ·  
6166 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
6166 /7873FFFCFFCDFC0E2F61FFC7FFA7FFEB.xml ↵  
6167 Main ·validation ·file: ·  
6167 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
6167 /7873FFFCFFCDFC0E2F61FFC7FFA7FFEB.xml ↵  
6168 Scenario ·name: ·gg-sch ↵  
6169 Schema: ·  
6169 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
6169 ent..sch ↵  
6170 Engine ·name: ·ISO ·Schematron ↵  
6171 Severity: ·error ↵  
6172 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
6172 subSection ·or ·subSubSection. ↵  
6173 Start ·location: ·2912:137 ↵  
6174 ↵  
6175 System ·ID: ·  
6175 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
6175 /7873FFFCFFCDFC0E2F61FFC7FFA7FFEB.xml ↵  
6176 Main ·validation ·file: ·  
6176 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
6176 /7873FFFCFFCDFC0E2F61FFC7FFA7FFEB.xml ↵  
6177 Scenario ·name: ·gg-sch ↵  
6178 Schema: ·  
6178 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
6178 ent..sch ↵  
6179 Engine ·name: ·ISO ·Schematron ↵  
6180 Severity: ·error ↵  
6181 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
6181 subSection ·or ·subSubSection. ↵

6182 Start ·location: ·2926:137 ↵  
6183 ↵  
6184 System ·ID: ·  
6184 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
6184 /7873FFFCFFCDFC0E2F61FFC7FFA7FFEB.xml ↵  
6185 Main ·validation ·file: ·  
6185 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
6185 /7873FFFCFFCDFC0E2F61FFC7FFA7FFEB.xml ↵  
6186 Scenario ·name: ·gg-sch ↵  
6187 Schema: ·  
6187 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
6187 ent..sch ↵  
6188 Engine ·name: ·ISO ·Schematron ↵  
6189 Severity: ·error ↵  
6190 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
6190 subSection ·or ·subSubSection. ↵  
6191 Start ·location: ·2941:110 ↵  
6192 ↵  
6193 System ·ID: ·  
6193 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
6193 /7873FFFCFFCDFC0E2F61FFC7FFA7FFEB.xml ↵  
6194 Main ·validation ·file: ·  
6194 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
6194 /7873FFFCFFCDFC0E2F61FFC7FFA7FFEB.xml ↵  
6195 Scenario ·name: ·gg-sch ↵  
6196 Schema: ·  
6196 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
6196 ent..sch ↵  
6197 Engine ·name: ·ISO ·Schematron ↵  
6198 Severity: ·error ↵  
6199 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
6199 subSection ·or ·subSubSection. ↵  
6200 Start ·location: ·2955:137 ↵  
6201 ↵  
6202 System ·ID: ·

6202 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
6202 /7873FFFCFFCDFC0E2F61FFC7FFA7FFEB.xml ↵  
6203 Main-validation-file: ·  
6203 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
6203 /7873FFFCFFCDFC0E2F61FFC7FFA7FFEB.xml ↵  
6204 Scenario-name: ·gg-sch ↵  
6205 Schema: ·  
6205 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
6206 Engine-name: ·ISO ·Schematron ↵  
6207 Severity: ·error ↵  
6208 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
subSection ·or ·subSubSection. ↵  
6209 Start-location: ·2960:111 ↵  
6210 ↵  
6211 System-ID: ·  
6211 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
6211 /7873FFFCFFCDFC0E2F61FFC7FFA7FFEB.xml ↵  
6212 Main-validation-file: ·  
6212 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
6212 /7873FFFCFFCDFC0E2F61FFC7FFA7FFEB.xml ↵  
6213 Scenario-name: ·gg-sch ↵  
6214 Schema: ·  
6214 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
6215 Engine-name: ·ISO ·Schematron ↵  
6216 Severity: ·error ↵  
6217 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
subSection ·or ·subSubSection. ↵  
6218 Start-location: ·2961:137 ↵  
6219 ↵  
6220 System-ID: ·  
6220 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
6220 /7873FFFCFFCDFC0E2F61FFC7FFA7FFEB.xml ↵  
6221 Main-validation-file: ·

6221 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
6221 /7873FFFCFFCDFC0E2F61FFC7FFA7FFEB.xml ↵  
6222 Scenario.name: .gg-sch ↵  
6223 Schema: .  
6223 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
6223 ent..sch ↵  
6224 Engine.name: .ISO .Schematron ↵  
6225 Severity: .error ↵  
6226 Description: .A .paragraph .must .have .an .ancestor .  
6226 subSection .or .subSubSection. ↵  
6227 Start.location: .2966:111 ↵  
6228 ↵  
6229 System.ID: .  
6229 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
6229 /7873FFFCFFCDFC0E2F61FFC7FFA7FFEB.xml ↵  
6230 Main.validation.file: .  
6230 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
6230 /7873FFFCFFCDFC0E2F61FFC7FFA7FFEB.xml ↵  
6231 Scenario.name: .gg-sch ↵  
6232 Schema: .  
6232 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
6232 ent..sch ↵  
6233 Engine.name: .ISO .Schematron ↵  
6234 Severity: .error ↵  
6235 Description: .A .paragraph .must .have .an .ancestor .  
6235 subSection .or .subSubSection. ↵  
6236 Start.location: .2967:137 ↵  
6237 ↵  
6238 System.ID: .  
6238 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
6238 /7873FFFCFFCDFC0E2F61FFC7FFA7FFEB.xml ↵  
6239 Main.validation.file: .  
6239 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
6239 /7873FFFCFFCDFC0E2F61FFC7FFA7FFEB.xml ↵  
6240 Scenario.name: .gg-sch ↵

6241 Schema: .  
6241 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
6241 ent..sch↵  
6242 Engine.name: ·ISO ·Schematron↵  
6243 Severity: ·error↵  
6244 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
6244 subSection ·or ·subSubSection.↵  
6245 Start.location: ·2972:111↵  
6246 ↵  
6247 System.ID: .  
6247 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
6247 /7873FFFCFFCDFC0E2F61FFC7FFA7FFEB.xml↵  
6248 Main.validation-file: .  
6248 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
6248 /7873FFFCFFCDFC0E2F61FFC7FFA7FFEB.xml↵  
6249 Scenario.name: ·gg-sch↵  
6250 Schema: .  
6250 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
6250 ent..sch↵  
6251 Engine.name: ·ISO ·Schematron↵  
6252 Severity: ·error↵  
6253 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
6253 subSection ·or ·subSubSection.↵  
6254 Start.location: ·2980:109↵  
6255 ↵  
6256 System.ID: .  
6256 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
6256 /7873FFFCFFCDFC0E2F61FFC7FFA7FFEB.xml↵  
6257 Main.validation-file: .  
6257 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
6257 /7873FFFCFFCDFC0E2F61FFC7FFA7FFEB.xml↵  
6258 Scenario.name: ·gg-sch↵  
6259 Schema: .  
6259 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
6259 ent..sch↵

6260 Engine.name: ·ISO ·Schematron↵  
6261 Severity: ·error↵  
6262 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
6262 subSection ·or ·subSubSection.↵  
6263 Start.location: ·2985:132↵  
6264 ↵  
6265 System.ID: ·  
6265 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
6265 /9407FFC9FFD5DF6FFE3FFB4FFC76221.xml↵  
6266 Main.validation.file: ·  
6266 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
6266 /9407FFC9FFD5DF6FFE3FFB4FFC76221.xml↵  
6267 Scenario.name: ·gg-sch↵  
6268 Schema: ·  
6268 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
6268 ent..sch↵  
6269 Engine.name: ·ISO ·Schematron↵  
6270 Severity: ·error↵  
6271 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
6271 subSection ·or ·subSubSection.↵  
6272 Start.location: ·1364:108↵  
6273 ↵  
6274 System.ID: ·  
6274 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
6274 /9407FFC9FFD5DF6FFE3FFB4FFC76221.xml↵  
6275 Main.validation.file: ·  
6275 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
6275 /9407FFC9FFD5DF6FFE3FFB4FFC76221.xml↵  
6276 Scenario.name: ·gg-sch↵  
6277 Schema: ·  
6277 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
6277 ent..sch↵  
6278 Engine.name: ·ISO ·Schematron↵  
6279 Severity: ·error↵  
6280 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·

6280 subSection ·or ·subSubSection. ↵  
6281 Start ·location: ·1372:177 ↵  
6282 ↵  
6283 System ·ID: ·  
6283 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
6283 /9407FFC9FFD5DF6FFE3FFB4FFC76221.xml ↵  
6284 Main ·validation ·file: ·  
6284 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
6284 /9407FFC9FFD5DF6FFE3FFB4FFC76221.xml ↵  
6285 Scenario ·name: ·gg-sch ↵  
6286 Schema: ·  
6286 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
6286 ent..sch ↵  
6287 Engine ·name: ·ISO ·Schematron ↵  
6288 Severity: ·error ↵  
6289 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
6289 subSection ·or ·subSubSection. ↵  
6290 Start ·location: ·1397:107 ↵  
6291 ↵  
6292 System ·ID: ·  
6292 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
6292 /9407FFC9FFD5DF6FFE3FFB4FFC76221.xml ↵  
6293 Main ·validation ·file: ·  
6293 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
6293 /9407FFC9FFD5DF6FFE3FFB4FFC76221.xml ↵  
6294 Scenario ·name: ·gg-sch ↵  
6295 Schema: ·  
6295 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
6295 ent..sch ↵  
6296 Engine ·name: ·ISO ·Schematron ↵  
6297 Severity: ·error ↵  
6298 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
6298 subSection ·or ·subSubSection. ↵  
6299 Start ·location: ·1435:107 ↵  
6300 ↵

6301 System·ID: ·  
6301 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
6301 /9407FFC9FFD5DF6FFE3FFB4FFC76221.xml↵  
6302 Main·validation·file: ·  
6302 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
6302 /9407FFC9FFD5DF6FFE3FFB4FFC76221.xml↵  
6303 Scenario·name: ·gg-sch↵  
6304 Schema: ·  
6304 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
6304 ent..sch↵  
6305 Engine·name: ·ISO·Schematron↵  
6306 Severity: ·error↵  
6307 Description: ·A·paragraph·must·have·an·ancestor·  
6307 subSection·or·subSubSection.↵  
6308 Start·location: ·3339:136↵  
6309 ↵  
6310 System·ID: ·  
6310 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
6310 /15631C43FFB3FF99FFAE393FFF8FFE0.xml↵  
6311 Main·validation·file: ·  
6311 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
6311 /15631C43FFB3FF99FFAE393FFF8FFE0.xml↵  
6312 Scenario·name: ·gg-sch↵  
6313 Schema: ·  
6313 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
6313 ent..sch↵  
6314 Engine·name: ·ISO·Schematron↵  
6315 Severity: ·error↵  
6316 Description: ·A·paragraph·must·have·an·ancestor·  
6316 subSection·or·subSubSection.↵  
6317 Start·location: ·2273:119↵  
6318 ↵  
6319 System·ID: ·  
6319 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
6319 /15631C43FFB3FF99FFAE393FFF8FFE0.xml↵

6320 Main-validation-file: ·  
6320 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
6320 /15631C43FFB3FF99FFAE393FFE8FFE0.xml ↵  
6321 Scenario-name: ·gg-sch ↵  
6322 Schema: ·  
6322 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
6322 ent..sch ↵  
6323 Engine-name: ·ISO ·Schematron ↵  
6324 Severity: ·error ↵  
6325 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
6325 subSection ·or ·subSubSection. ↵  
6326 Start-location: ·2283:128 ↵  
6327 ↵  
6328 System-ID: ·  
6328 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
6328 /15631C43FFB3FF99FFAE393FFE8FFE0.xml ↵  
6329 Main-validation-file: ·  
6329 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
6329 /15631C43FFB3FF99FFAE393FFE8FFE0.xml ↵  
6330 Scenario-name: ·gg-sch ↵  
6331 Schema: ·  
6331 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
6331 ent..sch ↵  
6332 Engine-name: ·ISO ·Schematron ↵  
6333 Severity: ·error ↵  
6334 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
6334 subSection ·or ·subSubSection. ↵  
6335 Start-location: ·2306:62 ↵  
6336 ↵  
6337 System-ID: ·  
6337 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
6337 /15631C43FFB3FF99FFAE393FFE8FFE0.xml ↵  
6338 Main-validation-file: ·  
6338 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
6338 /15631C43FFB3FF99FFAE393FFE8FFE0.xml ↵

6339 Scenario ·name: ·gg-sch ↵  
6340 Schema: ·  
6340 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
6340 ent..sch ↵  
6341 Engine ·name: ·ISO ·Schematron ↵  
6342 Severity: ·error ↵  
6343 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
6343 subSection ·or ·subSubSection. ↵  
6344 Start ·location: ·2314:128 ↵  
6345 ↵  
6346 System ·ID: ·  
6346 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
6346 /15631C43FFB3FF99FFAE393FFF8FFE0.xml ↵  
6347 Main ·validation ·file: ·  
6347 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
6347 /15631C43FFB3FF99FFAE393FFF8FFE0.xml ↵  
6348 Scenario ·name: ·gg-sch ↵  
6349 Schema: ·  
6349 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
6349 ent..sch ↵  
6350 Engine ·name: ·ISO ·Schematron ↵  
6351 Severity: ·error ↵  
6352 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
6352 subSection ·or ·subSubSection. ↵  
6353 Start ·location: ·2357:129 ↵  
6354 ↵  
6355 System ·ID: ·  
6355 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
6355 /15631C43FFB3FF99FFAE393FFF8FFE0.xml ↵  
6356 Main ·validation ·file: ·  
6356 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
6356 /15631C43FFB3FF99FFAE393FFF8FFE0.xml ↵  
6357 Scenario ·name: ·gg-sch ↵  
6358 Schema: ·  
6358 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm

```
6358 ent..sch↵
6359 Engine.name: ·ISO ·Schematron↵
6360 Severity: ·error↵
6361 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
6361 subSection ·or ·subSubSection.↵
6362 Start ·location: ·2410:129↵
6363 ↵
6364 System ·ID: ·
6364 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
6364 /15631C43FFB3FF99FFAE393FFF8FFE0.xml↵
6365 Main ·validation ·file: ·
6365 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
6365 /15631C43FFB3FF99FFAE393FFF8FFE0.xml↵
6366 Scenario ·name: ·gg-sch↵
6367 Schema: ·
6367 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
6367 ent..sch↵
6368 Engine.name: ·ISO ·Schematron↵
6369 Severity: ·error↵
6370 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
6370 subSection ·or ·subSubSection.↵
6371 Start ·location: ·2463:129↵
6372 ↵
6373 System ·ID: ·
6373 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
6373 /15631C43FFB3FF99FFAE393FFF8FFE0.xml↵
6374 Main ·validation ·file: ·
6374 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
6374 /15631C43FFB3FF99FFAE393FFF8FFE0.xml↵
6375 Scenario ·name: ·gg-sch↵
6376 Schema: ·
6376 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
6376 ent..sch↵
6377 Engine.name: ·ISO ·Schematron↵
6378 Severity: ·error↵
```

6379 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
6379 subSection ·or ·subSubSection. ↵  
6380 Start ·location: ·2513:128 ↵  
6381 ↵  
6382 System ·ID: ·  
6382 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
6382 /15631C43FFB3FF99FFAE393FFF8FFE0.xml ↵  
6383 Main ·validation ·file: ·  
6383 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
6383 /15631C43FFB3FF99FFAE393FFF8FFE0.xml ↵  
6384 Scenario ·name: ·gg-sch ↵  
6385 Schema: ·  
6385 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
6385 ent..sch ↵  
6386 Engine ·name: ·ISO ·Schematron ↵  
6387 Severity: ·error ↵  
6388 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
6388 subSection ·or ·subSubSection. ↵  
6389 Start ·location: ·2561:129 ↵  
6390 ↵  
6391 System ·ID: ·  
6391 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
6391 /15631C43FFB3FF99FFAE393FFF8FFE0.xml ↵  
6392 Main ·validation ·file: ·  
6392 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
6392 /15631C43FFB3FF99FFAE393FFF8FFE0.xml ↵  
6393 Scenario ·name: ·gg-sch ↵  
6394 Schema: ·  
6394 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
6394 ent..sch ↵  
6395 Engine ·name: ·ISO ·Schematron ↵  
6396 Severity: ·error ↵  
6397 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
6397 subSection ·or ·subSubSection. ↵  
6398 Start ·location: ·2609:132 ↵

6399 ↵  
6400 System·ID: ·  
6400 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
6400 /15631C43FFB3FF99FFAE393FFF8FFE0.xml↵  
6401 Main·validation·file: ·  
6401 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
6401 /15631C43FFB3FF99FFAE393FFF8FFE0.xml↵  
6402 Scenario·name: ·gg-sch↵  
6403 Schema: ·  
6403 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
6403 ent..sch↵  
6404 Engine·name: ·ISO·Schematron↵  
6405 Severity: ·error↵  
6406 Description: ·A·paragraph·must·have·an·ancestor·  
6406 subSection·or·subSubSection.↵  
6407 Start·location: ·2632:94↵  
6408 ↵  
6409 System·ID: ·  
6409 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
6409 /15631C43FFB3FF99FFAE393FFF8FFE0.xml↵  
6410 Main·validation·file: ·  
6410 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
6410 /15631C43FFB3FF99FFAE393FFF8FFE0.xml↵  
6411 Scenario·name: ·gg-sch↵  
6412 Schema: ·  
6412 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
6412 ent..sch↵  
6413 Engine·name: ·ISO·Schematron↵  
6414 Severity: ·error↵  
6415 Description: ·A·paragraph·must·have·an·ancestor·  
6415 subSection·or·subSubSection.↵  
6416 Start·location: ·2638:62↵  
6417 ↵  
6418 System·ID: ·  
6418 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax

6418 /15631C43FFB3FF99FFAE393FFF8FFE0.xml ↵  
6419 Main-validation-file: ·  
6419 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
6419 /15631C43FFB3FF99FFAE393FFF8FFE0.xml ↵  
6420 Scenario-name: ·gg-sch ↵  
6421 Schema: ·  
6421 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
6421 ent..sch ↵  
6422 Engine-name: ·ISO-Schematron ↵  
6423 Severity: ·error ↵  
6424 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
6424 subSection ·or ·subSubSection. ↵  
6425 Start-location: ·3266:96 ↵  
6426 ↵  
6427 System-ID: ·  
6427 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
6427 /15631C43FFB3FF99FFAE393FFF8FFE0.xml ↵  
6428 Main-validation-file: ·  
6428 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
6428 /15631C43FFB3FF99FFAE393FFF8FFE0.xml ↵  
6429 Scenario-name: ·gg-sch ↵  
6430 Schema: ·  
6430 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
6430 ent..sch ↵  
6431 Engine-name: ·ISO-Schematron ↵  
6432 Severity: ·error ↵  
6433 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
6433 subSection ·or ·subSubSection. ↵  
6434 Start-location: ·3269:115 ↵  
6435 ↵  
6436 System-ID: ·  
6436 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
6436 /15631C43FFB3FF99FFAE393FFF8FFE0.xml ↵  
6437 Main-validation-file: ·  
6437 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax

6437 /15631C43FFB3FF99FFAE393FFF8FFE0.xml ↵  
6438 Scenario.name: .gg-sch ↵  
6439 Schema: .  
6439 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
6439 ent..sch ↵  
6440 Engine.name: .ISO.Schematron ↵  
6441 Severity: .error ↵  
6442 Description: .A.paragraph.must.have.an.ancestor.  
6442 subSection.or.subSubSection. ↵  
6443 Start.location: .3274:115 ↵  
6444 ↵  
6445 System.ID: .  
6445 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
6445 /15631C43FFB3FF99FFAE393FFF8FFE0.xml ↵  
6446 Main.validation.file: .  
6446 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
6446 /15631C43FFB3FF99FFAE393FFF8FFE0.xml ↵  
6447 Scenario.name: .gg-sch ↵  
6448 Schema: .  
6448 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
6448 ent..sch ↵  
6449 Engine.name: .ISO.Schematron ↵  
6450 Severity: .error ↵  
6451 Description: .A.paragraph.must.have.an.ancestor.  
6451 subSection.or.subSubSection. ↵  
6452 Start.location: .3275:92 ↵  
6453 ↵  
6454 System.ID: .  
6454 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
6454 /15631C43FFB3FF99FFAE393FFF8FFE0.xml ↵  
6455 Main.validation.file: .  
6455 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
6455 /15631C43FFB3FF99FFAE393FFF8FFE0.xml ↵  
6456 Scenario.name: .gg-sch ↵  
6457 Schema: .

6457 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
6457 ent..sch↵  
6458 Engine.name: ·ISO ·Schematron↵  
6459 Severity: ·error↵  
6460 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
6460 subSection ·or ·subSubSection.↵  
6461 Start ·location: ·3278:115↵  
6462 ↵  
6463 System ·ID: ·  
6463 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
6463 /15631C43FFB3FF99FFAE393FFF8FFE0.xml↵  
6464 Main ·validation ·file: ·  
6464 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
6464 /15631C43FFB3FF99FFAE393FFF8FFE0.xml↵  
6465 Scenario ·name: ·gg-sch↵  
6466 Schema: ·  
6466 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
6466 ent..sch↵  
6467 Engine.name: ·ISO ·Schematron↵  
6468 Severity: ·error↵  
6469 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
6469 subSection ·or ·subSubSection.↵  
6470 Start ·location: ·3279:115↵  
6471 ↵  
6472 System ·ID: ·  
6472 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
6472 /15631C43FFB3FF99FFAE393FFF8FFE0.xml↵  
6473 Main ·validation ·file: ·  
6473 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
6473 /15631C43FFB3FF99FFAE393FFF8FFE0.xml↵  
6474 Scenario ·name: ·gg-sch↵  
6475 Schema: ·  
6475 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
6475 ent..sch↵  
6476 Engine.name: ·ISO ·Schematron↵

6477 Severity: ·error ↵  
6478 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
6478 subSection ·or ·subSubSection. ↵  
6479 Start ·location: ·3280:115 ↵  
6480 ↵  
6481 System ·ID: ·  
6481 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
6481 /15631C43FFB3FF99FFAE393FFF8FFE0.xml ↵  
6482 Main ·validation ·file: ·  
6482 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
6482 /15631C43FFB3FF99FFAE393FFF8FFE0.xml ↵  
6483 Scenario ·name: ·gg-sch ↵  
6484 Schema: ·  
6484 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
6484 ent..sch ↵  
6485 Engine ·name: ·ISO ·Schematron ↵  
6486 Severity: ·error ↵  
6487 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
6487 subSection ·or ·subSubSection. ↵  
6488 Start ·location: ·3285:92 ↵  
6489 ↵  
6490 System ·ID: ·  
6490 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
6490 /97028E40FFC56D23FC4EFFD2857A2626.xml ↵  
6491 Main ·validation ·file: ·  
6491 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
6491 /97028E40FFC56D23FC4EFFD2857A2626.xml ↵  
6492 Scenario ·name: ·gg-sch ↵  
6493 Schema: ·  
6493 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
6493 ent..sch ↵  
6494 Engine ·name: ·ISO ·Schematron ↵  
6495 Severity: ·error ↵  
6496 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
6496 subSection ·or ·subSubSection. ↵

6497 Start ·location: ·62:107 ↵  
6498 ↵  
6499 System ·ID: ·  
6499 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
6499 /97028E40FFC56D23FC4EFFD2857A2626.xml ↵  
6500 Main ·validation ·file: ·  
6500 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
6500 /97028E40FFC56D23FC4EFFD2857A2626.xml ↵  
6501 Scenario ·name: ·gg-sch ↵  
6502 Schema: ·  
6502 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
6502 ent..sch ↵  
6503 Engine ·name: ·ISO ·Schematron ↵  
6504 Severity: ·error ↵  
6505 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
6505 subSection ·or ·subSubSection. ↵  
6506 Start ·location: ·69:132 ↵  
6507 ↵  
6508 System ·ID: ·  
6508 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
6508 /97028E40FFC56D23FC4EFFD2857A2626.xml ↵  
6509 Main ·validation ·file: ·  
6509 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
6509 /97028E40FFC56D23FC4EFFD2857A2626.xml ↵  
6510 Scenario ·name: ·gg-sch ↵  
6511 Schema: ·  
6511 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
6511 ent..sch ↵  
6512 Engine ·name: ·ISO ·Schematron ↵  
6513 Severity: ·error ↵  
6514 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
6514 subSection ·or ·subSubSection. ↵  
6515 Start ·location: ·83:131 ↵  
6516 ↵  
6517 System ·ID: ·

6517 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
6517 /97028E40FFC56D23FC4EFFD2857A2626.xml ↵  
6518 Main-validation-file: ·  
6518 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
6518 /97028E40FFC56D23FC4EFFD2857A2626.xml ↵  
6519 Scenario-name: ·gg-sch ↵  
6520 Schema: ·  
6520 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
6521 Engine-name: ·ISO ·Schematron ↵  
6522 Severity: ·error ↵  
6523 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
subSection ·or ·subSubSection. ↵  
6524 Start-location: ·87:131 ↵  
6525 ↵  
6526 System-ID: ·  
6526 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
6526 /97028E40FFC56D23FC4EFFD2857A2626.xml ↵  
6527 Main-validation-file: ·  
6527 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
6527 /97028E40FFC56D23FC4EFFD2857A2626.xml ↵  
6528 Scenario-name: ·gg-sch ↵  
6529 Schema: ·  
6529 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
6530 Engine-name: ·ISO ·Schematron ↵  
6531 Severity: ·error ↵  
6532 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
subSection ·or ·subSubSection. ↵  
6533 Start-location: ·91:132 ↵  
6534 ↵  
6535 System-ID: ·  
6535 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
6535 /97028E40FFC56D23FC4EFFD2857A2626.xml ↵  
6536 Main-validation-file: ·

6536 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
6536 /97028E40FFC56D23FC4EFFD2857A2626.xml↵  
6537 Scenario.name: .gg-sch↵  
6538 Schema: .  
6538 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
6538 ent..sch↵  
6539 Engine.name: .ISO .Schematron↵  
6540 Severity: .error↵  
6541 Description: .A .paragraph .must .have .an .ancestor .  
6541 subSection .or .subSubSection.↵  
6542 Start.location: .95:164↵  
6543 ↵  
6544 System.ID: .  
6544 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
6544 /97028E40FFC56D23FC4EFFD2857A2626.xml↵  
6545 Main.validation.file: .  
6545 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
6545 /97028E40FFC56D23FC4EFFD2857A2626.xml↵  
6546 Scenario.name: .gg-sch↵  
6547 Schema: .  
6547 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
6547 ent..sch↵  
6548 Engine.name: .ISO .Schematron↵  
6549 Severity: .error↵  
6550 Description: .A .paragraph .must .have .an .ancestor .  
6550 subSection .or .subSubSection.↵  
6551 Start.location: .96:133↵  
6552 ↵  
6553 System.ID: .  
6553 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
6553 /97028E40FFC56D23FC4EFFD2857A2626.xml↵  
6554 Main.validation.file: .  
6554 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
6554 /97028E40FFC56D23FC4EFFD2857A2626.xml↵  
6555 Scenario.name: .gg-sch↵

6556 Schema: .  
6556 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
6556 ent..sch↵  
6557 Engine.name: .ISO .Schematron↵  
6558 Severity: .error↵  
6559 Description: .A .paragraph .must .have .an .ancestor .  
6559 subSection .or .subSubSection.↵  
6560 Start.location: .100:133↵  
6561 ↵  
6562 System.ID: .  
6562 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
6562 /97028E40FFC56D23FC4EFFD2857A2626.xml↵  
6563 Main.validation.file: .  
6563 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
6563 /97028E40FFC56D23FC4EFFD2857A2626.xml↵  
6564 Scenario.name: .gg-sch↵  
6565 Schema: .  
6565 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
6565 ent..sch↵  
6566 Engine.name: .ISO .Schematron↵  
6567 Severity: .error↵  
6568 Description: .A .paragraph .must .have .an .ancestor .  
6568 subSection .or .subSubSection.↵  
6569 Start.location: .104:133↵  
6570 ↵  
6571 System.ID: .  
6571 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
6571 /97028E40FFC56D23FC4EFFD2857A2626.xml↵  
6572 Main.validation.file: .  
6572 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
6572 /97028E40FFC56D23FC4EFFD2857A2626.xml↵  
6573 Scenario.name: .gg-sch↵  
6574 Schema: .  
6574 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
6574 ent..sch↵

6575 Engine.name: ·ISO ·Schematron↵  
6576 Severity: ·error↵  
6577 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
6577 subSection ·or ·subSubSection.↵  
6578 Start.location: ·108:133↵  
6579 ↵  
6580 System.ID: ·  
6580 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
6580 /97028E40FFC56D23FC4EFFD2857A2626.xml↵  
6581 Main.validation.file: ·  
6581 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
6581 /97028E40FFC56D23FC4EFFD2857A2626.xml↵  
6582 Scenario.name: ·gg-sch↵  
6583 Schema: ·  
6583 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
6583 ent..sch↵  
6584 Engine.name: ·ISO ·Schematron↵  
6585 Severity: ·error↵  
6586 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
6586 subSection ·or ·subSubSection.↵  
6587 Start.location: ·109:133↵  
6588 ↵  
6589 System.ID: ·  
6589 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
6589 /97028E40FFC56D23FC4EFFD2857A2626.xml↵  
6590 Main.validation.file: ·  
6590 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
6590 /97028E40FFC56D23FC4EFFD2857A2626.xml↵  
6591 Scenario.name: ·gg-sch↵  
6592 Schema: ·  
6592 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
6592 ent..sch↵  
6593 Engine.name: ·ISO ·Schematron↵  
6594 Severity: ·error↵  
6595 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·

6595 subSection ·or ·subSubSection . ↵  
6596 Start ·location: ·110:132 ↵  
6597 ↵  
6598 System ·ID: ·  
6598 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
6598 /97028E40FFC56D23FC4EFFD2857A2626.xml ↵  
6599 Main ·validation ·file: ·  
6599 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
6599 /97028E40FFC56D23FC4EFFD2857A2626.xml ↵  
6600 Scenario ·name: ·gg-sch ↵  
6601 Schema: ·  
6601 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
6601 ent..sch ↵  
6602 Engine ·name: ·ISO ·Schematron ↵  
6603 Severity: ·error ↵  
6604 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
6604 subSection ·or ·subSubSection . ↵  
6605 Start ·location: ·111:108 ↵  
6606 ↵  
6607 System ·ID: ·  
6607 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
6607 /97028E40FFC56D23FC4EFFD2857A2626.xml ↵  
6608 Main ·validation ·file: ·  
6608 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
6608 /97028E40FFC56D23FC4EFFD2857A2626.xml ↵  
6609 Scenario ·name: ·gg-sch ↵  
6610 Schema: ·  
6610 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
6610 ent..sch ↵  
6611 Engine ·name: ·ISO ·Schematron ↵  
6612 Severity: ·error ↵  
6613 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
6613 subSection ·or ·subSubSection . ↵  
6614 Start ·location: ·120:134 ↵  
6615 ↵

6616 System·ID: ·  
6616 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
6616 /97028E40FFC56D23FC4EFFD2857A2626.xml↵  
6617 Main·validation·file: ·  
6617 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
6617 /97028E40FFC56D23FC4EFFD2857A2626.xml↵  
6618 Scenario·name: ·gg-sch↵  
6619 Schema: ·  
6619 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
6619 ent..sch↵  
6620 Engine·name: ·ISO·Schematron↵  
6621 Severity: ·error↵  
6622 Description: ·A·paragraph·must·have·an·ancestor·  
6622 subSection·or·subSubSection.↵  
6623 Start·location: ·125:108↵  
6624 ↵  
6625 System·ID: ·  
6625 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
6625 /97028E40FFC56D23FC4EFFD2857A2626.xml↵  
6626 Main·validation·file: ·  
6626 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
6626 /97028E40FFC56D23FC4EFFD2857A2626.xml↵  
6627 Scenario·name: ·gg-sch↵  
6628 Schema: ·  
6628 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
6628 ent..sch↵  
6629 Engine·name: ·ISO·Schematron↵  
6630 Severity: ·error↵  
6631 Description: ·A·paragraph·must·have·an·ancestor·  
6631 subSection·or·subSubSection.↵  
6632 Start·location: ·126:108↵  
6633 ↵  
6634 System·ID: ·  
6634 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
6634 /97028E40FFC56D23FC4EFFD2857A2626.xml↵

6635 Main-validation-file: ·  
6635 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
6635 /97028E40FFC56D23FC4EFFD2857A2626.xml ↵  
6636 Scenario-name: ·gg-sch ↵  
6637 Schema: ·  
6637 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
6637 ent..sch ↵  
6638 Engine-name: ·ISO ·Schematron ↵  
6639 Severity: ·error ↵  
6640 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
6640 subSection ·or ·subSubSection. ↵  
6641 Start-location: ·127:109 ↵  
6642 ↵  
6643 System-ID: ·  
6643 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
6643 /97028E40FFC56D23FC4EFFD2857A2626.xml ↵  
6644 Main-validation-file: ·  
6644 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
6644 /97028E40FFC56D23FC4EFFD2857A2626.xml ↵  
6645 Scenario-name: ·gg-sch ↵  
6646 Schema: ·  
6646 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
6646 ent..sch ↵  
6647 Engine-name: ·ISO ·Schematron ↵  
6648 Severity: ·error ↵  
6649 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
6649 subSection ·or ·subSubSection. ↵  
6650 Start-location: ·128:109 ↵  
6651 ↵  
6652 System-ID: ·  
6652 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
6652 /97028E40FFC56D23FC4EFFD2857A2626.xml ↵  
6653 Main-validation-file: ·  
6653 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
6653 /97028E40FFC56D23FC4EFFD2857A2626.xml ↵

6654 Scenario ·name: ·gg-sch ↵  
6655 Schema: ·  
6655 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
6655 ent..sch ↵  
6656 Engine ·name: ·ISO ·Schematron ↵  
6657 Severity: ·error ↵  
6658 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
6658 subSection ·or ·subSubSection. ↵  
6659 Start ·location: ·129:135 ↵  
6660 ↵  
6661 System ·ID: ·  
6661 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
6661 /97028E40FFC56D23FC4EFFD2857A2626.xml ↵  
6662 Main ·validation ·file: ·  
6662 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
6662 /97028E40FFC56D23FC4EFFD2857A2626.xml ↵  
6663 Scenario ·name: ·gg-sch ↵  
6664 Schema: ·  
6664 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
6664 ent..sch ↵  
6665 Engine ·name: ·ISO ·Schematron ↵  
6666 Severity: ·error ↵  
6667 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
6667 subSection ·or ·subSubSection. ↵  
6668 Start ·location: ·130:109 ↵  
6669 ↵  
6670 System ·ID: ·  
6670 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
6670 /97028E40FFC56D23FC4EFFD2857A2626.xml ↵  
6671 Main ·validation ·file: ·  
6671 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
6671 /97028E40FFC56D23FC4EFFD2857A2626.xml ↵  
6672 Scenario ·name: ·gg-sch ↵  
6673 Schema: ·  
6673 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm

```
6673 ent..sch↵
6674 Engine·name: ·ISO ·Schematron↵
6675 Severity: ·error↵
6676 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
6676 subSection ·or ·subSubSection.↵
6677 Start ·location: ·134:134↵
6678 ↵
6679 System ·ID: ·
6679 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
6679 /97028E40FFC56D23FC4EFFD2857A2626.xml↵
6680 Main ·validation ·file: ·
6680 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
6680 /97028E40FFC56D23FC4EFFD2857A2626.xml↵
6681 Scenario ·name: ·gg-sch↵
6682 Schema: ·
6682 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
6682 ent..sch↵
6683 Engine·name: ·ISO ·Schematron↵
6684 Severity: ·error↵
6685 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
6685 subSection ·or ·subSubSection.↵
6686 Start ·location: ·138:134↵
6687 ↵
6688 System ·ID: ·
6688 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
6688 /97028E40FFC56D23FC4EFFD2857A2626.xml↵
6689 Main ·validation ·file: ·
6689 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
6689 /97028E40FFC56D23FC4EFFD2857A2626.xml↵
6690 Scenario ·name: ·gg-sch↵
6691 Schema: ·
6691 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
6691 ent..sch↵
6692 Engine·name: ·ISO ·Schematron↵
6693 Severity: ·error↵
```

6694 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
6694 subSection ·or ·subSubSection. ↵  
6695 Start ·location: ·139:134 ↵  
6696 ↵  
6697 System ·ID: ·  
6697 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
6697 /97028E40FFC56D23FC4EFFD2857A2626.xml ↵  
6698 Main ·validation ·file: ·  
6698 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
6698 /97028E40FFC56D23FC4EFFD2857A2626.xml ↵  
6699 Scenario ·name: ·gg-sch ↵  
6700 Schema: ·  
6700 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
6700 ent..sch ↵  
6701 Engine ·name: ·ISO ·Schematron ↵  
6702 Severity: ·error ↵  
6703 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
6703 subSection ·or ·subSubSection. ↵  
6704 Start ·location: ·140:134 ↵  
6705 ↵  
6706 System ·ID: ·  
6706 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
6706 /97028E40FFC56D23FC4EFFD2857A2626.xml ↵  
6707 Main ·validation ·file: ·  
6707 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
6707 /97028E40FFC56D23FC4EFFD2857A2626.xml ↵  
6708 Scenario ·name: ·gg-sch ↵  
6709 Schema: ·  
6709 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
6709 ent..sch ↵  
6710 Engine ·name: ·ISO ·Schematron ↵  
6711 Severity: ·error ↵  
6712 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
6712 subSection ·or ·subSubSection. ↵  
6713 Start ·location: ·141:107 ↵

6714 ↵  
6715 System·ID: ·  
6715 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
6715 /97028E40FFC56D23FC4EFFD2857A2626.xml↵  
6716 Main·validation·file: ·  
6716 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
6716 /97028E40FFC56D23FC4EFFD2857A2626.xml↵  
6717 Scenario·name: ·gg-sch↵  
6718 Schema: ·  
6718 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch↵  
6719 Engine·name: ·ISO·Schematron↵  
6720 Severity: ·error↵  
6721 Description: ·A·paragraph·must·have·an·ancestor·  
6721 subSection·or·subSubSection.↵  
6722 Start·location: ·142:107↵  
6723 ↵  
6724 System·ID: ·  
6724 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
6724 /97028E40FFC56D23FC4EFFD2857A2626.xml↵  
6725 Main·validation·file: ·  
6725 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
6725 /97028E40FFC56D23FC4EFFD2857A2626.xml↵  
6726 Scenario·name: ·gg-sch↵  
6727 Schema: ·  
6727 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch↵  
6728 Engine·name: ·ISO·Schematron↵  
6729 Severity: ·error↵  
6730 Description: ·A·paragraph·must·have·an·ancestor·  
6730 subSection·or·subSubSection.↵  
6731 Start·location: ·163:107↵  
6732 ↵  
6733 System·ID: ·  
6733 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax

6733 /97028E40FFC56D23FC4EFFD2857A2626.xml ↵  
6734 Main-validation-file: .  
6734 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
6734 /97028E40FFC56D23FC4EFFD2857A2626.xml ↵  
6735 Scenario-name: .gg-sch ↵  
6736 Schema: .  
6736 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
6736 ent..sch ↵  
6737 Engine-name: .ISO-Schematron ↵  
6738 Severity: .error ↵  
6739 Description: .A.paragraph.must.have.an.ancestor.  
6739 subSection.or.subSubSection. ↵  
6740 Start-location: .172:134 ↵  
6741 ↵  
6742 System-ID: .  
6742 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
6742 /97028E40FFC56D23FC4EFFD2857A2626.xml ↵  
6743 Main-validation-file: .  
6743 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
6743 /97028E40FFC56D23FC4EFFD2857A2626.xml ↵  
6744 Scenario-name: .gg-sch ↵  
6745 Schema: .  
6745 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
6745 ent..sch ↵  
6746 Engine-name: .ISO-Schematron ↵  
6747 Severity: .error ↵  
6748 Description: .A.paragraph.must.have.an.ancestor.  
6748 subSection.or.subSubSection. ↵  
6749 Start-location: .177:134 ↵  
6750 ↵  
6751 System-ID: .  
6751 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
6751 /97028E40FFC56D23FC4EFFD2857A2626.xml ↵  
6752 Main-validation-file: .  
6752 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax

6752 /97028E40FFC56D23FC4EFFD2857A2626.xml ↵  
6753 Scenario.name: .gg-sch ↵  
6754 Schema: .  
6754 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
6754 ent..sch ↵  
6755 Engine.name: .ISO.Schematron ↵  
6756 Severity: .error ↵  
6757 Description: .A.paragraph.must.have.an.ancestor.  
6757 subSection.or.subSubSection. ↵  
6758 Start.location: .182:108 ↵  
6759 ↵  
6760 System.ID: .  
6760 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
6760 /97028E40FFC56D23FC4EFFD2857A2626.xml ↵  
6761 Main.validation.file: .  
6761 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
6761 /97028E40FFC56D23FC4EFFD2857A2626.xml ↵  
6762 Scenario.name: .gg-sch ↵  
6763 Schema: .  
6763 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
6763 ent..sch ↵  
6764 Engine.name: .ISO.Schematron ↵  
6765 Severity: .error ↵  
6766 Description: .A.paragraph.must.have.an.ancestor.  
6766 subSection.or.subSubSection. ↵  
6767 Start.location: .197:134 ↵  
6768 ↵  
6769 System.ID: .  
6769 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
6769 /97028E40FFC56D23FC4EFFD2857A2626.xml ↵  
6770 Main.validation.file: .  
6770 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
6770 /97028E40FFC56D23FC4EFFD2857A2626.xml ↵  
6771 Scenario.name: .gg-sch ↵  
6772 Schema: .

6772 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
6772 ent..sch↵  
6773 Engine.name: ·ISO ·Schematron↵  
6774 Severity: ·error↵  
6775 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
6775 subSection ·or ·subSubSection.↵  
6776 Start.location: ·202:143↵  
6777 ↵  
6778 System.ID: ·  
6778 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
6778 /97028E40FFC56D23FC4EFFD2857A2626.xml↵  
6779 Main.validation.file: ·  
6779 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
6779 /97028E40FFC56D23FC4EFFD2857A2626.xml↵  
6780 Scenario.name: ·gg-sch↵  
6781 Schema: ·  
6781 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
6781 ent..sch↵  
6782 Engine.name: ·ISO ·Schematron↵  
6783 Severity: ·error↵  
6784 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
6784 subSection ·or ·subSubSection.↵  
6785 Start.location: ·219:107↵  
6786 ↵  
6787 System.ID: ·  
6787 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
6787 /97028E40FFC56D23FC4EFFD2857A2626.xml↵  
6788 Main.validation.file: ·  
6788 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
6788 /97028E40FFC56D23FC4EFFD2857A2626.xml↵  
6789 Scenario.name: ·gg-sch↵  
6790 Schema: ·  
6790 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
6790 ent..sch↵  
6791 Engine.name: ·ISO ·Schematron↵

6792 Severity: ·error ↵  
6793 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
6793 subSection ·or ·subSubSection. ↵  
6794 Start ·location: ·222:108 ↵  
6795 ↵  
6796 System ·ID: ·  
6796 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
6796 /97028E40FFC56D23FC4EFFD2857A2626.xml ↵  
6797 Main ·validation ·file: ·  
6797 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
6797 /97028E40FFC56D23FC4EFFD2857A2626.xml ↵  
6798 Scenario ·name: ·gg-sch ↵  
6799 Schema: ·  
6799 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
6799 ent..sch ↵  
6800 Engine ·name: ·ISO ·Schematron ↵  
6801 Severity: ·error ↵  
6802 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
6802 subSection ·or ·subSubSection. ↵  
6803 Start ·location: ·257:109 ↵  
6804 ↵  
6805 System ·ID: ·  
6805 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
6805 /97028E40FFC56D23FC4EFFD2857A2626.xml ↵  
6806 Main ·validation ·file: ·  
6806 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
6806 /97028E40FFC56D23FC4EFFD2857A2626.xml ↵  
6807 Scenario ·name: ·gg-sch ↵  
6808 Schema: ·  
6808 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
6808 ent..sch ↵  
6809 Engine ·name: ·ISO ·Schematron ↵  
6810 Severity: ·error ↵  
6811 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
6811 subSection ·or ·subSubSection. ↵

6812 Start ·location: ·260:177 ↵  
6813 ↵  
6814 System ·ID: ·  
6814 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
6814 /97028E40FFC56D23FC4EFFD2857A2626.xml ↵  
6815 Main ·validation ·file: ·  
6815 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
6815 /97028E40FFC56D23FC4EFFD2857A2626.xml ↵  
6816 Scenario ·name: ·gg-sch ↵  
6817 Schema: ·  
6817 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
6817 ent..sch ↵  
6818 Engine ·name: ·ISO ·Schematron ↵  
6819 Severity: ·error ↵  
6820 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
6820 subSection ·or ·subSubSection. ↵  
6821 Start ·location: ·283:106 ↵  
6822 ↵  
6823 System ·ID: ·  
6823 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
6823 /97028E40FFC56D23FC4EFFD2857A2626.xml ↵  
6824 Main ·validation ·file: ·  
6824 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
6824 /97028E40FFC56D23FC4EFFD2857A2626.xml ↵  
6825 Scenario ·name: ·gg-sch ↵  
6826 Schema: ·  
6826 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
6826 ent..sch ↵  
6827 Engine ·name: ·ISO ·Schematron ↵  
6828 Severity: ·error ↵  
6829 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
6829 subSection ·or ·subSubSection. ↵  
6830 Start ·location: ·286:107 ↵  
6831 ↵  
6832 System ·ID: ·

6832 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
6832 /97028E40FFC56D23FC4EFFD2857A2626.xml ↵  
6833 Main-validation-file: ·  
6833 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
6833 /97028E40FFC56D23FC4EFFD2857A2626.xml ↵  
6834 Scenario-name: ·gg-sch ↵  
6835 Schema: ·  
6835 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
6836 Engine-name: ·ISO ·Schematron ↵  
6837 Severity: ·error ↵  
6838 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
6838 subSection ·or ·subSubSection. ↵  
6839 Start-location: ·309:134 ↵  
6840 ↵  
6841 System-ID: ·  
6841 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
6841 /97028E40FFC56D23FC4EFFD2857A2626.xml ↵  
6842 Main-validation-file: ·  
6842 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
6842 /97028E40FFC56D23FC4EFFD2857A2626.xml ↵  
6843 Scenario-name: ·gg-sch ↵  
6844 Schema: ·  
6844 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
6845 Engine-name: ·ISO ·Schematron ↵  
6846 Severity: ·error ↵  
6847 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
6847 subSection ·or ·subSubSection. ↵  
6848 Start-location: ·314:108 ↵  
6849 ↵  
6850 System-ID: ·  
6850 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
6850 /97028E40FFC56D23FC4EFFD2857A2626.xml ↵  
6851 Main-validation-file: ·

6851 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
6851 /97028E40FFC56D23FC4EFFD2857A2626.xml ↵  
6852 Scenario.name: .gg-sch ↵  
6853 Schema: .  
6853 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
6853 ent..sch ↵  
6854 Engine.name: .ISO .Schematron ↵  
6855 Severity: .error ↵  
6856 Description: .A .paragraph .must .have .an .ancestor .  
6856 subSection .or .subSubSection. ↵  
6857 Start.location: .319:107 ↵  
6858 ↵  
6859 System.ID: .  
6859 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
6859 /97028E40FFC56D23FC4EFFD2857A2626.xml ↵  
6860 Main.validation.file: .  
6860 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
6860 /97028E40FFC56D23FC4EFFD2857A2626.xml ↵  
6861 Scenario.name: .gg-sch ↵  
6862 Schema: .  
6862 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
6862 ent..sch ↵  
6863 Engine.name: .ISO .Schematron ↵  
6864 Severity: .error ↵  
6865 Description: .A .paragraph .must .have .an .ancestor .  
6865 subSection .or .subSubSection. ↵  
6866 Start.location: .324:130 ↵  
6867 ↵  
6868 System.ID: .  
6868 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
6868 /97028E40FFC56D23FC4EFFD2857A2626.xml ↵  
6869 Main.validation.file: .  
6869 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
6869 /97028E40FFC56D23FC4EFFD2857A2626.xml ↵  
6870 Scenario.name: .gg-sch ↵

6871 Schema: .  
6871 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
6871 ent..sch↵  
6872 Engine.name: .ISO .Schematron↵  
6873 Severity: .error↵  
6874 Description: .A .paragraph .must .have .an .ancestor .  
6874 subSection .or .subSubSection.↵  
6875 Start.location: .329:132↵  
6876 ↵  
6877 System.ID: .  
6877 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
6877 /97028E40FFC56D23FC4EFFD2857A2626.xml↵  
6878 Main.validation.file: .  
6878 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
6878 /97028E40FFC56D23FC4EFFD2857A2626.xml↵  
6879 Scenario.name: .gg-sch↵  
6880 Schema: .  
6880 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
6880 ent..sch↵  
6881 Engine.name: .ISO .Schematron↵  
6882 Severity: .error↵  
6883 Description: .A .paragraph .must .have .an .ancestor .  
6883 subSection .or .subSubSection.↵  
6884 Start.location: .332:108↵  
6885 ↵  
6886 System.ID: .  
6886 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
6886 /97028E40FFC56D23FC4EFFD2857A2626.xml↵  
6887 Main.validation.file: .  
6887 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
6887 /97028E40FFC56D23FC4EFFD2857A2626.xml↵  
6888 Scenario.name: .gg-sch↵  
6889 Schema: .  
6889 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
6889 ent..sch↵

6890 Engine·name: ·ISO ·Schematron↵  
6891 Severity: ·error↵  
6892 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
6892 subSection ·or ·subSubSection.↵  
6893 Start ·location: ·333:108↵  
6894 ↵  
6895 System ·ID: ·  
6895 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
6895 /97028E40FFC56D23FC4EFFD2857A2626.xml↵  
6896 Main ·validation ·file: ·  
6896 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
6896 /97028E40FFC56D23FC4EFFD2857A2626.xml↵  
6897 Scenario ·name: ·gg-sch↵  
6898 Schema: ·  
6898 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
6898 ent..sch↵  
6899 Engine·name: ·ISO ·Schematron↵  
6900 Severity: ·error↵  
6901 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
6901 subSection ·or ·subSubSection.↵  
6902 Start ·location: ·348:108↵  
6903 ↵  
6904 System ·ID: ·  
6904 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
6904 /97028E40FFC56D23FC4EFFD2857A2626.xml↵  
6905 Main ·validation ·file: ·  
6905 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
6905 /97028E40FFC56D23FC4EFFD2857A2626.xml↵  
6906 Scenario ·name: ·gg-sch↵  
6907 Schema: ·  
6907 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
6907 ent..sch↵  
6908 Engine·name: ·ISO ·Schematron↵  
6909 Severity: ·error↵  
6910 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·

6910 subSection ·or ·subSubSection . ↵  
6911 Start ·location: ·377:176 ↵  
6912 ↵  
6913 System ·ID: ·  
6913 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
6913 /97028E40FFC56D23FC4EFFD2857A2626.xml ↵  
6914 Main ·validation ·file: ·  
6914 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
6914 /97028E40FFC56D23FC4EFFD2857A2626.xml ↵  
6915 Scenario ·name: ·gg-sch ↵  
6916 Schema: ·  
6916 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
6916 ent..sch ↵  
6917 Engine ·name: ·ISO ·Schematron ↵  
6918 Severity: ·error ↵  
6919 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
6919 subSection ·or ·subSubSection . ↵  
6920 Start ·location: ·386:106 ↵  
6921 ↵  
6922 System ·ID: ·  
6922 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
6922 /97028E40FFC56D23FC4EFFD2857A2626.xml ↵  
6923 Main ·validation ·file: ·  
6923 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
6923 /97028E40FFC56D23FC4EFFD2857A2626.xml ↵  
6924 Scenario ·name: ·gg-sch ↵  
6925 Schema: ·  
6925 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
6925 ent..sch ↵  
6926 Engine ·name: ·ISO ·Schematron ↵  
6927 Severity: ·error ↵  
6928 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
6928 subSection ·or ·subSubSection . ↵  
6929 Start ·location: ·387:106 ↵  
6930 ↵

6931 System·ID: ·  
6931 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
6931 /97028E40FFC56D23FC4EFFD2857A2626.xml↵  
6932 Main·validation·file: ·  
6932 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
6932 /97028E40FFC56D23FC4EFFD2857A2626.xml↵  
6933 Scenario·name: ·gg-sch↵  
6934 Schema: ·  
6934 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
6934 ent..sch↵  
6935 Engine·name: ·ISO·Schematron↵  
6936 Severity: ·error↵  
6937 Description: ·A·paragraph·must·have·an·ancestor·  
6937 subSection·or·subSubSection.↵  
6938 Start·location: ·388:130↵  
6939 ↵  
6940 System·ID: ·  
6940 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
6940 /97028E40FFC56D23FC4EFFD2857A2626.xml↵  
6941 Main·validation·file: ·  
6941 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
6941 /97028E40FFC56D23FC4EFFD2857A2626.xml↵  
6942 Scenario·name: ·gg-sch↵  
6943 Schema: ·  
6943 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
6943 ent..sch↵  
6944 Engine·name: ·ISO·Schematron↵  
6945 Severity: ·error↵  
6946 Description: ·A·paragraph·must·have·an·ancestor·  
6946 subSection·or·subSubSection.↵  
6947 Start·location: ·393:107↵  
6948 ↵  
6949 System·ID: ·  
6949 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
6949 /97028E40FFC56D23FC4EFFD2857A2626.xml↵

6950 Main-validation-file: ·  
6950 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
6950 /97028E40FFC56D23FC4EFFD2857A2626.xml ↵  
6951 Scenario-name: ·gg-sch ↵  
6952 Schema: ·  
6952 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
6952 ent..sch ↵  
6953 Engine-name: ·ISO-Schematron ↵  
6954 Severity: ·error ↵  
6955 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
6955 subSection ·or ·subSubSection. ↵  
6956 Start-location: ·400:107 ↵  
6957 ↵  
6958 System-ID: ·  
6958 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
6958 /97028E40FFC56D23FC4EFFD2857A2626.xml ↵  
6959 Main-validation-file: ·  
6959 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
6959 /97028E40FFC56D23FC4EFFD2857A2626.xml ↵  
6960 Scenario-name: ·gg-sch ↵  
6961 Schema: ·  
6961 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
6961 ent..sch ↵  
6962 Engine-name: ·ISO-Schematron ↵  
6963 Severity: ·error ↵  
6964 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
6964 subSection ·or ·subSubSection. ↵  
6965 Start-location: ·401:107 ↵  
6966 ↵  
6967 System-ID: ·  
6967 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
6967 /97028E40FFC56D23FC4EFFD2857A2626.xml ↵  
6968 Main-validation-file: ·  
6968 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
6968 /97028E40FFC56D23FC4EFFD2857A2626.xml ↵

6969 Scenario ·name: ·gg-sch ↵  
6970 Schema: ·  
6970 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
6970 ent..sch ↵  
6971 Engine ·name: ·ISO ·Schematron ↵  
6972 Severity: ·error ↵  
6973 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
6973 subSection ·or ·subSubSection. ↵  
6974 Start ·location: ·402:134 ↵  
6975 ↵  
6976 System ·ID: ·  
6976 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
6976 /97028E40FFC56D23FC4EFFD2857A2626.xml ↵  
6977 Main ·validation ·file: ·  
6977 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
6977 /97028E40FFC56D23FC4EFFD2857A2626.xml ↵  
6978 Scenario ·name: ·gg-sch ↵  
6979 Schema: ·  
6979 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
6979 ent..sch ↵  
6980 Engine ·name: ·ISO ·Schematron ↵  
6981 Severity: ·error ↵  
6982 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
6982 subSection ·or ·subSubSection. ↵  
6983 Start ·location: ·407:108 ↵  
6984 ↵  
6985 System ·ID: ·  
6985 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
6985 /97028E40FFC56D23FC4EFFD2857A2626.xml ↵  
6986 Main ·validation ·file: ·  
6986 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
6986 /97028E40FFC56D23FC4EFFD2857A2626.xml ↵  
6987 Scenario ·name: ·gg-sch ↵  
6988 Schema: ·  
6988 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm

```
6988 ent..sch↵
6989 Engine·name: ·ISO ·Schematron↵
6990 Severity: ·error↵
6991 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
6991 subSection ·or ·subSubSection.↵
6992 Start ·location: ·408:108↵
6993 ↵
6994 System ·ID: ·
6994 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
6994 /97028E40FFC56D23FC4EFFD2857A2626.xml↵
6995 Main ·validation ·file: ·
6995 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
6995 /97028E40FFC56D23FC4EFFD2857A2626.xml↵
6996 Scenario ·name: ·gg-sch↵
6997 Schema: ·
6997 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
6997 ent..sch↵
6998 Engine·name: ·ISO ·Schematron↵
6999 Severity: ·error↵
7000 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
7000 subSection ·or ·subSubSection.↵
7001 Start ·location: ·409:108↵
7002 ↵
7003 System ·ID: ·
7003 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
7003 /97028E40FFC56D23FC4EFFD2857A2626.xml↵
7004 Main ·validation ·file: ·
7004 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
7004 /97028E40FFC56D23FC4EFFD2857A2626.xml↵
7005 Scenario ·name: ·gg-sch↵
7006 Schema: ·
7006 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
7006 ent..sch↵
7007 Engine·name: ·ISO ·Schematron↵
7008 Severity: ·error↵
```

7009 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
7009 subSection ·or ·subSubSection. ↵  
7010 Start ·location: ·410:132 ↵  
7011 ↵  
7012 System ·ID: ·  
7012 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
7012 /97028E40FFC56D23FC4EFFD2857A2626.xml ↵  
7013 Main ·validation ·file: ·  
7013 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
7013 /97028E40FFC56D23FC4EFFD2857A2626.xml ↵  
7014 Scenario ·name: ·gg-sch ↵  
7015 Schema: ·  
7015 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
7015 ent..sch ↵  
7016 Engine ·name: ·ISO ·Schematron ↵  
7017 Severity: ·error ↵  
7018 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
7018 subSection ·or ·subSubSection. ↵  
7019 Start ·location: ·413:107 ↵  
7020 ↵  
7021 System ·ID: ·  
7021 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
7021 /97028E40FFC56D23FC4EFFD2857A2626.xml ↵  
7022 Main ·validation ·file: ·  
7022 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
7022 /97028E40FFC56D23FC4EFFD2857A2626.xml ↵  
7023 Scenario ·name: ·gg-sch ↵  
7024 Schema: ·  
7024 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
7024 ent..sch ↵  
7025 Engine ·name: ·ISO ·Schematron ↵  
7026 Severity: ·error ↵  
7027 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
7027 subSection ·or ·subSubSection. ↵  
7028 Start ·location: ·420:107 ↵

7029 ↵  
7030 System·ID: ·  
7030 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
7030 /97028E40FFC56D23FC4EFFD2857A2626.xml↵  
7031 Main·validation·file: ·  
7031 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
7031 /97028E40FFC56D23FC4EFFD2857A2626.xml↵  
7032 Scenario·name: ·gg-sch↵  
7033 Schema: ·  
7033 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
7033 ent..sch↵  
7034 Engine·name: ·ISO·Schematron↵  
7035 Severity: ·error↵  
7036 Description: ·A·paragraph·must·have·an·ancestor·  
7036 subSection·or·subSubSection.↵  
7037 Start·location: ·425:132↵  
7038 ↵  
7039 System·ID: ·  
7039 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
7039 /97028E40FFC56D23FC4EFFD2857A2626.xml↵  
7040 Main·validation·file: ·  
7040 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
7040 /97028E40FFC56D23FC4EFFD2857A2626.xml↵  
7041 Scenario·name: ·gg-sch↵  
7042 Schema: ·  
7042 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
7042 ent..sch↵  
7043 Engine·name: ·ISO·Schematron↵  
7044 Severity: ·error↵  
7045 Description: ·A·paragraph·must·have·an·ancestor·  
7045 subSection·or·subSubSection.↵  
7046 Start·location: ·430:108↵  
7047 ↵  
7048 System·ID: ·  
7048 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax

7048 /97028E40FFC56D23FC4EFFD2857A2626.xml ↵  
7049 Main-validation-file: .  
7049 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
7049 /97028E40FFC56D23FC4EFFD2857A2626.xml ↵  
7050 Scenario-name: .gg-sch ↵  
7051 Schema: .  
7051 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
7051 ent..sch ↵  
7052 Engine-name: .ISO-Schematron ↵  
7053 Severity: .error ↵  
7054 Description: .A.paragraph.must.have.an.ancestor.  
7054 subSection.or.subSubSection. ↵  
7055 Start-location: .437:108 ↵  
7056 ↵  
7057 System-ID: .  
7057 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
7057 /97028E40FFC56D23FC4EFFD2857A2626.xml ↵  
7058 Main-validation-file: .  
7058 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
7058 /97028E40FFC56D23FC4EFFD2857A2626.xml ↵  
7059 Scenario-name: .gg-sch ↵  
7060 Schema: .  
7060 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
7060 ent..sch ↵  
7061 Engine-name: .ISO-Schematron ↵  
7062 Severity: .error ↵  
7063 Description: .A.paragraph.must.have.an.ancestor.  
7063 subSection.or.subSubSection. ↵  
7064 Start-location: .442:108 ↵  
7065 ↵  
7066 System-ID: .  
7066 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
7066 /97028E40FFC56D23FC4EFFD2857A2626.xml ↵  
7067 Main-validation-file: .  
7067 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax

7067 /97028E40FFC56D23FC4EFFD2857A2626.xml ↵  
7068 Scenario.name: .gg-sch ↵  
7069 Schema: .  
7069 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
7069 ent..sch ↵  
7070 Engine.name: .ISO.Schematron ↵  
7071 Severity: .error ↵  
7072 Description: .A.paragraph.must.have.an.ancestor.  
7072 subSection.or.subSubSection. ↵  
7073 Start.location: .443:136 ↵  
7074 ↵  
7075 System.ID: .  
7075 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
7075 /97028E40FFC56D23FC4EFFD2857A2626.xml ↵  
7076 Main.validation.file: .  
7076 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
7076 /97028E40FFC56D23FC4EFFD2857A2626.xml ↵  
7077 Scenario.name: .gg-sch ↵  
7078 Schema: .  
7078 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
7078 ent..sch ↵  
7079 Engine.name: .ISO.Schematron ↵  
7080 Severity: .error ↵  
7081 Description: .A.paragraph.must.have.an.ancestor.  
7081 subSection.or.subSubSection. ↵  
7082 Start.location: .446:109 ↵  
7083 ↵  
7084 System.ID: .  
7084 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
7084 /97028E40FFC56D23FC4EFFD2857A2626.xml ↵  
7085 Main.validation.file: .  
7085 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
7085 /97028E40FFC56D23FC4EFFD2857A2626.xml ↵  
7086 Scenario.name: .gg-sch ↵  
7087 Schema: .

7087 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
7087 ent..sch↵  
7088 Engine.name: ·ISO ·Schematron↵  
7089 Severity: ·error↵  
7090 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
7090 subSection ·or ·subSubSection.↵  
7091 Start ·location: ·451:134↵  
7092 ↵  
7093 System ·ID: ·  
7093 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
7093 /97028E40FFC56D23FC4EFFD2857A2626.xml↵  
7094 Main ·validation ·file: ·  
7094 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
7094 /97028E40FFC56D23FC4EFFD2857A2626.xml↵  
7095 Scenario ·name: ·gg-sch↵  
7096 Schema: ·  
7096 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
7096 ent..sch↵  
7097 Engine.name: ·ISO ·Schematron↵  
7098 Severity: ·error↵  
7099 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
7099 subSection ·or ·subSubSection.↵  
7100 Start ·location: ·456:109↵  
7101 ↵  
7102 System ·ID: ·  
7102 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
7102 /97028E40FFC56D23FC4EFFD2857A2626.xml↵  
7103 Main ·validation ·file: ·  
7103 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
7103 /97028E40FFC56D23FC4EFFD2857A2626.xml↵  
7104 Scenario ·name: ·gg-sch↵  
7105 Schema: ·  
7105 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
7105 ent..sch↵  
7106 Engine.name: ·ISO ·Schematron↵

7107 Severity: ·error ↵  
7108 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
7108 subSection ·or ·subSubSection. ↵  
7109 Start ·location: ·457:109 ↵  
7110 ↵  
7111 System ·ID: ·  
7111 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
7111 /97028E40FFC56D23FC4EFFD2857A2626.xml ↵  
7112 Main ·validation ·file: ·  
7112 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
7112 /97028E40FFC56D23FC4EFFD2857A2626.xml ↵  
7113 Scenario ·name: ·gg-sch ↵  
7114 Schema: ·  
7114 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
7114 ent..sch ↵  
7115 Engine ·name: ·ISO ·Schematron ↵  
7116 Severity: ·error ↵  
7117 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
7117 subSection ·or ·subSubSection. ↵  
7118 Start ·location: ·463:107 ↵  
7119 ↵  
7120 System ·ID: ·  
7120 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
7120 /97028E40FFC56D23FC4EFFD2857A2626.xml ↵  
7121 Main ·validation ·file: ·  
7121 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
7121 /97028E40FFC56D23FC4EFFD2857A2626.xml ↵  
7122 Scenario ·name: ·gg-sch ↵  
7123 Schema: ·  
7123 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
7123 ent..sch ↵  
7124 Engine ·name: ·ISO ·Schematron ↵  
7125 Severity: ·error ↵  
7126 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
7126 subSection ·or ·subSubSection. ↵

7127 Start ·location: ·473:109 ↵  
7128 ↵  
7129 System ·ID: ·  
7129 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
7129 /97028E40FFC56D23FC4EFFD2857A2626.xml ↵  
7130 Main ·validation ·file: ·  
7130 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
7130 /97028E40FFC56D23FC4EFFD2857A2626.xml ↵  
7131 Scenario ·name: ·gg-sch ↵  
7132 Schema: ·  
7132 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
7132 ent..sch ↵  
7133 Engine ·name: ·ISO ·Schematron ↵  
7134 Severity: ·error ↵  
7135 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
7135 subSection ·or ·subSubSection. ↵  
7136 Start ·location: ·488:108 ↵  
7137 ↵  
7138 System ·ID: ·  
7138 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
7138 /97028E40FFC56D23FC4EFFD2857A2626.xml ↵  
7139 Main ·validation ·file: ·  
7139 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
7139 /97028E40FFC56D23FC4EFFD2857A2626.xml ↵  
7140 Scenario ·name: ·gg-sch ↵  
7141 Schema: ·  
7141 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
7141 ent..sch ↵  
7142 Engine ·name: ·ISO ·Schematron ↵  
7143 Severity: ·error ↵  
7144 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
7144 subSection ·or ·subSubSection. ↵  
7145 Start ·location: ·493:109 ↵  
7146 ↵  
7147 System ·ID: ·

7147 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
7147 /97028E40FFC56D23FC4EFFD2857A2626.xml ↵  
7148 Main-validation-file: ·  
7148 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
7148 /97028E40FFC56D23FC4EFFD2857A2626.xml ↵  
7149 Scenario-name: ·gg-sch ↵  
7150 Schema: ·  
7150 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
7150 ent..sch ↵  
7151 Engine-name: ·ISO ·Schematron ↵  
7152 Severity: ·error ↵  
7153 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
7153 subSection ·or ·subSubSection. ↵  
7154 Start-location: ·495:107 ↵  
7155 ↵  
7156 System-ID: ·  
7156 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
7156 /97028E40FFC56D23FC4EFFD2857A2626.xml ↵  
7157 Main-validation-file: ·  
7157 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
7157 /97028E40FFC56D23FC4EFFD2857A2626.xml ↵  
7158 Scenario-name: ·gg-sch ↵  
7159 Schema: ·  
7159 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
7159 ent..sch ↵  
7160 Engine-name: ·ISO ·Schematron ↵  
7161 Severity: ·error ↵  
7162 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
7162 subSection ·or ·subSubSection. ↵  
7163 Start-location: ·506:108 ↵  
7164 ↵  
7165 System-ID: ·  
7165 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
7165 /97028E40FFC56D23FC4EFFD2857A2626.xml ↵  
7166 Main-validation-file: ·

7166 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
7166 /97028E40FFC56D23FC4EFFD2857A2626.xml ↵  
7167 Scenario.name: .gg-sch ↵  
7168 Schema: .  
7168 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
7168 ent..sch ↵  
7169 Engine.name: .ISO .Schematron ↵  
7170 Severity: .error ↵  
7171 Description: .A .paragraph .must .have .an .ancestor .  
7171 subSection .or .subSubSection. ↵  
7172 Start.location: .507:108 ↵  
7173 ↵  
7174 System.ID: .  
7174 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
7174 /97028E40FFC56D23FC4EFFD2857A2626.xml ↵  
7175 Main.validation.file: .  
7175 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
7175 /97028E40FFC56D23FC4EFFD2857A2626.xml ↵  
7176 Scenario.name: .gg-sch ↵  
7177 Schema: .  
7177 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
7177 ent..sch ↵  
7178 Engine.name: .ISO .Schematron ↵  
7179 Severity: .error ↵  
7180 Description: .A .paragraph .must .have .an .ancestor .  
7180 subSection .or .subSubSection. ↵  
7181 Start.location: .512:107 ↵  
7182 ↵  
7183 System.ID: .  
7183 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
7183 /97028E40FFC56D23FC4EFFD2857A2626.xml ↵  
7184 Main.validation.file: .  
7184 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
7184 /97028E40FFC56D23FC4EFFD2857A2626.xml ↵  
7185 Scenario.name: .gg-sch ↵

7186 Schema: .  
7186 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
7186 ent..sch↵  
7187 Engine.name: .ISO .Schematron↵  
7188 Severity: .error↵  
7189 Description: .A .paragraph .must .have .an .ancestor .  
7189 subSection .or .subSubSection.↵  
7190 Start.location: .513:107↵  
7191 ↵  
7192 System.ID: .  
7192 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
7192 /97028E40FFC56D23FC4EFFD2857A2626.xml↵  
7193 Main.validation.file: .  
7193 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
7193 /97028E40FFC56D23FC4EFFD2857A2626.xml↵  
7194 Scenario.name: .gg-sch↵  
7195 Schema: .  
7195 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
7195 ent..sch↵  
7196 Engine.name: .ISO .Schematron↵  
7197 Severity: .error↵  
7198 Description: .A .paragraph .must .have .an .ancestor .  
7198 subSection .or .subSubSection.↵  
7199 Start.location: .514:130↵  
7200 ↵  
7201 System.ID: .  
7201 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
7201 /97028E40FFC56D23FC4EFFD2857A2626.xml↵  
7202 Main.validation.file: .  
7202 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
7202 /97028E40FFC56D23FC4EFFD2857A2626.xml↵  
7203 Scenario.name: .gg-sch↵  
7204 Schema: .  
7204 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
7204 ent..sch↵

7205 Engine ·name: ·ISO ·Schematron ↵  
7206 Severity: ·error ↵  
7207 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
7207 subSection ·or ·subSubSection. ↵  
7208 Start ·location: ·519:108 ↵  
7209 ↵  
7210 System ·ID: ·  
7210 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
7210 /97028E40FFC56D23FC4EFFD2857A2626.xml ↵  
7211 Main ·validation ·file: ·  
7211 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
7211 /97028E40FFC56D23FC4EFFD2857A2626.xml ↵  
7212 Scenario ·name: ·gg-sch ↵  
7213 Schema: ·  
7213 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
7213 ent..sch ↵  
7214 Engine ·name: ·ISO ·Schematron ↵  
7215 Severity: ·error ↵  
7216 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
7216 subSection ·or ·subSubSection. ↵  
7217 Start ·location: ·520:108 ↵  
7218 ↵  
7219 System ·ID: ·  
7219 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
7219 /97028E40FFC56D23FC4EFFD2857A2626.xml ↵  
7220 Main ·validation ·file: ·  
7220 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
7220 /97028E40FFC56D23FC4EFFD2857A2626.xml ↵  
7221 Scenario ·name: ·gg-sch ↵  
7222 Schema: ·  
7222 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
7222 ent..sch ↵  
7223 Engine ·name: ·ISO ·Schematron ↵  
7224 Severity: ·error ↵  
7225 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·

7225 subSection ·or ·subSubSection . ↵  
7226 Start ·location: ·525:136 ↵  
7227 ↵  
7228 System ·ID: ·  
7228 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
7228 /97028E40FFC56D23FC4EFFD2857A2626.xml ↵  
7229 Main ·validation ·file: ·  
7229 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
7229 /97028E40FFC56D23FC4EFFD2857A2626.xml ↵  
7230 Scenario ·name: ·gg-sch ↵  
7231 Schema: ·  
7231 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
7231 ent..sch ↵  
7232 Engine ·name: ·ISO ·Schematron ↵  
7233 Severity: ·error ↵  
7234 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
7234 subSection ·or ·subSubSection . ↵  
7235 Start ·location: ·530:136 ↵  
7236 ↵  
7237 System ·ID: ·  
7237 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
7237 /97028E40FFC56D23FC4EFFD2857A2626.xml ↵  
7238 Main ·validation ·file: ·  
7238 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
7238 /97028E40FFC56D23FC4EFFD2857A2626.xml ↵  
7239 Scenario ·name: ·gg-sch ↵  
7240 Schema: ·  
7240 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
7240 ent..sch ↵  
7241 Engine ·name: ·ISO ·Schematron ↵  
7242 Severity: ·error ↵  
7243 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
7243 subSection ·or ·subSubSection . ↵  
7244 Start ·location: ·531:136 ↵  
7245 ↵

7246 System·ID: ·  
7246 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
7246 /97028E40FFC56D23FC4EFFD2857A2626.xml↵  
7247 Main·validation·file: ·  
7247 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
7247 /97028E40FFC56D23FC4EFFD2857A2626.xml↵  
7248 Scenario·name: ·gg-sch↵  
7249 Schema: ·  
7249 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
7249 ent..sch↵  
7250 Engine·name: ·ISO·Schematron↵  
7251 Severity: ·error↵  
7252 Description: ·A·paragraph·must·have·an·ancestor·  
7252 subSection·or·subSubSection.↵  
7253 Start·location: ·536:109↵  
7254 ↵  
7255 System·ID: ·  
7255 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
7255 /97028E40FFC56D23FC4EFFD2857A2626.xml↵  
7256 Main·validation·file: ·  
7256 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
7256 /97028E40FFC56D23FC4EFFD2857A2626.xml↵  
7257 Scenario·name: ·gg-sch↵  
7258 Schema: ·  
7258 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
7258 ent..sch↵  
7259 Engine·name: ·ISO·Schematron↵  
7260 Severity: ·error↵  
7261 Description: ·A·paragraph·must·have·an·ancestor·  
7261 subSection·or·subSubSection.↵  
7262 Start·location: ·537:136↵  
7263 ↵  
7264 System·ID: ·  
7264 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
7264 /97028E40FFC56D23FC4EFFD2857A2626.xml↵

7265 Main-validation-file: ·  
7265 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
7265 /97028E40FFC56D23FC4EFFD2857A2626.xml ↵  
7266 Scenario-name: ·gg-sch ↵  
7267 Schema: ·  
7267 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
7267 ent..sch ↵  
7268 Engine-name: ·ISO ·Schematron ↵  
7269 Severity: ·error ↵  
7270 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
7270 subSection ·or ·subSubSection. ↵  
7271 Start-location: ·542:109 ↵  
7272 ↵  
7273 System-ID: ·  
7273 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
7273 /97028E40FFC56D23FC4EFFD2857A2626.xml ↵  
7274 Main-validation-file: ·  
7274 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
7274 /97028E40FFC56D23FC4EFFD2857A2626.xml ↵  
7275 Scenario-name: ·gg-sch ↵  
7276 Schema: ·  
7276 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
7276 ent..sch ↵  
7277 Engine-name: ·ISO ·Schematron ↵  
7278 Severity: ·error ↵  
7279 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
7279 subSection ·or ·subSubSection. ↵  
7280 Start-location: ·543:134 ↵  
7281 ↵  
7282 System-ID: ·  
7282 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
7282 /97028E40FFC56D23FC4EFFD2857A2626.xml ↵  
7283 Main-validation-file: ·  
7283 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
7283 /97028E40FFC56D23FC4EFFD2857A2626.xml ↵

```
7284 Scenario·name: ·gg-sch↵
7285 Schema: ·
7285 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
7285 ent..sch↵
7286 Engine·name: ·ISO·Schematron↵
7287 Severity: ·error↵
7288 Description: ·A·paragraph·must·have·an·ancestor·
7288 subSection·or·subSubSection.↵
7289 Start·location: ·548:109↵
7290 ↵
7291 System·ID: ·
7291 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
7291 /97028E40FFC56D23FC4EFFD2857A2626.xml↵
7292 Main·validation·file: ·
7292 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
7292 /97028E40FFC56D23FC4EFFD2857A2626.xml↵
7293 Scenario·name: ·gg-sch↵
7294 Schema: ·
7294 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
7294 ent..sch↵
7295 Engine·name: ·ISO·Schematron↵
7296 Severity: ·error↵
7297 Description: ·A·paragraph·must·have·an·ancestor·
7297 subSection·or·subSubSection.↵
7298 Start·location: ·549:136↵
7299 ↵
7300 System·ID: ·
7300 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
7300 /97028E40FFC56D23FC4EFFD2857A2626.xml↵
7301 Main·validation·file: ·
7301 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
7301 /97028E40FFC56D23FC4EFFD2857A2626.xml↵
7302 Scenario·name: ·gg-sch↵
7303 Schema: ·
7303 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
```

7303 ent..sch↵  
7304 Engine.name: ·ISO ·Schematron↵  
7305 Severity: ·error↵  
7306 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
7306 subSection ·or ·subSubSection.↵  
7307 Start.location: ·550:109↵  
7308 ↵  
7309 System.ID: ·  
7309 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
7309 /97028E40FFC56D23FC4EFFD2857A2626.xml↵  
7310 Main.validation.file: ·  
7310 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
7310 /97028E40FFC56D23FC4EFFD2857A2626.xml↵  
7311 Scenario.name: ·gg-sch↵  
7312 Schema: ·  
7312 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
7312 ent..sch↵  
7313 Engine.name: ·ISO ·Schematron↵  
7314 Severity: ·error↵  
7315 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
7315 subSection ·or ·subSubSection.↵  
7316 Start.location: ·555:136↵  
7317 ↵  
7318 System.ID: ·  
7318 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
7318 /97028E40FFC56D23FC4EFFD2857A2626.xml↵  
7319 Main.validation.file: ·  
7319 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
7319 /97028E40FFC56D23FC4EFFD2857A2626.xml↵  
7320 Scenario.name: ·gg-sch↵  
7321 Schema: ·  
7321 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
7321 ent..sch↵  
7322 Engine.name: ·ISO ·Schematron↵  
7323 Severity: ·error↵

7324 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
7324 subSection ·or ·subSubSection. ↵  
7325 Start ·location: ·556:109 ↵  
7326 ↵  
7327 System ·ID: ·  
7327 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
7327 /97028E40FFC56D23FC4EFFD2857A2626.xml ↵  
7328 Main ·validation ·file: ·  
7328 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
7328 /97028E40FFC56D23FC4EFFD2857A2626.xml ↵  
7329 Scenario ·name: ·gg-sch ↵  
7330 Schema: ·  
7330 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
7330 ent..sch ↵  
7331 Engine ·name: ·ISO ·Schematron ↵  
7332 Severity: ·error ↵  
7333 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
7333 subSection ·or ·subSubSection. ↵  
7334 Start ·location: ·561:109 ↵  
7335 ↵  
7336 System ·ID: ·  
7336 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
7336 /97028E40FFC56D23FC4EFFD2857A2626.xml ↵  
7337 Main ·validation ·file: ·  
7337 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
7337 /97028E40FFC56D23FC4EFFD2857A2626.xml ↵  
7338 Scenario ·name: ·gg-sch ↵  
7339 Schema: ·  
7339 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
7339 ent..sch ↵  
7340 Engine ·name: ·ISO ·Schematron ↵  
7341 Severity: ·error ↵  
7342 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
7342 subSection ·or ·subSubSection. ↵  
7343 Start ·location: ·566:107 ↵

7344 ↵  
7345 System·ID: ·  
7345 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
7345 /97028E40FFC56D23FC4EFFD2857A2626.xml↵  
7346 Main·validation·file: ·  
7346 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
7346 /97028E40FFC56D23FC4EFFD2857A2626.xml↵  
7347 Scenario·name: ·gg-sch↵  
7348 Schema: ·  
7348 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch↵  
7349 Engine·name: ·ISO·Schematron↵  
7350 Severity: ·error↵  
7351 Description: ·A·paragraph·must·have·an·ancestor·  
7351 subSection·or·subSubSection.↵  
7352 Start·location: ·571:131↵  
7353 ↵  
7354 System·ID: ·  
7354 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
7354 /97028E40FFC56D23FC4EFFD2857A2626.xml↵  
7355 Main·validation·file: ·  
7355 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
7355 /97028E40FFC56D23FC4EFFD2857A2626.xml↵  
7356 Scenario·name: ·gg-sch↵  
7357 Schema: ·  
7357 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch↵  
7358 Engine·name: ·ISO·Schematron↵  
7359 Severity: ·error↵  
7360 Description: ·A·paragraph·must·have·an·ancestor·  
7360 subSection·or·subSubSection.↵  
7361 Start·location: ·572:107↵  
7362 ↵  
7363 System·ID: ·  
7363 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax

7363 /97028E40FFC56D23FC4EFFD2857A2626.xml ↵  
7364 Main-validation-file: .  
7364 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
7364 /97028E40FFC56D23FC4EFFD2857A2626.xml ↵  
7365 Scenario-name: .gg-sch ↵  
7366 Schema: .  
7366 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
7366 ent..sch ↵  
7367 Engine-name: .ISO-Schematron ↵  
7368 Severity: .error ↵  
7369 Description: .A.paragraph.must.have.an.ancestor.  
7369 subSection.or.subSubSection. ↵  
7370 Start-location: .577:107 ↵  
7371 ↵  
7372 System-ID: .  
7372 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
7372 /97028E40FFC56D23FC4EFFD2857A2626.xml ↵  
7373 Main-validation-file: .  
7373 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
7373 /97028E40FFC56D23FC4EFFD2857A2626.xml ↵  
7374 Scenario-name: .gg-sch ↵  
7375 Schema: .  
7375 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
7375 ent..sch ↵  
7376 Engine-name: .ISO-Schematron ↵  
7377 Severity: .error ↵  
7378 Description: .A.paragraph.must.have.an.ancestor.  
7378 subSection.or.subSubSection. ↵  
7379 Start-location: .586:107 ↵  
7380 ↵  
7381 System-ID: .  
7381 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
7381 /97028E40FFC56D23FC4EFFD2857A2626.xml ↵  
7382 Main-validation-file: .  
7382 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax

7382 /97028E40FFC56D23FC4EFFD2857A2626.xml ↵  
7383 Scenario.name: .gg-sch ↵  
7384 Schema: .  
7384 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
7384 ent..sch ↵  
7385 Engine.name: .ISO.Schematron ↵  
7386 Severity: .error ↵  
7387 Description: .A.paragraph.must.have.an.ancestor.  
7387 subSection.or.subSubSection. ↵  
7388 Start.location: .587:131 ↵  
7389 ↵  
7390 System.ID: .  
7390 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
7390 /97028E40FFC56D23FC4EFFD2857A2626.xml ↵  
7391 Main.validation.file: .  
7391 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
7391 /97028E40FFC56D23FC4EFFD2857A2626.xml ↵  
7392 Scenario.name: .gg-sch ↵  
7393 Schema: .  
7393 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
7393 ent..sch ↵  
7394 Engine.name: .ISO.Schematron ↵  
7395 Severity: .error ↵  
7396 Description: .A.paragraph.must.have.an.ancestor.  
7396 subSection.or.subSubSection. ↵  
7397 Start.location: .588:107 ↵  
7398 ↵  
7399 System.ID: .  
7399 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
7399 /97028E40FFC56D23FC4EFFD2857A2626.xml ↵  
7400 Main.validation.file: .  
7400 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
7400 /97028E40FFC56D23FC4EFFD2857A2626.xml ↵  
7401 Scenario.name: .gg-sch ↵  
7402 Schema: .

7402 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
7402 ent..sch↵  
7403 Engine.name: ·ISO ·Schematron↵  
7404 Severity: ·error↵  
7405 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
7405 subSection ·or ·subSubSection.↵  
7406 Start ·location: ·593:107↵  
7407 ↵  
7408 System ·ID: ·  
7408 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
7408 /97028E40FFC56D23FC4EFFD2857A2626.xml↵  
7409 Main ·validation ·file: ·  
7409 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
7409 /97028E40FFC56D23FC4EFFD2857A2626.xml↵  
7410 Scenario ·name: ·gg-sch↵  
7411 Schema: ·  
7411 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
7411 ent..sch↵  
7412 Engine.name: ·ISO ·Schematron↵  
7413 Severity: ·error↵  
7414 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
7414 subSection ·or ·subSubSection.↵  
7415 Start ·location: ·598:107↵  
7416 ↵  
7417 System ·ID: ·  
7417 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
7417 /97028E40FFC56D23FC4EFFD2857A2626.xml↵  
7418 Main ·validation ·file: ·  
7418 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
7418 /97028E40FFC56D23FC4EFFD2857A2626.xml↵  
7419 Scenario ·name: ·gg-sch↵  
7420 Schema: ·  
7420 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
7420 ent..sch↵  
7421 Engine.name: ·ISO ·Schematron↵

7422 Severity: ·error ↵  
7423 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
7423 subSection ·or ·subSubSection. ↵  
7424 Start ·location: ·599:107 ↵  
7425 ↵  
7426 System ·ID: ·  
7426 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
7426 /97028E40FFC56D23FC4EFFD2857A2626.xml ↵  
7427 Main ·validation ·file: ·  
7427 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
7427 /97028E40FFC56D23FC4EFFD2857A2626.xml ↵  
7428 Scenario ·name: ·gg-sch ↵  
7429 Schema: ·  
7429 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
7429 ent..sch ↵  
7430 Engine ·name: ·ISO ·Schematron ↵  
7431 Severity: ·error ↵  
7432 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
7432 subSection ·or ·subSubSection. ↵  
7433 Start ·location: ·600:107 ↵  
7434 ↵  
7435 System ·ID: ·  
7435 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
7435 /97028E40FFC56D23FC4EFFD2857A2626.xml ↵  
7436 Main ·validation ·file: ·  
7436 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
7436 /97028E40FFC56D23FC4EFFD2857A2626.xml ↵  
7437 Scenario ·name: ·gg-sch ↵  
7438 Schema: ·  
7438 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
7438 ent..sch ↵  
7439 Engine ·name: ·ISO ·Schematron ↵  
7440 Severity: ·error ↵  
7441 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
7441 subSection ·or ·subSubSection. ↵

7442 Start ·location: ·605:107 ↵  
7443 ↵  
7444 System ·ID: ·  
7444 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
7444 /97028E40FFC56D23FC4EFFD2857A2626.xml ↵  
7445 Main ·validation ·file: ·  
7445 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
7445 /97028E40FFC56D23FC4EFFD2857A2626.xml ↵  
7446 Scenario ·name: ·gg-sch ↵  
7447 Schema: ·  
7447 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
7447 ent..sch ↵  
7448 Engine ·name: ·ISO ·Schematron ↵  
7449 Severity: ·error ↵  
7450 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
7450 subSection ·or ·subSubSection. ↵  
7451 Start ·location: ·606:107 ↵  
7452 ↵  
7453 System ·ID: ·  
7453 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
7453 /97028E40FFC56D23FC4EFFD2857A2626.xml ↵  
7454 Main ·validation ·file: ·  
7454 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
7454 /97028E40FFC56D23FC4EFFD2857A2626.xml ↵  
7455 Scenario ·name: ·gg-sch ↵  
7456 Schema: ·  
7456 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
7456 ent..sch ↵  
7457 Engine ·name: ·ISO ·Schematron ↵  
7458 Severity: ·error ↵  
7459 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
7459 subSection ·or ·subSubSection. ↵  
7460 Start ·location: ·611:107 ↵  
7461 ↵  
7462 System ·ID: ·

7462 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
7462 /97028E40FFC56D23FC4EFFD2857A2626.xml ↵  
7463 Main-validation-file: ·  
7463 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
7463 /97028E40FFC56D23FC4EFFD2857A2626.xml ↵  
7464 Scenario-name: ·gg-sch ↵  
7465 Schema: ·  
7465 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
7465 ent..sch ↵  
7466 Engine-name: ·ISO ·Schematron ↵  
7467 Severity: ·error ↵  
7468 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
7468 subSection ·or ·subSubSection. ↵  
7469 Start-location: ·612:107 ↵  
7470 ↵  
7471 System-ID: ·  
7471 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
7471 /97028E40FFC56D23FC4EFFD2857A2626.xml ↵  
7472 Main-validation-file: ·  
7472 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
7472 /97028E40FFC56D23FC4EFFD2857A2626.xml ↵  
7473 Scenario-name: ·gg-sch ↵  
7474 Schema: ·  
7474 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
7474 ent..sch ↵  
7475 Engine-name: ·ISO ·Schematron ↵  
7476 Severity: ·error ↵  
7477 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
7477 subSection ·or ·subSubSection. ↵  
7478 Start-location: ·617:133 ↵  
7479 ↵  
7480 System-ID: ·  
7480 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
7480 /97028E40FFC56D23FC4EFFD2857A2626.xml ↵  
7481 Main-validation-file: ·

7481 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
7481 /97028E40FFC56D23FC4EFFD2857A2626.xml ↵  
7482 Scenario.name: .gg-sch ↵  
7483 Schema: .  
7483 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
7483 ent..sch ↵  
7484 Engine.name: .ISO .Schematron ↵  
7485 Severity: .error ↵  
7486 Description: .A .paragraph .must .have .an .ancestor .  
7486 subSection .or .subSubSection. ↵  
7487 Start.location: .618:107 ↵  
7488 ↵  
7489 System.ID: .  
7489 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
7489 /97028E40FFC56D23FC4EFFD2857A2626.xml ↵  
7490 Main.validation.file: .  
7490 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
7490 /97028E40FFC56D23FC4EFFD2857A2626.xml ↵  
7491 Scenario.name: .gg-sch ↵  
7492 Schema: .  
7492 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
7492 ent..sch ↵  
7493 Engine.name: .ISO .Schematron ↵  
7494 Severity: .error ↵  
7495 Description: .A .paragraph .must .have .an .ancestor .  
7495 subSection .or .subSubSection. ↵  
7496 Start.location: .623:133 ↵  
7497 ↵  
7498 System.ID: .  
7498 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
7498 /97028E40FFC56D23FC4EFFD2857A2626.xml ↵  
7499 Main.validation.file: .  
7499 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
7499 /97028E40FFC56D23FC4EFFD2857A2626.xml ↵  
7500 Scenario.name: .gg-sch ↵

7501 Schema: .  
7501 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
7501 ent..sch↵  
7502 Engine.name: .ISO .Schematron↵  
7503 Severity: .error↵  
7504 Description: .A .paragraph .must .have .an .ancestor .  
7504 subSection .or .subSubSection.↵  
7505 Start.location: .624:133↵  
7506 ↵  
7507 System.ID: .  
7507 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
7507 /97028E40FFC56D23FC4EFFD2857A2626.xml↵  
7508 Main.validation.file: .  
7508 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
7508 /97028E40FFC56D23FC4EFFD2857A2626.xml↵  
7509 Scenario.name: .gg-sch↵  
7510 Schema: .  
7510 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
7510 ent..sch↵  
7511 Engine.name: .ISO .Schematron↵  
7512 Severity: .error↵  
7513 Description: .A .paragraph .must .have .an .ancestor .  
7513 subSection .or .subSubSection.↵  
7514 Start.location: .625:107↵  
7515 ↵  
7516 System.ID: .  
7516 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
7516 /97028E40FFC56D23FC4EFFD2857A2626.xml↵  
7517 Main.validation.file: .  
7517 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
7517 /97028E40FFC56D23FC4EFFD2857A2626.xml↵  
7518 Scenario.name: .gg-sch↵  
7519 Schema: .  
7519 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
7519 ent..sch↵

7520 Engine.name: ·ISO ·Schematron ↵  
7521 Severity: ·error ↵  
7522 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
7522 subSection ·or ·subSubSection. ↵  
7523 Start.location: ·630:107 ↵  
7524 ↵  
7525 System.ID: ·  
7525 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
7525 /97028E40FFC56D23FC4EFFD2857A2626.xml ↵  
7526 Main.validation.file: ·  
7526 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
7526 /97028E40FFC56D23FC4EFFD2857A2626.xml ↵  
7527 Scenario.name: ·gg-sch ↵  
7528 Schema: ·  
7528 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
7528 ent..sch ↵  
7529 Engine.name: ·ISO ·Schematron ↵  
7530 Severity: ·error ↵  
7531 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
7531 subSection ·or ·subSubSection. ↵  
7532 Start.location: ·631:107 ↵  
7533 ↵  
7534 System.ID: ·  
7534 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
7534 /97028E40FFC56D23FC4EFFD2857A2626.xml ↵  
7535 Main.validation.file: ·  
7535 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
7535 /97028E40FFC56D23FC4EFFD2857A2626.xml ↵  
7536 Scenario.name: ·gg-sch ↵  
7537 Schema: ·  
7537 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
7537 ent..sch ↵  
7538 Engine.name: ·ISO ·Schematron ↵  
7539 Severity: ·error ↵  
7540 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·

7540 subSection ·or ·subSubSection . ↵  
7541 Start ·location: ·632:107 ↵  
7542 ↵  
7543 System ·ID: ·  
7543 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
7543 /97028E40FFC56D23FC4EFFD2857A2626.xml ↵  
7544 Main ·validation ·file: ·  
7544 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
7544 /97028E40FFC56D23FC4EFFD2857A2626.xml ↵  
7545 Scenario ·name: ·gg-sch ↵  
7546 Schema: ·  
7546 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
7546 ent..sch ↵  
7547 Engine ·name: ·ISO ·Schematron ↵  
7548 Severity: ·error ↵  
7549 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
7549 subSection ·or ·subSubSection . ↵  
7550 Start ·location: ·637:107 ↵  
7551 ↵  
7552 System ·ID: ·  
7552 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
7552 /97028E40FFC56D23FC4EFFD2857A2626.xml ↵  
7553 Main ·validation ·file: ·  
7553 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
7553 /97028E40FFC56D23FC4EFFD2857A2626.xml ↵  
7554 Scenario ·name: ·gg-sch ↵  
7555 Schema: ·  
7555 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
7555 ent..sch ↵  
7556 Engine ·name: ·ISO ·Schematron ↵  
7557 Severity: ·error ↵  
7558 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
7558 subSection ·or ·subSubSection . ↵  
7559 Start ·location: ·638:107 ↵  
7560 ↵

7561 System·ID: ·  
7561 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
7561 /97028E40FFC56D23FC4EFFD2857A2626.xml↵  
7562 Main·validation·file: ·  
7562 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
7562 /97028E40FFC56D23FC4EFFD2857A2626.xml↵  
7563 Scenario·name: ·gg-sch↵  
7564 Schema: ·  
7564 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
7564 ent..sch↵  
7565 Engine·name: ·ISO·Schematron↵  
7566 Severity: ·error↵  
7567 Description: ·A·paragraph·must·have·an·ancestor·  
7567 subSection·or·subSubSection.↵  
7568 Start·location: ·639:107↵  
7569 ↵  
7570 System·ID: ·  
7570 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
7570 /97028E40FFC56D23FC4EFFD2857A2626.xml↵  
7571 Main·validation·file: ·  
7571 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
7571 /97028E40FFC56D23FC4EFFD2857A2626.xml↵  
7572 Scenario·name: ·gg-sch↵  
7573 Schema: ·  
7573 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
7573 ent..sch↵  
7574 Engine·name: ·ISO·Schematron↵  
7575 Severity: ·error↵  
7576 Description: ·A·paragraph·must·have·an·ancestor·  
7576 subSection·or·subSubSection.↵  
7577 Start·location: ·640:107↵  
7578 ↵  
7579 System·ID: ·  
7579 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
7579 /97028E40FFC56D23FC4EFFD2857A2626.xml↵

7580 Main-validation-file: ·  
7580 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
7580 /97028E40FFC56D23FC4EFFD2857A2626.xml ↵  
7581 Scenario-name: ·gg-sch ↵  
7582 Schema: ·  
7582 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
7582 ent..sch ↵  
7583 Engine-name: ·ISO-Schematron ↵  
7584 Severity: ·error ↵  
7585 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
7585 subSection ·or ·subSubSection. ↵  
7586 Start-location: ·641:107 ↵  
7587 ↵  
7588 System-ID: ·  
7588 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
7588 /97028E40FFC56D23FC4EFFD2857A2626.xml ↵  
7589 Main-validation-file: ·  
7589 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
7589 /97028E40FFC56D23FC4EFFD2857A2626.xml ↵  
7590 Scenario-name: ·gg-sch ↵  
7591 Schema: ·  
7591 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
7591 ent..sch ↵  
7592 Engine-name: ·ISO-Schematron ↵  
7593 Severity: ·error ↵  
7594 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
7594 subSection ·or ·subSubSection. ↵  
7595 Start-location: ·642:133 ↵  
7596 ↵  
7597 System-ID: ·  
7597 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
7597 /97028E40FFC56D23FC4EFFD2857A2626.xml ↵  
7598 Main-validation-file: ·  
7598 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
7598 /97028E40FFC56D23FC4EFFD2857A2626.xml ↵

7599 Scenario ·name: ·gg-sch ↵  
7600 Schema: ·  
7600 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
7600 ent..sch ↵  
7601 Engine ·name: ·ISO ·Schematron ↵  
7602 Severity: ·error ↵  
7603 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
7603 subSection ·or ·subSubSection. ↵  
7604 Start ·location: ·643:107 ↵  
7605 ↵  
7606 System ·ID: ·  
7606 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
7606 /97028E40FFC56D23FC4EFFD2857A2626.xml ↵  
7607 Main ·validation ·file: ·  
7607 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
7607 /97028E40FFC56D23FC4EFFD2857A2626.xml ↵  
7608 Scenario ·name: ·gg-sch ↵  
7609 Schema: ·  
7609 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
7609 ent..sch ↵  
7610 Engine ·name: ·ISO ·Schematron ↵  
7611 Severity: ·error ↵  
7612 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
7612 subSection ·or ·subSubSection. ↵  
7613 Start ·location: ·644:133 ↵  
7614 ↵  
7615 System ·ID: ·  
7615 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
7615 /97028E40FFC56D23FC4EFFD2857A2626.xml ↵  
7616 Main ·validation ·file: ·  
7616 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
7616 /97028E40FFC56D23FC4EFFD2857A2626.xml ↵  
7617 Scenario ·name: ·gg-sch ↵  
7618 Schema: ·  
7618 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm

7618 ent..sch↵  
7619 Engine.name: ·ISO ·Schematron↵  
7620 Severity: ·error↵  
7621 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
7621 subSection ·or ·subSubSection.↵  
7622 Start.location: ·645:107↵  
7623 ↵  
7624 System.ID: ·  
7624 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
7624 /97028E40FFC56D23FC4EFFD2857A2626.xml↵  
7625 Main.validation.file: ·  
7625 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
7625 /97028E40FFC56D23FC4EFFD2857A2626.xml↵  
7626 Scenario.name: ·gg-sch↵  
7627 Schema: ·  
7627 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
7627 ent..sch↵  
7628 Engine.name: ·ISO ·Schematron↵  
7629 Severity: ·error↵  
7630 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
7630 subSection ·or ·subSubSection.↵  
7631 Start.location: ·646:133↵  
7632 ↵  
7633 System.ID: ·  
7633 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
7633 /97028E40FFC56D23FC4EFFD2857A2626.xml↵  
7634 Main.validation.file: ·  
7634 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
7634 /97028E40FFC56D23FC4EFFD2857A2626.xml↵  
7635 Scenario.name: ·gg-sch↵  
7636 Schema: ·  
7636 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
7636 ent..sch↵  
7637 Engine.name: ·ISO ·Schematron↵  
7638 Severity: ·error↵

7639 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
7639 subSection ·or ·subSubSection. ↵  
7640 Start ·location: ·647:108 ↵  
7641 ↵  
7642 System ·ID: ·  
7642 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
7642 /97028E40FFC56D23FC4EFFD2857A2626.xml ↵  
7643 Main ·validation ·file: ·  
7643 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
7643 /97028E40FFC56D23FC4EFFD2857A2626.xml ↵  
7644 Scenario ·name: ·gg-sch ↵  
7645 Schema: ·  
7645 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
7645 ent..sch ↵  
7646 Engine ·name: ·ISO ·Schematron ↵  
7647 Severity: ·error ↵  
7648 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
7648 subSection ·or ·subSubSection. ↵  
7649 Start ·location: ·648:108 ↵  
7650 ↵  
7651 System ·ID: ·  
7651 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
7651 /97028E40FFC56D23FC4EFFD2857A2626.xml ↵  
7652 Main ·validation ·file: ·  
7652 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
7652 /97028E40FFC56D23FC4EFFD2857A2626.xml ↵  
7653 Scenario ·name: ·gg-sch ↵  
7654 Schema: ·  
7654 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
7654 ent..sch ↵  
7655 Engine ·name: ·ISO ·Schematron ↵  
7656 Severity: ·error ↵  
7657 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
7657 subSection ·or ·subSubSection. ↵  
7658 Start ·location: ·649:108 ↵

7659 ↵  
7660 System·ID: ·  
7660 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
7660 /97028E40FFC56D23FC4EFFD2857A2626.xml↵  
7661 Main·validation·file: ·  
7661 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
7661 /97028E40FFC56D23FC4EFFD2857A2626.xml↵  
7662 Scenario·name: ·gg-sch↵  
7663 Schema: ·  
7663 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
7663 ent..sch↵  
7664 Engine·name: ·ISO·Schematron↵  
7665 Severity: ·error↵  
7666 Description: ·A·paragraph·must·have·an·ancestor·  
7666 subSection·or·subSubSection.↵  
7667 Start·location: ·654:133↵  
7668 ↵  
7669 System·ID: ·  
7669 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
7669 /97028E40FFC56D23FC4EFFD2857A2626.xml↵  
7670 Main·validation·file: ·  
7670 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
7670 /97028E40FFC56D23FC4EFFD2857A2626.xml↵  
7671 Scenario·name: ·gg-sch↵  
7672 Schema: ·  
7672 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
7672 ent..sch↵  
7673 Engine·name: ·ISO·Schematron↵  
7674 Severity: ·error↵  
7675 Description: ·A·paragraph·must·have·an·ancestor·  
7675 subSection·or·subSubSection.↵  
7676 Start·location: ·655:108↵  
7677 ↵  
7678 System·ID: ·  
7678 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax

7678 /97028E40FFC56D23FC4EFFD2857A2626.xml ↵  
7679 Main-validation-file: .  
7679 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
7679 /97028E40FFC56D23FC4EFFD2857A2626.xml ↵  
7680 Scenario-name: .gg-sch ↵  
7681 Schema: .  
7681 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
7681 ent..sch ↵  
7682 Engine-name: .ISO-Schematron ↵  
7683 Severity: .error ↵  
7684 Description: .A.paragraph.must.have.an.ancestor.  
7684 subSection.or.subSubSection. ↵  
7685 Start-location: .660:108 ↵  
7686 ↵  
7687 System-ID: .  
7687 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
7687 /97028E40FFC56D23FC4EFFD2857A2626.xml ↵  
7688 Main-validation-file: .  
7688 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
7688 /97028E40FFC56D23FC4EFFD2857A2626.xml ↵  
7689 Scenario-name: .gg-sch ↵  
7690 Schema: .  
7690 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
7690 ent..sch ↵  
7691 Engine-name: .ISO-Schematron ↵  
7692 Severity: .error ↵  
7693 Description: .A.paragraph.must.have.an.ancestor.  
7693 subSection.or.subSubSection. ↵  
7694 Start-location: .661:108 ↵  
7695 ↵  
7696 System-ID: .  
7696 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
7696 /97028E40FFC56D23FC4EFFD2857A2626.xml ↵  
7697 Main-validation-file: .  
7697 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax

7697 /97028E40FFC56D23FC4EFFD2857A2626.xml ↵  
7698 Scenario.name: .gg-sch ↵  
7699 Schema: .  
7699 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
7699 ent..sch ↵  
7700 Engine.name: .ISO.Schematron ↵  
7701 Severity: .error ↵  
7702 Description: .A.paragraph.must.have.an.ancestor.  
7702 subSection.or.subSubSection. ↵  
7703 Start.location: .662:133 ↵  
7704 ↵  
7705 System.ID: .  
7705 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
7705 /97028E40FFC56D23FC4EFFD2857A2626.xml ↵  
7706 Main.validation.file: .  
7706 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
7706 /97028E40FFC56D23FC4EFFD2857A2626.xml ↵  
7707 Scenario.name: .gg-sch ↵  
7708 Schema: .  
7708 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
7708 ent..sch ↵  
7709 Engine.name: .ISO.Schematron ↵  
7710 Severity: .error ↵  
7711 Description: .A.paragraph.must.have.an.ancestor.  
7711 subSection.or.subSubSection. ↵  
7712 Start.location: .663:108 ↵  
7713 ↵  
7714 System.ID: .  
7714 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
7714 /97028E40FFC56D23FC4EFFD2857A2626.xml ↵  
7715 Main.validation.file: .  
7715 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
7715 /97028E40FFC56D23FC4EFFD2857A2626.xml ↵  
7716 Scenario.name: .gg-sch ↵  
7717 Schema: .

7717 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
7717 ent..sch↵  
7718 Engine.name: ·ISO ·Schematron↵  
7719 Severity: ·error↵  
7720 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
7720 subSection ·or ·subSubSection.↵  
7721 Start.location: ·668:108↵  
7722 ↵  
7723 System.ID: ·  
7723 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
7723 /97028E40FFC56D23FC4EFFD2857A2626.xml↵  
7724 Main.validation.file: ·  
7724 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
7724 /97028E40FFC56D23FC4EFFD2857A2626.xml↵  
7725 Scenario.name: ·gg-sch↵  
7726 Schema: ·  
7726 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
7726 ent..sch↵  
7727 Engine.name: ·ISO ·Schematron↵  
7728 Severity: ·error↵  
7729 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
7729 subSection ·or ·subSubSection.↵  
7730 Start.location: ·669:133↵  
7731 ↵  
7732 System.ID: ·  
7732 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
7732 /97028E40FFC56D23FC4EFFD2857A2626.xml↵  
7733 Main.validation.file: ·  
7733 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
7733 /97028E40FFC56D23FC4EFFD2857A2626.xml↵  
7734 Scenario.name: ·gg-sch↵  
7735 Schema: ·  
7735 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
7735 ent..sch↵  
7736 Engine.name: ·ISO ·Schematron↵

7737 Severity: ·error ↵  
7738 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
7738 subSection ·or ·subSubSection. ↵  
7739 Start ·location: ·670:108 ↵  
7740 ↵  
7741 System ·ID: ·  
7741 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
7741 /97028E40FFC56D23FC4EFFD2857A2626.xml ↵  
7742 Main ·validation ·file: ·  
7742 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
7742 /97028E40FFC56D23FC4EFFD2857A2626.xml ↵  
7743 Scenario ·name: ·gg-sch ↵  
7744 Schema: ·  
7744 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
7744 ent..sch ↵  
7745 Engine ·name: ·ISO ·Schematron ↵  
7746 Severity: ·error ↵  
7747 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
7747 subSection ·or ·subSubSection. ↵  
7748 Start ·location: ·677:108 ↵  
7749 ↵  
7750 System ·ID: ·  
7750 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
7750 /97028E40FFC56D23FC4EFFD2857A2626.xml ↵  
7751 Main ·validation ·file: ·  
7751 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
7751 /97028E40FFC56D23FC4EFFD2857A2626.xml ↵  
7752 Scenario ·name: ·gg-sch ↵  
7753 Schema: ·  
7753 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
7753 ent..sch ↵  
7754 Engine ·name: ·ISO ·Schematron ↵  
7755 Severity: ·error ↵  
7756 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
7756 subSection ·or ·subSubSection. ↵

7757 Start ·location: ·678:108 ↵  
7758 ↵  
7759 System ·ID: ·  
7759 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
7759 /97028E40FFC56D23FC4EFFD2857A2626.xml ↵  
7760 Main ·validation ·file: ·  
7760 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
7760 /97028E40FFC56D23FC4EFFD2857A2626.xml ↵  
7761 Scenario ·name: ·gg-sch ↵  
7762 Schema: ·  
7762 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
7762 ent..sch ↵  
7763 Engine ·name: ·ISO ·Schematron ↵  
7764 Severity: ·error ↵  
7765 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
7765 subSection ·or ·subSubSection. ↵  
7766 Start ·location: ·679:108 ↵  
7767 ↵  
7768 System ·ID: ·  
7768 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
7768 /97028E40FFC56D23FC4EFFD2857A2626.xml ↵  
7769 Main ·validation ·file: ·  
7769 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
7769 /97028E40FFC56D23FC4EFFD2857A2626.xml ↵  
7770 Scenario ·name: ·gg-sch ↵  
7771 Schema: ·  
7771 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
7771 ent..sch ↵  
7772 Engine ·name: ·ISO ·Schematron ↵  
7773 Severity: ·error ↵  
7774 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
7774 subSection ·or ·subSubSection. ↵  
7775 Start ·location: ·680:133 ↵  
7776 ↵  
7777 System ·ID: ·

7777 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
7777 /97028E40FFC56D23FC4EFFD2857A2626.xml ↵  
7778 Main-validation-file: ·  
7778 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
7778 /97028E40FFC56D23FC4EFFD2857A2626.xml ↵  
7779 Scenario-name: ·gg-sch ↵  
7780 Schema: ·  
7780 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
7780 ent..sch ↵  
7781 Engine-name: ·ISO ·Schematron ↵  
7782 Severity: ·error ↵  
7783 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
7783 subSection ·or ·subSubSection. ↵  
7784 Start-location: ·681:108 ↵  
7785 ↵  
7786 System-ID: ·  
7786 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
7786 /97028E40FFC56D23FC4EFFD2857A2626.xml ↵  
7787 Main-validation-file: ·  
7787 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
7787 /97028E40FFC56D23FC4EFFD2857A2626.xml ↵  
7788 Scenario-name: ·gg-sch ↵  
7789 Schema: ·  
7789 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
7789 ent..sch ↵  
7790 Engine-name: ·ISO ·Schematron ↵  
7791 Severity: ·error ↵  
7792 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
7792 subSection ·or ·subSubSection. ↵  
7793 Start-location: ·686:108 ↵  
7794 ↵  
7795 System-ID: ·  
7795 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
7795 /97028E40FFC56D23FC4EFFD2857A2626.xml ↵  
7796 Main-validation-file: ·

7796 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
7796 /97028E40FFC56D23FC4EFFD2857A2626.xml ↵  
7797 Scenario.name: .gg-sch ↵  
7798 Schema: .  
7798 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
7798 ent..sch ↵  
7799 Engine.name: .ISO .Schematron ↵  
7800 Severity: .error ↵  
7801 Description: .A .paragraph .must .have .an .ancestor .  
7801 subSection .or .subSubSection. ↵  
7802 Start.location: .687:108 ↵  
7803 ↵  
7804 System.ID: .  
7804 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
7804 /97028E40FFC56D23FC4EFFD2857A2626.xml ↵  
7805 Main.validation.file: .  
7805 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
7805 /97028E40FFC56D23FC4EFFD2857A2626.xml ↵  
7806 Scenario.name: .gg-sch ↵  
7807 Schema: .  
7807 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
7807 ent..sch ↵  
7808 Engine.name: .ISO .Schematron ↵  
7809 Severity: .error ↵  
7810 Description: .A .paragraph .must .have .an .ancestor .  
7810 subSection .or .subSubSection. ↵  
7811 Start.location: .692:135 ↵  
7812 ↵  
7813 System.ID: .  
7813 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
7813 /97028E40FFC56D23FC4EFFD2857A2626.xml ↵  
7814 Main.validation.file: .  
7814 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
7814 /97028E40FFC56D23FC4EFFD2857A2626.xml ↵  
7815 Scenario.name: .gg-sch ↵

7816 Schema: .  
7816 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
7816 ent..sch↵  
7817 Engine.name: .ISO .Schematron↵  
7818 Severity: .error↵  
7819 Description: .A .paragraph .must .have .an .ancestor .  
7819 subSection .or .subSubSection.↵  
7820 Start.location: .693:108↵  
7821 ↵  
7822 System.ID: .  
7822 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
7822 /97028E40FFC56D23FC4EFFD2857A2626.xml↵  
7823 Main.validation.file: .  
7823 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
7823 /97028E40FFC56D23FC4EFFD2857A2626.xml↵  
7824 Scenario.name: .gg-sch↵  
7825 Schema: .  
7825 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
7825 ent..sch↵  
7826 Engine.name: .ISO .Schematron↵  
7827 Severity: .error↵  
7828 Description: .A .paragraph .must .have .an .ancestor .  
7828 subSection .or .subSubSection.↵  
7829 Start.location: .694:135↵  
7830 ↵  
7831 System.ID: .  
7831 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
7831 /97028E40FFC56D23FC4EFFD2857A2626.xml↵  
7832 Main.validation.file: .  
7832 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
7832 /97028E40FFC56D23FC4EFFD2857A2626.xml↵  
7833 Scenario.name: .gg-sch↵  
7834 Schema: .  
7834 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
7834 ent..sch↵

7835 Engine·name: ·ISO ·Schematron↵  
7836 Severity: ·error↵  
7837 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
7837 subSection ·or ·subSubSection.↵  
7838 Start ·location: ·695:135↵  
7839 ↵  
7840 System ·ID: ·  
7840 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
7840 /97028E40FFC56D23FC4EFFD2857A2626.xml↵  
7841 Main ·validation ·file: ·  
7841 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
7841 /97028E40FFC56D23FC4EFFD2857A2626.xml↵  
7842 Scenario ·name: ·gg-sch↵  
7843 Schema: ·  
7843 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
7843 ent..sch↵  
7844 Engine·name: ·ISO ·Schematron↵  
7845 Severity: ·error↵  
7846 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
7846 subSection ·or ·subSubSection.↵  
7847 Start ·location: ·696:108↵  
7848 ↵  
7849 System ·ID: ·  
7849 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
7849 /97028E40FFC56D23FC4EFFD2857A2626.xml↵  
7850 Main ·validation ·file: ·  
7850 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
7850 /97028E40FFC56D23FC4EFFD2857A2626.xml↵  
7851 Scenario ·name: ·gg-sch↵  
7852 Schema: ·  
7852 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
7852 ent..sch↵  
7853 Engine·name: ·ISO ·Schematron↵  
7854 Severity: ·error↵  
7855 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·

7855 subSection ·or ·subSubSection. ↵  
7856 Start ·location: ·697:108 ↵  
7857 ↵  
7858 System ·ID: ·  
7858 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
7858 /97028E40FFC56D23FC4EFFD2857A2626.xml ↵  
7859 Main ·validation ·file: ·  
7859 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
7859 /97028E40FFC56D23FC4EFFD2857A2626.xml ↵  
7860 Scenario ·name: ·gg-sch ↵  
7861 Schema: ·  
7861 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
7861 ent..sch ↵  
7862 Engine ·name: ·ISO ·Schematron ↵  
7863 Severity: ·error ↵  
7864 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
7864 subSection ·or ·subSubSection. ↵  
7865 Start ·location: ·698:108 ↵  
7866 ↵  
7867 System ·ID: ·  
7867 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
7867 /97028E40FFC56D23FC4EFFD2857A2626.xml ↵  
7868 Main ·validation ·file: ·  
7868 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
7868 /97028E40FFC56D23FC4EFFD2857A2626.xml ↵  
7869 Scenario ·name: ·gg-sch ↵  
7870 Schema: ·  
7870 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
7870 ent..sch ↵  
7871 Engine ·name: ·ISO ·Schematron ↵  
7872 Severity: ·error ↵  
7873 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
7873 subSection ·or ·subSubSection. ↵  
7874 Start ·location: ·699:135 ↵  
7875 ↵

7876 System·ID: ·  
7876 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
7876 /97028E40FFC56D23FC4EFFD2857A2626.xml↵  
7877 Main·validation·file: ·  
7877 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
7877 /97028E40FFC56D23FC4EFFD2857A2626.xml↵  
7878 Scenario·name: ·gg-sch↵  
7879 Schema: ·  
7879 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
7879 ent..sch↵  
7880 Engine·name: ·ISO·Schematron↵  
7881 Severity: ·error↵  
7882 Description: ·A·paragraph·must·have·an·ancestor·  
7882 subSection·or·subSubSection.↵  
7883 Start·location: ·700:108↵  
7884 ↵  
7885 System·ID: ·  
7885 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
7885 /97028E40FFC56D23FC4EFFD2857A2626.xml↵  
7886 Main·validation·file: ·  
7886 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
7886 /97028E40FFC56D23FC4EFFD2857A2626.xml↵  
7887 Scenario·name: ·gg-sch↵  
7888 Schema: ·  
7888 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
7888 ent..sch↵  
7889 Engine·name: ·ISO·Schematron↵  
7890 Severity: ·error↵  
7891 Description: ·A·paragraph·must·have·an·ancestor·  
7891 subSection·or·subSubSection.↵  
7892 Start·location: ·701:108↵  
7893 ↵  
7894 System·ID: ·  
7894 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
7894 /97028E40FFC56D23FC4EFFD2857A2626.xml↵

7895 Main-validation-file: ·  
7895 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
7895 /97028E40FFC56D23FC4EFFD2857A2626.xml ↵  
7896 Scenario-name: ·gg-sch ↵  
7897 Schema: ·  
7897 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
7897 ent..sch ↵  
7898 Engine-name: ·ISO-Schematron ↵  
7899 Severity: ·error ↵  
7900 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
7900 subSection ·or ·subSubSection. ↵  
7901 Start-location: ·706:108 ↵  
7902 ↵  
7903 System-ID: ·  
7903 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
7903 /97028E40FFC56D23FC4EFFD2857A2626.xml ↵  
7904 Main-validation-file: ·  
7904 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
7904 /97028E40FFC56D23FC4EFFD2857A2626.xml ↵  
7905 Scenario-name: ·gg-sch ↵  
7906 Schema: ·  
7906 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
7906 ent..sch ↵  
7907 Engine-name: ·ISO-Schematron ↵  
7908 Severity: ·error ↵  
7909 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
7909 subSection ·or ·subSubSection. ↵  
7910 Start-location: ·711:135 ↵  
7911 ↵  
7912 System-ID: ·  
7912 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
7912 /97028E40FFC56D23FC4EFFD2857A2626.xml ↵  
7913 Main-validation-file: ·  
7913 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
7913 /97028E40FFC56D23FC4EFFD2857A2626.xml ↵

7914 Scenario ·name: ·gg-sch ↵  
7915 Schema: ·  
7915 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
7915 ent..sch ↵  
7916 Engine ·name: ·ISO ·Schematron ↵  
7917 Severity: ·error ↵  
7918 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
7918 subSection ·or ·subSubSection. ↵  
7919 Start ·location: ·712:108 ↵  
7920 ↵  
7921 System ·ID: ·  
7921 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
7921 /97028E40FFC56D23FC4EFFD2857A2626.xml ↵  
7922 Main ·validation ·file: ·  
7922 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
7922 /97028E40FFC56D23FC4EFFD2857A2626.xml ↵  
7923 Scenario ·name: ·gg-sch ↵  
7924 Schema: ·  
7924 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
7924 ent..sch ↵  
7925 Engine ·name: ·ISO ·Schematron ↵  
7926 Severity: ·error ↵  
7927 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
7927 subSection ·or ·subSubSection. ↵  
7928 Start ·location: ·713:135 ↵  
7929 ↵  
7930 System ·ID: ·  
7930 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
7930 /97028E40FFC56D23FC4EFFD2857A2626.xml ↵  
7931 Main ·validation ·file: ·  
7931 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
7931 /97028E40FFC56D23FC4EFFD2857A2626.xml ↵  
7932 Scenario ·name: ·gg-sch ↵  
7933 Schema: ·  
7933 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm

```
7933 ent..sch↵
7934 Engine.name: ·ISO ·Schematron↵
7935 Severity: ·error↵
7936 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
7936 subSection ·or ·subSubSection.↵
7937 Start ·location: ·714:108↵
7938 ↵
7939 System ·ID: ·
7939 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
7939 /97028E40FFC56D23FC4EFFD2857A2626.xml↵
7940 Main ·validation ·file: ·
7940 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
7940 /97028E40FFC56D23FC4EFFD2857A2626.xml↵
7941 Scenario ·name: ·gg-sch↵
7942 Schema: ·
7942 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
7942 ent..sch↵
7943 Engine.name: ·ISO ·Schematron↵
7944 Severity: ·error↵
7945 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
7945 subSection ·or ·subSubSection.↵
7946 Start ·location: ·715:135↵
7947 ↵
7948 System ·ID: ·
7948 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
7948 /97028E40FFC56D23FC4EFFD2857A2626.xml↵
7949 Main ·validation ·file: ·
7949 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
7949 /97028E40FFC56D23FC4EFFD2857A2626.xml↵
7950 Scenario ·name: ·gg-sch↵
7951 Schema: ·
7951 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
7951 ent..sch↵
7952 Engine.name: ·ISO ·Schematron↵
7953 Severity: ·error↵
```

7954 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
7954 subSection ·or ·subSubSection. ↵  
7955 Start ·location: ·716:108 ↵  
7956 ↵  
7957 System ·ID: ·  
7957 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
7957 /97028E40FFC56D23FC4EFFD2857A2626.xml ↵  
7958 Main ·validation ·file: ·  
7958 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
7958 /97028E40FFC56D23FC4EFFD2857A2626.xml ↵  
7959 Scenario ·name: ·gg-sch ↵  
7960 Schema: ·  
7960 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
7960 ent..sch ↵  
7961 Engine ·name: ·ISO ·Schematron ↵  
7962 Severity: ·error ↵  
7963 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
7963 subSection ·or ·subSubSection. ↵  
7964 Start ·location: ·721:108 ↵  
7965 ↵  
7966 System ·ID: ·  
7966 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
7966 /97028E40FFC56D23FC4EFFD2857A2626.xml ↵  
7967 Main ·validation ·file: ·  
7967 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
7967 /97028E40FFC56D23FC4EFFD2857A2626.xml ↵  
7968 Scenario ·name: ·gg-sch ↵  
7969 Schema: ·  
7969 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
7969 ent..sch ↵  
7970 Engine ·name: ·ISO ·Schematron ↵  
7971 Severity: ·error ↵  
7972 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
7972 subSection ·or ·subSubSection. ↵  
7973 Start ·location: ·722:106 ↵

7974   ↳  
7975   System·ID: ·  
7975   /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
7975   /97028E40FFC56D23FC4EFFD2857A2626.xml↳  
7976   Main·validation·file: ·  
7976   /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
7976   /97028E40FFC56D23FC4EFFD2857A2626.xml↳  
7977   Scenario·name: ·gg-sch↳  
7978   Schema: ·  
7978   /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
7978   ent..sch↳  
7979   Engine·name: ·ISO·Schematron↳  
7980   Severity: ·error↳  
7981   Description: ·A·paragraph·must·have·an·ancestor·  
7981   subSection·or·subSubSection.↳  
7982   Start·location: ·727:106↳  
7983   ↳  
7984   System·ID: ·  
7984   /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
7984   /97028E40FFC56D23FC4EFFD2857A2626.xml↳  
7985   Main·validation·file: ·  
7985   /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
7985   /97028E40FFC56D23FC4EFFD2857A2626.xml↳  
7986   Scenario·name: ·gg-sch↳  
7987   Schema: ·  
7987   /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
7987   ent..sch↳  
7988   Engine·name: ·ISO·Schematron↳  
7989   Severity: ·error↳  
7990   Description: ·A·paragraph·must·have·an·ancestor·  
7990   subSection·or·subSubSection.↳  
7991   Start·location: ·728:106↳  
7992   ↳  
7993   System·ID: ·  
7993   /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax

7993 /97028E40FFC56D23FC4EFFD2857A2626.xml ↵  
7994 Main-validation-file: .  
7994 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
7994 /97028E40FFC56D23FC4EFFD2857A2626.xml ↵  
7995 Scenario-name: .gg-sch ↵  
7996 Schema: .  
7996 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
7996 ent..sch ↵  
7997 Engine-name: .ISO-Schematron ↵  
7998 Severity: .error ↵  
7999 Description: .A.paragraph.must.have.an.ancestor.  
7999 subSection.or.subSubSection. ↵  
8000 Start-location: .729:106 ↵  
8001 ↵  
8002 System-ID: .  
8002 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
8002 /97028E40FFC56D23FC4EFFD2857A2626.xml ↵  
8003 Main-validation-file: .  
8003 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
8003 /97028E40FFC56D23FC4EFFD2857A2626.xml ↵  
8004 Scenario-name: .gg-sch ↵  
8005 Schema: .  
8005 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
8005 ent..sch ↵  
8006 Engine-name: .ISO-Schematron ↵  
8007 Severity: .error ↵  
8008 Description: .A.paragraph.must.have.an.ancestor.  
8008 subSection.or.subSubSection. ↵  
8009 Start-location: .734:106 ↵  
8010 ↵  
8011 System-ID: .  
8011 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
8011 /97028E40FFC56D23FC4EFFD2857A2626.xml ↵  
8012 Main-validation-file: .  
8012 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax

8012 /97028E40FFC56D23FC4EFFD2857A2626.xml ↵  
8013 Scenario.name: .gg-sch ↵  
8014 Schema: .  
8014 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
8014 ent..sch ↵  
8015 Engine.name: .ISO.Schematron ↵  
8016 Severity: .error ↵  
8017 Description: .A.paragraph.must.have.an.ancestor.  
8017 subSection.or.subSubSection. ↵  
8018 Start.location: .735:106 ↵  
8019 ↵  
8020 System.ID: .  
8020 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
8020 /97028E40FFC56D23FC4EFFD2857A2626.xml ↵  
8021 Main.validation.file: .  
8021 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
8021 /97028E40FFC56D23FC4EFFD2857A2626.xml ↵  
8022 Scenario.name: .gg-sch ↵  
8023 Schema: .  
8023 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
8023 ent..sch ↵  
8024 Engine.name: .ISO.Schematron ↵  
8025 Severity: .error ↵  
8026 Description: .A.paragraph.must.have.an.ancestor.  
8026 subSection.or.subSubSection. ↵  
8027 Start.location: .736:107 ↵  
8028 ↵  
8029 System.ID: .  
8029 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
8029 /97028E40FFC56D23FC4EFFD2857A2626.xml ↵  
8030 Main.validation.file: .  
8030 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
8030 /97028E40FFC56D23FC4EFFD2857A2626.xml ↵  
8031 Scenario.name: .gg-sch ↵  
8032 Schema: .

8032 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
8032 ent..sch↵  
8033 Engine.name: ·ISO ·Schematron↵  
8034 Severity: ·error↵  
8035 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
8035 subSection ·or ·subSubSection.↵  
8036 Start ·location: ·741:107↵  
8037 ↵  
8038 System ·ID: ·  
8038 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
8038 /97028E40FFC56D23FC4EFFD2857A2626.xml↵  
8039 Main ·validation ·file: ·  
8039 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
8039 /97028E40FFC56D23FC4EFFD2857A2626.xml↵  
8040 Scenario ·name: ·gg-sch↵  
8041 Schema: ·  
8041 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
8041 ent..sch↵  
8042 Engine.name: ·ISO ·Schematron↵  
8043 Severity: ·error↵  
8044 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
8044 subSection ·or ·subSubSection.↵  
8045 Start ·location: ·746:107↵  
8046 ↵  
8047 System ·ID: ·  
8047 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
8047 /97028E40FFC56D23FC4EFFD2857A2626.xml↵  
8048 Main ·validation ·file: ·  
8048 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
8048 /97028E40FFC56D23FC4EFFD2857A2626.xml↵  
8049 Scenario ·name: ·gg-sch↵  
8050 Schema: ·  
8050 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
8050 ent..sch↵  
8051 Engine.name: ·ISO ·Schematron↵

8052 Severity: ·error ↵  
8053 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
8053 subSection ·or ·subSubSection. ↵  
8054 Start ·location: ·751:107 ↵  
8055 ↵  
8056 System ·ID: ·  
8056 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
8056 /97028E40FFC56D23FC4EFFD2857A2626.xml ↵  
8057 Main ·validation ·file: ·  
8057 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
8057 /97028E40FFC56D23FC4EFFD2857A2626.xml ↵  
8058 Scenario ·name: ·gg-sch ↵  
8059 Schema: ·  
8059 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
8059 ent..sch ↵  
8060 Engine ·name: ·ISO ·Schematron ↵  
8061 Severity: ·error ↵  
8062 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
8062 subSection ·or ·subSubSection. ↵  
8063 Start ·location: ·752:132 ↵  
8064 ↵  
8065 System ·ID: ·  
8065 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
8065 /99701D13FF9EDB6CB96BFFBCFF9D1D12.xml ↵  
8066 Main ·validation ·file: ·  
8066 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
8066 /99701D13FF9EDB6CB96BFFBCFF9D1D12.xml ↵  
8067 Scenario ·name: ·gg-sch ↵  
8068 Schema: ·  
8068 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
8068 ent..sch ↵  
8069 Engine ·name: ·ISO ·Schematron ↵  
8070 Severity: ·error ↵  
8071 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
8071 subSection ·or ·subSubSection. ↵

8072 Start ·location: ·65:130 ↵  
8073 ↵  
8074 System ·ID: ·  
8074 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
8074 /99701D13FF9EDB6CB96BFFBCFF9D1D12.xml ↵  
8075 Main ·validation ·file: ·  
8075 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
8075 /99701D13FF9EDB6CB96BFFBCFF9D1D12.xml ↵  
8076 Scenario ·name: ·gg-sch ↵  
8077 Schema: ·  
8077 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
8077 ent..sch ↵  
8078 Engine ·name: ·ISO ·Schematron ↵  
8079 Severity: ·error ↵  
8080 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
8080 subSection ·or ·subSubSection. ↵  
8081 Start ·location: ·70:128 ↵  
8082 ↵  
8083 System ·ID: ·  
8083 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
8083 /99701D13FF9EDB6CB96BFFBCFF9D1D12.xml ↵  
8084 Main ·validation ·file: ·  
8084 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
8084 /99701D13FF9EDB6CB96BFFBCFF9D1D12.xml ↵  
8085 Scenario ·name: ·gg-sch ↵  
8086 Schema: ·  
8086 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
8086 ent..sch ↵  
8087 Engine ·name: ·ISO ·Schematron ↵  
8088 Severity: ·error ↵  
8089 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
8089 subSection ·or ·subSubSection. ↵  
8090 Start ·location: ·71:105 ↵  
8091 ↵  
8092 System ·ID: ·

8092 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
8092 /99701D13FF9EDB6CB96BFFBCFF9D1D12.xml ↵  
8093 Main-validation-file: ·  
8093 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
8093 /99701D13FF9EDB6CB96BFFBCFF9D1D12.xml ↵  
8094 Scenario-name: ·gg-sch ↵  
8095 Schema: ·  
8095 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
8095 ent..sch ↵  
8096 Engine-name: ·ISO ·Schematron ↵  
8097 Severity: ·error ↵  
8098 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
8098 subSection ·or ·subSubSection. ↵  
8099 Start-location: ·72:107 ↵  
8100 ↵  
8101 System-ID: ·  
8101 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
8101 /99701D13FF9EDB6CB96BFFBCFF9D1D12.xml ↵  
8102 Main-validation-file: ·  
8102 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
8102 /99701D13FF9EDB6CB96BFFBCFF9D1D12.xml ↵  
8103 Scenario-name: ·gg-sch ↵  
8104 Schema: ·  
8104 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
8104 ent..sch ↵  
8105 Engine-name: ·ISO ·Schematron ↵  
8106 Severity: ·error ↵  
8107 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
8107 subSection ·or ·subSubSection. ↵  
8108 Start-location: ·84:106 ↵  
8109 ↵  
8110 System-ID: ·  
8110 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
8110 /99701D13FF9EDB6CB96BFFBCFF9D1D12.xml ↵  
8111 Main-validation-file: ·

8111 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
8111 /99701D13FF9EDB6CB96BFFBCFF9D1D12.xml ↵  
8112 Scenario.name: .gg-sch ↵  
8113 Schema: .  
8113 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
8113 ent..sch ↵  
8114 Engine.name: .ISO .Schematron ↵  
8115 Severity: .error ↵  
8116 Description: .A .paragraph .must .have .an .ancestor .  
8116 subSection .or .subSubSection. ↵  
8117 Start.location: .115:108 ↵  
8118 ↵  
8119 System.ID: .  
8119 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
8119 /99701D13FF9EDB6CB96BFFBCFF9D1D12.xml ↵  
8120 Main.validation.file: .  
8120 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
8120 /99701D13FF9EDB6CB96BFFBCFF9D1D12.xml ↵  
8121 Scenario.name: .gg-sch ↵  
8122 Schema: .  
8122 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
8122 ent..sch ↵  
8123 Engine.name: .ISO .Schematron ↵  
8124 Severity: .error ↵  
8125 Description: .A .paragraph .must .have .an .ancestor .  
8125 subSection .or .subSubSection. ↵  
8126 Start.location: .137:178 ↵  
8127 ↵  
8128 System.ID: .  
8128 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
8128 /99701D13FF9EDB6CB96BFFBCFF9D1D12.xml ↵  
8129 Main.validation.file: .  
8129 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
8129 /99701D13FF9EDB6CB96BFFBCFF9D1D12.xml ↵  
8130 Scenario.name: .gg-sch ↵

8131 Schema: .  
8131 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
8131 ent..sch↵  
8132 Engine.name: .ISO .Schematron↵  
8133 Severity: .error↵  
8134 Description: .A .paragraph .must .have .an .ancestor .  
8134 subSection .or .subSubSection.↵  
8135 Start.location: .156:109↵  
8136 ↵  
8137 System.ID: .  
8137 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
8137 /99701D13FF9EDB6CB96BFFBCFF9D1D12.xml↵  
8138 Main.validation.file: .  
8138 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
8138 /99701D13FF9EDB6CB96BFFBCFF9D1D12.xml↵  
8139 Scenario.name: .gg-sch↵  
8140 Schema: .  
8140 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
8140 ent..sch↵  
8141 Engine.name: .ISO .Schematron↵  
8142 Severity: .error↵  
8143 Description: .A .paragraph .must .have .an .ancestor .  
8143 subSection .or .subSubSection.↵  
8144 Start.location: .188:107↵  
8145 ↵  
8146 System.ID: .  
8146 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
8146 /99701D13FF9EDB6CB96BFFBCFF9D1D12.xml↵  
8147 Main.validation.file: .  
8147 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
8147 /99701D13FF9EDB6CB96BFFBCFF9D1D12.xml↵  
8148 Scenario.name: .gg-sch↵  
8149 Schema: .  
8149 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
8149 ent..sch↵

8150 Engine.name: ·ISO ·Schematron ↵  
8151 Severity: ·error ↵  
8152 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
8152 subSection ·or ·subSubSection. ↵  
8153 Start.location: ·195:107 ↵  
8154 ↵  
8155 System.ID: ·  
8155 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
8155 /99701D13FF9EDB6CB96BFFBCFF9D1D12.xml ↵  
8156 Main.validation.file: ·  
8156 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
8156 /99701D13FF9EDB6CB96BFFBCFF9D1D12.xml ↵  
8157 Scenario.name: ·gg-sch ↵  
8158 Schema: ·  
8158 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
8158 ent..sch ↵  
8159 Engine.name: ·ISO ·Schematron ↵  
8160 Severity: ·error ↵  
8161 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
8161 subSection ·or ·subSubSection. ↵  
8162 Start.location: ·208:107 ↵  
8163 ↵  
8164 System.ID: ·  
8164 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
8164 /99701D13FF9EDB6CB96BFFBCFF9D1D12.xml ↵  
8165 Main.validation.file: ·  
8165 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
8165 /99701D13FF9EDB6CB96BFFBCFF9D1D12.xml ↵  
8166 Scenario.name: ·gg-sch ↵  
8167 Schema: ·  
8167 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
8167 ent..sch ↵  
8168 Engine.name: ·ISO ·Schematron ↵  
8169 Severity: ·error ↵  
8170 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·

```
8170 subSection ·or ·subSubSection. ↵
8171 Start ·location: ·219:132 ↵
8172 ↵
8173 System ·ID: ·
8173 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
8173 /99701D13FF9EDB6CB96BFFBCFF9D1D12.xml ↵
8174 Main ·validation ·file: ·
8174 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
8174 /99701D13FF9EDB6CB96BFFBCFF9D1D12.xml ↵
8175 Scenario ·name: ·gg-sch ↵
8176 Schema: ·
8176 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
8176 ent..sch ↵
8177 Engine ·name: ·ISO ·Schematron ↵
8178 Severity: ·error ↵
8179 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
8179 subSection ·or ·subSubSection. ↵
8180 Start ·location: ·224:108 ↵
8181 ↵
8182 System ·ID: ·
8182 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
8182 /99701D13FF9EDB6CB96BFFBCFF9D1D12.xml ↵
8183 Main ·validation ·file: ·
8183 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
8183 /99701D13FF9EDB6CB96BFFBCFF9D1D12.xml ↵
8184 Scenario ·name: ·gg-sch ↵
8185 Schema: ·
8185 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
8185 ent..sch ↵
8186 Engine ·name: ·ISO ·Schematron ↵
8187 Severity: ·error ↵
8188 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
8188 subSection ·or ·subSubSection. ↵
8189 Start ·location: ·235:108 ↵
8190 ↵
```

8191 System·ID: ·  
8191 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
8191 /99701D13FF9EDB6CB96BFFBCFF9D1D12.xml↵  
8192 Main·validation·file: ·  
8192 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
8192 /99701D13FF9EDB6CB96BFFBCFF9D1D12.xml↵  
8193 Scenario·name: ·gg-sch↵  
8194 Schema: ·  
8194 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
8194 ent..sch↵  
8195 Engine·name: ·ISO·Schematron↵  
8196 Severity: ·error↵  
8197 Description: ·A·paragraph·must·have·an·ancestor·  
8197 subSection·or·subSubSection.↵  
8198 Start·location: ·242:108↵  
8199 ↵  
8200 System·ID: ·  
8200 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
8200 /99701D13FF9EDB6CB96BFFBCFF9D1D12.xml↵  
8201 Main·validation·file: ·  
8201 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
8201 /99701D13FF9EDB6CB96BFFBCFF9D1D12.xml↵  
8202 Scenario·name: ·gg-sch↵  
8203 Schema: ·  
8203 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
8203 ent..sch↵  
8204 Engine·name: ·ISO·Schematron↵  
8205 Severity: ·error↵  
8206 Description: ·A·paragraph·must·have·an·ancestor·  
8206 subSection·or·subSubSection.↵  
8207 Start·location: ·251:108↵  
8208 ↵  
8209 System·ID: ·  
8209 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
8209 /99701D13FF9EDB6CB96BFFBCFF9D1D12.xml↵

8210 Main-validation-file: ·  
8210 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
8210 /99701D13FF9EDB6CB96BFFBCFF9D1D12.xml ↵  
8211 Scenario-name: ·gg-sch ↵  
8212 Schema: ·  
8212 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
8212 ent..sch ↵  
8213 Engine-name: ·ISO ·Schematron ↵  
8214 Severity: ·error ↵  
8215 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
8215 subSection ·or ·subSubSection. ↵  
8216 Start-location: ·260:108 ↵  
8217 ↵  
8218 System-ID: ·  
8218 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
8218 /99701D13FF9EDB6CB96BFFBCFF9D1D12.xml ↵  
8219 Main-validation-file: ·  
8219 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
8219 /99701D13FF9EDB6CB96BFFBCFF9D1D12.xml ↵  
8220 Scenario-name: ·gg-sch ↵  
8221 Schema: ·  
8221 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
8221 ent..sch ↵  
8222 Engine-name: ·ISO ·Schematron ↵  
8223 Severity: ·error ↵  
8224 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
8224 subSection ·or ·subSubSection. ↵  
8225 Start-location: ·267:109 ↵  
8226 ↵  
8227 System-ID: ·  
8227 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
8227 /99701D13FF9EDB6CB96BFFBCFF9D1D12.xml ↵  
8228 Main-validation-file: ·  
8228 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
8228 /99701D13FF9EDB6CB96BFFBCFF9D1D12.xml ↵

8229 Scenario ·name: ·gg-sch ↵  
8230 Schema: ·  
8230 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
8230 ent..sch ↵  
8231 Engine ·name: ·ISO ·Schematron ↵  
8232 Severity: ·error ↵  
8233 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
8233 subSection ·or ·subSubSection. ↵  
8234 Start ·location: ·282:109 ↵  
8235 ↵  
8236 System ·ID: ·  
8236 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
8236 /99701D13FF9EDB6CB96BFFBCFF9D1D12.xml ↵  
8237 Main ·validation ·file: ·  
8237 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
8237 /99701D13FF9EDB6CB96BFFBCFF9D1D12.xml ↵  
8238 Scenario ·name: ·gg-sch ↵  
8239 Schema: ·  
8239 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
8239 ent..sch ↵  
8240 Engine ·name: ·ISO ·Schematron ↵  
8241 Severity: ·error ↵  
8242 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
8242 subSection ·or ·subSubSection. ↵  
8243 Start ·location: ·309:109 ↵  
8244 ↵  
8245 System ·ID: ·  
8245 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
8245 /99701D13FF9EDB6CB96BFFBCFF9D1D12.xml ↵  
8246 Main ·validation ·file: ·  
8246 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
8246 /99701D13FF9EDB6CB96BFFBCFF9D1D12.xml ↵  
8247 Scenario ·name: ·gg-sch ↵  
8248 Schema: ·  
8248 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm

```
8248 ent..sch↵
8249 Engine.name: ·ISO ·Schematron↵
8250 Severity: ·error↵
8251 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
8251 subSection ·or ·subSubSection.↵
8252 Start ·location: ·318:109↵
8253 ↵
8254 System ·ID: ·
8254 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
8254 /99701D13FF9EDB6CB96BFFBCFF9D1D12.xml↵
8255 Main ·validation ·file: ·
8255 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
8255 /99701D13FF9EDB6CB96BFFBCFF9D1D12.xml↵
8256 Scenario ·name: ·gg-sch↵
8257 Schema: ·
8257 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
8257 ent..sch↵
8258 Engine.name: ·ISO ·Schematron↵
8259 Severity: ·error↵
8260 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
8260 subSection ·or ·subSubSection.↵
8261 Start ·location: ·335:109↵
8262 ↵
8263 System ·ID: ·
8263 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
8263 /99701D13FF9EDB6CB96BFFBCFF9D1D12.xml↵
8264 Main ·validation ·file: ·
8264 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
8264 /99701D13FF9EDB6CB96BFFBCFF9D1D12.xml↵
8265 Scenario ·name: ·gg-sch↵
8266 Schema: ·
8266 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
8266 ent..sch↵
8267 Engine.name: ·ISO ·Schematron↵
8268 Severity: ·error↵
```

8269 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
8269 subSection ·or ·subSubSection. ↵  
8270 Start ·location: ·343:109 ↵  
8271 ↵  
8272 System ·ID: ·  
8272 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
8272 /99701D13FF9EDB6CB96BFFBCFF9D1D12.xml ↵  
8273 Main ·validation ·file: ·  
8273 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
8273 /99701D13FF9EDB6CB96BFFBCFF9D1D12.xml ↵  
8274 Scenario ·name: ·gg-sch ↵  
8275 Schema: ·  
8275 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
8275 ent..sch ↵  
8276 Engine ·name: ·ISO ·Schematron ↵  
8277 Severity: ·error ↵  
8278 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
8278 subSection ·or ·subSubSection. ↵  
8279 Start ·location: ·355:109 ↵  
8280 ↵  
8281 System ·ID: ·  
8281 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
8281 /99701D13FF9EDB6CB96BFFBCFF9D1D12.xml ↵  
8282 Main ·validation ·file: ·  
8282 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
8282 /99701D13FF9EDB6CB96BFFBCFF9D1D12.xml ↵  
8283 Scenario ·name: ·gg-sch ↵  
8284 Schema: ·  
8284 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
8284 ent..sch ↵  
8285 Engine ·name: ·ISO ·Schematron ↵  
8286 Severity: ·error ↵  
8287 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
8287 subSection ·or ·subSubSection. ↵  
8288 Start ·location: ·367:109 ↵

8289 ↵  
8290 System·ID: ·  
8290 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
8290 /99701D13FF9EDB6CB96BFFBCFF9D1D12.xml↵  
8291 Main·validation·file: ·  
8291 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
8291 /99701D13FF9EDB6CB96BFFBCFF9D1D12.xml↵  
8292 Scenario·name: ·gg-sch↵  
8293 Schema: ·  
8293 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
8293 ent..sch↵  
8294 Engine·name: ·ISO·Schematron↵  
8295 Severity: ·error↵  
8296 Description: ·A·paragraph·must·have·an·ancestor·  
8296 subSection·or·subSubSection.↵  
8297 Start·location: ·379:109↵  
8298 ↵  
8299 System·ID: ·  
8299 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
8299 /99701D13FF9EDB6CB96BFFBCFF9D1D12.xml↵  
8300 Main·validation·file: ·  
8300 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
8300 /99701D13FF9EDB6CB96BFFBCFF9D1D12.xml↵  
8301 Scenario·name: ·gg-sch↵  
8302 Schema: ·  
8302 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
8302 ent..sch↵  
8303 Engine·name: ·ISO·Schematron↵  
8304 Severity: ·error↵  
8305 Description: ·A·paragraph·must·have·an·ancestor·  
8305 subSection·or·subSubSection.↵  
8306 Start·location: ·381:107↵  
8307 ↵  
8308 System·ID: ·  
8308 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax

8308 /99701D13FF9EDB6CB96BFFBCFF9D1D12.xml ↵  
8309 Main-validation-file: .  
8309 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
8309 /99701D13FF9EDB6CB96BFFBCFF9D1D12.xml ↵  
8310 Scenario-name: .gg-sch ↵  
8311 Schema: .  
8311 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
8311 ent..sch ↵  
8312 Engine-name: .ISO-Schematron ↵  
8313 Severity: .error ↵  
8314 Description: .A.paragraph.must.have.an.ancestor.  
8314 subSection.or.subSubSection. ↵  
8315 Start-location: .388:107 ↵  
8316 ↵  
8317 System-ID: .  
8317 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
8317 /99701D13FF9EDB6CB96BFFBCFF9D1D12.xml ↵  
8318 Main-validation-file: .  
8318 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
8318 /99701D13FF9EDB6CB96BFFBCFF9D1D12.xml ↵  
8319 Scenario-name: .gg-sch ↵  
8320 Schema: .  
8320 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
8320 ent..sch ↵  
8321 Engine-name: .ISO-Schematron ↵  
8322 Severity: .error ↵  
8323 Description: .A.paragraph.must.have.an.ancestor.  
8323 subSection.or.subSubSection. ↵  
8324 Start-location: .395:107 ↵  
8325 ↵  
8326 System-ID: .  
8326 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
8326 /99701D13FF9EDB6CB96BFFBCFF9D1D12.xml ↵  
8327 Main-validation-file: .  
8327 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax

8327 /99701D13FF9EDB6CB96BFFBCFF9D1D12.xml ↵  
8328 Scenario.name: .gg-sch ↵  
8329 Schema: .  
8329 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
8329 ent..sch ↵  
8330 Engine.name: .ISO.Schematron ↵  
8331 Severity: .error ↵  
8332 Description: .A.paragraph.must.have.an.ancestor.  
8332 subSection.or.subSubSection. ↵  
8333 Start.location: .396:131 ↵  
8334 ↵  
8335 System.ID: .  
8335 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
8335 /99701D13FF9EDB6CB96BFFBCFF9D1D12.xml ↵  
8336 Main.validation.file: .  
8336 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
8336 /99701D13FF9EDB6CB96BFFBCFF9D1D12.xml ↵  
8337 Scenario.name: .gg-sch ↵  
8338 Schema: .  
8338 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
8338 ent..sch ↵  
8339 Engine.name: .ISO.Schematron ↵  
8340 Severity: .error ↵  
8341 Description: .A.paragraph.must.have.an.ancestor.  
8341 subSection.or.subSubSection. ↵  
8342 Start.location: .401:107 ↵  
8343 ↵  
8344 System.ID: .  
8344 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
8344 /99701D13FF9EDB6CB96BFFBCFF9D1D12.xml ↵  
8345 Main.validation.file: .  
8345 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
8345 /99701D13FF9EDB6CB96BFFBCFF9D1D12.xml ↵  
8346 Scenario.name: .gg-sch ↵  
8347 Schema: .

```
8347 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm  
8347 ent..sch↵  
8348 Engine.name: ·ISO ·Schematron↵  
8349 Severity: ·error↵  
8350 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
8350 subSection ·or ·subSubSection.↵  
8351 Start ·location: ·408:108↵  
8352 ↵  
8353 System ·ID: ·  
8353 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
8353 /99701D13FF9EDB6CB96BFFBCFF9D1D12.xml↵  
8354 Main ·validation ·file: ·  
8354 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
8354 /99701D13FF9EDB6CB96BFFBCFF9D1D12.xml↵  
8355 Scenario ·name: ·gg-sch↵  
8356 Schema: ·  
8356 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm  
8356 ent..sch↵  
8357 Engine.name: ·ISO ·Schematron↵  
8358 Severity: ·error↵  
8359 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
8359 subSection ·or ·subSubSection.↵  
8360 Start ·location: ·416:109↵  
8361 ↵  
8362 System ·ID: ·  
8362 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
8362 /99701D13FF9EDB6CB96BFFBCFF9D1D12.xml↵  
8363 Main ·validation ·file: ·  
8363 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
8363 /99701D13FF9EDB6CB96BFFBCFF9D1D12.xml↵  
8364 Scenario ·name: ·gg-sch↵  
8365 Schema: ·  
8365 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm  
8365 ent..sch↵  
8366 Engine.name: ·ISO ·Schematron↵
```

8367 Severity: ·error ↵  
8368 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
8368 subSection ·or ·subSubSection. ↵  
8369 Start ·location: ·432:109 ↵  
8370 ↵  
8371 System ·ID: ·  
8371 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
8371 /99701D13FF9EDB6CB96BFFBCFF9D1D12.xml ↵  
8372 Main ·validation ·file: ·  
8372 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
8372 /99701D13FF9EDB6CB96BFFBCFF9D1D12.xml ↵  
8373 Scenario ·name: ·gg-sch ↵  
8374 Schema: ·  
8374 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
8374 ent..sch ↵  
8375 Engine ·name: ·ISO ·Schematron ↵  
8376 Severity: ·error ↵  
8377 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
8377 subSection ·or ·subSubSection. ↵  
8378 Start ·location: ·445:179 ↵  
8379 ↵  
8380 System ·ID: ·  
8380 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
8380 /99701D13FF9EDB6CB96BFFBCFF9D1D12.xml ↵  
8381 Main ·validation ·file: ·  
8381 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
8381 /99701D13FF9EDB6CB96BFFBCFF9D1D12.xml ↵  
8382 Scenario ·name: ·gg-sch ↵  
8383 Schema: ·  
8383 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
8383 ent..sch ↵  
8384 Engine ·name: ·ISO ·Schematron ↵  
8385 Severity: ·error ↵  
8386 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
8386 subSection ·or ·subSubSection. ↵

8387 Start ·location: -452:109 ↵  
8388 ↵  
8389 System ·ID: ·  
8389 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
8389 /99701D13FF9EDB6CB96BFFBCFF9D1D12.xml ↵  
8390 Main ·validation ·file: ·  
8390 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
8390 /99701D13FF9EDB6CB96BFFBCFF9D1D12.xml ↵  
8391 Scenario ·name: ·gg-sch ↵  
8392 Schema: ·  
8392 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
8392 ent..sch ↵  
8393 Engine ·name: ·ISO ·Schematron ↵  
8394 Severity: ·error ↵  
8395 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
8395 subSection ·or ·subSubSection. ↵  
8396 Start ·location: -466:109 ↵  
8397 ↵  
8398 System ·ID: ·  
8398 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
8398 /99701D13FF9EDB6CB96BFFBCFF9D1D12.xml ↵  
8399 Main ·validation ·file: ·  
8399 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
8399 /99701D13FF9EDB6CB96BFFBCFF9D1D12.xml ↵  
8400 Scenario ·name: ·gg-sch ↵  
8401 Schema: ·  
8401 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
8401 ent..sch ↵  
8402 Engine ·name: ·ISO ·Schematron ↵  
8403 Severity: ·error ↵  
8404 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
8404 subSection ·or ·subSubSection. ↵  
8405 Start ·location: -479:108 ↵  
8406 ↵  
8407 System ·ID: ·

8407 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
8407 /99701D13FF9EDB6CB96BFFBCFF9D1D12.xml ↵  
8408 Main-validation-file: ·  
8408 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
8408 /99701D13FF9EDB6CB96BFFBCFF9D1D12.xml ↵  
8409 Scenario-name: ·gg-sch ↵  
8410 Schema: ·  
8410 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
8410 ent..sch ↵  
8411 Engine-name: ·ISO ·Schematron ↵  
8412 Severity: ·error ↵  
8413 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
8413 subSection ·or ·subSubSection. ↵  
8414 Start-location: ·498:108 ↵  
8415 ↵  
8416 System-ID: ·  
8416 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
8416 /99701D13FF9EDB6CB96BFFBCFF9D1D12.xml ↵  
8417 Main-validation-file: ·  
8417 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
8417 /99701D13FF9EDB6CB96BFFBCFF9D1D12.xml ↵  
8418 Scenario-name: ·gg-sch ↵  
8419 Schema: ·  
8419 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
8419 ent..sch ↵  
8420 Engine-name: ·ISO ·Schematron ↵  
8421 Severity: ·error ↵  
8422 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
8422 subSection ·or ·subSubSection. ↵  
8423 Start-location: ·511:108 ↵  
8424 ↵  
8425 System-ID: ·  
8425 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
8425 /99701D13FF9EDB6CB96BFFBCFF9D1D12.xml ↵  
8426 Main-validation-file: ·

8426 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
8426 /99701D13FF9EDB6CB96BFFBCFF9D1D12.xml ↵  
8427 Scenario.name: .gg-sch ↵  
8428 Schema: .  
8428 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
8428 ent..sch ↵  
8429 Engine.name: .ISO .Schematron ↵  
8430 Severity: .error ↵  
8431 Description: .A .paragraph .must .have .an .ancestor .  
8431 subSection .or .subSubSection. ↵  
8432 Start.location: .530:108 ↵  
8433 ↵  
8434 System.ID: .  
8434 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
8434 /99701D13FF9EDB6CB96BFFBCFF9D1D12.xml ↵  
8435 Main.validation.file: .  
8435 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
8435 /99701D13FF9EDB6CB96BFFBCFF9D1D12.xml ↵  
8436 Scenario.name: .gg-sch ↵  
8437 Schema: .  
8437 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
8437 ent..sch ↵  
8438 Engine.name: .ISO .Schematron ↵  
8439 Severity: .error ↵  
8440 Description: .A .paragraph .must .have .an .ancestor .  
8440 subSection .or .subSubSection. ↵  
8441 Start.location: .545:108 ↵  
8442 ↵  
8443 System.ID: .  
8443 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
8443 /99701D13FF9EDB6CB96BFFBCFF9D1D12.xml ↵  
8444 Main.validation.file: .  
8444 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
8444 /99701D13FF9EDB6CB96BFFBCFF9D1D12.xml ↵  
8445 Scenario.name: .gg-sch ↵

8446 Schema: .  
8446 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
8446 ent..sch↵  
8447 Engine.name: .ISO .Schematron↵  
8448 Severity: .error↵  
8449 Description: .A .paragraph .must .have .an .ancestor .  
8449 subSection .or .subSubSection.↵  
8450 Start.location: .558:109↵  
8451 ↵  
8452 System.ID: .  
8452 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
8452 /99701D13FF9EDB6CB96BFFBCFF9D1D12.xml↵  
8453 Main.validation.file: .  
8453 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
8453 /99701D13FF9EDB6CB96BFFBCFF9D1D12.xml↵  
8454 Scenario.name: .gg-sch↵  
8455 Schema: .  
8455 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
8455 ent..sch↵  
8456 Engine.name: .ISO .Schematron↵  
8457 Severity: .error↵  
8458 Description: .A .paragraph .must .have .an .ancestor .  
8458 subSection .or .subSubSection.↵  
8459 Start.location: .566:109↵  
8460 ↵  
8461 System.ID: .  
8461 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
8461 /99701D13FF9EDB6CB96BFFBCFF9D1D12.xml↵  
8462 Main.validation.file: .  
8462 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
8462 /99701D13FF9EDB6CB96BFFBCFF9D1D12.xml↵  
8463 Scenario.name: .gg-sch↵  
8464 Schema: .  
8464 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
8464 ent..sch↵

8465 Engine ·name: ·ISO ·Schematron ↵  
8466 Severity: ·error ↵  
8467 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
8467 subSection ·or ·subSubSection. ↵  
8468 Start ·location: ·575:109 ↵  
8469 ↵  
8470 System ·ID: ·  
8470 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
8470 /99701D13FF9EDB6CB96BFFBCFF9D1D12.xml ↵  
8471 Main ·validation ·file: ·  
8471 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
8471 /99701D13FF9EDB6CB96BFFBCFF9D1D12.xml ↵  
8472 Scenario ·name: ·gg-sch ↵  
8473 Schema: ·  
8473 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
8473 ent..sch ↵  
8474 Engine ·name: ·ISO ·Schematron ↵  
8475 Severity: ·error ↵  
8476 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
8476 subSection ·or ·subSubSection. ↵  
8477 Start ·location: ·591:180 ↵  
8478 ↵  
8479 System ·ID: ·  
8479 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
8479 /99701D13FF9EDB6CB96BFFBCFF9D1D12.xml ↵  
8480 Main ·validation ·file: ·  
8480 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
8480 /99701D13FF9EDB6CB96BFFBCFF9D1D12.xml ↵  
8481 Scenario ·name: ·gg-sch ↵  
8482 Schema: ·  
8482 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
8482 ent..sch ↵  
8483 Engine ·name: ·ISO ·Schematron ↵  
8484 Severity: ·error ↵  
8485 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·

8485 subSection ·or ·subSubSection . ↵  
8486 Start ·location: ·600:133 ↵  
8487 ↵  
8488 System ·ID: ·  
8488 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
8488 /99701D13FF9EDB6CB96BFFBCFF9D1D12.xml ↵  
8489 Main ·validation ·file: ·  
8489 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
8489 /99701D13FF9EDB6CB96BFFBCFF9D1D12.xml ↵  
8490 Scenario ·name: ·gg-sch ↵  
8491 Schema: ·  
8491 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
8491 ent..sch ↵  
8492 Engine ·name: ·ISO ·Schematron ↵  
8493 Severity: ·error ↵  
8494 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
8494 subSection ·or ·subSubSection . ↵  
8495 Start ·location: ·605:109 ↵  
8496 ↵  
8497 System ·ID: ·  
8497 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
8497 /99701D13FF9EDB6CB96BFFBCFF9D1D12.xml ↵  
8498 Main ·validation ·file: ·  
8498 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
8498 /99701D13FF9EDB6CB96BFFBCFF9D1D12.xml ↵  
8499 Scenario ·name: ·gg-sch ↵  
8500 Schema: ·  
8500 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
8500 ent..sch ↵  
8501 Engine ·name: ·ISO ·Schematron ↵  
8502 Severity: ·error ↵  
8503 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
8503 subSection ·or ·subSubSection . ↵  
8504 Start ·location: ·606:134 ↵  
8505 ↵

8506 System·ID: ·  
8506 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
8506 /99701D13FF9EDB6CB96BFFBCFF9D1D12.xml↵  
8507 Main·validation·file: ·  
8507 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
8507 /99701D13FF9EDB6CB96BFFBCFF9D1D12.xml↵  
8508 Scenario·name: ·gg-sch↵  
8509 Schema: ·  
8509 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
8509 ent..sch↵  
8510 Engine·name: ·ISO·Schematron↵  
8511 Severity: ·error↵  
8512 Description: ·A·paragraph·must·have·an·ancestor·  
8512 subSection·or·subSubSection.↵  
8513 Start·location: ·611:110↵  
8514 ↵  
8515 System·ID: ·  
8515 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
8515 /99701D13FF9EDB6CB96BFFBCFF9D1D12.xml↵  
8516 Main·validation·file: ·  
8516 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
8516 /99701D13FF9EDB6CB96BFFBCFF9D1D12.xml↵  
8517 Scenario·name: ·gg-sch↵  
8518 Schema: ·  
8518 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
8518 ent..sch↵  
8519 Engine·name: ·ISO·Schematron↵  
8520 Severity: ·error↵  
8521 Description: ·A·paragraph·must·have·an·ancestor·  
8521 subSection·or·subSubSection.↵  
8522 Start·location: ·633:110↵  
8523 ↵  
8524 System·ID: ·  
8524 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
8524 /99701D13FF9EDB6CB96BFFBCFF9D1D12.xml↵

8525 Main-validation-file: ·  
8525 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
8525 /99701D13FF9EDB6CB96BFFBCFF9D1D12.xml ↵  
8526 Scenario-name: ·gg-sch ↵  
8527 Schema: ·  
8527 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
8527 ent..sch ↵  
8528 Engine-name: ·ISO-Schematron ↵  
8529 Severity: ·error ↵  
8530 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
8530 subSection ·or ·subSubSection. ↵  
8531 Start-location: ·660:111 ↵  
8532 ↵  
8533 System-ID: ·  
8533 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
8533 /99701D13FF9EDB6CB96BFFBCFF9D1D12.xml ↵  
8534 Main-validation-file: ·  
8534 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
8534 /99701D13FF9EDB6CB96BFFBCFF9D1D12.xml ↵  
8535 Scenario-name: ·gg-sch ↵  
8536 Schema: ·  
8536 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
8536 ent..sch ↵  
8537 Engine-name: ·ISO-Schematron ↵  
8538 Severity: ·error ↵  
8539 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
8539 subSection ·or ·subSubSection. ↵  
8540 Start-location: ·671:111 ↵  
8541 ↵  
8542 System-ID: ·  
8542 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
8542 /99701D13FF9EDB6CB96BFFBCFF9D1D12.xml ↵  
8543 Main-validation-file: ·  
8543 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
8543 /99701D13FF9EDB6CB96BFFBCFF9D1D12.xml ↵

8544 Scenario ·name: ·gg-sch ↵  
8545 Schema: ·  
8545 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
8545 ent..sch ↵  
8546 Engine ·name: ·ISO ·Schematron ↵  
8547 Severity: ·error ↵  
8548 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
8548 subSection ·or ·subSubSection. ↵  
8549 Start ·location: ·724:182 ↵  
8550 ↵  
8551 System ·ID: ·  
8551 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
8551 /99701D13FF9EDB6CB96BFFBCFF9D1D12.xml ↵  
8552 Main ·validation ·file: ·  
8552 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
8552 /99701D13FF9EDB6CB96BFFBCFF9D1D12.xml ↵  
8553 Scenario ·name: ·gg-sch ↵  
8554 Schema: ·  
8554 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
8554 ent..sch ↵  
8555 Engine ·name: ·ISO ·Schematron ↵  
8556 Severity: ·error ↵  
8557 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
8557 subSection ·or ·subSubSection. ↵  
8558 Start ·location: ·743:109 ↵  
8559 ↵  
8560 System ·ID: ·  
8560 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
8560 /99701D13FF9EDB6CB96BFFBCFF9D1D12.xml ↵  
8561 Main ·validation ·file: ·  
8561 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
8561 /99701D13FF9EDB6CB96BFFBCFF9D1D12.xml ↵  
8562 Scenario ·name: ·gg-sch ↵  
8563 Schema: ·  
8563 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm

8563 ent..sch↵  
8564 Engine.name: ·ISO ·Schematron↵  
8565 Severity: ·error↵  
8566 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
8566 subSection ·or ·subSubSection.↵  
8567 Start.location: ·762:132↵  
8568 ↵  
8569 System.ID: ·  
8569 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
8569 /99701D13FF9EDB6CB96BFFBCFF9D1D12.xml↵  
8570 Main.validation.file: ·  
8570 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
8570 /99701D13FF9EDB6CB96BFFBCFF9D1D12.xml↵  
8571 Scenario.name: ·gg-sch↵  
8572 Schema: ·  
8572 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
8572 ent..sch↵  
8573 Engine.name: ·ISO ·Schematron↵  
8574 Severity: ·error↵  
8575 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
8575 subSection ·or ·subSubSection.↵  
8576 Start.location: ·767:132↵  
8577 ↵  
8578 System.ID: ·  
8578 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
8578 /99701D13FF9EDB6CB96BFFBCFF9D1D12.xml↵  
8579 Main.validation.file: ·  
8579 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
8579 /99701D13FF9EDB6CB96BFFBCFF9D1D12.xml↵  
8580 Scenario.name: ·gg-sch↵  
8581 Schema: ·  
8581 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
8581 ent..sch↵  
8582 Engine.name: ·ISO ·Schematron↵  
8583 Severity: ·error↵

8584 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
8584 subSection ·or ·subSubSection. ↵  
8585 Start ·location: ·768:134 ↵  
8586 ↵  
8587 System ·ID: ·  
8587 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
8587 /99701D13FF9EDB6CB96BFFBCFF9D1D12.xml ↵  
8588 Main ·validation ·file: ·  
8588 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
8588 /99701D13FF9EDB6CB96BFFBCFF9D1D12.xml ↵  
8589 Scenario ·name: ·gg-sch ↵  
8590 Schema: ·  
8590 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
8590 ent..sch ↵  
8591 Engine ·name: ·ISO ·Schematron ↵  
8592 Severity: ·error ↵  
8593 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
8593 subSection ·or ·subSubSection. ↵  
8594 Start ·location: ·773:135 ↵  
8595 ↵  
8596 System ·ID: ·  
8596 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
8596 /99701D13FF9EDB6CB96BFFBCFF9D1D12.xml ↵  
8597 Main ·validation ·file: ·  
8597 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
8597 /99701D13FF9EDB6CB96BFFBCFF9D1D12.xml ↵  
8598 Scenario ·name: ·gg-sch ↵  
8599 Schema: ·  
8599 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
8599 ent..sch ↵  
8600 Engine ·name: ·ISO ·Schematron ↵  
8601 Severity: ·error ↵  
8602 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
8602 subSection ·or ·subSubSection. ↵  
8603 Start ·location: ·792:135 ↵

8604 ↵  
8605 System·ID: ·  
8605 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
8605 /99701D13FF9EDB6CB96BFFBCFF9D1D12.xml↵  
8606 Main·validation·file: ·  
8606 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
8606 /99701D13FF9EDB6CB96BFFBCFF9D1D12.xml↵  
8607 Scenario·name: ·gg-sch↵  
8608 Schema: ·  
8608 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
8608 ent..sch↵  
8609 Engine·name: ·ISO·Schematron↵  
8610 Severity: ·error↵  
8611 Description: ·A·paragraph·must·have·an·ancestor·  
8611 subSection·or·subSubSection.↵  
8612 Start·location: ·811:110↵  
8613 ↵  
8614 System·ID: ·  
8614 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
8614 /99701D13FF9EDB6CB96BFFBCFF9D1D12.xml↵  
8615 Main·validation·file: ·  
8615 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
8615 /99701D13FF9EDB6CB96BFFBCFF9D1D12.xml↵  
8616 Scenario·name: ·gg-sch↵  
8617 Schema: ·  
8617 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
8617 ent..sch↵  
8618 Engine·name: ·ISO·Schematron↵  
8619 Severity: ·error↵  
8620 Description: ·A·paragraph·must·have·an·ancestor·  
8620 subSection·or·subSubSection.↵  
8621 Start·location: ·837:110↵  
8622 ↵  
8623 System·ID: ·  
8623 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax

8623 /99701D13FF9EDB6CB96BFFBCFF9D1D12.xml ↵  
8624 Main-validation-file: ·  
8624 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
8624 /99701D13FF9EDB6CB96BFFBCFF9D1D12.xml ↵  
8625 Scenario-name: ·gg-sch ↵  
8626 Schema: ·  
8626 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
8626 ent..sch ↵  
8627 Engine-name: ·ISO-Schematron ↵  
8628 Severity: ·error ↵  
8629 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
8629 subSection ·or ·subSubSection. ↵  
8630 Start-location: ·863:110 ↵  
8631 ↵  
8632 System-ID: ·  
8632 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
8632 /99701D13FF9EDB6CB96BFFBCFF9D1D12.xml ↵  
8633 Main-validation-file: ·  
8633 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
8633 /99701D13FF9EDB6CB96BFFBCFF9D1D12.xml ↵  
8634 Scenario-name: ·gg-sch ↵  
8635 Schema: ·  
8635 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
8635 ent..sch ↵  
8636 Engine-name: ·ISO-Schematron ↵  
8637 Severity: ·error ↵  
8638 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
8638 subSection ·or ·subSubSection. ↵  
8639 Start-location: ·886:110 ↵  
8640 ↵  
8641 System-ID: ·  
8641 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
8641 /99701D13FF9EDB6CB96BFFBCFF9D1D12.xml ↵  
8642 Main-validation-file: ·  
8642 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax

8642 /99701D13FF9EDB6CB96BFFBCFF9D1D12.xml ↵  
8643 Scenario.name: .gg-sch ↵  
8644 Schema: .  
8644 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
8644 ent..sch ↵  
8645 Engine.name: .ISO.Schematron ↵  
8646 Severity: .error ↵  
8647 Description: .A.paragraph.must.have.an.ancestor.  
8647 subSection.or.subSubSection. ↵  
8648 Start.location: .908:110 ↵  
8649 ↵  
8650 System.ID: .  
8650 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
8650 /99701D13FF9EDB6CB96BFFBCFF9D1D12.xml ↵  
8651 Main.validation.file: .  
8651 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
8651 /99701D13FF9EDB6CB96BFFBCFF9D1D12.xml ↵  
8652 Scenario.name: .gg-sch ↵  
8653 Schema: .  
8653 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
8653 ent..sch ↵  
8654 Engine.name: .ISO.Schematron ↵  
8655 Severity: .error ↵  
8656 Description: .A.paragraph.must.have.an.ancestor.  
8656 subSection.or.subSubSection. ↵  
8657 Start.location: .932:135 ↵  
8658 ↵  
8659 System.ID: .  
8659 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
8659 /99701D13FF9EDB6CB96BFFBCFF9D1D12.xml ↵  
8660 Main.validation.file: .  
8660 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
8660 /99701D13FF9EDB6CB96BFFBCFF9D1D12.xml ↵  
8661 Scenario.name: .gg-sch ↵  
8662 Schema: .

8662 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
8662 ent..sch↵  
8663 Engine.name: ·ISO ·Schematron↵  
8664 Severity: ·error↵  
8665 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
8665 subSection ·or ·subSubSection.↵  
8666 Start ·location: ·950:110↵  
8667 ↵  
8668 System ·ID: ·  
8668 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
8668 /99701D13FF9EDB6CB96BFFBCFF9D1D12.xml↵  
8669 Main ·validation ·file: ·  
8669 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
8669 /99701D13FF9EDB6CB96BFFBCFF9D1D12.xml↵  
8670 Scenario ·name: ·gg-sch↵  
8671 Schema: ·  
8671 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
8671 ent..sch↵  
8672 Engine.name: ·ISO ·Schematron↵  
8673 Severity: ·error↵  
8674 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
8674 subSection ·or ·subSubSection.↵  
8675 Start ·location: ·969:110↵  
8676 ↵  
8677 System ·ID: ·  
8677 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
8677 /99701D13FF9EDB6CB96BFFBCFF9D1D12.xml↵  
8678 Main ·validation ·file: ·  
8678 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
8678 /99701D13FF9EDB6CB96BFFBCFF9D1D12.xml↵  
8679 Scenario ·name: ·gg-sch↵  
8680 Schema: ·  
8680 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
8680 ent..sch↵  
8681 Engine.name: ·ISO ·Schematron↵

8682 Severity: ·error ↵  
8683 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
8683 subSection ·or ·subSubSection. ↵  
8684 Start ·location: ·995:110 ↵  
8685 ↵  
8686 System ·ID: ·  
8686 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
8686 /99701D13FF9EDB6CB96BFFBCFF9D1D12.xml ↵  
8687 Main ·validation ·file: ·  
8687 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
8687 /99701D13FF9EDB6CB96BFFBCFF9D1D12.xml ↵  
8688 Scenario ·name: ·gg-sch ↵  
8689 Schema: ·  
8689 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
8689 ent..sch ↵  
8690 Engine ·name: ·ISO ·Schematron ↵  
8691 Severity: ·error ↵  
8692 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
8692 subSection ·or ·subSubSection. ↵  
8693 Start ·location: ·1014:110 ↵  
8694 ↵  
8695 System ·ID: ·  
8695 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
8695 /99701D13FF9EDB6CB96BFFBCFF9D1D12.xml ↵  
8696 Main ·validation ·file: ·  
8696 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
8696 /99701D13FF9EDB6CB96BFFBCFF9D1D12.xml ↵  
8697 Scenario ·name: ·gg-sch ↵  
8698 Schema: ·  
8698 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
8698 ent..sch ↵  
8699 Engine ·name: ·ISO ·Schematron ↵  
8700 Severity: ·error ↵  
8701 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
8701 subSection ·or ·subSubSection. ↵

8702 Start ·location: ·1033:110 ↵  
8703 ↵  
8704 System ·ID: ·  
8704 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
8704 /99701D13FF9EDB6CB96BFFBCFF9D1D12.xml ↵  
8705 Main ·validation ·file: ·  
8705 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
8705 /99701D13FF9EDB6CB96BFFBCFF9D1D12.xml ↵  
8706 Scenario ·name: ·gg-sch ↵  
8707 Schema: ·  
8707 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
8707 ent..sch ↵  
8708 Engine ·name: ·ISO ·Schematron ↵  
8709 Severity: ·error ↵  
8710 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
8710 subSection ·or ·subSubSection. ↵  
8711 Start ·location: ·1052:110 ↵  
8712 ↵  
8713 System ·ID: ·  
8713 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
8713 /99701D13FF9EDB6CB96BFFBCFF9D1D12.xml ↵  
8714 Main ·validation ·file: ·  
8714 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
8714 /99701D13FF9EDB6CB96BFFBCFF9D1D12.xml ↵  
8715 Scenario ·name: ·gg-sch ↵  
8716 Schema: ·  
8716 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
8716 ent..sch ↵  
8717 Engine ·name: ·ISO ·Schematron ↵  
8718 Severity: ·error ↵  
8719 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
8719 subSection ·or ·subSubSection. ↵  
8720 Start ·location: ·1073:110 ↵  
8721 ↵  
8722 System ·ID: ·

8722 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
8722 /99701D13FF9EDB6CB96BFFBCFF9D1D12.xml ↵  
8723 Main-validation-file: ·  
8723 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
8723 /99701D13FF9EDB6CB96BFFBCFF9D1D12.xml ↵  
8724 Scenario-name: ·gg-sch ↵  
8725 Schema: ·  
8725 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
8725 ent..sch ↵  
8726 Engine-name: ·ISO ·Schematron ↵  
8727 Severity: ·error ↵  
8728 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
8728 subSection ·or ·subSubSection. ↵  
8729 Start-location: ·1094:110 ↵  
8730 ↵  
8731 System-ID: ·  
8731 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
8731 /99701D13FF9EDB6CB96BFFBCFF9D1D12.xml ↵  
8732 Main-validation-file: ·  
8732 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
8732 /99701D13FF9EDB6CB96BFFBCFF9D1D12.xml ↵  
8733 Scenario-name: ·gg-sch ↵  
8734 Schema: ·  
8734 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
8734 ent..sch ↵  
8735 Engine-name: ·ISO ·Schematron ↵  
8736 Severity: ·error ↵  
8737 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
8737 subSection ·or ·subSubSection. ↵  
8738 Start-location: ·1115:110 ↵  
8739 ↵  
8740 System-ID: ·  
8740 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
8740 /99701D13FF9EDB6CB96BFFBCFF9D1D12.xml ↵  
8741 Main-validation-file: ·

8741 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
8741 /99701D13FF9EDB6CB96BFFBCFF9D1D12.xml ↵  
8742 Scenario.name: .gg-sch ↵  
8743 Schema: .  
8743 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
8743 ent..sch ↵  
8744 Engine.name: .ISO .Schematron ↵  
8745 Severity: .error ↵  
8746 Description: .A .paragraph .must .have .an .ancestor .  
8746 subSection .or .subSubSection. ↵  
8747 Start.location: .1136:110 ↵  
8748 ↵  
8749 System.ID: .  
8749 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
8749 /99701D13FF9EDB6CB96BFFBCFF9D1D12.xml ↵  
8750 Main.validation.file: .  
8750 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
8750 /99701D13FF9EDB6CB96BFFBCFF9D1D12.xml ↵  
8751 Scenario.name: .gg-sch ↵  
8752 Schema: .  
8752 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
8752 ent..sch ↵  
8753 Engine.name: .ISO .Schematron ↵  
8754 Severity: .error ↵  
8755 Description: .A .paragraph .must .have .an .ancestor .  
8755 subSection .or .subSubSection. ↵  
8756 Start.location: .1163:110 ↵  
8757 ↵  
8758 System.ID: .  
8758 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
8758 /99701D13FF9EDB6CB96BFFBCFF9D1D12.xml ↵  
8759 Main.validation.file: .  
8759 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
8759 /99701D13FF9EDB6CB96BFFBCFF9D1D12.xml ↵  
8760 Scenario.name: .gg-sch ↵

8761 Schema: .  
8761 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
8761 ent..sch↵  
8762 Engine.name: .ISO .Schematron↵  
8763 Severity: .error↵  
8764 Description: .A .paragraph .must .have .an .ancestor .  
8764 subSection .or .subSubSection.↵  
8765 Start.location: .1190:110↵  
8766 ↵  
8767 System.ID: .  
8767 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
8767 /99701D13FF9EDB6CB96BFFBCFF9D1D12.xml↵  
8768 Main.validation.file: .  
8768 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
8768 /99701D13FF9EDB6CB96BFFBCFF9D1D12.xml↵  
8769 Scenario.name: .gg-sch↵  
8770 Schema: .  
8770 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
8770 ent..sch↵  
8771 Engine.name: .ISO .Schematron↵  
8772 Severity: .error↵  
8773 Description: .A .paragraph .must .have .an .ancestor .  
8773 subSection .or .subSubSection.↵  
8774 Start.location: .1209:110↵  
8775 ↵  
8776 System.ID: .  
8776 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
8776 /99701D13FF9EDB6CB96BFFBCFF9D1D12.xml↵  
8777 Main.validation.file: .  
8777 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
8777 /99701D13FF9EDB6CB96BFFBCFF9D1D12.xml↵  
8778 Scenario.name: .gg-sch↵  
8779 Schema: .  
8779 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
8779 ent..sch↵

8780 Engine.name: ·ISO ·Schematron↵  
8781 Severity: ·error↵  
8782 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
8782 subSection ·or ·subSubSection.↵  
8783 Start.location: ·1238:110↵  
8784 ↵  
8785 System.ID: ·  
8785 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
8785 /99701D13FF9EDB6CB96BFFBCFF9D1D12.xml↵  
8786 Main.validation.file: ·  
8786 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
8786 /99701D13FF9EDB6CB96BFFBCFF9D1D12.xml↵  
8787 Scenario.name: ·gg-sch↵  
8788 Schema: ·  
8788 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
8788 ent..sch↵  
8789 Engine.name: ·ISO ·Schematron↵  
8790 Severity: ·error↵  
8791 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
8791 subSection ·or ·subSubSection.↵  
8792 Start.location: ·1263:110↵  
8793 ↵  
8794 System.ID: ·  
8794 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
8794 /99701D13FF9EDB6CB96BFFBCFF9D1D12.xml↵  
8795 Main.validation.file: ·  
8795 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
8795 /99701D13FF9EDB6CB96BFFBCFF9D1D12.xml↵  
8796 Scenario.name: ·gg-sch↵  
8797 Schema: ·  
8797 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
8797 ent..sch↵  
8798 Engine.name: ·ISO ·Schematron↵  
8799 Severity: ·error↵  
8800 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·

8800 subSection ·or ·subSubSection. ↵  
8801 Start ·location: ·1284:137 ↵  
8802 ↵  
8803 System ·ID: ·  
8803 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
8803 /99701D13FF9EDB6CB96BFFBCFF9D1D12.xml ↵  
8804 Main ·validation ·file: ·  
8804 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
8804 /99701D13FF9EDB6CB96BFFBCFF9D1D12.xml ↵  
8805 Scenario ·name: ·gg-sch ↵  
8806 Schema: ·  
8806 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
8806 ent..sch ↵  
8807 Engine ·name: ·ISO ·Schematron ↵  
8808 Severity: ·error ↵  
8809 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
8809 subSection ·or ·subSubSection. ↵  
8810 Start ·location: ·1306:110 ↵  
8811 ↵  
8812 System ·ID: ·  
8812 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
8812 /99701D13FF9EDB6CB96BFFBCFF9D1D12.xml ↵  
8813 Main ·validation ·file: ·  
8813 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
8813 /99701D13FF9EDB6CB96BFFBCFF9D1D12.xml ↵  
8814 Scenario ·name: ·gg-sch ↵  
8815 Schema: ·  
8815 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
8815 ent..sch ↵  
8816 Engine ·name: ·ISO ·Schematron ↵  
8817 Severity: ·error ↵  
8818 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
8818 subSection ·or ·subSubSection. ↵  
8819 Start ·location: ·1337:110 ↵  
8820 ↵

8821 System·ID: ·  
8821 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
8821 /99701D13FF9EDB6CB96BFFBCFF9D1D12.xml↵  
8822 Main·validation·file: ·  
8822 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
8822 /99701D13FF9EDB6CB96BFFBCFF9D1D12.xml↵  
8823 Scenario·name: ·gg-sch↵  
8824 Schema: ·  
8824 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
8824 ent..sch↵  
8825 Engine·name: ·ISO·Schematron↵  
8826 Severity: ·error↵  
8827 Description: ·A·paragraph·must·have·an·ancestor·  
8827 subSection·or·subSubSection.↵  
8828 Start·location: ·1362:137↵  
8829 ↵  
8830 System·ID: ·  
8830 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
8830 /99701D13FF9EDB6CB96BFFBCFF9D1D12.xml↵  
8831 Main·validation·file: ·  
8831 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
8831 /99701D13FF9EDB6CB96BFFBCFF9D1D12.xml↵  
8832 Scenario·name: ·gg-sch↵  
8833 Schema: ·  
8833 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
8833 ent..sch↵  
8834 Engine·name: ·ISO·Schematron↵  
8835 Severity: ·error↵  
8836 Description: ·A·paragraph·must·have·an·ancestor·  
8836 subSection·or·subSubSection.↵  
8837 Start·location: ·1377:110↵  
8838 ↵  
8839 System·ID: ·  
8839 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
8839 /99701D13FF9EDB6CB96BFFBCFF9D1D12.xml↵

8840 Main-validation-file: ·  
8840 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
8840 /99701D13FF9EDB6CB96BFFBCFF9D1D12.xml ↵  
8841 Scenario-name: ·gg-sch ↵  
8842 Schema: ·  
8842 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
8842 ent..sch ↵  
8843 Engine-name: ·ISO-Schematron ↵  
8844 Severity: ·error ↵  
8845 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
8845 subSection ·or ·subSubSection. ↵  
8846 Start-location: ·1401:137 ↵  
8847 ↵  
8848 System-ID: ·  
8848 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
8848 /99701D13FF9EDB6CB96BFFBCFF9D1D12.xml ↵  
8849 Main-validation-file: ·  
8849 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
8849 /99701D13FF9EDB6CB96BFFBCFF9D1D12.xml ↵  
8850 Scenario-name: ·gg-sch ↵  
8851 Schema: ·  
8851 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
8851 ent..sch ↵  
8852 Engine-name: ·ISO-Schematron ↵  
8853 Severity: ·error ↵  
8854 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
8854 subSection ·or ·subSubSection. ↵  
8855 Start-location: ·1420:110 ↵  
8856 ↵  
8857 System-ID: ·  
8857 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
8857 /99701D13FF9EDB6CB96BFFBCFF9D1D12.xml ↵  
8858 Main-validation-file: ·  
8858 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
8858 /99701D13FF9EDB6CB96BFFBCFF9D1D12.xml ↵

8859 Scenario ·name: ·gg-sch ↵  
8860 Schema: ·  
8860 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
8860 ent..sch ↵  
8861 Engine ·name: ·ISO ·Schematron ↵  
8862 Severity: ·error ↵  
8863 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
8863 subSection ·or ·subSubSection. ↵  
8864 Start ·location: ·1439:110 ↵  
8865 ↵  
8866 System ·ID: ·  
8866 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
8866 /99701D13FF9EDB6CB96BFFBCFF9D1D12.xml ↵  
8867 Main ·validation ·file: ·  
8867 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
8867 /99701D13FF9EDB6CB96BFFBCFF9D1D12.xml ↵  
8868 Scenario ·name: ·gg-sch ↵  
8869 Schema: ·  
8869 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
8869 ent..sch ↵  
8870 Engine ·name: ·ISO ·Schematron ↵  
8871 Severity: ·error ↵  
8872 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
8872 subSection ·or ·subSubSection. ↵  
8873 Start ·location: ·1468:137 ↵  
8874 ↵  
8875 System ·ID: ·  
8875 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
8875 /99701D13FF9EDB6CB96BFFBCFF9D1D12.xml ↵  
8876 Main ·validation ·file: ·  
8876 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
8876 /99701D13FF9EDB6CB96BFFBCFF9D1D12.xml ↵  
8877 Scenario ·name: ·gg-sch ↵  
8878 Schema: ·  
8878 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm

```
8878 ent..sch↵
8879 Engine.name: ·ISO ·Schematron↵
8880 Severity: ·error↵
8881 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
8881 subSection ·or ·subSubSection.↵
8882 Start ·location: ·1487:110↵
8883 ↵
8884 System ·ID: ·
8884 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
8884 /99701D13FF9EDB6CB96BFFBCFF9D1D12.xml↵
8885 Main ·validation ·file: ·
8885 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
8885 /99701D13FF9EDB6CB96BFFBCFF9D1D12.xml↵
8886 Scenario ·name: ·gg-sch↵
8887 Schema: ·
8887 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
8887 ent..sch↵
8888 Engine.name: ·ISO ·Schematron↵
8889 Severity: ·error↵
8890 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
8890 subSection ·or ·subSubSection.↵
8891 Start ·location: ·1513:111↵
8892 ↵
8893 System ·ID: ·
8893 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
8893 /99701D13FF9EDB6CB96BFFBCFF9D1D12.xml↵
8894 Main ·validation ·file: ·
8894 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
8894 /99701D13FF9EDB6CB96BFFBCFF9D1D12.xml↵
8895 Scenario ·name: ·gg-sch↵
8896 Schema: ·
8896 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
8896 ent..sch↵
8897 Engine.name: ·ISO ·Schematron↵
8898 Severity: ·error↵
```

8899 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
8899 subSection ·or ·subSubSection. ↵  
8900 Start ·location: ·1526:111 ↵  
8901 ↵  
8902 System ·ID: ·  
8902 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
8902 /99701D13FF9EDB6CB96BFFBCFF9D1D12.xml ↵  
8903 Main ·validation ·file: ·  
8903 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
8903 /99701D13FF9EDB6CB96BFFBCFF9D1D12.xml ↵  
8904 Scenario ·name: ·gg-sch ↵  
8905 Schema: ·  
8905 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
8905 ent..sch ↵  
8906 Engine ·name: ·ISO ·Schematron ↵  
8907 Severity: ·error ↵  
8908 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
8908 subSection ·or ·subSubSection. ↵  
8909 Start ·location: ·1535:111 ↵  
8910 ↵  
8911 System ·ID: ·  
8911 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
8911 /99701D13FF9EDB6CB96BFFBCFF9D1D12.xml ↵  
8912 Main ·validation ·file: ·  
8912 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
8912 /99701D13FF9EDB6CB96BFFBCFF9D1D12.xml ↵  
8913 Scenario ·name: ·gg-sch ↵  
8914 Schema: ·  
8914 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
8914 ent..sch ↵  
8915 Engine ·name: ·ISO ·Schematron ↵  
8916 Severity: ·error ↵  
8917 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
8917 subSection ·or ·subSubSection. ↵  
8918 Start ·location: ·1536:111 ↵

8919   ↳  
8920   System·ID: ·  
8920    /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
8920    /99701D13FF9EDB6CB96BFFBCFF9D1D12.xml↳  
8921   Main·validation·file: ·  
8921    /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
8921    /99701D13FF9EDB6CB96BFFBCFF9D1D12.xml↳  
8922   Scenario·name: ·gg-sch↳  
8923   Schema: ·  
8923    /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
8923    ent..sch↳  
8924   Engine·name: ·ISO·Schematron↳  
8925   Severity: ·error↳  
8926   Description: ·A·paragraph·must·have·an·ancestor·  
8926   subSection·or·subSubSection.↳  
8927   Start·location: ·1537:111↳  
8928    ↳  
8929   System·ID: ·  
8929    /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
8929    /99701D13FF9EDB6CB96BFFBCFF9D1D12.xml↳  
8930   Main·validation·file: ·  
8930    /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
8930    /99701D13FF9EDB6CB96BFFBCFF9D1D12.xml↳  
8931   Scenario·name: ·gg-sch↳  
8932   Schema: ·  
8932    /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
8932    ent..sch↳  
8933   Engine·name: ·ISO·Schematron↳  
8934   Severity: ·error↳  
8935   Description: ·A·paragraph·must·have·an·ancestor·  
8935   subSection·or·subSubSection.↳  
8936   Start·location: ·1538:136↳  
8937    ↳  
8938   System·ID: ·  
8938    /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax

8938 /99701D13FF9EDB6CB96BFFBCFF9D1D12.xml ↵  
8939 Main-validation-file: ·  
8939 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
8939 /99701D13FF9EDB6CB96BFFBCFF9D1D12.xml ↵  
8940 Scenario-name: ·gg-sch ↵  
8941 Schema: ·  
8941 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
8941 ent..sch ↵  
8942 Engine-name: ·ISO-Schematron ↵  
8943 Severity: ·error ↵  
8944 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
8944 subSection ·or ·subSubSection. ↵  
8945 Start-location: ·1539:111 ↵  
8946 ↵  
8947 System-ID: ·  
8947 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
8947 /99701D13FF9EDB6CB96BFFBCFF9D1D12.xml ↵  
8948 Main-validation-file: ·  
8948 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
8948 /99701D13FF9EDB6CB96BFFBCFF9D1D12.xml ↵  
8949 Scenario-name: ·gg-sch ↵  
8950 Schema: ·  
8950 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
8950 ent..sch ↵  
8951 Engine-name: ·ISO-Schematron ↵  
8952 Severity: ·error ↵  
8953 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
8953 subSection ·or ·subSubSection. ↵  
8954 Start-location: ·1540:111 ↵  
8955 ↵  
8956 System-ID: ·  
8956 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
8956 /99701D13FF9EDB6CB96BFFBCFF9D1D12.xml ↵  
8957 Main-validation-file: ·  
8957 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax

8957 /99701D13FF9EDB6CB96BFFBCFF9D1D12.xml ↵  
8958 Scenario.name: .gg-sch ↵  
8959 Schema: .  
8959 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
8959 ent..sch ↵  
8960 Engine.name: .ISO.Schematron ↵  
8961 Severity: .error ↵  
8962 Description: .A.paragraph.must.have.an.ancestor.  
8962 subSection.or.subSubSection. ↵  
8963 Start.location: .1541:111 ↵  
8964 ↵  
8965 System.ID: .  
8965 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
8965 /99701D13FF9EDB6CB96BFFBCFF9D1D12.xml ↵  
8966 Main.validation.file: .  
8966 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
8966 /99701D13FF9EDB6CB96BFFBCFF9D1D12.xml ↵  
8967 Scenario.name: .gg-sch ↵  
8968 Schema: .  
8968 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
8968 ent..sch ↵  
8969 Engine.name: .ISO.Schematron ↵  
8970 Severity: .error ↵  
8971 Description: .A.paragraph.must.have.an.ancestor.  
8971 subSection.or.subSubSection. ↵  
8972 Start.location: .1542:136 ↵  
8973 ↵  
8974 System.ID: .  
8974 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
8974 /99701D13FF9EDB6CB96BFFBCFF9D1D12.xml ↵  
8975 Main.validation.file: .  
8975 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
8975 /99701D13FF9EDB6CB96BFFBCFF9D1D12.xml ↵  
8976 Scenario.name: .gg-sch ↵  
8977 Schema: .

8977 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
8977 ent..sch↵  
8978 Engine.name: ·ISO ·Schematron↵  
8979 Severity: ·error↵  
8980 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
8980 subSection ·or ·subSubSection.↵  
8981 Start ·location: ·1543:111↵  
8982 ↵  
8983 System ·ID: ·  
8983 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
8983 /99701D13FF9EDB6CB96BFFBCFF9D1D12.xml↵  
8984 Main ·validation ·file: ·  
8984 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
8984 /99701D13FF9EDB6CB96BFFBCFF9D1D12.xml↵  
8985 Scenario ·name: ·gg-sch↵  
8986 Schema: ·  
8986 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
8986 ent..sch↵  
8987 Engine.name: ·ISO ·Schematron↵  
8988 Severity: ·error↵  
8989 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
8989 subSection ·or ·subSubSection.↵  
8990 Start ·location: ·1544:111↵  
8991 ↵  
8992 System ·ID: ·  
8992 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
8992 /99701D13FF9EDB6CB96BFFBCFF9D1D12.xml↵  
8993 Main ·validation ·file: ·  
8993 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
8993 /99701D13FF9EDB6CB96BFFBCFF9D1D12.xml↵  
8994 Scenario ·name: ·gg-sch↵  
8995 Schema: ·  
8995 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
8995 ent..sch↵  
8996 Engine.name: ·ISO ·Schematron↵

8997 Severity: ·error↵  
8998 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
8998 subSection ·or ·subSubSection.↵  
8999 Start ·location: ·1545:111↵  
9000 ↵  
9001 System ·ID: ·  
9001 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
9001 /99701D13FF9EDB6CB96BFFBCFF9D1D12.xml↵  
9002 Main ·validation ·file: ·  
9002 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
9002 /99701D13FF9EDB6CB96BFFBCFF9D1D12.xml↵  
9003 Scenario ·name: ·gg-sch↵  
9004 Schema: ·  
9004 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
9004 ent..sch↵  
9005 Engine ·name: ·ISO ·Schematron↵  
9006 Severity: ·error↵  
9007 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
9007 subSection ·or ·subSubSection.↵  
9008 Start ·location: ·1546:136↵  
9009 ↵  
9010 System ·ID: ·  
9010 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
9010 /99701D13FF9EDB6CB96BFFBCFF9D1D12.xml↵  
9011 Main ·validation ·file: ·  
9011 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
9011 /99701D13FF9EDB6CB96BFFBCFF9D1D12.xml↵  
9012 Scenario ·name: ·gg-sch↵  
9013 Schema: ·  
9013 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
9013 ent..sch↵  
9014 Engine ·name: ·ISO ·Schematron↵  
9015 Severity: ·error↵  
9016 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
9016 subSection ·or ·subSubSection.↵

9017 Start ·location: ·1551:137 ↵  
9018 ↵  
9019 System ·ID: ·  
9019 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
9019 /99701D13FF9EDB6CB96BFFBCFF9D1D12.xml ↵  
9020 Main ·validation ·file: ·  
9020 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
9020 /99701D13FF9EDB6CB96BFFBCFF9D1D12.xml ↵  
9021 Scenario ·name: ·gg-sch ↵  
9022 Schema: ·  
9022 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
9022 ent..sch ↵  
9023 Engine ·name: ·ISO ·Schematron ↵  
9024 Severity: ·error ↵  
9025 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
9025 subSection ·or ·subSubSection. ↵  
9026 Start ·location: ·1552:136 ↵  
9027 ↵  
9028 System ·ID: ·  
9028 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
9028 /99701D13FF9EDB6CB96BFFBCFF9D1D12.xml ↵  
9029 Main ·validation ·file: ·  
9029 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
9029 /99701D13FF9EDB6CB96BFFBCFF9D1D12.xml ↵  
9030 Scenario ·name: ·gg-sch ↵  
9031 Schema: ·  
9031 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
9031 ent..sch ↵  
9032 Engine ·name: ·ISO ·Schematron ↵  
9033 Severity: ·error ↵  
9034 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
9034 subSection ·or ·subSubSection. ↵  
9035 Start ·location: ·1553:111 ↵  
9036 ↵  
9037 System ·ID: ·

9037 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
9037 /99701D13FF9EDB6CB96BFFBCFF9D1D12.xml ↵  
9038 Main-validation-file: ·  
9038 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
9038 /99701D13FF9EDB6CB96BFFBCFF9D1D12.xml ↵  
9039 Scenario-name: ·gg-sch ↵  
9040 Schema: ·  
9040 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
9040 ent..sch ↵  
9041 Engine-name: ·ISO ·Schematron ↵  
9042 Severity: ·error ↵  
9043 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
9043 subSection ·or ·subSubSection. ↵  
9044 Start-location: ·1554:111 ↵  
9045 ↵  
9046 System-ID: ·  
9046 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
9046 /99701D13FF9EDB6CB96BFFBCFF9D1D12.xml ↵  
9047 Main-validation-file: ·  
9047 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
9047 /99701D13FF9EDB6CB96BFFBCFF9D1D12.xml ↵  
9048 Scenario-name: ·gg-sch ↵  
9049 Schema: ·  
9049 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
9049 ent..sch ↵  
9050 Engine-name: ·ISO ·Schematron ↵  
9051 Severity: ·error ↵  
9052 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
9052 subSection ·or ·subSubSection. ↵  
9053 Start-location: ·1559:111 ↵  
9054 ↵  
9055 System-ID: ·  
9055 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
9055 /99701D13FF9EDB6CB96BFFBCFF9D1D12.xml ↵  
9056 Main-validation-file: ·

9056 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
9056 /99701D13FF9EDB6CB96BFFBCFF9D1D12.xml ↵  
9057 Scenario.name: .gg-sch ↵  
9058 Schema: .  
9058 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
9058 ent..sch ↵  
9059 Engine.name: .ISO .Schematron ↵  
9060 Severity: .error ↵  
9061 Description: .A .paragraph .must .have .an .ancestor .  
9061 subSection .or .subSubSection. ↵  
9062 Start.location: .1564:111 ↵  
9063 ↵  
9064 System.ID: .  
9064 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
9064 /99701D13FF9EDB6CB96BFFBCFF9D1D12.xml ↵  
9065 Main.validation.file: .  
9065 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
9065 /99701D13FF9EDB6CB96BFFBCFF9D1D12.xml ↵  
9066 Scenario.name: .gg-sch ↵  
9067 Schema: .  
9067 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
9067 ent..sch ↵  
9068 Engine.name: .ISO .Schematron ↵  
9069 Severity: .error ↵  
9070 Description: .A .paragraph .must .have .an .ancestor .  
9070 subSection .or .subSubSection. ↵  
9071 Start.location: .1565:111 ↵  
9072 ↵  
9073 System.ID: .  
9073 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
9073 /99701D13FF9EDB6CB96BFFBCFF9D1D12.xml ↵  
9074 Main.validation.file: .  
9074 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
9074 /99701D13FF9EDB6CB96BFFBCFF9D1D12.xml ↵  
9075 Scenario.name: .gg-sch ↵

9076 Schema: .  
9076 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
9076 ent..sch↵  
9077 Engine.name: .ISO .Schematron↵  
9078 Severity: .error↵  
9079 Description: .A .paragraph .must .have .an .ancestor .  
9079 subSection .or .subSubSection.↵  
9080 Start.location: .1566:111↵  
9081 ↵  
9082 System.ID: .  
9082 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
9082 /99701D13FF9EDB6CB96BFFBCFF9D1D12.xml↵  
9083 Main.validation.file: .  
9083 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
9083 /99701D13FF9EDB6CB96BFFBCFF9D1D12.xml↵  
9084 Scenario.name: .gg-sch↵  
9085 Schema: .  
9085 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
9085 ent..sch↵  
9086 Engine.name: .ISO .Schematron↵  
9087 Severity: .error↵  
9088 Description: .A .paragraph .must .have .an .ancestor .  
9088 subSection .or .subSubSection.↵  
9089 Start.location: .1571:111↵  
9090 ↵  
9091 System.ID: .  
9091 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
9091 /99701D13FF9EDB6CB96BFFBCFF9D1D12.xml↵  
9092 Main.validation.file: .  
9092 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
9092 /99701D13FF9EDB6CB96BFFBCFF9D1D12.xml↵  
9093 Scenario.name: .gg-sch↵  
9094 Schema: .  
9094 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
9094 ent..sch↵

9095 Engine ·name: ·ISO ·Schematron ↵  
9096 Severity: ·error ↵  
9097 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
9097 subSection ·or ·subSubSection. ↵  
9098 Start ·location: ·1572:111 ↵  
9099 ↵  
9100 System ·ID: ·  
9100 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
9100 /99701D13FF9EDB6CB96BFFBCFF9D1D12.xml ↵  
9101 Main ·validation ·file: ·  
9101 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
9101 /99701D13FF9EDB6CB96BFFBCFF9D1D12.xml ↵  
9102 Scenario ·name: ·gg-sch ↵  
9103 Schema: ·  
9103 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
9103 ent..sch ↵  
9104 Engine ·name: ·ISO ·Schematron ↵  
9105 Severity: ·error ↵  
9106 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
9106 subSection ·or ·subSubSection. ↵  
9107 Start ·location: ·1573:138 ↵  
9108 ↵  
9109 System ·ID: ·  
9109 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
9109 /99701D13FF9EDB6CB96BFFBCFF9D1D12.xml ↵  
9110 Main ·validation ·file: ·  
9110 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
9110 /99701D13FF9EDB6CB96BFFBCFF9D1D12.xml ↵  
9111 Scenario ·name: ·gg-sch ↵  
9112 Schema: ·  
9112 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
9112 ent..sch ↵  
9113 Engine ·name: ·ISO ·Schematron ↵  
9114 Severity: ·error ↵  
9115 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·

```
9115 subSection ·or ·subSubSection. ↵
9116 Start ·location: ·1574:111 ↵
9117 ↵
9118 System ·ID: ·
9118 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
9118 /99701D13FF9EDB6CB96BFFBCFF9D1D12.xml ↵
9119 Main ·validation ·file: ·
9119 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
9119 /99701D13FF9EDB6CB96BFFBCFF9D1D12.xml ↵
9120 Scenario ·name: ·gg-sch ↵
9121 Schema: ·
9121 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
9121 ent..sch ↵
9122 Engine ·name: ·ISO ·Schematron ↵
9123 Severity: ·error ↵
9124 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
9124 subSection ·or ·subSubSection. ↵
9125 Start ·location: ·1575:138 ↵
9126 ↵
9127 System ·ID: ·
9127 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
9127 /99701D13FF9EDB6CB96BFFBCFF9D1D12.xml ↵
9128 Main ·validation ·file: ·
9128 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
9128 /99701D13FF9EDB6CB96BFFBCFF9D1D12.xml ↵
9129 Scenario ·name: ·gg-sch ↵
9130 Schema: ·
9130 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
9130 ent..sch ↵
9131 Engine ·name: ·ISO ·Schematron ↵
9132 Severity: ·error ↵
9133 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
9133 subSection ·or ·subSubSection. ↵
9134 Start ·location: ·1576:111 ↵
9135 ↵
```

9136 System·ID: ·  
9136 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
9136 /99701D13FF9EDB6CB96BFFBCFF9D1D12.xml↵  
9137 Main·validation·file: ·  
9137 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
9137 /99701D13FF9EDB6CB96BFFBCFF9D1D12.xml↵  
9138 Scenario·name: ·gg-sch↵  
9139 Schema: ·  
9139 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
9139 ent..sch↵  
9140 Engine·name: ·ISO·Schematron↵  
9141 Severity: ·error↵  
9142 Description: ·A·paragraph·must·have·an·ancestor·  
9142 subSection·or·subSubSection.↵  
9143 Start·location: ·1581:111↵  
9144 ↵  
9145 System·ID: ·  
9145 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
9145 /99701D13FF9EDB6CB96BFFBCFF9D1D12.xml↵  
9146 Main·validation·file: ·  
9146 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
9146 /99701D13FF9EDB6CB96BFFBCFF9D1D12.xml↵  
9147 Scenario·name: ·gg-sch↵  
9148 Schema: ·  
9148 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
9148 ent..sch↵  
9149 Engine·name: ·ISO·Schematron↵  
9150 Severity: ·error↵  
9151 Description: ·A·paragraph·must·have·an·ancestor·  
9151 subSection·or·subSubSection.↵  
9152 Start·location: ·1586:111↵  
9153 ↵  
9154 System·ID: ·  
9154 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
9154 /99701D13FF9EDB6CB96BFFBCFF9D1D12.xml↵

9155 Main-validation-file: ·  
9155 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
9155 /99701D13FF9EDB6CB96BFFBCFF9D1D12.xml ↵  
9156 Scenario-name: ·gg-sch ↵  
9157 Schema: ·  
9157 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
9157 ent..sch ↵  
9158 Engine-name: ·ISO ·Schematron ↵  
9159 Severity: ·error ↵  
9160 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
9160 subSection ·or ·subSubSection. ↵  
9161 Start-location: ·1587:111 ↵  
9162 ↵  
9163 System-ID: ·  
9163 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
9163 /99701D13FF9EDB6CB96BFFBCFF9D1D12.xml ↵  
9164 Main-validation-file: ·  
9164 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
9164 /99701D13FF9EDB6CB96BFFBCFF9D1D12.xml ↵  
9165 Scenario-name: ·gg-sch ↵  
9166 Schema: ·  
9166 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
9166 ent..sch ↵  
9167 Engine-name: ·ISO ·Schematron ↵  
9168 Severity: ·error ↵  
9169 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
9169 subSection ·or ·subSubSection. ↵  
9170 Start-location: ·1592:138 ↵  
9171 ↵  
9172 System-ID: ·  
9172 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
9172 /99701D13FF9EDB6CB96BFFBCFF9D1D12.xml ↵  
9173 Main-validation-file: ·  
9173 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
9173 /99701D13FF9EDB6CB96BFFBCFF9D1D12.xml ↵

9174 Scenario ·name: ·gg-sch ↵  
9175 Schema: ·  
9175 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
9175 ent..sch ↵  
9176 Engine ·name: ·ISO ·Schematron ↵  
9177 Severity: ·error ↵  
9178 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
9178 subSection ·or ·subSubSection. ↵  
9179 Start ·location: ·1593:111 ↵  
9180 ↵  
9181 System ·ID: ·  
9181 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
9181 /99701D13FF9EDB6CB96BFFBCFF9D1D12.xml ↵  
9182 Main ·validation ·file: ·  
9182 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
9182 /99701D13FF9EDB6CB96BFFBCFF9D1D12.xml ↵  
9183 Scenario ·name: ·gg-sch ↵  
9184 Schema: ·  
9184 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
9184 ent..sch ↵  
9185 Engine ·name: ·ISO ·Schematron ↵  
9186 Severity: ·error ↵  
9187 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
9187 subSection ·or ·subSubSection. ↵  
9188 Start ·location: ·1598:138 ↵  
9189 ↵  
9190 System ·ID: ·  
9190 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
9190 /99701D13FF9EDB6CB96BFFBCFF9D1D12.xml ↵  
9191 Main ·validation ·file: ·  
9191 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
9191 /99701D13FF9EDB6CB96BFFBCFF9D1D12.xml ↵  
9192 Scenario ·name: ·gg-sch ↵  
9193 Schema: ·  
9193 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm

```
9193 ent..sch↵
9194 Engine·name: ·ISO ·Schematron↵
9195 Severity: ·error↵
9196 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
9196 subSection ·or ·subSubSection.↵
9197 Start ·location: ·1603:111↵
9198 ↵
9199 System ·ID: ·
9199 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
9199 /99701D13FF9EDB6CB96BFFBCFF9D1D12.xml↵
9200 Main ·validation ·file: ·
9200 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
9200 /99701D13FF9EDB6CB96BFFBCFF9D1D12.xml↵
9201 Scenario ·name: ·gg-sch↵
9202 Schema: ·
9202 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
9202 ent..sch↵
9203 Engine·name: ·ISO ·Schematron↵
9204 Severity: ·error↵
9205 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
9205 subSection ·or ·subSubSection.↵
9206 Start ·location: ·1604:111↵
9207 ↵
9208 System ·ID: ·
9208 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
9208 /99701D13FF9EDB6CB96BFFBCFF9D1D12.xml↵
9209 Main ·validation ·file: ·
9209 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
9209 /99701D13FF9EDB6CB96BFFBCFF9D1D12.xml↵
9210 Scenario ·name: ·gg-sch↵
9211 Schema: ·
9211 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
9211 ent..sch↵
9212 Engine·name: ·ISO ·Schematron↵
9213 Severity: ·error↵
```

9214 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
9214 subSection ·or ·subSubSection. ↵  
9215 Start ·location: ·1605:111 ↵  
9216 ↵  
9217 System ·ID: ·  
9217 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
9217 /99701D13FF9EDB6CB96BFFBCFF9D1D12.xml ↵  
9218 Main ·validation ·file: ·  
9218 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
9218 /99701D13FF9EDB6CB96BFFBCFF9D1D12.xml ↵  
9219 Scenario ·name: ·gg-sch ↵  
9220 Schema: ·  
9220 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
9220 ent..sch ↵  
9221 Engine ·name: ·ISO ·Schematron ↵  
9222 Severity: ·error ↵  
9223 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
9223 subSection ·or ·subSubSection. ↵  
9224 Start ·location: ·1610:138 ↵  
9225 ↵  
9226 System ·ID: ·  
9226 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
9226 /99701D13FF9EDB6CB96BFFBCFF9D1D12.xml ↵  
9227 Main ·validation ·file: ·  
9227 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
9227 /99701D13FF9EDB6CB96BFFBCFF9D1D12.xml ↵  
9228 Scenario ·name: ·gg-sch ↵  
9229 Schema: ·  
9229 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
9229 ent..sch ↵  
9230 Engine ·name: ·ISO ·Schematron ↵  
9231 Severity: ·error ↵  
9232 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
9232 subSection ·or ·subSubSection. ↵  
9233 Start ·location: ·1611:111 ↵

```
9234 <System-ID: .  
9235 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
9235 /99701D13FF9EDB6CB96BFFBCFF9D1D12.xml<  
9236 Main-validation-file: .  
9236 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
9236 /99701D13FF9EDB6CB96BFFBCFF9D1D12.xml<  
9237 Scenario-name: .gg-sch<  
9238 Schema: .  
9238 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm  
9238 ent..sch<  
9239 Engine-name: .ISO-Schematron<  
9240 Severity: .error<  
9241 Description: .A paragraph must have an ancestor .  
9241 subSection.or .subSubSection.<  
9242 Start-location: .1616:138<  
9243 <  
9244 System-ID: .  
9244 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
9244 /99701D13FF9EDB6CB96BFFBCFF9D1D12.xml<  
9245 Main-validation-file: .  
9245 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
9245 /99701D13FF9EDB6CB96BFFBCFF9D1D12.xml<  
9246 Scenario-name: .gg-sch<  
9247 Schema: .  
9247 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm  
9247 ent..sch<  
9248 Engine-name: .ISO-Schematron<  
9249 Severity: .error<  
9250 Description: .A paragraph must have an ancestor .  
9250 subSection.or .subSubSection.<  
9251 Start-location: .1617:111<  
9252 <  
9253 System-ID: .  
9253 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
```

9253 /99701D13FF9EDB6CB96BFFBCFF9D1D12.xml ↵  
9254 Main-validation-file: ·  
9254 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
9254 /99701D13FF9EDB6CB96BFFBCFF9D1D12.xml ↵  
9255 Scenario-name: ·gg-sch ↵  
9256 Schema: ·  
9256 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
9256 ent..sch ↵  
9257 Engine-name: ·ISO-Schematron ↵  
9258 Severity: ·error ↵  
9259 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
9259 subSection ·or ·subSubSection. ↵  
9260 Start-location: ·1622:111 ↵  
9261 ↵  
9262 System-ID: ·  
9262 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
9262 /99701D13FF9EDB6CB96BFFBCFF9D1D12.xml ↵  
9263 Main-validation-file: ·  
9263 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
9263 /99701D13FF9EDB6CB96BFFBCFF9D1D12.xml ↵  
9264 Scenario-name: ·gg-sch ↵  
9265 Schema: ·  
9265 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
9265 ent..sch ↵  
9266 Engine-name: ·ISO-Schematron ↵  
9267 Severity: ·error ↵  
9268 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
9268 subSection ·or ·subSubSection. ↵  
9269 Start-location: ·1627:111 ↵  
9270 ↵  
9271 System-ID: ·  
9271 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
9271 /99701D13FF9EDB6CB96BFFBCFF9D1D12.xml ↵  
9272 Main-validation-file: ·  
9272 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax

9272 /99701D13FF9EDB6CB96BFFBCFF9D1D12.xml ↵  
9273 Scenario.name: .gg-sch ↵  
9274 Schema: .  
9274 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
9274 ent..sch ↵  
9275 Engine.name: .ISO.Schematron ↵  
9276 Severity: .error ↵  
9277 Description: .A.paragraph.must.have.an.ancestor.  
9277 subSection.or.subSubSection. ↵  
9278 Start.location: .1640:182 ↵  
9279 ↵  
9280 System.ID: .  
9280 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
9280 /99701D13FF9EDB6CB96BFFBCFF9D1D12.xml ↵  
9281 Main.validation.file: .  
9281 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
9281 /99701D13FF9EDB6CB96BFFBCFF9D1D12.xml ↵  
9282 Scenario.name: .gg-sch ↵  
9283 Schema: .  
9283 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
9283 ent..sch ↵  
9284 Engine.name: .ISO.Schematron ↵  
9285 Severity: .error ↵  
9286 Description: .A.paragraph.must.have.an.ancestor.  
9286 subSection.or.subSubSection. ↵  
9287 Start.location: .1647:109 ↵  
9288 ↵  
9289 System.ID: .  
9289 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
9289 /99701D13FF9EDB6CB96BFFBCFF9D1D12.xml ↵  
9290 Main.validation.file: .  
9290 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
9290 /99701D13FF9EDB6CB96BFFBCFF9D1D12.xml ↵  
9291 Scenario.name: .gg-sch ↵  
9292 Schema: .

9292 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
9292 ent..sch↵  
9293 Engine.name: ·ISO ·Schematron↵  
9294 Severity: ·error↵  
9295 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
9295 subSection ·or ·subSubSection.↵  
9296 Start ·location: ·1652:133↵  
9297 ↵  
9298 System ·ID: ·  
9298 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
9298 /99701D13FF9EDB6CB96BFFBCFF9D1D12.xml↵  
9299 Main ·validation ·file: ·  
9299 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
9299 /99701D13FF9EDB6CB96BFFBCFF9D1D12.xml↵  
9300 Scenario ·name: ·gg-sch↵  
9301 Schema: ·  
9301 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
9301 ent..sch↵  
9302 Engine.name: ·ISO ·Schematron↵  
9303 Severity: ·error↵  
9304 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
9304 subSection ·or ·subSubSection.↵  
9305 Start ·location: ·1657:109↵  
9306 ↵  
9307 System ·ID: ·  
9307 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
9307 /99701D13FF9EDB6CB96BFFBCFF9D1D12.xml↵  
9308 Main ·validation ·file: ·  
9308 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
9308 /99701D13FF9EDB6CB96BFFBCFF9D1D12.xml↵  
9309 Scenario ·name: ·gg-sch↵  
9310 Schema: ·  
9310 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
9310 ent..sch↵  
9311 Engine.name: ·ISO ·Schematron↵

9312 Severity: ·error ↵  
9313 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
9313 subSection ·or ·subSubSection. ↵  
9314 Start ·location: ·1658:133 ↵  
9315 ↵  
9316 System ·ID: ·  
9316 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
9316 /99701D13FF9EDB6CB96BFFBCFF9D1D12.xml ↵  
9317 Main ·validation ·file: ·  
9317 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
9317 /99701D13FF9EDB6CB96BFFBCFF9D1D12.xml ↵  
9318 Scenario ·name: ·gg-sch ↵  
9319 Schema: ·  
9319 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
9319 ent..sch ↵  
9320 Engine ·name: ·ISO ·Schematron ↵  
9321 Severity: ·error ↵  
9322 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
9322 subSection ·or ·subSubSection. ↵  
9323 Start ·location: ·1663:134 ↵  
9324 ↵  
9325 System ·ID: ·  
9325 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
9325 /99701D13FF9EDB6CB96BFFBCFF9D1D12.xml ↵  
9326 Main ·validation ·file: ·  
9326 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
9326 /99701D13FF9EDB6CB96BFFBCFF9D1D12.xml ↵  
9327 Scenario ·name: ·gg-sch ↵  
9328 Schema: ·  
9328 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
9328 ent..sch ↵  
9329 Engine ·name: ·ISO ·Schematron ↵  
9330 Severity: ·error ↵  
9331 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
9331 subSection ·or ·subSubSection. ↵

9332 Start ·location: ·1667:134 ↵  
9333 ↵  
9334 System ·ID: ·  
9334 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
9334 /99701D13FF9EDB6CB96BFFBCFF9D1D12.xml ↵  
9335 Main ·validation ·file: ·  
9335 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
9335 /99701D13FF9EDB6CB96BFFBCFF9D1D12.xml ↵  
9336 Scenario ·name: ·gg-sch ↵  
9337 Schema: ·  
9337 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
9337 ent..sch ↵  
9338 Engine ·name: ·ISO ·Schematron ↵  
9339 Severity: ·error ↵  
9340 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
9340 subSection ·or ·subSubSection. ↵  
9341 Start ·location: ·1671:109 ↵  
9342 ↵  
9343 System ·ID: ·  
9343 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
9343 /99701D13FF9EDB6CB96BFFBCFF9D1D12.xml ↵  
9344 Main ·validation ·file: ·  
9344 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
9344 /99701D13FF9EDB6CB96BFFBCFF9D1D12.xml ↵  
9345 Scenario ·name: ·gg-sch ↵  
9346 Schema: ·  
9346 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
9346 ent..sch ↵  
9347 Engine ·name: ·ISO ·Schematron ↵  
9348 Severity: ·error ↵  
9349 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
9349 subSection ·or ·subSubSection. ↵  
9350 Start ·location: ·1675:109 ↵  
9351 ↵  
9352 System ·ID: ·

9352 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
9352 /99701D13FF9EDB6CB96BFFBCFF9D1D12.xml ↵  
9353 Main-validation-file: ·  
9353 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
9353 /99701D13FF9EDB6CB96BFFBCFF9D1D12.xml ↵  
9354 Scenario-name: ·gg-sch ↵  
9355 Schema: ·  
9355 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
9355 ent..sch ↵  
9356 Engine-name: ·ISO ·Schematron ↵  
9357 Severity: ·error ↵  
9358 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
9358 subSection ·or ·subSubSection. ↵  
9359 Start-location: ·1679:132 ↵  
9360 ↵  
9361 System-ID: ·  
9361 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
9361 /A53DAB3EFFB4EC1DFF94FFD9517DD04A.xml ↵  
9362 Main-validation-file: ·  
9362 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
9362 /A53DAB3EFFB4EC1DFF94FFD9517DD04A.xml ↵  
9363 Scenario-name: ·gg-sch ↵  
9364 Schema: ·  
9364 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
9364 ent..sch ↵  
9365 Engine-name: ·ISO ·Schematron ↵  
9366 Severity: ·error ↵  
9367 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
9367 subSection ·or ·subSubSection. ↵  
9368 Start-location: ·52:130 ↵  
9369 ↵  
9370 System-ID: ·  
9370 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
9370 /A53DAB3EFFB4EC1DFF94FFD9517DD04A.xml ↵  
9371 Main-validation-file: ·

9371 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
9371 /A53DAB3EFFB4EC1DFF94FFD9517DD04A.xml ↵  
9372 Scenario.name: .gg-sch ↵  
9373 Schema: .  
9373 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
9373 ent..sch ↵  
9374 Engine.name: .ISO .Schematron ↵  
9375 Severity: .error ↵  
9376 Description: .A .paragraph .must .have .an .ancestor .  
9376 subSection .or .subSubSection. ↵  
9377 Start.location: .57:130 ↵  
9378 ↵  
9379 System.ID: .  
9379 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
9379 /A53DAB3EFFB4EC1DFF94FFD9517DD04A.xml ↵  
9380 Main.validation.file: .  
9380 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
9380 /A53DAB3EFFB4EC1DFF94FFD9517DD04A.xml ↵  
9381 Scenario.name: .gg-sch ↵  
9382 Schema: .  
9382 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
9382 ent..sch ↵  
9383 Engine.name: .ISO .Schematron ↵  
9384 Severity: .error ↵  
9385 Description: .A .paragraph .must .have .an .ancestor .  
9385 subSection .or .subSubSection. ↵  
9386 Start.location: .62:106 ↵  
9387 ↵  
9388 System.ID: .  
9388 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
9388 /A53DAB3EFFB4EC1DFF94FFD9517DD04A.xml ↵  
9389 Main.validation.file: .  
9389 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
9389 /A53DAB3EFFB4EC1DFF94FFD9517DD04A.xml ↵  
9390 Scenario.name: .gg-sch ↵

9391 Schema: .  
9391 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
9391 ent..sch↵  
9392 Engine.name: .ISO .Schematron↵  
9393 Severity: .error↵  
9394 Description: .A .paragraph .must .have .an .ancestor .  
9394 subSection .or .subSubSection.↵  
9395 Start.location: .84:130↵  
9396 ↵  
9397 System.ID: .  
9397 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
9397 /A53DAB3EFFB4EC1DFF94FFD9517DD04A.xml↵  
9398 Main.validation.file: .  
9398 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
9398 /A53DAB3EFFB4EC1DFF94FFD9517DD04A.xml↵  
9399 Scenario.name: .gg-sch↵  
9400 Schema: .  
9400 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
9400 ent..sch↵  
9401 Engine.name: .ISO .Schematron↵  
9402 Severity: .error↵  
9403 Description: .A .paragraph .must .have .an .ancestor .  
9403 subSection .or .subSubSection.↵  
9404 Start.location: .89:130↵  
9405 ↵  
9406 System.ID: .  
9406 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
9406 /A53DAB3EFFB4EC1DFF94FFD9517DD04A.xml↵  
9407 Main.validation.file: .  
9407 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
9407 /A53DAB3EFFB4EC1DFF94FFD9517DD04A.xml↵  
9408 Scenario.name: .gg-sch↵  
9409 Schema: .  
9409 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
9409 ent..sch↵

9410 Engine.name: ·ISO ·Schematron↵  
9411 Severity: ·error↵  
9412 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
9412 subSection ·or ·subSubSection.↵  
9413 Start.location: ·94:134↵  
9414 ↵  
9415 System.ID: ·  
9415 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
9415 /A53DAB3EFFB4EC1DFF94FFD9517DD04A.xml↵  
9416 Main.validation.file: ·  
9416 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
9416 /A53DAB3EFFB4EC1DFF94FFD9517DD04A.xml↵  
9417 Scenario.name: ·gg-sch↵  
9418 Schema: ·  
9418 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
9418 ent..sch↵  
9419 Engine.name: ·ISO ·Schematron↵  
9420 Severity: ·error↵  
9421 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
9421 subSection ·or ·subSubSection.↵  
9422 Start.location: ·99:178↵  
9423 ↵  
9424 System.ID: ·  
9424 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
9424 /A53DAB3EFFB4EC1DFF94FFD9517DD04A.xml↵  
9425 Main.validation.file: ·  
9425 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
9425 /A53DAB3EFFB4EC1DFF94FFD9517DD04A.xml↵  
9426 Scenario.name: ·gg-sch↵  
9427 Schema: ·  
9427 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
9427 ent..sch↵  
9428 Engine.name: ·ISO ·Schematron↵  
9429 Severity: ·error↵  
9430 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·

9430 subSection ·or ·subSubSection . ↵  
9431 Start ·location: ·114:134 ↵  
9432 ↵  
9433 System ·ID: ·  
9433 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
9433 /A53DAB3EFFB4EC1DFF94FFD9517DD04A.xml ↵  
9434 Main ·validation ·file: ·  
9434 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
9434 /A53DAB3EFFB4EC1DFF94FFD9517DD04A.xml ↵  
9435 Scenario ·name: ·gg-sch ↵  
9436 Schema: ·  
9436 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
9436 ent..sch ↵  
9437 Engine ·name: ·ISO ·Schematron ↵  
9438 Severity: ·error ↵  
9439 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
9439 subSection ·or ·subSubSection . ↵  
9440 Start ·location: ·120:134 ↵  
9441 ↵  
9442 System ·ID: ·  
9442 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
9442 /A53DAB3EFFB4EC1DFF94FFD9517DD04A.xml ↵  
9443 Main ·validation ·file: ·  
9443 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
9443 /A53DAB3EFFB4EC1DFF94FFD9517DD04A.xml ↵  
9444 Scenario ·name: ·gg-sch ↵  
9445 Schema: ·  
9445 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
9445 ent..sch ↵  
9446 Engine ·name: ·ISO ·Schematron ↵  
9447 Severity: ·error ↵  
9448 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
9448 subSection ·or ·subSubSection . ↵  
9449 Start ·location: ·123:134 ↵  
9450 ↵

9451 System·ID: ·  
9451 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
9451 /A53DAB3EFFB4EC1DFF94FFD9517DD04A.xml↵  
9452 Main·validation·file: ·  
9452 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
9452 /A53DAB3EFFB4EC1DFF94FFD9517DD04A.xml↵  
9453 Scenario·name: ·gg-sch↵  
9454 Schema: ·  
9454 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
9454 ent..sch↵  
9455 Engine·name: ·ISO·Schematron↵  
9456 Severity: ·error↵  
9457 Description: ·A·paragraph·must·have·an·ancestor·  
9457 subSection·or·subSubSection.↵  
9458 Start·location: ·127:134↵  
9459 ↵  
9460 System·ID: ·  
9460 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
9460 /A53DAB3EFFB4EC1DFF94FFD9517DD04A.xml↵  
9461 Main·validation·file: ·  
9461 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
9461 /A53DAB3EFFB4EC1DFF94FFD9517DD04A.xml↵  
9462 Scenario·name: ·gg-sch↵  
9463 Schema: ·  
9463 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
9463 ent..sch↵  
9464 Engine·name: ·ISO·Schematron↵  
9465 Severity: ·error↵  
9466 Description: ·A·paragraph·must·have·an·ancestor·  
9466 subSection·or·subSubSection.↵  
9467 Start·location: ·132:108↵  
9468 ↵  
9469 System·ID: ·  
9469 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
9469 /A53DAB3EFFB4EC1DFF94FFD9517DD04A.xml↵

9470 Main-validation-file: ·  
9470 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
9470 /A53DAB3EFFB4EC1DFF94FFD9517DD04A.xml ↵  
9471 Scenario-name: ·gg-sch ↵  
9472 Schema: ·  
9472 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
9472 ent..sch ↵  
9473 Engine-name: ·ISO-Schematron ↵  
9474 Severity: ·error ↵  
9475 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
9475 subSection ·or ·subSubSection. ↵  
9476 Start-location: ·137:134 ↵  
9477 ↵  
9478 System-ID: ·  
9478 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
9478 /A53DAB3EFFB4EC1DFF94FFD9517DD04A.xml ↵  
9479 Main-validation-file: ·  
9479 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
9479 /A53DAB3EFFB4EC1DFF94FFD9517DD04A.xml ↵  
9480 Scenario-name: ·gg-sch ↵  
9481 Schema: ·  
9481 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
9481 ent..sch ↵  
9482 Engine-name: ·ISO-Schematron ↵  
9483 Severity: ·error ↵  
9484 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
9484 subSection ·or ·subSubSection. ↵  
9485 Start-location: ·142:108 ↵  
9486 ↵  
9487 System-ID: ·  
9487 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
9487 /A53DAB3EFFB4EC1DFF94FFD9517DD04A.xml ↵  
9488 Main-validation-file: ·  
9488 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
9488 /A53DAB3EFFB4EC1DFF94FFD9517DD04A.xml ↵

9489 Scenario ·name: ·gg-sch ↵  
9490 Schema: ·  
9490 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
9490 ent..sch ↵  
9491 Engine ·name: ·ISO ·Schematron ↵  
9492 Severity: ·error ↵  
9493 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
9493 subSection ·or ·subSubSection. ↵  
9494 Start ·location: ·154:108 ↵  
9495 ↵  
9496 System ·ID: ·  
9496 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
9496 /A53DAB3EFFB4EC1DFF94FFD9517DD04A.xml ↵  
9497 Main ·validation ·file: ·  
9497 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
9497 /A53DAB3EFFB4EC1DFF94FFD9517DD04A.xml ↵  
9498 Scenario ·name: ·gg-sch ↵  
9499 Schema: ·  
9499 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
9499 ent..sch ↵  
9500 Engine ·name: ·ISO ·Schematron ↵  
9501 Severity: ·error ↵  
9502 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
9502 subSection ·or ·subSubSection. ↵  
9503 Start ·location: ·157:134 ↵  
9504 ↵  
9505 System ·ID: ·  
9505 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
9505 /A53DAB3EFFB4EC1DFF94FFD9517DD04A.xml ↵  
9506 Main ·validation ·file: ·  
9506 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
9506 /A53DAB3EFFB4EC1DFF94FFD9517DD04A.xml ↵  
9507 Scenario ·name: ·gg-sch ↵  
9508 Schema: ·  
9508 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm

9508 ent..sch↵  
9509 Engine.name: ·ISO ·Schematron↵  
9510 Severity: ·error↵  
9511 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
9511 subSection ·or ·subSubSection.↵  
9512 Start.location: ·161:130↵  
9513 ↵  
9514 System.ID: ·  
9514 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
9514 /A53DAB3EFFB4EC1DFF94FFD9517DD04A.xml↵  
9515 Main.validation.file: ·  
9515 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
9515 /A53DAB3EFFB4EC1DFF94FFD9517DD04A.xml↵  
9516 Scenario.name: ·gg-sch↵  
9517 Schema: ·  
9517 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
9517 ent..sch↵  
9518 Engine.name: ·ISO ·Schematron↵  
9519 Severity: ·error↵  
9520 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
9520 subSection ·or ·subSubSection.↵  
9521 Start.location: ·164:132↵  
9522 ↵  
9523 System.ID: ·  
9523 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
9523 /A53DAB3EFFB4EC1DFF94FFD9517DD04A.xml↵  
9524 Main.validation.file: ·  
9524 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
9524 /A53DAB3EFFB4EC1DFF94FFD9517DD04A.xml↵  
9525 Scenario.name: ·gg-sch↵  
9526 Schema: ·  
9526 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
9526 ent..sch↵  
9527 Engine.name: ·ISO ·Schematron↵  
9528 Severity: ·error↵

9529 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
9529 subSection ·or ·subSubSection. ↵  
9530 Start ·location: ·167:134 ↵  
9531 ↵  
9532 System ·ID: ·  
9532 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
9532 /A53DAB3EFFB4EC1DFF94FFD9517DD04A.xml ↵  
9533 Main ·validation ·file: ·  
9533 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
9533 /A53DAB3EFFB4EC1DFF94FFD9517DD04A.xml ↵  
9534 Scenario ·name: ·gg-sch ↵  
9535 Schema: ·  
9535 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
9535 ent..sch ↵  
9536 Engine ·name: ·ISO ·Schematron ↵  
9537 Severity: ·error ↵  
9538 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
9538 subSection ·or ·subSubSection. ↵  
9539 Start ·location: ·170:130 ↵  
9540 ↵  
9541 System ·ID: ·  
9541 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
9541 /A53DAB3EFFB4EC1DFF94FFD9517DD04A.xml ↵  
9542 Main ·validation ·file: ·  
9542 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
9542 /A53DAB3EFFB4EC1DFF94FFD9517DD04A.xml ↵  
9543 Scenario ·name: ·gg-sch ↵  
9544 Schema: ·  
9544 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
9544 ent..sch ↵  
9545 Engine ·name: ·ISO ·Schematron ↵  
9546 Severity: ·error ↵  
9547 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
9547 subSection ·or ·subSubSection. ↵  
9548 Start ·location: ·173:130 ↵

9549   ↳  
9550   System·ID: ·  
9550    /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
9550    /A53DAB3EFFB4EC1DFF94FFD9517DD04A.xml↳  
9551   Main·validation·file: ·  
9551    /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
9551    /A53DAB3EFFB4EC1DFF94FFD9517DD04A.xml↳  
9552   Scenario·name: ·gg-sch↳  
9553   Schema: ·  
9553    /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
9553    ent..sch↳  
9554   Engine·name: ·ISO·Schematron↳  
9555   Severity: ·error↳  
9556   Description: ·A·paragraph·must·have·an·ancestor·  
9556   subSection·or·subSubSection.↳  
9557   Start·location: ·176:141↳  
9558    ↳  
9559   System·ID: ·  
9559    /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
9559    /A53DAB3EFFB4EC1DFF94FFD9517DD04A.xml↳  
9560   Main·validation·file: ·  
9560    /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
9560    /A53DAB3EFFB4EC1DFF94FFD9517DD04A.xml↳  
9561   Scenario·name: ·gg-sch↳  
9562   Schema: ·  
9562    /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
9562    ent..sch↳  
9563   Engine·name: ·ISO·Schematron↳  
9564   Severity: ·error↳  
9565   Description: ·A·paragraph·must·have·an·ancestor·  
9565   subSection·or·subSubSection.↳  
9566   Start·location: ·180:130↳  
9567    ↳  
9568   System·ID: ·  
9568    /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax

9568 /A53DAB3EFFB4EC1DFF94FFD9517DD04A.xml ↵  
9569 Main-validation-file: ·  
9569 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
9569 /A53DAB3EFFB4EC1DFF94FFD9517DD04A.xml ↵  
9570 Scenario-name: ·gg-sch ↵  
9571 Schema: ·  
9571 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
9571 ent..sch ↵  
9572 Engine-name: ·ISO-Schematron ↵  
9573 Severity: ·error ↵  
9574 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
9574 subSection ·or ·subSubSection. ↵  
9575 Start-location: ·183:130 ↵  
9576 ↵  
9577 System-ID: ·  
9577 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
9577 /A53DAB3EFFB4EC1DFF94FFD9517DD04A.xml ↵  
9578 Main-validation-file: ·  
9578 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
9578 /A53DAB3EFFB4EC1DFF94FFD9517DD04A.xml ↵  
9579 Scenario-name: ·gg-sch ↵  
9580 Schema: ·  
9580 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
9580 ent..sch ↵  
9581 Engine-name: ·ISO-Schematron ↵  
9582 Severity: ·error ↵  
9583 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
9583 subSection ·or ·subSubSection. ↵  
9584 Start-location: ·186:130 ↵  
9585 ↵  
9586 System-ID: ·  
9586 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
9586 /A53DAB3EFFB4EC1DFF94FFD9517DD04A.xml ↵  
9587 Main-validation-file: ·  
9587 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax

9587 /A53DAB3EFFB4EC1DFF94FFD9517DD04A.xml ↵  
9588 Scenario.name: .gg-sch ↵  
9589 Schema: .  
9589 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
9589 ent..sch ↵  
9590 Engine.name: .ISO.Schematron ↵  
9591 Severity: .error ↵  
9592 Description: .A.paragraph.must.have.an.ancestor.  
9592 subSection.or.subSubSection. ↵  
9593 Start.location: .189:132 ↵  
9594 ↵  
9595 System.ID: .  
9595 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
9595 /A53DAB3EFFB4EC1DFF94FFD9517DD04A.xml ↵  
9596 Main.validation.file: .  
9596 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
9596 /A53DAB3EFFB4EC1DFF94FFD9517DD04A.xml ↵  
9597 Scenario.name: .gg-sch ↵  
9598 Schema: .  
9598 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
9598 ent..sch ↵  
9599 Engine.name: .ISO.Schematron ↵  
9600 Severity: .error ↵  
9601 Description: .A.paragraph.must.have.an.ancestor.  
9601 subSection.or.subSubSection. ↵  
9602 Start.location: .194:134 ↵  
9603 ↵  
9604 System.ID: .  
9604 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
9604 /A53DAB3EFFB4EC1DFF94FFD9517DD04A.xml ↵  
9605 Main.validation.file: .  
9605 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
9605 /A53DAB3EFFB4EC1DFF94FFD9517DD04A.xml ↵  
9606 Scenario.name: .gg-sch ↵  
9607 Schema: .

9607 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
9607 ent..sch↵  
9608 Engine.name: ·ISO ·Schematron↵  
9609 Severity: ·error↵  
9610 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
9610 subSection ·or ·subSubSection.↵  
9611 Start ·location: ·197:142↵  
9612 ↵  
9613 System ·ID: ·  
9613 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
9613 /A53DAB3EFFB4EC1DFF94FFD9517DD04A.xml↵  
9614 Main ·validation ·file: ·  
9614 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
9614 /A53DAB3EFFB4EC1DFF94FFD9517DD04A.xml↵  
9615 Scenario ·name: ·gg-sch↵  
9616 Schema: ·  
9616 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
9616 ent..sch↵  
9617 Engine.name: ·ISO ·Schematron↵  
9618 Severity: ·error↵  
9619 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
9619 subSection ·or ·subSubSection.↵  
9620 Start ·location: ·201:130↵  
9621 ↵  
9622 System ·ID: ·  
9622 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
9622 /A53DAB3EFFB4EC1DFF94FFD9517DD04A.xml↵  
9623 Main ·validation ·file: ·  
9623 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
9623 /A53DAB3EFFB4EC1DFF94FFD9517DD04A.xml↵  
9624 Scenario ·name: ·gg-sch↵  
9625 Schema: ·  
9625 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
9625 ent..sch↵  
9626 Engine.name: ·ISO ·Schematron↵

9627 Severity: ·error ↵  
9628 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
9628 subSection ·or ·subSubSection. ↵  
9629 Start ·location: ·204:132 ↵  
9630 ↵  
9631 System ·ID: ·  
9631 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
9631 /A53DAB3EFFB4EC1DFF94FFD9517DD04A.xml ↵  
9632 Main ·validation ·file: ·  
9632 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
9632 /A53DAB3EFFB4EC1DFF94FFD9517DD04A.xml ↵  
9633 Scenario ·name: ·gg-sch ↵  
9634 Schema: ·  
9634 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
9634 ent..sch ↵  
9635 Engine ·name: ·ISO ·Schematron ↵  
9636 Severity: ·error ↵  
9637 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
9637 subSection ·or ·subSubSection. ↵  
9638 Start ·location: ·209:132 ↵  
9639 ↵  
9640 System ·ID: ·  
9640 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
9640 /A53DAB3EFFB4EC1DFF94FFD9517DD04A.xml ↵  
9641 Main ·validation ·file: ·  
9641 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
9641 /A53DAB3EFFB4EC1DFF94FFD9517DD04A.xml ↵  
9642 Scenario ·name: ·gg-sch ↵  
9643 Schema: ·  
9643 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
9643 ent..sch ↵  
9644 Engine ·name: ·ISO ·Schematron ↵  
9645 Severity: ·error ↵  
9646 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
9646 subSection ·or ·subSubSection. ↵

9647 Start ·location: ·225:131 ↵  
9648 ↵  
9649 System ·ID: ·  
9649 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
9649 /A53DAB3EFFB4EC1DFF94FFD9517DD04A.xml ↵  
9650 Main ·validation ·file: ·  
9650 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
9650 /A53DAB3EFFB4EC1DFF94FFD9517DD04A.xml ↵  
9651 Scenario ·name: ·gg-sch ↵  
9652 Schema: ·  
9652 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
9652 ent..sch ↵  
9653 Engine ·name: ·ISO ·Schematron ↵  
9654 Severity: ·error ↵  
9655 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
9655 subSection ·or ·subSubSection. ↵  
9656 Start ·location: ·233:107 ↵  
9657 ↵  
9658 System ·ID: ·  
9658 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
9658 /A53DAB3EFFB4EC1DFF94FFD9517DD04A.xml ↵  
9659 Main ·validation ·file: ·  
9659 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
9659 /A53DAB3EFFB4EC1DFF94FFD9517DD04A.xml ↵  
9660 Scenario ·name: ·gg-sch ↵  
9661 Schema: ·  
9661 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
9661 ent..sch ↵  
9662 Engine ·name: ·ISO ·Schematron ↵  
9663 Severity: ·error ↵  
9664 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
9664 subSection ·or ·subSubSection. ↵  
9665 Start ·location: ·239:132 ↵  
9666 ↵  
9667 System ·ID: ·

9667 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
9667 /A53DAB3EFFB4EC1DFF94FFD9517DD04A.xml ↵  
9668 Main-validation-file: ·  
9668 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
9668 /A53DAB3EFFB4EC1DFF94FFD9517DD04A.xml ↵  
9669 Scenario-name: ·gg-sch ↵  
9670 Schema: ·  
9670 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
9670 ent..sch ↵  
9671 Engine-name: ·ISO ·Schematron ↵  
9672 Severity: ·error ↵  
9673 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
9673 subSection ·or ·subSubSection. ↵  
9674 Start-location: ·243:132 ↵  
9675 ↵  
9676 System-ID: ·  
9676 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
9676 /A53DAB3EFFB4EC1DFF94FFD9517DD04A.xml ↵  
9677 Main-validation-file: ·  
9677 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
9677 /A53DAB3EFFB4EC1DFF94FFD9517DD04A.xml ↵  
9678 Scenario-name: ·gg-sch ↵  
9679 Schema: ·  
9679 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
9679 ent..sch ↵  
9680 Engine-name: ·ISO ·Schematron ↵  
9681 Severity: ·error ↵  
9682 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
9682 subSection ·or ·subSubSection. ↵  
9683 Start-location: ·247:132 ↵  
9684 ↵  
9685 System-ID: ·  
9685 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
9685 /A53DAB3EFFB4EC1DFF94FFD9517DD04A.xml ↵  
9686 Main-validation-file: ·

9686 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
9686 /A53DAB3EFFB4EC1DFF94FFD9517DD04A.xml ↵  
9687 Scenario.name: .gg-sch ↵  
9688 Schema: .  
9688 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
9688 ent..sch ↵  
9689 Engine.name: .ISO .Schematron ↵  
9690 Severity: .error ↵  
9691 Description: .A .paragraph .must .have .an .ancestor .  
9691 subSection .or .subSubSection. ↵  
9692 Start.location: .251:132 ↵  
9693 ↵  
9694 System.ID: .  
9694 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
9694 /A53DAB3EFFB4EC1DFF94FFD9517DD04A.xml ↵  
9695 Main.validation.file: .  
9695 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
9695 /A53DAB3EFFB4EC1DFF94FFD9517DD04A.xml ↵  
9696 Scenario.name: .gg-sch ↵  
9697 Schema: .  
9697 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
9697 ent..sch ↵  
9698 Engine.name: .ISO .Schematron ↵  
9699 Severity: .error ↵  
9700 Description: .A .paragraph .must .have .an .ancestor .  
9700 subSection .or .subSubSection. ↵  
9701 Start.location: .262:131 ↵  
9702 ↵  
9703 System.ID: .  
9703 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
9703 /A53DAB3EFFB4EC1DFF94FFD9517DD04A.xml ↵  
9704 Main.validation.file: .  
9704 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
9704 /A53DAB3EFFB4EC1DFF94FFD9517DD04A.xml ↵  
9705 Scenario.name: .gg-sch ↵

9706 Schema: .  
9706 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
9706 ent..sch↵  
9707 Engine.name: .ISO .Schematron↵  
9708 Severity: .error↵  
9709 Description: .A .paragraph .must .have .an .ancestor .  
9709 subSection .or .subSubSection.↵  
9710 Start.location: .267:109↵  
9711 ↵  
9712 System.ID: .  
9712 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
9712 /A53DAB3EFFB4EC1DFF94FFD9517DD04A.xml↵  
9713 Main.validation.file: .  
9713 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
9713 /A53DAB3EFFB4EC1DFF94FFD9517DD04A.xml↵  
9714 Scenario.name: .gg-sch↵  
9715 Schema: .  
9715 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
9715 ent..sch↵  
9716 Engine.name: .ISO .Schematron↵  
9717 Severity: .error↵  
9718 Description: .A .paragraph .must .have .an .ancestor .  
9718 subSection .or .subSubSection.↵  
9719 Start.location: .269:130↵  
9720 ↵  
9721 System.ID: .  
9721 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
9721 /A53DAB3EFFB4EC1DFF94FFD9517DD04A.xml↵  
9722 Main.validation.file: .  
9722 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
9722 /A53DAB3EFFB4EC1DFF94FFD9517DD04A.xml↵  
9723 Scenario.name: .gg-sch↵  
9724 Schema: .  
9724 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
9724 ent..sch↵

9725 Engine ·name: ·ISO ·Schematron ↵  
9726 Severity: ·error ↵  
9727 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
9727 subSection ·or ·subSubSection. ↵  
9728 Start ·location: ·274:108 ↵  
9729 ↵  
9730 System ·ID: ·  
9730 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
9730 /A53DAB3EFFB4EC1DFF94FFD9517DD04A.xml ↵  
9731 Main ·validation ·file: ·  
9731 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
9731 /A53DAB3EFFB4EC1DFF94FFD9517DD04A.xml ↵  
9732 Scenario ·name: ·gg-sch ↵  
9733 Schema: ·  
9733 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
9733 ent..sch ↵  
9734 Engine ·name: ·ISO ·Schematron ↵  
9735 Severity: ·error ↵  
9736 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
9736 subSection ·or ·subSubSection. ↵  
9737 Start ·location: ·297:108 ↵  
9738 ↵  
9739 System ·ID: ·  
9739 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
9739 /A53DAB3EFFB4EC1DFF94FFD9517DD04A.xml ↵  
9740 Main ·validation ·file: ·  
9740 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
9740 /A53DAB3EFFB4EC1DFF94FFD9517DD04A.xml ↵  
9741 Scenario ·name: ·gg-sch ↵  
9742 Schema: ·  
9742 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
9742 ent..sch ↵  
9743 Engine ·name: ·ISO ·Schematron ↵  
9744 Severity: ·error ↵  
9745 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·

9745 subSection ·or ·subSubSection .↳  
9746 Start ·location: ·346:108↳  
9747 ↳  
9748 System ·ID: ·  
9748 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
9748 /A53DAB3EFFB4EC1DFF94FFD9517DD04A.xml↳  
9749 Main ·validation ·file: ·  
9749 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
9749 /A53DAB3EFFB4EC1DFF94FFD9517DD04A.xml↳  
9750 Scenario ·name: ·gg-sch↳  
9751 Schema: ·  
9751 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
9751 ent..sch↳  
9752 Engine ·name: ·ISO ·Schematron↳  
9753 Severity: ·error↳  
9754 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
9754 subSection ·or ·subSubSection .↳  
9755 Start ·location: ·353:134↳  
9756 ↳  
9757 System ·ID: ·  
9757 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
9757 /A53DAB3EFFB4EC1DFF94FFD9517DD04A.xml↳  
9758 Main ·validation ·file: ·  
9758 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
9758 /A53DAB3EFFB4EC1DFF94FFD9517DD04A.xml↳  
9759 Scenario ·name: ·gg-sch↳  
9760 Schema: ·  
9760 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
9760 ent..sch↳  
9761 Engine ·name: ·ISO ·Schematron↳  
9762 Severity: ·error↳  
9763 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
9763 subSection ·or ·subSubSection .↳  
9764 Start ·location: ·358:180↳  
9765 ↳

9766 System·ID: ·  
9766 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
9766 /A53DAB3EFFB4EC1DFF94FFD9517DD04A.xml↵  
9767 Main·validation·file: ·  
9767 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
9767 /A53DAB3EFFB4EC1DFF94FFD9517DD04A.xml↵  
9768 Scenario·name: ·gg-sch↵  
9769 Schema: ·  
9769 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
9769 ent..sch↵  
9770 Engine·name: ·ISO·Schematron↵  
9771 Severity: ·error↵  
9772 Description: ·A·paragraph·must·have·an·ancestor·  
9772 subSection·or·subSubSection.↵  
9773 Start·location: ·366:108↵  
9774 ↵  
9775 System·ID: ·  
9775 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
9775 /A53DAB3EFFB4EC1DFF94FFD9517DD04A.xml↵  
9776 Main·validation·file: ·  
9776 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
9776 /A53DAB3EFFB4EC1DFF94FFD9517DD04A.xml↵  
9777 Scenario·name: ·gg-sch↵  
9778 Schema: ·  
9778 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
9778 ent..sch↵  
9779 Engine·name: ·ISO·Schematron↵  
9780 Severity: ·error↵  
9781 Description: ·A·paragraph·must·have·an·ancestor·  
9781 subSection·or·subSubSection.↵  
9782 Start·location: ·388:109↵  
9783 ↵  
9784 System·ID: ·  
9784 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
9784 /A53DAB3EFFB4EC1DFF94FFD9517DD04A.xml↵

9785 Main-validation-file: ·  
9785 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
9785 /A53DAB3EFFB4EC1DFF94FFD9517DD04A.xml ↵  
9786 Scenario-name: ·gg-sch ↵  
9787 Schema: ·  
9787 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
9787 ent..sch ↵  
9788 Engine-name: ·ISO-Schematron ↵  
9789 Severity: ·error ↵  
9790 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
9790 subSection ·or ·subSubSection. ↵  
9791 Start-location: ·430:180 ↵  
9792 ↵  
9793 System-ID: ·  
9793 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
9793 /A53DAB3EFFB4EC1DFF94FFD9517DD04A.xml ↵  
9794 Main-validation-file: ·  
9794 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
9794 /A53DAB3EFFB4EC1DFF94FFD9517DD04A.xml ↵  
9795 Scenario-name: ·gg-sch ↵  
9796 Schema: ·  
9796 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
9796 ent..sch ↵  
9797 Engine-name: ·ISO-Schematron ↵  
9798 Severity: ·error ↵  
9799 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
9799 subSection ·or ·subSubSection. ↵  
9800 Start-location: ·467:108 ↵  
9801 ↵  
9802 System-ID: ·  
9802 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
9802 /A53DAB3EFFB4EC1DFF94FFD9517DD04A.xml ↵  
9803 Main-validation-file: ·  
9803 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
9803 /A53DAB3EFFB4EC1DFF94FFD9517DD04A.xml ↵

9804 Scenario ·name: ·gg-sch ↵  
9805 Schema: ·  
9805 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
9805 ent..sch ↵  
9806 Engine ·name: ·ISO ·Schematron ↵  
9807 Severity: ·error ↵  
9808 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
9808 subSection ·or ·subSubSection. ↵  
9809 Start ·location: ·563:179 ↵  
9810 ↵  
9811 System ·ID: ·  
9811 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
9811 /A53DAB3EFFB4EC1DFF94FFD9517DD04A.xml ↵  
9812 Main ·validation ·file: ·  
9812 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
9812 /A53DAB3EFFB4EC1DFF94FFD9517DD04A.xml ↵  
9813 Scenario ·name: ·gg-sch ↵  
9814 Schema: ·  
9814 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
9814 ent..sch ↵  
9815 Engine ·name: ·ISO ·Schematron ↵  
9816 Severity: ·error ↵  
9817 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
9817 subSection ·or ·subSubSection. ↵  
9818 Start ·location: ·591:108 ↵  
9819 ↵  
9820 System ·ID: ·  
9820 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
9820 /A53DAB3EFFB4EC1DFF94FFD9517DD04A.xml ↵  
9821 Main ·validation ·file: ·  
9821 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
9821 /A53DAB3EFFB4EC1DFF94FFD9517DD04A.xml ↵  
9822 Scenario ·name: ·gg-sch ↵  
9823 Schema: ·  
9823 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm

```
9823 ent..sch↵
9824 Engine.name: ·ISO ·Schematron↵
9825 Severity: ·error↵
9826 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
9826 subSection ·or ·subSubSection.↵
9827 Start ·location: ·592:108↵
9828 ↵
9829 System ·ID: ·
9829 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
9829 /A53DAB3EFFB4EC1DFF94FFD9517DD04A.xml↵
9830 Main ·validation ·file: ·
9830 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
9830 /A53DAB3EFFB4EC1DFF94FFD9517DD04A.xml↵
9831 Scenario ·name: ·gg-sch↵
9832 Schema: ·
9832 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
9832 ent..sch↵
9833 Engine.name: ·ISO ·Schematron↵
9834 Severity: ·error↵
9835 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
9835 subSection ·or ·subSubSection.↵
9836 Start ·location: ·597:108↵
9837 ↵
9838 System ·ID: ·
9838 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
9838 /A53DAB3EFFB4EC1DFF94FFD9517DD04A.xml↵
9839 Main ·validation ·file: ·
9839 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
9839 /A53DAB3EFFB4EC1DFF94FFD9517DD04A.xml↵
9840 Scenario ·name: ·gg-sch↵
9841 Schema: ·
9841 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
9841 ent..sch↵
9842 Engine.name: ·ISO ·Schematron↵
9843 Severity: ·error↵
```

9844 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
9844 subSection ·or ·subSubSection. ↵  
9845 Start ·location: ·602:134 ↵  
9846 ↵  
9847 System ·ID: ·  
9847 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
9847 /A53DAB3EFFB4EC1DFF94FFD9517DD04A.xml ↵  
9848 Main ·validation ·file: ·  
9848 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
9848 /A53DAB3EFFB4EC1DFF94FFD9517DD04A.xml ↵  
9849 Scenario ·name: ·gg-sch ↵  
9850 Schema: ·  
9850 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
9850 ent..sch ↵  
9851 Engine ·name: ·ISO ·Schematron ↵  
9852 Severity: ·error ↵  
9853 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
9853 subSection ·or ·subSubSection. ↵  
9854 Start ·location: ·607:109 ↵  
9855 ↵  
9856 System ·ID: ·  
9856 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
9856 /A53DAB3EFFB4EC1DFF94FFD9517DD04A.xml ↵  
9857 Main ·validation ·file: ·  
9857 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
9857 /A53DAB3EFFB4EC1DFF94FFD9517DD04A.xml ↵  
9858 Scenario ·name: ·gg-sch ↵  
9859 Schema: ·  
9859 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
9859 ent..sch ↵  
9860 Engine ·name: ·ISO ·Schematron ↵  
9861 Severity: ·error ↵  
9862 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
9862 subSection ·or ·subSubSection. ↵  
9863 Start ·location: ·622:180 ↵

9864   ↳  
9865   System·ID: ·  
9865   /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
9865   /A53DAB3EFFB4EC1DFF94FFD9517DD04A.xml↳  
9866   Main·validation·file: ·  
9866   /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
9866   /A53DAB3EFFB4EC1DFF94FFD9517DD04A.xml↳  
9867   Scenario·name: ·gg-sch↳  
9868   Schema: ·  
9868   /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
9868   ent..sch↳  
9869   Engine·name: ·ISO·Schematron↳  
9870   Severity: ·error↳  
9871   Description: ·A·paragraph·must·have·an·ancestor·  
9871   subSection·or·subSubSection.↳  
9872   Start·location: ·675:107↳  
9873   ↳  
9874   System·ID: ·  
9874   /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
9874   /A53DAB3EFFB4EC1DFF94FFD9517DD04A.xml↳  
9875   Main·validation·file: ·  
9875   /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
9875   /A53DAB3EFFB4EC1DFF94FFD9517DD04A.xml↳  
9876   Scenario·name: ·gg-sch↳  
9877   Schema: ·  
9877   /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
9877   ent..sch↳  
9878   Engine·name: ·ISO·Schematron↳  
9879   Severity: ·error↳  
9880   Description: ·A·paragraph·must·have·an·ancestor·  
9880   subSection·or·subSubSection.↳  
9881   Start·location: ·721:76↳  
9882   ↳  
9883   System·ID: ·  
9883   /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax

9883 /A53DAB3EFFB4EC1DFF94FFD9517DD04A.xml ↵  
9884 Main-validation-file: ·  
9884 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
9884 /A53DAB3EFFB4EC1DFF94FFD9517DD04A.xml ↵  
9885 Scenario-name: ·gg-sch ↵  
9886 Schema: ·  
9886 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
9886 ent..sch ↵  
9887 Engine-name: ·ISO-Schematron ↵  
9888 Severity: ·error ↵  
9889 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
9889 subSection ·or ·subSubSection. ↵  
9890 Start-location: ·782:109 ↵  
9891 ↵  
9892 System-ID: ·  
9892 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
9892 /A53DAB3EFFB4EC1DFF94FFD9517DD04A.xml ↵  
9893 Main-validation-file: ·  
9893 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
9893 /A53DAB3EFFB4EC1DFF94FFD9517DD04A.xml ↵  
9894 Scenario-name: ·gg-sch ↵  
9895 Schema: ·  
9895 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
9895 ent..sch ↵  
9896 Engine-name: ·ISO-Schematron ↵  
9897 Severity: ·error ↵  
9898 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
9898 subSection ·or ·subSubSection. ↵  
9899 Start-location: ·783:134 ↵  
9900 ↵  
9901 System-ID: ·  
9901 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
9901 /A53DAB3EFFB4EC1DFF94FFD9517DD04A.xml ↵  
9902 Main-validation-file: ·  
9902 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax

9902 /A53DAB3EFFB4EC1DFF94FFD9517DD04A.xml ↵  
9903 Scenario.name: .gg-sch ↵  
9904 Schema: .  
9904 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
9904 ent..sch ↵  
9905 Engine.name: .ISO.Schematron ↵  
9906 Severity: .error ↵  
9907 Description: .A.paragraph.must.have.an.ancestor.  
9907 subSection.or.subSubSection. ↵  
9908 Start.location: .788:109 ↵  
9909 ↵  
9910 System.ID: .  
9910 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
9910 /A53DAB3EFFB4EC1DFF94FFD9517DD04A.xml ↵  
9911 Main.validation.file: .  
9911 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
9911 /A53DAB3EFFB4EC1DFF94FFD9517DD04A.xml ↵  
9912 Scenario.name: .gg-sch ↵  
9913 Schema: .  
9913 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
9913 ent..sch ↵  
9914 Engine.name: .ISO.Schematron ↵  
9915 Severity: .error ↵  
9916 Description: .A.paragraph.must.have.an.ancestor.  
9916 subSection.or.subSubSection. ↵  
9917 Start.location: .803:109 ↵  
9918 ↵  
9919 System.ID: .  
9919 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
9919 /A53DAB3EFFB4EC1DFF94FFD9517DD04A.xml ↵  
9920 Main.validation.file: .  
9920 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
9920 /A53DAB3EFFB4EC1DFF94FFD9517DD04A.xml ↵  
9921 Scenario.name: .gg-sch ↵  
9922 Schema: .

9922 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
9922 ent..sch↵  
9923 Engine.name: ·ISO ·Schematron↵  
9924 Severity: ·error↵  
9925 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
9925 subSection ·or ·subSubSection.↵  
9926 Start ·location: ·815:179↵  
9927 ↵  
9928 System ·ID: ·  
9928 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
9928 /A53DAB3EFFB4EC1DFF94FFD9517DD04A.xml↵  
9929 Main ·validation ·file: ·  
9929 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
9929 /A53DAB3EFFB4EC1DFF94FFD9517DD04A.xml↵  
9930 Scenario ·name: ·gg-sch↵  
9931 Schema: ·  
9931 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
9931 ent..sch↵  
9932 Engine.name: ·ISO ·Schematron↵  
9933 Severity: ·error↵  
9934 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
9934 subSection ·or ·subSubSection.↵  
9935 Start ·location: ·822:108↵  
9936 ↵  
9937 System ·ID: ·  
9937 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
9937 /A53DAB3EFFB4EC1DFF94FFD9517DD04A.xml↵  
9938 Main ·validation ·file: ·  
9938 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
9938 /A53DAB3EFFB4EC1DFF94FFD9517DD04A.xml↵  
9939 Scenario ·name: ·gg-sch↵  
9940 Schema: ·  
9940 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
9940 ent..sch↵  
9941 Engine.name: ·ISO ·Schematron↵

9942 Severity: ·error ↵  
9943 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
9943 subSection ·or ·subSubSection. ↵  
9944 Start ·location: ·842:108 ↵  
9945 ↵  
9946 System ·ID: ·  
9946 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
9946 /A53DAB3EFFB4EC1DFF94FFD9517DD04A.xml ↵  
9947 Main ·validation ·file: ·  
9947 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
9947 /A53DAB3EFFB4EC1DFF94FFD9517DD04A.xml ↵  
9948 Scenario ·name: ·gg-sch ↵  
9949 Schema: ·  
9949 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
9949 ent..sch ↵  
9950 Engine ·name: ·ISO ·Schematron ↵  
9951 Severity: ·error ↵  
9952 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
9952 subSection ·or ·subSubSection. ↵  
9953 Start ·location: ·871:108 ↵  
9954 ↵  
9955 System ·ID: ·  
9955 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
9955 /A53DAB3EFFB4EC1DFF94FFD9517DD04A.xml ↵  
9956 Main ·validation ·file: ·  
9956 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
9956 /A53DAB3EFFB4EC1DFF94FFD9517DD04A.xml ↵  
9957 Scenario ·name: ·gg-sch ↵  
9958 Schema: ·  
9958 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
9958 ent..sch ↵  
9959 Engine ·name: ·ISO ·Schematron ↵  
9960 Severity: ·error ↵  
9961 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
9961 subSection ·or ·subSubSection. ↵

9962 Start ·location: ·894:178 ↵  
9963 ↵  
9964 System ·ID: ·  
9964 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
9964 /A53DAB3EFFB4EC1DFF94FFD9517DD04A.xml ↵  
9965 Main ·validation ·file: ·  
9965 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
9965 /A53DAB3EFFB4EC1DFF94FFD9517DD04A.xml ↵  
9966 Scenario ·name: ·gg-sch ↵  
9967 Schema: ·  
9967 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
9967 ent..sch ↵  
9968 Engine ·name: ·ISO ·Schematron ↵  
9969 Severity: ·error ↵  
9970 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
9970 subSection ·or ·subSubSection. ↵  
9971 Start ·location: ·913:108 ↵  
9972 ↵  
9973 System ·ID: ·  
9973 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
9973 /A53DAB3EFFB4EC1DFF94FFD9517DD04A.xml ↵  
9974 Main ·validation ·file: ·  
9974 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
9974 /A53DAB3EFFB4EC1DFF94FFD9517DD04A.xml ↵  
9975 Scenario ·name: ·gg-sch ↵  
9976 Schema: ·  
9976 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
9976 ent..sch ↵  
9977 Engine ·name: ·ISO ·Schematron ↵  
9978 Severity: ·error ↵  
9979 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
9979 subSection ·or ·subSubSection. ↵  
9980 Start ·location: ·928:108 ↵  
9981 ↵  
9982 System ·ID: ·

9982 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
9982 /A53DAB3EFFB4EC1DFF94FFD9517DD04A.xml ↵  
9983 Main-validation-file: ·  
9983 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
9983 /A53DAB3EFFB4EC1DFF94FFD9517DD04A.xml ↵  
9984 Scenario-name: ·gg-sch ↵  
9985 Schema: ·  
9985 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
9985 ent..sch ↵  
9986 Engine-name: ·ISO ·Schematron ↵  
9987 Severity: ·error ↵  
9988 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
9988 subSection ·or ·subSubSection. ↵  
9989 Start-location: ·955:108 ↵  
9990 ↵  
9991 System-ID: ·  
9991 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
9991 /A53DAB3EFFB4EC1DFF94FFD9517DD04A.xml ↵  
9992 Main-validation-file: ·  
9992 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
9992 /A53DAB3EFFB4EC1DFF94FFD9517DD04A.xml ↵  
9993 Scenario-name: ·gg-sch ↵  
9994 Schema: ·  
9994 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
9994 ent..sch ↵  
9995 Engine-name: ·ISO ·Schematron ↵  
9996 Severity: ·error ↵  
9997 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
9997 subSection ·or ·subSubSection. ↵  
9998 Start-location: ·970:177 ↵  
9999 ↵  
.0000 System-ID: ·  
.0000 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.0000 /A53DAB3EFFB4EC1DFF94FFD9517DD04A.xml ↵  
.0001 Main-validation-file: ·

.0001 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.0001 /A53DAB3EFFB4EC1DFF94FFD9517DD04A.xml ↵  
.0002 Scenario.name: .gg-sch ↵  
.0003 Schema: .  
.0003 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
.0004 Engine.name: .ISO .Schematron ↵  
.0005 Severity: .error ↵  
.0006 Description: .A .paragraph .must .have .an .ancestor .  
.0006 subSection .or .subSubSection. ↵  
.0007 Start.location: .983:107 ↵  
.0008 ↵  
.0009 System.ID: .  
.0009 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.0009 /A53DAB3EFFB4EC1DFF94FFD9517DD04A.xml ↵  
.0010 Main.validation.file: .  
.0010 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.0010 /A53DAB3EFFB4EC1DFF94FFD9517DD04A.xml ↵  
.0011 Scenario.name: .gg-sch ↵  
.0012 Schema: .  
.0012 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
.0013 Engine.name: .ISO .Schematron ↵  
.0014 Severity: .error ↵  
.0015 Description: .A .paragraph .must .have .an .ancestor .  
.0015 subSection .or .subSubSection. ↵  
.0016 Start.location: .984:130 ↵  
.0017 ↵  
.0018 System.ID: .  
.0018 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.0018 /A53DAB3EFFB4EC1DFF94FFD9517DD04A.xml ↵  
.0019 Main.validation.file: .  
.0019 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.0019 /A53DAB3EFFB4EC1DFF94FFD9517DD04A.xml ↵  
.0020 Scenario.name: .gg-sch ↵

.0021 Schema: .  
.0021 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.0021 ent..sch↵  
.0022 Engine.name: ·ISO ·Schematron↵  
.0023 Severity: ·error↵  
.0024 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.0024 subSection ·or ·subSubSection.↵  
.0025 Start.location: ·989:108↵  
.0026 ↵  
.0027 System.ID: .  
.0027 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.0027 /A53DAB3EFFB4EC1DFF94FFD9517DD04A.xml↵  
.0028 Main.validation.file: .  
.0028 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.0028 /A53DAB3EFFB4EC1DFF94FFD9517DD04A.xml↵  
.0029 Scenario.name: ·gg-sch↵  
.0030 Schema: .  
.0030 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.0030 ent..sch↵  
.0031 Engine.name: ·ISO ·Schematron↵  
.0032 Severity: ·error↵  
.0033 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.0033 subSection ·or ·subSubSection.↵  
.0034 Start.location: ·996:109↵  
.0035 ↵  
.0036 System.ID: .  
.0036 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.0036 /A53DAB3EFFB4EC1DFF94FFD9517DD04A.xml↵  
.0037 Main.validation.file: .  
.0037 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.0037 /A53DAB3EFFB4EC1DFF94FFD9517DD04A.xml↵  
.0038 Scenario.name: ·gg-sch↵  
.0039 Schema: .  
.0039 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.0039 ent..sch↵

.0040 Engine ·name: ·ISO ·Schematron↵  
.0041 Severity: ·error↵  
.0042 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.0042 subSection ·or ·subSubSection.↵  
.0043 Start ·location: ·1004:109↵  
.0044 ↵  
.0045 System ·ID: ·  
.0045 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.0045 /A53DAB3EFFB4EC1DFF94FFD9517DD04A.xml↵  
.0046 Main ·validation ·file: ·  
.0046 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.0046 /A53DAB3EFFB4EC1DFF94FFD9517DD04A.xml↵  
.0047 Scenario ·name: ·gg-sch↵  
.0048 Schema: ·  
.0048 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.0048 ent..sch↵  
.0049 Engine ·name: ·ISO ·Schematron↵  
.0050 Severity: ·error↵  
.0051 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.0051 subSection ·or ·subSubSection.↵  
.0052 Start ·location: ·1010:135↵  
.0053 ↵  
.0054 System ·ID: ·  
.0054 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.0054 /A53DAB3EFFB4EC1DFF94FFD9517DD04A.xml↵  
.0055 Main ·validation ·file: ·  
.0055 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.0055 /A53DAB3EFFB4EC1DFF94FFD9517DD04A.xml↵  
.0056 Scenario ·name: ·gg-sch↵  
.0057 Schema: ·  
.0057 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.0057 ent..sch↵  
.0058 Engine ·name: ·ISO ·Schematron↵  
.0059 Severity: ·error↵  
.0060 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·

.0060 subSection ·or ·subSubSection .↳  
.0061 Start ·location: ·1014:135↳  
.0062 ↳  
.0063 System ·ID: ·  
.0063 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.0063 /A53DAB3EFFB4EC1DFF94FFD9517DD04A.xml↳  
.0064 Main ·validation ·file: ·  
.0064 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.0064 /A53DAB3EFFB4EC1DFF94FFD9517DD04A.xml↳  
.0065 Scenario ·name: ·gg-sch↳  
.0066 Schema: ·  
.0066 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.0066 ent..sch↳  
.0067 Engine ·name: ·ISO ·Schematron↳  
.0068 Severity: ·error↳  
.0069 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.0069 subSection ·or ·subSubSection .↳  
.0070 Start ·location: ·1018:109↳  
.0071 ↳  
.0072 System ·ID: ·  
.0072 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.0072 /A53DAB3EFFB4EC1DFF94FFD9517DD04A.xml↳  
.0073 Main ·validation ·file: ·  
.0073 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.0073 /A53DAB3EFFB4EC1DFF94FFD9517DD04A.xml↳  
.0074 Scenario ·name: ·gg-sch↳  
.0075 Schema: ·  
.0075 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.0075 ent..sch↳  
.0076 Engine ·name: ·ISO ·Schematron↳  
.0077 Severity: ·error↳  
.0078 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.0078 subSection ·or ·subSubSection .↳  
.0079 Start ·location: ·1022:134↳  
.0080 ↳

.0081 System·ID: ·  
.0081 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.0081 /A53DAB3EFFB4EC1DFF94FFD9517DD04A.xml↵  
.0082 Main·validation·file: ·  
.0082 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.0082 /A53DAB3EFFB4EC1DFF94FFD9517DD04A.xml↵  
.0083 Scenario·name: ·gg-sch↵  
.0084 Schema: ·  
.0084 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.0084 ent..sch↵  
.0085 Engine·name: ·ISO·Schematron↵  
.0086 Severity: ·error↵  
.0087 Description: ·A·paragraph·must·have·an·ancestor·  
.0087 subSection·or·subSubSection.↵  
.0088 Start·location: ·1028:108↵  
.0089 ↵  
.0090 System·ID: ·  
.0090 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.0090 /A53DAB3EFFB4EC1DFF94FFD9517DD04A.xml↵  
.0091 Main·validation·file: ·  
.0091 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.0091 /A53DAB3EFFB4EC1DFF94FFD9517DD04A.xml↵  
.0092 Scenario·name: ·gg-sch↵  
.0093 Schema: ·  
.0093 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.0093 ent..sch↵  
.0094 Engine·name: ·ISO·Schematron↵  
.0095 Severity: ·error↵  
.0096 Description: ·A·paragraph·must·have·an·ancestor·  
.0096 subSection·or·subSubSection.↵  
.0097 Start·location: ·1056:108↵  
.0098 ↵  
.0099 System·ID: ·  
.0099 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.0099 /A53DAB3EFFB4EC1DFF94FFD9517DD04A.xml↵

.0100 Main-validation-file: .  
.0100 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.0100 /A53DAB3EFFB4EC1DFF94FFD9517DD04A.xml↵  
.0101 Scenario-name: .gg-sch↵  
.0102 Schema: .  
.0102 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch↵  
.0103 Engine-name: .ISO-Schematron↵  
.0104 Severity: .error↵  
.0105 Description: .A .paragraph .must .have .an .ancestor .  
.0105 subSection .or .subSubSection.↵  
.0106 Start-location: .1075:144↵  
.0107 ↵  
.0108 System-ID: .  
.0108 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.0108 /A53DAB3EFFB4EC1DFF94FFD9517DD04A.xml↵  
.0109 Main-validation-file: .  
.0109 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.0109 /A53DAB3EFFB4EC1DFF94FFD9517DD04A.xml↵  
.0110 Scenario-name: .gg-sch↵  
.0111 Schema: .  
.0111 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch↵  
.0112 Engine-name: .ISO-Schematron↵  
.0113 Severity: .error↵  
.0114 Description: .A .paragraph .must .have .an .ancestor .  
.0114 subSection .or .subSubSection.↵  
.0115 Start-location: .1108:108↵  
.0116 ↵  
.0117 System-ID: .  
.0117 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.0117 /A53DAB3EFFB4EC1DFF94FFD9517DD04A.xml↵  
.0118 Main-validation-file: .  
.0118 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.0118 /A53DAB3EFFB4EC1DFF94FFD9517DD04A.xml↵

.0119 Scenario ·name: ·gg-sch ↵  
.0120 Schema: ·  
.0120 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
.0121 Engine ·name: ·ISO ·Schematron ↵  
.0122 Severity: ·error ↵  
.0123 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.0123 subSection ·or ·subSubSection. ↵  
.0124 Start ·location: ·1133:108 ↵  
.0125 ↵  
.0126 System ·ID: ·  
.0126 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.0126 /A53DAB3EFFB4EC1DFF94FFD9517DD04A.xml ↵  
.0127 Main ·validation ·file: ·  
.0127 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.0127 /A53DAB3EFFB4EC1DFF94FFD9517DD04A.xml ↵  
.0128 Scenario ·name: ·gg-sch ↵  
.0129 Schema: ·  
.0129 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
.0130 Engine ·name: ·ISO ·Schematron ↵  
.0131 Severity: ·error ↵  
.0132 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.0132 subSection ·or ·subSubSection. ↵  
.0133 Start ·location: ·1170:108 ↵  
.0134 ↵  
.0135 System ·ID: ·  
.0135 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.0135 /A53DAB3EFFB4EC1DFF94FFD9517DD04A.xml ↵  
.0136 Main ·validation ·file: ·  
.0136 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.0136 /A53DAB3EFFB4EC1DFF94FFD9517DD04A.xml ↵  
.0137 Scenario ·name: ·gg-sch ↵  
.0138 Schema: ·  
.0138 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm

.0138 ent..sch↵  
.0139 Engine.name: ·ISO ·Schematron↵  
.0140 Severity: ·error↵  
.0141 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
subSection ·or ·subSubSection.↵  
.0142 Start ·location: ·1196:109↵  
.0143 ↵  
.0144 System ·ID: ·  
/Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
/A53DAB3EFFB4EC1DFF94FFD9517DD04A.xml↵  
.0145 Main ·validation ·file: ·  
/Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
/A53DAB3EFFB4EC1DFF94FFD9517DD04A.xml↵  
.0146 Scenario ·name: ·gg-sch↵  
.0147 Schema: ·  
/Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch↵  
.0148 Engine.name: ·ISO ·Schematron↵  
.0149 Severity: ·error↵  
.0150 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
subSection ·or ·subSubSection.↵  
.0151 Start ·location: ·1225:109↵  
.0152 ↵  
.0153 System ·ID: ·  
/Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
/A53DAB3EFFB4EC1DFF94FFD9517DD04A.xml↵  
.0154 Main ·validation ·file: ·  
/Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
/A53DAB3EFFB4EC1DFF94FFD9517DD04A.xml↵  
.0155 Scenario ·name: ·gg-sch↵  
.0156 Schema: ·  
/Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch↵  
.0157 Engine.name: ·ISO ·Schematron↵  
.0158 Severity: ·error↵

.0159 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.0159 subSection ·or ·subSubSection. ↵  
.0160 Start ·location: ·1251:179 ↵  
.0161 ↵  
.0162 System ·ID: ·  
.0162 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.0162 /A53DAB3EFFB4EC1DFF94FFD9517DD04A.xml ↵  
.0163 Main ·validation ·file: ·  
.0163 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.0163 /A53DAB3EFFB4EC1DFF94FFD9517DD04A.xml ↵  
.0164 Scenario ·name: ·gg-sch ↵  
.0165 Schema: ·  
.0165 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.0165 ent..sch ↵  
.0166 Engine ·name: ·ISO ·Schematron ↵  
.0167 Severity: ·error ↵  
.0168 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.0168 subSection ·or ·subSubSection. ↵  
.0169 Start ·location: ·1281:108 ↵  
.0170 ↵  
.0171 System ·ID: ·  
.0171 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.0171 /A53DAB3EFFB4EC1DFF94FFD9517DD04A.xml ↵  
.0172 Main ·validation ·file: ·  
.0172 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.0172 /A53DAB3EFFB4EC1DFF94FFD9517DD04A.xml ↵  
.0173 Scenario ·name: ·gg-sch ↵  
.0174 Schema: ·  
.0174 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.0174 ent..sch ↵  
.0175 Engine ·name: ·ISO ·Schematron ↵  
.0176 Severity: ·error ↵  
.0177 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.0177 subSection ·or ·subSubSection. ↵  
.0178 Start ·location: ·1310:108 ↵

```
.0179 <System>
.0180   System·ID: ·
.0180   /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
.0180   /A53DAB3EFFB4EC1DFF94FFD9517DD04A.xml<
.0181   Main·validation·file: ·
.0181   /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
.0181   /A53DAB3EFFB4EC1DFF94FFD9517DD04A.xml<
.0182   Scenario·name: ·gg-sch<
.0183   Schema: ·
.0183   /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
.0183   ent..sch<
.0184   Engine·name: ·ISO·Schematron<
.0185   Severity: ·error<
.0186   Description: ·A·paragraph·must·have·an·ancestor·
.0186   subSection·or·subSubSection.<
.0187   Start·location: ·1338:108<
.0188 <
.0189   System·ID: ·
.0189   /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
.0189   /A53DAB3EFFB4EC1DFF94FFD9517DD04A.xml<
.0190   Main·validation·file: ·
.0190   /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
.0190   /A53DAB3EFFB4EC1DFF94FFD9517DD04A.xml<
.0191   Scenario·name: ·gg-sch<
.0192   Schema: ·
.0192   /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
.0192   ent..sch<
.0193   Engine·name: ·ISO·Schematron<
.0194   Severity: ·error<
.0195   Description: ·A·paragraph·must·have·an·ancestor·
.0195   subSection·or·subSubSection.<
.0196   Start·location: ·1367:108<
.0197 <
.0198   System·ID: ·
.0198   /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
```

.0198 /A53DAB3EFFB4EC1DFF94FFD9517DD04A.xml ↵  
.0199 Main-validation-file: ·  
.0199 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.0199 /A53DAB3EFFB4EC1DFF94FFD9517DD04A.xml ↵  
.0200 Scenario-name: ·gg-sch ↵  
.0201 Schema: ·  
.0201 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
.0202 Engine-name: ·ISO-Schematron ↵  
.0203 Severity: ·error ↵  
.0204 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
subSection ·or ·subSubSection. ↵  
.0205 Start-location: ·1395:108 ↵  
.0206 ↵  
.0207 System-ID: ·  
.0207 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.0207 /A53DAB3EFFB4EC1DFF94FFD9517DD04A.xml ↵  
.0208 Main-validation-file: ·  
.0208 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.0208 /A53DAB3EFFB4EC1DFF94FFD9517DD04A.xml ↵  
.0209 Scenario-name: ·gg-sch ↵  
.0210 Schema: ·  
.0210 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
.0211 Engine-name: ·ISO-Schematron ↵  
.0212 Severity: ·error ↵  
.0213 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
subSection ·or ·subSubSection. ↵  
.0214 Start-location: ·1425:108 ↵  
.0215 ↵  
.0216 System-ID: ·  
.0216 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.0216 /A53DAB3EFFB4EC1DFF94FFD9517DD04A.xml ↵  
.0217 Main-validation-file: ·  
.0217 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax

.0217 /A53DAB3EFFB4EC1DFF94FFD9517DD04A.xml ↵  
.0218 Scenario.name: .gg-sch ↵  
.0219 Schema: .  
.0219 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
.0220 Engine.name: .ISO.Schematron ↵  
.0221 Severity: .error ↵  
.0222 Description: .A.paragraph.must.have.an.ancestor.  
.0222 subSection.or.subSubSection. ↵  
.0223 Start.location: .1453:108 ↵  
.0224 ↵  
.0225 System.ID: .  
.0225 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.0225 /A53DAB3EFFB4EC1DFF94FFD9517DD04A.xml ↵  
.0226 Main.validation.file: .  
.0226 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.0226 /A53DAB3EFFB4EC1DFF94FFD9517DD04A.xml ↵  
.0227 Scenario.name: .gg-sch ↵  
.0228 Schema: .  
.0228 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
.0229 Engine.name: .ISO.Schematron ↵  
.0230 Severity: .error ↵  
.0231 Description: .A.paragraph.must.have.an.ancestor.  
.0231 subSection.or.subSubSection. ↵  
.0232 Start.location: .1481:108 ↵  
.0233 ↵  
.0234 System.ID: .  
.0234 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.0234 /A53DAB3EFFB4EC1DFF94FFD9517DD04A.xml ↵  
.0235 Main.validation.file: .  
.0235 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.0235 /A53DAB3EFFB4EC1DFF94FFD9517DD04A.xml ↵  
.0236 Scenario.name: .gg-sch ↵  
.0237 Schema: .

.0237 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.0237 ent..sch↵  
.0238 Engine.name: ·ISO ·Schematron↵  
.0239 Severity: ·error↵  
.0240 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.0240 subSection ·or ·subSubSection.↵  
.0241 Start ·location: ·1507:108↵  
.0242 ↵  
.0243 System ·ID: ·  
.0243 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.0243 /A53DAB3EFFB4EC1DFF94FFD9517DD04A.xml↵  
.0244 Main ·validation ·file: ·  
.0244 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.0244 /A53DAB3EFFB4EC1DFF94FFD9517DD04A.xml↵  
.0245 Scenario ·name: ·gg-sch↵  
.0246 Schema: ·  
.0246 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.0246 ent..sch↵  
.0247 Engine.name: ·ISO ·Schematron↵  
.0248 Severity: ·error↵  
.0249 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.0249 subSection ·or ·subSubSection.↵  
.0250 Start ·location: ·1530:108↵  
.0251 ↵  
.0252 System ·ID: ·  
.0252 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.0252 /A53DAB3EFFB4EC1DFF94FFD9517DD04A.xml↵  
.0253 Main ·validation ·file: ·  
.0253 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.0253 /A53DAB3EFFB4EC1DFF94FFD9517DD04A.xml↵  
.0254 Scenario ·name: ·gg-sch↵  
.0255 Schema: ·  
.0255 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.0255 ent..sch↵  
.0256 Engine.name: ·ISO ·Schematron↵

.0257 Severity: ·error↵  
.0258 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.0258 subSection ·or ·subSubSection.↵  
.0259 Start ·location: ·1562:108↵  
.0260 ↵  
.0261 System ·ID: ·  
/Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.0261 /A53DAB3EFFB4EC1DFF94FFD9517DD04A.xml↵  
.0262 Main ·validation ·file: ·  
/Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.0262 /A53DAB3EFFB4EC1DFF94FFD9517DD04A.xml↵  
.0263 Scenario ·name: ·gg-sch↵  
.0264 Schema: ·  
/Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.0264 ent..sch↵  
.0265 Engine ·name: ·ISO ·Schematron↵  
.0266 Severity: ·error↵  
.0267 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.0267 subSection ·or ·subSubSection.↵  
.0268 Start ·location: ·1588:108↵  
.0269 ↵  
.0270 System ·ID: ·  
/Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.0270 /A53DAB3EFFB4EC1DFF94FFD9517DD04A.xml↵  
.0271 Main ·validation ·file: ·  
/Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.0271 /A53DAB3EFFB4EC1DFF94FFD9517DD04A.xml↵  
.0272 Scenario ·name: ·gg-sch↵  
.0273 Schema: ·  
/Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.0273 ent..sch↵  
.0274 Engine ·name: ·ISO ·Schematron↵  
.0275 Severity: ·error↵  
.0276 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.0276 subSection ·or ·subSubSection.↵

.0277 Start ·location: ·1622:108 ↵  
.0278 ↵  
.0279 System ·ID: ·  
.0279 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.0279 /A53DAB3EFFB4EC1DFF94FFD9517DD04A.xml ↵  
.0280 Main ·validation ·file: ·  
.0280 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.0280 /A53DAB3EFFB4EC1DFF94FFD9517DD04A.xml ↵  
.0281 Scenario ·name: ·gg-sch ↵  
.0282 Schema: ·  
.0282 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.0282 ent..sch ↵  
.0283 Engine ·name: ·ISO ·Schematron ↵  
.0284 Severity: ·error ↵  
.0285 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.0285 subSection ·or ·subSubSection. ↵  
.0286 Start ·location: ·1652:108 ↵  
.0287 ↵  
.0288 System ·ID: ·  
.0288 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.0288 /A53DAB3EFFB4EC1DFF94FFD9517DD04A.xml ↵  
.0289 Main ·validation ·file: ·  
.0289 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.0289 /A53DAB3EFFB4EC1DFF94FFD9517DD04A.xml ↵  
.0290 Scenario ·name: ·gg-sch ↵  
.0291 Schema: ·  
.0291 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.0291 ent..sch ↵  
.0292 Engine ·name: ·ISO ·Schematron ↵  
.0293 Severity: ·error ↵  
.0294 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.0294 subSection ·or ·subSubSection. ↵  
.0295 Start ·location: ·1677:108 ↵  
.0296 ↵  
.0297 System ·ID: ·

.0297 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.0297 /A53DAB3EFFB4EC1DFF94FFD9517DD04A.xml ↵  
.0298 Main-validation-file: ·  
.0298 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.0298 /A53DAB3EFFB4EC1DFF94FFD9517DD04A.xml ↵  
.0299 Scenario-name: ·gg-sch ↵  
.0300 Schema: ·  
.0300 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.0300 ent..sch ↵  
.0301 Engine-name: ·ISO-Schematron ↵  
.0302 Severity: ·error ↵  
.0303 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.0303 subSection ·or ·subSubSection. ↵  
.0304 Start-location: ·1701:108 ↵  
.0305 ↵  
.0306 System-ID: ·  
.0306 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.0306 /A53DAB3EFFB4EC1DFF94FFD9517DD04A.xml ↵  
.0307 Main-validation-file: ·  
.0307 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.0307 /A53DAB3EFFB4EC1DFF94FFD9517DD04A.xml ↵  
.0308 Scenario-name: ·gg-sch ↵  
.0309 Schema: ·  
.0309 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.0309 ent..sch ↵  
.0310 Engine-name: ·ISO-Schematron ↵  
.0311 Severity: ·error ↵  
.0312 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.0312 subSection ·or ·subSubSection. ↵  
.0313 Start-location: ·1728:143 ↵  
.0314 ↵  
.0315 System-ID: ·  
.0315 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.0315 /A53DAB3EFFB4EC1DFF94FFD9517DD04A.xml ↵  
.0316 Main-validation-file: ·

.0316 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.0316 /A53DAB3EFFB4EC1DFF94FFD9517DD04A.xml ↵  
.0317 Scenario.name: .gg-sch ↵  
.0318 Schema: .  
.0318 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
.0319 Engine.name: .ISO .Schematron ↵  
.0320 Severity: .error ↵  
.0321 Description: .A .paragraph .must .have .an .ancestor .  
.0321 subSection .or .subSubSection. ↵  
.0322 Start.location: .1752:108 ↵  
.0323 ↵  
.0324 System.ID: .  
.0324 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.0324 /A53DAB3EFFB4EC1DFF94FFD9517DD04A.xml ↵  
.0325 Main.validation.file: .  
.0325 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.0325 /A53DAB3EFFB4EC1DFF94FFD9517DD04A.xml ↵  
.0326 Scenario.name: .gg-sch ↵  
.0327 Schema: .  
.0327 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
.0328 Engine.name: .ISO .Schematron ↵  
.0329 Severity: .error ↵  
.0330 Description: .A .paragraph .must .have .an .ancestor .  
.0330 subSection .or .subSubSection. ↵  
.0331 Start.location: .1777:108 ↵  
.0332 ↵  
.0333 System.ID: .  
.0333 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.0333 /A53DAB3EFFB4EC1DFF94FFD9517DD04A.xml ↵  
.0334 Main.validation.file: .  
.0334 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.0334 /A53DAB3EFFB4EC1DFF94FFD9517DD04A.xml ↵  
.0335 Scenario.name: .gg-sch ↵

.0336 Schema: .  
.0336 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.0336 ent..sch↵  
.0337 Engine.name: ·ISO ·Schematron↵  
.0338 Severity: ·error↵  
.0339 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.0339 subSection ·or ·subSubSection.↵  
.0340 Start.location: ·1800:108↵  
.0341 ↵  
.0342 System.ID: .  
.0342 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.0342 /A53DAB3EFFB4EC1DFF94FFD9517DD04A.xml↵  
.0343 Main.validation-file: .  
.0343 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.0343 /A53DAB3EFFB4EC1DFF94FFD9517DD04A.xml↵  
.0344 Scenario.name: ·gg-sch↵  
.0345 Schema: .  
.0345 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.0345 ent..sch↵  
.0346 Engine.name: ·ISO ·Schematron↵  
.0347 Severity: ·error↵  
.0348 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.0348 subSection ·or ·subSubSection.↵  
.0349 Start.location: ·1829:108↵  
.0350 ↵  
.0351 System.ID: .  
.0351 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.0351 /A53DAB3EFFB4EC1DFF94FFD9517DD04A.xml↵  
.0352 Main.validation-file: .  
.0352 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.0352 /A53DAB3EFFB4EC1DFF94FFD9517DD04A.xml↵  
.0353 Scenario.name: ·gg-sch↵  
.0354 Schema: .  
.0354 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.0354 ent..sch↵

.0355 Engine ·name: ·ISO ·Schematron ↵  
.0356 Severity: ·error ↵  
.0357 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.0357 subSection ·or ·subSubSection. ↵  
.0358 Start ·location: ·1864:108 ↵  
.0359 ↵  
.0360 System ·ID: ·  
.0360 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.0360 /A53DAB3EFFB4EC1DFF94FFD9517DD04A.xml ↵  
.0361 Main ·validation ·file: ·  
.0361 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.0361 /A53DAB3EFFB4EC1DFF94FFD9517DD04A.xml ↵  
.0362 Scenario ·name: ·gg-sch ↵  
.0363 Schema: ·  
.0363 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.0363 ent..sch ↵  
.0364 Engine ·name: ·ISO ·Schematron ↵  
.0365 Severity: ·error ↵  
.0366 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.0366 subSection ·or ·subSubSection. ↵  
.0367 Start ·location: ·1891:108 ↵  
.0368 ↵  
.0369 System ·ID: ·  
.0369 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.0369 /A53DAB3EFFB4EC1DFF94FFD9517DD04A.xml ↵  
.0370 Main ·validation ·file: ·  
.0370 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.0370 /A53DAB3EFFB4EC1DFF94FFD9517DD04A.xml ↵  
.0371 Scenario ·name: ·gg-sch ↵  
.0372 Schema: ·  
.0372 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.0372 ent..sch ↵  
.0373 Engine ·name: ·ISO ·Schematron ↵  
.0374 Severity: ·error ↵  
.0375 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·

.0375 subSection ·or ·subSubSection .↳  
.0376 Start ·location: ·1920:108↳  
.0377 ↳  
.0378 System ·ID: ·  
.0378 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.0378 /A53DAB3EFFB4EC1DFF94FFD9517DD04A.xml↳  
.0379 Main ·validation ·file: ·  
.0379 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.0379 /A53DAB3EFFB4EC1DFF94FFD9517DD04A.xml↳  
.0380 Scenario ·name: ·gg-sch↳  
.0381 Schema: ·  
.0381 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.0381 ent..sch↳  
.0382 Engine ·name: ·ISO ·Schematron↳  
.0383 Severity: ·error↳  
.0384 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.0384 subSection ·or ·subSubSection .↳  
.0385 Start ·location: ·1945:108↳  
.0386 ↳  
.0387 System ·ID: ·  
.0387 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.0387 /A53DAB3EFFB4EC1DFF94FFD9517DD04A.xml↳  
.0388 Main ·validation ·file: ·  
.0388 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.0388 /A53DAB3EFFB4EC1DFF94FFD9517DD04A.xml↳  
.0389 Scenario ·name: ·gg-sch↳  
.0390 Schema: ·  
.0390 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.0390 ent..sch↳  
.0391 Engine ·name: ·ISO ·Schematron↳  
.0392 Severity: ·error↳  
.0393 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.0393 subSection ·or ·subSubSection .↳  
.0394 Start ·location: ·1972:108↳  
.0395 ↳

.0396 System·ID: ·  
.0396 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.0396 /A53DAB3EFFB4EC1DFF94FFD9517DD04A.xml↵  
.0397 Main·validation·file: ·  
.0397 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.0397 /A53DAB3EFFB4EC1DFF94FFD9517DD04A.xml↵  
.0398 Scenario·name: ·gg-sch↵  
.0399 Schema: ·  
.0399 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.0399 ent..sch↵  
.0400 Engine·name: ·ISO·Schematron↵  
.0401 Severity: ·error↵  
.0402 Description: ·A·paragraph·must·have·an·ancestor·  
.0402 subSection·or·subSubSection.↵  
.0403 Start·location: ·2003:108↵  
.0404 ↵  
.0405 System·ID: ·  
.0405 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.0405 /A53DAB3EFFB4EC1DFF94FFD9517DD04A.xml↵  
.0406 Main·validation·file: ·  
.0406 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.0406 /A53DAB3EFFB4EC1DFF94FFD9517DD04A.xml↵  
.0407 Scenario·name: ·gg-sch↵  
.0408 Schema: ·  
.0408 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.0408 ent..sch↵  
.0409 Engine·name: ·ISO·Schematron↵  
.0410 Severity: ·error↵  
.0411 Description: ·A·paragraph·must·have·an·ancestor·  
.0411 subSection·or·subSubSection.↵  
.0412 Start·location: ·2028:108↵  
.0413 ↵  
.0414 System·ID: ·  
.0414 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.0414 /A53DAB3EFFB4EC1DFF94FFD9517DD04A.xml↵

.0415 Main-validation-file: .  
.0415 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.0415 /A53DAB3EFFB4EC1DFF94FFD9517DD04A.xml↵  
.0416 Scenario-name: ·gg-sch↵  
.0417 Schema: .  
.0417 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.0417 ent..sch↵  
.0418 Engine-name: ·ISO ·Schematron↵  
.0419 Severity: ·error↵  
.0420 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.0420 subSection ·or ·subSubSection.↵  
.0421 Start-location: ·2053:108↵  
.0422 ↵  
.0423 System-ID: .  
.0423 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.0423 /A53DAB3EFFB4EC1DFF94FFD9517DD04A.xml↵  
.0424 Main-validation-file: .  
.0424 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.0424 /A53DAB3EFFB4EC1DFF94FFD9517DD04A.xml↵  
.0425 Scenario-name: ·gg-sch↵  
.0426 Schema: .  
.0426 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.0426 ent..sch↵  
.0427 Engine-name: ·ISO ·Schematron↵  
.0428 Severity: ·error↵  
.0429 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.0429 subSection ·or ·subSubSection.↵  
.0430 Start-location: ·2076:108↵  
.0431 ↵  
.0432 System-ID: .  
.0432 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.0432 /A53DAB3EFFB4EC1DFF94FFD9517DD04A.xml↵  
.0433 Main-validation-file: .  
.0433 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.0433 /A53DAB3EFFB4EC1DFF94FFD9517DD04A.xml↵

.0434 Scenario ·name: ·gg-sch ↵  
.0435 Schema: ·  
.0435 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
.0436 Engine ·name: ·ISO ·Schematron ↵  
.0437 Severity: ·error ↵  
.0438 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.0438 subSection ·or ·subSubSection. ↵  
.0439 Start ·location: ·2102:108 ↵  
.0440 ↵  
.0441 System ·ID: ·  
.0441 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.0441 /A53DAB3EFFB4EC1DFF94FFD9517DD04A.xml ↵  
.0442 Main ·validation ·file: ·  
.0442 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.0442 /A53DAB3EFFB4EC1DFF94FFD9517DD04A.xml ↵  
.0443 Scenario ·name: ·gg-sch ↵  
.0444 Schema: ·  
.0444 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
.0445 Engine ·name: ·ISO ·Schematron ↵  
.0446 Severity: ·error ↵  
.0447 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.0447 subSection ·or ·subSubSection. ↵  
.0448 Start ·location: ·2124:144 ↵  
.0449 ↵  
.0450 System ·ID: ·  
.0450 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.0450 /A53DAB3EFFB4EC1DFF94FFD9517DD04A.xml ↵  
.0451 Main ·validation ·file: ·  
.0451 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.0451 /A53DAB3EFFB4EC1DFF94FFD9517DD04A.xml ↵  
.0452 Scenario ·name: ·gg-sch ↵  
.0453 Schema: ·  
.0453 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm

```
.0453 ent..sch↵
.0454 Engine.name: ·ISO ·Schematron↵
.0455 Severity: ·error↵
.0456 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
.0456 subSection ·or ·subSubSection.↵
.0457 Start ·location: ·2151:109↵
.0458 ↵
.0459 System ·ID: ·
.0459 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
.0459 /A53DAB3EFFB4EC1DFF94FFD9517DD04A.xml↵
.0460 Main ·validation ·file: ·
.0460 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
.0460 /A53DAB3EFFB4EC1DFF94FFD9517DD04A.xml↵
.0461 Scenario ·name: ·gg-sch↵
.0462 Schema: ·
.0462 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
.0462 ent..sch↵
.0463 Engine.name: ·ISO ·Schematron↵
.0464 Severity: ·error↵
.0465 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
.0465 subSection ·or ·subSubSection.↵
.0466 Start ·location: ·2181:109↵
.0467 ↵
.0468 System ·ID: ·
.0468 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
.0468 /A53DAB3EFFB4EC1DFF94FFD9517DD04A.xml↵
.0469 Main ·validation ·file: ·
.0469 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
.0469 /A53DAB3EFFB4EC1DFF94FFD9517DD04A.xml↵
.0470 Scenario ·name: ·gg-sch↵
.0471 Schema: ·
.0471 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
.0471 ent..sch↵
.0472 Engine.name: ·ISO ·Schematron↵
.0473 Severity: ·error↵
```

.0474 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.0474 subSection ·or ·subSubSection. ↵  
.0475 Start ·location: ·2196:109 ↵  
.0476 ↵  
.0477 System ·ID: ·  
.0477 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.0477 /A53DAB3EFFB4EC1DFF94FFD9517DD04A.xml ↵  
.0478 Main ·validation ·file: ·  
.0478 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.0478 /A53DAB3EFFB4EC1DFF94FFD9517DD04A.xml ↵  
.0479 Scenario ·name: ·gg-sch ↵  
.0480 Schema: ·  
.0480 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.0480 ent..sch ↵  
.0481 Engine ·name: ·ISO ·Schematron ↵  
.0482 Severity: ·error ↵  
.0483 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.0483 subSection ·or ·subSubSection. ↵  
.0484 Start ·location: ·2210:109 ↵  
.0485 ↵  
.0486 System ·ID: ·  
.0486 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.0486 /A53DAB3EFFB4EC1DFF94FFD9517DD04A.xml ↵  
.0487 Main ·validation ·file: ·  
.0487 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.0487 /A53DAB3EFFB4EC1DFF94FFD9517DD04A.xml ↵  
.0488 Scenario ·name: ·gg-sch ↵  
.0489 Schema: ·  
.0489 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.0489 ent..sch ↵  
.0490 Engine ·name: ·ISO ·Schematron ↵  
.0491 Severity: ·error ↵  
.0492 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.0492 subSection ·or ·subSubSection. ↵  
.0493 Start ·location: ·2256:109 ↵

```
.0494 <System·ID: ·  
.0495 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.0495 /A53DAB3EFFB4EC1DFF94FFD9517DD04A.xml<  
.0496 Main·validation·file: ·  
.0496 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.0496 /A53DAB3EFFB4EC1DFF94FFD9517DD04A.xml<  
.0497 Scenario·name: ·gg-sch<  
.0498 Schema: ·  
.0498 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm  
ent..sch<  
.0499 Engine·name: ·ISO·Schematron<  
.0500 Severity: ·error<  
.0501 Description: ·A·paragraph·must·have·an·ancestor·  
.0501 subSection·or·subSubSection.<  
.0502 Start·location: ·2287:109<  
.0503 <  
.0504 System·ID: ·  
.0504 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.0504 /A53DAB3EFFB4EC1DFF94FFD9517DD04A.xml<  
.0505 Main·validation·file: ·  
.0505 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.0505 /A53DAB3EFFB4EC1DFF94FFD9517DD04A.xml<  
.0506 Scenario·name: ·gg-sch<  
.0507 Schema: ·  
.0507 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm  
ent..sch<  
.0508 Engine·name: ·ISO·Schematron<  
.0509 Severity: ·error<  
.0510 Description: ·A·paragraph·must·have·an·ancestor·  
.0510 subSection·or·subSubSection.<  
.0511 Start·location: ·2311:109<  
.0512 <  
.0513 System·ID: ·  
.0513 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
```

.0513 /A53DAB3EFFB4EC1DFF94FFD9517DD04A.xml ↵  
.0514 Main-validation-file: ·  
.0514 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.0514 /A53DAB3EFFB4EC1DFF94FFD9517DD04A.xml ↵  
.0515 Scenario-name: ·gg-sch ↵  
.0516 Schema: ·  
.0516 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.0516 ent..sch ↵  
.0517 Engine-name: ·ISO-Schematron ↵  
.0518 Severity: ·error ↵  
.0519 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.0519 subSection ·or ·subSubSection. ↵  
.0520 Start-location: ·2336:109 ↵  
.0521 ↵  
.0522 System-ID: ·  
.0522 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.0522 /A53DAB3EFFB4EC1DFF94FFD9517DD04A.xml ↵  
.0523 Main-validation-file: ·  
.0523 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.0523 /A53DAB3EFFB4EC1DFF94FFD9517DD04A.xml ↵  
.0524 Scenario-name: ·gg-sch ↵  
.0525 Schema: ·  
.0525 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.0525 ent..sch ↵  
.0526 Engine-name: ·ISO-Schematron ↵  
.0527 Severity: ·error ↵  
.0528 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.0528 subSection ·or ·subSubSection. ↵  
.0529 Start-location: ·2361:109 ↵  
.0530 ↵  
.0531 System-ID: ·  
.0531 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.0531 /A53DAB3EFFB4EC1DFF94FFD9517DD04A.xml ↵  
.0532 Main-validation-file: ·  
.0532 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax

.0532 /A53DAB3EFFB4EC1DFF94FFD9517DD04A.xml ↵  
.0533 Scenario.name: .gg-sch ↵  
.0534 Schema: .  
.0534 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
.0535 Engine.name: .ISO.Schematron ↵  
.0536 Severity: .error ↵  
.0537 Description: .A.paragraph.must.have.an.ancestor.  
.0537 subSection.or.subSubSection. ↵  
.0538 Start.location: .2388:109 ↵  
.0539 ↵  
.0540 System.ID: .  
.0540 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.0540 /A53DAB3EFFB4EC1DFF94FFD9517DD04A.xml ↵  
.0541 Main.validation.file: .  
.0541 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.0541 /A53DAB3EFFB4EC1DFF94FFD9517DD04A.xml ↵  
.0542 Scenario.name: .gg-sch ↵  
.0543 Schema: .  
.0543 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
.0544 Engine.name: .ISO.Schematron ↵  
.0545 Severity: .error ↵  
.0546 Description: .A.paragraph.must.have.an.ancestor.  
.0546 subSection.or.subSubSection. ↵  
.0547 Start.location: .2411:109 ↵  
.0548 ↵  
.0549 System.ID: .  
.0549 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.0549 /A53DAB3EFFB4EC1DFF94FFD9517DD04A.xml ↵  
.0550 Main.validation.file: .  
.0550 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.0550 /A53DAB3EFFB4EC1DFF94FFD9517DD04A.xml ↵  
.0551 Scenario.name: .gg-sch ↵  
.0552 Schema: .

.0552 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.0552 ent..sch↵  
.0553 Engine.name: ·ISO ·Schematron↵  
.0554 Severity: ·error↵  
.0555 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.0555 subSection ·or ·subSubSection.↵  
.0556 Start ·location: ·2438:109↵  
.0557 ↵  
.0558 System ·ID: ·  
.0558 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.0558 /A53DAB3EFFB4EC1DFF94FFD9517DD04A.xml↵  
.0559 Main ·validation ·file: ·  
.0559 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.0559 /A53DAB3EFFB4EC1DFF94FFD9517DD04A.xml↵  
.0560 Scenario ·name: ·gg-sch↵  
.0561 Schema: ·  
.0561 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.0561 ent..sch↵  
.0562 Engine.name: ·ISO ·Schematron↵  
.0563 Severity: ·error↵  
.0564 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.0564 subSection ·or ·subSubSection.↵  
.0565 Start ·location: ·2462:109↵  
.0566 ↵  
.0567 System ·ID: ·  
.0567 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.0567 /A53DAB3EFFB4EC1DFF94FFD9517DD04A.xml↵  
.0568 Main ·validation ·file: ·  
.0568 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.0568 /A53DAB3EFFB4EC1DFF94FFD9517DD04A.xml↵  
.0569 Scenario ·name: ·gg-sch↵  
.0570 Schema: ·  
.0570 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.0570 ent..sch↵  
.0571 Engine.name: ·ISO ·Schematron↵

.0572 Severity: ·error ↵  
.0573 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.0573 subSection ·or ·subSubSection. ↵  
.0574 Start ·location: ·2485:109 ↵  
.0575 ↵  
.0576 System ·ID: ·  
/Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.0576 /A53DAB3EFFB4EC1DFF94FFD9517DD04A.xml ↵  
.0577 Main ·validation ·file: ·  
/Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.0577 /A53DAB3EFFB4EC1DFF94FFD9517DD04A.xml ↵  
.0578 Scenario ·name: ·gg-sch ↵  
.0579 Schema: ·  
/Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.0579 ent..sch ↵  
.0580 Engine ·name: ·ISO ·Schematron ↵  
.0581 Severity: ·error ↵  
.0582 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.0582 subSection ·or ·subSubSection. ↵  
.0583 Start ·location: ·2507:109 ↵  
.0584 ↵  
.0585 System ·ID: ·  
/Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.0585 /A53DAB3EFFB4EC1DFF94FFD9517DD04A.xml ↵  
.0586 Main ·validation ·file: ·  
/Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.0586 /A53DAB3EFFB4EC1DFF94FFD9517DD04A.xml ↵  
.0587 Scenario ·name: ·gg-sch ↵  
.0588 Schema: ·  
/Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.0588 ent..sch ↵  
.0589 Engine ·name: ·ISO ·Schematron ↵  
.0590 Severity: ·error ↵  
.0591 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.0591 subSection ·or ·subSubSection. ↵

.0592 Start ·location: ·2530:109 ↵  
.0593 ↵  
.0594 System ·ID: ·  
.0594 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.0594 /A53DAB3EFFB4EC1DFF94FFD9517DD04A.xml ↵  
.0595 Main ·validation ·file: ·  
.0595 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.0595 /A53DAB3EFFB4EC1DFF94FFD9517DD04A.xml ↵  
.0596 Scenario ·name: ·gg-sch ↵  
.0597 Schema: ·  
.0597 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.0597 ent..sch ↵  
.0598 Engine ·name: ·ISO ·Schematron ↵  
.0599 Severity: ·error ↵  
.0600 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.0600 subSection ·or ·subSubSection. ↵  
.0601 Start ·location: ·2557:109 ↵  
.0602 ↵  
.0603 System ·ID: ·  
.0603 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.0603 /AD5BFFF2FFA6FFFC7E236F6DC61F9758.xml ↵  
.0604 Main ·validation ·file: ·  
.0604 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.0604 /AD5BFFF2FFA6FFFC7E236F6DC61F9758.xml ↵  
.0605 Scenario ·name: ·gg-sch ↵  
.0606 Schema: ·  
.0606 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.0606 ent..sch ↵  
.0607 Engine ·name: ·ISO ·Schematron ↵  
.0608 Severity: ·error ↵  
.0609 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.0609 subSection ·or ·subSubSection. ↵  
.0610 Start ·location: ·2100:78 ↵  
.0611 ↵  
.0612 System ·ID: ·

.0612 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.0612 /BB6C6869935CFFC7FFA3C91DA80B2302.xml ↵  
.0613 Main-validation-file: ·  
.0613 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.0613 /BB6C6869935CFFC7FFA3C91DA80B2302.xml ↵  
.0614 Scenario-name: ·gg-sch ↵  
.0615 Schema: ·  
.0615 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.0615 ent..sch ↵  
.0616 Engine-name: ·ISO ·Schematron ↵  
.0617 Severity: ·error ↵  
.0618 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.0618 subSection ·or ·subSubSection. ↵  
.0619 Start-location: ·296:113 ↵  
.0620 ↵  
.0621 System-ID: ·  
.0621 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.0621 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.0622 Main-validation-file: ·  
.0622 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.0622 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.0623 Scenario-name: ·gg-sch ↵  
.0624 Schema: ·  
.0624 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.0624 ent..sch ↵  
.0625 Engine-name: ·ISO ·Schematron ↵  
.0626 Severity: ·error ↵  
.0627 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.0627 subSection ·or ·subSubSection. ↵  
.0628 Start-location: ·230:108 ↵  
.0629 ↵  
.0630 System-ID: ·  
.0630 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.0630 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.0631 Main-validation-file: ·

.0631 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.0631 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.0632 Scenario.name: .gg-sch ↵  
.0633 Schema: .  
.0633 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
.0634 Engine.name: .ISO .Schematron ↵  
.0635 Severity: .error ↵  
.0636 Description: .A .paragraph .must .have .an .ancestor .  
.0636 subSection .or .subSubSection. ↵  
.0637 Start.location: .233:108 ↵  
.0638 ↵  
.0639 System.ID: .  
.0639 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.0639 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.0640 Main.validation.file: .  
.0640 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.0640 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.0641 Scenario.name: .gg-sch ↵  
.0642 Schema: .  
.0642 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
.0643 Engine.name: .ISO .Schematron ↵  
.0644 Severity: .error ↵  
.0645 Description: .A .paragraph .must .have .an .ancestor .  
.0645 subSection .or .subSubSection. ↵  
.0646 Start.location: .234:132 ↵  
.0647 ↵  
.0648 System.ID: .  
.0648 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.0648 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.0649 Main.validation.file: .  
.0649 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.0649 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.0650 Scenario.name: .gg-sch ↵

.0651 Schema: .  
.0651 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.0651 ent..sch↵  
.0652 Engine.name: ·ISO ·Schematron↵  
.0653 Severity: ·error↵  
.0654 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.0654 subSection ·or ·subSubSection.↵  
.0655 Start.location: ·240:132↵  
.0656 ↵  
.0657 System.ID: .  
.0657 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.0657 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.0658 Main.validation-file: .  
.0658 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.0658 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.0659 Scenario.name: ·gg-sch↵  
.0660 Schema: .  
.0660 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.0660 ent..sch↵  
.0661 Engine.name: ·ISO ·Schematron↵  
.0662 Severity: ·error↵  
.0663 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.0663 subSection ·or ·subSubSection.↵  
.0664 Start.location: ·246:132↵  
.0665 ↵  
.0666 System.ID: .  
.0666 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.0666 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.0667 Main.validation-file: .  
.0667 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.0667 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.0668 Scenario.name: ·gg-sch↵  
.0669 Schema: .  
.0669 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.0669 ent..sch↵

.0670 Engine.name: ·ISO ·Schematron↵  
.0671 Severity: ·error↵  
.0672 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.0672 subSection ·or ·subSubSection.↵  
.0673 Start.location: ·252:132↵  
.0674 ↵  
.0675 System.ID: ·  
.0675 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.0675 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.0676 Main.validation.file: ·  
.0676 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.0676 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.0677 Scenario.name: ·gg-sch↵  
.0678 Schema: ·  
.0678 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.0678 ent..sch↵  
.0679 Engine.name: ·ISO ·Schematron↵  
.0680 Severity: ·error↵  
.0681 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.0681 subSection ·or ·subSubSection.↵  
.0682 Start.location: ·258:132↵  
.0683 ↵  
.0684 System.ID: ·  
.0684 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.0684 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.0685 Main.validation.file: ·  
.0685 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.0685 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.0686 Scenario.name: ·gg-sch↵  
.0687 Schema: ·  
.0687 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.0687 ent..sch↵  
.0688 Engine.name: ·ISO ·Schematron↵  
.0689 Severity: ·error↵  
.0690 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·

.0690 subSection ·or ·subSubSection .↳  
.0691 Start ·location: ·264:132↳  
.0692 ↳  
.0693 System ·ID: ·  
.0693 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.0693 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↳  
.0694 Main ·validation ·file: ·  
.0694 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.0694 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↳  
.0695 Scenario ·name: ·gg-sch↳  
.0696 Schema: ·  
.0696 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.0696 ent..sch↳  
.0697 Engine ·name: ·ISO ·Schematron↳  
.0698 Severity: ·error↳  
.0699 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.0699 subSection ·or ·subSubSection .↳  
.0700 Start ·location: ·270:132↳  
.0701 ↳  
.0702 System ·ID: ·  
.0702 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.0702 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↳  
.0703 Main ·validation ·file: ·  
.0703 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.0703 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↳  
.0704 Scenario ·name: ·gg-sch↳  
.0705 Schema: ·  
.0705 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.0705 ent..sch↳  
.0706 Engine ·name: ·ISO ·Schematron↳  
.0707 Severity: ·error↳  
.0708 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.0708 subSection ·or ·subSubSection .↳  
.0709 Start ·location: ·276:132↳  
.0710 ↳

.0711 System·ID: ·  
.0711 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.0711 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵

.0712 Main·validation·file: ·  
.0712 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.0712 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵

.0713 Scenario·name: ·gg-sch ↵

.0714 Schema: ·  
.0714 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵

.0715 Engine·name: ·ISO·Schematron ↵

.0716 Severity: ·error ↵

.0717 Description: ·A·paragraph·must·have·an·ancestor·  
.0717 subSection·or·subSubSection. ↵

.0718 Start·location: ·282:132 ↵

.0719 ↵

.0720 System·ID: ·  
.0720 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.0720 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵

.0721 Main·validation·file: ·  
.0721 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.0721 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵

.0722 Scenario·name: ·gg-sch ↵

.0723 Schema: ·  
.0723 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵

.0724 Engine·name: ·ISO·Schematron ↵

.0725 Severity: ·error ↵

.0726 Description: ·A·paragraph·must·have·an·ancestor·  
.0726 subSection·or·subSubSection. ↵

.0727 Start·location: ·288:132 ↵

.0728 ↵

.0729 System·ID: ·  
.0729 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.0729 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵

.0730 Main-validation-file: .  
.0730 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.0730 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.0731 Scenario-name: ·gg-sch↵  
.0732 Schema: .  
.0732 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch↵  
.0733 Engine-name: ·ISO ·Schematron↵  
.0734 Severity: ·error↵  
.0735 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.0735 subSection ·or ·subSubSection.↵  
.0736 Start-location: ·292:132↵  
.0737 ↵  
.0738 System-ID: .  
.0738 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.0738 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.0739 Main-validation-file: .  
.0739 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.0739 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.0740 Scenario-name: ·gg-sch↵  
.0741 Schema: .  
.0741 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch↵  
.0742 Engine-name: ·ISO ·Schematron↵  
.0743 Severity: ·error↵  
.0744 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.0744 subSection ·or ·subSubSection.↵  
.0745 Start-location: ·298:133↵  
.0746 ↵  
.0747 System-ID: .  
.0747 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.0747 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.0748 Main-validation-file: .  
.0748 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.0748 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵

.0749 Scenario ·name: ·gg-sch ↵  
.0750 Schema: ·  
.0750 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
.0751 Engine ·name: ·ISO ·Schematron ↵  
.0752 Severity: ·error ↵  
.0753 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.0753 subSection ·or ·subSubSection. ↵  
.0754 Start ·location: ·304:134 ↵  
.0755 ↵  
.0756 System ·ID: ·  
.0756 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
/BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.0757 Main ·validation ·file: ·  
.0757 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
/BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.0758 Scenario ·name: ·gg-sch ↵  
.0759 Schema: ·  
.0759 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
.0760 Engine ·name: ·ISO ·Schematron ↵  
.0761 Severity: ·error ↵  
.0762 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.0762 subSection ·or ·subSubSection. ↵  
.0763 Start ·location: ·310:134 ↵  
.0764 ↵  
.0765 System ·ID: ·  
.0765 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
/BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.0766 Main ·validation ·file: ·  
.0766 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
/BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.0767 Scenario ·name: ·gg-sch ↵  
.0768 Schema: ·  
.0768 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm

.0768 ent..sch↵  
.0769 Engine.name: ·ISO ·Schematron↵  
.0770 Severity: ·error↵  
.0771 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
subSection ·or ·subSubSection.↵  
.0772 Start ·location: ·316:134↵  
.0773 ↵  
.0774 System ·ID: ·  
.0774 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.0774 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.0775 Main ·validation ·file: ·  
.0775 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.0775 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.0776 Scenario ·name: ·gg-sch↵  
.0777 Schema: ·  
.0777 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.0777 ent..sch↵  
.0778 Engine.name: ·ISO ·Schematron↵  
.0779 Severity: ·error↵  
.0780 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
subSection ·or ·subSubSection.↵  
.0781 Start ·location: ·322:134↵  
.0782 ↵  
.0783 System ·ID: ·  
.0783 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.0783 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.0784 Main ·validation ·file: ·  
.0784 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.0784 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.0785 Scenario ·name: ·gg-sch↵  
.0786 Schema: ·  
.0786 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.0786 ent..sch↵  
.0787 Engine.name: ·ISO ·Schematron↵  
.0788 Severity: ·error↵

.0789 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.0789 subSection ·or ·subSubSection. ↵  
.0790 Start ·location: ·328:134 ↵  
.0791 ↵  
.0792 System ·ID: ·  
.0792 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.0792 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.0793 Main ·validation ·file: ·  
.0793 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.0793 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.0794 Scenario ·name: ·gg-sch ↵  
.0795 Schema: ·  
.0795 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.0795 ent..sch ↵  
.0796 Engine ·name: ·ISO ·Schematron ↵  
.0797 Severity: ·error ↵  
.0798 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.0798 subSection ·or ·subSubSection. ↵  
.0799 Start ·location: ·334:134 ↵  
.0800 ↵  
.0801 System ·ID: ·  
.0801 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.0801 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.0802 Main ·validation ·file: ·  
.0802 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.0802 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.0803 Scenario ·name: ·gg-sch ↵  
.0804 Schema: ·  
.0804 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.0804 ent..sch ↵  
.0805 Engine ·name: ·ISO ·Schematron ↵  
.0806 Severity: ·error ↵  
.0807 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.0807 subSection ·or ·subSubSection. ↵  
.0808 Start ·location: ·340:134 ↵

.0809 <  
.0810 System·ID: ·  
.0810 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.0810 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml<  
.0811 Main·validation·file: ·  
.0811 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.0811 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml<  
.0812 Scenario·name: ·gg-sch<  
.0813 Schema: ·  
.0813 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.0813 ent..sch<  
.0814 Engine·name: ·ISO·Schematron<  
.0815 Severity: ·error<  
.0816 Description: ·A·paragraph·must·have·an·ancestor·  
.0816 subSection·or·subSubSection.<  
.0817 Start·location: ·346:134<  
.0818 <  
.0819 System·ID: ·  
.0819 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.0819 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml<  
.0820 Main·validation·file: ·  
.0820 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.0820 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml<  
.0821 Scenario·name: ·gg-sch<  
.0822 Schema: ·  
.0822 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.0822 ent..sch<  
.0823 Engine·name: ·ISO·Schematron<  
.0824 Severity: ·error<  
.0825 Description: ·A·paragraph·must·have·an·ancestor·  
.0825 subSection·or·subSubSection.<  
.0826 Start·location: ·347:108<  
.0827 <  
.0828 System·ID: ·  
.0828 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax

.0828 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.0829 Main-validation-file: .  
.0829 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.0829 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.0830 Scenario-name: .gg-sch ↵  
.0831 Schema: .  
.0831 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.0831 ent..sch ↵  
.0832 Engine-name: .ISO-Schematron ↵  
.0833 Severity: .error ↵  
.0834 Description: .A.paragraph.must.have.an.ancestor.  
.0834 subSection.or.subSubSection. ↵  
.0835 Start-location: .348:134 ↵  
.0836 ↵  
.0837 System-ID: .  
.0837 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.0837 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.0838 Main-validation-file: .  
.0838 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.0838 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.0839 Scenario-name: .gg-sch ↵  
.0840 Schema: .  
.0840 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.0840 ent..sch ↵  
.0841 Engine-name: .ISO-Schematron ↵  
.0842 Severity: .error ↵  
.0843 Description: .A.paragraph.must.have.an.ancestor.  
.0843 subSection.or.subSubSection. ↵  
.0844 Start-location: .353:178 ↵  
.0845 ↵  
.0846 System-ID: .  
.0846 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.0846 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.0847 Main-validation-file: .  
.0847 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax

.0847 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.0848 Scenario.name: .gg-sch ↵  
.0849 Schema: .  
.0849 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
.0850 Engine.name: .ISO.Schematron ↵  
.0851 Severity: .error ↵  
.0852 Description: .A.paragraph.must.have.an.ancestor.  
.0852 subSection.or.subSubSection. ↵  
.0853 Start.location: .359:108 ↵  
.0854 ↵  
.0855 System.ID: .  
.0855 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.0855 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.0856 Main.validation.file: .  
.0856 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.0856 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.0857 Scenario.name: .gg-sch ↵  
.0858 Schema: .  
.0858 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
.0859 Engine.name: .ISO.Schematron ↵  
.0860 Severity: .error ↵  
.0861 Description: .A.paragraph.must.have.an.ancestor.  
.0861 subSection.or.subSubSection. ↵  
.0862 Start.location: .370:109 ↵  
.0863 ↵  
.0864 System.ID: .  
.0864 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.0864 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.0865 Main.validation.file: .  
.0865 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.0865 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.0866 Scenario.name: .gg-sch ↵  
.0867 Schema: .

.0867 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.0867 ent..sch↵  
.0868 Engine.name: ·ISO ·Schematron↵  
.0869 Severity: ·error↵  
.0870 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.0870 subSection ·or ·subSubSection.↵  
.0871 Start ·location: ·377:108↵  
.0872 ↵  
.0873 System ·ID: ·  
.0873 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.0873 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.0874 Main ·validation ·file: ·  
.0874 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.0874 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.0875 Scenario ·name: ·gg-sch↵  
.0876 Schema: ·  
.0876 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.0876 ent..sch↵  
.0877 Engine.name: ·ISO ·Schematron↵  
.0878 Severity: ·error↵  
.0879 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.0879 subSection ·or ·subSubSection.↵  
.0880 Start ·location: ·390:179↵  
.0881 ↵  
.0882 System ·ID: ·  
.0882 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.0882 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.0883 Main ·validation ·file: ·  
.0883 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.0883 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.0884 Scenario ·name: ·gg-sch↵  
.0885 Schema: ·  
.0885 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.0885 ent..sch↵  
.0886 Engine.name: ·ISO ·Schematron↵

.0887 Severity: ·error ↵  
.0888 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.0888 subSection ·or ·subSubSection. ↵  
.0889 Start ·location: ·400:108 ↵  
.0890 ↵  
.0891 System ·ID: ·  
/Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
/BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.0892 Main ·validation ·file: ·  
/Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
/BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.0893 Scenario ·name: ·gg-sch ↵  
.0894 Schema: ·  
/Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
.0895 Engine ·name: ·ISO ·Schematron ↵  
.0896 Severity: ·error ↵  
.0897 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.0897 subSection ·or ·subSubSection. ↵  
.0898 Start ·location: ·405:108 ↵  
.0899 ↵  
.0900 System ·ID: ·  
/Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
/BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.0901 Main ·validation ·file: ·  
/Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
/BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.0902 Scenario ·name: ·gg-sch ↵  
.0903 Schema: ·  
/Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
.0904 Engine ·name: ·ISO ·Schematron ↵  
.0905 Severity: ·error ↵  
.0906 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.0906 subSection ·or ·subSubSection. ↵

.0907 Start ·location: ·412:145 ↵  
.0908 ↵  
.0909 System ·ID: ·  
.0909 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.0909 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.0910 Main ·validation ·file: ·  
.0910 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.0910 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.0911 Scenario ·name: ·gg-sch ↵  
.0912 Schema: ·  
.0912 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.0912 ent..sch ↵  
.0913 Engine ·name: ·ISO ·Schematron ↵  
.0914 Severity: ·error ↵  
.0915 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.0915 subSection ·or ·subSubSection. ↵  
.0916 Start ·location: ·423:109 ↵  
.0917 ↵  
.0918 System ·ID: ·  
.0918 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.0918 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.0919 Main ·validation ·file: ·  
.0919 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.0919 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.0920 Scenario ·name: ·gg-sch ↵  
.0921 Schema: ·  
.0921 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.0921 ent..sch ↵  
.0922 Engine ·name: ·ISO ·Schematron ↵  
.0923 Severity: ·error ↵  
.0924 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.0924 subSection ·or ·subSubSection. ↵  
.0925 Start ·location: ·424:130 ↵  
.0926 ↵  
.0927 System ·ID: ·

.0927 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.0927 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.0928 Main-validation-file: ·  
.0928 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.0928 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.0929 Scenario-name: ·gg-sch ↵  
.0930 Schema: ·  
.0930 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.0930 ent..sch ↵  
.0931 Engine-name: ·ISO ·Schematron ↵  
.0932 Severity: ·error ↵  
.0933 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.0933 subSection ·or ·subSubSection. ↵  
.0934 Start-location: ·427:130 ↵  
.0935 ↵  
.0936 System-ID: ·  
.0936 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.0936 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.0937 Main-validation-file: ·  
.0937 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.0937 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.0938 Scenario-name: ·gg-sch ↵  
.0939 Schema: ·  
.0939 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.0939 ent..sch ↵  
.0940 Engine-name: ·ISO ·Schematron ↵  
.0941 Severity: ·error ↵  
.0942 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.0942 subSection ·or ·subSubSection. ↵  
.0943 Start-location: ·432:107 ↵  
.0944 ↵  
.0945 System-ID: ·  
.0945 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.0945 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.0946 Main-validation-file: ·

.0946 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.0946 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.0947 Scenario.name: .gg-sch ↵  
.0948 Schema: .  
.0948 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
.0949 Engine.name: .ISO .Schematron ↵  
.0950 Severity: .error ↵  
.0951 Description: .A .paragraph .must .have .an .ancestor .  
.0951 subSection .or .subSubSection. ↵  
.0952 Start.location: .447:107 ↵  
.0953 ↵  
.0954 System.ID: .  
.0954 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.0954 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.0955 Main.validation.file: .  
.0955 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.0955 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.0956 Scenario.name: .gg-sch ↵  
.0957 Schema: .  
.0957 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
.0958 Engine.name: .ISO .Schematron ↵  
.0959 Severity: .error ↵  
.0960 Description: .A .paragraph .must .have .an .ancestor .  
.0960 subSection .or .subSubSection. ↵  
.0961 Start.location: .456:134 ↵  
.0962 ↵  
.0963 System.ID: .  
.0963 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.0963 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.0964 Main.validation.file: .  
.0964 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.0964 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.0965 Scenario.name: .gg-sch ↵

.0966 Schema: .  
.0966 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch↵  
.0967 Engine.name: ·ISO ·Schematron↵  
.0968 Severity: ·error↵  
.0969 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
subSection ·or ·subSubSection.↵  
.0970 Start.location: ·461:108↵  
.0971 ↵  
.0972 System.ID: .  
.0972 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
/BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.0973 Main.validation.file: .  
.0973 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
/BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.0974 Scenario.name: ·gg-sch↵  
.0975 Schema: .  
.0975 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch↵  
.0976 Engine.name: ·ISO ·Schematron↵  
.0977 Severity: ·error↵  
.0978 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
subSection ·or ·subSubSection.↵  
.0979 Start.location: ·467:144↵  
.0980 ↵  
.0981 System.ID: .  
.0981 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
/BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.0982 Main.validation.file: .  
.0982 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
/BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.0983 Scenario.name: ·gg-sch↵  
.0984 Schema: .  
.0984 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch↵

.0985 Engine ·name: ·ISO ·Schematron ↵  
.0986 Severity: ·error ↵  
.0987 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
subSection ·or ·subSubSection. ↵  
.0988 Start ·location: ·476:108 ↵  
.0989 ↵  
.0990 System ·ID: ·  
/Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
/BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.0991 Main ·validation ·file: ·  
/Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
/BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.0992 Scenario ·name: ·gg-sch ↵  
.0993 Schema: ·  
/Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
.0994 Engine ·name: ·ISO ·Schematron ↵  
.0995 Severity: ·error ↵  
.0996 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
subSection ·or ·subSubSection. ↵  
.0997 Start ·location: ·487:108 ↵  
.0998 ↵  
.0999 System ·ID: ·  
/Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
/BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.1000 Main ·validation ·file: ·  
/Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
/BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.1001 Scenario ·name: ·gg-sch ↵  
.1002 Schema: ·  
/Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
.1003 Engine ·name: ·ISO ·Schematron ↵  
.1004 Severity: ·error ↵  
.1005 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·

.1005 subSection ·or ·subSubSection .↳  
.1006 Start ·location: ·553:178↳  
.1007 ↳  
.1008 System ·ID: ·  
.1008 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.1008 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↳  
.1009 Main ·validation ·file: ·  
.1009 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.1009 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↳  
.1010 Scenario ·name: ·gg-sch↳  
.1011 Schema: ·  
.1011 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.1011 ent..sch↳  
.1012 Engine ·name: ·ISO ·Schematron↳  
.1013 Severity: ·error↳  
.1014 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.1014 subSection ·or ·subSubSection .↳  
.1015 Start ·location: ·644:109↳  
.1016 ↳  
.1017 System ·ID: ·  
.1017 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.1017 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↳  
.1018 Main ·validation ·file: ·  
.1018 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.1018 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↳  
.1019 Scenario ·name: ·gg-sch↳  
.1020 Schema: ·  
.1020 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.1020 ent..sch↳  
.1021 Engine ·name: ·ISO ·Schematron↳  
.1022 Severity: ·error↳  
.1023 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.1023 subSection ·or ·subSubSection .↳  
.1024 Start ·location: ·649:145↳  
.1025 ↳

.1026 System·ID: ·  
.1026 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.1026 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.1027 Main·validation·file: ·  
.1027 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.1027 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.1028 Scenario·name: ·gg-sch↵  
.1029 Schema: ·  
.1029 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.1029 ent..sch↵  
.1030 Engine·name: ·ISO·Schematron↵  
.1031 Severity: ·error↵  
.1032 Description: ·A·paragraph·must·have·an·ancestor·  
.1032 subSection·or·subSubSection.↵  
.1033 Start·location: ·661:109↵  
.1034 ↵  
.1035 System·ID: ·  
.1035 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.1035 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.1036 Main·validation·file: ·  
.1036 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.1036 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.1037 Scenario·name: ·gg-sch↵  
.1038 Schema: ·  
.1038 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.1038 ent..sch↵  
.1039 Engine·name: ·ISO·Schematron↵  
.1040 Severity: ·error↵  
.1041 Description: ·A·paragraph·must·have·an·ancestor·  
.1041 subSection·or·subSubSection.↵  
.1042 Start·location: ·666:179↵  
.1043 ↵  
.1044 System·ID: ·  
.1044 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.1044 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵

.1045 Main-validation-file: ·  
.1045 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.1045 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.1046 Scenario-name: ·gg-sch ↵  
.1047 Schema: ·  
.1047 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
.1048 Engine-name: ·ISO-Schematron ↵  
.1049 Severity: ·error ↵  
.1050 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.1050 subSection ·or ·subSubSection. ↵  
.1051 Start-location: ·676:109 ↵  
.1052 ↵  
.1053 System-ID: ·  
.1053 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.1053 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.1054 Main-validation-file: ·  
.1054 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.1054 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.1055 Scenario-name: ·gg-sch ↵  
.1056 Schema: ·  
.1056 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
.1057 Engine-name: ·ISO-Schematron ↵  
.1058 Severity: ·error ↵  
.1059 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.1059 subSection ·or ·subSubSection. ↵  
.1060 Start-location: ·857:145 ↵  
.1061 ↵  
.1062 System-ID: ·  
.1062 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.1062 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.1063 Main-validation-file: ·  
.1063 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.1063 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵

.1064 Scenario ·name: ·gg-sch ↵  
.1065 Schema: ·  
.1065 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
.1066 Engine ·name: ·ISO ·Schematron ↵  
.1067 Severity: ·error ↵  
.1068 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.1068 subSection ·or ·subSubSection. ↵  
.1069 Start ·location: ·868:135 ↵  
.1070 ↵  
.1071 System ·ID: ·  
.1071 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
/BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.1072 Main ·validation ·file: ·  
.1072 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
/BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.1073 Scenario ·name: ·gg-sch ↵  
.1074 Schema: ·  
.1074 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
.1075 Engine ·name: ·ISO ·Schematron ↵  
.1076 Severity: ·error ↵  
.1077 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.1077 subSection ·or ·subSubSection. ↵  
.1078 Start ·location: ·873:109 ↵  
.1079 ↵  
.1080 System ·ID: ·  
.1080 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
/BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.1081 Main ·validation ·file: ·  
.1081 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
/BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.1082 Scenario ·name: ·gg-sch ↵  
.1083 Schema: ·  
.1083 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm

```
.1083 ent..sch↵
.1084 Engine.name: ·ISO ·Schematron↵
.1085 Severity: ·error↵
.1086 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
.1086 subSection ·or ·subSubSection.↵
.1087 Start ·location: ·879:179↵
.1088 ↵
.1089 System ·ID: ·
.1089 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
.1089 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵
.1090 Main ·validation ·file: ·
.1090 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
.1090 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵
.1091 Scenario ·name: ·gg-sch↵
.1092 Schema: ·
.1092 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
.1092 ent..sch↵
.1093 Engine.name: ·ISO ·Schematron↵
.1094 Severity: ·error↵
.1095 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
.1095 subSection ·or ·subSubSection.↵
.1096 Start ·location: ·889:109↵
.1097 ↵
.1098 System ·ID: ·
.1098 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
.1098 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵
.1099 Main ·validation ·file: ·
.1099 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
.1099 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵
.1100 Scenario ·name: ·gg-sch↵
.1101 Schema: ·
.1101 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
.1101 ent..sch↵
.1102 Engine.name: ·ISO ·Schematron↵
.1103 Severity: ·error↵
```

.1104 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.1104 subSection ·or ·subSubSection. ↵  
.1105 Start ·location: ·898:108 ↵  
.1106 ↵  
.1107 System ·ID: ·  
.1107 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.1107 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.1108 Main ·validation ·file: ·  
.1108 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.1108 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.1109 Scenario ·name: ·gg-sch ↵  
.1110 Schema: ·  
.1110 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.1110 ent..sch ↵  
.1111 Engine ·name: ·ISO ·Schematron ↵  
.1112 Severity: ·error ↵  
.1113 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.1113 subSection ·or ·subSubSection. ↵  
.1114 Start ·location: ·903:145 ↵  
.1115 ↵  
.1116 System ·ID: ·  
.1116 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.1116 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.1117 Main ·validation ·file: ·  
.1117 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.1117 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.1118 Scenario ·name: ·gg-sch ↵  
.1119 Schema: ·  
.1119 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.1119 ent..sch ↵  
.1120 Engine ·name: ·ISO ·Schematron ↵  
.1121 Severity: ·error ↵  
.1122 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.1122 subSection ·or ·subSubSection. ↵  
.1123 Start ·location: ·934:109 ↵

```
.1124 <System·ID: ·  
.1125 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.1125 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml<  
.1126 Main·validation·file: ·  
.1126 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.1126 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml<  
.1127 Scenario·name: ·gg-sch<  
.1128 Schema: ·  
.1128 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm  
.1128 ent..sch<  
.1129 Engine·name: ·ISO·Schematron<  
.1130 Severity: ·error<  
.1131 Description: ·A·paragraph·must·have·an·ancestor·  
.1131 subSection·or·subSubSection.<  
.1132 Start·location: ·977:179<  
.1133 <  
.1134 System·ID: ·  
.1134 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.1134 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml<  
.1135 Main·validation·file: ·  
.1135 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.1135 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml<  
.1136 Scenario·name: ·gg-sch<  
.1137 Schema: ·  
.1137 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm  
.1137 ent..sch<  
.1138 Engine·name: ·ISO·Schematron<  
.1139 Severity: ·error<  
.1140 Description: ·A·paragraph·must·have·an·ancestor·  
.1140 subSection·or·subSubSection.<  
.1141 Start·location: ·1059:109<  
.1142 <  
.1143 System·ID: ·  
.1143 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
```

```
.1143 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵
.1144 Main-validation-file: ·
.1144 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
.1144 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵
.1145 Scenario-name: ·gg-sch↵
.1146 Schema: ·
.1146 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
.1146 ent..sch↵
.1147 Engine-name: ·ISO-Schematron↵
.1148 Severity: ·error↵
.1149 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
.1149 subSection ·or ·subSubSection.↵
.1150 Start ·location: ·1066:145↵
.1151 ↵
.1152 System ·ID: ·
.1152 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
.1152 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵
.1153 Main-validation-file: ·
.1153 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
.1153 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵
.1154 Scenario-name: ·gg-sch↵
.1155 Schema: ·
.1155 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
.1155 ent..sch↵
.1156 Engine-name: ·ISO-Schematron↵
.1157 Severity: ·error↵
.1158 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
.1158 subSection ·or ·subSubSection.↵
.1159 Start ·location: ·1078:109↵
.1160 ↵
.1161 System ·ID: ·
.1161 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
.1161 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵
.1162 Main-validation-file: ·
.1162 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
```

.1162 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.1163 Scenario.name: .gg-sch ↵  
.1164 Schema: .  
.1164 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
.1165 Engine.name: .ISO.Schematron ↵  
.1166 Severity: .error ↵  
.1167 Description: .A.paragraph.must.have.an.ancestor.  
.1167 subSection.or.subSubSection. ↵  
.1168 Start.location: .1079:109 ↵  
.1169 ↵  
.1170 System.ID: .  
.1170 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.1170 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.1171 Main.validation.file: .  
.1171 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.1171 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.1172 Scenario.name: .gg-sch ↵  
.1173 Schema: .  
.1173 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
.1174 Engine.name: .ISO.Schematron ↵  
.1175 Severity: .error ↵  
.1176 Description: .A.paragraph.must.have.an.ancestor.  
.1176 subSection.or.subSubSection. ↵  
.1177 Start.location: .1084:177 ↵  
.1178 ↵  
.1179 System.ID: .  
.1179 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.1179 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.1180 Main.validation.file: .  
.1180 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.1180 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.1181 Scenario.name: .gg-sch ↵  
.1182 Schema: .

```
.1182 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm  
.1182 ent..sch↵  
.1183 Engine.name: ·ISO ·Schematron↵  
.1184 Severity: ·error↵  
.1185 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.1185 subSection ·or ·subSubSection.↵  
.1186 Start ·location: ·1091:131↵  
.1187 ↵  
.1188 System ·ID: ·  
.1188 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.1188 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.1189 Main ·validation ·file: ·  
.1189 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.1189 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.1190 Scenario ·name: ·gg-sch↵  
.1191 Schema: ·  
.1191 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm  
.1191 ent..sch↵  
.1192 Engine.name: ·ISO ·Schematron↵  
.1193 Severity: ·error↵  
.1194 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.1194 subSection ·or ·subSubSection.↵  
.1195 Start ·location: ·1096:107↵  
.1196 ↵  
.1197 System ·ID: ·  
.1197 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.1197 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.1198 Main ·validation ·file: ·  
.1198 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.1198 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.1199 Scenario ·name: ·gg-sch↵  
.1200 Schema: ·  
.1200 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm  
.1200 ent..sch↵  
.1201 Engine.name: ·ISO ·Schematron↵
```

.1202 Severity: ·error ↵  
.1203 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.1203 subSection ·or ·subSubSection. ↵  
.1204 Start ·location: ·1102:107 ↵  
.1205 ↵  
.1206 System ·ID: ·  
/Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.1206 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.1207 Main ·validation ·file: ·  
/Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.1207 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.1208 Scenario ·name: ·gg-sch ↵  
.1209 Schema: ·  
/Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.1209 ent..sch ↵  
.1210 Engine ·name: ·ISO ·Schematron ↵  
.1211 Severity: ·error ↵  
.1212 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.1212 subSection ·or ·subSubSection. ↵  
.1213 Start ·location: ·1155:107 ↵  
.1214 ↵  
.1215 System ·ID: ·  
/Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.1215 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.1216 Main ·validation ·file: ·  
/Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.1216 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.1217 Scenario ·name: ·gg-sch ↵  
.1218 Schema: ·  
/Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.1218 ent..sch ↵  
.1219 Engine ·name: ·ISO ·Schematron ↵  
.1220 Severity: ·error ↵  
.1221 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.1221 subSection ·or ·subSubSection. ↵

.1222 Start ·location: ·1162:107 ↵  
.1223 ↵  
.1224 System ·ID: ·  
.1224 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.1224 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.1225 Main ·validation ·file: ·  
.1225 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.1225 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.1226 Scenario ·name: ·gg-sch ↵  
.1227 Schema: ·  
.1227 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.1227 ent..sch ↵  
.1228 Engine ·name: ·ISO ·Schematron ↵  
.1229 Severity: ·error ↵  
.1230 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.1230 subSection ·or ·subSubSection. ↵  
.1231 Start ·location: ·1179:143 ↵  
.1232 ↵  
.1233 System ·ID: ·  
.1233 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.1233 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.1234 Main ·validation ·file: ·  
.1234 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.1234 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.1235 Scenario ·name: ·gg-sch ↵  
.1236 Schema: ·  
.1236 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.1236 ent..sch ↵  
.1237 Engine ·name: ·ISO ·Schematron ↵  
.1238 Severity: ·error ↵  
.1239 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.1239 subSection ·or ·subSubSection. ↵  
.1240 Start ·location: ·1261:108 ↵  
.1241 ↵  
.1242 System ·ID: ·

```
.1242 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
.1242 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵
.1243 Main-validation-file: ·
.1243 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
.1243 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵
.1244 Scenario-name: ·gg-sch↵
.1245 Schema: ·
.1245 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
.1245 ent..sch↵
.1246 Engine-name: ·ISO ·Schematron↵
.1247 Severity: ·error↵
.1248 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
.1248 subSection ·or ·subSubSection.↵
.1249 Start-location: ·1313:108↵
.1250 ↵
.1251 System-ID: ·
.1251 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
.1251 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵
.1252 Main-validation-file: ·
.1252 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
.1252 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵
.1253 Scenario-name: ·gg-sch↵
.1254 Schema: ·
.1254 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
.1254 ent..sch↵
.1255 Engine-name: ·ISO ·Schematron↵
.1256 Severity: ·error↵
.1257 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
.1257 subSection ·or ·subSubSection.↵
.1258 Start-location: ·1366:109↵
.1259 ↵
.1260 System-ID: ·
.1260 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
.1260 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵
.1261 Main-validation-file: ·
```

.1261 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.1261 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.1262 Scenario.name: .gg-sch ↵  
.1263 Schema: .  
.1263 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
.1264 Engine.name: .ISO .Schematron ↵  
.1265 Severity: .error ↵  
.1266 Description: .A .paragraph .must .have .an .ancestor .  
.1266 subSection .or .subSubSection. ↵  
.1267 Start.location: .1381:109 ↵  
.1268 ↵  
.1269 System.ID: .  
.1269 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.1269 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.1270 Main.validation.file: .  
.1270 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.1270 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.1271 Scenario.name: .gg-sch ↵  
.1272 Schema: .  
.1272 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
.1273 Engine.name: .ISO .Schematron ↵  
.1274 Severity: .error ↵  
.1275 Description: .A .paragraph .must .have .an .ancestor .  
.1275 subSection .or .subSubSection. ↵  
.1276 Start.location: .1382:109 ↵  
.1277 ↵  
.1278 System.ID: .  
.1278 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.1278 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.1279 Main.validation.file: .  
.1279 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.1279 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.1280 Scenario.name: .gg-sch ↵

.1281 Schema: .  
.1281 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.1281 ent..sch↵  
.1282 Engine.name: ·ISO ·Schematron↵  
.1283 Severity: ·error↵  
.1284 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.1284 subSection ·or ·subSubSection.↵  
.1285 Start.location: ·1387:135↵  
.1286 ↵  
.1287 System.ID: .  
.1287 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.1287 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.1288 Main.validation-file: .  
.1288 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.1288 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.1289 Scenario.name: ·gg-sch↵  
.1290 Schema: .  
.1290 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.1290 ent..sch↵  
.1291 Engine.name: ·ISO ·Schematron↵  
.1292 Severity: ·error↵  
.1293 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.1293 subSection ·or ·subSubSection.↵  
.1294 Start.location: ·1392:179↵  
.1295 ↵  
.1296 System.ID: .  
.1296 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.1296 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.1297 Main.validation-file: .  
.1297 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.1297 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.1298 Scenario.name: ·gg-sch↵  
.1299 Schema: .  
.1299 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.1299 ent..sch↵

.1300 Engine ·name: ·ISO ·Schematron ↵  
.1301 Severity: ·error ↵  
.1302 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.1302 subSection ·or ·subSubSection. ↵  
.1303 Start ·location: ·1398:108 ↵  
.1304 ↵  
.1305 System ·ID: ·  
.1305 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.1305 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.1306 Main ·validation ·file: ·  
.1306 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.1306 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.1307 Scenario ·name: ·gg-sch ↵  
.1308 Schema: ·  
.1308 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.1308 ent..sch ↵  
.1309 Engine ·name: ·ISO ·Schematron ↵  
.1310 Severity: ·error ↵  
.1311 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.1311 subSection ·or ·subSubSection. ↵  
.1312 Start ·location: ·1415:108 ↵  
.1313 ↵  
.1314 System ·ID: ·  
.1314 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.1314 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.1315 Main ·validation ·file: ·  
.1315 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.1315 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.1316 Scenario ·name: ·gg-sch ↵  
.1317 Schema: ·  
.1317 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.1317 ent..sch ↵  
.1318 Engine ·name: ·ISO ·Schematron ↵  
.1319 Severity: ·error ↵  
.1320 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·

.1320 subSection ·or ·subSubSection .↳  
.1321 Start ·location: ·1420:108↳  
.1322 ↳  
.1323 System ·ID: ·  
.1323 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.1323 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↳  
.1324 Main ·validation ·file: ·  
.1324 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.1324 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↳  
.1325 Scenario ·name: ·gg-sch↳  
.1326 Schema: ·  
.1326 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.1326 ent..sch↳  
.1327 Engine ·name: ·ISO ·Schematron↳  
.1328 Severity: ·error↳  
.1329 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.1329 subSection ·or ·subSubSection .↳  
.1330 Start ·location: ·1516:108↳  
.1331 ↳  
.1332 System ·ID: ·  
.1332 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.1332 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↳  
.1333 Main ·validation ·file: ·  
.1333 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.1333 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↳  
.1334 Scenario ·name: ·gg-sch↳  
.1335 Schema: ·  
.1335 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.1335 ent..sch↳  
.1336 Engine ·name: ·ISO ·Schematron↳  
.1337 Severity: ·error↳  
.1338 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.1338 subSection ·or ·subSubSection .↳  
.1339 Start ·location: ·1527:144↳  
.1340 ↳

.1341 System·ID: ·  
.1341 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.1341 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.1342 Main·validation·file: ·  
.1342 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.1342 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.1343 Scenario·name: ·gg-sch↵  
.1344 Schema: ·  
.1344 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.1344 ent..sch↵  
.1345 Engine·name: ·ISO·Schematron↵  
.1346 Severity: ·error↵  
.1347 Description: ·A·paragraph·must·have·an·ancestor·  
.1347 subSection·or·subSubSection.↵  
.1348 Start·location: ·1536:109↵  
.1349 ↵  
.1350 System·ID: ·  
.1350 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.1350 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.1351 Main·validation·file: ·  
.1351 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.1351 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.1352 Scenario·name: ·gg-sch↵  
.1353 Schema: ·  
.1353 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.1353 ent..sch↵  
.1354 Engine·name: ·ISO·Schematron↵  
.1355 Severity: ·error↵  
.1356 Description: ·A·paragraph·must·have·an·ancestor·  
.1356 subSection·or·subSubSection.↵  
.1357 Start·location: ·1577:109↵  
.1358 ↵  
.1359 System·ID: ·  
.1359 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.1359 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵

.1360 Main-validation-file: .  
.1360 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.1360 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.1361 Scenario-name: .gg-sch↵  
.1362 Schema: .  
.1362 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch↵  
.1363 Engine-name: .ISO-Schematron↵  
.1364 Severity: .error↵  
.1365 Description: .A .paragraph .must .have .an .ancestor .  
.1365 subSection .or .subSubSection.↵  
.1366 Start-location: .1650:109↵  
.1367 ↵  
.1368 System-ID: .  
.1368 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.1368 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.1369 Main-validation-file: .  
.1369 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.1369 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.1370 Scenario-name: .gg-sch↵  
.1371 Schema: .  
.1371 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch↵  
.1372 Engine-name: .ISO-Schematron↵  
.1373 Severity: .error↵  
.1374 Description: .A .paragraph .must .have .an .ancestor .  
.1374 subSection .or .subSubSection.↵  
.1375 Start-location: .1677:109↵  
.1376 ↵  
.1377 System-ID: .  
.1377 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.1377 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.1378 Main-validation-file: .  
.1378 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.1378 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵

```
.1379 Scenario ·name: ·gg-sch↵
.1380 Schema: ·
.1380 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
.1380 ent..sch↵
.1381 Engine ·name: ·ISO ·Schematron↵
.1382 Severity: ·error↵
.1383 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
.1383 subSection ·or ·subSubSection.↵
.1384 Start ·location: ·1694:110↵
.1385 ↵
.1386 System ·ID: ·
.1386 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
.1386 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵
.1387 Main ·validation ·file: ·
.1387 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
.1387 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵
.1388 Scenario ·name: ·gg-sch↵
.1389 Schema: ·
.1389 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
.1389 ent..sch↵
.1390 Engine ·name: ·ISO ·Schematron↵
.1391 Severity: ·error↵
.1392 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
.1392 subSection ·or ·subSubSection.↵
.1393 Start ·location: ·1700:183↵
.1394 ↵
.1395 System ·ID: ·
.1395 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
.1395 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵
.1396 Main ·validation ·file: ·
.1396 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
.1396 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵
.1397 Scenario ·name: ·gg-sch↵
.1398 Schema: ·
.1398 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
```

```
.1398 ent..sch↵
.1399 Engine.name: ·ISO ·Schematron↵
.1400 Severity: ·error↵
.1401 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
.1401 subSection ·or ·subSubSection.↵
.1402 Start ·location: ·1712:112↵
.1403 ↵
.1404 System ·ID: ·
.1404 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
.1404 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵
.1405 Main ·validation ·file: ·
.1405 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
.1405 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵
.1406 Scenario ·name: ·gg-sch↵
.1407 Schema: ·
.1407 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
.1407 ent..sch↵
.1408 Engine.name: ·ISO ·Schematron↵
.1409 Severity: ·error↵
.1410 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
.1410 subSection ·or ·subSubSection.↵
.1411 Start ·location: ·1717:149↵
.1412 ↵
.1413 System ·ID: ·
.1413 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
.1413 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵
.1414 Main ·validation ·file: ·
.1414 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
.1414 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵
.1415 Scenario ·name: ·gg-sch↵
.1416 Schema: ·
.1416 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
.1416 ent..sch↵
.1417 Engine.name: ·ISO ·Schematron↵
.1418 Severity: ·error↵
```

.1419 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.1419 subSection ·or ·subSubSection. ↵  
.1420 Start ·location: ·1724:138 ↵  
.1421 ↵  
.1422 System ·ID: ·  
.1422 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.1422 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.1423 Main ·validation ·file: ·  
.1423 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.1423 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.1424 Scenario ·name: ·gg-sch ↵  
.1425 Schema: ·  
.1425 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.1425 ent..sch ↵  
.1426 Engine ·name: ·ISO ·Schematron ↵  
.1427 Severity: ·error ↵  
.1428 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.1428 subSection ·or ·subSubSection. ↵  
.1429 Start ·location: ·1729:112 ↵  
.1430 ↵  
.1431 System ·ID: ·  
.1431 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.1431 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.1432 Main ·validation ·file: ·  
.1432 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.1432 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.1433 Scenario ·name: ·gg-sch ↵  
.1434 Schema: ·  
.1434 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.1434 ent..sch ↵  
.1435 Engine ·name: ·ISO ·Schematron ↵  
.1436 Severity: ·error ↵  
.1437 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.1437 subSection ·or ·subSubSection. ↵  
.1438 Start ·location: ·1733:112 ↵

.1439 ↵  
.1440 System·ID: ·  
.1440 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.1440 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.1441 Main·validation·file: ·  
.1441 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.1441 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.1442 Scenario·name: ·gg-sch↵  
.1443 Schema: ·  
.1443 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch↵  
.1444 Engine·name: ·ISO·Schematron↵  
.1445 Severity: ·error↵  
.1446 Description: ·A·paragraph·must·have·an·ancestor·  
.1446 subSection·or·subSubSection.↵  
.1447 Start·location: ·1740:185↵  
.1448 ↵  
.1449 System·ID: ·  
.1449 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.1449 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.1450 Main·validation·file: ·  
.1450 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.1450 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.1451 Scenario·name: ·gg-sch↵  
.1452 Schema: ·  
.1452 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch↵  
.1453 Engine·name: ·ISO·Schematron↵  
.1454 Severity: ·error↵  
.1455 Description: ·A·paragraph·must·have·an·ancestor·  
.1455 subSection·or·subSubSection.↵  
.1456 Start·location: ·1752:111↵  
.1457 ↵  
.1458 System·ID: ·  
.1458 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax

.1458 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.1459 Main-validation-file: .  
.1459 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.1459 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.1460 Scenario-name: .gg-sch ↵  
.1461 Schema: .  
.1461 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.1461 ent..sch ↵  
.1462 Engine-name: .ISO-Schematron ↵  
.1463 Severity: .error ↵  
.1464 Description: .A.paragraph.must.have.an.ancestor.  
.1464 subSection.or.subSubSection. ↵  
.1465 Start-location: .1761:147 ↵  
.1466 ↵  
.1467 System-ID: .  
.1467 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.1467 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.1468 Main-validation-file: .  
.1468 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.1468 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.1469 Scenario-name: .gg-sch ↵  
.1470 Schema: .  
.1470 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.1470 ent..sch ↵  
.1471 Engine-name: .ISO-Schematron ↵  
.1472 Severity: .error ↵  
.1473 Description: .A.paragraph.must.have.an.ancestor.  
.1473 subSection.or.subSubSection. ↵  
.1474 Start-location: .1772:110 ↵  
.1475 ↵  
.1476 System-ID: .  
.1476 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.1476 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.1477 Main-validation-file: .  
.1477 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax

.1477 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.1478 Scenario.name: .gg-sch ↵  
.1479 Schema: .  
.1479 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
.1480 Engine.name: .ISO .Schematron ↵  
.1481 Severity: .error ↵  
.1482 Description: .A .paragraph .must .have .an .ancestor .  
.1482 subSection .or .subSubSection. ↵  
.1483 Start.location: .1853:110 ↵  
.1484 ↵  
.1485 System.ID: .  
.1485 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.1485 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.1486 Main.validation.file: .  
.1486 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.1486 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.1487 Scenario.name: .gg-sch ↵  
.1488 Schema: .  
.1488 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
.1489 Engine.name: .ISO .Schematron ↵  
.1490 Severity: .error ↵  
.1491 Description: .A .paragraph .must .have .an .ancestor .  
.1491 subSection .or .subSubSection. ↵  
.1492 Start.location: .1872:111 ↵  
.1493 ↵  
.1494 System.ID: .  
.1494 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.1494 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.1495 Main.validation.file: .  
.1495 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.1495 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.1496 Scenario.name: .gg-sch ↵  
.1497 Schema: .

.1497 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.1497 ent..sch↵  
.1498 Engine.name: ·ISO ·Schematron↵  
.1499 Severity: ·error↵  
.1500 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.1500 subSection ·or ·subSubSection.↵  
.1501 Start ·location: ·1901:111↵  
.1502 ↵  
.1503 System ·ID: ·  
.1503 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.1503 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.1504 Main ·validation ·file: ·  
.1504 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.1504 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.1505 Scenario ·name: ·gg-sch↵  
.1506 Schema: ·  
.1506 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.1506 ent..sch↵  
.1507 Engine.name: ·ISO ·Schematron↵  
.1508 Severity: ·error↵  
.1509 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.1509 subSection ·or ·subSubSection.↵  
.1510 Start ·location: ·1902:182↵  
.1511 ↵  
.1512 System ·ID: ·  
.1512 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.1512 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.1513 Main ·validation ·file: ·  
.1513 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.1513 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.1514 Scenario ·name: ·gg-sch↵  
.1515 Schema: ·  
.1515 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.1515 ent..sch↵  
.1516 Engine.name: ·ISO ·Schematron↵

.1517 Severity: ·error ↵  
.1518 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.1518 subSection ·or ·subSubSection. ↵  
.1519 Start ·location: ·1907:134 ↵  
.1520 ↵  
.1521 System ·ID: ·  
/Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.1521 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.1522 Main ·validation ·file: ·  
/Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.1522 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.1523 Scenario ·name: ·gg-sch ↵  
.1524 Schema: ·  
/Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.1524 ent..sch ↵  
.1525 Engine ·name: ·ISO ·Schematron ↵  
.1526 Severity: ·error ↵  
.1527 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.1527 subSection ·or ·subSubSection. ↵  
.1528 Start ·location: ·1912:110 ↵  
.1529 ↵  
.1530 System ·ID: ·  
/Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.1530 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.1531 Main ·validation ·file: ·  
/Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.1531 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.1532 Scenario ·name: ·gg-sch ↵  
.1533 Schema: ·  
/Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.1533 ent..sch ↵  
.1534 Engine ·name: ·ISO ·Schematron ↵  
.1535 Severity: ·error ↵  
.1536 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.1536 subSection ·or ·subSubSection. ↵

.1537 Start ·location: ·1916:110 ↵  
.1538 ↵  
.1539 System ·ID: ·  
.1539 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.1539 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.1540 Main ·validation ·file: ·  
.1540 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.1540 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.1541 Scenario ·name: ·gg-sch ↵  
.1542 Schema: ·  
.1542 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.1542 ent..sch ↵  
.1543 Engine ·name: ·ISO ·Schematron ↵  
.1544 Severity: ·error ↵  
.1545 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.1545 subSection ·or ·subSubSection. ↵  
.1546 Start ·location: ·1935:110 ↵  
.1547 ↵  
.1548 System ·ID: ·  
.1548 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.1548 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.1549 Main ·validation ·file: ·  
.1549 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.1549 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.1550 Scenario ·name: ·gg-sch ↵  
.1551 Schema: ·  
.1551 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.1551 ent..sch ↵  
.1552 Engine ·name: ·ISO ·Schematron ↵  
.1553 Severity: ·error ↵  
.1554 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.1554 subSection ·or ·subSubSection. ↵  
.1555 Start ·location: ·1990:111 ↵  
.1556 ↵  
.1557 System ·ID: ·

```
.1557 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
.1557 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵
.1558 Main-validation-file: ·
.1558 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
.1558 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵
.1559 Scenario-name: ·gg-sch↵
.1560 Schema: ·
.1560 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
.1560 ent..sch↵
.1561 Engine-name: ·ISO ·Schematron↵
.1562 Severity: ·error↵
.1563 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
.1563 subSection ·or ·subSubSection.↵
.1564 Start-location: ·2004:137↵
.1565 ↵
.1566 System-ID: ·
.1566 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
.1566 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵
.1567 Main-validation-file: ·
.1567 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
.1567 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵
.1568 Scenario-name: ·gg-sch↵
.1569 Schema: ·
.1569 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
.1569 ent..sch↵
.1570 Engine-name: ·ISO ·Schematron↵
.1571 Severity: ·error↵
.1572 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
.1572 subSection ·or ·subSubSection.↵
.1573 Start-location: ·2009:148↵
.1574 ↵
.1575 System-ID: ·
.1575 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
.1575 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵
.1576 Main-validation-file: ·
```

```
.1576 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
.1576 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵
.1577 Scenario.name: .gg-sch↵
.1578 Schema: .
.1578 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
.1578 ent..sch↵
.1579 Engine.name: .ISO .Schematron↵
.1580 Severity: .error↵
.1581 Description: .A .paragraph .must .have .an .ancestor .
.1581 subSection .or .subSubSection.↵
.1582 Start.location: .2018:111↵
.1583 ↵
.1584 System.ID: .
.1584 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
.1584 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵
.1585 Main.validation.file: .
.1585 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
.1585 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵
.1586 Scenario.name: .gg-sch↵
.1587 Schema: .
.1587 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
.1587 ent..sch↵
.1588 Engine.name: .ISO .Schematron↵
.1589 Severity: .error↵
.1590 Description: .A .paragraph .must .have .an .ancestor .
.1590 subSection .or .subSubSection.↵
.1591 Start.location: .2027:111↵
.1592 ↵
.1593 System.ID: .
.1593 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
.1593 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵
.1594 Main.validation.file: .
.1594 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
.1594 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵
.1595 Scenario.name: .gg-sch↵
```

.1596 Schema: .  
.1596 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.1596 ent..sch↵  
.1597 Engine.name: ·ISO ·Schematron↵  
.1598 Severity: ·error↵  
.1599 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.1599 subSection ·or ·subSubSection.↵  
.1600 Start.location: ·2038:111↵  
.1601 ↵  
.1602 System.ID: .  
.1602 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.1602 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.1603 Main.validation-file: .  
.1603 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.1603 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.1604 Scenario.name: ·gg-sch↵  
.1605 Schema: .  
.1605 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.1605 ent..sch↵  
.1606 Engine.name: ·ISO ·Schematron↵  
.1607 Severity: ·error↵  
.1608 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.1608 subSection ·or ·subSubSection.↵  
.1609 Start.location: ·2045:138↵  
.1610 ↵  
.1611 System.ID: .  
.1611 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.1611 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.1612 Main.validation-file: .  
.1612 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.1612 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.1613 Scenario.name: ·gg-sch↵  
.1614 Schema: .  
.1614 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.1614 ent..sch↵

.1615 Engine ·name: ·ISO ·Schematron ↵  
.1616 Severity: ·error ↵  
.1617 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.1617 subSection ·or ·subSubSection. ↵  
.1618 Start ·location: ·2050:112 ↵  
.1619 ↵  
.1620 System ·ID: ·  
.1620 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.1620 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.1621 Main ·validation ·file: ·  
.1621 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.1621 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.1622 Scenario ·name: ·gg-sch ↵  
.1623 Schema: ·  
.1623 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.1623 ent..sch ↵  
.1624 Engine ·name: ·ISO ·Schematron ↵  
.1625 Severity: ·error ↵  
.1626 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.1626 subSection ·or ·subSubSection. ↵  
.1627 Start ·location: ·2056:184 ↵  
.1628 ↵  
.1629 System ·ID: ·  
.1629 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.1629 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.1630 Main ·validation ·file: ·  
.1630 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.1630 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.1631 Scenario ·name: ·gg-sch ↵  
.1632 Schema: ·  
.1632 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.1632 ent..sch ↵  
.1633 Engine ·name: ·ISO ·Schematron ↵  
.1634 Severity: ·error ↵  
.1635 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·

.1635 subSection ·or ·subSubSection .↳  
.1636 Start ·location: ·2073:110↳  
.1637 ↳  
.1638 System ·ID: ·  
.1638 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.1638 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↳  
.1639 Main ·validation ·file: ·  
.1639 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.1639 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↳  
.1640 Scenario ·name: ·gg-sch↳  
.1641 Schema: ·  
.1641 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.1641 ent..sch↳  
.1642 Engine ·name: ·ISO ·Schematron↳  
.1643 Severity: ·error↳  
.1644 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.1644 subSection ·or ·subSubSection .↳  
.1645 Start ·location: ·2074:110↳  
.1646 ↳  
.1647 System ·ID: ·  
.1647 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.1647 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↳  
.1648 Main ·validation ·file: ·  
.1648 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.1648 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↳  
.1649 Scenario ·name: ·gg-sch↳  
.1650 Schema: ·  
.1650 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.1650 ent..sch↳  
.1651 Engine ·name: ·ISO ·Schematron↳  
.1652 Severity: ·error↳  
.1653 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.1653 subSection ·or ·subSubSection .↳  
.1654 Start ·location: ·2117:110↳  
.1655 ↳

.1656 System·ID: ·  
.1656 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.1656 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.1657 Main·validation·file: ·  
.1657 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.1657 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.1658 Scenario·name: ·gg-sch↵  
.1659 Schema: ·  
.1659 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.1659 ent..sch↵  
.1660 Engine·name: ·ISO·Schematron↵  
.1661 Severity: ·error↵  
.1662 Description: ·A·paragraph·must·have·an·ancestor·  
.1662 subSection·or·subSubSection.↵  
.1663 Start·location: ·2162:110↵  
.1664 ↵  
.1665 System·ID: ·  
.1665 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.1665 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.1666 Main·validation·file: ·  
.1666 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.1666 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.1667 Scenario·name: ·gg-sch↵  
.1668 Schema: ·  
.1668 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.1668 ent..sch↵  
.1669 Engine·name: ·ISO·Schematron↵  
.1670 Severity: ·error↵  
.1671 Description: ·A·paragraph·must·have·an·ancestor·  
.1671 subSection·or·subSubSection.↵  
.1672 Start·location: ·2163:111↵  
.1673 ↵  
.1674 System·ID: ·  
.1674 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.1674 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵

.1675 Main-validation-file: .  
.1675 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.1675 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.1676 Scenario-name: .gg-sch↵  
.1677 Schema: .  
.1677 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.1677 ent..sch↵  
.1678 Engine-name: .ISO-Schematron↵  
.1679 Severity: .error↵  
.1680 Description: .A .paragraph .must .have .an .ancestor .  
.1680 subSection .or .subSubSection.↵  
.1681 Start-location: .2169:147↵  
.1682 ↵  
.1683 System-ID: .  
.1683 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.1683 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.1684 Main-validation-file: .  
.1684 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.1684 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.1685 Scenario-name: .gg-sch↵  
.1686 Schema: .  
.1686 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.1686 ent..sch↵  
.1687 Engine-name: .ISO-Schematron↵  
.1688 Severity: .error↵  
.1689 Description: .A .paragraph .must .have .an .ancestor .  
.1689 subSection .or .subSubSection.↵  
.1690 Start-location: .2176:110↵  
.1691 ↵  
.1692 System-ID: .  
.1692 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.1692 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.1693 Main-validation-file: .  
.1693 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.1693 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵

.1694 Scenario ·name: ·gg-sch ↵  
.1695 Schema: ·  
.1695 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
.1696 Engine ·name: ·ISO ·Schematron ↵  
.1697 Severity: ·error ↵  
.1698 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.1698 subSection ·or ·subSubSection. ↵  
.1699 Start ·location: ·2181:135 ↵  
.1700 ↵  
.1701 System ·ID: ·  
.1701 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.1701 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.1702 Main ·validation ·file: ·  
.1702 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.1702 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.1703 Scenario ·name: ·gg-sch ↵  
.1704 Schema: ·  
.1704 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
.1705 Engine ·name: ·ISO ·Schematron ↵  
.1706 Severity: ·error ↵  
.1707 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.1707 subSection ·or ·subSubSection. ↵  
.1708 Start ·location: ·2186:111 ↵  
.1709 ↵  
.1710 System ·ID: ·  
.1710 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.1710 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.1711 Main ·validation ·file: ·  
.1711 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.1711 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.1712 Scenario ·name: ·gg-sch ↵  
.1713 Schema: ·  
.1713 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm

```
.1713 ent..sch↵
.1714 Engine.name: ·ISO ·Schematron↵
.1715 Severity: ·error↵
.1716 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
.1716 subSection ·or ·subSubSection.↵
.1717 Start ·location: ·2190:111↵
.1718 ↵
.1719 System ·ID: ·
.1719 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
.1719 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵
.1720 Main ·validation ·file: ·
.1720 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
.1720 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵
.1721 Scenario ·name: ·gg-sch↵
.1722 Schema: ·
.1722 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
.1722 ent..sch↵
.1723 Engine.name: ·ISO ·Schematron↵
.1724 Severity: ·error↵
.1725 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
.1725 subSection ·or ·subSubSection.↵
.1726 Start ·location: ·2197:111↵
.1727 ↵
.1728 System ·ID: ·
.1728 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
.1728 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵
.1729 Main ·validation ·file: ·
.1729 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
.1729 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵
.1730 Scenario ·name: ·gg-sch↵
.1731 Schema: ·
.1731 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
.1731 ent..sch↵
.1732 Engine.name: ·ISO ·Schematron↵
.1733 Severity: ·error↵
```

.1734 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.1734 subSection ·or ·subSubSection. ↵  
.1735 Start ·location: ·2220:111 ↵  
.1736 ↵  
.1737 System ·ID: ·  
.1737 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.1737 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.1738 Main ·validation ·file: ·  
.1738 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.1738 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.1739 Scenario ·name: ·gg-sch ↵  
.1740 Schema: ·  
.1740 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.1740 ent..sch ↵  
.1741 Engine ·name: ·ISO ·Schematron ↵  
.1742 Severity: ·error ↵  
.1743 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.1743 subSection ·or ·subSubSection. ↵  
.1744 Start ·location: ·2227:183 ↵  
.1745 ↵  
.1746 System ·ID: ·  
.1746 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.1746 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.1747 Main ·validation ·file: ·  
.1747 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.1747 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.1748 Scenario ·name: ·gg-sch ↵  
.1749 Schema: ·  
.1749 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.1749 ent..sch ↵  
.1750 Engine ·name: ·ISO ·Schematron ↵  
.1751 Severity: ·error ↵  
.1752 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.1752 subSection ·or ·subSubSection. ↵  
.1753 Start ·location: ·2237:109 ↵

.1754 ↵  
.1755 System·ID: ·  
.1755 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.1755 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.1756 Main·validation·file: ·  
.1756 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.1756 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.1757 Scenario·name: ·gg-sch↵  
.1758 Schema: ·  
.1758 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.1758 ent..sch↵  
.1759 Engine·name: ·ISO·Schematron↵  
.1760 Severity: ·error↵  
.1761 Description: ·A·paragraph·must·have·an·ancestor·  
.1761 subSection·or·subSubSection.↵  
.1762 Start·location: ·2244:134↵  
.1763 ↵  
.1764 System·ID: ·  
.1764 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.1764 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.1765 Main·validation·file: ·  
.1765 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.1765 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.1766 Scenario·name: ·gg-sch↵  
.1767 Schema: ·  
.1767 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.1767 ent..sch↵  
.1768 Engine·name: ·ISO·Schematron↵  
.1769 Severity: ·error↵  
.1770 Description: ·A·paragraph·must·have·an·ancestor·  
.1770 subSection·or·subSubSection.↵  
.1771 Start·location: ·2249:110↵  
.1772 ↵  
.1773 System·ID: ·  
.1773 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax

.1773 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.1774 Main-validation-file: .  
.1774 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.1774 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.1775 Scenario-name: .gg-sch ↵  
.1776 Schema: .  
.1776 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.1776 ent..sch ↵  
.1777 Engine-name: .ISO-Schematron ↵  
.1778 Severity: .error ↵  
.1779 Description: .A.paragraph.must.have.an.ancestor.  
.1779 subSection.or.subSubSection. ↵  
.1780 Start-location: .2255:110 ↵  
.1781 ↵  
.1782 System-ID: .  
.1782 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.1782 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.1783 Main-validation-file: .  
.1783 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.1783 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.1784 Scenario-name: .gg-sch ↵  
.1785 Schema: .  
.1785 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.1785 ent..sch ↵  
.1786 Engine-name: .ISO-Schematron ↵  
.1787 Severity: .error ↵  
.1788 Description: .A.paragraph.must.have.an.ancestor.  
.1788 subSection.or.subSubSection. ↵  
.1789 Start-location: .2264:110 ↵  
.1790 ↵  
.1791 System-ID: .  
.1791 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.1791 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.1792 Main-validation-file: .  
.1792 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax

.1792 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.1793 Scenario.name: .gg-sch ↵  
.1794 Schema: .  
.1794 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
.1795 Engine.name: .ISO .Schematron ↵  
.1796 Severity: .error ↵  
.1797 Description: .A .paragraph .must .have .an .ancestor .  
.1797 subSection .or .subSubSection. ↵  
.1798 Start.location: .2295:110 ↵  
.1799 ↵  
.1800 System.ID: .  
.1800 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.1800 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.1801 Main.validation.file: .  
.1801 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.1801 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.1802 Scenario.name: .gg-sch ↵  
.1803 Schema: .  
.1803 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
.1804 Engine.name: .ISO .Schematron ↵  
.1805 Severity: .error ↵  
.1806 Description: .A .paragraph .must .have .an .ancestor .  
.1806 subSection .or .subSubSection. ↵  
.1807 Start.location: .2344:146 ↵  
.1808 ↵  
.1809 System.ID: .  
.1809 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.1809 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.1810 Main.validation.file: .  
.1810 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.1810 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.1811 Scenario.name: .gg-sch ↵  
.1812 Schema: .

```
.1812 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm  
.1812 ent..sch↵  
.1813 Engine.name: ·ISO ·Schematron↵  
.1814 Severity: ·error↵  
.1815 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.1815 subSection ·or ·subSubSection.↵  
.1816 Start ·location: ·2375:110↵  
.1817 ↵  
.1818 System ·ID: ·  
.1818 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.1818 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.1819 Main ·validation ·file: ·  
.1819 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.1819 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.1820 Scenario ·name: ·gg-sch↵  
.1821 Schema: ·  
.1821 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm  
.1821 ent..sch↵  
.1822 Engine.name: ·ISO ·Schematron↵  
.1823 Severity: ·error↵  
.1824 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.1824 subSection ·or ·subSubSection.↵  
.1825 Start ·location: ·2382:110↵  
.1826 ↵  
.1827 System ·ID: ·  
.1827 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.1827 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.1828 Main ·validation ·file: ·  
.1828 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.1828 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.1829 Scenario ·name: ·gg-sch↵  
.1830 Schema: ·  
.1830 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm  
.1830 ent..sch↵  
.1831 Engine.name: ·ISO ·Schematron↵
```

.1832 Severity: ·error ↵  
.1833 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.1833 subSection ·or ·subSubSection. ↵  
.1834 Start ·location: ·2392:135 ↵  
.1835 ↵  
.1836 System ·ID: ·  
/Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.1836 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.1837 Main ·validation ·file: ·  
/Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.1837 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.1838 Scenario ·name: ·gg-sch ↵  
.1839 Schema: ·  
/Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.1839 ent..sch ↵  
.1840 Engine ·name: ·ISO ·Schematron ↵  
.1841 Severity: ·error ↵  
.1842 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.1842 subSection ·or ·subSubSection. ↵  
.1843 Start ·location: ·2397:111 ↵  
.1844 ↵  
.1845 System ·ID: ·  
/Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.1845 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.1846 Main ·validation ·file: ·  
/Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.1846 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.1847 Scenario ·name: ·gg-sch ↵  
.1848 Schema: ·  
/Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.1848 ent..sch ↵  
.1849 Engine ·name: ·ISO ·Schematron ↵  
.1850 Severity: ·error ↵  
.1851 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.1851 subSection ·or ·subSubSection. ↵

.1852 Start ·location: ·2401:111 ↵  
.1853 ↵  
.1854 System ·ID: ·  
.1854 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.1854 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.1855 Main ·validation ·file: ·  
.1855 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.1855 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.1856 Scenario ·name: ·gg-sch ↵  
.1857 Schema: ·  
.1857 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.1857 ent..sch ↵  
.1858 Engine ·name: ·ISO ·Schematron ↵  
.1859 Severity: ·error ↵  
.1860 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.1860 subSection ·or ·subSubSection. ↵  
.1861 Start ·location: ·2450:182 ↵  
.1862 ↵  
.1863 System ·ID: ·  
.1863 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.1863 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.1864 Main ·validation ·file: ·  
.1864 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.1864 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.1865 Scenario ·name: ·gg-sch ↵  
.1866 Schema: ·  
.1866 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.1866 ent..sch ↵  
.1867 Engine ·name: ·ISO ·Schematron ↵  
.1868 Severity: ·error ↵  
.1869 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.1869 subSection ·or ·subSubSection. ↵  
.1870 Start ·location: ·2518:109 ↵  
.1871 ↵  
.1872 System ·ID: ·

.1872 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.1872 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.1873 Main-validation-file: ·  
.1873 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.1873 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.1874 Scenario-name: ·gg-sch ↵  
.1875 Schema: ·  
.1875 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.1875 ent..sch ↵  
.1876 Engine-name: ·ISO-Schematron ↵  
.1877 Severity: ·error ↵  
.1878 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.1878 subSection ·or ·subSubSection. ↵  
.1879 Start-location: ·2547:110 ↵  
.1880 ↵  
.1881 System-ID: ·  
.1881 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.1881 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.1882 Main-validation-file: ·  
.1882 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.1882 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.1883 Scenario-name: ·gg-sch ↵  
.1884 Schema: ·  
.1884 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.1884 ent..sch ↵  
.1885 Engine-name: ·ISO-Schematron ↵  
.1886 Severity: ·error ↵  
.1887 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.1887 subSection ·or ·subSubSection. ↵  
.1888 Start-location: ·2561:137 ↵  
.1889 ↵  
.1890 System-ID: ·  
.1890 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.1890 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.1891 Main-validation-file: ·

.1891 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.1891 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.1892 Scenario.name: .gg-sch ↵  
.1893 Schema: .  
.1893 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
.1894 Engine.name: .ISO .Schematron ↵  
.1895 Severity: .error ↵  
.1896 Description: .A .paragraph .must .have .an .ancestor .  
.1896 subSection .or .subSubSection. ↵  
.1897 Start.location: .2566:111 ↵  
.1898 ↵  
.1899 System.ID: .  
.1899 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.1899 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.1900 Main.validation.file: .  
.1900 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.1900 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.1901 Scenario.name: .gg-sch ↵  
.1902 Schema: .  
.1902 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
.1903 Engine.name: .ISO .Schematron ↵  
.1904 Severity: .error ↵  
.1905 Description: .A .paragraph .must .have .an .ancestor .  
.1905 subSection .or .subSubSection. ↵  
.1906 Start.location: .2572:111 ↵  
.1907 ↵  
.1908 System.ID: .  
.1908 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.1908 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.1909 Main.validation.file: .  
.1909 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.1909 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.1910 Scenario.name: .gg-sch ↵

.1911 Schema: .  
.1911 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.1911 ent..sch↵  
.1912 Engine.name: ·ISO ·Schematron↵  
.1913 Severity: ·error↵  
.1914 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.1914 subSection ·or ·subSubSection.↵  
.1915 Start.location: ·2612:148↵  
.1916 ↵  
.1917 System.ID: .  
.1917 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.1917 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.1918 Main.validation-file: .  
.1918 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.1918 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.1919 Scenario.name: ·gg-sch↵  
.1920 Schema: .  
.1920 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.1920 ent..sch↵  
.1921 Engine.name: ·ISO ·Schematron↵  
.1922 Severity: ·error↵  
.1923 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.1923 subSection ·or ·subSubSection.↵  
.1924 Start.location: ·2776:111↵  
.1925 ↵  
.1926 System.ID: .  
.1926 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.1926 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.1927 Main.validation-file: .  
.1927 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.1927 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.1928 Scenario.name: ·gg-sch↵  
.1929 Schema: .  
.1929 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.1929 ent..sch↵

.1930 Engine ·name: ·ISO ·Schematron ↵  
.1931 Severity: ·error ↵  
.1932 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.1932 subSection ·or ·subSubSection. ↵  
.1933 Start ·location: ·2789:112 ↵  
.1934 ↵  
.1935 System ·ID: ·  
.1935 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.1935 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.1936 Main ·validation ·file: ·  
.1936 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.1936 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.1937 Scenario ·name: ·gg-sch ↵  
.1938 Schema: ·  
.1938 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.1938 ent..sch ↵  
.1939 Engine ·name: ·ISO ·Schematron ↵  
.1940 Severity: ·error ↵  
.1941 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.1941 subSection ·or ·subSubSection. ↵  
.1942 Start ·location: ·2793:109 ↵  
.1943 ↵  
.1944 System ·ID: ·  
.1944 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.1944 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.1945 Main ·validation ·file: ·  
.1945 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.1945 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.1946 Scenario ·name: ·gg-sch ↵  
.1947 Schema: ·  
.1947 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.1947 ent..sch ↵  
.1948 Engine ·name: ·ISO ·Schematron ↵  
.1949 Severity: ·error ↵  
.1950 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·

.1950 subSection ·or ·subSubSection .↳  
.1951 Start ·location: ·2794:109↳  
.1952 ↳  
.1953 System ·ID: ·  
/Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.1953 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↳  
.1954 Main ·validation ·file: ·  
/Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.1954 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↳  
.1955 Scenario ·name: ·gg-sch↳  
.1956 Schema: ·  
/Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.1956 ent..sch↳  
.1957 Engine ·name: ·ISO ·Schematron↳  
.1958 Severity: ·error↳  
.1959 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.1959 subSection ·or ·subSubSection .↳  
.1960 Start ·location: ·2799:134↳  
.1961 ↳  
.1962 System ·ID: ·  
/Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.1962 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↳  
.1963 Main ·validation ·file: ·  
/Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.1963 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↳  
.1964 Scenario ·name: ·gg-sch↳  
.1965 Schema: ·  
/Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.1965 ent..sch↳  
.1966 Engine ·name: ·ISO ·Schematron↳  
.1967 Severity: ·error↳  
.1968 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.1968 subSection ·or ·subSubSection .↳  
.1969 Start ·location: ·2804:110↳  
.1970 ↳

.1971 System·ID: ·  
.1971 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.1971 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.1972 Main·validation·file: ·  
.1972 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.1972 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.1973 Scenario·name: ·gg-sch↵  
.1974 Schema: ·  
.1974 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.1974 ent..sch↵  
.1975 Engine·name: ·ISO·Schematron↵  
.1976 Severity: ·error↵  
.1977 Description: ·A·paragraph·must·have·an·ancestor·  
.1977 subSection·or·subSubSection.↵  
.1978 Start·location: ·2810:110↵  
.1979 ↵  
.1980 System·ID: ·  
.1980 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.1980 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.1981 Main·validation·file: ·  
.1981 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.1981 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.1982 Scenario·name: ·gg-sch↵  
.1983 Schema: ·  
.1983 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.1983 ent..sch↵  
.1984 Engine·name: ·ISO·Schematron↵  
.1985 Severity: ·error↵  
.1986 Description: ·A·paragraph·must·have·an·ancestor·  
.1986 subSection·or·subSubSection.↵  
.1987 Start·location: ·2826:146↵  
.1988 ↵  
.1989 System·ID: ·  
.1989 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.1989 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵

.1990 Main-validation-file: .  
.1990 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.1990 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.1991 Scenario-name: .gg-sch↵  
.1992 Schema: .  
.1992 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch↵  
.1993 Engine-name: .ISO-Schematron↵  
.1994 Severity: .error↵  
.1995 Description: .A .paragraph .must .have .an .ancestor .  
.1995 subSection .or .subSubSection.↵  
.1996 Start-location: .2856:110↵  
.1997 ↵  
.1998 System-ID: .  
.1998 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.1998 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.1999 Main-validation-file: .  
.1999 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.1999 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.2000 Scenario-name: .gg-sch↵  
.2001 Schema: .  
.2001 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch↵  
.2002 Engine-name: .ISO-Schematron↵  
.2003 Severity: .error↵  
.2004 Description: .A .paragraph .must .have .an .ancestor .  
.2004 subSection .or .subSubSection.↵  
.2005 Start-location: .2864:136↵  
.2006 ↵  
.2007 System-ID: .  
.2007 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.2007 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.2008 Main-validation-file: .  
.2008 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.2008 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵

.2009 Scenario ·name: ·gg-sch ↵  
.2010 Schema: ·  
.2010 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
.2011 Engine ·name: ·ISO ·Schematron ↵  
.2012 Severity: ·error ↵  
.2013 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.2013 subSection ·or ·subSubSection. ↵  
.2014 Start ·location: ·2869:111 ↵  
.2015 ↵  
.2016 System ·ID: ·  
.2016 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
/BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.2017 Main ·validation ·file: ·  
.2017 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
/BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.2018 Scenario ·name: ·gg-sch ↵  
.2019 Schema: ·  
.2019 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
.2020 Engine ·name: ·ISO ·Schematron ↵  
.2021 Severity: ·error ↵  
.2022 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.2022 subSection ·or ·subSubSection. ↵  
.2023 Start ·location: ·2873:111 ↵  
.2024 ↵  
.2025 System ·ID: ·  
.2025 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
/BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.2026 Main ·validation ·file: ·  
.2026 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
/BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.2027 Scenario ·name: ·gg-sch ↵  
.2028 Schema: ·  
.2028 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm

.2028 ent..sch↵  
.2029 Engine.name: ·ISO ·Schematron↵  
.2030 Severity: ·error↵  
.2031 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.2031 subSection ·or ·subSubSection.↵  
.2032 Start ·location: ·2895:111↵  
.2033 ↵  
.2034 System ·ID: ·  
.2034 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.2034 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.2035 Main ·validation ·file: ·  
.2035 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.2035 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.2036 Scenario ·name: ·gg-sch↵  
.2037 Schema: ·  
.2037 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.2037 ent..sch↵  
.2038 Engine.name: ·ISO ·Schematron↵  
.2039 Severity: ·error↵  
.2040 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.2040 subSection ·or ·subSubSection.↵  
.2041 Start ·location: ·2896:112↵  
.2042 ↵  
.2043 System ·ID: ·  
.2043 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.2043 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.2044 Main ·validation ·file: ·  
.2044 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.2044 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.2045 Scenario ·name: ·gg-sch↵  
.2046 Schema: ·  
.2046 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.2046 ent..sch↵  
.2047 Engine.name: ·ISO ·Schematron↵  
.2048 Severity: ·error↵

.2049 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.2049 subSection ·or ·subSubSection. ↵  
.2050 Start ·location: ·2908:112 ↵  
.2051 ↵  
.2052 System ·ID: ·  
.2052 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.2052 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.2053 Main ·validation ·file: ·  
.2053 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.2053 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.2054 Scenario ·name: ·gg-sch ↵  
.2055 Schema: ·  
.2055 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.2055 ent..sch ↵  
.2056 Engine ·name: ·ISO ·Schematron ↵  
.2057 Severity: ·error ↵  
.2058 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.2058 subSection ·or ·subSubSection. ↵  
.2059 Start ·location: ·2911:185 ↵  
.2060 ↵  
.2061 System ·ID: ·  
.2061 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.2061 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.2062 Main ·validation ·file: ·  
.2062 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.2062 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.2063 Scenario ·name: ·gg-sch ↵  
.2064 Schema: ·  
.2064 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.2064 ent..sch ↵  
.2065 Engine ·name: ·ISO ·Schematron ↵  
.2066 Severity: ·error ↵  
.2067 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.2067 subSection ·or ·subSubSection. ↵  
.2068 Start ·location: ·2933:112 ↵

.2069 ↵  
.2070 System·ID: ·  
.2070 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.2070 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.2071 Main·validation·file: ·  
.2071 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.2071 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.2072 Scenario·name: ·gg-sch↵  
.2073 Schema: ·  
.2073 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.2073 ent..sch↵  
.2074 Engine·name: ·ISO·Schematron↵  
.2075 Severity: ·error↵  
.2076 Description: ·A·paragraph·must·have·an·ancestor·  
.2076 subSection·or·subSubSection.↵  
.2077 Start·location: ·2938:149↵  
.2078 ↵  
.2079 System·ID: ·  
.2079 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.2079 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.2080 Main·validation·file: ·  
.2080 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.2080 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.2081 Scenario·name: ·gg-sch↵  
.2082 Schema: ·  
.2082 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.2082 ent..sch↵  
.2083 Engine·name: ·ISO·Schematron↵  
.2084 Severity: ·error↵  
.2085 Description: ·A·paragraph·must·have·an·ancestor·  
.2085 subSection·or·subSubSection.↵  
.2086 Start·location: ·2953:112↵  
.2087 ↵  
.2088 System·ID: ·  
.2088 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax

.2088 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.2089 Main-validation-file: ·  
.2089 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.2089 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.2090 Scenario-name: ·gg-sch ↵  
.2091 Schema: ·  
.2091 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.2091 ent..sch ↵  
.2092 Engine-name: ·ISO-Schematron ↵  
.2093 Severity: ·error ↵  
.2094 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.2094 subSection ·or ·subSubSection. ↵  
.2095 Start-location: ·2980:185 ↵  
.2096 ↵  
.2097 System-ID: ·  
.2097 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.2097 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.2098 Main-validation-file: ·  
.2098 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.2098 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.2099 Scenario-name: ·gg-sch ↵  
.2100 Schema: ·  
.2100 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.2100 ent..sch ↵  
.2101 Engine-name: ·ISO-Schematron ↵  
.2102 Severity: ·error ↵  
.2103 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.2103 subSection ·or ·subSubSection. ↵  
.2104 Start-location: ·2988:110 ↵  
.2105 ↵  
.2106 System-ID: ·  
.2106 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.2106 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.2107 Main-validation-file: ·  
.2107 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax

.2107 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.2108 Scenario.name: .gg-sch ↵  
.2109 Schema: .  
.2109 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
.2110 Engine.name: .ISO.Schematron ↵  
.2111 Severity: .error ↵  
.2112 Description: .A.paragraph.must.have.an.ancestor.  
.2112 subSection.or.subSubSection. ↵  
.2113 Start.location: .2993:111 ↵  
.2114 ↵  
.2115 System.ID: .  
.2115 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.2115 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.2116 Main.validation.file: .  
.2116 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.2116 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.2117 Scenario.name: .gg-sch ↵  
.2118 Schema: .  
.2118 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
.2119 Engine.name: .ISO.Schematron ↵  
.2120 Severity: .error ↵  
.2121 Description: .A.paragraph.must.have.an.ancestor.  
.2121 subSection.or.subSubSection. ↵  
.2122 Start.location: .2999:111 ↵  
.2123 ↵  
.2124 System.ID: .  
.2124 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.2124 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.2125 Main.validation.file: .  
.2125 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.2125 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.2126 Scenario.name: .gg-sch ↵  
.2127 Schema: .

.2127 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.2127 ent..sch↵  
.2128 Engine.name: ·ISO ·Schematron↵  
.2129 Severity: ·error↵  
.2130 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.2130 subSection ·or ·subSubSection.↵  
.2131 Start ·location: ·3002:149↵  
.2132 ↵  
.2133 System ·ID: ·  
.2133 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.2133 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.2134 Main ·validation ·file: ·  
.2134 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.2134 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.2135 Scenario ·name: ·gg-sch↵  
.2136 Schema: ·  
.2136 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.2136 ent..sch↵  
.2137 Engine.name: ·ISO ·Schematron↵  
.2138 Severity: ·error↵  
.2139 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.2139 subSection ·or ·subSubSection.↵  
.2140 Start ·location: ·3003:139↵  
.2141 ↵  
.2142 System ·ID: ·  
.2142 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.2142 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.2143 Main ·validation ·file: ·  
.2143 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.2143 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.2144 Scenario ·name: ·gg-sch↵  
.2145 Schema: ·  
.2145 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.2145 ent..sch↵  
.2146 Engine.name: ·ISO ·Schematron↵

.2147 Severity: ·error ↵  
.2148 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.2148 subSection ·or ·subSubSection. ↵  
.2149 Start ·location: ·3008:183 ↵  
.2150 ↵  
.2151 System ·ID: ·  
/Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.2151 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.2152 Main ·validation ·file: ·  
/Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.2152 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.2153 Scenario ·name: ·gg-sch ↵  
.2154 Schema: ·  
/Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.2154 ent..sch ↵  
.2155 Engine ·name: ·ISO ·Schematron ↵  
.2156 Severity: ·error ↵  
.2157 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.2157 subSection ·or ·subSubSection. ↵  
.2158 Start ·location: ·3009:134 ↵  
.2159 ↵  
.2160 System ·ID: ·  
/Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.2160 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.2161 Main ·validation ·file: ·  
/Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.2161 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.2162 Scenario ·name: ·gg-sch ↵  
.2163 Schema: ·  
/Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.2163 ent..sch ↵  
.2164 Engine ·name: ·ISO ·Schematron ↵  
.2165 Severity: ·error ↵  
.2166 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.2166 subSection ·or ·subSubSection. ↵

.2167 Start ·location: ·3014:110 ↵  
.2168 ↵  
.2169 System ·ID: ·  
.2169 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.2169 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.2170 Main ·validation ·file: ·  
.2170 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.2170 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.2171 Scenario ·name: ·gg-sch ↵  
.2172 Schema: ·  
.2172 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.2172 ent..sch ↵  
.2173 Engine ·name: ·ISO ·Schematron ↵  
.2174 Severity: ·error ↵  
.2175 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.2175 subSection ·or ·subSubSection. ↵  
.2176 Start ·location: ·3015:110 ↵  
.2177 ↵  
.2178 System ·ID: ·  
.2178 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.2178 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.2179 Main ·validation ·file: ·  
.2179 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.2179 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.2180 Scenario ·name: ·gg-sch ↵  
.2181 Schema: ·  
.2181 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.2181 ent..sch ↵  
.2182 Engine ·name: ·ISO ·Schematron ↵  
.2183 Severity: ·error ↵  
.2184 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.2184 subSection ·or ·subSubSection. ↵  
.2185 Start ·location: ·3036:110 ↵  
.2186 ↵  
.2187 System ·ID: ·

```
.2187 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
.2187 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵
.2188 Main-validation-file: ·
.2188 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
.2188 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵
.2189 Scenario-name: ·gg-sch↵
.2190 Schema: ·
.2190 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
.2190 ent..sch↵
.2191 Engine-name: ·ISO ·Schematron↵
.2192 Severity: ·error↵
.2193 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
.2193 subSection ·or ·subSubSection.↵
.2194 Start-location: ·3071:110↵
.2195 ↵
.2196 System-ID: ·
.2196 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
.2196 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵
.2197 Main-validation-file: ·
.2197 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
.2197 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵
.2198 Scenario-name: ·gg-sch↵
.2199 Schema: ·
.2199 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
.2199 ent..sch↵
.2200 Engine-name: ·ISO ·Schematron↵
.2201 Severity: ·error↵
.2202 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
.2202 subSection ·or ·subSubSection.↵
.2203 Start-location: ·3086:110↵
.2204 ↵
.2205 System-ID: ·
.2205 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
.2205 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵
.2206 Main-validation-file: ·
```

.2206 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.2206 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.2207 Scenario.name: .gg-sch ↵  
.2208 Schema: .  
.2208 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
.2209 Engine.name: .ISO .Schematron ↵  
.2210 Severity: .error ↵  
.2211 Description: .A .paragraph .must .have .an .ancestor .  
.2211 subSection .or .subSubSection. ↵  
.2212 Start.location: .3154:146 ↵  
.2213 ↵  
.2214 System.ID: .  
.2214 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.2214 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.2215 Main.validation.file: .  
.2215 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.2215 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.2216 Scenario.name: .gg-sch ↵  
.2217 Schema: .  
.2217 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
.2218 Engine.name: .ISO .Schematron ↵  
.2219 Severity: .error ↵  
.2220 Description: .A .paragraph .must .have .an .ancestor .  
.2220 subSection .or .subSubSection. ↵  
.2221 Start.location: .3169:110 ↵  
.2222 ↵  
.2223 System.ID: .  
.2223 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.2223 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.2224 Main.validation.file: .  
.2224 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.2224 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.2225 Scenario.name: .gg-sch ↵

.2226 Schema: .  
.2226 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.2226 ent..sch↵  
.2227 Engine.name: ·ISO ·Schematron↵  
.2228 Severity: ·error↵  
.2229 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.2229 subSection ·or ·subSubSection.↵  
.2230 Start.location: ·3174:136↵  
.2231 ↵  
.2232 System.ID: .  
.2232 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.2232 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.2233 Main.validation-file: .  
.2233 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.2233 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.2234 Scenario.name: ·gg-sch↵  
.2235 Schema: .  
.2235 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.2235 ent..sch↵  
.2236 Engine.name: ·ISO ·Schematron↵  
.2237 Severity: ·error↵  
.2238 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.2238 subSection ·or ·subSubSection.↵  
.2239 Start.location: ·3179:111↵  
.2240 ↵  
.2241 System.ID: .  
.2241 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.2241 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.2242 Main.validation-file: .  
.2242 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.2242 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.2243 Scenario.name: ·gg-sch↵  
.2244 Schema: .  
.2244 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.2244 ent..sch↵

.2245 Engine ·name: ·ISO ·Schematron ↵  
.2246 Severity: ·error ↵  
.2247 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
subSection ·or ·subSubSection. ↵  
.2248 Start ·location: ·3212:111 ↵  
.2249 ↵  
.2250 System ·ID: ·  
.2250 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.2250 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.2251 Main ·validation ·file: ·  
.2251 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.2251 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.2252 Scenario ·name: ·gg-sch ↵  
.2253 Schema: ·  
.2253 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
.2254 Engine ·name: ·ISO ·Schematron ↵  
.2255 Severity: ·error ↵  
.2256 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
subSection ·or ·subSubSection. ↵  
.2257 Start ·location: ·3295:182 ↵  
.2258 ↵  
.2259 System ·ID: ·  
.2259 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.2259 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.2260 Main ·validation ·file: ·  
.2260 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.2260 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.2261 Scenario ·name: ·gg-sch ↵  
.2262 Schema: ·  
.2262 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
.2263 Engine ·name: ·ISO ·Schematron ↵  
.2264 Severity: ·error ↵  
.2265 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·

.2265 subSection ·or ·subSubSection .↳  
.2266 Start ·location: ·3310:133↳  
.2267 ↳  
.2268 System ·ID: ·  
.2268 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.2268 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↳  
.2269 Main ·validation ·file: ·  
.2269 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.2269 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↳  
.2270 Scenario ·name: ·gg-sch↳  
.2271 Schema: ·  
.2271 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.2271 ent..sch↳  
.2272 Engine ·name: ·ISO ·Schematron↳  
.2273 Severity: ·error↳  
.2274 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.2274 subSection ·or ·subSubSection .↳  
.2275 Start ·location: ·3315:110↳  
.2276 ↳  
.2277 System ·ID: ·  
.2277 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.2277 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↳  
.2278 Main ·validation ·file: ·  
.2278 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.2278 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↳  
.2279 Scenario ·name: ·gg-sch↳  
.2280 Schema: ·  
.2280 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.2280 ent..sch↳  
.2281 Engine ·name: ·ISO ·Schematron↳  
.2282 Severity: ·error↳  
.2283 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.2283 subSection ·or ·subSubSection .↳  
.2284 Start ·location: ·3336:110↳  
.2285 ↳

.2286 System·ID: ·  
.2286 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.2286 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.2287 Main·validation·file: ·  
.2287 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.2287 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.2288 Scenario·name: ·gg-sch↵  
.2289 Schema: ·  
.2289 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.2289 ent..sch↵  
.2290 Engine·name: ·ISO·Schematron↵  
.2291 Severity: ·error↵  
.2292 Description: ·A·paragraph·must·have·an·ancestor·  
.2292 subSection·or·subSubSection.↵  
.2293 Start·location: ·3353:110↵  
.2294 ↵  
.2295 System·ID: ·  
.2295 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.2295 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.2296 Main·validation·file: ·  
.2296 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.2296 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.2297 Scenario·name: ·gg-sch↵  
.2298 Schema: ·  
.2298 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.2298 ent..sch↵  
.2299 Engine·name: ·ISO·Schematron↵  
.2300 Severity: ·error↵  
.2301 Description: ·A·paragraph·must·have·an·ancestor·  
.2301 subSection·or·subSubSection.↵  
.2302 Start·location: ·3354:137↵  
.2303 ↵  
.2304 System·ID: ·  
.2304 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.2304 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵

.2305 Main-validation-file: .  
.2305 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.2305 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.2306 Scenario-name: .gg-sch↵  
.2307 Schema: .  
.2307 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch↵  
.2308 Engine-name: .ISO-Schematron↵  
.2309 Severity: .error↵  
.2310 Description: .A .paragraph .must .have .an .ancestor .  
.2310 subSection .or .subSubSection.↵  
.2311 Start-location: .3357:111↵  
.2312 ↵  
.2313 System-ID: .  
.2313 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.2313 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.2314 Main-validation-file: .  
.2314 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.2314 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.2315 Scenario-name: .gg-sch↵  
.2316 Schema: .  
.2316 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch↵  
.2317 Engine-name: .ISO-Schematron↵  
.2318 Severity: .error↵  
.2319 Description: .A .paragraph .must .have .an .ancestor .  
.2319 subSection .or .subSubSection.↵  
.2320 Start-location: .3383:111↵  
.2321 ↵  
.2322 System-ID: .  
.2322 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.2322 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.2323 Main-validation-file: .  
.2323 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.2323 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵

.2324 Scenario ·name: ·gg-sch ↵  
.2325 Schema: ·  
.2325 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
.2326 Engine ·name: ·ISO ·Schematron ↵  
.2327 Severity: ·error ↵  
.2328 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.2328 subSection ·or ·subSubSection. ↵  
.2329 Start ·location: ·3404:147 ↵  
.2330 ↵  
.2331 System ·ID: ·  
.2331 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.2331 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.2332 Main ·validation ·file: ·  
.2332 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.2332 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.2333 Scenario ·name: ·gg-sch ↵  
.2334 Schema: ·  
.2334 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
.2335 Engine ·name: ·ISO ·Schematron ↵  
.2336 Severity: ·error ↵  
.2337 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.2337 subSection ·or ·subSubSection. ↵  
.2338 Start ·location: ·3460:110 ↵  
.2339 ↵  
.2340 System ·ID: ·  
.2340 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.2340 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.2341 Main ·validation ·file: ·  
.2341 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.2341 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.2342 Scenario ·name: ·gg-sch ↵  
.2343 Schema: ·  
.2343 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm

```
.2343 ent..sch↵
.2344 Engine·name: ·ISO ·Schematron↵
.2345 Severity: ·error↵
.2346 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
.2346 subSection ·or ·subSubSection.↵
.2347 Start ·location: ·3461:110↵
.2348 ↵
.2349 System ·ID: ·
.2349 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
.2349 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵
.2350 Main ·validation ·file: ·
.2350 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
.2350 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵
.2351 Scenario ·name: ·gg-sch↵
.2352 Schema: ·
.2352 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
.2352 ent..sch↵
.2353 Engine·name: ·ISO ·Schematron↵
.2354 Severity: ·error↵
.2355 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
.2355 subSection ·or ·subSubSection.↵
.2356 Start ·location: ·3465:110↵
.2357 ↵
.2358 System ·ID: ·
.2358 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
.2358 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵
.2359 Main ·validation ·file: ·
.2359 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
.2359 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵
.2360 Scenario ·name: ·gg-sch↵
.2361 Schema: ·
.2361 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
.2361 ent..sch↵
.2362 Engine·name: ·ISO ·Schematron↵
.2363 Severity: ·error↵
```

.2364 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.2364 subSection ·or ·subSubSection. ↵  
.2365 Start ·location: ·3466:136 ↵  
.2366 ↵  
.2367 System ·ID: ·  
.2367 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.2367 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.2368 Main ·validation ·file: ·  
.2368 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.2368 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.2369 Scenario ·name: ·gg-sch ↵  
.2370 Schema: ·  
.2370 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.2370 ent..sch ↵  
.2371 Engine ·name: ·ISO ·Schematron ↵  
.2372 Severity: ·error ↵  
.2373 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.2373 subSection ·or ·subSubSection. ↵  
.2374 Start ·location: ·3469:111 ↵  
.2375 ↵  
.2376 System ·ID: ·  
.2376 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.2376 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.2377 Main ·validation ·file: ·  
.2377 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.2377 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.2378 Scenario ·name: ·gg-sch ↵  
.2379 Schema: ·  
.2379 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.2379 ent..sch ↵  
.2380 Engine ·name: ·ISO ·Schematron ↵  
.2381 Severity: ·error ↵  
.2382 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.2382 subSection ·or ·subSubSection. ↵  
.2383 Start ·location: ·3480:111 ↵

```
.2384 <System·ID: ·  
.2385 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.2385 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml<  
.2386 Main·validation·file: ·  
.2386 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.2386 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml<  
.2387 Scenario·name: ·gg-sch<  
.2388 Schema: ·  
.2388 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm  
.2388 ent..sch<  
.2389 Engine·name: ·ISO·Schematron<  
.2390 Severity: ·error<  
.2391 Description: ·A·paragraph·must·have·an·ancestor·  
.2391 subSection·or·subSubSection.<  
.2392 Start·location: ·3499:111<  
.2393 <  
.2394 System·ID: ·  
.2394 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.2394 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml<  
.2395 Main·validation·file: ·  
.2395 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.2395 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml<  
.2396 Scenario·name: ·gg-sch<  
.2397 Schema: ·  
.2397 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm  
.2397 ent..sch<  
.2398 Engine·name: ·ISO·Schematron<  
.2399 Severity: ·error<  
.2400 Description: ·A·paragraph·must·have·an·ancestor·  
.2400 subSection·or·subSubSection.<  
.2401 Start·location: ·3565:111<  
.2402 <  
.2403 System·ID: ·  
.2403 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
```

.2403 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.2404 Main-validation-file: ·  
.2404 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.2404 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.2405 Scenario-name: ·gg-sch ↵  
.2406 Schema: ·  
.2406 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.2406 ent..sch ↵  
.2407 Engine-name: ·ISO-Schematron ↵  
.2408 Severity: ·error ↵  
.2409 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.2409 subSection ·or ·subSubSection. ↵  
.2410 Start-location: ·3566:112 ↵  
.2411 ↵  
.2412 System-ID: ·  
.2412 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.2412 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.2413 Main-validation-file: ·  
.2413 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.2413 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.2414 Scenario-name: ·gg-sch ↵  
.2415 Schema: ·  
.2415 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.2415 ent..sch ↵  
.2416 Engine-name: ·ISO-Schematron ↵  
.2417 Severity: ·error ↵  
.2418 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.2418 subSection ·or ·subSubSection. ↵  
.2419 Start-location: ·3570:112 ↵  
.2420 ↵  
.2421 System-ID: ·  
.2421 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.2421 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.2422 Main-validation-file: ·  
.2422 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax

.2422 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.2423 Scenario.name: .gg-sch ↵  
.2424 Schema: .  
.2424 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
.2425 Engine.name: .ISO .Schematron ↵  
.2426 Severity: .error ↵  
.2427 Description: .A .paragraph .must .have .an .ancestor .  
.2427 subSection .or .subSubSection. ↵  
.2428 Start.location: .3571:139 ↵  
.2429 ↵  
.2430 System.ID: .  
.2430 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.2430 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.2431 Main.validation.file: .  
.2431 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.2431 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.2432 Scenario.name: .gg-sch ↵  
.2433 Schema: .  
.2433 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
.2434 Engine.name: .ISO .Schematron ↵  
.2435 Severity: .error ↵  
.2436 Description: .A .paragraph .must .have .an .ancestor .  
.2436 subSection .or .subSubSection. ↵  
.2437 Start.location: .3574:139 ↵  
.2438 ↵  
.2439 System.ID: .  
.2439 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.2439 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.2440 Main.validation.file: .  
.2440 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.2440 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.2441 Scenario.name: .gg-sch ↵  
.2442 Schema: .

.2442 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.2442 ent..sch↵  
.2443 Engine.name: ·ISO ·Schematron↵  
.2444 Severity: ·error↵  
.2445 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.2445 subSection ·or ·subSubSection.↵  
.2446 Start ·location: ·3583:112↵  
.2447 ↵  
.2448 System ·ID: ·  
.2448 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.2448 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.2449 Main ·validation ·file: ·  
.2449 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.2449 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.2450 Scenario ·name: ·gg-sch↵  
.2451 Schema: ·  
.2451 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.2451 ent..sch↵  
.2452 Engine.name: ·ISO ·Schematron↵  
.2453 Severity: ·error↵  
.2454 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.2454 subSection ·or ·subSubSection.↵  
.2455 Start ·location: ·3603:112↵  
.2456 ↵  
.2457 System ·ID: ·  
.2457 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.2457 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.2458 Main ·validation ·file: ·  
.2458 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.2458 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.2459 Scenario ·name: ·gg-sch↵  
.2460 Schema: ·  
.2460 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.2460 ent..sch↵  
.2461 Engine.name: ·ISO ·Schematron↵

.2462 Severity: ·error ↵  
.2463 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.2463 subSection ·or ·subSubSection. ↵  
.2464 Start ·location: ·3657:112 ↵  
.2465 ↵  
.2466 System ·ID: ·  
.2466 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.2466 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.2467 Main ·validation ·file: ·  
.2467 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.2467 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.2468 Scenario ·name: ·gg-sch ↵  
.2469 Schema: ·  
.2469 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.2469 ent..sch ↵  
.2470 Engine ·name: ·ISO ·Schematron ↵  
.2471 Severity: ·error ↵  
.2472 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.2472 subSection ·or ·subSubSection. ↵  
.2473 Start ·location: ·3658:112 ↵  
.2474 ↵  
.2475 System ·ID: ·  
.2475 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.2475 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.2476 Main ·validation ·file: ·  
.2476 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.2476 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.2477 Scenario ·name: ·gg-sch ↵  
.2478 Schema: ·  
.2478 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.2478 ent..sch ↵  
.2479 Engine ·name: ·ISO ·Schematron ↵  
.2480 Severity: ·error ↵  
.2481 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.2481 subSection ·or ·subSubSection. ↵

.2482 Start ·location: ·3667:111 ↵  
.2483 ↵  
.2484 System ·ID: ·  
.2484 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.2484 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.2485 Main ·validation ·file: ·  
.2485 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.2485 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.2486 Scenario ·name: ·gg-sch ↵  
.2487 Schema: ·  
.2487 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.2487 ent..sch ↵  
.2488 Engine ·name: ·ISO ·Schematron ↵  
.2489 Severity: ·error ↵  
.2490 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.2490 subSection ·or ·subSubSection. ↵  
.2491 Start ·location: ·3746:111 ↵  
.2492 ↵  
.2493 System ·ID: ·  
.2493 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.2493 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.2494 Main ·validation ·file: ·  
.2494 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.2494 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.2495 Scenario ·name: ·gg-sch ↵  
.2496 Schema: ·  
.2496 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.2496 ent..sch ↵  
.2497 Engine ·name: ·ISO ·Schematron ↵  
.2498 Severity: ·error ↵  
.2499 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.2499 subSection ·or ·subSubSection. ↵  
.2500 Start ·location: ·3747:137 ↵  
.2501 ↵  
.2502 System ·ID: ·

.2502 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.2502 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.2503 Main-validation-file: ·  
.2503 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.2503 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.2504 Scenario-name: ·gg-sch ↵  
.2505 Schema: ·  
.2505 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.2505 ent..sch ↵  
.2506 Engine-name: ·ISO-Schematron ↵  
.2507 Severity: ·error ↵  
.2508 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.2508 subSection ·or ·subSubSection. ↵  
.2509 Start-location: ·3750:111 ↵  
.2510 ↵  
.2511 System-ID: ·  
.2511 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.2511 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.2512 Main-validation-file: ·  
.2512 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.2512 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.2513 Scenario-name: ·gg-sch ↵  
.2514 Schema: ·  
.2514 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.2514 ent..sch ↵  
.2515 Engine-name: ·ISO-Schematron ↵  
.2516 Severity: ·error ↵  
.2517 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.2517 subSection ·or ·subSubSection. ↵  
.2518 Start-location: ·3761:111 ↵  
.2519 ↵  
.2520 System-ID: ·  
.2520 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.2520 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.2521 Main-validation-file: ·

.2521 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.2521 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.2522 Scenario.name: .gg-sch ↵  
.2523 Schema: .  
.2523 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
.2524 Engine.name: .ISO .Schematron ↵  
.2525 Severity: .error ↵  
.2526 Description: .A .paragraph .must .have .an .ancestor .  
.2526 subSection .or .subSubSection. ↵  
.2527 Start.location: .3782:111 ↵  
.2528 ↵  
.2529 System.ID: .  
.2529 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.2529 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.2530 Main.validation.file: .  
.2530 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.2530 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.2531 Scenario.name: .gg-sch ↵  
.2532 Schema: .  
.2532 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
.2533 Engine.name: .ISO .Schematron ↵  
.2534 Severity: .error ↵  
.2535 Description: .A .paragraph .must .have .an .ancestor .  
.2535 subSection .or .subSubSection. ↵  
.2536 Start.location: .3831:111 ↵  
.2537 ↵  
.2538 System.ID: .  
.2538 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.2538 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.2539 Main.validation.file: .  
.2539 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.2539 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.2540 Scenario.name: .gg-sch ↵

.2541 Schema: .  
.2541 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.2541 ent..sch↵  
.2542 Engine.name: ·ISO ·Schematron↵  
.2543 Severity: ·error↵  
.2544 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.2544 subSection ·or ·subSubSection.↵  
.2545 Start.location: ·3832:149↵  
.2546 ↵  
.2547 System.ID: .  
.2547 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.2547 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.2548 Main.validation-file: .  
.2548 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.2548 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.2549 Scenario.name: ·gg-sch↵  
.2550 Schema: .  
.2550 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.2550 ent..sch↵  
.2551 Engine.name: ·ISO ·Schematron↵  
.2552 Severity: ·error↵  
.2553 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.2553 subSection ·or ·subSubSection.↵  
.2554 Start.location: ·3836:112↵  
.2555 ↵  
.2556 System.ID: .  
.2556 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.2556 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.2557 Main.validation-file: .  
.2557 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.2557 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.2558 Scenario.name: ·gg-sch↵  
.2559 Schema: .  
.2559 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.2559 ent..sch↵

.2560 Engine ·name: ·ISO ·Schematron ↵  
.2561 Severity: ·error ↵  
.2562 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.2562 subSection ·or ·subSubSection. ↵  
.2563 Start ·location: ·3851:139 ↵  
.2564 ↵  
.2565 System ·ID: ·  
.2565 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.2565 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.2566 Main ·validation ·file: ·  
.2566 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.2566 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.2567 Scenario ·name: ·gg-sch ↵  
.2568 Schema: ·  
.2568 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.2568 ent..sch ↵  
.2569 Engine ·name: ·ISO ·Schematron ↵  
.2570 Severity: ·error ↵  
.2571 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.2571 subSection ·or ·subSubSection. ↵  
.2572 Start ·location: ·3856:112 ↵  
.2573 ↵  
.2574 System ·ID: ·  
.2574 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.2574 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.2575 Main ·validation ·file: ·  
.2575 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.2575 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.2576 Scenario ·name: ·gg-sch ↵  
.2577 Schema: ·  
.2577 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.2577 ent..sch ↵  
.2578 Engine ·name: ·ISO ·Schematron ↵  
.2579 Severity: ·error ↵  
.2580 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·

.2580 subSection ·or ·subSubSection .↳  
.2581 Start ·location: ·3871:112↳  
.2582 ↳  
.2583 System ·ID: ·  
.2583 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.2583 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↳  
.2584 Main ·validation ·file: ·  
.2584 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.2584 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↳  
.2585 Scenario ·name: ·gg-sch↳  
.2586 Schema: ·  
.2586 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.2586 ent..sch↳  
.2587 Engine ·name: ·ISO ·Schematron↳  
.2588 Severity: ·error↳  
.2589 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.2589 subSection ·or ·subSubSection .↳  
.2590 Start ·location: ·3903:112↳  
.2591 ↳  
.2592 System ·ID: ·  
.2592 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.2592 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↳  
.2593 Main ·validation ·file: ·  
.2593 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.2593 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↳  
.2594 Scenario ·name: ·gg-sch↳  
.2595 Schema: ·  
.2595 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.2595 ent..sch↳  
.2596 Engine ·name: ·ISO ·Schematron↳  
.2597 Severity: ·error↳  
.2598 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.2598 subSection ·or ·subSubSection .↳  
.2599 Start ·location: ·3904:112↳  
.2600 ↳

.2601 System·ID: ·  
.2601 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.2601 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.2602 Main·validation·file: ·  
.2602 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.2602 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.2603 Scenario·name: ·gg-sch↵  
.2604 Schema: ·  
.2604 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.2604 ent..sch↵  
.2605 Engine·name: ·ISO·Schematron↵  
.2606 Severity: ·error↵  
.2607 Description: ·A·paragraph·must·have·an·ancestor·  
.2607 subSection·or·subSubSection.↵  
.2608 Start·location: ·3908:112↵  
.2609 ↵  
.2610 System·ID: ·  
.2610 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.2610 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.2611 Main·validation·file: ·  
.2611 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.2611 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.2612 Scenario·name: ·gg-sch↵  
.2613 Schema: ·  
.2613 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.2613 ent..sch↵  
.2614 Engine·name: ·ISO·Schematron↵  
.2615 Severity: ·error↵  
.2616 Description: ·A·paragraph·must·have·an·ancestor·  
.2616 subSection·or·subSubSection.↵  
.2617 Start·location: ·3909:133↵  
.2618 ↵  
.2619 System·ID: ·  
.2619 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.2619 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵

.2620 Main-validation-file: .  
.2620 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.2620 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.2621 Scenario-name: ·gg-sch↵  
.2622 Schema: .  
.2622 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch↵  
.2623 Engine-name: ·ISO ·Schematron↵  
.2624 Severity: ·error↵  
.2625 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.2625 subSection ·or ·subSubSection.↵  
.2626 Start-location: ·3914:133↵  
.2627 ↵  
.2628 System-ID: .  
.2628 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.2628 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.2629 Main-validation-file: .  
.2629 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.2629 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.2630 Scenario-name: ·gg-sch↵  
.2631 Schema: .  
.2631 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch↵  
.2632 Engine-name: ·ISO ·Schematron↵  
.2633 Severity: ·error↵  
.2634 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.2634 subSection ·or ·subSubSection.↵  
.2635 Start-location: ·3921:109↵  
.2636 ↵  
.2637 System-ID: .  
.2637 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.2637 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.2638 Main-validation-file: .  
.2638 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.2638 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵

.2639 Scenario ·name: ·gg-sch ↵  
.2640 Schema: ·  
.2640 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
.2641 Engine ·name: ·ISO ·Schematron ↵  
.2642 Severity: ·error ↵  
.2643 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.2643 subSection ·or ·subSubSection. ↵  
.2644 Start ·location: ·3922:109 ↵  
.2645 ↵  
.2646 System ·ID: ·  
.2646 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.2646 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.2647 Main ·validation ·file: ·  
.2647 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.2647 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.2648 Scenario ·name: ·gg-sch ↵  
.2649 Schema: ·  
.2649 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
.2650 Engine ·name: ·ISO ·Schematron ↵  
.2651 Severity: ·error ↵  
.2652 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.2652 subSection ·or ·subSubSection. ↵  
.2653 Start ·location: ·3956:109 ↵  
.2654 ↵  
.2655 System ·ID: ·  
.2655 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.2655 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.2656 Main ·validation ·file: ·  
.2656 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.2656 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.2657 Scenario ·name: ·gg-sch ↵  
.2658 Schema: ·  
.2658 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm

```
.2658 ent..sch↵
.2659 Engine.name: ·ISO ·Schematron↵
.2660 Severity: ·error↵
.2661 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
.2661 subSection ·or ·subSubSection.↵
.2662 Start ·location: ·3957:109↵
.2663 ↵
.2664 System ·ID: ·
.2664 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
.2664 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵
.2665 Main ·validation ·file: ·
.2665 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
.2665 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵
.2666 Scenario ·name: ·gg-sch↵
.2667 Schema: ·
.2667 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
.2667 ent..sch↵
.2668 Engine.name: ·ISO ·Schematron↵
.2669 Severity: ·error↵
.2670 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
.2670 subSection ·or ·subSubSection.↵
.2671 Start ·location: ·3958:109↵
.2672 ↵
.2673 System ·ID: ·
.2673 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
.2673 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵
.2674 Main ·validation ·file: ·
.2674 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
.2674 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵
.2675 Scenario ·name: ·gg-sch↵
.2676 Schema: ·
.2676 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
.2676 ent..sch↵
.2677 Engine.name: ·ISO ·Schematron↵
.2678 Severity: ·error↵
```

.2679 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.2679 subSection ·or ·subSubSection. ↵  
.2680 Start ·location: ·3962:133 ↵  
.2681 ↵  
.2682 System ·ID: ·  
.2682 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.2682 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.2683 Main ·validation ·file: ·  
.2683 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.2683 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.2684 Scenario ·name: ·gg-sch ↵  
.2685 Schema: ·  
.2685 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.2685 ent..sch ↵  
.2686 Engine ·name: ·ISO ·Schematron ↵  
.2687 Severity: ·error ↵  
.2688 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.2688 subSection ·or ·subSubSection. ↵  
.2689 Start ·location: ·3967:109 ↵  
.2690 ↵  
.2691 System ·ID: ·  
.2691 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.2691 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.2692 Main ·validation ·file: ·  
.2692 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.2692 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.2693 Scenario ·name: ·gg-sch ↵  
.2694 Schema: ·  
.2694 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.2694 ent..sch ↵  
.2695 Engine ·name: ·ISO ·Schematron ↵  
.2696 Severity: ·error ↵  
.2697 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.2697 subSection ·or ·subSubSection. ↵  
.2698 Start ·location: ·3984:109 ↵

.2699 ↵  
.2700 System·ID: ·  
.2700 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.2700 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.2701 Main·validation·file: ·  
.2701 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.2701 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.2702 Scenario·name: ·gg-sch↵  
.2703 Schema: ·  
.2703 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.2703 ent..sch↵  
.2704 Engine·name: ·ISO·Schematron↵  
.2705 Severity: ·error↵  
.2706 Description: ·A·paragraph·must·have·an·ancestor·  
.2706 subSection·or·subSubSection.↵  
.2707 Start·location: ·4007:109↵  
.2708 ↵  
.2709 System·ID: ·  
.2709 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.2709 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.2710 Main·validation·file: ·  
.2710 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.2710 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.2711 Scenario·name: ·gg-sch↵  
.2712 Schema: ·  
.2712 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.2712 ent..sch↵  
.2713 Engine·name: ·ISO·Schematron↵  
.2714 Severity: ·error↵  
.2715 Description: ·A·paragraph·must·have·an·ancestor·  
.2715 subSection·or·subSubSection.↵  
.2716 Start·location: ·4008:111↵  
.2717 ↵  
.2718 System·ID: ·  
.2718 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax

.2718 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.2719 Main-validation-file: .  
.2719 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.2719 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.2720 Scenario-name: .gg-sch ↵  
.2721 Schema: .  
.2721 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.2721 ent..sch ↵  
.2722 Engine-name: .ISO-Schematron ↵  
.2723 Severity: .error ↵  
.2724 Description: .A.paragraph.must.have.an.ancestor.  
.2724 subSection.or.subSubSection. ↵  
.2725 Start-location: .4012:137 ↵  
.2726 ↵  
.2727 System-ID: .  
.2727 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.2727 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.2728 Main-validation-file: .  
.2728 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.2728 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.2729 Scenario-name: .gg-sch ↵  
.2730 Schema: .  
.2730 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.2730 ent..sch ↵  
.2731 Engine-name: .ISO-Schematron ↵  
.2732 Severity: .error ↵  
.2733 Description: .A.paragraph.must.have.an.ancestor.  
.2733 subSection.or.subSubSection. ↵  
.2734 Start-location: .4013:137 ↵  
.2735 ↵  
.2736 System-ID: .  
.2736 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.2736 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.2737 Main-validation-file: .  
.2737 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax

.2737 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.2738 Scenario.name: .gg-sch ↵  
.2739 Schema: .  
.2739 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
.2740 Engine.name: .ISO.Schematron ↵  
.2741 Severity: .error ↵  
.2742 Description: .A.paragraph.must.have.an.ancestor.  
.2742 subSection.or.subSubSection. ↵  
.2743 Start.location: .4018:111 ↵  
.2744 ↵  
.2745 System.ID: .  
.2745 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.2745 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.2746 Main.validation.file: .  
.2746 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.2746 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.2747 Scenario.name: .gg-sch ↵  
.2748 Schema: .  
.2748 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
.2749 Engine.name: .ISO.Schematron ↵  
.2750 Severity: .error ↵  
.2751 Description: .A.paragraph.must.have.an.ancestor.  
.2751 subSection.or.subSubSection. ↵  
.2752 Start.location: .4023:148 ↵  
.2753 ↵  
.2754 System.ID: .  
.2754 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.2754 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.2755 Main.validation.file: .  
.2755 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.2755 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.2756 Scenario.name: .gg-sch ↵  
.2757 Schema: .

.2757 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.2757 ent..sch↵  
.2758 Engine.name: ·ISO ·Schematron↵  
.2759 Severity: ·error↵  
.2760 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.2760 subSection ·or ·subSubSection.↵  
.2761 Start ·location: ·4097:111↵  
.2762 ↵  
.2763 System ·ID: ·  
.2763 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.2763 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.2764 Main ·validation ·file: ·  
.2764 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.2764 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.2765 Scenario ·name: ·gg-sch↵  
.2766 Schema: ·  
.2766 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.2766 ent..sch↵  
.2767 Engine.name: ·ISO ·Schematron↵  
.2768 Severity: ·error↵  
.2769 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.2769 subSection ·or ·subSubSection.↵  
.2770 Start ·location: ·4173:111↵  
.2771 ↵  
.2772 System ·ID: ·  
.2772 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.2772 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.2773 Main ·validation ·file: ·  
.2773 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.2773 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.2774 Scenario ·name: ·gg-sch↵  
.2775 Schema: ·  
.2775 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.2775 ent..sch↵  
.2776 Engine.name: ·ISO ·Schematron↵

.2777 Severity: ·error ↵  
.2778 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.2778 subSection ·or ·subSubSection. ↵  
.2779 Start ·location: ·4180:111 ↵  
.2780 ↵  
.2781 System ·ID: ·  
/Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
/BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.2782 Main ·validation ·file: ·  
/Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
/BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.2783 Scenario ·name: ·gg-sch ↵  
.2784 Schema: ·  
/Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
.2785 Engine ·name: ·ISO ·Schematron ↵  
.2786 Severity: ·error ↵  
.2787 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.2787 subSection ·or ·subSubSection. ↵  
.2788 Start ·location: ·4181:183 ↵  
.2789 ↵  
.2790 System ·ID: ·  
/Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
/BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.2791 Main ·validation ·file: ·  
/Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
/BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.2792 Scenario ·name: ·gg-sch ↵  
.2793 Schema: ·  
/Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
.2794 Engine ·name: ·ISO ·Schematron ↵  
.2795 Severity: ·error ↵  
.2796 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.2796 subSection ·or ·subSubSection. ↵

.2797 Start ·location: ·4199:110 ↵  
.2798 ↵  
.2799 System ·ID: ·  
.2799 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.2799 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.2800 Main ·validation ·file: ·  
.2800 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.2800 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.2801 Scenario ·name: ·gg-sch ↵  
.2802 Schema: ·  
.2802 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.2802 ent..sch ↵  
.2803 Engine ·name: ·ISO ·Schematron ↵  
.2804 Severity: ·error ↵  
.2805 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.2805 subSection ·or ·subSubSection. ↵  
.2806 Start ·location: ·4206:110 ↵  
.2807 ↵  
.2808 System ·ID: ·  
.2808 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.2808 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.2809 Main ·validation ·file: ·  
.2809 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.2809 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.2810 Scenario ·name: ·gg-sch ↵  
.2811 Schema: ·  
.2811 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.2811 ent..sch ↵  
.2812 Engine ·name: ·ISO ·Schematron ↵  
.2813 Severity: ·error ↵  
.2814 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.2814 subSection ·or ·subSubSection. ↵  
.2815 Start ·location: ·4213:110 ↵  
.2816 ↵  
.2817 System ·ID: ·

```
.2817 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
.2817 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵
.2818 Main-validation-file: ·
.2818 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
.2818 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵
.2819 Scenario-name: ·gg-sch↵
.2820 Schema: ·
.2820 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
.2820 ent..sch↵
.2821 Engine-name: ·ISO ·Schematron↵
.2822 Severity: ·error↵
.2823 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
.2823 subSection ·or ·subSubSection.↵
.2824 Start-location: ·4214:147↵
.2825 ↵
.2826 System-ID: ·
.2826 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
.2826 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵
.2827 Main-validation-file: ·
.2827 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
.2827 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵
.2828 Scenario-name: ·gg-sch↵
.2829 Schema: ·
.2829 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
.2829 ent..sch↵
.2830 Engine-name: ·ISO ·Schematron↵
.2831 Severity: ·error↵
.2832 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
.2832 subSection ·or ·subSubSection.↵
.2833 Start-location: ·4215:111↵
.2834 ↵
.2835 System-ID: ·
.2835 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
.2835 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵
.2836 Main-validation-file: ·
```

.2836 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.2836 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.2837 Scenario.name: .gg-sch ↵  
.2838 Schema: .  
.2838 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
.2839 Engine.name: .ISO .Schematron ↵  
.2840 Severity: .error ↵  
.2841 Description: .A .paragraph .must .have .an .ancestor .  
.2841 subSection .or .subSubSection. ↵  
.2842 Start.location: .4216:112 ↵  
.2843 ↵  
.2844 System.ID: .  
.2844 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.2844 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.2845 Main.validation.file: .  
.2845 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.2845 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.2846 Scenario.name: .gg-sch ↵  
.2847 Schema: .  
.2847 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
.2848 Engine.name: .ISO .Schematron ↵  
.2849 Severity: .error ↵  
.2850 Description: .A .paragraph .must .have .an .ancestor .  
.2850 subSection .or .subSubSection. ↵  
.2851 Start.location: .4219:112 ↵  
.2852 ↵  
.2853 System.ID: .  
.2853 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.2853 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.2854 Main.validation.file: .  
.2854 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.2854 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.2855 Scenario.name: .gg-sch ↵

.2856 Schema: .  
.2856 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.2856 ent..sch↵  
.2857 Engine.name: ·ISO ·Schematron↵  
.2858 Severity: ·error↵  
.2859 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.2859 subSection ·or ·subSubSection.↵  
.2860 Start.location: ·4226:139↵  
.2861 ↵  
.2862 System.ID: .  
.2862 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.2862 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.2863 Main.validation-file: .  
.2863 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.2863 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.2864 Scenario.name: ·gg-sch↵  
.2865 Schema: .  
.2865 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.2865 ent..sch↵  
.2866 Engine.name: ·ISO ·Schematron↵  
.2867 Severity: ·error↵  
.2868 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.2868 subSection ·or ·subSubSection.↵  
.2869 Start.location: ·4231:112↵  
.2870 ↵  
.2871 System.ID: .  
.2871 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.2871 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.2872 Main.validation-file: .  
.2872 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.2872 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.2873 Scenario.name: ·gg-sch↵  
.2874 Schema: .  
.2874 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.2874 ent..sch↵

.2875 Engine ·name: ·ISO ·Schematron ↵  
.2876 Severity: ·error ↵  
.2877 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.2877 subSection ·or ·subSubSection. ↵  
.2878 Start ·location: ·4236:185 ↵  
.2879 ↵  
.2880 System ·ID: ·  
.2880 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.2880 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.2881 Main ·validation ·file: ·  
.2881 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.2881 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.2882 Scenario ·name: ·gg-sch ↵  
.2883 Schema: ·  
.2883 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.2883 ent..sch ↵  
.2884 Engine ·name: ·ISO ·Schematron ↵  
.2885 Severity: ·error ↵  
.2886 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.2886 subSection ·or ·subSubSection. ↵  
.2887 Start ·location: ·4243:111 ↵  
.2888 ↵  
.2889 System ·ID: ·  
.2889 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.2889 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.2890 Main ·validation ·file: ·  
.2890 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.2890 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.2891 Scenario ·name: ·gg-sch ↵  
.2892 Schema: ·  
.2892 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.2892 ent..sch ↵  
.2893 Engine ·name: ·ISO ·Schematron ↵  
.2894 Severity: ·error ↵  
.2895 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·

.2895 subSection ·or ·subSubSection .↳  
.2896 Start ·location: ·4248:111↳  
.2897 ↳  
.2898 System ·ID: ·  
.2898 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.2898 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↳  
.2899 Main ·validation ·file: ·  
.2899 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.2899 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↳  
.2900 Scenario ·name: ·gg-sch↳  
.2901 Schema: ·  
.2901 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.2901 ent..sch↳  
.2902 Engine ·name: ·ISO ·Schematron↳  
.2903 Severity: ·error↳  
.2904 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.2904 subSection ·or ·subSubSection .↳  
.2905 Start ·location: ·4255:111↳  
.2906 ↳  
.2907 System ·ID: ·  
.2907 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.2907 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↳  
.2908 Main ·validation ·file: ·  
.2908 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.2908 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↳  
.2909 Scenario ·name: ·gg-sch↳  
.2910 Schema: ·  
.2910 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.2910 ent..sch↳  
.2911 Engine ·name: ·ISO ·Schematron↳  
.2912 Severity: ·error↳  
.2913 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.2913 subSection ·or ·subSubSection .↳  
.2914 Start ·location: ·4268:184↳  
.2915 ↳

.2916 System·ID: ·  
.2916 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.2916 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.2917 Main·validation·file: ·  
.2917 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.2917 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.2918 Scenario·name: ·gg-sch↵  
.2919 Schema: ·  
.2919 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.2919 ent..sch↵  
.2920 Engine·name: ·ISO·Schematron↵  
.2921 Severity: ·error↵  
.2922 Description: ·A·paragraph·must·have·an·ancestor·  
.2922 subSection·or·subSubSection.↵  
.2923 Start·location: ·4276:137↵  
.2924 ↵  
.2925 System·ID: ·  
.2925 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.2925 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.2926 Main·validation·file: ·  
.2926 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.2926 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.2927 Scenario·name: ·gg-sch↵  
.2928 Schema: ·  
.2928 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.2928 ent..sch↵  
.2929 Engine·name: ·ISO·Schematron↵  
.2930 Severity: ·error↵  
.2931 Description: ·A·paragraph·must·have·an·ancestor·  
.2931 subSection·or·subSubSection.↵  
.2932 Start·location: ·4281:103↵  
.2933 ↵  
.2934 System·ID: ·  
.2934 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.2934 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵

.2935 Main-validation-file: .  
.2935 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.2935 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.2936 Scenario-name: ·gg-sch↵  
.2937 Schema: .  
.2937 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch↵  
.2938 Engine-name: ·ISO ·Schematron↵  
.2939 Severity: ·error↵  
.2940 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.2940 subSection ·or ·subSubSection.↵  
.2941 Start-location: ·4309:78↵  
.2942 ↵  
.2943 System-ID: .  
.2943 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.2943 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.2944 Main-validation-file: .  
.2944 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.2944 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.2945 Scenario-name: ·gg-sch↵  
.2946 Schema: .  
.2946 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch↵  
.2947 Engine-name: ·ISO ·Schematron↵  
.2948 Severity: ·error↵  
.2949 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.2949 subSection ·or ·subSubSection.↵  
.2950 Start-location: ·4494:112↵  
.2951 ↵  
.2952 System-ID: .  
.2952 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.2952 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.2953 Main-validation-file: .  
.2953 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.2953 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵

.2954 Scenario ·name: ·gg-sch ↵  
.2955 Schema: ·  
.2955 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
.2956 Engine ·name: ·ISO ·Schematron ↵  
.2957 Severity: ·error ↵  
.2958 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.2958 subSection ·or ·subSubSection. ↵  
.2959 Start ·location: ·4499:149 ↵  
.2960 ↵  
.2961 System ·ID: ·  
.2961 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
/BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.2962 Main ·validation ·file: ·  
.2962 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
/BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.2963 Scenario ·name: ·gg-sch ↵  
.2964 Schema: ·  
.2964 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
.2965 Engine ·name: ·ISO ·Schematron ↵  
.2966 Severity: ·error ↵  
.2967 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.2967 subSection ·or ·subSubSection. ↵  
.2968 Start ·location: ·4506:139 ↵  
.2969 ↵  
.2970 System ·ID: ·  
.2970 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
/BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.2971 Main ·validation ·file: ·  
.2971 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
/BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.2972 Scenario ·name: ·gg-sch ↵  
.2973 Schema: ·  
.2973 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm

```
.2973 ent..sch↵
.2974 Engine·name: ·ISO ·Schematron↵
.2975 Severity: ·error↵
.2976 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
.2976 subSection ·or ·subSubSection.↵
.2977 Start ·location: ·4511:112↵
.2978 ↵
.2979 System ·ID: ·
.2979 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
.2979 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵
.2980 Main ·validation ·file: ·
.2980 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
.2980 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵
.2981 Scenario ·name: ·gg-sch↵
.2982 Schema: ·
.2982 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
.2982 ent..sch↵
.2983 Engine·name: ·ISO ·Schematron↵
.2984 Severity: ·error↵
.2985 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
.2985 subSection ·or ·subSubSection.↵
.2986 Start ·location: ·4512:185↵
.2987 ↵
.2988 System ·ID: ·
.2988 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
.2988 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵
.2989 Main ·validation ·file: ·
.2989 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
.2989 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵
.2990 Scenario ·name: ·gg-sch↵
.2991 Schema: ·
.2991 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
.2991 ent..sch↵
.2992 Engine·name: ·ISO ·Schematron↵
.2993 Severity: ·error↵
```

.2994 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.2994 subSection ·or ·subSubSection. ↵  
.2995 Start ·location: ·4520:112 ↵  
.2996 ↵  
.2997 System ·ID: ·  
.2997 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.2997 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.2998 Main ·validation ·file: ·  
.2998 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.2998 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.2999 Scenario ·name: ·gg-sch ↵  
.3000 Schema: ·  
.3000 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.3000 ent..sch ↵  
.3001 Engine ·name: ·ISO ·Schematron ↵  
.3002 Severity: ·error ↵  
.3003 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.3003 subSection ·or ·subSubSection. ↵  
.3004 Start ·location: ·4567:149 ↵  
.3005 ↵  
.3006 System ·ID: ·  
.3006 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.3006 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.3007 Main ·validation ·file: ·  
.3007 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.3007 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.3008 Scenario ·name: ·gg-sch ↵  
.3009 Schema: ·  
.3009 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.3009 ent..sch ↵  
.3010 Engine ·name: ·ISO ·Schematron ↵  
.3011 Severity: ·error ↵  
.3012 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.3012 subSection ·or ·subSubSection. ↵  
.3013 Start ·location: ·4572:183 ↵

.3014   ↳  
.3015   System·ID: ·  
.3015   /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.3015   /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↳  
.3016   Main·validation·file: ·  
.3016   /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.3016   /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↳  
.3017   Scenario·name: ·gg-sch↳  
.3018   Schema: ·  
.3018   /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.3018   ent..sch↳  
.3019   Engine·name: ·ISO·Schematron↳  
.3020   Severity: ·error↳  
.3021   Description: ·A·paragraph·must·have·an·ancestor·  
.3021   subSection·or·subSubSection.↳  
.3022   Start·location: ·4595:109↳  
.3023   ↳  
.3024   System·ID: ·  
.3024   /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.3024   /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↳  
.3025   Main·validation·file: ·  
.3025   /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.3025   /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↳  
.3026   Scenario·name: ·gg-sch↳  
.3027   Schema: ·  
.3027   /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.3027   ent..sch↳  
.3028   Engine·name: ·ISO·Schematron↳  
.3029   Severity: ·error↳  
.3030   Description: ·A·paragraph·must·have·an·ancestor·  
.3030   subSection·or·subSubSection.↳  
.3031   Start·location: ·4622:109↳  
.3032   ↳  
.3033   System·ID: ·  
.3033   /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax

.3033 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.3034 Main-validation-file: .  
.3034 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.3034 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.3035 Scenario-name: .gg-sch ↵  
.3036 Schema: .  
.3036 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.3036 ent..sch ↵  
.3037 Engine-name: .ISO-Schematron ↵  
.3038 Severity: .error ↵  
.3039 Description: .A.paragraph.must.have.an.ancestor.  
.3039 subSection.or.subSubSection. ↵  
.3040 Start-location: .4649:109 ↵  
.3041 ↵  
.3042 System-ID: .  
.3042 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.3042 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.3043 Main-validation-file: .  
.3043 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.3043 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.3044 Scenario-name: .gg-sch ↵  
.3045 Schema: .  
.3045 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.3045 ent..sch ↵  
.3046 Engine-name: .ISO-Schematron ↵  
.3047 Severity: .error ↵  
.3048 Description: .A.paragraph.must.have.an.ancestor.  
.3048 subSection.or.subSubSection. ↵  
.3049 Start-location: .4664:133 ↵  
.3050 ↵  
.3051 System-ID: .  
.3051 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.3051 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.3052 Main-validation-file: .  
.3052 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax

.3052 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.3053 Scenario.name: .gg-sch ↵  
.3054 Schema: .  
.3054 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
.3055 Engine.name: .ISO.Schematron ↵  
.3056 Severity: .error ↵  
.3057 Description: .A.paragraph.must.have.an.ancestor.  
.3057 subSection.or.subSubSection. ↵  
.3058 Start.location: .4667:111 ↵  
.3059 ↵  
.3060 System.ID: .  
.3060 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.3060 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.3061 Main.validation.file: .  
.3061 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.3061 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.3062 Scenario.name: .gg-sch ↵  
.3063 Schema: .  
.3063 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
.3064 Engine.name: .ISO.Schematron ↵  
.3065 Severity: .error ↵  
.3066 Description: .A.paragraph.must.have.an.ancestor.  
.3066 subSection.or.subSubSection. ↵  
.3067 Start.location: .4668:111 ↵  
.3068 ↵  
.3069 System.ID: .  
.3069 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.3069 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.3070 Main.validation.file: .  
.3070 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.3070 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.3071 Scenario.name: .gg-sch ↵  
.3072 Schema: .

.3072 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.3072 ent..sch↵  
.3073 Engine.name: ·ISO ·Schematron↵  
.3074 Severity: ·error↵  
.3075 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.3075 subSection ·or ·subSubSection.↵  
.3076 Start ·location: ·4673:147↵  
.3077 ↵  
.3078 System ·ID: ·  
.3078 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.3078 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.3079 Main ·validation ·file: ·  
.3079 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.3079 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.3080 Scenario ·name: ·gg-sch↵  
.3081 Schema: ·  
.3081 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.3081 ent..sch↵  
.3082 Engine.name: ·ISO ·Schematron↵  
.3083 Severity: ·error↵  
.3084 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.3084 subSection ·or ·subSubSection.↵  
.3085 Start ·location: ·4680:135↵  
.3086 ↵  
.3087 System ·ID: ·  
.3087 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.3087 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.3088 Main ·validation ·file: ·  
.3088 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.3088 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.3089 Scenario ·name: ·gg-sch↵  
.3090 Schema: ·  
.3090 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.3090 ent..sch↵  
.3091 Engine.name: ·ISO ·Schematron↵

.3092 Severity: ·error ↵  
.3093 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.3093 subSection ·or ·subSubSection. ↵  
.3094 Start ·location: ·4683:110 ↵  
.3095 ↵  
.3096 System ·ID: ·  
.3096 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.3096 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.3097 Main ·validation ·file: ·  
.3097 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.3097 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.3098 Scenario ·name: ·gg-sch ↵  
.3099 Schema: ·  
.3099 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.3099 ent..sch ↵  
.3100 Engine ·name: ·ISO ·Schematron ↵  
.3101 Severity: ·error ↵  
.3102 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.3102 subSection ·or ·subSubSection. ↵  
.3103 Start ·location: ·4690:136 ↵  
.3104 ↵  
.3105 System ·ID: ·  
.3105 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.3105 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.3106 Main ·validation ·file: ·  
.3106 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.3106 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.3107 Scenario ·name: ·gg-sch ↵  
.3108 Schema: ·  
.3108 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.3108 ent..sch ↵  
.3109 Engine ·name: ·ISO ·Schematron ↵  
.3110 Severity: ·error ↵  
.3111 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.3111 subSection ·or ·subSubSection. ↵

.3112 Start ·location: ·4693:111 ↵  
.3113 ↵  
.3114 System ·ID: ·  
.3114 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.3114 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.3115 Main ·validation ·file: ·  
.3115 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.3115 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.3116 Scenario ·name: ·gg-sch ↵  
.3117 Schema: ·  
.3117 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.3117 ent..sch ↵  
.3118 Engine ·name: ·ISO ·Schematron ↵  
.3119 Severity: ·error ↵  
.3120 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.3120 subSection ·or ·subSubSection. ↵  
.3121 Start ·location: ·4694:111 ↵  
.3122 ↵  
.3123 System ·ID: ·  
.3123 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.3123 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.3124 Main ·validation ·file: ·  
.3124 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.3124 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.3125 Scenario ·name: ·gg-sch ↵  
.3126 Schema: ·  
.3126 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.3126 ent..sch ↵  
.3127 Engine ·name: ·ISO ·Schematron ↵  
.3128 Severity: ·error ↵  
.3129 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.3129 subSection ·or ·subSubSection. ↵  
.3130 Start ·location: ·4707:139 ↵  
.3131 ↵  
.3132 System ·ID: ·

.3132 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.3132 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.3133 Main-validation-file: ·  
.3133 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.3133 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.3134 Scenario-name: ·gg-sch ↵  
.3135 Schema: ·  
.3135 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.3135 ent..sch ↵  
.3136 Engine-name: ·ISO ·Schematron ↵  
.3137 Severity: ·error ↵  
.3138 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.3138 subSection ·or ·subSubSection. ↵  
.3139 Start-location: ·4710:183 ↵  
.3140 ↵  
.3141 System-ID: ·  
.3141 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.3141 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.3142 Main-validation-file: ·  
.3142 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.3142 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.3143 Scenario-name: ·gg-sch ↵  
.3144 Schema: ·  
.3144 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.3144 ent..sch ↵  
.3145 Engine-name: ·ISO ·Schematron ↵  
.3146 Severity: ·error ↵  
.3147 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.3147 subSection ·or ·subSubSection. ↵  
.3148 Start-location: ·4741:109 ↵  
.3149 ↵  
.3150 System-ID: ·  
.3150 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.3150 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.3151 Main-validation-file: ·

.3151 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.3151 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.3152 Scenario.name: .gg-sch ↵  
.3153 Schema: .  
.3153 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
.3154 Engine.name: .ISO .Schematron ↵  
.3155 Severity: .error ↵  
.3156 Description: .A .paragraph .must .have .an .ancestor .  
.3156 subSection .or .subSubSection. ↵  
.3157 Start.location: .4756:134 ↵  
.3158 ↵  
.3159 System.ID: .  
.3159 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.3159 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.3160 Main.validation.file: .  
.3160 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.3160 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.3161 Scenario.name: .gg-sch ↵  
.3162 Schema: .  
.3162 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
.3163 Engine.name: .ISO .Schematron ↵  
.3164 Severity: .error ↵  
.3165 Description: .A .paragraph .must .have .an .ancestor .  
.3165 subSection .or .subSubSection. ↵  
.3166 Start.location: .4759:110 ↵  
.3167 ↵  
.3168 System.ID: .  
.3168 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.3168 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.3169 Main.validation.file: .  
.3169 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.3169 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.3170 Scenario.name: .gg-sch ↵

.3171 Schema: .  
.3171 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.3171 ent..sch↵  
.3172 Engine.name: ·ISO ·Schematron↵  
.3173 Severity: ·error↵  
.3174 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.3174 subSection ·or ·subSubSection.↵  
.3175 Start.location: ·4780:110↵  
.3176 ↵  
.3177 System.ID: .  
.3177 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.3177 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.3178 Main.validation-file: .  
.3178 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.3178 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.3179 Scenario.name: ·gg-sch↵  
.3180 Schema: .  
.3180 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.3180 ent..sch↵  
.3181 Engine.name: ·ISO ·Schematron↵  
.3182 Severity: ·error↵  
.3183 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.3183 subSection ·or ·subSubSection.↵  
.3184 Start.location: ·4789:137↵  
.3185 ↵  
.3186 System.ID: .  
.3186 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.3186 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.3187 Main.validation-file: .  
.3187 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.3187 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.3188 Scenario.name: ·gg-sch↵  
.3189 Schema: .  
.3189 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.3189 ent..sch↵

.3190 Engine.name: ·ISO ·Schematron↵  
.3191 Severity: ·error↵  
.3192 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.3192 subSection ·or ·subSubSection.↵  
.3193 Start.location: ·4792:147↵  
.3194 ↵  
.3195 System.ID: ·  
.3195 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.3195 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.3196 Main.validation.file: ·  
.3196 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.3196 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.3197 Scenario.name: ·gg-sch↵  
.3198 Schema: ·  
.3198 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.3198 ent..sch↵  
.3199 Engine.name: ·ISO ·Schematron↵  
.3200 Severity: ·error↵  
.3201 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.3201 subSection ·or ·subSubSection.↵  
.3202 Start.location: ·4801:136↵  
.3203 ↵  
.3204 System.ID: ·  
.3204 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.3204 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.3205 Main.validation.file: ·  
.3205 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.3205 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.3206 Scenario.name: ·gg-sch↵  
.3207 Schema: ·  
.3207 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.3207 ent..sch↵  
.3208 Engine.name: ·ISO ·Schematron↵  
.3209 Severity: ·error↵  
.3210 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·

.3210 subSection ·or ·subSubSection .↳  
.3211 Start ·location: ·4806:111↳  
.3212 ↳  
.3213 System ·ID: ·  
/Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
/BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↳  
.3214 Main ·validation ·file: ·  
/Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
/BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↳  
.3215 Scenario ·name: ·gg-sch↳  
.3216 Schema: ·  
/Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch↳  
.3217 Engine ·name: ·ISO ·Schematron↳  
.3218 Severity: ·error↳  
.3219 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
subSection ·or ·subSubSection .↳  
.3220 Start ·location: ·4863:139↳  
.3221 ↳  
.3222 System ·ID: ·  
/Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
/BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↳  
.3223 Main ·validation ·file: ·  
/Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
/BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↳  
.3224 Scenario ·name: ·gg-sch↳  
.3225 Schema: ·  
/Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch↳  
.3226 Engine ·name: ·ISO ·Schematron↳  
.3227 Severity: ·error↳  
.3228 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
subSection ·or ·subSubSection .↳  
.3229 Start ·location: ·4868:185↳  
.3230 ↳

.3231 System·ID: ·  
.3231 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.3231 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.3232 Main·validation·file: ·  
.3232 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.3232 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.3233 Scenario·name: ·gg-sch↵  
.3234 Schema: ·  
.3234 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.3234 ent..sch↵  
.3235 Engine·name: ·ISO·Schematron↵  
.3236 Severity: ·error↵  
.3237 Description: ·A·paragraph·must·have·an·ancestor·  
.3237 subSection·or·subSubSection.↵  
.3238 Start·location: ·4906:112↵  
.3239 ↵  
.3240 System·ID: ·  
.3240 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.3240 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.3241 Main·validation·file: ·  
.3241 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.3241 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.3242 Scenario·name: ·gg-sch↵  
.3243 Schema: ·  
.3243 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.3243 ent..sch↵  
.3244 Engine·name: ·ISO·Schematron↵  
.3245 Severity: ·error↵  
.3246 Description: ·A·paragraph·must·have·an·ancestor·  
.3246 subSection·or·subSubSection.↵  
.3247 Start·location: ·4933:137↵  
.3248 ↵  
.3249 System·ID: ·  
.3249 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.3249 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵

.3250 Main-validation-file: .  
.3250 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.3250 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.3251 Scenario-name: .gg-sch↵  
.3252 Schema: .  
.3252 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.3252 ent..sch↵  
.3253 Engine-name: .ISO-Schematron↵  
.3254 Severity: .error↵  
.3255 Description: .A .paragraph .must .have .an .ancestor .  
.3255 subSection .or .subSubSection.↵  
.3256 Start-location: .4938:183↵  
.3257 ↵  
.3258 System-ID: .  
.3258 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.3258 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.3259 Main-validation-file: .  
.3259 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.3259 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.3260 Scenario-name: .gg-sch↵  
.3261 Schema: .  
.3261 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.3261 ent..sch↵  
.3262 Engine-name: .ISO-Schematron↵  
.3263 Severity: .error↵  
.3264 Description: .A .paragraph .must .have .an .ancestor .  
.3264 subSection .or .subSubSection.↵  
.3265 Start-location: .4951:110↵  
.3266 ↵  
.3267 System-ID: .  
.3267 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.3267 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.3268 Main-validation-file: .  
.3268 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.3268 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵

.3269 Scenario ·name: ·gg-sch ↵  
.3270 Schema: ·  
.3270 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
.3271 Engine ·name: ·ISO ·Schematron ↵  
.3272 Severity: ·error ↵  
.3273 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.3273 subSection ·or ·subSubSection. ↵  
.3274 Start ·location: ·4980:110 ↵  
.3275 ↵  
.3276 System ·ID: ·  
.3276 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
/BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.3277 Main ·validation ·file: ·  
.3277 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
/BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.3278 Scenario ·name: ·gg-sch ↵  
.3279 Schema: ·  
.3279 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
.3280 Engine ·name: ·ISO ·Schematron ↵  
.3281 Severity: ·error ↵  
.3282 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.3282 subSection ·or ·subSubSection. ↵  
.3283 Start ·location: ·4996:110 ↵  
.3284 ↵  
.3285 System ·ID: ·  
.3285 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
/BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.3286 Main ·validation ·file: ·  
.3286 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
/BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.3287 Scenario ·name: ·gg-sch ↵  
.3288 Schema: ·  
.3288 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm

```
.3288 ent..sch↵
.3289 Engine.name: ·ISO ·Schematron↵
.3290 Severity: ·error↵
.3291 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
.3291 subSection ·or ·subSubSection.↵
.3292 Start ·location: ·5022:146↵
.3293 ↵
.3294 System ·ID: ·
.3294 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
.3294 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵
.3295 Main ·validation ·file: ·
.3295 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
.3295 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵
.3296 Scenario ·name: ·gg-sch↵
.3297 Schema: ·
.3297 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
.3297 ent..sch↵
.3298 Engine.name: ·ISO ·Schematron↵
.3299 Severity: ·error↵
.3300 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
.3300 subSection ·or ·subSubSection.↵
.3301 Start ·location: ·5032:135↵
.3302 ↵
.3303 System ·ID: ·
.3303 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
.3303 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵
.3304 Main ·validation ·file: ·
.3304 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
.3304 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵
.3305 Scenario ·name: ·gg-sch↵
.3306 Schema: ·
.3306 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
.3306 ent..sch↵
.3307 Engine.name: ·ISO ·Schematron↵
.3308 Severity: ·error↵
```

.3309 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.3309 subSection ·or ·subSubSection. ↵  
.3310 Start ·location: ·5035:111 ↵  
.3311 ↵  
.3312 System ·ID: ·  
.3312 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.3312 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.3313 Main ·validation ·file: ·  
.3313 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.3313 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.3314 Scenario ·name: ·gg-sch ↵  
.3315 Schema: ·  
.3315 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.3315 ent..sch ↵  
.3316 Engine ·name: ·ISO ·Schematron ↵  
.3317 Severity: ·error ↵  
.3318 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.3318 subSection ·or ·subSubSection. ↵  
.3319 Start ·location: ·5036:111 ↵  
.3320 ↵  
.3321 System ·ID: ·  
.3321 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.3321 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.3322 Main ·validation ·file: ·  
.3322 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.3322 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.3323 Scenario ·name: ·gg-sch ↵  
.3324 Schema: ·  
.3324 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.3324 ent..sch ↵  
.3325 Engine ·name: ·ISO ·Schematron ↵  
.3326 Severity: ·error ↵  
.3327 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.3327 subSection ·or ·subSubSection. ↵  
.3328 Start ·location: ·5045:111 ↵

.3329 ↵  
.3330 System·ID: ·  
.3330 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.3330 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.3331 Main·validation·file: ·  
.3331 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.3331 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.3332 Scenario·name: ·gg-sch↵  
.3333 Schema: ·  
.3333 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch↵  
.3334 Engine·name: ·ISO·Schematron↵  
.3335 Severity: ·error↵  
.3336 Description: ·A·paragraph·must·have·an·ancestor·  
.3336 subSection·or·subSubSection.↵  
.3337 Start·location: ·5056:111↵  
.3338 ↵  
.3339 System·ID: ·  
.3339 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.3339 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.3340 Main·validation·file: ·  
.3340 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.3340 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.3341 Scenario·name: ·gg-sch↵  
.3342 Schema: ·  
.3342 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch↵  
.3343 Engine·name: ·ISO·Schematron↵  
.3344 Severity: ·error↵  
.3345 Description: ·A·paragraph·must·have·an·ancestor·  
.3345 subSection·or·subSubSection.↵  
.3346 Start·location: ·5065:111↵  
.3347 ↵  
.3348 System·ID: ·  
.3348 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax

.3348 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.3349 Main-validation-file: .  
.3349 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.3349 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.3350 Scenario-name: .gg-sch ↵  
.3351 Schema: .  
.3351 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.3351 ent..sch ↵  
.3352 Engine-name: .ISO-Schematron ↵  
.3353 Severity: .error ↵  
.3354 Description: .A.paragraph.must.have.an.ancestor.  
.3354 subSection.or.subSubSection. ↵  
.3355 Start-location: .5070:183 ↵  
.3356 ↵  
.3357 System-ID: .  
.3357 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.3357 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.3358 Main-validation-file: .  
.3358 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.3358 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.3359 Scenario-name: .gg-sch ↵  
.3360 Schema: .  
.3360 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.3360 ent..sch ↵  
.3361 Engine-name: .ISO-Schematron ↵  
.3362 Severity: .error ↵  
.3363 Description: .A.paragraph.must.have.an.ancestor.  
.3363 subSection.or.subSubSection. ↵  
.3364 Start-location: .5072:110 ↵  
.3365 ↵  
.3366 System-ID: .  
.3366 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.3366 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.3367 Main-validation-file: .  
.3367 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax

.3367 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.3368 Scenario.name: .gg-sch ↵  
.3369 Schema: .  
.3369 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
.3370 Engine.name: .ISO.Schematron ↵  
.3371 Severity: .error ↵  
.3372 Description: .A.paragraph.must.have.an.ancestor.  
.3372 subSection.or.subSubSection. ↵  
.3373 Start.location: .5077:110 ↵  
.3374 ↵  
.3375 System.ID: .  
.3375 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.3375 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.3376 Main.validation.file: .  
.3376 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.3376 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.3377 Scenario.name: .gg-sch ↵  
.3378 Schema: .  
.3378 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
.3379 Engine.name: .ISO.Schematron ↵  
.3380 Severity: .error ↵  
.3381 Description: .A.paragraph.must.have.an.ancestor.  
.3381 subSection.or.subSubSection. ↵  
.3382 Start.location: .5089:137 ↵  
.3383 ↵  
.3384 System.ID: .  
.3384 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.3384 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.3385 Main.validation.file: .  
.3385 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.3385 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.3386 Scenario.name: .gg-sch ↵  
.3387 Schema: .

.3387 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.3387 ent..sch↵  
.3388 Engine.name: ·ISO ·Schematron↵  
.3389 Severity: ·error↵  
.3390 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.3390 subSection ·or ·subSubSection.↵  
.3391 Start ·location: ·5094:111↵  
.3392 ↵  
.3393 System ·ID: ·  
.3393 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.3393 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.3394 Main ·validation ·file: ·  
.3394 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.3394 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.3395 Scenario ·name: ·gg-sch↵  
.3396 Schema: ·  
.3396 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.3396 ent..sch↵  
.3397 Engine.name: ·ISO ·Schematron↵  
.3398 Severity: ·error↵  
.3399 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.3399 subSection ·or ·subSubSection.↵  
.3400 Start ·location: ·5095:148↵  
.3401 ↵  
.3402 System ·ID: ·  
.3402 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.3402 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.3403 Main ·validation ·file: ·  
.3403 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.3403 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.3404 Scenario ·name: ·gg-sch↵  
.3405 Schema: ·  
.3405 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.3405 ent..sch↵  
.3406 Engine.name: ·ISO ·Schematron↵

.3407 Severity: ·error ↵  
.3408 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.3408 subSection ·or ·subSubSection. ↵  
.3409 Start ·location: ·5106:111 ↵  
.3410 ↵  
.3411 System ·ID: ·  
/Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.3411 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.3412 Main ·validation ·file: ·  
/Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.3412 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.3413 Scenario ·name: ·gg-sch ↵  
.3414 Schema: ·  
/Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.3414 ent..sch ↵  
.3415 Engine ·name: ·ISO ·Schematron ↵  
.3416 Severity: ·error ↵  
.3417 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.3417 subSection ·or ·subSubSection. ↵  
.3418 Start ·location: ·5143:111 ↵  
.3419 ↵  
.3420 System ·ID: ·  
/Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.3420 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.3421 Main ·validation ·file: ·  
/Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.3421 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.3422 Scenario ·name: ·gg-sch ↵  
.3423 Schema: ·  
/Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.3423 ent..sch ↵  
.3424 Engine ·name: ·ISO ·Schematron ↵  
.3425 Severity: ·error ↵  
.3426 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.3426 subSection ·or ·subSubSection. ↵

.3427 Start ·location: ·5150:109 ↵  
.3428 ↵  
.3429 System ·ID: ·  
.3429 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.3429 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.3430 Main ·validation ·file: ·  
.3430 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.3430 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.3431 Scenario ·name: ·gg-sch ↵  
.3432 Schema: ·  
.3432 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.3432 ent..sch ↵  
.3433 Engine ·name: ·ISO ·Schematron ↵  
.3434 Severity: ·error ↵  
.3435 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.3435 subSection ·or ·subSubSection. ↵  
.3436 Start ·location: ·5151:109 ↵  
.3437 ↵  
.3438 System ·ID: ·  
.3438 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.3438 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.3439 Main ·validation ·file: ·  
.3439 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.3439 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.3440 Scenario ·name: ·gg-sch ↵  
.3441 Schema: ·  
.3441 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.3441 ent..sch ↵  
.3442 Engine ·name: ·ISO ·Schematron ↵  
.3443 Severity: ·error ↵  
.3444 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.3444 subSection ·or ·subSubSection. ↵  
.3445 Start ·location: ·5152:133 ↵  
.3446 ↵  
.3447 System ·ID: ·

.3447 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.3447 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.3448 Main-validation-file: ·  
.3448 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.3448 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.3449 Scenario-name: ·gg-sch ↵  
.3450 Schema: ·  
.3450 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.3450 ent..sch ↵  
.3451 Engine-name: ·ISO ·Schematron ↵  
.3452 Severity: ·error ↵  
.3453 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.3453 subSection ·or ·subSubSection. ↵  
.3454 Start-location: ·5157:110 ↵  
.3455 ↵  
.3456 System-ID: ·  
.3456 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.3456 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.3457 Main-validation-file: ·  
.3457 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.3457 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.3458 Scenario-name: ·gg-sch ↵  
.3459 Schema: ·  
.3459 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.3459 ent..sch ↵  
.3460 Engine-name: ·ISO ·Schematron ↵  
.3461 Severity: ·error ↵  
.3462 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.3462 subSection ·or ·subSubSection. ↵  
.3463 Start-location: ·5158:137 ↵  
.3464 ↵  
.3465 System-ID: ·  
.3465 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.3465 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.3466 Main-validation-file: ·

.3466 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.3466 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.3467 Scenario.name: .gg-sch ↵  
.3468 Schema: .  
.3468 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
.3469 Engine.name: .ISO .Schematron ↵  
.3470 Severity: .error ↵  
.3471 Description: .A .paragraph .must .have .an .ancestor .  
.3471 subSection .or .subSubSection. ↵  
.3472 Start.location: .5163:111 ↵  
.3473 ↵  
.3474 System.ID: .  
.3474 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.3474 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.3475 Main.validation.file: .  
.3475 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.3475 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.3476 Scenario.name: .gg-sch ↵  
.3477 Schema: .  
.3477 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
.3478 Engine.name: .ISO .Schematron ↵  
.3479 Severity: .error ↵  
.3480 Description: .A .paragraph .must .have .an .ancestor .  
.3480 subSection .or .subSubSection. ↵  
.3481 Start.location: .5179:111 ↵  
.3482 ↵  
.3483 System.ID: .  
.3483 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.3483 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.3484 Main.validation.file: .  
.3484 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.3484 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.3485 Scenario.name: .gg-sch ↵

.3486 Schema: .  
.3486 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.3486 ent..sch↵  
.3487 Engine.name: ·ISO ·Schematron↵  
.3488 Severity: ·error↵  
.3489 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.3489 subSection ·or ·subSubSection.↵  
.3490 Start.location: ·5194:111↵  
.3491 ↵  
.3492 System.ID: .  
.3492 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.3492 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.3493 Main.validation.file: .  
.3493 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.3493 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.3494 Scenario.name: ·gg-sch↵  
.3495 Schema: .  
.3495 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.3495 ent..sch↵  
.3496 Engine.name: ·ISO ·Schematron↵  
.3497 Severity: ·error↵  
.3498 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.3498 subSection ·or ·subSubSection.↵  
.3499 Start.location: ·5206:111↵  
.3500 ↵  
.3501 System.ID: .  
.3501 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.3501 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.3502 Main.validation.file: .  
.3502 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.3502 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.3503 Scenario.name: ·gg-sch↵  
.3504 Schema: .  
.3504 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.3504 ent..sch↵

.3505 Engine ·name: ·ISO ·Schematron ↵  
.3506 Severity: ·error ↵  
.3507 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.3507 subSection ·or ·subSubSection. ↵  
.3508 Start ·location: ·5235:111 ↵  
.3509 ↵  
.3510 System ·ID: ·  
.3510 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.3510 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.3511 Main ·validation ·file: ·  
.3511 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.3511 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.3512 Scenario ·name: ·gg-sch ↵  
.3513 Schema: ·  
.3513 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.3513 ent..sch ↵  
.3514 Engine ·name: ·ISO ·Schematron ↵  
.3515 Severity: ·error ↵  
.3516 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.3516 subSection ·or ·subSubSection. ↵  
.3517 Start ·location: ·5264:111 ↵  
.3518 ↵  
.3519 System ·ID: ·  
.3519 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.3519 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.3520 Main ·validation ·file: ·  
.3520 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.3520 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.3521 Scenario ·name: ·gg-sch ↵  
.3522 Schema: ·  
.3522 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.3522 ent..sch ↵  
.3523 Engine ·name: ·ISO ·Schematron ↵  
.3524 Severity: ·error ↵  
.3525 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·

.3525 subSection ·or ·subSubSection .↳  
.3526 Start ·location: ·5313:111↳  
.3527 ↳  
.3528 System ·ID: ·  
.3528 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.3528 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↳  
.3529 Main ·validation ·file: ·  
.3529 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.3529 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↳  
.3530 Scenario ·name: ·gg-sch↳  
.3531 Schema: ·  
.3531 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.3531 ent..sch↳  
.3532 Engine ·name: ·ISO ·Schematron↳  
.3533 Severity: ·error↳  
.3534 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.3534 subSection ·or ·subSubSection .↳  
.3535 Start ·location: ·5329:111↳  
.3536 ↳  
.3537 System ·ID: ·  
.3537 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.3537 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↳  
.3538 Main ·validation ·file: ·  
.3538 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.3538 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↳  
.3539 Scenario ·name: ·gg-sch↳  
.3540 Schema: ·  
.3540 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.3540 ent..sch↳  
.3541 Engine ·name: ·ISO ·Schematron↳  
.3542 Severity: ·error↳  
.3543 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.3543 subSection ·or ·subSubSection .↳  
.3544 Start ·location: ·5345:111↳  
.3545 ↳

.3546 System·ID: ·  
.3546 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.3546 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.3547 Main·validation·file: ·  
.3547 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.3547 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.3548 Scenario·name: ·gg-sch↵  
.3549 Schema: ·  
.3549 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.3549 ent..sch↵  
.3550 Engine·name: ·ISO·Schematron↵  
.3551 Severity: ·error↵  
.3552 Description: ·A·paragraph·must·have·an·ancestor·  
.3552 subSection·or·subSubSection.↵  
.3553 Start·location: ·5359:111↵  
.3554 ↵  
.3555 System·ID: ·  
.3555 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.3555 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.3556 Main·validation·file: ·  
.3556 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.3556 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.3557 Scenario·name: ·gg-sch↵  
.3558 Schema: ·  
.3558 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.3558 ent..sch↵  
.3559 Engine·name: ·ISO·Schematron↵  
.3560 Severity: ·error↵  
.3561 Description: ·A·paragraph·must·have·an·ancestor·  
.3561 subSection·or·subSubSection.↵  
.3562 Start·location: ·5376:174↵  
.3563 ↵  
.3564 System·ID: ·  
.3564 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.3564 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵

.3565 Main-validation-file: .  
.3565 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.3565 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.3566 Scenario-name: .gg-sch↵  
.3567 Schema: .  
.3567 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch↵  
.3568 Engine-name: .ISO-Schematron↵  
.3569 Severity: .error↵  
.3570 Description: .A .paragraph .must .have .an .ancestor .  
.3570 subSection .or .subSubSection.↵  
.3571 Start-location: .5391:111↵  
.3572 ↵  
.3573 System-ID: .  
.3573 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.3573 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.3574 Main-validation-file: .  
.3574 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.3574 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.3575 Scenario-name: .gg-sch↵  
.3576 Schema: .  
.3576 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch↵  
.3577 Engine-name: .ISO-Schematron↵  
.3578 Severity: .error↵  
.3579 Description: .A .paragraph .must .have .an .ancestor .  
.3579 subSection .or .subSubSection.↵  
.3580 Start-location: .5410:111↵  
.3581 ↵  
.3582 System-ID: .  
.3582 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.3582 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.3583 Main-validation-file: .  
.3583 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.3583 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵

.3584 Scenario ·name: ·gg-sch ↵  
.3585 Schema: ·  
.3585 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
.3586 Engine ·name: ·ISO ·Schematron ↵  
.3587 Severity: ·error ↵  
.3588 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.3588 subSection ·or ·subSubSection. ↵  
.3589 Start ·location: ·5435:111 ↵  
.3590 ↵  
.3591 System ·ID: ·  
.3591 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.3591 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.3592 Main ·validation ·file: ·  
.3592 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.3592 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.3593 Scenario ·name: ·gg-sch ↵  
.3594 Schema: ·  
.3594 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
.3595 Engine ·name: ·ISO ·Schematron ↵  
.3596 Severity: ·error ↵  
.3597 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.3597 subSection ·or ·subSubSection. ↵  
.3598 Start ·location: ·5462:111 ↵  
.3599 ↵  
.3600 System ·ID: ·  
.3600 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.3600 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.3601 Main ·validation ·file: ·  
.3601 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.3601 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.3602 Scenario ·name: ·gg-sch ↵  
.3603 Schema: ·  
.3603 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm

```
.3603 ent..sch↵
.3604 Engine·name: ·ISO ·Schematron↵
.3605 Severity: ·error↵
.3606 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
.3606 subSection ·or ·subSubSection.↵
.3607 Start ·location: ·5481:111↵
.3608 ↵
.3609 System ·ID: ·
.3609 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
.3609 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵
.3610 Main ·validation ·file: ·
.3610 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
.3610 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵
.3611 Scenario ·name: ·gg-sch↵
.3612 Schema: ·
.3612 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
.3612 ent..sch↵
.3613 Engine·name: ·ISO ·Schematron↵
.3614 Severity: ·error↵
.3615 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
.3615 subSection ·or ·subSubSection.↵
.3616 Start ·location: ·5501:111↵
.3617 ↵
.3618 System ·ID: ·
.3618 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
.3618 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵
.3619 Main ·validation ·file: ·
.3619 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
.3619 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵
.3620 Scenario ·name: ·gg-sch↵
.3621 Schema: ·
.3621 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
.3621 ent..sch↵
.3622 Engine·name: ·ISO ·Schematron↵
.3623 Severity: ·error↵
```

.3624 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.3624 subSection ·or ·subSubSection. ↵  
.3625 Start ·location: ·5528:111 ↵  
.3626 ↵  
.3627 System ·ID: ·  
.3627 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.3627 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.3628 Main ·validation ·file: ·  
.3628 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.3628 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.3629 Scenario ·name: ·gg-sch ↵  
.3630 Schema: ·  
.3630 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.3630 ent..sch ↵  
.3631 Engine ·name: ·ISO ·Schematron ↵  
.3632 Severity: ·error ↵  
.3633 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.3633 subSection ·or ·subSubSection. ↵  
.3634 Start ·location: ·5545:111 ↵  
.3635 ↵  
.3636 System ·ID: ·  
.3636 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.3636 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.3637 Main ·validation ·file: ·  
.3637 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.3637 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.3638 Scenario ·name: ·gg-sch ↵  
.3639 Schema: ·  
.3639 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.3639 ent..sch ↵  
.3640 Engine ·name: ·ISO ·Schematron ↵  
.3641 Severity: ·error ↵  
.3642 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.3642 subSection ·or ·subSubSection. ↵  
.3643 Start ·location: ·5560:111 ↵

.3644 <  
.3645 System·ID: ·  
.3645 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.3645 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml<  
.3646 Main·validation·file: ·  
.3646 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.3646 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml<  
.3647 Scenario·name: ·gg-sch<  
.3648 Schema: ·  
.3648 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.3648 ent..sch<  
.3649 Engine·name: ·ISO·Schematron<  
.3650 Severity: ·error<  
.3651 Description: ·A·paragraph·must·have·an·ancestor·  
.3651 subSection·or·subSubSection.<  
.3652 Start·location: ·5572:111<  
.3653 <  
.3654 System·ID: ·  
.3654 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.3654 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml<  
.3655 Main·validation·file: ·  
.3655 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.3655 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml<  
.3656 Scenario·name: ·gg-sch<  
.3657 Schema: ·  
.3657 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.3657 ent..sch<  
.3658 Engine·name: ·ISO·Schematron<  
.3659 Severity: ·error<  
.3660 Description: ·A·paragraph·must·have·an·ancestor·  
.3660 subSection·or·subSubSection.<  
.3661 Start·location: ·5599:111<  
.3662 <  
.3663 System·ID: ·  
.3663 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax

.3663 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.3664 Main-validation-file: .  
.3664 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.3664 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.3665 Scenario-name: .gg-sch ↵  
.3666 Schema: .  
.3666 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.3666 ent..sch ↵  
.3667 Engine-name: .ISO-Schematron ↵  
.3668 Severity: .error ↵  
.3669 Description: .A.paragraph.must.have.an.ancestor.  
.3669 subSection.or.subSubSection. ↵  
.3670 Start-location: .5624:111 ↵  
.3671 ↵  
.3672 System-ID: .  
.3672 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.3672 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.3673 Main-validation-file: .  
.3673 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.3673 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.3674 Scenario-name: .gg-sch ↵  
.3675 Schema: .  
.3675 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.3675 ent..sch ↵  
.3676 Engine-name: .ISO-Schematron ↵  
.3677 Severity: .error ↵  
.3678 Description: .A.paragraph.must.have.an.ancestor.  
.3678 subSection.or.subSubSection. ↵  
.3679 Start-location: .5636:136 ↵  
.3680 ↵  
.3681 System-ID: .  
.3681 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.3681 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.3682 Main-validation-file: .  
.3682 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax

.3682 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.3683 Scenario.name: .gg-sch ↵  
.3684 Schema: .  
.3684 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
.3685 Engine.name: .ISO .Schematron ↵  
.3686 Severity: .error ↵  
.3687 Description: .A .paragraph .must .have .an .ancestor .  
.3687 subSection .or .subSubSection. ↵  
.3688 Start.location: .5648:111 ↵  
.3689 ↵  
.3690 System.ID: .  
.3690 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.3690 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.3691 Main.validation.file: .  
.3691 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.3691 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.3692 Scenario.name: .gg-sch ↵  
.3693 Schema: .  
.3693 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
.3694 Engine.name: .ISO .Schematron ↵  
.3695 Severity: .error ↵  
.3696 Description: .A .paragraph .must .have .an .ancestor .  
.3696 subSection .or .subSubSection. ↵  
.3697 Start.location: .5663:111 ↵  
.3698 ↵  
.3699 System.ID: .  
.3699 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.3699 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.3700 Main.validation.file: .  
.3700 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.3700 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.3701 Scenario.name: .gg-sch ↵  
.3702 Schema: .

.3702 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.3702 ent..sch↵  
.3703 Engine.name: ·ISO ·Schematron↵  
.3704 Severity: ·error↵  
.3705 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.3705 subSection ·or ·subSubSection.↵  
.3706 Start ·location: ·5679:111↵  
.3707 ↵  
.3708 System ·ID: ·  
.3708 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.3708 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.3709 Main ·validation ·file: ·  
.3709 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.3709 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.3710 Scenario ·name: ·gg-sch↵  
.3711 Schema: ·  
.3711 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.3711 ent..sch↵  
.3712 Engine.name: ·ISO ·Schematron↵  
.3713 Severity: ·error↵  
.3714 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.3714 subSection ·or ·subSubSection.↵  
.3715 Start ·location: ·5694:111↵  
.3716 ↵  
.3717 System ·ID: ·  
.3717 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.3717 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.3718 Main ·validation ·file: ·  
.3718 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.3718 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.3719 Scenario ·name: ·gg-sch↵  
.3720 Schema: ·  
.3720 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.3720 ent..sch↵  
.3721 Engine.name: ·ISO ·Schematron↵

.3722 Severity: ·error ↵  
.3723 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.3723 subSection ·or ·subSubSection. ↵  
.3724 Start ·location: ·5707:111 ↵  
.3725 ↵  
.3726 System ·ID: ·  
/Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
/BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.3727 Main ·validation ·file: ·  
/Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
/BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.3728 Scenario ·name: ·gg-sch ↵  
.3729 Schema: ·  
/Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
.3730 Engine ·name: ·ISO ·Schematron ↵  
.3731 Severity: ·error ↵  
.3732 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.3732 subSection ·or ·subSubSection. ↵  
.3733 Start ·location: ·5722:111 ↵  
.3734 ↵  
.3735 System ·ID: ·  
/Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
/BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.3736 Main ·validation ·file: ·  
/Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
/BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.3737 Scenario ·name: ·gg-sch ↵  
.3738 Schema: ·  
/Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
.3739 Engine ·name: ·ISO ·Schematron ↵  
.3740 Severity: ·error ↵  
.3741 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.3741 subSection ·or ·subSubSection. ↵

.3742 Start ·location: ·5738:111 ↵  
.3743 ↵  
.3744 System ·ID: ·  
.3744 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.3744 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.3745 Main ·validation ·file: ·  
.3745 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.3745 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.3746 Scenario ·name: ·gg-sch ↵  
.3747 Schema: ·  
.3747 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.3747 ent..sch ↵  
.3748 Engine ·name: ·ISO ·Schematron ↵  
.3749 Severity: ·error ↵  
.3750 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.3750 subSection ·or ·subSubSection. ↵  
.3751 Start ·location: ·5755:111 ↵  
.3752 ↵  
.3753 System ·ID: ·  
.3753 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.3753 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.3754 Main ·validation ·file: ·  
.3754 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.3754 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.3755 Scenario ·name: ·gg-sch ↵  
.3756 Schema: ·  
.3756 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.3756 ent..sch ↵  
.3757 Engine ·name: ·ISO ·Schematron ↵  
.3758 Severity: ·error ↵  
.3759 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.3759 subSection ·or ·subSubSection. ↵  
.3760 Start ·location: ·5773:138 ↵  
.3761 ↵  
.3762 System ·ID: ·

.3762 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.3762 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.3763 Main-validation-file: ·  
.3763 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.3763 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.3764 Scenario-name: ·gg-sch ↵  
.3765 Schema: ·  
.3765 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.3765 ent..sch ↵  
.3766 Engine-name: ·ISO ·Schematron ↵  
.3767 Severity: ·error ↵  
.3768 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.3768 subSection ·or ·subSubSection. ↵  
.3769 Start-location: ·5789:138 ↵  
.3770 ↵  
.3771 System-ID: ·  
.3771 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.3771 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.3772 Main-validation-file: ·  
.3772 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.3772 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.3773 Scenario-name: ·gg-sch ↵  
.3774 Schema: ·  
.3774 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.3774 ent..sch ↵  
.3775 Engine-name: ·ISO ·Schematron ↵  
.3776 Severity: ·error ↵  
.3777 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.3777 subSection ·or ·subSubSection. ↵  
.3778 Start-location: ·5804:111 ↵  
.3779 ↵  
.3780 System-ID: ·  
.3780 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.3780 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.3781 Main-validation-file: ·

.3781 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.3781 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.3782 Scenario.name: .gg-sch ↵  
.3783 Schema: .  
.3783 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
.3784 Engine.name: .ISO .Schematron ↵  
.3785 Severity: .error ↵  
.3786 Description: .A .paragraph .must .have .an .ancestor .  
.3786 subSection .or .subSubSection. ↵  
.3787 Start.location: .5825:111 ↵  
.3788 ↵  
.3789 System.ID: .  
.3789 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.3789 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.3790 Main.validation.file: .  
.3790 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.3790 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.3791 Scenario.name: .gg-sch ↵  
.3792 Schema: .  
.3792 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
.3793 Engine.name: .ISO .Schematron ↵  
.3794 Severity: .error ↵  
.3795 Description: .A .paragraph .must .have .an .ancestor .  
.3795 subSection .or .subSubSection. ↵  
.3796 Start.location: .5839:111 ↵  
.3797 ↵  
.3798 System.ID: .  
.3798 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.3798 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.3799 Main.validation.file: .  
.3799 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.3799 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.3800 Scenario.name: .gg-sch ↵

.3801 Schema: .  
.3801 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.3801 ent..sch↵  
.3802 Engine.name: ·ISO ·Schematron↵  
.3803 Severity: ·error↵  
.3804 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.3804 subSection ·or ·subSubSection.↵  
.3805 Start.location: ·5858:111↵  
.3806 ↵  
.3807 System.ID: .  
.3807 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.3807 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.3808 Main.validation-file: .  
.3808 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.3808 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.3809 Scenario.name: ·gg-sch↵  
.3810 Schema: .  
.3810 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.3810 ent..sch↵  
.3811 Engine.name: ·ISO ·Schematron↵  
.3812 Severity: ·error↵  
.3813 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.3813 subSection ·or ·subSubSection.↵  
.3814 Start.location: ·5877:111↵  
.3815 ↵  
.3816 System.ID: .  
.3816 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.3816 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.3817 Main.validation-file: .  
.3817 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.3817 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.3818 Scenario.name: ·gg-sch↵  
.3819 Schema: .  
.3819 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.3819 ent..sch↵

.3820 Engine.name: ·ISO ·Schematron↵  
.3821 Severity: ·error↵  
.3822 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.3822 subSection ·or ·subSubSection.↵  
.3823 Start.location: ·5896:111↵  
.3824 ↵  
.3825 System.ID: ·  
.3825 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.3825 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.3826 Main.validation.file: ·  
.3826 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.3826 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.3827 Scenario.name: ·gg-sch↵  
.3828 Schema: ·  
.3828 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.3828 ent..sch↵  
.3829 Engine.name: ·ISO ·Schematron↵  
.3830 Severity: ·error↵  
.3831 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.3831 subSection ·or ·subSubSection.↵  
.3832 Start.location: ·5916:111↵  
.3833 ↵  
.3834 System.ID: ·  
.3834 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.3834 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.3835 Main.validation.file: ·  
.3835 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.3835 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.3836 Scenario.name: ·gg-sch↵  
.3837 Schema: ·  
.3837 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.3837 ent..sch↵  
.3838 Engine.name: ·ISO ·Schematron↵  
.3839 Severity: ·error↵  
.3840 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·

.3840 subSection ·or ·subSubSection .↳  
.3841 Start ·location: ·5945:111↳  
.3842 ↳  
.3843 System ·ID: ·  
.3843 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.3843 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↳  
.3844 Main ·validation ·file: ·  
.3844 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.3844 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↳  
.3845 Scenario ·name: ·gg-sch↳  
.3846 Schema: ·  
.3846 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.3846 ent..sch↳  
.3847 Engine ·name: ·ISO ·Schematron↳  
.3848 Severity: ·error↳  
.3849 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.3849 subSection ·or ·subSubSection .↳  
.3850 Start ·location: ·5962:111↳  
.3851 ↳  
.3852 System ·ID: ·  
.3852 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.3852 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↳  
.3853 Main ·validation ·file: ·  
.3853 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.3853 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↳  
.3854 Scenario ·name: ·gg-sch↳  
.3855 Schema: ·  
.3855 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.3855 ent..sch↳  
.3856 Engine ·name: ·ISO ·Schematron↳  
.3857 Severity: ·error↳  
.3858 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.3858 subSection ·or ·subSubSection .↳  
.3859 Start ·location: ·5980:183↳  
.3860 ↳

.3861 System·ID: ·  
.3861 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.3861 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.3862 Main·validation·file: ·  
.3862 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.3862 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.3863 Scenario·name: ·gg-sch↵  
.3864 Schema: ·  
.3864 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.3864 ent..sch↵  
.3865 Engine·name: ·ISO·Schematron↵  
.3866 Severity: ·error↵  
.3867 Description: ·A·paragraph·must·have·an·ancestor·  
.3867 subSection·or·subSubSection.↵  
.3868 Start·location: ·5995:110↵  
.3869 ↵  
.3870 System·ID: ·  
.3870 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.3870 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.3871 Main·validation·file: ·  
.3871 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.3871 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.3872 Scenario·name: ·gg-sch↵  
.3873 Schema: ·  
.3873 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.3873 ent..sch↵  
.3874 Engine·name: ·ISO·Schematron↵  
.3875 Severity: ·error↵  
.3876 Description: ·A·paragraph·must·have·an·ancestor·  
.3876 subSection·or·subSubSection.↵  
.3877 Start·location: ·6011:110↵  
.3878 ↵  
.3879 System·ID: ·  
.3879 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.3879 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵

.3880 Main-validation-file: .  
.3880 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.3880 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.3881 Scenario-name: .gg-sch↵  
.3882 Schema: .  
.3882 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch↵  
.3883 Engine-name: .ISO-Schematron↵  
.3884 Severity: .error↵  
.3885 Description: .A .paragraph .must .have .an .ancestor .  
.3885 subSection .or .subSubSection.↵  
.3886 Start-location: .6031:110↵  
.3887 ↵  
.3888 System-ID: .  
.3888 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.3888 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.3889 Main-validation-file: .  
.3889 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.3889 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.3890 Scenario-name: .gg-sch↵  
.3891 Schema: .  
.3891 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch↵  
.3892 Engine-name: .ISO-Schematron↵  
.3893 Severity: .error↵  
.3894 Description: .A .paragraph .must .have .an .ancestor .  
.3894 subSection .or .subSubSection.↵  
.3895 Start-location: .6055:110↵  
.3896 ↵  
.3897 System-ID: .  
.3897 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.3897 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.3898 Main-validation-file: .  
.3898 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.3898 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵

.3899 Scenario ·name: ·gg-sch ↵  
.3900 Schema: ·  
.3900 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
.3901 Engine ·name: ·ISO ·Schematron ↵  
.3902 Severity: ·error ↵  
.3903 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.3903 subSection ·or ·subSubSection. ↵  
.3904 Start ·location: ·6084:110 ↵  
.3905 ↵  
.3906 System ·ID: ·  
.3906 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
/BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.3907 Main ·validation ·file: ·  
.3907 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
/BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.3908 Scenario ·name: ·gg-sch ↵  
.3909 Schema: ·  
.3909 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
.3910 Engine ·name: ·ISO ·Schematron ↵  
.3911 Severity: ·error ↵  
.3912 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.3912 subSection ·or ·subSubSection. ↵  
.3913 Start ·location: ·6099:110 ↵  
.3914 ↵  
.3915 System ·ID: ·  
.3915 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
/BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.3916 Main ·validation ·file: ·  
.3916 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
/BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.3917 Scenario ·name: ·gg-sch ↵  
.3918 Schema: ·  
.3918 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm

```
.3918 ent..sch↵
.3919 Engine.name: ·ISO ·Schematron↵
.3920 Severity: ·error↵
.3921 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
.3921 subSection ·or ·subSubSection.↵
.3922 Start ·location: ·6122:110↵
.3923 ↵
.3924 System ·ID: ·
.3924 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
.3924 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵
.3925 Main ·validation ·file: ·
.3925 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
.3925 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵
.3926 Scenario ·name: ·gg-sch↵
.3927 Schema: ·
.3927 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
.3927 ent..sch↵
.3928 Engine.name: ·ISO ·Schematron↵
.3929 Severity: ·error↵
.3930 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
.3930 subSection ·or ·subSubSection.↵
.3931 Start ·location: ·6143:110↵
.3932 ↵
.3933 System ·ID: ·
.3933 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
.3933 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵
.3934 Main ·validation ·file: ·
.3934 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
.3934 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵
.3935 Scenario ·name: ·gg-sch↵
.3936 Schema: ·
.3936 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
.3936 ent..sch↵
.3937 Engine.name: ·ISO ·Schematron↵
.3938 Severity: ·error↵
```

.3939 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.3939 subSection ·or ·subSubSection. ↵  
.3940 Start ·location: ·6166:110 ↵  
.3941 ↵  
.3942 System ·ID: ·  
.3942 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.3942 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.3943 Main ·validation ·file: ·  
.3943 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.3943 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.3944 Scenario ·name: ·gg-sch ↵  
.3945 Schema: ·  
.3945 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.3945 ent..sch ↵  
.3946 Engine ·name: ·ISO ·Schematron ↵  
.3947 Severity: ·error ↵  
.3948 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.3948 subSection ·or ·subSubSection. ↵  
.3949 Start ·location: ·6179:110 ↵  
.3950 ↵  
.3951 System ·ID: ·  
.3951 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.3951 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.3952 Main ·validation ·file: ·  
.3952 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.3952 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.3953 Scenario ·name: ·gg-sch ↵  
.3954 Schema: ·  
.3954 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.3954 ent..sch ↵  
.3955 Engine ·name: ·ISO ·Schematron ↵  
.3956 Severity: ·error ↵  
.3957 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.3957 subSection ·or ·subSubSection. ↵  
.3958 Start ·location: ·6196:110 ↵

.3959   ↳  
.3960   System·ID: ·  
.3960   /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.3960   /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↳  
.3961   Main·validation·file: ·  
.3961   /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.3961   /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↳  
.3962   Scenario·name: ·gg-sch↳  
.3963   Schema: ·  
.3963   /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch↳  
.3964   Engine·name: ·ISO·Schematron↳  
.3965   Severity: ·error↳  
.3966   Description: ·A·paragraph·must·have·an·ancestor·  
.3966   subSection·or·subSubSection.↳  
.3967   Start·location: ·6212:110↳  
.3968   ↳  
.3969   System·ID: ·  
.3969   /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.3969   /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↳  
.3970   Main·validation·file: ·  
.3970   /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.3970   /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↳  
.3971   Scenario·name: ·gg-sch↳  
.3972   Schema: ·  
.3972   /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch↳  
.3973   Engine·name: ·ISO·Schematron↳  
.3974   Severity: ·error↳  
.3975   Description: ·A·paragraph·must·have·an·ancestor·  
.3975   subSection·or·subSubSection.↳  
.3976   Start·location: ·6238:110↳  
.3977   ↳  
.3978   System·ID: ·  
.3978   /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax

.3978 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.3979 Main-validation-file: .  
.3979 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.3979 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.3980 Scenario-name: .gg-sch ↵  
.3981 Schema: .  
.3981 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.3981 ent..sch ↵  
.3982 Engine-name: .ISO-Schematron ↵  
.3983 Severity: .error ↵  
.3984 Description: .A.paragraph.must.have.an.ancestor.  
.3984 subSection.or.subSubSection. ↵  
.3985 Start-location: .6255:110 ↵  
.3986 ↵  
.3987 System-ID: .  
.3987 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.3987 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.3988 Main-validation-file: .  
.3988 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.3988 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.3989 Scenario-name: .gg-sch ↵  
.3990 Schema: .  
.3990 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.3990 ent..sch ↵  
.3991 Engine-name: .ISO-Schematron ↵  
.3992 Severity: .error ↵  
.3993 Description: .A.paragraph.must.have.an.ancestor.  
.3993 subSection.or.subSubSection. ↵  
.3994 Start-location: .6274:110 ↵  
.3995 ↵  
.3996 System-ID: .  
.3996 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.3996 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.3997 Main-validation-file: .  
.3997 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax

.3997 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.3998 Scenario.name: .gg-sch ↵  
.3999 Schema: .  
.3999 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
.4000 Engine.name: .ISO.Schematron ↵  
.4001 Severity: .error ↵  
.4002 Description: .A.paragraph.must.have.an.ancestor.  
.4002 subSection.or.subSubSection. ↵  
.4003 Start.location: .6295:110 ↵  
.4004 ↵  
.4005 System.ID: .  
.4005 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.4005 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.4006 Main.validation.file: .  
.4006 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.4006 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.4007 Scenario.name: .gg-sch ↵  
.4008 Schema: .  
.4008 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
.4009 Engine.name: .ISO.Schematron ↵  
.4010 Severity: .error ↵  
.4011 Description: .A.paragraph.must.have.an.ancestor.  
.4011 subSection.or.subSubSection. ↵  
.4012 Start.location: .6312:110 ↵  
.4013 ↵  
.4014 System.ID: .  
.4014 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.4014 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.4015 Main.validation.file: .  
.4015 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.4015 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.4016 Scenario.name: .gg-sch ↵  
.4017 Schema: .

.4017 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.4017 ent..sch↵  
.4018 Engine.name: ·ISO ·Schematron↵  
.4019 Severity: ·error↵  
.4020 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.4020 subSection ·or ·subSubSection.↵  
.4021 Start ·location: ·6339:110↵  
.4022 ↵  
.4023 System ·ID: ·  
.4023 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.4023 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.4024 Main ·validation ·file: ·  
.4024 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.4024 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.4025 Scenario ·name: ·gg-sch↵  
.4026 Schema: ·  
.4026 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.4026 ent..sch↵  
.4027 Engine.name: ·ISO ·Schematron↵  
.4028 Severity: ·error↵  
.4029 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.4029 subSection ·or ·subSubSection.↵  
.4030 Start ·location: ·6362:110↵  
.4031 ↵  
.4032 System ·ID: ·  
.4032 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.4032 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.4033 Main ·validation ·file: ·  
.4033 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.4033 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.4034 Scenario ·name: ·gg-sch↵  
.4035 Schema: ·  
.4035 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.4035 ent..sch↵  
.4036 Engine.name: ·ISO ·Schematron↵

.4037 Severity: ·error ↵  
.4038 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.4038 subSection ·or ·subSubSection. ↵  
.4039 Start ·location: ·6383:136 ↵  
.4040 ↵  
.4041 System ·ID: ·  
/Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.4041 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.4042 Main ·validation ·file: ·  
/Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.4042 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.4043 Scenario ·name: ·gg-sch ↵  
.4044 Schema: ·  
/Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.4044 ent..sch ↵  
.4045 Engine ·name: ·ISO ·Schematron ↵  
.4046 Severity: ·error ↵  
.4047 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.4047 subSection ·or ·subSubSection. ↵  
.4048 Start ·location: ·6395:110 ↵  
.4049 ↵  
.4050 System ·ID: ·  
/Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.4050 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.4051 Main ·validation ·file: ·  
/Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.4051 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.4052 Scenario ·name: ·gg-sch ↵  
.4053 Schema: ·  
/Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.4053 ent..sch ↵  
.4054 Engine ·name: ·ISO ·Schematron ↵  
.4055 Severity: ·error ↵  
.4056 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.4056 subSection ·or ·subSubSection. ↵

.4057 Start ·location: ·6407:110 ↵  
.4058 ↵  
.4059 System ·ID: ·  
.4059 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
/BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.4060 Main ·validation ·file: ·  
.4060 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
/BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.4061 Scenario ·name: ·gg-sch ↵  
.4062 Schema: ·  
.4062 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
.4063 Engine ·name: ·ISO ·Schematron ↵  
.4064 Severity: ·error ↵  
.4065 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.4065 subSection ·or ·subSubSection. ↵  
.4066 Start ·location: ·6419:110 ↵  
.4067 ↵  
.4068 System ·ID: ·  
.4068 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
/BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.4069 Main ·validation ·file: ·  
.4069 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
/BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.4070 Scenario ·name: ·gg-sch ↵  
.4071 Schema: ·  
.4071 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
.4072 Engine ·name: ·ISO ·Schematron ↵  
.4073 Severity: ·error ↵  
.4074 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.4074 subSection ·or ·subSubSection. ↵  
.4075 Start ·location: ·6434:110 ↵  
.4076 ↵  
.4077 System ·ID: ·

.4077 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.4077 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.4078 Main-validation-file: ·  
.4078 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.4078 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.4079 Scenario-name: ·gg-sch ↵  
.4080 Schema: ·  
.4080 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.4080 ent..sch ↵  
.4081 Engine-name: ·ISO ·Schematron ↵  
.4082 Severity: ·error ↵  
.4083 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.4083 subSection ·or ·subSubSection. ↵  
.4084 Start-location: ·6452:110 ↵  
.4085 ↵  
.4086 System-ID: ·  
.4086 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.4086 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.4087 Main-validation-file: ·  
.4087 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.4087 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.4088 Scenario-name: ·gg-sch ↵  
.4089 Schema: ·  
.4089 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.4089 ent..sch ↵  
.4090 Engine-name: ·ISO ·Schematron ↵  
.4091 Severity: ·error ↵  
.4092 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.4092 subSection ·or ·subSubSection. ↵  
.4093 Start-location: ·6473:110 ↵  
.4094 ↵  
.4095 System-ID: ·  
.4095 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.4095 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.4096 Main-validation-file: ·

.4096 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.4096 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.4097 Scenario.name: .gg-sch ↵  
.4098 Schema: .  
.4098 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
.4099 Engine.name: .ISO .Schematron ↵  
.4100 Severity: .error ↵  
.4101 Description: .A .paragraph .must .have .an .ancestor .  
.4101 subSection .or .subSubSection. ↵  
.4102 Start.location: .6492:110 ↵  
.4103 ↵  
.4104 System.ID: .  
.4104 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.4104 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.4105 Main.validation.file: .  
.4105 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.4105 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.4106 Scenario.name: .gg-sch ↵  
.4107 Schema: .  
.4107 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
.4108 Engine.name: .ISO .Schematron ↵  
.4109 Severity: .error ↵  
.4110 Description: .A .paragraph .must .have .an .ancestor .  
.4110 subSection .or .subSubSection. ↵  
.4111 Start.location: .6513:110 ↵  
.4112 ↵  
.4113 System.ID: .  
.4113 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.4113 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.4114 Main.validation.file: .  
.4114 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.4114 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.4115 Scenario.name: .gg-sch ↵

.4116 Schema: .  
.4116 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.4116 ent..sch↵  
.4117 Engine.name: ·ISO ·Schematron↵  
.4118 Severity: ·error↵  
.4119 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.4119 subSection ·or ·subSubSection.↵  
.4120 Start.location: ·6532:110↵  
.4121 ↵  
.4122 System.ID: .  
.4122 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.4122 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.4123 Main.validation-file: .  
.4123 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.4123 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.4124 Scenario.name: ·gg-sch↵  
.4125 Schema: .  
.4125 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.4125 ent..sch↵  
.4126 Engine.name: ·ISO ·Schematron↵  
.4127 Severity: ·error↵  
.4128 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.4128 subSection ·or ·subSubSection.↵  
.4129 Start.location: ·6553:110↵  
.4130 ↵  
.4131 System.ID: .  
.4131 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.4131 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.4132 Main.validation-file: .  
.4132 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.4132 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.4133 Scenario.name: ·gg-sch↵  
.4134 Schema: .  
.4134 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.4134 ent..sch↵

.4135 Engine ·name: ·ISO ·Schematron ↵  
.4136 Severity: ·error ↵  
.4137 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.4137 subSection ·or ·subSubSection. ↵  
.4138 Start ·location: ·6570:110 ↵  
.4139 ↵  
.4140 System ·ID: ·  
.4140 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.4140 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.4141 Main ·validation ·file: ·  
.4141 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.4141 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.4142 Scenario ·name: ·gg-sch ↵  
.4143 Schema: ·  
.4143 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.4143 ent..sch ↵  
.4144 Engine ·name: ·ISO ·Schematron ↵  
.4145 Severity: ·error ↵  
.4146 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.4146 subSection ·or ·subSubSection. ↵  
.4147 Start ·location: ·6598:111 ↵  
.4148 ↵  
.4149 System ·ID: ·  
.4149 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.4149 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.4150 Main ·validation ·file: ·  
.4150 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.4150 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.4151 Scenario ·name: ·gg-sch ↵  
.4152 Schema: ·  
.4152 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.4152 ent..sch ↵  
.4153 Engine ·name: ·ISO ·Schematron ↵  
.4154 Severity: ·error ↵  
.4155 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·

.4155 subSection ·or ·subSubSection .↳  
.4156 Start ·location: ·6611:111↳  
.4157 ↳  
.4158 System ·ID: ·  
.4158 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.4158 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↳  
.4159 Main ·validation ·file: ·  
.4159 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.4159 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↳  
.4160 Scenario ·name: ·gg-sch↳  
.4161 Schema: ·  
.4161 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.4161 ent..sch↳  
.4162 Engine ·name: ·ISO ·Schematron↳  
.4163 Severity: ·error↳  
.4164 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.4164 subSection ·or ·subSubSection .↳  
.4165 Start ·location: ·6626:111↳  
.4166 ↳  
.4167 System ·ID: ·  
.4167 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.4167 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↳  
.4168 Main ·validation ·file: ·  
.4168 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.4168 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↳  
.4169 Scenario ·name: ·gg-sch↳  
.4170 Schema: ·  
.4170 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.4170 ent..sch↳  
.4171 Engine ·name: ·ISO ·Schematron↳  
.4172 Severity: ·error↳  
.4173 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.4173 subSection ·or ·subSubSection .↳  
.4174 Start ·location: ·6645:111↳  
.4175 ↳

.4176 System·ID: ·  
.4176 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.4176 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.4177 Main·validation·file: ·  
.4177 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.4177 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.4178 Scenario·name: ·gg-sch↵  
.4179 Schema: ·  
.4179 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.4179 ent..sch↵  
.4180 Engine·name: ·ISO·Schematron↵  
.4181 Severity: ·error↵  
.4182 Description: ·A·paragraph·must·have·an·ancestor·  
.4182 subSection·or·subSubSection.↵  
.4183 Start·location: ·6664:111↵  
.4184 ↵  
.4185 System·ID: ·  
.4185 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.4185 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.4186 Main·validation·file: ·  
.4186 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.4186 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.4187 Scenario·name: ·gg-sch↵  
.4188 Schema: ·  
.4188 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.4188 ent..sch↵  
.4189 Engine·name: ·ISO·Schematron↵  
.4190 Severity: ·error↵  
.4191 Description: ·A·paragraph·must·have·an·ancestor·  
.4191 subSection·or·subSubSection.↵  
.4192 Start·location: ·6681:111↵  
.4193 ↵  
.4194 System·ID: ·  
.4194 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.4194 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵

.4195 Main-validation-file: .  
.4195 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.4195 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.4196 Scenario-name: .gg-sch↵  
.4197 Schema: .  
.4197 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch↵  
.4198 Engine-name: .ISO-Schematron↵  
.4199 Severity: .error↵  
.4200 Description: .A .paragraph .must .have .an .ancestor .  
.4200 subSection .or .subSubSection.↵  
.4201 Start-location: .6693:111↵  
.4202 ↵  
.4203 System-ID: .  
.4203 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.4203 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.4204 Main-validation-file: .  
.4204 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.4204 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.4205 Scenario-name: .gg-sch↵  
.4206 Schema: .  
.4206 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch↵  
.4207 Engine-name: .ISO-Schematron↵  
.4208 Severity: .error↵  
.4209 Description: .A .paragraph .must .have .an .ancestor .  
.4209 subSection .or .subSubSection.↵  
.4210 Start-location: .6720:111↵  
.4211 ↵  
.4212 System-ID: .  
.4212 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.4212 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.4213 Main-validation-file: .  
.4213 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.4213 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵

.4214 Scenario ·name: ·gg-sch ↵  
.4215 Schema: ·  
.4215 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
.4216 Engine ·name: ·ISO ·Schematron ↵  
.4217 Severity: ·error ↵  
.4218 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.4218 subSection ·or ·subSubSection. ↵  
.4219 Start ·location: ·6736:111 ↵  
.4220 ↵  
.4221 System ·ID: ·  
.4221 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.4221 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.4222 Main ·validation ·file: ·  
.4222 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.4222 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.4223 Scenario ·name: ·gg-sch ↵  
.4224 Schema: ·  
.4224 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
.4225 Engine ·name: ·ISO ·Schematron ↵  
.4226 Severity: ·error ↵  
.4227 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.4227 subSection ·or ·subSubSection. ↵  
.4228 Start ·location: ·6752:111 ↵  
.4229 ↵  
.4230 System ·ID: ·  
.4230 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.4230 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.4231 Main ·validation ·file: ·  
.4231 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.4231 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.4232 Scenario ·name: ·gg-sch ↵  
.4233 Schema: ·  
.4233 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm

.4233 ent..sch↵  
.4234 Engine.name: ·ISO ·Schematron↵  
.4235 Severity: ·error↵  
.4236 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.4236 subSection ·or ·subSubSection.↵  
.4237 Start ·location: ·6772:111↵  
.4238 ↵  
.4239 System ·ID: ·  
.4239 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.4239 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.4240 Main ·validation ·file: ·  
.4240 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.4240 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.4241 Scenario ·name: ·gg-sch↵  
.4242 Schema: ·  
.4242 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.4242 ent..sch↵  
.4243 Engine.name: ·ISO ·Schematron↵  
.4244 Severity: ·error↵  
.4245 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.4245 subSection ·or ·subSubSection.↵  
.4246 Start ·location: ·6791:111↵  
.4247 ↵  
.4248 System ·ID: ·  
.4248 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.4248 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.4249 Main ·validation ·file: ·  
.4249 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.4249 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.4250 Scenario ·name: ·gg-sch↵  
.4251 Schema: ·  
.4251 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.4251 ent..sch↵  
.4252 Engine.name: ·ISO ·Schematron↵  
.4253 Severity: ·error↵

.4254 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.4254 subSection ·or ·subSubSection. ↵  
.4255 Start ·location: ·6807:111 ↵  
.4256 ↵  
.4257 System ·ID: ·  
.4257 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.4257 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.4258 Main ·validation ·file: ·  
.4258 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.4258 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.4259 Scenario ·name: ·gg-sch ↵  
.4260 Schema: ·  
.4260 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.4260 ent..sch ↵  
.4261 Engine ·name: ·ISO ·Schematron ↵  
.4262 Severity: ·error ↵  
.4263 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.4263 subSection ·or ·subSubSection. ↵  
.4264 Start ·location: ·6824:111 ↵  
.4265 ↵  
.4266 System ·ID: ·  
.4266 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.4266 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.4267 Main ·validation ·file: ·  
.4267 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.4267 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.4268 Scenario ·name: ·gg-sch ↵  
.4269 Schema: ·  
.4269 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.4269 ent..sch ↵  
.4270 Engine ·name: ·ISO ·Schematron ↵  
.4271 Severity: ·error ↵  
.4272 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.4272 subSection ·or ·subSubSection. ↵  
.4273 Start ·location: ·6843:111 ↵

.4274   ↳  
.4275   System·ID: ·  
.4275   /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.4275   /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↳  
.4276   Main·validation·file: ·  
.4276   /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.4276   /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↳  
.4277   Scenario·name: ·gg-sch↳  
.4278   Schema: ·  
.4278   /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch↳  
.4279   Engine·name: ·ISO·Schematron↳  
.4280   Severity: ·error↳  
.4281   Description: ·A·paragraph·must·have·an·ancestor·  
.4281   subSection·or·subSubSection.↳  
.4282   Start·location: ·6860:111↳  
.4283   ↳  
.4284   System·ID: ·  
.4284   /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.4284   /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↳  
.4285   Main·validation·file: ·  
.4285   /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.4285   /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↳  
.4286   Scenario·name: ·gg-sch↳  
.4287   Schema: ·  
.4287   /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch↳  
.4288   Engine·name: ·ISO·Schematron↳  
.4289   Severity: ·error↳  
.4290   Description: ·A·paragraph·must·have·an·ancestor·  
.4290   subSection·or·subSubSection.↳  
.4291   Start·location: ·6881:111↳  
.4292   ↳  
.4293   System·ID: ·  
.4293   /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax

.4293 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.4294 Main-validation-file: ·  
.4294 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.4294 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.4295 Scenario-name: ·gg-sch ↵  
.4296 Schema: ·  
.4296 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.4296 ent..sch ↵  
.4297 Engine-name: ·ISO-Schematron ↵  
.4298 Severity: ·error ↵  
.4299 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.4299 subSection ·or ·subSubSection. ↵  
.4300 Start-location: ·6910:111 ↵  
.4301 ↵  
.4302 System-ID: ·  
.4302 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.4302 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.4303 Main-validation-file: ·  
.4303 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.4303 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.4304 Scenario-name: ·gg-sch ↵  
.4305 Schema: ·  
.4305 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.4305 ent..sch ↵  
.4306 Engine-name: ·ISO-Schematron ↵  
.4307 Severity: ·error ↵  
.4308 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.4308 subSection ·or ·subSubSection. ↵  
.4309 Start-location: ·6933:111 ↵  
.4310 ↵  
.4311 System-ID: ·  
.4311 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.4311 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.4312 Main-validation-file: ·  
.4312 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax

.4312 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.4313 Scenario.name: .gg-sch ↵  
.4314 Schema: .  
.4314 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
.4315 Engine.name: .ISO .Schematron ↵  
.4316 Severity: .error ↵  
.4317 Description: .A .paragraph .must .have .an .ancestor .  
.4317 subSection .or .subSubSection. ↵  
.4318 Start.location: .6958:111 ↵  
.4319 ↵  
.4320 System.ID: .  
.4320 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.4320 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.4321 Main.validation.file: .  
.4321 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.4321 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.4322 Scenario.name: .gg-sch ↵  
.4323 Schema: .  
.4323 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
.4324 Engine.name: .ISO .Schematron ↵  
.4325 Severity: .error ↵  
.4326 Description: .A .paragraph .must .have .an .ancestor .  
.4326 subSection .or .subSubSection. ↵  
.4327 Start.location: .6975:111 ↵  
.4328 ↵  
.4329 System.ID: .  
.4329 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.4329 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.4330 Main.validation.file: .  
.4330 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.4330 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.4331 Scenario.name: .gg-sch ↵  
.4332 Schema: .

.4332 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.4332 ent..sch↵  
.4333 Engine.name: ·ISO ·Schematron↵  
.4334 Severity: ·error↵  
.4335 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.4335 subSection ·or ·subSubSection.↵  
.4336 Start ·location: ·6994:111↵  
.4337 ↵  
.4338 System ·ID: ·  
.4338 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.4338 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.4339 Main ·validation ·file: ·  
.4339 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.4339 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.4340 Scenario ·name: ·gg-sch↵  
.4341 Schema: ·  
.4341 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.4341 ent..sch↵  
.4342 Engine.name: ·ISO ·Schematron↵  
.4343 Severity: ·error↵  
.4344 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.4344 subSection ·or ·subSubSection.↵  
.4345 Start ·location: ·7015:138↵  
.4346 ↵  
.4347 System ·ID: ·  
.4347 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.4347 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.4348 Main ·validation ·file: ·  
.4348 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.4348 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.4349 Scenario ·name: ·gg-sch↵  
.4350 Schema: ·  
.4350 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.4350 ent..sch↵  
.4351 Engine.name: ·ISO ·Schematron↵

.4352 Severity: ·error ↵  
.4353 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.4353 subSection ·or ·subSubSection. ↵  
.4354 Start ·location: ·7030:138 ↵  
.4355 ↵  
.4356 System ·ID: ·  
/Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.4356 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.4357 Main ·validation ·file: ·  
/Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.4357 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.4358 Scenario ·name: ·gg-sch ↵  
.4359 Schema: ·  
/Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.4359 ent..sch ↵  
.4360 Engine ·name: ·ISO ·Schematron ↵  
.4361 Severity: ·error ↵  
.4362 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.4362 subSection ·or ·subSubSection. ↵  
.4363 Start ·location: ·7040:111 ↵  
.4364 ↵  
.4365 System ·ID: ·  
/Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.4365 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.4366 Main ·validation ·file: ·  
/Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.4366 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.4367 Scenario ·name: ·gg-sch ↵  
.4368 Schema: ·  
/Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.4368 ent..sch ↵  
.4369 Engine ·name: ·ISO ·Schematron ↵  
.4370 Severity: ·error ↵  
.4371 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.4371 subSection ·or ·subSubSection. ↵

.4372 Start ·location: ·7065:111 ↵  
.4373 ↵  
.4374 System ·ID: ·  
.4374 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.4374 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.4375 Main ·validation ·file: ·  
.4375 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.4375 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.4376 Scenario ·name: ·gg-sch ↵  
.4377 Schema: ·  
.4377 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.4377 ent..sch ↵  
.4378 Engine ·name: ·ISO ·Schematron ↵  
.4379 Severity: ·error ↵  
.4380 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.4380 subSection ·or ·subSubSection. ↵  
.4381 Start ·location: ·7088:111 ↵  
.4382 ↵  
.4383 System ·ID: ·  
.4383 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.4383 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.4384 Main ·validation ·file: ·  
.4384 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.4384 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.4385 Scenario ·name: ·gg-sch ↵  
.4386 Schema: ·  
.4386 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.4386 ent..sch ↵  
.4387 Engine ·name: ·ISO ·Schematron ↵  
.4388 Severity: ·error ↵  
.4389 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.4389 subSection ·or ·subSubSection. ↵  
.4390 Start ·location: ·7103:111 ↵  
.4391 ↵  
.4392 System ·ID: ·

```
.4392 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
.4392 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵
.4393 Main-validation-file: ·
.4393 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
.4393 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵
.4394 Scenario-name: ·gg-sch↵
.4395 Schema: ·
.4395 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
.4395 ent..sch↵
.4396 Engine-name: ·ISO ·Schematron↵
.4397 Severity: ·error↵
.4398 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
.4398 subSection ·or ·subSubSection.↵
.4399 Start-location: ·7118:111↵
.4400 ↵
.4401 System-ID: ·
.4401 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
.4401 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵
.4402 Main-validation-file: ·
.4402 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
.4402 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵
.4403 Scenario-name: ·gg-sch↵
.4404 Schema: ·
.4404 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
.4404 ent..sch↵
.4405 Engine-name: ·ISO ·Schematron↵
.4406 Severity: ·error↵
.4407 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
.4407 subSection ·or ·subSubSection.↵
.4408 Start-location: ·7145:111↵
.4409 ↵
.4410 System-ID: ·
.4410 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
.4410 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵
.4411 Main-validation-file: ·
```

.4411 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.4411 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.4412 Scenario.name: .gg-sch ↵  
.4413 Schema: .  
.4413 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
.4414 Engine.name: .ISO .Schematron ↵  
.4415 Severity: .error ↵  
.4416 Description: .A .paragraph .must .have .an .ancestor .  
.4416 subSection .or .subSubSection. ↵  
.4417 Start.location: .7168:111 ↵  
.4418 ↵  
.4419 System.ID: .  
.4419 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.4419 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.4420 Main.validation.file: .  
.4420 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.4420 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.4421 Scenario.name: .gg-sch ↵  
.4422 Schema: .  
.4422 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
.4423 Engine.name: .ISO .Schematron ↵  
.4424 Severity: .error ↵  
.4425 Description: .A .paragraph .must .have .an .ancestor .  
.4425 subSection .or .subSubSection. ↵  
.4426 Start.location: .7185:111 ↵  
.4427 ↵  
.4428 System.ID: .  
.4428 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.4428 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.4429 Main.validation.file: .  
.4429 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.4429 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.4430 Scenario.name: .gg-sch ↵

.4431 Schema: .  
.4431 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.4431 ent..sch↵  
.4432 Engine.name: ·ISO ·Schematron↵  
.4433 Severity: ·error↵  
.4434 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.4434 subSection ·or ·subSubSection.↵  
.4435 Start.location: ·7212:111↵  
.4436 ↵  
.4437 System.ID: .  
.4437 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.4437 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.4438 Main.validation-file: .  
.4438 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.4438 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.4439 Scenario.name: ·gg-sch↵  
.4440 Schema: .  
.4440 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.4440 ent..sch↵  
.4441 Engine.name: ·ISO ·Schematron↵  
.4442 Severity: ·error↵  
.4443 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.4443 subSection ·or ·subSubSection.↵  
.4444 Start.location: ·7230:111↵  
.4445 ↵  
.4446 System.ID: .  
.4446 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.4446 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.4447 Main.validation-file: .  
.4447 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.4447 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.4448 Scenario.name: ·gg-sch↵  
.4449 Schema: .  
.4449 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.4449 ent..sch↵

.4450 Engine ·name: ·ISO ·Schematron ↵  
.4451 Severity: ·error ↵  
.4452 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.4452 subSection ·or ·subSubSection. ↵  
.4453 Start ·location: ·7247:183 ↵  
.4454 ↵  
.4455 System ·ID: ·  
.4455 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.4455 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.4456 Main ·validation ·file: ·  
.4456 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.4456 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.4457 Scenario ·name: ·gg-sch ↵  
.4458 Schema: ·  
.4458 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.4458 ent..sch ↵  
.4459 Engine ·name: ·ISO ·Schematron ↵  
.4460 Severity: ·error ↵  
.4461 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.4461 subSection ·or ·subSubSection. ↵  
.4462 Start ·location: ·7265:134 ↵  
.4463 ↵  
.4464 System ·ID: ·  
.4464 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.4464 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.4465 Main ·validation ·file: ·  
.4465 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.4465 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.4466 Scenario ·name: ·gg-sch ↵  
.4467 Schema: ·  
.4467 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.4467 ent..sch ↵  
.4468 Engine ·name: ·ISO ·Schematron ↵  
.4469 Severity: ·error ↵  
.4470 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·

.4470 subSection ·or ·subSubSection .↳  
.4471 Start ·location: ·7280:110↳  
.4472 ↳  
.4473 System ·ID: ·  
.4473 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.4473 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↳  
.4474 Main ·validation ·file: ·  
.4474 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.4474 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↳  
.4475 Scenario ·name: ·gg-sch↳  
.4476 Schema: ·  
.4476 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.4476 ent..sch↳  
.4477 Engine ·name: ·ISO ·Schematron↳  
.4478 Severity: ·error↳  
.4479 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.4479 subSection ·or ·subSubSection .↳  
.4480 Start ·location: ·7295:110↳  
.4481 ↳  
.4482 System ·ID: ·  
.4482 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.4482 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↳  
.4483 Main ·validation ·file: ·  
.4483 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.4483 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↳  
.4484 Scenario ·name: ·gg-sch↳  
.4485 Schema: ·  
.4485 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.4485 ent..sch↳  
.4486 Engine ·name: ·ISO ·Schematron↳  
.4487 Severity: ·error↳  
.4488 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.4488 subSection ·or ·subSubSection .↳  
.4489 Start ·location: ·7315:110↳  
.4490 ↳

.4491 System·ID: ·  
.4491 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.4491 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.4492 Main·validation·file: ·  
.4492 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.4492 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.4493 Scenario·name: ·gg-sch↵  
.4494 Schema: ·  
.4494 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.4494 ent..sch↵  
.4495 Engine·name: ·ISO·Schematron↵  
.4496 Severity: ·error↵  
.4497 Description: ·A·paragraph·must·have·an·ancestor·  
.4497 subSection·or·subSubSection.↵  
.4498 Start·location: ·7330:110↵  
.4499 ↵  
.4500 System·ID: ·  
.4500 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.4500 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.4501 Main·validation·file: ·  
.4501 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.4501 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.4502 Scenario·name: ·gg-sch↵  
.4503 Schema: ·  
.4503 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.4503 ent..sch↵  
.4504 Engine·name: ·ISO·Schematron↵  
.4505 Severity: ·error↵  
.4506 Description: ·A·paragraph·must·have·an·ancestor·  
.4506 subSection·or·subSubSection.↵  
.4507 Start·location: ·7346:110↵  
.4508 ↵  
.4509 System·ID: ·  
.4509 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.4509 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵

.4510 Main-validation-file: ·  
.4510 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.4510 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.4511 Scenario-name: ·gg-sch ↵  
.4512 Schema: ·  
.4512 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.4512 ent..sch ↵  
.4513 Engine-name: ·ISO-Schematron ↵  
.4514 Severity: ·error ↵  
.4515 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.4515 subSection ·or ·subSubSection. ↵  
.4516 Start-location: ·7361:110 ↵  
.4517 ↵  
.4518 System-ID: ·  
.4518 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.4518 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.4519 Main-validation-file: ·  
.4519 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.4519 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.4520 Scenario-name: ·gg-sch ↵  
.4521 Schema: ·  
.4521 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.4521 ent..sch ↵  
.4522 Engine-name: ·ISO-Schematron ↵  
.4523 Severity: ·error ↵  
.4524 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.4524 subSection ·or ·subSubSection. ↵  
.4525 Start-location: ·7378:110 ↵  
.4526 ↵  
.4527 System-ID: ·  
.4527 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.4527 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.4528 Main-validation-file: ·  
.4528 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.4528 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵

.4529 Scenario ·name: ·gg-sch ↵  
.4530 Schema: ·  
.4530 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
.4531 Engine ·name: ·ISO ·Schematron ↵  
.4532 Severity: ·error ↵  
.4533 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.4533 subSection ·or ·subSubSection. ↵  
.4534 Start ·location: ·7395:110 ↵  
.4535 ↵  
.4536 System ·ID: ·  
.4536 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.4536 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.4537 Main ·validation ·file: ·  
.4537 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.4537 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.4538 Scenario ·name: ·gg-sch ↵  
.4539 Schema: ·  
.4539 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
.4540 Engine ·name: ·ISO ·Schematron ↵  
.4541 Severity: ·error ↵  
.4542 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.4542 subSection ·or ·subSubSection. ↵  
.4543 Start ·location: ·7411:134 ↵  
.4544 ↵  
.4545 System ·ID: ·  
.4545 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.4545 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.4546 Main ·validation ·file: ·  
.4546 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.4546 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.4547 Scenario ·name: ·gg-sch ↵  
.4548 Schema: ·  
.4548 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm

.4548 ent..sch↵  
.4549 Engine.name: ·ISO ·Schematron↵  
.4550 Severity: ·error↵  
.4551 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
subSection ·or ·subSubSection.↵  
.4552 Start ·location: ·7420:134↵  
.4553 ↵  
.4554 System ·ID: ·  
/Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
/BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.4555 Main ·validation ·file: ·  
/Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
/BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.4556 Scenario ·name: ·gg-sch↵  
.4557 Schema: ·  
/Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch↵  
.4558 Engine.name: ·ISO ·Schematron↵  
.4559 Severity: ·error↵  
.4560 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
subSection ·or ·subSubSection.↵  
.4561 Start ·location: ·7422:110↵  
.4562 ↵  
.4563 System ·ID: ·  
/Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
/BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.4564 Main ·validation ·file: ·  
/Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
/BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.4565 Scenario ·name: ·gg-sch↵  
.4566 Schema: ·  
/Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch↵  
.4567 Engine.name: ·ISO ·Schematron↵  
.4568 Severity: ·error↵

.4569 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.4569 subSection ·or ·subSubSection. ↵  
.4570 Start ·location: ·7437:110 ↵  
.4571 ↵  
.4572 System ·ID: ·  
.4572 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.4572 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.4573 Main ·validation ·file: ·  
.4573 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.4573 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.4574 Scenario ·name: ·gg-sch ↵  
.4575 Schema: ·  
.4575 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.4575 ent..sch ↵  
.4576 Engine ·name: ·ISO ·Schematron ↵  
.4577 Severity: ·error ↵  
.4578 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.4578 subSection ·or ·subSubSection. ↵  
.4579 Start ·location: ·7453:110 ↵  
.4580 ↵  
.4581 System ·ID: ·  
.4581 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.4581 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.4582 Main ·validation ·file: ·  
.4582 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.4582 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.4583 Scenario ·name: ·gg-sch ↵  
.4584 Schema: ·  
.4584 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.4584 ent..sch ↵  
.4585 Engine ·name: ·ISO ·Schematron ↵  
.4586 Severity: ·error ↵  
.4587 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.4587 subSection ·or ·subSubSection. ↵  
.4588 Start ·location: ·7472:110 ↵

```
.4589 <System>
.4590 System·ID: ·
.4590 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
.4590 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml<
.4591 Main·validation·file: ·
.4591 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
.4591 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml<
.4592 Scenario·name: ·gg-sch<
.4593 Schema: ·
.4593 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
.4593 ent..sch<
.4594 Engine·name: ·ISO·Schematron<
.4595 Severity: ·error<
.4596 Description: ·A·paragraph·must·have·an·ancestor·
.4596 subSection·or·subSubSection.<
.4597 Start·location: ·7491:110<
.4598 <
.4599 System·ID: ·
.4599 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
.4599 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml<
.4600 Main·validation·file: ·
.4600 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
.4600 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml<
.4601 Scenario·name: ·gg-sch<
.4602 Schema: ·
.4602 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
.4602 ent..sch<
.4603 Engine·name: ·ISO·Schematron<
.4604 Severity: ·error<
.4605 Description: ·A·paragraph·must·have·an·ancestor·
.4605 subSection·or·subSubSection.<
.4606 Start·location: ·7509:110<
.4607 <
.4608 System·ID: ·
.4608 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
```

.4608 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.4609 Main-validation-file: .  
.4609 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.4609 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.4610 Scenario-name: .gg-sch ↵  
.4611 Schema: .  
.4611 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.4611 ent..sch ↵  
.4612 Engine-name: .ISO-Schematron ↵  
.4613 Severity: .error ↵  
.4614 Description: .A .paragraph .must .have .an .ancestor .  
.4614 subSection .or .subSubSection. ↵  
.4615 Start-location: .7524:110 ↵  
.4616 ↵  
.4617 System-ID: .  
.4617 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.4617 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.4618 Main-validation-file: .  
.4618 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.4618 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.4619 Scenario-name: .gg-sch ↵  
.4620 Schema: .  
.4620 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.4620 ent..sch ↵  
.4621 Engine-name: .ISO-Schematron ↵  
.4622 Severity: .error ↵  
.4623 Description: .A .paragraph .must .have .an .ancestor .  
.4623 subSection .or .subSubSection. ↵  
.4624 Start-location: .7540:110 ↵  
.4625 ↵  
.4626 System-ID: .  
.4626 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.4626 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.4627 Main-validation-file: .  
.4627 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax

.4627 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.4628 Scenario.name: .gg-sch ↵  
.4629 Schema: .  
.4629 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
.4630 Engine.name: .ISO.Schematron ↵  
.4631 Severity: .error ↵  
.4632 Description: .A.paragraph.must.have.an.ancestor.  
.4632 subSection.or.subSubSection. ↵  
.4633 Start.location: .7555:110 ↵  
.4634 ↵  
.4635 System.ID: .  
.4635 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.4635 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.4636 Main.validation.file: .  
.4636 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.4636 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.4637 Scenario.name: .gg-sch ↵  
.4638 Schema: .  
.4638 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
.4639 Engine.name: .ISO.Schematron ↵  
.4640 Severity: .error ↵  
.4641 Description: .A.paragraph.must.have.an.ancestor.  
.4641 subSection.or.subSubSection. ↵  
.4642 Start.location: .7570:110 ↵  
.4643 ↵  
.4644 System.ID: .  
.4644 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.4644 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.4645 Main.validation.file: .  
.4645 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.4645 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.4646 Scenario.name: .gg-sch ↵  
.4647 Schema: .

.4647 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.4647 ent..sch↵  
.4648 Engine.name: ·ISO ·Schematron↵  
.4649 Severity: ·error↵  
.4650 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.4650 subSection ·or ·subSubSection.↵  
.4651 Start ·location: ·7582:110↵  
.4652 ↵  
.4653 System ·ID: ·  
.4653 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.4653 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.4654 Main ·validation ·file: ·  
.4654 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.4654 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.4655 Scenario ·name: ·gg-sch↵  
.4656 Schema: ·  
.4656 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.4656 ent..sch↵  
.4657 Engine.name: ·ISO ·Schematron↵  
.4658 Severity: ·error↵  
.4659 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.4659 subSection ·or ·subSubSection.↵  
.4660 Start ·location: ·7594:110↵  
.4661 ↵  
.4662 System ·ID: ·  
.4662 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.4662 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.4663 Main ·validation ·file: ·  
.4663 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.4663 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.4664 Scenario ·name: ·gg-sch↵  
.4665 Schema: ·  
.4665 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.4665 ent..sch↵  
.4666 Engine.name: ·ISO ·Schematron↵

.4667 Severity: ·error ↵  
.4668 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.4668 subSection ·or ·subSubSection. ↵  
.4669 Start ·location: ·7610:110 ↵  
.4670 ↵  
.4671 System ·ID: ·  
/Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
/BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.4672 Main ·validation ·file: ·  
/Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
/BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.4673 Scenario ·name: ·gg-sch ↵  
.4674 Schema: ·  
/Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
.4675 Engine ·name: ·ISO ·Schematron ↵  
.4676 Severity: ·error ↵  
.4677 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.4677 subSection ·or ·subSubSection. ↵  
.4678 Start ·location: ·7625:110 ↵  
.4679 ↵  
.4680 System ·ID: ·  
/Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
/BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.4681 Main ·validation ·file: ·  
/Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
/BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.4682 Scenario ·name: ·gg-sch ↵  
.4683 Schema: ·  
/Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
.4684 Engine ·name: ·ISO ·Schematron ↵  
.4685 Severity: ·error ↵  
.4686 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.4686 subSection ·or ·subSubSection. ↵

.4687 Start ·location: ·7637:110 ↵  
.4688 ↵  
.4689 System ·ID: ·  
.4689 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
/BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.4690 Main ·validation ·file: ·  
.4690 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
/BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.4691 Scenario ·name: ·gg-sch ↵  
.4692 Schema: ·  
.4692 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
.4693 Engine ·name: ·ISO ·Schematron ↵  
.4694 Severity: ·error ↵  
.4695 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.4695 subSection ·or ·subSubSection. ↵  
.4696 Start ·location: ·7654:110 ↵  
.4697 ↵  
.4698 System ·ID: ·  
.4698 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
/BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.4699 Main ·validation ·file: ·  
.4699 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
/BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.4700 Scenario ·name: ·gg-sch ↵  
.4701 Schema: ·  
.4701 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
.4702 Engine ·name: ·ISO ·Schematron ↵  
.4703 Severity: ·error ↵  
.4704 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.4704 subSection ·or ·subSubSection. ↵  
.4705 Start ·location: ·7678:110 ↵  
.4706 ↵  
.4707 System ·ID: ·

.4707 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.4707 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.4708 Main-validation-file: ·  
.4708 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.4708 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.4709 Scenario-name: ·gg-sch ↵  
.4710 Schema: ·  
.4710 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.4710 ent..sch ↵  
.4711 Engine-name: ·ISO ·Schematron ↵  
.4712 Severity: ·error ↵  
.4713 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.4713 subSection ·or ·subSubSection. ↵  
.4714 Start-location: ·7697:110 ↵  
.4715 ↵  
.4716 System-ID: ·  
.4716 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.4716 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.4717 Main-validation-file: ·  
.4717 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.4717 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.4718 Scenario-name: ·gg-sch ↵  
.4719 Schema: ·  
.4719 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.4719 ent..sch ↵  
.4720 Engine-name: ·ISO ·Schematron ↵  
.4721 Severity: ·error ↵  
.4722 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.4722 subSection ·or ·subSubSection. ↵  
.4723 Start-location: ·7717:110 ↵  
.4724 ↵  
.4725 System-ID: ·  
.4725 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.4725 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.4726 Main-validation-file: ·

.4726 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.4726 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.4727 Scenario.name: .gg-sch ↵  
.4728 Schema: .  
.4728 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
.4729 Engine.name: .ISO .Schematron ↵  
.4730 Severity: .error ↵  
.4731 Description: .A .paragraph .must .have .an .ancestor .  
.4731 subSection .or .subSubSection. ↵  
.4732 Start.location: .7751:110 ↵  
.4733 ↵  
.4734 System.ID: .  
.4734 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.4734 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.4735 Main.validation.file: .  
.4735 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.4735 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.4736 Scenario.name: .gg-sch ↵  
.4737 Schema: .  
.4737 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
.4738 Engine.name: .ISO .Schematron ↵  
.4739 Severity: .error ↵  
.4740 Description: .A .paragraph .must .have .an .ancestor .  
.4740 subSection .or .subSubSection. ↵  
.4741 Start.location: .7768:110 ↵  
.4742 ↵  
.4743 System.ID: .  
.4743 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.4743 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.4744 Main.validation.file: .  
.4744 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.4744 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.4745 Scenario.name: .gg-sch ↵

.4746 Schema: .  
.4746 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.4746 ent..sch↵  
.4747 Engine.name: ·ISO ·Schematron↵  
.4748 Severity: ·error↵  
.4749 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.4749 subSection ·or ·subSubSection.↵  
.4750 Start.location: ·7780:110↵  
.4751 ↵  
.4752 System.ID: .  
.4752 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.4752 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.4753 Main.validation.file: .  
.4753 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.4753 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.4754 Scenario.name: ·gg-sch↵  
.4755 Schema: .  
.4755 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.4755 ent..sch↵  
.4756 Engine.name: ·ISO ·Schematron↵  
.4757 Severity: ·error↵  
.4758 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.4758 subSection ·or ·subSubSection.↵  
.4759 Start.location: ·7798:110↵  
.4760 ↵  
.4761 System.ID: .  
.4761 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.4761 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.4762 Main.validation.file: .  
.4762 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.4762 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.4763 Scenario.name: ·gg-sch↵  
.4764 Schema: .  
.4764 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.4764 ent..sch↵

.4765 Engine ·name: ·ISO ·Schematron ↵  
.4766 Severity: ·error ↵  
.4767 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.4767 subSection ·or ·subSubSection. ↵  
.4768 Start ·location: ·7813:110 ↵  
.4769 ↵  
.4770 System ·ID: ·  
.4770 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.4770 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.4771 Main ·validation ·file: ·  
.4771 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.4771 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.4772 Scenario ·name: ·gg-sch ↵  
.4773 Schema: ·  
.4773 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.4773 ent..sch ↵  
.4774 Engine ·name: ·ISO ·Schematron ↵  
.4775 Severity: ·error ↵  
.4776 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.4776 subSection ·or ·subSubSection. ↵  
.4777 Start ·location: ·7844:110 ↵  
.4778 ↵  
.4779 System ·ID: ·  
.4779 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.4779 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.4780 Main ·validation ·file: ·  
.4780 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.4780 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.4781 Scenario ·name: ·gg-sch ↵  
.4782 Schema: ·  
.4782 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.4782 ent..sch ↵  
.4783 Engine ·name: ·ISO ·Schematron ↵  
.4784 Severity: ·error ↵  
.4785 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·

.4785 subSection ·or ·subSubSection .↳  
.4786 Start ·location: ·7861:173↳  
.4787 ↳  
.4788 System ·ID: ·  
.4788 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.4788 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↳  
.4789 Main ·validation ·file: ·  
.4789 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.4789 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↳  
.4790 Scenario ·name: ·gg-sch↳  
.4791 Schema: ·  
.4791 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.4791 ent..sch↳  
.4792 Engine ·name: ·ISO ·Schematron↳  
.4793 Severity: ·error↳  
.4794 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.4794 subSection ·or ·subSubSection .↳  
.4795 Start ·location: ·7877:111↳  
.4796 ↳  
.4797 System ·ID: ·  
.4797 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.4797 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↳  
.4798 Main ·validation ·file: ·  
.4798 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.4798 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↳  
.4799 Scenario ·name: ·gg-sch↳  
.4800 Schema: ·  
.4800 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.4800 ent..sch↳  
.4801 Engine ·name: ·ISO ·Schematron↳  
.4802 Severity: ·error↳  
.4803 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.4803 subSection ·or ·subSubSection .↳  
.4804 Start ·location: ·7889:136↳  
.4805 ↳

.4806 System·ID: ·  
.4806 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.4806 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.4807 Main·validation·file: ·  
.4807 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.4807 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.4808 Scenario·name: ·gg-sch↵  
.4809 Schema: ·  
.4809 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.4809 ent..sch↵  
.4810 Engine·name: ·ISO·Schematron↵  
.4811 Severity: ·error↵  
.4812 Description: ·A·paragraph·must·have·an·ancestor·  
.4812 subSection·or·subSubSection.↵  
.4813 Start·location: ·7902:111↵  
.4814 ↵  
.4815 System·ID: ·  
.4815 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.4815 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.4816 Main·validation·file: ·  
.4816 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.4816 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.4817 Scenario·name: ·gg-sch↵  
.4818 Schema: ·  
.4818 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.4818 ent..sch↵  
.4819 Engine·name: ·ISO·Schematron↵  
.4820 Severity: ·error↵  
.4821 Description: ·A·paragraph·must·have·an·ancestor·  
.4821 subSection·or·subSubSection.↵  
.4822 Start·location: ·7931:111↵  
.4823 ↵  
.4824 System·ID: ·  
.4824 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.4824 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵

.4825 Main-validation-file: .  
.4825 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.4825 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.4826 Scenario-name: .gg-sch↵  
.4827 Schema: .  
.4827 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.4827 ent..sch↵  
.4828 Engine-name: .ISO-Schematron↵  
.4829 Severity: .error↵  
.4830 Description: .A .paragraph .must .have .an .ancestor .  
.4830 subSection .or .subSubSection.↵  
.4831 Start-location: .7947:111↵  
.4832 ↵  
.4833 System-ID: .  
.4833 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.4833 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.4834 Main-validation-file: .  
.4834 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.4834 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.4835 Scenario-name: .gg-sch↵  
.4836 Schema: .  
.4836 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.4836 ent..sch↵  
.4837 Engine-name: .ISO-Schematron↵  
.4838 Severity: .error↵  
.4839 Description: .A .paragraph .must .have .an .ancestor .  
.4839 subSection .or .subSubSection.↵  
.4840 Start-location: .7959:111↵  
.4841 ↵  
.4842 System-ID: .  
.4842 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.4842 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.4843 Main-validation-file: .  
.4843 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.4843 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵

.4844 Scenario ·name: ·gg-sch ↵  
.4845 Schema: ·  
.4845 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
.4846 Engine ·name: ·ISO ·Schematron ↵  
.4847 Severity: ·error ↵  
.4848 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.4848 subSection ·or ·subSubSection. ↵  
.4849 Start ·location: ·7982:111 ↵  
.4850 ↵  
.4851 System ·ID: ·  
.4851 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.4851 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.4852 Main ·validation ·file: ·  
.4852 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.4852 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.4853 Scenario ·name: ·gg-sch ↵  
.4854 Schema: ·  
.4854 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
.4855 Engine ·name: ·ISO ·Schematron ↵  
.4856 Severity: ·error ↵  
.4857 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.4857 subSection ·or ·subSubSection. ↵  
.4858 Start ·location: ·7997:136 ↵  
.4859 ↵  
.4860 System ·ID: ·  
.4860 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.4860 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.4861 Main ·validation ·file: ·  
.4861 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.4861 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.4862 Scenario ·name: ·gg-sch ↵  
.4863 Schema: ·  
.4863 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm

.4863 ent..sch↵  
.4864 Engine.name: ·ISO ·Schematron↵  
.4865 Severity: ·error↵  
.4866 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.4866 subSection ·or ·subSubSection.↵  
.4867 Start ·location: ·8009:111↵  
.4868 ↵  
.4869 System ·ID: ·  
.4869 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.4869 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.4870 Main ·validation ·file: ·  
.4870 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.4870 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.4871 Scenario ·name: ·gg-sch↵  
.4872 Schema: ·  
.4872 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.4872 ent..sch↵  
.4873 Engine.name: ·ISO ·Schematron↵  
.4874 Severity: ·error↵  
.4875 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.4875 subSection ·or ·subSubSection.↵  
.4876 Start ·location: ·8024:111↵  
.4877 ↵  
.4878 System ·ID: ·  
.4878 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.4878 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.4879 Main ·validation ·file: ·  
.4879 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.4879 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.4880 Scenario ·name: ·gg-sch↵  
.4881 Schema: ·  
.4881 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.4881 ent..sch↵  
.4882 Engine.name: ·ISO ·Schematron↵  
.4883 Severity: ·error↵

.4884 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.4884 subSection ·or ·subSubSection. ↵  
.4885 Start ·location: ·8039:111 ↵  
.4886 ↵  
.4887 System ·ID: ·  
.4887 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.4887 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.4888 Main ·validation ·file: ·  
.4888 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.4888 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.4889 Scenario ·name: ·gg-sch ↵  
.4890 Schema: ·  
.4890 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.4890 ent..sch ↵  
.4891 Engine ·name: ·ISO ·Schematron ↵  
.4892 Severity: ·error ↵  
.4893 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.4893 subSection ·or ·subSubSection. ↵  
.4894 Start ·location: ·8051:111 ↵  
.4895 ↵  
.4896 System ·ID: ·  
.4896 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.4896 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.4897 Main ·validation ·file: ·  
.4897 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.4897 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.4898 Scenario ·name: ·gg-sch ↵  
.4899 Schema: ·  
.4899 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.4899 ent..sch ↵  
.4900 Engine ·name: ·ISO ·Schematron ↵  
.4901 Severity: ·error ↵  
.4902 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.4902 subSection ·or ·subSubSection. ↵  
.4903 Start ·location: ·8065:111 ↵

.4904 <  
.4905 System·ID: ·  
.4905 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.4905 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml<  
.4906 Main·validation·file: ·  
.4906 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.4906 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml<  
.4907 Scenario·name: ·gg-sch<  
.4908 Schema: ·  
.4908 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.4908 ent..sch<  
.4909 Engine·name: ·ISO·Schematron<  
.4910 Severity: ·error<  
.4911 Description: ·A·paragraph·must·have·an·ancestor·  
.4911 subSection·or·subSubSection.<  
.4912 Start·location: ·8081:111<  
.4913 <  
.4914 System·ID: ·  
.4914 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.4914 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml<  
.4915 Main·validation·file: ·  
.4915 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.4915 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml<  
.4916 Scenario·name: ·gg-sch<  
.4917 Schema: ·  
.4917 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.4917 ent..sch<  
.4918 Engine·name: ·ISO·Schematron<  
.4919 Severity: ·error<  
.4920 Description: ·A·paragraph·must·have·an·ancestor·  
.4920 subSection·or·subSubSection.<  
.4921 Start·location: ·8098:111<  
.4922 <  
.4923 System·ID: ·  
.4923 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax

.4923 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.4924 Main-validation-file: ·  
.4924 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.4924 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.4925 Scenario-name: ·gg-sch ↵  
.4926 Schema: ·  
.4926 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.4926 ent..sch ↵  
.4927 Engine-name: ·ISO-Schematron ↵  
.4928 Severity: ·error ↵  
.4929 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.4929 subSection ·or ·subSubSection. ↵  
.4930 Start-location: ·8119:111 ↵  
.4931 ↵  
.4932 System-ID: ·  
.4932 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.4932 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.4933 Main-validation-file: ·  
.4933 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.4933 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.4934 Scenario-name: ·gg-sch ↵  
.4935 Schema: ·  
.4935 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.4935 ent..sch ↵  
.4936 Engine-name: ·ISO-Schematron ↵  
.4937 Severity: ·error ↵  
.4938 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.4938 subSection ·or ·subSubSection. ↵  
.4939 Start-location: ·8138:111 ↵  
.4940 ↵  
.4941 System-ID: ·  
.4941 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.4941 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.4942 Main-validation-file: ·  
.4942 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax

.4942 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.4943 Scenario.name: .gg-sch ↵  
.4944 Schema: .  
.4944 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
.4945 Engine.name: .ISO.Schematron ↵  
.4946 Severity: .error ↵  
.4947 Description: .A.paragraph.must.have.an.ancestor.  
.4947 subSection.or.subSubSection. ↵  
.4948 Start.location: .8151:111 ↵  
.4949 ↵  
.4950 System.ID: .  
.4950 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.4950 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.4951 Main.validation.file: .  
.4951 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.4951 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.4952 Scenario.name: .gg-sch ↵  
.4953 Schema: .  
.4953 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
.4954 Engine.name: .ISO.Schematron ↵  
.4955 Severity: .error ↵  
.4956 Description: .A.paragraph.must.have.an.ancestor.  
.4956 subSection.or.subSubSection. ↵  
.4957 Start.location: .8173:111 ↵  
.4958 ↵  
.4959 System.ID: .  
.4959 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.4959 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.4960 Main.validation.file: .  
.4960 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.4960 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.4961 Scenario.name: .gg-sch ↵  
.4962 Schema: .

.4962 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.4962 ent..sch↵  
.4963 Engine.name: ·ISO ·Schematron↵  
.4964 Severity: ·error↵  
.4965 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.4965 subSection ·or ·subSubSection.↵  
.4966 Start ·location: ·8188:111↵  
.4967 ↵  
.4968 System ·ID: ·  
.4968 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.4968 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.4969 Main ·validation ·file: ·  
.4969 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.4969 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.4970 Scenario ·name: ·gg-sch↵  
.4971 Schema: ·  
.4971 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.4971 ent..sch↵  
.4972 Engine.name: ·ISO ·Schematron↵  
.4973 Severity: ·error↵  
.4974 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.4974 subSection ·or ·subSubSection.↵  
.4975 Start ·location: ·8215:111↵  
.4976 ↵  
.4977 System ·ID: ·  
.4977 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.4977 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.4978 Main ·validation ·file: ·  
.4978 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.4978 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.4979 Scenario ·name: ·gg-sch↵  
.4980 Schema: ·  
.4980 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.4980 ent..sch↵  
.4981 Engine.name: ·ISO ·Schematron↵

.4982 Severity: ·error ↵  
.4983 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.4983 subSection ·or ·subSubSection. ↵  
.4984 Start ·location: ·8230:111 ↵  
.4985 ↵  
.4986 System ·ID: ·  
/Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
/BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.4987 Main ·validation ·file: ·  
/Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
/BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.4988 Scenario ·name: ·gg-sch ↵  
.4989 Schema: ·  
/Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
.4990 Engine ·name: ·ISO ·Schematron ↵  
.4991 Severity: ·error ↵  
.4992 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.4992 subSection ·or ·subSubSection. ↵  
.4993 Start ·location: ·8245:111 ↵  
.4994 ↵  
.4995 System ·ID: ·  
/Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
/BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.4996 Main ·validation ·file: ·  
/Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
/BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.4997 Scenario ·name: ·gg-sch ↵  
.4998 Schema: ·  
/Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
.4999 Engine ·name: ·ISO ·Schematron ↵  
.5000 Severity: ·error ↵  
.5001 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.5001 subSection ·or ·subSubSection. ↵

.5002 Start ·location: ·8262:111 ↵  
.5003 ↵  
.5004 System ·ID: ·  
.5004 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.5004 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.5005 Main ·validation ·file: ·  
.5005 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.5005 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.5006 Scenario ·name: ·gg-sch ↵  
.5007 Schema: ·  
.5007 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.5007 ent..sch ↵  
.5008 Engine ·name: ·ISO ·Schematron ↵  
.5009 Severity: ·error ↵  
.5010 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.5010 subSection ·or ·subSubSection. ↵  
.5011 Start ·location: ·8281:111 ↵  
.5012 ↵  
.5013 System ·ID: ·  
.5013 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.5013 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.5014 Main ·validation ·file: ·  
.5014 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.5014 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.5015 Scenario ·name: ·gg-sch ↵  
.5016 Schema: ·  
.5016 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.5016 ent..sch ↵  
.5017 Engine ·name: ·ISO ·Schematron ↵  
.5018 Severity: ·error ↵  
.5019 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.5019 subSection ·or ·subSubSection. ↵  
.5020 Start ·location: ·8300:111 ↵  
.5021 ↵  
.5022 System ·ID: ·

.5022 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.5022 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.5023 Main-validation-file: ·  
.5023 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.5023 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.5024 Scenario-name: ·gg-sch ↵  
.5025 Schema: ·  
.5025 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.5025 ent..sch ↵  
.5026 Engine-name: ·ISO ·Schematron ↵  
.5027 Severity: ·error ↵  
.5028 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.5028 subSection ·or ·subSubSection. ↵  
.5029 Start-location: ·8321:111 ↵  
.5030 ↵  
.5031 System-ID: ·  
.5031 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.5031 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.5032 Main-validation-file: ·  
.5032 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.5032 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.5033 Scenario-name: ·gg-sch ↵  
.5034 Schema: ·  
.5034 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.5034 ent..sch ↵  
.5035 Engine-name: ·ISO ·Schematron ↵  
.5036 Severity: ·error ↵  
.5037 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.5037 subSection ·or ·subSubSection. ↵  
.5038 Start-location: ·8340:111 ↵  
.5039 ↵  
.5040 System-ID: ·  
.5040 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.5040 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.5041 Main-validation-file: ·

.5041 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.5041 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.5042 Scenario.name: .gg-sch ↵  
.5043 Schema: .  
.5043 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
.5044 Engine.name: .ISO .Schematron ↵  
.5045 Severity: .error ↵  
.5046 Description: .A .paragraph .must .have .an .ancestor .  
.5046 subSection .or .subSubSection. ↵  
.5047 Start.location: .8368:111 ↵  
.5048 ↵  
.5049 System.ID: .  
.5049 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.5049 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.5050 Main.validation.file: .  
.5050 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.5050 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.5051 Scenario.name: .gg-sch ↵  
.5052 Schema: .  
.5052 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
.5053 Engine.name: .ISO .Schematron ↵  
.5054 Severity: .error ↵  
.5055 Description: .A .paragraph .must .have .an .ancestor .  
.5055 subSection .or .subSubSection. ↵  
.5056 Start.location: .8395:111 ↵  
.5057 ↵  
.5058 System.ID: .  
.5058 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.5058 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.5059 Main.validation.file: .  
.5059 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.5059 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.5060 Scenario.name: .gg-sch ↵

.5061 Schema: .  
.5061 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.5061 ent..sch↵  
.5062 Engine.name: ·ISO ·Schematron↵  
.5063 Severity: ·error↵  
.5064 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.5064 subSection ·or ·subSubSection.↵  
.5065 Start.location: ·8426:183↵  
.5066 ↵  
.5067 System.ID: .  
.5067 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.5067 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.5068 Main.validation-file: .  
.5068 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.5068 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.5069 Scenario.name: ·gg-sch↵  
.5070 Schema: .  
.5070 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.5070 ent..sch↵  
.5071 Engine.name: ·ISO ·Schematron↵  
.5072 Severity: ·error↵  
.5073 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.5073 subSection ·or ·subSubSection.↵  
.5074 Start.location: ·8455:110↵  
.5075 ↵  
.5076 System.ID: .  
.5076 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.5076 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.5077 Main.validation-file: .  
.5077 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.5077 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.5078 Scenario.name: ·gg-sch↵  
.5079 Schema: .  
.5079 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.5079 ent..sch↵

.5080 Engine ·name: ·ISO ·Schematron ↵  
.5081 Severity: ·error ↵  
.5082 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.5082 subSection ·or ·subSubSection. ↵  
.5083 Start ·location: ·8472:110 ↵  
.5084 ↵  
.5085 System ·ID: ·  
.5085 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.5085 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.5086 Main ·validation ·file: ·  
.5086 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.5086 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.5087 Scenario ·name: ·gg-sch ↵  
.5088 Schema: ·  
.5088 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.5088 ent..sch ↵  
.5089 Engine ·name: ·ISO ·Schematron ↵  
.5090 Severity: ·error ↵  
.5091 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.5091 subSection ·or ·subSubSection. ↵  
.5092 Start ·location: ·8487:110 ↵  
.5093 ↵  
.5094 System ·ID: ·  
.5094 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.5094 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.5095 Main ·validation ·file: ·  
.5095 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.5095 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.5096 Scenario ·name: ·gg-sch ↵  
.5097 Schema: ·  
.5097 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.5097 ent..sch ↵  
.5098 Engine ·name: ·ISO ·Schematron ↵  
.5099 Severity: ·error ↵  
.5100 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·

.5100 subSection ·or ·subSubSection .↳  
.5101 Start ·location: ·8501:110↳  
.5102 ↳  
.5103 System ·ID: ·  
.5103 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.5103 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↳  
.5104 Main ·validation ·file: ·  
.5104 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.5104 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↳  
.5105 Scenario ·name: ·gg-sch↳  
.5106 Schema: ·  
.5106 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.5106 ent..sch↳  
.5107 Engine ·name: ·ISO ·Schematron↳  
.5108 Severity: ·error↳  
.5109 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.5109 subSection ·or ·subSubSection .↳  
.5110 Start ·location: ·8526:110↳  
.5111 ↳  
.5112 System ·ID: ·  
.5112 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.5112 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↳  
.5113 Main ·validation ·file: ·  
.5113 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.5113 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↳  
.5114 Scenario ·name: ·gg-sch↳  
.5115 Schema: ·  
.5115 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.5115 ent..sch↳  
.5116 Engine ·name: ·ISO ·Schematron↳  
.5117 Severity: ·error↳  
.5118 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.5118 subSection ·or ·subSubSection .↳  
.5119 Start ·location: ·8543:110↳  
.5120 ↳

.5121 System·ID: ·  
.5121 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.5121 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.5122 Main·validation·file: ·  
.5122 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.5122 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.5123 Scenario·name: ·gg-sch↵  
.5124 Schema: ·  
.5124 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.5124 ent..sch↵  
.5125 Engine·name: ·ISO·Schematron↵  
.5126 Severity: ·error↵  
.5127 Description: ·A·paragraph·must·have·an·ancestor·  
.5127 subSection·or·subSubSection.↵  
.5128 Start·location: ·8558:110↵  
.5129 ↵  
.5130 System·ID: ·  
.5130 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.5130 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.5131 Main·validation·file: ·  
.5131 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.5131 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.5132 Scenario·name: ·gg-sch↵  
.5133 Schema: ·  
.5133 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.5133 ent..sch↵  
.5134 Engine·name: ·ISO·Schematron↵  
.5135 Severity: ·error↵  
.5136 Description: ·A·paragraph·must·have·an·ancestor·  
.5136 subSection·or·subSubSection.↵  
.5137 Start·location: ·8575:110↵  
.5138 ↵  
.5139 System·ID: ·  
.5139 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.5139 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵

.5140 Main-validation-file: ·  
.5140 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.5140 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.5141 Scenario-name: ·gg-sch ↵  
.5142 Schema: ·  
.5142 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.5142 ent..sch ↵  
.5143 Engine-name: ·ISO-Schematron ↵  
.5144 Severity: ·error ↵  
.5145 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.5145 subSection ·or ·subSubSection. ↵  
.5146 Start-location: ·8604:110 ↵  
.5147 ↵  
.5148 System-ID: ·  
.5148 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.5148 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.5149 Main-validation-file: ·  
.5149 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.5149 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.5150 Scenario-name: ·gg-sch ↵  
.5151 Schema: ·  
.5151 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.5151 ent..sch ↵  
.5152 Engine-name: ·ISO-Schematron ↵  
.5153 Severity: ·error ↵  
.5154 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.5154 subSection ·or ·subSubSection. ↵  
.5155 Start-location: ·8633:110 ↵  
.5156 ↵  
.5157 System-ID: ·  
.5157 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.5157 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.5158 Main-validation-file: ·  
.5158 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.5158 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵

.5159 Scenario ·name: ·gg-sch ↵  
.5160 Schema: ·  
.5160 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
.5161 Engine ·name: ·ISO ·Schematron ↵  
.5162 Severity: ·error ↵  
.5163 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.5163 subSection ·or ·subSubSection. ↵  
.5164 Start ·location: ·8650:110 ↵  
.5165 ↵  
.5166 System ·ID: ·  
.5166 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
/BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.5167 Main ·validation ·file: ·  
.5167 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
/BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.5168 Scenario ·name: ·gg-sch ↵  
.5169 Schema: ·  
.5169 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
.5170 Engine ·name: ·ISO ·Schematron ↵  
.5171 Severity: ·error ↵  
.5172 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.5172 subSection ·or ·subSubSection. ↵  
.5173 Start ·location: ·8670:110 ↵  
.5174 ↵  
.5175 System ·ID: ·  
.5175 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
/BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.5176 Main ·validation ·file: ·  
.5176 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
/BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.5177 Scenario ·name: ·gg-sch ↵  
.5178 Schema: ·  
.5178 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm

.5178 ent..sch↵  
.5179 Engine.name: ·ISO ·Schematron↵  
.5180 Severity: ·error↵  
.5181 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
subSection ·or ·subSubSection.↵  
.5182 Start.location: ·8690:110↵  
.5183 ↵  
.5184 System.ID: ·  
/Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
/BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.5185 Main.validation.file: ·  
/Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
/BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.5186 Scenario.name: ·gg-sch↵  
.5187 Schema: ·  
/Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch↵  
.5188 Engine.name: ·ISO ·Schematron↵  
.5189 Severity: ·error↵  
.5190 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
subSection ·or ·subSubSection.↵  
.5191 Start.location: ·8715:110↵  
.5192 ↵  
.5193 System.ID: ·  
/Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
/BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.5194 Main.validation.file: ·  
/Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
/BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.5195 Scenario.name: ·gg-sch↵  
.5196 Schema: ·  
/Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch↵  
.5197 Engine.name: ·ISO ·Schematron↵  
.5198 Severity: ·error↵

.5199 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.5199 subSection ·or ·subSubSection. ↵  
.5200 Start ·location: ·8727:110 ↵  
.5201 ↵  
.5202 System ·ID: ·  
.5202 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.5202 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.5203 Main ·validation ·file: ·  
.5203 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.5203 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.5204 Scenario ·name: ·gg-sch ↵  
.5205 Schema: ·  
.5205 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.5205 ent..sch ↵  
.5206 Engine ·name: ·ISO ·Schematron ↵  
.5207 Severity: ·error ↵  
.5208 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.5208 subSection ·or ·subSubSection. ↵  
.5209 Start ·location: ·8741:136 ↵  
.5210 ↵  
.5211 System ·ID: ·  
.5211 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.5211 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.5212 Main ·validation ·file: ·  
.5212 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.5212 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.5213 Scenario ·name: ·gg-sch ↵  
.5214 Schema: ·  
.5214 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.5214 ent..sch ↵  
.5215 Engine ·name: ·ISO ·Schematron ↵  
.5216 Severity: ·error ↵  
.5217 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.5217 subSection ·or ·subSubSection. ↵  
.5218 Start ·location: ·8753:110 ↵

.5219 ↵  
.5220 System·ID: ·  
.5220 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.5220 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.5221 Main·validation·file: ·  
.5221 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.5221 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.5222 Scenario·name: ·gg-sch↵  
.5223 Schema: ·  
.5223 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.5223 ent..sch↵  
.5224 Engine·name: ·ISO·Schematron↵  
.5225 Severity: ·error↵  
.5226 Description: ·A·paragraph·must·have·an·ancestor·  
.5226 subSection·or·subSubSection.↵  
.5227 Start·location: ·8765:110↵  
.5228 ↵  
.5229 System·ID: ·  
.5229 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.5229 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.5230 Main·validation·file: ·  
.5230 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.5230 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.5231 Scenario·name: ·gg-sch↵  
.5232 Schema: ·  
.5232 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.5232 ent..sch↵  
.5233 Engine·name: ·ISO·Schematron↵  
.5234 Severity: ·error↵  
.5235 Description: ·A·paragraph·must·have·an·ancestor·  
.5235 subSection·or·subSubSection.↵  
.5236 Start·location: ·8777:110↵  
.5237 ↵  
.5238 System·ID: ·  
.5238 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax

.5238 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.5239 Main-validation-file: ·  
.5239 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.5239 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.5240 Scenario-name: ·gg-sch ↵  
.5241 Schema: ·  
.5241 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.5241 ent..sch ↵  
.5242 Engine-name: ·ISO-Schematron ↵  
.5243 Severity: ·error ↵  
.5244 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.5244 subSection ·or ·subSubSection. ↵  
.5245 Start-location: ·8791:110 ↵  
.5246 ↵  
.5247 System-ID: ·  
.5247 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.5247 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.5248 Main-validation-file: ·  
.5248 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.5248 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.5249 Scenario-name: ·gg-sch ↵  
.5250 Schema: ·  
.5250 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.5250 ent..sch ↵  
.5251 Engine-name: ·ISO-Schematron ↵  
.5252 Severity: ·error ↵  
.5253 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.5253 subSection ·or ·subSubSection. ↵  
.5254 Start-location: ·8816:110 ↵  
.5255 ↵  
.5256 System-ID: ·  
.5256 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.5256 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.5257 Main-validation-file: ·  
.5257 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax

.5257 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.5258 Scenario.name: .gg-sch ↵  
.5259 Schema: .  
.5259 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
.5260 Engine.name: .ISO.Schematron ↵  
.5261 Severity: .error ↵  
.5262 Description: .A.paragraph.must.have.an.ancestor.  
.5262 subSection.or.subSubSection. ↵  
.5263 Start.location: .8835:110 ↵  
.5264 ↵  
.5265 System.ID: .  
.5265 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.5265 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.5266 Main.validation.file: .  
.5266 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.5266 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.5267 Scenario.name: .gg-sch ↵  
.5268 Schema: .  
.5268 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
.5269 Engine.name: .ISO.Schematron ↵  
.5270 Severity: .error ↵  
.5271 Description: .A.paragraph.must.have.an.ancestor.  
.5271 subSection.or.subSubSection. ↵  
.5272 Start.location: .8861:110 ↵  
.5273 ↵  
.5274 System.ID: .  
.5274 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.5274 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.5275 Main.validation.file: .  
.5275 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.5275 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.5276 Scenario.name: .gg-sch ↵  
.5277 Schema: .

.5277 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.5277 ent..sch↵  
.5278 Engine.name: ·ISO ·Schematron↵  
.5279 Severity: ·error↵  
.5280 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.5280 subSection ·or ·subSubSection.↵  
.5281 Start ·location: ·8882:110↵  
.5282 ↵  
.5283 System ·ID: ·  
.5283 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.5283 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.5284 Main ·validation ·file: ·  
.5284 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.5284 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.5285 Scenario ·name: ·gg-sch↵  
.5286 Schema: ·  
.5286 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.5286 ent..sch↵  
.5287 Engine.name: ·ISO ·Schematron↵  
.5288 Severity: ·error↵  
.5289 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.5289 subSection ·or ·subSubSection.↵  
.5290 Start ·location: ·8899:110↵  
.5291 ↵  
.5292 System ·ID: ·  
.5292 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.5292 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.5293 Main ·validation ·file: ·  
.5293 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.5293 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.5294 Scenario ·name: ·gg-sch↵  
.5295 Schema: ·  
.5295 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.5295 ent..sch↵  
.5296 Engine.name: ·ISO ·Schematron↵

.5297 Severity: ·error ↵  
.5298 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.5298 subSection ·or ·subSubSection. ↵  
.5299 Start ·location: ·8913:110 ↵  
.5300 ↵  
.5301 System ·ID: ·  
/Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.5301 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.5302 Main ·validation ·file: ·  
/Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.5302 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.5303 Scenario ·name: ·gg-sch ↵  
.5304 Schema: ·  
/Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.5304 ent..sch ↵  
.5305 Engine ·name: ·ISO ·Schematron ↵  
.5306 Severity: ·error ↵  
.5307 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.5307 subSection ·or ·subSubSection. ↵  
.5308 Start ·location: ·8929:110 ↵  
.5309 ↵  
.5310 System ·ID: ·  
/Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.5310 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.5311 Main ·validation ·file: ·  
/Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.5311 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.5312 Scenario ·name: ·gg-sch ↵  
.5313 Schema: ·  
/Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.5313 ent..sch ↵  
.5314 Engine ·name: ·ISO ·Schematron ↵  
.5315 Severity: ·error ↵  
.5316 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.5316 subSection ·or ·subSubSection. ↵

.5317 Start ·location: ·8943:110 ↵  
.5318 ↵  
.5319 System ·ID: ·  
.5319 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
/BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.5320 Main ·validation ·file: ·  
.5320 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
/BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.5321 Scenario ·name: ·gg-sch ↵  
.5322 Schema: ·  
.5322 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
.5323 Engine ·name: ·ISO ·Schematron ↵  
.5324 Severity: ·error ↵  
.5325 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.5325 subSection ·or ·subSubSection. ↵  
.5326 Start ·location: ·8957:110 ↵  
.5327 ↵  
.5328 System ·ID: ·  
.5328 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
/BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.5329 Main ·validation ·file: ·  
.5329 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
/BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.5330 Scenario ·name: ·gg-sch ↵  
.5331 Schema: ·  
.5331 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
.5332 Engine ·name: ·ISO ·Schematron ↵  
.5333 Severity: ·error ↵  
.5334 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.5334 subSection ·or ·subSubSection. ↵  
.5335 Start ·location: ·8978:110 ↵  
.5336 ↵  
.5337 System ·ID: ·

.5337 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.5337 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.5338 Main-validation-file: ·  
.5338 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.5338 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.5339 Scenario-name: ·gg-sch ↵  
.5340 Schema: ·  
.5340 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.5340 ent..sch ↵  
.5341 Engine-name: ·ISO ·Schematron ↵  
.5342 Severity: ·error ↵  
.5343 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.5343 subSection ·or ·subSubSection. ↵  
.5344 Start-location: ·8999:147 ↵  
.5345 ↵  
.5346 System-ID: ·  
.5346 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.5346 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.5347 Main-validation-file: ·  
.5347 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.5347 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.5348 Scenario-name: ·gg-sch ↵  
.5349 Schema: ·  
.5349 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.5349 ent..sch ↵  
.5350 Engine-name: ·ISO ·Schematron ↵  
.5351 Severity: ·error ↵  
.5352 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.5352 subSection ·or ·subSubSection. ↵  
.5353 Start-location: ·9015:111 ↵  
.5354 ↵  
.5355 System-ID: ·  
.5355 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.5355 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.5356 Main-validation-file: ·

.5356 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.5356 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.5357 Scenario.name: .gg-sch ↵  
.5358 Schema: .  
.5358 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
.5359 Engine.name: .ISO .Schematron ↵  
.5360 Severity: .error ↵  
.5361 Description: .A .paragraph .must .have .an .ancestor .  
.5361 subSection .or .subSubSection. ↵  
.5362 Start.location: .9034:111 ↵  
.5363 ↵  
.5364 System.ID: .  
.5364 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.5364 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.5365 Main.validation.file: .  
.5365 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.5365 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.5366 Scenario.name: .gg-sch ↵  
.5367 Schema: .  
.5367 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
.5368 Engine.name: .ISO .Schematron ↵  
.5369 Severity: .error ↵  
.5370 Description: .A .paragraph .must .have .an .ancestor .  
.5370 subSection .or .subSubSection. ↵  
.5371 Start.location: .9052:111 ↵  
.5372 ↵  
.5373 System.ID: .  
.5373 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.5373 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.5374 Main.validation.file: .  
.5374 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.5374 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.5375 Scenario.name: .gg-sch ↵

.5376 Schema: .  
.5376 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.5376 ent..sch↵  
.5377 Engine.name: ·ISO ·Schematron↵  
.5378 Severity: ·error↵  
.5379 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.5379 subSection ·or ·subSubSection.↵  
.5380 Start.location: ·9109:111↵  
.5381 ↵  
.5382 System.ID: .  
.5382 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.5382 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.5383 Main.validation-file: .  
.5383 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.5383 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.5384 Scenario.name: ·gg-sch↵  
.5385 Schema: .  
.5385 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.5385 ent..sch↵  
.5386 Engine.name: ·ISO ·Schematron↵  
.5387 Severity: ·error↵  
.5388 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.5388 subSection ·or ·subSubSection.↵  
.5389 Start.location: ·9144:111↵  
.5390 ↵  
.5391 System.ID: .  
.5391 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.5391 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.5392 Main.validation-file: .  
.5392 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.5392 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.5393 Scenario.name: ·gg-sch↵  
.5394 Schema: .  
.5394 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.5394 ent..sch↵

.5395 Engine ·name: ·ISO ·Schematron↵  
.5396 Severity: ·error↵  
.5397 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.5397 subSection ·or ·subSubSection.↵  
.5398 Start ·location: ·9163:111↵  
.5399 ↵  
.5400 System ·ID: ·  
.5400 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.5400 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.5401 Main ·validation ·file: ·  
.5401 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.5401 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.5402 Scenario ·name: ·gg-sch↵  
.5403 Schema: ·  
.5403 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.5403 ent..sch↵  
.5404 Engine ·name: ·ISO ·Schematron↵  
.5405 Severity: ·error↵  
.5406 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.5406 subSection ·or ·subSubSection.↵  
.5407 Start ·location: ·9181:111↵  
.5408 ↵  
.5409 System ·ID: ·  
.5409 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.5409 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.5410 Main ·validation ·file: ·  
.5410 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.5410 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.5411 Scenario ·name: ·gg-sch↵  
.5412 Schema: ·  
.5412 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.5412 ent..sch↵  
.5413 Engine ·name: ·ISO ·Schematron↵  
.5414 Severity: ·error↵  
.5415 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·

.5415 subSection ·or ·subSubSection .↳  
.5416 Start ·location: ·9202:111↳  
.5417 ↳  
.5418 System ·ID: ·  
.5418 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.5418 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↳  
.5419 Main ·validation ·file: ·  
.5419 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.5419 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↳  
.5420 Scenario ·name: ·gg-sch↳  
.5421 Schema: ·  
.5421 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.5421 ent..sch↳  
.5422 Engine ·name: ·ISO ·Schematron↳  
.5423 Severity: ·error↳  
.5424 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.5424 subSection ·or ·subSubSection .↳  
.5425 Start ·location: ·9217:111↳  
.5426 ↳  
.5427 System ·ID: ·  
.5427 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.5427 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↳  
.5428 Main ·validation ·file: ·  
.5428 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.5428 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↳  
.5429 Scenario ·name: ·gg-sch↳  
.5430 Schema: ·  
.5430 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.5430 ent..sch↳  
.5431 Engine ·name: ·ISO ·Schematron↳  
.5432 Severity: ·error↳  
.5433 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.5433 subSection ·or ·subSubSection .↳  
.5434 Start ·location: ·9229:111↳  
.5435 ↳

.5436 System·ID: ·  
.5436 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.5436 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.5437 Main·validation·file: ·  
.5437 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.5437 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.5438 Scenario·name: ·gg-sch↵  
.5439 Schema: ·  
.5439 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.5439 ent..sch↵  
.5440 Engine·name: ·ISO·Schematron↵  
.5441 Severity: ·error↵  
.5442 Description: ·A·paragraph·must·have·an·ancestor·  
.5442 subSection·or·subSubSection.↵  
.5443 Start·location: ·9242:136↵  
.5444 ↵  
.5445 System·ID: ·  
.5445 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.5445 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.5446 Main·validation·file: ·  
.5446 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.5446 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.5447 Scenario·name: ·gg-sch↵  
.5448 Schema: ·  
.5448 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.5448 ent..sch↵  
.5449 Engine·name: ·ISO·Schematron↵  
.5450 Severity: ·error↵  
.5451 Description: ·A·paragraph·must·have·an·ancestor·  
.5451 subSection·or·subSubSection.↵  
.5452 Start·location: ·9259:111↵  
.5453 ↵  
.5454 System·ID: ·  
.5454 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.5454 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵

.5455 Main-validation-file: .  
.5455 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.5455 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.5456 Scenario-name: ·gg-sch↵  
.5457 Schema: .  
.5457 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.5457 ent..sch↵  
.5458 Engine-name: ·ISO ·Schematron↵  
.5459 Severity: ·error↵  
.5460 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.5460 subSection ·or ·subSubSection.↵  
.5461 Start-location: ·9273:111↵  
.5462 ↵  
.5463 System-ID: .  
.5463 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.5463 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.5464 Main-validation-file: .  
.5464 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.5464 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.5465 Scenario-name: ·gg-sch↵  
.5466 Schema: .  
.5466 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.5466 ent..sch↵  
.5467 Engine-name: ·ISO ·Schematron↵  
.5468 Severity: ·error↵  
.5469 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.5469 subSection ·or ·subSubSection.↵  
.5470 Start-location: ·9289:111↵  
.5471 ↵  
.5472 System-ID: .  
.5472 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.5472 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.5473 Main-validation-file: .  
.5473 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.5473 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵

.5474 Scenario ·name: ·gg-sch ↵  
.5475 Schema: ·  
.5475 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
.5476 Engine ·name: ·ISO ·Schematron ↵  
.5477 Severity: ·error ↵  
.5478 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.5478 subSection ·or ·subSubSection. ↵  
.5479 Start ·location: ·9305:111 ↵  
.5480 ↵  
.5481 System ·ID: ·  
.5481 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
/BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.5482 Main ·validation ·file: ·  
.5482 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
/BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.5483 Scenario ·name: ·gg-sch ↵  
.5484 Schema: ·  
.5484 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
.5485 Engine ·name: ·ISO ·Schematron ↵  
.5486 Severity: ·error ↵  
.5487 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.5487 subSection ·or ·subSubSection. ↵  
.5488 Start ·location: ·9342:111 ↵  
.5489 ↵  
.5490 System ·ID: ·  
.5490 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
/BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.5491 Main ·validation ·file: ·  
.5491 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
/BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.5492 Scenario ·name: ·gg-sch ↵  
.5493 Schema: ·  
.5493 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm

.5493 ent..sch↵  
.5494 Engine.name: ·ISO ·Schematron↵  
.5495 Severity: ·error↵  
.5496 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.5496 subSection ·or ·subSubSection.↵  
.5497 Start ·location: ·9368:111↵  
.5498 ↵  
.5499 System ·ID: ·  
.5499 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.5499 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.5500 Main ·validation ·file: ·  
.5500 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.5500 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.5501 Scenario ·name: ·gg-sch↵  
.5502 Schema: ·  
.5502 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.5502 ent..sch↵  
.5503 Engine.name: ·ISO ·Schematron↵  
.5504 Severity: ·error↵  
.5505 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.5505 subSection ·or ·subSubSection.↵  
.5506 Start ·location: ·9391:111↵  
.5507 ↵  
.5508 System ·ID: ·  
.5508 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.5508 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.5509 Main ·validation ·file: ·  
.5509 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.5509 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.5510 Scenario ·name: ·gg-sch↵  
.5511 Schema: ·  
.5511 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.5511 ent..sch↵  
.5512 Engine.name: ·ISO ·Schematron↵  
.5513 Severity: ·error↵

.5514 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.5514 subSection ·or ·subSubSection. ↵  
.5515 Start ·location: ·9403:111 ↵  
.5516 ↵  
.5517 System ·ID: ·  
.5517 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.5517 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.5518 Main ·validation ·file: ·  
.5518 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.5518 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.5519 Scenario ·name: ·gg-sch ↵  
.5520 Schema: ·  
.5520 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.5520 ent..sch ↵  
.5521 Engine ·name: ·ISO ·Schematron ↵  
.5522 Severity: ·error ↵  
.5523 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.5523 subSection ·or ·subSubSection. ↵  
.5524 Start ·location: ·9424:111 ↵  
.5525 ↵  
.5526 System ·ID: ·  
.5526 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.5526 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.5527 Main ·validation ·file: ·  
.5527 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.5527 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.5528 Scenario ·name: ·gg-sch ↵  
.5529 Schema: ·  
.5529 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.5529 ent..sch ↵  
.5530 Engine ·name: ·ISO ·Schematron ↵  
.5531 Severity: ·error ↵  
.5532 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.5532 subSection ·or ·subSubSection. ↵  
.5533 Start ·location: ·9441:111 ↵

.5534 <  
.5535 System·ID: ·  
.5535 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.5535 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml<  
.5536 Main·validation·file: ·  
.5536 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.5536 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml<  
.5537 Scenario·name: ·gg-sch<  
.5538 Schema: ·  
.5538 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.5538 ent..sch<  
.5539 Engine·name: ·ISO·Schematron<  
.5540 Severity: ·error<  
.5541 Description: ·A·paragraph·must·have·an·ancestor·  
.5541 subSection·or·subSubSection.<  
.5542 Start·location: ·9461:111<  
.5543 <  
.5544 System·ID: ·  
.5544 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.5544 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml<  
.5545 Main·validation·file: ·  
.5545 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.5545 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml<  
.5546 Scenario·name: ·gg-sch<  
.5547 Schema: ·  
.5547 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.5547 ent..sch<  
.5548 Engine·name: ·ISO·Schematron<  
.5549 Severity: ·error<  
.5550 Description: ·A·paragraph·must·have·an·ancestor·  
.5550 subSection·or·subSubSection.<  
.5551 Start·location: ·9478:138<  
.5552 <  
.5553 System·ID: ·  
.5553 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax

.5553 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.5554 Main-validation-file: .  
.5554 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.5554 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.5555 Scenario-name: .gg-sch ↵  
.5556 Schema: .  
.5556 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.5556 ent..sch ↵  
.5557 Engine-name: .ISO-Schematron ↵  
.5558 Severity: .error ↵  
.5559 Description: .A.paragraph.must.have.an.ancestor.  
.5559 subSection.or.subSubSection. ↵  
.5560 Start-location: .9490:111 ↵  
.5561 ↵  
.5562 System-ID: .  
.5562 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.5562 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.5563 Main-validation-file: .  
.5563 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.5563 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.5564 Scenario-name: .gg-sch ↵  
.5565 Schema: .  
.5565 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.5565 ent..sch ↵  
.5566 Engine-name: .ISO-Schematron ↵  
.5567 Severity: .error ↵  
.5568 Description: .A.paragraph.must.have.an.ancestor.  
.5568 subSection.or.subSubSection. ↵  
.5569 Start-location: .9512:111 ↵  
.5570 ↵  
.5571 System-ID: .  
.5571 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.5571 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.5572 Main-validation-file: .  
.5572 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax

.5572 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.5573 Scenario.name: .gg-sch ↵  
.5574 Schema: .  
.5574 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
.5575 Engine.name: .ISO.Schematron ↵  
.5576 Severity: .error ↵  
.5577 Description: .A.paragraph.must.have.an.ancestor.  
.5577 subSection.or.subSubSection. ↵  
.5578 Start.location: .9531:111 ↵  
.5579 ↵  
.5580 System.ID: .  
.5580 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.5580 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.5581 Main.validation.file: .  
.5581 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.5581 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.5582 Scenario.name: .gg-sch ↵  
.5583 Schema: .  
.5583 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
.5584 Engine.name: .ISO.Schematron ↵  
.5585 Severity: .error ↵  
.5586 Description: .A.paragraph.must.have.an.ancestor.  
.5586 subSection.or.subSubSection. ↵  
.5587 Start.location: .9568:111 ↵  
.5588 ↵  
.5589 System.ID: .  
.5589 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.5589 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.5590 Main.validation.file: .  
.5590 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.5590 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.5591 Scenario.name: .gg-sch ↵  
.5592 Schema: .

.5592 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.5592 ent..sch↵  
.5593 Engine.name: ·ISO ·Schematron↵  
.5594 Severity: ·error↵  
.5595 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.5595 subSection ·or ·subSubSection.↵  
.5596 Start ·location: ·9617:111↵  
.5597 ↵  
.5598 System ·ID: ·  
.5598 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.5598 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.5599 Main ·validation ·file: ·  
.5599 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.5599 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.5600 Scenario ·name: ·gg-sch↵  
.5601 Schema: ·  
.5601 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.5601 ent..sch↵  
.5602 Engine.name: ·ISO ·Schematron↵  
.5603 Severity: ·error↵  
.5604 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.5604 subSection ·or ·subSubSection.↵  
.5605 Start ·location: ·9642:111↵  
.5606 ↵  
.5607 System ·ID: ·  
.5607 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.5607 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.5608 Main ·validation ·file: ·  
.5608 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.5608 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.5609 Scenario ·name: ·gg-sch↵  
.5610 Schema: ·  
.5610 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.5610 ent..sch↵  
.5611 Engine.name: ·ISO ·Schematron↵

.5612 Severity: ·error ↵  
.5613 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.5613 subSection ·or ·subSubSection. ↵  
.5614 Start ·location: ·9656:111 ↵  
.5615 ↵  
.5616 System ·ID: ·  
/Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
/BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.5617 Main ·validation ·file: ·  
/Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
/BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.5618 Scenario ·name: ·gg-sch ↵  
.5619 Schema: ·  
/Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
.5620 Engine ·name: ·ISO ·Schematron ↵  
.5621 Severity: ·error ↵  
.5622 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.5622 subSection ·or ·subSubSection. ↵  
.5623 Start ·location: ·9671:110 ↵  
.5624 ↵  
.5625 System ·ID: ·  
/Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
/BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.5626 Main ·validation ·file: ·  
/Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
/BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.5627 Scenario ·name: ·gg-sch ↵  
.5628 Schema: ·  
/Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
.5629 Engine ·name: ·ISO ·Schematron ↵  
.5630 Severity: ·error ↵  
.5631 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.5631 subSection ·or ·subSubSection. ↵

.5632 Start ·location: ·9690:110 ↵  
.5633 ↵  
.5634 System ·ID: ·  
.5634 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.5634 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.5635 Main ·validation ·file: ·  
.5635 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.5635 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.5636 Scenario ·name: ·gg-sch ↵  
.5637 Schema: ·  
.5637 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.5637 ent..sch ↵  
.5638 Engine ·name: ·ISO ·Schematron ↵  
.5639 Severity: ·error ↵  
.5640 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.5640 subSection ·or ·subSubSection. ↵  
.5641 Start ·location: ·9715:110 ↵  
.5642 ↵  
.5643 System ·ID: ·  
.5643 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.5643 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.5644 Main ·validation ·file: ·  
.5644 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.5644 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.5645 Scenario ·name: ·gg-sch ↵  
.5646 Schema: ·  
.5646 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.5646 ent..sch ↵  
.5647 Engine ·name: ·ISO ·Schematron ↵  
.5648 Severity: ·error ↵  
.5649 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.5649 subSection ·or ·subSubSection. ↵  
.5650 Start ·location: ·9732:110 ↵  
.5651 ↵  
.5652 System ·ID: ·

.5652 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.5652 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.5653 Main-validation-file: ·  
.5653 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.5653 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.5654 Scenario-name: ·gg-sch ↵  
.5655 Schema: ·  
.5655 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.5655 ent..sch ↵  
.5656 Engine-name: ·ISO ·Schematron ↵  
.5657 Severity: ·error ↵  
.5658 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.5658 subSection ·or ·subSubSection. ↵  
.5659 Start-location: ·9749:110 ↵  
.5660 ↵  
.5661 System-ID: ·  
.5661 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.5661 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.5662 Main-validation-file: ·  
.5662 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.5662 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.5663 Scenario-name: ·gg-sch ↵  
.5664 Schema: ·  
.5664 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.5664 ent..sch ↵  
.5665 Engine-name: ·ISO ·Schematron ↵  
.5666 Severity: ·error ↵  
.5667 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.5667 subSection ·or ·subSubSection. ↵  
.5668 Start-location: ·9765:110 ↵  
.5669 ↵  
.5670 System-ID: ·  
.5670 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.5670 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.5671 Main-validation-file: ·

.5671 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.5671 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.5672 Scenario.name: .gg-sch ↵  
.5673 Schema: .  
.5673 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
.5674 Engine.name: .ISO .Schematron ↵  
.5675 Severity: .error ↵  
.5676 Description: .A .paragraph .must .have .an .ancestor .  
.5676 subSection .or .subSubSection. ↵  
.5677 Start.location: .9787:110 ↵  
.5678 ↵  
.5679 System.ID: .  
.5679 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.5679 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.5680 Main.validation.file: .  
.5680 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.5680 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.5681 Scenario.name: .gg-sch ↵  
.5682 Schema: .  
.5682 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
.5683 Engine.name: .ISO .Schematron ↵  
.5684 Severity: .error ↵  
.5685 Description: .A .paragraph .must .have .an .ancestor .  
.5685 subSection .or .subSubSection. ↵  
.5686 Start.location: .9805:110 ↵  
.5687 ↵  
.5688 System.ID: .  
.5688 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.5688 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.5689 Main.validation.file: .  
.5689 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.5689 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.5690 Scenario.name: .gg-sch ↵

.5691 Schema: .  
.5691 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.5691 ent..sch↵  
.5692 Engine.name: ·ISO ·Schematron↵  
.5693 Severity: ·error↵  
.5694 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.5694 subSection ·or ·subSubSection.↵  
.5695 Start.location: ·9834:110↵  
.5696 ↵  
.5697 System.ID: .  
.5697 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.5697 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.5698 Main.validation-file: .  
.5698 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.5698 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.5699 Scenario.name: ·gg-sch↵  
.5700 Schema: .  
.5700 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.5700 ent..sch↵  
.5701 Engine.name: ·ISO ·Schematron↵  
.5702 Severity: ·error↵  
.5703 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.5703 subSection ·or ·subSubSection.↵  
.5704 Start.location: ·9846:110↵  
.5705 ↵  
.5706 System.ID: .  
.5706 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.5706 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.5707 Main.validation-file: .  
.5707 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.5707 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.5708 Scenario.name: ·gg-sch↵  
.5709 Schema: .  
.5709 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.5709 ent..sch↵

.5710 Engine ·name: ·ISO ·Schematron ↵  
.5711 Severity: ·error ↵  
.5712 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.5712 subSection ·or ·subSubSection. ↵  
.5713 Start ·location: ·9868:110 ↵  
.5714 ↵  
.5715 System ·ID: ·  
.5715 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.5715 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.5716 Main ·validation ·file: ·  
.5716 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.5716 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.5717 Scenario ·name: ·gg-sch ↵  
.5718 Schema: ·  
.5718 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.5718 ent..sch ↵  
.5719 Engine ·name: ·ISO ·Schematron ↵  
.5720 Severity: ·error ↵  
.5721 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.5721 subSection ·or ·subSubSection. ↵  
.5722 Start ·location: ·9888:110 ↵  
.5723 ↵  
.5724 System ·ID: ·  
.5724 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.5724 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.5725 Main ·validation ·file: ·  
.5725 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.5725 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.5726 Scenario ·name: ·gg-sch ↵  
.5727 Schema: ·  
.5727 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.5727 ent..sch ↵  
.5728 Engine ·name: ·ISO ·Schematron ↵  
.5729 Severity: ·error ↵  
.5730 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·

.5730 subSection ·or ·subSubSection .↳  
.5731 Start ·location: ·9912:110↳  
.5732 ↳  
.5733 System ·ID: ·  
.5733 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.5733 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↳  
.5734 Main ·validation ·file: ·  
.5734 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.5734 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↳  
.5735 Scenario ·name: ·gg-sch↳  
.5736 Schema: ·  
.5736 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.5736 ent..sch↳  
.5737 Engine ·name: ·ISO ·Schematron↳  
.5738 Severity: ·error↳  
.5739 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.5739 subSection ·or ·subSubSection .↳  
.5740 Start ·location: ·9931:110↳  
.5741 ↳  
.5742 System ·ID: ·  
.5742 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.5742 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↳  
.5743 Main ·validation ·file: ·  
.5743 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.5743 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↳  
.5744 Scenario ·name: ·gg-sch↳  
.5745 Schema: ·  
.5745 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.5745 ent..sch↳  
.5746 Engine ·name: ·ISO ·Schematron↳  
.5747 Severity: ·error↳  
.5748 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.5748 subSection ·or ·subSubSection .↳  
.5749 Start ·location: ·9964:110↳  
.5750 ↳

.5751 System·ID: ·  
.5751 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.5751 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.5752 Main·validation·file: ·  
.5752 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.5752 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.5753 Scenario·name: ·gg-sch↵  
.5754 Schema: ·  
.5754 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.5754 ent..sch↵  
.5755 Engine·name: ·ISO·Schematron↵  
.5756 Severity: ·error↵  
.5757 Description: ·A·paragraph·must·have·an·ancestor·  
.5757 subSection·or·subSubSection.↵  
.5758 Start·location: ·9981:134↵  
.5759 ↵  
.5760 System·ID: ·  
.5760 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.5760 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.5761 Main·validation·file: ·  
.5761 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.5761 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.5762 Scenario·name: ·gg-sch↵  
.5763 Schema: ·  
.5763 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.5763 ent..sch↵  
.5764 Engine·name: ·ISO·Schematron↵  
.5765 Severity: ·error↵  
.5766 Description: ·A·paragraph·must·have·an·ancestor·  
.5766 subSection·or·subSubSection.↵  
.5767 Start·location: ·9993:110↵  
.5768 ↵  
.5769 System·ID: ·  
.5769 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.5769 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵

.5770 Main-validation-file: .  
.5770 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.5770 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.5771 Scenario-name: ·gg-sch↵  
.5772 Schema: .  
.5772 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch↵  
.5773 Engine-name: ·ISO ·Schematron↵  
.5774 Severity: ·error↵  
.5775 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.5775 subSection ·or ·subSubSection.↵  
.5776 Start-location: ·10005:110↵  
.5777 ↵  
.5778 System-ID: .  
.5778 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.5778 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.5779 Main-validation-file: .  
.5779 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.5779 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.5780 Scenario-name: ·gg-sch↵  
.5781 Schema: .  
.5781 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch↵  
.5782 Engine-name: ·ISO ·Schematron↵  
.5783 Severity: ·error↵  
.5784 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.5784 subSection ·or ·subSubSection.↵  
.5785 Start-location: ·10021:110↵  
.5786 ↵  
.5787 System-ID: .  
.5787 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.5787 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.5788 Main-validation-file: .  
.5788 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.5788 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵

.5789 Scenario ·name: ·gg-sch ↵  
.5790 Schema: ·  
.5790 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
.5791 Engine ·name: ·ISO ·Schematron ↵  
.5792 Severity: ·error ↵  
.5793 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.5793 subSection ·or ·subSubSection. ↵  
.5794 Start ·location: ·10054:110 ↵  
.5795 ↵  
.5796 System ·ID: ·  
.5796 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
/BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.5797 Main ·validation ·file: ·  
.5797 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
/BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.5798 Scenario ·name: ·gg-sch ↵  
.5799 Schema: ·  
.5799 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
.5800 Engine ·name: ·ISO ·Schematron ↵  
.5801 Severity: ·error ↵  
.5802 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.5802 subSection ·or ·subSubSection. ↵  
.5803 Start ·location: ·10071:110 ↵  
.5804 ↵  
.5805 System ·ID: ·  
.5805 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
/BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.5806 Main ·validation ·file: ·  
.5806 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
/BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.5807 Scenario ·name: ·gg-sch ↵  
.5808 Schema: ·  
.5808 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm

.5808 ent..sch↵  
.5809 Engine.name: ·ISO ·Schematron↵  
.5810 Severity: ·error↵  
.5811 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
subSection ·or ·subSubSection.↵  
.5812 Start.location: ·10086:110↵  
.5813 ↵  
.5814 System.ID: ·  
/Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
/BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.5815 Main.validation.file: ·  
/Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
/BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.5816 Scenario.name: ·gg-sch↵  
.5817 Schema: ·  
/Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch↵  
.5818 Engine.name: ·ISO ·Schematron↵  
.5819 Severity: ·error↵  
.5820 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
subSection ·or ·subSubSection.↵  
.5821 Start.location: ·10101:110↵  
.5822 ↵  
.5823 System.ID: ·  
/Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
/BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.5824 Main.validation.file: ·  
/Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
/BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.5825 Scenario.name: ·gg-sch↵  
.5826 Schema: ·  
/Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch↵  
.5827 Engine.name: ·ISO ·Schematron↵  
.5828 Severity: ·error↵

.5829 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.5829 subSection ·or ·subSubSection. ↵  
.5830 Start ·location: ·10117:110 ↵  
  ↳  
.5831 System ·ID: ·  
.5832 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.5832 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.5833 Main ·validation ·file: ·  
.5833 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.5833 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.5834 Scenario ·name: ·gg-sch ↵  
.5835 Schema: ·  
.5835 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.5835 ent..sch ↵  
.5836 Engine ·name: ·ISO ·Schematron ↵  
.5837 Severity: ·error ↵  
.5838 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.5838 subSection ·or ·subSubSection. ↵  
.5839 Start ·location: ·10146:110 ↵  
  ↳  
.5840 System ·ID: ·  
.5841 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.5841 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.5842 Main ·validation ·file: ·  
.5842 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.5842 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.5843 Scenario ·name: ·gg-sch ↵  
.5844 Schema: ·  
.5844 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.5844 ent..sch ↵  
.5845 Engine ·name: ·ISO ·Schematron ↵  
.5846 Severity: ·error ↵  
.5847 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.5847 subSection ·or ·subSubSection. ↵  
.5848 Start ·location: ·10163:110 ↵

.5849 ↵  
.5850 System·ID: ·  
.5850 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.5850 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.5851 Main·validation·file: ·  
.5851 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.5851 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.5852 Scenario·name: ·gg-sch↵  
.5853 Schema: ·  
.5853 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.5853 ent..sch↵  
.5854 Engine·name: ·ISO·Schematron↵  
.5855 Severity: ·error↵  
.5856 Description: ·A·paragraph·must·have·an·ancestor·  
.5856 subSection·or·subSubSection.↵  
.5857 Start·location: ·10177:110↵  
.5858 ↵  
.5859 System·ID: ·  
.5859 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.5859 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.5860 Main·validation·file: ·  
.5860 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.5860 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.5861 Scenario·name: ·gg-sch↵  
.5862 Schema: ·  
.5862 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.5862 ent..sch↵  
.5863 Engine·name: ·ISO·Schematron↵  
.5864 Severity: ·error↵  
.5865 Description: ·A·paragraph·must·have·an·ancestor·  
.5865 subSection·or·subSubSection.↵  
.5866 Start·location: ·10191:110↵  
.5867 ↵  
.5868 System·ID: ·  
.5868 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax

.5868 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.5869 Main-validation-file: .  
.5869 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.5869 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.5870 Scenario-name: .gg-sch ↵  
.5871 Schema: .  
.5871 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.5871 ent..sch ↵  
.5872 Engine-name: .ISO-Schematron ↵  
.5873 Severity: .error ↵  
.5874 Description: .A.paragraph.must.have.an.ancestor.  
.5874 subSection.or.subSubSection. ↵  
.5875 Start-location: .10203:110 ↵  
.5876 ↵  
.5877 System-ID: .  
.5877 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.5877 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.5878 Main-validation-file: .  
.5878 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.5878 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.5879 Scenario-name: .gg-sch ↵  
.5880 Schema: .  
.5880 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.5880 ent..sch ↵  
.5881 Engine-name: .ISO-Schematron ↵  
.5882 Severity: .error ↵  
.5883 Description: .A.paragraph.must.have.an.ancestor.  
.5883 subSection.or.subSubSection. ↵  
.5884 Start-location: .10215:110 ↵  
.5885 ↵  
.5886 System-ID: .  
.5886 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.5886 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.5887 Main-validation-file: .  
.5887 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax

.5887 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.5888 Scenario.name: .gg-sch ↵  
.5889 Schema: .  
.5889 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
.5890 Engine.name: .ISO .Schematron ↵  
.5891 Severity: .error ↵  
.5892 Description: .A .paragraph .must .have .an .ancestor .  
.5892 subSection .or .subSubSection. ↵  
.5893 Start.location: .10235:110 ↵  
.5894 ↵  
.5895 System.ID: .  
.5895 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.5895 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.5896 Main.validation.file: .  
.5896 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.5896 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.5897 Scenario.name: .gg-sch ↵  
.5898 Schema: .  
.5898 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
.5899 Engine.name: .ISO .Schematron ↵  
.5900 Severity: .error ↵  
.5901 Description: .A .paragraph .must .have .an .ancestor .  
.5901 subSection .or .subSubSection. ↵  
.5902 Start.location: .10255:110 ↵  
.5903 ↵  
.5904 System.ID: .  
.5904 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.5904 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.5905 Main.validation.file: .  
.5905 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.5905 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.5906 Scenario.name: .gg-sch ↵  
.5907 Schema: .

.5907 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.5907 ent..sch↵  
.5908 Engine.name: ·ISO ·Schematron↵  
.5909 Severity: ·error↵  
.5910 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.5910 subSection ·or ·subSubSection.↵  
.5911 Start ·location: ·10270:110↵  
.5912 ↵  
.5913 System ·ID: ·  
.5913 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.5913 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.5914 Main ·validation ·file: ·  
.5914 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.5914 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.5915 Scenario ·name: ·gg-sch↵  
.5916 Schema: ·  
.5916 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.5916 ent..sch↵  
.5917 Engine.name: ·ISO ·Schematron↵  
.5918 Severity: ·error↵  
.5919 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.5919 subSection ·or ·subSubSection.↵  
.5920 Start ·location: ·10298:110↵  
.5921 ↵  
.5922 System ·ID: ·  
.5922 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.5922 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.5923 Main ·validation ·file: ·  
.5923 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.5923 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.5924 Scenario ·name: ·gg-sch↵  
.5925 Schema: ·  
.5925 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.5925 ent..sch↵  
.5926 Engine.name: ·ISO ·Schematron↵

.5927 Severity: ·error↵  
.5928 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.5928 subSection ·or ·subSubSection.↵  
.5929 Start ·location: ·10322:136↵  
.5930 ↵  
.5931 System ·ID: ·  
/Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
/BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.5932 Main ·validation ·file: ·  
/Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
/BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.5933 Scenario ·name: ·gg-sch↵  
.5934 Schema: ·  
/Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch↵  
.5935 Engine ·name: ·ISO ·Schematron↵  
.5936 Severity: ·error↵  
.5937 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.5937 subSection ·or ·subSubSection.↵  
.5938 Start ·location: ·10334:111↵  
.5939 ↵  
.5940 System ·ID: ·  
/Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
/BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.5941 Main ·validation ·file: ·  
/Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
/BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.5942 Scenario ·name: ·gg-sch↵  
.5943 Schema: ·  
/Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch↵  
.5944 Engine ·name: ·ISO ·Schematron↵  
.5945 Severity: ·error↵  
.5946 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.5946 subSection ·or ·subSubSection.↵

.5947 Start ·location: ·10364:111 ↵  
.5948 ↵  
.5949 System ·ID: ·  
.5949 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
/BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.5950 Main ·validation ·file: ·  
.5950 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
/BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.5951 Scenario ·name: ·gg-sch ↵  
.5952 Schema: ·  
.5952 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
.5953 Engine ·name: ·ISO ·Schematron ↵  
.5954 Severity: ·error ↵  
.5955 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.5955 subSection ·or ·subSubSection. ↵  
.5956 Start ·location: ·10385:111 ↵  
.5957 ↵  
.5958 System ·ID: ·  
.5958 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
/BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.5959 Main ·validation ·file: ·  
.5959 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
/BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.5960 Scenario ·name: ·gg-sch ↵  
.5961 Schema: ·  
.5961 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
.5962 Engine ·name: ·ISO ·Schematron ↵  
.5963 Severity: ·error ↵  
.5964 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.5964 subSection ·or ·subSubSection. ↵  
.5965 Start ·location: ·10405:111 ↵  
.5966 ↵  
.5967 System ·ID: ·

.5967 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.5967 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.5968 Main-validation-file: ·  
.5968 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.5968 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.5969 Scenario-name: ·gg-sch ↵  
.5970 Schema: ·  
.5970 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.5970 ent..sch ↵  
.5971 Engine-name: ·ISO ·Schematron ↵  
.5972 Severity: ·error ↵  
.5973 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.5973 subSection ·or ·subSubSection. ↵  
.5974 Start-location: ·10436:111 ↵  
.5975 ↵  
.5976 System-ID: ·  
.5976 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.5976 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.5977 Main-validation-file: ·  
.5977 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.5977 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.5978 Scenario-name: ·gg-sch ↵  
.5979 Schema: ·  
.5979 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.5979 ent..sch ↵  
.5980 Engine-name: ·ISO ·Schematron ↵  
.5981 Severity: ·error ↵  
.5982 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.5982 subSection ·or ·subSubSection. ↵  
.5983 Start-location: ·10461:111 ↵  
.5984 ↵  
.5985 System-ID: ·  
.5985 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.5985 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.5986 Main-validation-file: ·

.5986 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.5986 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.5987 Scenario.name: .gg-sch↵  
.5988 Schema: .  
.5988 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch↵  
.5989 Engine.name: .ISO .Schematron↵  
.5990 Severity: .error↵  
.5991 Description: .A .paragraph .must .have .an .ancestor .  
.5991 subSection .or .subSubSection.↵  
.5992 Start.location: .10486:111↵  
.5993 ↵  
.5994 System.ID: .  
.5994 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.5994 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.5995 Main.validation.file: .  
.5995 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.5995 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.5996 Scenario.name: .gg-sch↵  
.5997 Schema: .  
.5997 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch↵  
.5998 Engine.name: .ISO .Schematron↵  
.5999 Severity: .error↵  
.6000 Description: .A .paragraph .must .have .an .ancestor .  
.6000 subSection .or .subSubSection.↵  
.6001 Start.location: .10506:111↵  
.6002 ↵  
.6003 System.ID: .  
.6003 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.6003 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.6004 Main.validation.file: .  
.6004 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.6004 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.6005 Scenario.name: .gg-sch↵

.6006 Schema: .  
.6006 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.6006 ent..sch↵  
.6007 Engine.name: ·ISO ·Schematron↵  
.6008 Severity: ·error↵  
.6009 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.6009 subSection ·or ·subSubSection.↵  
.6010 Start.location: ·10531:111↵  
.6011 ↵  
.6012 System.ID: .  
.6012 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.6012 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.6013 Main.validation-file: .  
.6013 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.6013 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.6014 Scenario.name: ·gg-sch↵  
.6015 Schema: .  
.6015 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.6015 ent..sch↵  
.6016 Engine.name: ·ISO ·Schematron↵  
.6017 Severity: ·error↵  
.6018 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.6018 subSection ·or ·subSubSection.↵  
.6019 Start.location: ·10543:111↵  
.6020 ↵  
.6021 System.ID: .  
.6021 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.6021 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.6022 Main.validation-file: .  
.6022 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.6022 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.6023 Scenario.name: ·gg-sch↵  
.6024 Schema: .  
.6024 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.6024 ent..sch↵

.6025 Engine ·name: ·ISO ·Schematron ↵  
.6026 Severity: ·error ↵  
.6027 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
subSection ·or ·subSubSection. ↵  
.6028 Start ·location: ·10564:111 ↵  
.6029 ↵  
.6030 System ·ID: ·  
/Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
/BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.6031 Main ·validation ·file: ·  
/Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
/BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.6032 Scenario ·name: ·gg-sch ↵  
.6033 Schema: ·  
/Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
.6034 Engine ·name: ·ISO ·Schematron ↵  
.6035 Severity: ·error ↵  
.6036 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
subSection ·or ·subSubSection. ↵  
.6037 Start ·location: ·10581:111 ↵  
.6038 ↵  
.6039 System ·ID: ·  
/Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
/BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.6040 Main ·validation ·file: ·  
/Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
/BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.6041 Scenario ·name: ·gg-sch ↵  
.6042 Schema: ·  
/Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
.6043 Engine ·name: ·ISO ·Schematron ↵  
.6044 Severity: ·error ↵  
.6045 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·

.6045 subSection ·or ·subSubSection .↳  
.6046 Start ·location: ·10598:111↳  
.6047 ↳  
.6048 System ·ID: ·  
.6048 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.6048 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↳  
.6049 Main ·validation ·file: ·  
.6049 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.6049 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↳  
.6050 Scenario ·name: ·gg-sch↳  
.6051 Schema: ·  
.6051 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.6051 ent..sch↳  
.6052 Engine ·name: ·ISO ·Schematron↳  
.6053 Severity: ·error↳  
.6054 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.6054 subSection ·or ·subSubSection .↳  
.6055 Start ·location: ·10614:111↳  
.6056 ↳  
.6057 System ·ID: ·  
.6057 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.6057 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↳  
.6058 Main ·validation ·file: ·  
.6058 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.6058 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↳  
.6059 Scenario ·name: ·gg-sch↳  
.6060 Schema: ·  
.6060 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.6060 ent..sch↳  
.6061 Engine ·name: ·ISO ·Schematron↳  
.6062 Severity: ·error↳  
.6063 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.6063 subSection ·or ·subSubSection .↳  
.6064 Start ·location: ·10633:111↳  
.6065 ↳

.6066 System·ID: ·  
.6066 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.6066 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.6067 Main·validation·file: ·  
.6067 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.6067 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.6068 Scenario·name: ·gg-sch↵  
.6069 Schema: ·  
.6069 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.6069 ent..sch↵  
.6070 Engine·name: ·ISO·Schematron↵  
.6071 Severity: ·error↵  
.6072 Description: ·A·paragraph·must·have·an·ancestor·  
.6072 subSection·or·subSubSection.↵  
.6073 Start·location: ·10650:111↵  
.6074 ↵  
.6075 System·ID: ·  
.6075 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.6075 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.6076 Main·validation·file: ·  
.6076 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.6076 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.6077 Scenario·name: ·gg-sch↵  
.6078 Schema: ·  
.6078 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.6078 ent..sch↵  
.6079 Engine·name: ·ISO·Schematron↵  
.6080 Severity: ·error↵  
.6081 Description: ·A·paragraph·must·have·an·ancestor·  
.6081 subSection·or·subSubSection.↵  
.6082 Start·location: ·10681:111↵  
.6083 ↵  
.6084 System·ID: ·  
.6084 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.6084 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵

.6085 Main-validation-file: .  
.6085 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.6085 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.6086 Scenario-name: .gg-sch↵  
.6087 Schema: .  
.6087 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch↵  
.6088 Engine-name: .ISO-Schematron↵  
.6089 Severity: .error↵  
.6090 Description: .A .paragraph .must .have .an .ancestor .  
.6090 subSection .or .subSubSection.↵  
.6091 Start-location: .10693:111↵  
.6092 ↵  
.6093 System-ID: .  
.6093 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.6093 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.6094 Main-validation-file: .  
.6094 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.6094 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.6095 Scenario-name: .gg-sch↵  
.6096 Schema: .  
.6096 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch↵  
.6097 Engine-name: .ISO-Schematron↵  
.6098 Severity: .error↵  
.6099 Description: .A .paragraph .must .have .an .ancestor .  
.6099 subSection .or .subSubSection.↵  
.6100 Start-location: .10710:111↵  
.6101 ↵  
.6102 System-ID: .  
.6102 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.6102 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.6103 Main-validation-file: .  
.6103 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.6103 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵

.6104 Scenario ·name: ·gg-sch ↵  
.6105 Schema: ·  
.6105 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
.6106 Engine ·name: ·ISO ·Schematron ↵  
.6107 Severity: ·error ↵  
.6108 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.6108 subSection ·or ·subSubSection. ↵  
.6109 Start ·location: ·10732:111 ↵  
.6110 ↵  
.6111 System ·ID: ·  
.6111 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.6111 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.6112 Main ·validation ·file: ·  
.6112 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.6112 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.6113 Scenario ·name: ·gg-sch ↵  
.6114 Schema: ·  
.6114 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
.6115 Engine ·name: ·ISO ·Schematron ↵  
.6116 Severity: ·error ↵  
.6117 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.6117 subSection ·or ·subSubSection. ↵  
.6118 Start ·location: ·10747:111 ↵  
.6119 ↵  
.6120 System ·ID: ·  
.6120 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.6120 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.6121 Main ·validation ·file: ·  
.6121 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.6121 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.6122 Scenario ·name: ·gg-sch ↵  
.6123 Schema: ·  
.6123 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm

.6123 ent..sch↵  
.6124 Engine.name: ·ISO ·Schematron↵  
.6125 Severity: ·error↵  
.6126 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.6126 subSection ·or ·subSubSection.↵  
.6127 Start ·location: ·10762:111↵  
.6128 ↵  
.6129 System ·ID: ·  
.6129 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.6129 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.6130 Main ·validation ·file: ·  
.6130 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.6130 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.6131 Scenario ·name: ·gg-sch↵  
.6132 Schema: ·  
.6132 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.6132 ent..sch↵  
.6133 Engine.name: ·ISO ·Schematron↵  
.6134 Severity: ·error↵  
.6135 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.6135 subSection ·or ·subSubSection.↵  
.6136 Start ·location: ·10777:111↵  
.6137 ↵  
.6138 System ·ID: ·  
.6138 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.6138 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.6139 Main ·validation ·file: ·  
.6139 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.6139 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.6140 Scenario ·name: ·gg-sch↵  
.6141 Schema: ·  
.6141 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.6141 ent..sch↵  
.6142 Engine.name: ·ISO ·Schematron↵  
.6143 Severity: ·error↵

.6144 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.6144 subSection ·or ·subSubSection. ↵  
.6145 Start ·location: ·10789:111 ↵  
.6146 ↵  
.6147 System ·ID: ·  
.6147 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.6147 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.6148 Main ·validation ·file: ·  
.6148 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.6148 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.6149 Scenario ·name: ·gg-sch ↵  
.6150 Schema: ·  
.6150 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.6150 ent..sch ↵  
.6151 Engine ·name: ·ISO ·Schematron ↵  
.6152 Severity: ·error ↵  
.6153 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.6153 subSection ·or ·subSubSection. ↵  
.6154 Start ·location: ·10804:111 ↵  
.6155 ↵  
.6156 System ·ID: ·  
.6156 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.6156 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.6157 Main ·validation ·file: ·  
.6157 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.6157 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.6158 Scenario ·name: ·gg-sch ↵  
.6159 Schema: ·  
.6159 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.6159 ent..sch ↵  
.6160 Engine ·name: ·ISO ·Schematron ↵  
.6161 Severity: ·error ↵  
.6162 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.6162 subSection ·or ·subSubSection. ↵  
.6163 Start ·location: ·10828:111 ↵

.6164 ↵  
.6165 System·ID: ·  
.6165 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.6165 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.6166 Main·validation·file: ·  
.6166 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.6166 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.6167 Scenario·name: ·gg-sch↵  
.6168 Schema: ·  
.6168 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch↵  
.6169 Engine·name: ·ISO·Schematron↵  
.6170 Severity: ·error↵  
.6171 Description: ·A·paragraph·must·have·an·ancestor·  
.6171 subSection·or·subSubSection.↵  
.6172 Start·location: ·10855:111↵  
.6173 ↵  
.6174 System·ID: ·  
.6174 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.6174 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.6175 Main·validation·file: ·  
.6175 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.6175 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.6176 Scenario·name: ·gg-sch↵  
.6177 Schema: ·  
.6177 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch↵  
.6178 Engine·name: ·ISO·Schematron↵  
.6179 Severity: ·error↵  
.6180 Description: ·A·paragraph·must·have·an·ancestor·  
.6180 subSection·or·subSubSection.↵  
.6181 Start·location: ·10870:111↵  
.6182 ↵  
.6183 System·ID: ·  
.6183 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax

.6183 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.6184 Main-validation-file: ·  
.6184 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.6184 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.6185 Scenario-name: ·gg-sch ↵  
.6186 Schema: ·  
.6186 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.6186 ent..sch ↵  
.6187 Engine-name: ·ISO-Schematron ↵  
.6188 Severity: ·error ↵  
.6189 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.6189 subSection ·or ·subSubSection. ↵  
.6190 Start-location: ·10885:111 ↵  
.6191 ↵  
.6192 System-ID: ·  
.6192 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.6192 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.6193 Main-validation-file: ·  
.6193 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.6193 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.6194 Scenario-name: ·gg-sch ↵  
.6195 Schema: ·  
.6195 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.6195 ent..sch ↵  
.6196 Engine-name: ·ISO-Schematron ↵  
.6197 Severity: ·error ↵  
.6198 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.6198 subSection ·or ·subSubSection. ↵  
.6199 Start-location: ·10900:111 ↵  
.6200 ↵  
.6201 System-ID: ·  
.6201 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.6201 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.6202 Main-validation-file: ·  
.6202 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax

.6202 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.6203 Scenario.name: .gg-sch ↵  
.6204 Schema: .  
.6204 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
.6205 Engine.name: .ISO.Schematron ↵  
.6206 Severity: .error ↵  
.6207 Description: .A.paragraph.must.have.an.ancestor.  
.6207 subSection.or.subSubSection. ↵  
.6208 Start.location: .10914:111 ↵  
.6209 ↵  
.6210 System.ID: .  
.6210 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.6210 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.6211 Main.validation.file: .  
.6211 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.6211 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.6212 Scenario.name: .gg-sch ↵  
.6213 Schema: .  
.6213 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
.6214 Engine.name: .ISO.Schematron ↵  
.6215 Severity: .error ↵  
.6216 Description: .A.paragraph.must.have.an.ancestor.  
.6216 subSection.or.subSubSection. ↵  
.6217 Start.location: .10928:183 ↵  
.6218 ↵  
.6219 System.ID: .  
.6219 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.6219 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.6220 Main.validation.file: .  
.6220 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.6220 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.6221 Scenario.name: .gg-sch ↵  
.6222 Schema: .

.6222 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.6222 ent..sch↵  
.6223 Engine.name: ·ISO ·Schematron↵  
.6224 Severity: ·error↵  
.6225 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.6225 subSection ·or ·subSubSection.↵  
.6226 Start ·location: ·10949:110↵  
.6227 ↵  
.6228 System ·ID: ·  
.6228 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.6228 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.6229 Main ·validation ·file: ·  
.6229 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.6229 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.6230 Scenario ·name: ·gg-sch↵  
.6231 Schema: ·  
.6231 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.6231 ent..sch↵  
.6232 Engine.name: ·ISO ·Schematron↵  
.6233 Severity: ·error↵  
.6234 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.6234 subSection ·or ·subSubSection.↵  
.6235 Start ·location: ·10968:110↵  
.6236 ↵  
.6237 System ·ID: ·  
.6237 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.6237 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.6238 Main ·validation ·file: ·  
.6238 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.6238 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.6239 Scenario ·name: ·gg-sch↵  
.6240 Schema: ·  
.6240 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.6240 ent..sch↵  
.6241 Engine.name: ·ISO ·Schematron↵

.6242 Severity: ·error ↵  
.6243 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.6243 subSection ·or ·subSubSection. ↵  
.6244 Start ·location: ·10987:110 ↵  
.6245 ↵  
.6246 System ·ID: ·  
/Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.6246 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.6247 Main ·validation ·file: ·  
/Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.6247 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.6248 Scenario ·name: ·gg-sch ↵  
.6249 Schema: ·  
/Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.6249 ent..sch ↵  
.6250 Engine ·name: ·ISO ·Schematron ↵  
.6251 Severity: ·error ↵  
.6252 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.6252 subSection ·or ·subSubSection. ↵  
.6253 Start ·location: ·11012:110 ↵  
.6254 ↵  
.6255 System ·ID: ·  
/Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.6255 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.6256 Main ·validation ·file: ·  
/Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.6256 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.6257 Scenario ·name: ·gg-sch ↵  
.6258 Schema: ·  
/Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.6258 ent..sch ↵  
.6259 Engine ·name: ·ISO ·Schematron ↵  
.6260 Severity: ·error ↵  
.6261 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.6261 subSection ·or ·subSubSection. ↵

.6262 Start ·location: ·11043:110 ↵  
.6263 ↵  
.6264 System ·ID: ·  
.6264 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
/BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.6265 Main ·validation ·file: ·  
.6265 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
/BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.6266 Scenario ·name: ·gg-sch ↵  
.6267 Schema: ·  
.6267 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
.6268 Engine ·name: ·ISO ·Schematron ↵  
.6269 Severity: ·error ↵  
.6270 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.6270 subSection ·or ·subSubSection. ↵  
.6271 Start ·location: ·11055:110 ↵  
.6272 ↵  
.6273 System ·ID: ·  
.6273 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
/BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.6274 Main ·validation ·file: ·  
.6274 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
/BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.6275 Scenario ·name: ·gg-sch ↵  
.6276 Schema: ·  
.6276 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
.6277 Engine ·name: ·ISO ·Schematron ↵  
.6278 Severity: ·error ↵  
.6279 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.6279 subSection ·or ·subSubSection. ↵  
.6280 Start ·location: ·11070:110 ↵  
.6281 ↵  
.6282 System ·ID: ·

.6282 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.6282 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.6283 Main-validation-file: ·  
.6283 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.6283 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.6284 Scenario-name: ·gg-sch ↵  
.6285 Schema: ·  
.6285 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.6285 ent..sch ↵  
.6286 Engine-name: ·ISO ·Schematron ↵  
.6287 Severity: ·error ↵  
.6288 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.6288 subSection ·or ·subSubSection. ↵  
.6289 Start-location: ·11097:110 ↵  
.6290 ↵  
.6291 System-ID: ·  
.6291 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.6291 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.6292 Main-validation-file: ·  
.6292 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.6292 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.6293 Scenario-name: ·gg-sch ↵  
.6294 Schema: ·  
.6294 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.6294 ent..sch ↵  
.6295 Engine-name: ·ISO ·Schematron ↵  
.6296 Severity: ·error ↵  
.6297 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.6297 subSection ·or ·subSubSection. ↵  
.6298 Start-location: ·11117:110 ↵  
.6299 ↵  
.6300 System-ID: ·  
.6300 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.6300 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.6301 Main-validation-file: ·

.6301 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.6301 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.6302 Scenario.name: .gg-sch ↵  
.6303 Schema: .  
.6303 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
.6304 Engine.name: .ISO .Schematron ↵  
.6305 Severity: .error ↵  
.6306 Description: .A .paragraph .must .have .an .ancestor .  
.6306 subSection .or .subSubSection. ↵  
.6307 Start.location: .11131:134 ↵  
.6308 ↵  
.6309 System.ID: .  
.6309 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.6309 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.6310 Main.validation.file: .  
.6310 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.6310 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.6311 Scenario.name: .gg-sch ↵  
.6312 Schema: .  
.6312 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
.6313 Engine.name: .ISO .Schematron ↵  
.6314 Severity: .error ↵  
.6315 Description: .A .paragraph .must .have .an .ancestor .  
.6315 subSection .or .subSubSection. ↵  
.6316 Start.location: .11143:110 ↵  
.6317 ↵  
.6318 System.ID: .  
.6318 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.6318 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.6319 Main.validation.file: .  
.6319 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.6319 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.6320 Scenario.name: .gg-sch ↵

.6321 Schema: .  
.6321 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.6321 ent..sch↵  
.6322 Engine.name: ·ISO ·Schematron↵  
.6323 Severity: ·error↵  
.6324 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.6324 subSection ·or ·subSubSection.↵  
.6325 Start.location: ·11160:134↵  
.6326 ↵  
.6327 System.ID: .  
.6327 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.6327 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.6328 Main.validation-file: .  
.6328 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.6328 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.6329 Scenario.name: ·gg-sch↵  
.6330 Schema: .  
.6330 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.6330 ent..sch↵  
.6331 Engine.name: ·ISO ·Schematron↵  
.6332 Severity: ·error↵  
.6333 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.6333 subSection ·or ·subSubSection.↵  
.6334 Start.location: ·11174:110↵  
.6335 ↵  
.6336 System.ID: .  
.6336 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.6336 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.6337 Main.validation-file: .  
.6337 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.6337 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.6338 Scenario.name: ·gg-sch↵  
.6339 Schema: .  
.6339 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.6339 ent..sch↵

.6340 Engine.name: ·ISO ·Schematron↵  
.6341 Severity: ·error↵  
.6342 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.6342 subSection ·or ·subSubSection.↵  
.6343 Start.location: ·11206:110↵  
.6344 ↵  
.6345 System.ID: ·  
.6345 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.6345 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.6346 Main.validation.file: ·  
.6346 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.6346 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.6347 Scenario.name: ·gg-sch↵  
.6348 Schema: ·  
.6348 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.6348 ent..sch↵  
.6349 Engine.name: ·ISO ·Schematron↵  
.6350 Severity: ·error↵  
.6351 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.6351 subSection ·or ·subSubSection.↵  
.6352 Start.location: ·11227:110↵  
.6353 ↵  
.6354 System.ID: ·  
.6354 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.6354 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.6355 Main.validation.file: ·  
.6355 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.6355 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.6356 Scenario.name: ·gg-sch↵  
.6357 Schema: ·  
.6357 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.6357 ent..sch↵  
.6358 Engine.name: ·ISO ·Schematron↵  
.6359 Severity: ·error↵  
.6360 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·

.6360 subSection ·or ·subSubSection .↳  
.6361 Start ·location: ·11243:110↳  
.6362 ↳  
.6363 System ·ID: ·  
.6363 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.6363 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↳  
.6364 Main ·validation ·file: ·  
.6364 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.6364 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↳  
.6365 Scenario ·name: ·gg-sch↳  
.6366 Schema: ·  
.6366 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.6366 ent..sch↳  
.6367 Engine ·name: ·ISO ·Schematron↳  
.6368 Severity: ·error↳  
.6369 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.6369 subSection ·or ·subSubSection .↳  
.6370 Start ·location: ·11255:110↳  
.6371 ↳  
.6372 System ·ID: ·  
.6372 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.6372 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↳  
.6373 Main ·validation ·file: ·  
.6373 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.6373 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↳  
.6374 Scenario ·name: ·gg-sch↳  
.6375 Schema: ·  
.6375 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.6375 ent..sch↳  
.6376 Engine ·name: ·ISO ·Schematron↳  
.6377 Severity: ·error↳  
.6378 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.6378 subSection ·or ·subSubSection .↳  
.6379 Start ·location: ·11274:110↳  
.6380 ↳

.6381 System·ID: ·  
.6381 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.6381 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.6382 Main·validation·file: ·  
.6382 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.6382 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.6383 Scenario·name: ·gg-sch↵  
.6384 Schema: ·  
.6384 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.6384 ent..sch↵  
.6385 Engine·name: ·ISO·Schematron↵  
.6386 Severity: ·error↵  
.6387 Description: ·A·paragraph·must·have·an·ancestor·  
.6387 subSection·or·subSubSection.↵  
.6388 Start·location: ·11294:110↵  
.6389 ↵  
.6390 System·ID: ·  
.6390 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.6390 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.6391 Main·validation·file: ·  
.6391 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.6391 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.6392 Scenario·name: ·gg-sch↵  
.6393 Schema: ·  
.6393 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.6393 ent..sch↵  
.6394 Engine·name: ·ISO·Schematron↵  
.6395 Severity: ·error↵  
.6396 Description: ·A·paragraph·must·have·an·ancestor·  
.6396 subSection·or·subSubSection.↵  
.6397 Start·location: ·11307:110↵  
.6398 ↵  
.6399 System·ID: ·  
.6399 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.6399 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵

.6400 Main-validation-file: .  
.6400 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.6400 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.6401 Scenario-name: .gg-sch↵  
.6402 Schema: .  
.6402 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch↵  
.6403 Engine-name: .ISO-Schematron↵  
.6404 Severity: .error↵  
.6405 Description: .A .paragraph .must .have .an .ancestor .  
.6405 subSection .or .subSubSection.↵  
.6406 Start-location: .11319:110↵  
.6407 ↵  
.6408 System-ID: .  
.6408 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.6408 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.6409 Main-validation-file: .  
.6409 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.6409 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.6410 Scenario-name: .gg-sch↵  
.6411 Schema: .  
.6411 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch↵  
.6412 Engine-name: .ISO-Schematron↵  
.6413 Severity: .error↵  
.6414 Description: .A .paragraph .must .have .an .ancestor .  
.6414 subSection .or .subSubSection.↵  
.6415 Start-location: .11342:110↵  
.6416 ↵  
.6417 System-ID: .  
.6417 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.6417 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.6418 Main-validation-file: .  
.6418 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.6418 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵

.6419 Scenario ·name: ·gg-sch ↵  
.6420 Schema: ·  
.6420 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
.6421 Engine ·name: ·ISO ·Schematron ↵  
.6422 Severity: ·error ↵  
.6423 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.6423 subSection ·or ·subSubSection. ↵  
.6424 Start ·location: ·11363:110 ↵  
.6425 ↵  
.6426 System ·ID: ·  
.6426 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.6426 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.6427 Main ·validation ·file: ·  
.6427 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.6427 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.6428 Scenario ·name: ·gg-sch ↵  
.6429 Schema: ·  
.6429 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
.6430 Engine ·name: ·ISO ·Schematron ↵  
.6431 Severity: ·error ↵  
.6432 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.6432 subSection ·or ·subSubSection. ↵  
.6433 Start ·location: ·11378:110 ↵  
.6434 ↵  
.6435 System ·ID: ·  
.6435 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.6435 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.6436 Main ·validation ·file: ·  
.6436 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.6436 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.6437 Scenario ·name: ·gg-sch ↵  
.6438 Schema: ·  
.6438 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm

.6438 ent..sch↵  
.6439 Engine.name: ·ISO ·Schematron↵  
.6440 Severity: ·error↵  
.6441 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
subSection ·or ·subSubSection.↵  
.6442 Start ·location: ·11399:110↵  
.6443 ↵  
.6444 System ·ID: ·  
/Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
/BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.6445 Main ·validation ·file: ·  
/Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
/BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.6446 Scenario ·name: ·gg-sch↵  
.6447 Schema: ·  
/Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch↵  
.6448 Engine.name: ·ISO ·Schematron↵  
.6449 Severity: ·error↵  
.6450 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
subSection ·or ·subSubSection.↵  
.6451 Start ·location: ·11413:110↵  
.6452 ↵  
.6453 System ·ID: ·  
/Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
/BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.6454 Main ·validation ·file: ·  
/Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
/BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.6455 Scenario ·name: ·gg-sch↵  
.6456 Schema: ·  
/Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch↵  
.6457 Engine.name: ·ISO ·Schematron↵  
.6458 Severity: ·error↵

.6459 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.6459 subSection ·or ·subSubSection. ↵  
.6460 Start ·location: ·11426:110 ↵  
.6461 ↵  
.6462 System ·ID: ·  
.6462 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.6462 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.6463 Main ·validation ·file: ·  
.6463 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.6463 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.6464 Scenario ·name: ·gg-sch ↵  
.6465 Schema: ·  
.6465 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.6465 ent..sch ↵  
.6466 Engine ·name: ·ISO ·Schematron ↵  
.6467 Severity: ·error ↵  
.6468 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.6468 subSection ·or ·subSubSection. ↵  
.6469 Start ·location: ·11447:110 ↵  
.6470 ↵  
.6471 System ·ID: ·  
.6471 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.6471 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.6472 Main ·validation ·file: ·  
.6472 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.6472 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.6473 Scenario ·name: ·gg-sch ↵  
.6474 Schema: ·  
.6474 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.6474 ent..sch ↵  
.6475 Engine ·name: ·ISO ·Schematron ↵  
.6476 Severity: ·error ↵  
.6477 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.6477 subSection ·or ·subSubSection. ↵  
.6478 Start ·location: ·11474:110 ↵

.6479 ↵  
.6480 System·ID: ·  
.6480 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.6480 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.6481 Main·validation·file: ·  
.6481 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.6481 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.6482 Scenario·name: ·gg-sch↵  
.6483 Schema: ·  
.6483 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.6483 ent..sch↵  
.6484 Engine·name: ·ISO·Schematron↵  
.6485 Severity: ·error↵  
.6486 Description: ·A·paragraph·must·have·an·ancestor·  
.6486 subSection·or·subSubSection.↵  
.6487 Start·location: ·11492:110↵  
.6488 ↵  
.6489 System·ID: ·  
.6489 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.6489 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.6490 Main·validation·file: ·  
.6490 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.6490 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.6491 Scenario·name: ·gg-sch↵  
.6492 Schema: ·  
.6492 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.6492 ent..sch↵  
.6493 Engine·name: ·ISO·Schematron↵  
.6494 Severity: ·error↵  
.6495 Description: ·A·paragraph·must·have·an·ancestor·  
.6495 subSection·or·subSubSection.↵  
.6496 Start·location: ·11511:147↵  
.6497 ↵  
.6498 System·ID: ·  
.6498 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax

.6498 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.6499 Main-validation-file: .  
.6499 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.6499 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.6500 Scenario-name: .gg-sch ↵  
.6501 Schema: .  
.6501 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.6501 ent..sch ↵  
.6502 Engine-name: .ISO-Schematron ↵  
.6503 Severity: .error ↵  
.6504 Description: .A.paragraph.must.have.an.ancestor.  
.6504 subSection.or.subSubSection. ↵  
.6505 Start-location: .11526:111 ↵  
.6506 ↵  
.6507 System-ID: .  
.6507 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.6507 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.6508 Main-validation-file: .  
.6508 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.6508 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.6509 Scenario-name: .gg-sch ↵  
.6510 Schema: .  
.6510 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.6510 ent..sch ↵  
.6511 Engine-name: .ISO-Schematron ↵  
.6512 Severity: .error ↵  
.6513 Description: .A.paragraph.must.have.an.ancestor.  
.6513 subSection.or.subSubSection. ↵  
.6514 Start-location: .11538:111 ↵  
.6515 ↵  
.6516 System-ID: .  
.6516 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.6516 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.6517 Main-validation-file: .  
.6517 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax

.6517 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.6518 Scenario.name: .gg-sch ↵  
.6519 Schema: .  
.6519 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
.6520 Engine.name: .ISO.Schematron ↵  
.6521 Severity: .error ↵  
.6522 Description: .A.paragraph.must.have.an.ancestor.  
.6522 subSection.or.subSubSection. ↵  
.6523 Start.location: .11561:111 ↵  
.6524 ↵  
.6525 System.ID: .  
.6525 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.6525 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.6526 Main.validation.file: .  
.6526 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.6526 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.6527 Scenario.name: .gg-sch ↵  
.6528 Schema: .  
.6528 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
.6529 Engine.name: .ISO.Schematron ↵  
.6530 Severity: .error ↵  
.6531 Description: .A.paragraph.must.have.an.ancestor.  
.6531 subSection.or.subSubSection. ↵  
.6532 Start.location: .11576:111 ↵  
.6533 ↵  
.6534 System.ID: .  
.6534 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.6534 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.6535 Main.validation.file: .  
.6535 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.6535 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.6536 Scenario.name: .gg-sch ↵  
.6537 Schema: .

.6537 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.6537 ent..sch↵  
.6538 Engine.name: ·ISO ·Schematron↵  
.6539 Severity: ·error↵  
.6540 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.6540 subSection ·or ·subSubSection.↵  
.6541 Start ·location: ·11593:111↵  
.6542 ↵  
.6543 System ·ID: ·  
.6543 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.6543 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.6544 Main ·validation ·file: ·  
.6544 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.6544 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.6545 Scenario ·name: ·gg-sch↵  
.6546 Schema: ·  
.6546 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.6546 ent..sch↵  
.6547 Engine.name: ·ISO ·Schematron↵  
.6548 Severity: ·error↵  
.6549 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.6549 subSection ·or ·subSubSection.↵  
.6550 Start ·location: ·11608:111↵  
.6551 ↵  
.6552 System ·ID: ·  
.6552 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.6552 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.6553 Main ·validation ·file: ·  
.6553 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.6553 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.6554 Scenario ·name: ·gg-sch↵  
.6555 Schema: ·  
.6555 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.6555 ent..sch↵  
.6556 Engine.name: ·ISO ·Schematron↵

.6557 Severity: ·error↵  
.6558 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.6558 subSection ·or ·subSubSection.↵  
.6559 Start ·location: ·11623:111↵  
.6560 ↵  
.6561 System ·ID: ·  
/Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
/BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.6562 Main ·validation ·file: ·  
/Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
/BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.6563 Scenario ·name: ·gg-sch↵  
.6564 Schema: ·  
/Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch↵  
.6565 Engine ·name: ·ISO ·Schematron↵  
.6566 Severity: ·error↵  
.6567 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.6567 subSection ·or ·subSubSection.↵  
.6568 Start ·location: ·11640:111↵  
.6569 ↵  
.6570 System ·ID: ·  
/Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
/BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.6571 Main ·validation ·file: ·  
/Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
/BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.6572 Scenario ·name: ·gg-sch↵  
.6573 Schema: ·  
/Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch↵  
.6574 Engine ·name: ·ISO ·Schematron↵  
.6575 Severity: ·error↵  
.6576 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.6576 subSection ·or ·subSubSection.↵

.6577 Start ·location: ·11657:111 ↵  
.6578 ↵  
.6579 System ·ID: ·  
.6579 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
/BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.6580 Main ·validation ·file: ·  
.6580 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
/BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.6581 Scenario ·name: ·gg-sch ↵  
.6582 Schema: ·  
.6582 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
.6583 Engine ·name: ·ISO ·Schematron ↵  
.6584 Severity: ·error ↵  
.6585 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.6585 subSection ·or ·subSubSection. ↵  
.6586 Start ·location: ·11672:111 ↵  
.6587 ↵  
.6588 System ·ID: ·  
.6588 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
/BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.6589 Main ·validation ·file: ·  
.6589 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
/BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.6590 Scenario ·name: ·gg-sch ↵  
.6591 Schema: ·  
.6591 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
.6592 Engine ·name: ·ISO ·Schematron ↵  
.6593 Severity: ·error ↵  
.6594 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.6594 subSection ·or ·subSubSection. ↵  
.6595 Start ·location: ·11687:111 ↵  
.6596 ↵  
.6597 System ·ID: ·

.6597 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.6597 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.6598 Main-validation-file: ·  
.6598 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.6598 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.6599 Scenario-name: ·gg-sch ↵  
.6600 Schema: ·  
.6600 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.6600 ent..sch ↵  
.6601 Engine-name: ·ISO-Schematron ↵  
.6602 Severity: ·error ↵  
.6603 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.6603 subSection ·or ·subSubSection. ↵  
.6604 Start-location: ·11704:111 ↵  
.6605 ↵  
.6606 System-ID: ·  
.6606 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.6606 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.6607 Main-validation-file: ·  
.6607 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.6607 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.6608 Scenario-name: ·gg-sch ↵  
.6609 Schema: ·  
.6609 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.6609 ent..sch ↵  
.6610 Engine-name: ·ISO-Schematron ↵  
.6611 Severity: ·error ↵  
.6612 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.6612 subSection ·or ·subSubSection. ↵  
.6613 Start-location: ·11724:111 ↵  
.6614 ↵  
.6615 System-ID: ·  
.6615 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.6615 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.6616 Main-validation-file: ·

.6616 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.6616 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.6617 Scenario.name: .gg-sch↵  
.6618 Schema: .  
.6618 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch↵  
.6619 Engine.name: .ISO .Schematron↵  
.6620 Severity: .error↵  
.6621 Description: .A .paragraph .must .have .an .ancestor .  
.6621 subSection .or .subSubSection.↵  
.6622 Start.location: .11745:111↵  
.6623 ↵  
.6624 System.ID: .  
.6624 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.6624 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.6625 Main.validation.file: .  
.6625 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.6625 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.6626 Scenario.name: .gg-sch↵  
.6627 Schema: .  
.6627 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch↵  
.6628 Engine.name: .ISO .Schematron↵  
.6629 Severity: .error↵  
.6630 Description: .A .paragraph .must .have .an .ancestor .  
.6630 subSection .or .subSubSection.↵  
.6631 Start.location: .11757:111↵  
.6632 ↵  
.6633 System.ID: .  
.6633 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.6633 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.6634 Main.validation.file: .  
.6634 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.6634 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.6635 Scenario.name: .gg-sch↵

.6636 Schema: .  
.6636 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch↵  
.6637 Engine.name: ·ISO ·Schematron↵  
.6638 Severity: ·error↵  
.6639 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
subSection ·or ·subSubSection.↵  
.6640 Start.location: ·11774:111↵  
.6641 ↵  
.6642 System.ID: .  
.6642 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
/BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.6643 Main.validation.file: .  
.6643 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
/BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.6644 Scenario.name: ·gg-sch↵  
.6645 Schema: .  
.6645 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch↵  
.6646 Engine.name: ·ISO ·Schematron↵  
.6647 Severity: ·error↵  
.6648 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
subSection ·or ·subSubSection.↵  
.6649 Start.location: ·11803:111↵  
.6650 ↵  
.6651 System.ID: .  
.6651 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
/BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.6652 Main.validation.file: .  
.6652 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
/BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.6653 Scenario.name: ·gg-sch↵  
.6654 Schema: .  
.6654 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch↵

.6655 Engine ·name: ·ISO ·Schematron ↵  
.6656 Severity: ·error ↵  
.6657 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
·subSection ·or ·subSubSection. ↵  
.6658 Start ·location: ·11828:111 ↵  
.6659 ↵  
.6660 System ·ID: ·  
.6660 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.6660 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.6661 Main ·validation ·file: ·  
.6661 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.6661 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.6662 Scenario ·name: ·gg-sch ↵  
.6663 Schema: ·  
.6663 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
.6664 Engine ·name: ·ISO ·Schematron ↵  
.6665 Severity: ·error ↵  
.6666 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
·subSection ·or ·subSubSection. ↵  
.6667 Start ·location: ·11848:111 ↵  
.6668 ↵  
.6669 System ·ID: ·  
.6669 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.6669 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.6670 Main ·validation ·file: ·  
.6670 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.6670 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.6671 Scenario ·name: ·gg-sch ↵  
.6672 Schema: ·  
.6672 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
.6673 Engine ·name: ·ISO ·Schematron ↵  
.6674 Severity: ·error ↵  
.6675 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·

.6675 subSection ·or ·subSubSection .↳  
.6676 Start ·location: ·11865:111↳  
.6677 ↳  
.6678 System ·ID: ·  
.6678 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.6678 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↳  
.6679 Main ·validation ·file: ·  
.6679 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.6679 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↳  
.6680 Scenario ·name: ·gg-sch↳  
.6681 Schema: ·  
.6681 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.6681 ent..sch↳  
.6682 Engine ·name: ·ISO ·Schematron↳  
.6683 Severity: ·error↳  
.6684 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.6684 subSection ·or ·subSubSection .↳  
.6685 Start ·location: ·11885:138↳  
.6686 ↳  
.6687 System ·ID: ·  
.6687 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.6687 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↳  
.6688 Main ·validation ·file: ·  
.6688 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.6688 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↳  
.6689 Scenario ·name: ·gg-sch↳  
.6690 Schema: ·  
.6690 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.6690 ent..sch↳  
.6691 Engine ·name: ·ISO ·Schematron↳  
.6692 Severity: ·error↳  
.6693 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.6693 subSection ·or ·subSubSection .↳  
.6694 Start ·location: ·11897:111↳  
.6695 ↳

.6696 System·ID: ·  
.6696 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.6696 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.6697 Main·validation·file: ·  
.6697 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.6697 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.6698 Scenario·name: ·gg-sch↵  
.6699 Schema: ·  
.6699 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.6699 ent..sch↵  
.6700 Engine·name: ·ISO·Schematron↵  
.6701 Severity: ·error↵  
.6702 Description: ·A·paragraph·must·have·an·ancestor·  
.6702 subSection·or·subSubSection.↵  
.6703 Start·location: ·11909:111↵  
.6704 ↵  
.6705 System·ID: ·  
.6705 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.6705 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.6706 Main·validation·file: ·  
.6706 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.6706 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.6707 Scenario·name: ·gg-sch↵  
.6708 Schema: ·  
.6708 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.6708 ent..sch↵  
.6709 Engine·name: ·ISO·Schematron↵  
.6710 Severity: ·error↵  
.6711 Description: ·A·paragraph·must·have·an·ancestor·  
.6711 subSection·or·subSubSection.↵  
.6712 Start·location: ·11924:111↵  
.6713 ↵  
.6714 System·ID: ·  
.6714 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.6714 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵

.6715 Main-validation-file: ·  
.6715 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.6715 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.6716 Scenario-name: ·gg-sch ↵  
.6717 Schema: ·  
.6717 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.6717 ent..sch ↵  
.6718 Engine-name: ·ISO-Schematron ↵  
.6719 Severity: ·error ↵  
.6720 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.6720 subSection ·or ·subSubSection. ↵  
.6721 Start-location: ·11936:138 ↵  
.6722 ↵  
.6723 System-ID: ·  
.6723 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.6723 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.6724 Main-validation-file: ·  
.6724 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.6724 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.6725 Scenario-name: ·gg-sch ↵  
.6726 Schema: ·  
.6726 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.6726 ent..sch ↵  
.6727 Engine-name: ·ISO-Schematron ↵  
.6728 Severity: ·error ↵  
.6729 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.6729 subSection ·or ·subSubSection. ↵  
.6730 Start-location: ·11948:111 ↵  
.6731 ↵  
.6732 System-ID: ·  
.6732 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.6732 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.6733 Main-validation-file: ·  
.6733 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.6733 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵

.6734 Scenario ·name: ·gg-sch ↵  
.6735 Schema: ·  
.6735 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
.6736 Engine ·name: ·ISO ·Schematron ↵  
.6737 Severity: ·error ↵  
.6738 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.6738 subSection ·or ·subSubSection. ↵  
.6739 Start ·location: ·11965:111 ↵  
.6740 ↵  
.6741 System ·ID: ·  
.6741 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
/BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.6742 Main ·validation ·file: ·  
.6742 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
/BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.6743 Scenario ·name: ·gg-sch ↵  
.6744 Schema: ·  
.6744 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
.6745 Engine ·name: ·ISO ·Schematron ↵  
.6746 Severity: ·error ↵  
.6747 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.6747 subSection ·or ·subSubSection. ↵  
.6748 Start ·location: ·11980:111 ↵  
.6749 ↵  
.6750 System ·ID: ·  
.6750 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
/BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.6751 Main ·validation ·file: ·  
.6751 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
/BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.6752 Scenario ·name: ·gg-sch ↵  
.6753 Schema: ·  
.6753 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm

.6753 ent..sch↵  
.6754 Engine.name: ·ISO ·Schematron↵  
.6755 Severity: ·error↵  
.6756 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.6756 subSection ·or ·subSubSection.↵  
.6757 Start ·location: ·11995:111↵  
.6758 ↵  
.6759 System ·ID: ·  
.6759 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.6759 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.6760 Main ·validation ·file: ·  
.6760 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.6760 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.6761 Scenario ·name: ·gg-sch↵  
.6762 Schema: ·  
.6762 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.6762 ent..sch↵  
.6763 Engine.name: ·ISO ·Schematron↵  
.6764 Severity: ·error↵  
.6765 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.6765 subSection ·or ·subSubSection.↵  
.6766 Start ·location: ·12010:111↵  
.6767 ↵  
.6768 System ·ID: ·  
.6768 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.6768 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.6769 Main ·validation ·file: ·  
.6769 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.6769 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.6770 Scenario ·name: ·gg-sch↵  
.6771 Schema: ·  
.6771 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.6771 ent..sch↵  
.6772 Engine.name: ·ISO ·Schematron↵  
.6773 Severity: ·error↵

.6774 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.6774 subSection ·or ·subSubSection. ↵  
.6775 Start ·location: ·12025:111 ↵  
.6776 ↵  
.6777 System ·ID: ·  
.6777 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.6777 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.6778 Main ·validation ·file: ·  
.6778 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.6778 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.6779 Scenario ·name: ·gg-sch ↵  
.6780 Schema: ·  
.6780 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.6780 ent..sch ↵  
.6781 Engine ·name: ·ISO ·Schematron ↵  
.6782 Severity: ·error ↵  
.6783 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.6783 subSection ·or ·subSubSection. ↵  
.6784 Start ·location: ·12040:111 ↵  
.6785 ↵  
.6786 System ·ID: ·  
.6786 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.6786 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.6787 Main ·validation ·file: ·  
.6787 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.6787 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.6788 Scenario ·name: ·gg-sch ↵  
.6789 Schema: ·  
.6789 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.6789 ent..sch ↵  
.6790 Engine ·name: ·ISO ·Schematron ↵  
.6791 Severity: ·error ↵  
.6792 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.6792 subSection ·or ·subSubSection. ↵  
.6793 Start ·location: ·12057:111 ↵

.6794 ↵  
.6795 System·ID: ·  
.6795 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.6795 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.6796 Main·validation·file: ·  
.6796 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.6796 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.6797 Scenario·name: ·gg-sch↵  
.6798 Schema: ·  
.6798 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.6798 ent..sch↵  
.6799 Engine·name: ·ISO·Schematron↵  
.6800 Severity: ·error↵  
.6801 Description: ·A·paragraph·must·have·an·ancestor·  
.6801 subSection·or·subSubSection.↵  
.6802 Start·location: ·12071:111↵  
.6803 ↵  
.6804 System·ID: ·  
.6804 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.6804 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.6805 Main·validation·file: ·  
.6805 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.6805 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.6806 Scenario·name: ·gg-sch↵  
.6807 Schema: ·  
.6807 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.6807 ent..sch↵  
.6808 Engine·name: ·ISO·Schematron↵  
.6809 Severity: ·error↵  
.6810 Description: ·A·paragraph·must·have·an·ancestor·  
.6810 subSection·or·subSubSection.↵  
.6811 Start·location: ·12088:111↵  
.6812 ↵  
.6813 System·ID: ·  
.6813 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax

.6813 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.6814 Main-validation-file: .  
.6814 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.6814 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.6815 Scenario-name: .gg-sch ↵  
.6816 Schema: .  
.6816 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.6816 ent..sch ↵  
.6817 Engine-name: .ISO-Schematron ↵  
.6818 Severity: .error ↵  
.6819 Description: .A.paragraph.must.have.an.ancestor.  
.6819 subSection.or.subSubSection. ↵  
.6820 Start-location: .12107:111 ↵  
.6821 ↵  
.6822 System-ID: .  
.6822 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.6822 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.6823 Main-validation-file: .  
.6823 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.6823 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.6824 Scenario-name: .gg-sch ↵  
.6825 Schema: .  
.6825 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.6825 ent..sch ↵  
.6826 Engine-name: .ISO-Schematron ↵  
.6827 Severity: .error ↵  
.6828 Description: .A.paragraph.must.have.an.ancestor.  
.6828 subSection.or.subSubSection. ↵  
.6829 Start-location: .12127:183 ↵  
.6830 ↵  
.6831 System-ID: .  
.6831 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.6831 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.6832 Main-validation-file: .  
.6832 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax

.6832 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.6833 Scenario.name: .gg-sch ↵  
.6834 Schema: .  
.6834 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
.6835 Engine.name: .ISO .Schematron ↵  
.6836 Severity: .error ↵  
.6837 Description: .A .paragraph .must .have .an .ancestor .  
.6837 subSection .or .subSubSection. ↵  
.6838 Start.location: .12147:110 ↵  
.6839 ↵  
.6840 System.ID: .  
.6840 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.6840 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.6841 Main.validation.file: .  
.6841 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.6841 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.6842 Scenario.name: .gg-sch ↵  
.6843 Schema: .  
.6843 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
.6844 Engine.name: .ISO .Schematron ↵  
.6845 Severity: .error ↵  
.6846 Description: .A .paragraph .must .have .an .ancestor .  
.6846 subSection .or .subSubSection. ↵  
.6847 Start.location: .12163:110 ↵  
.6848 ↵  
.6849 System.ID: .  
.6849 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.6849 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.6850 Main.validation.file: .  
.6850 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.6850 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.6851 Scenario.name: .gg-sch ↵  
.6852 Schema: .

.6852 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.6852 ent..sch↵  
.6853 Engine.name: ·ISO ·Schematron↵  
.6854 Severity: ·error↵  
.6855 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.6855 subSection ·or ·subSubSection.↵  
.6856 Start ·location: ·12184:110↵  
.6857 ↵  
.6858 System ·ID: ·  
.6858 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.6858 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.6859 Main ·validation ·file: ·  
.6859 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.6859 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.6860 Scenario ·name: ·gg-sch↵  
.6861 Schema: ·  
.6861 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.6861 ent..sch↵  
.6862 Engine.name: ·ISO ·Schematron↵  
.6863 Severity: ·error↵  
.6864 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.6864 subSection ·or ·subSubSection.↵  
.6865 Start ·location: ·12206:110↵  
.6866 ↵  
.6867 System ·ID: ·  
.6867 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.6867 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.6868 Main ·validation ·file: ·  
.6868 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.6868 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.6869 Scenario ·name: ·gg-sch↵  
.6870 Schema: ·  
.6870 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.6870 ent..sch↵  
.6871 Engine.name: ·ISO ·Schematron↵

.6872 Severity: ·error ↵  
.6873 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.6873 subSection ·or ·subSubSection. ↵  
.6874 Start ·location: ·12217:110 ↵  
.6875 ↵  
.6876 System ·ID: ·  
/Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.6876 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.6877 Main ·validation ·file: ·  
/Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.6877 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.6878 Scenario ·name: ·gg-sch ↵  
.6879 Schema: ·  
/Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.6879 ent..sch ↵  
.6880 Engine ·name: ·ISO ·Schematron ↵  
.6881 Severity: ·error ↵  
.6882 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.6882 subSection ·or ·subSubSection. ↵  
.6883 Start ·location: ·12231:110 ↵  
.6884 ↵  
.6885 System ·ID: ·  
/Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.6885 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.6886 Main ·validation ·file: ·  
/Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.6886 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.6887 Scenario ·name: ·gg-sch ↵  
.6888 Schema: ·  
/Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.6888 ent..sch ↵  
.6889 Engine ·name: ·ISO ·Schematron ↵  
.6890 Severity: ·error ↵  
.6891 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.6891 subSection ·or ·subSubSection. ↵

.6892 Start ·location: ·12244:110 ↵  
.6893 ↵  
.6894 System ·ID: ·  
.6894 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.6894 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.6895 Main ·validation ·file: ·  
.6895 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.6895 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.6896 Scenario ·name: ·gg-sch ↵  
.6897 Schema: ·  
.6897 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.6897 ent..sch ↵  
.6898 Engine ·name: ·ISO ·Schematron ↵  
.6899 Severity: ·error ↵  
.6900 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.6900 subSection ·or ·subSubSection. ↵  
.6901 Start ·location: ·12261:110 ↵  
.6902 ↵  
.6903 System ·ID: ·  
.6903 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.6903 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.6904 Main ·validation ·file: ·  
.6904 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.6904 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.6905 Scenario ·name: ·gg-sch ↵  
.6906 Schema: ·  
.6906 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.6906 ent..sch ↵  
.6907 Engine ·name: ·ISO ·Schematron ↵  
.6908 Severity: ·error ↵  
.6909 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.6909 subSection ·or ·subSubSection. ↵  
.6910 Start ·location: ·12278:110 ↵  
.6911 ↵  
.6912 System ·ID: ·

.6912 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.6912 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.6913 Main-validation-file: ·  
.6913 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.6913 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.6914 Scenario-name: ·gg-sch ↵  
.6915 Schema: ·  
.6915 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.6915 ent..sch ↵  
.6916 Engine-name: ·ISO ·Schematron ↵  
.6917 Severity: ·error ↵  
.6918 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.6918 subSection ·or ·subSubSection. ↵  
.6919 Start-location: ·12303:110 ↵  
.6920 ↵  
.6921 System-ID: ·  
.6921 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.6921 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.6922 Main-validation-file: ·  
.6922 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.6922 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.6923 Scenario-name: ·gg-sch ↵  
.6924 Schema: ·  
.6924 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.6924 ent..sch ↵  
.6925 Engine-name: ·ISO ·Schematron ↵  
.6926 Severity: ·error ↵  
.6927 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.6927 subSection ·or ·subSubSection. ↵  
.6928 Start-location: ·12332:110 ↵  
.6929 ↵  
.6930 System-ID: ·  
.6930 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.6930 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.6931 Main-validation-file: ·

.6931 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.6931 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.6932 Scenario.name: .gg-sch ↵  
.6933 Schema: .  
.6933 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
.6934 Engine.name: .ISO .Schematron ↵  
.6935 Severity: .error ↵  
.6936 Description: .A .paragraph .must .have .an .ancestor .  
.6936 subSection .or .subSubSection. ↵  
.6937 Start.location: .12344:110 ↵  
.6938 ↵  
.6939 System.ID: .  
.6939 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.6939 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.6940 Main.validation.file: .  
.6940 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.6940 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.6941 Scenario.name: .gg-sch ↵  
.6942 Schema: .  
.6942 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
.6943 Engine.name: .ISO .Schematron ↵  
.6944 Severity: .error ↵  
.6945 Description: .A .paragraph .must .have .an .ancestor .  
.6945 subSection .or .subSubSection. ↵  
.6946 Start.location: .12365:110 ↵  
.6947 ↵  
.6948 System.ID: .  
.6948 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.6948 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.6949 Main.validation.file: .  
.6949 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.6949 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.6950 Scenario.name: .gg-sch ↵

.6951 Schema: .  
.6951 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.6951 ent..sch↵  
.6952 Engine.name: ·ISO ·Schematron↵  
.6953 Severity: ·error↵  
.6954 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.6954 subSection ·or ·subSubSection.↵  
.6955 Start.location: ·12384:110↵  
.6956 ↵  
.6957 System.ID: .  
.6957 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.6957 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.6958 Main.validation-file: .  
.6958 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.6958 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.6959 Scenario.name: ·gg-sch↵  
.6960 Schema: .  
.6960 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.6960 ent..sch↵  
.6961 Engine.name: ·ISO ·Schematron↵  
.6962 Severity: ·error↵  
.6963 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.6963 subSection ·or ·subSubSection.↵  
.6964 Start.location: ·12426:110↵  
.6965 ↵  
.6966 System.ID: .  
.6966 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.6966 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.6967 Main.validation-file: .  
.6967 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.6967 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.6968 Scenario.name: ·gg-sch↵  
.6969 Schema: .  
.6969 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.6969 ent..sch↵

.6970 Engine ·name: ·ISO ·Schematron↵  
.6971 Severity: ·error↵  
.6972 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.6972 subSection ·or ·subSubSection.↵  
.6973 Start ·location: ·12438:110↵  
.6974 ↵  
.6975 System ·ID: ·  
.6975 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.6975 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.6976 Main ·validation ·file: ·  
.6976 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.6976 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.6977 Scenario ·name: ·gg-sch↵  
.6978 Schema: ·  
.6978 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.6978 ent..sch↵  
.6979 Engine ·name: ·ISO ·Schematron↵  
.6980 Severity: ·error↵  
.6981 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.6981 subSection ·or ·subSubSection.↵  
.6982 Start ·location: ·12456:110↵  
.6983 ↵  
.6984 System ·ID: ·  
.6984 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.6984 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.6985 Main ·validation ·file: ·  
.6985 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.6985 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.6986 Scenario ·name: ·gg-sch↵  
.6987 Schema: ·  
.6987 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.6987 ent..sch↵  
.6988 Engine ·name: ·ISO ·Schematron↵  
.6989 Severity: ·error↵  
.6990 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·

.6990 subSection ·or ·subSubSection .↳  
.6991 Start ·location: ·12470:110↳  
.6992 ↳  
.6993 System ·ID: ·  
.6993 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.6993 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↳  
.6994 Main ·validation ·file: ·  
.6994 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.6994 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↳  
.6995 Scenario ·name: ·gg-sch↳  
.6996 Schema: ·  
.6996 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.6996 ent..sch↳  
.6997 Engine ·name: ·ISO ·Schematron↳  
.6998 Severity: ·error↳  
.6999 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.6999 subSection ·or ·subSubSection .↳  
.7000 Start ·location: ·12482:110↳  
.7001 ↳  
.7002 System ·ID: ·  
.7002 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.7002 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↳  
.7003 Main ·validation ·file: ·  
.7003 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.7003 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↳  
.7004 Scenario ·name: ·gg-sch↳  
.7005 Schema: ·  
.7005 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.7005 ent..sch↳  
.7006 Engine ·name: ·ISO ·Schematron↳  
.7007 Severity: ·error↳  
.7008 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.7008 subSection ·or ·subSubSection .↳  
.7009 Start ·location: ·12496:110↳  
.7010 ↳

.7011 System·ID: ·  
.7011 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.7011 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.7012 Main·validation·file: ·  
.7012 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.7012 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.7013 Scenario·name: ·gg-sch↵  
.7014 Schema: ·  
.7014 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.7014 ent..sch↵  
.7015 Engine·name: ·ISO·Schematron↵  
.7016 Severity: ·error↵  
.7017 Description: ·A·paragraph·must·have·an·ancestor·  
.7017 subSection·or·subSubSection.↵  
.7018 Start·location: ·12525:110↵  
.7019 ↵  
.7020 System·ID: ·  
.7020 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.7020 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.7021 Main·validation·file: ·  
.7021 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.7021 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.7022 Scenario·name: ·gg-sch↵  
.7023 Schema: ·  
.7023 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.7023 ent..sch↵  
.7024 Engine·name: ·ISO·Schematron↵  
.7025 Severity: ·error↵  
.7026 Description: ·A·paragraph·must·have·an·ancestor·  
.7026 subSection·or·subSubSection.↵  
.7027 Start·location: ·12556:110↵  
.7028 ↵  
.7029 System·ID: ·  
.7029 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.7029 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵

.7030 Main-validation-file: .  
.7030 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.7030 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.7031 Scenario-name: ·gg-sch↵  
.7032 Schema: .  
.7032 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch↵  
.7033 Engine-name: ·ISO ·Schematron↵  
.7034 Severity: ·error↵  
.7035 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.7035 subSection ·or ·subSubSection.↵  
.7036 Start-location: ·12573:110↵  
.7037 ↵  
.7038 System-ID: .  
.7038 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.7038 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.7039 Main-validation-file: .  
.7039 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.7039 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.7040 Scenario-name: ·gg-sch↵  
.7041 Schema: .  
.7041 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch↵  
.7042 Engine-name: ·ISO ·Schematron↵  
.7043 Severity: ·error↵  
.7044 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.7044 subSection ·or ·subSubSection.↵  
.7045 Start-location: ·12585:110↵  
.7046 ↵  
.7047 System-ID: .  
.7047 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.7047 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.7048 Main-validation-file: .  
.7048 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.7048 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵

.7049 Scenario ·name: ·gg-sch ↵  
.7050 Schema: ·  
.7050 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
.7051 Engine ·name: ·ISO ·Schematron ↵  
.7052 Severity: ·error ↵  
.7053 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.7053 subSection ·or ·subSubSection. ↵  
.7054 Start ·location: ·12612:110 ↵  
.7055 ↵  
.7056 System ·ID: ·  
.7056 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
/BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.7057 Main ·validation ·file: ·  
.7057 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
/BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.7058 Scenario ·name: ·gg-sch ↵  
.7059 Schema: ·  
.7059 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
.7060 Engine ·name: ·ISO ·Schematron ↵  
.7061 Severity: ·error ↵  
.7062 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.7062 subSection ·or ·subSubSection. ↵  
.7063 Start ·location: ·12637:110 ↵  
.7064 ↵  
.7065 System ·ID: ·  
.7065 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
/BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.7066 Main ·validation ·file: ·  
.7066 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
/BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.7067 Scenario ·name: ·gg-sch ↵  
.7068 Schema: ·  
.7068 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm

.7068 ent..sch↵  
.7069 Engine.name: ·ISO ·Schematron↵  
.7070 Severity: ·error↵  
.7071 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
subSection ·or ·subSubSection.↵  
.7072 Start.location: ·12666:110↵  
.7073 ↵  
.7074 System.ID: ·  
/Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
/BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.7075 Main.validation.file: ·  
/Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
/BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.7076 Scenario.name: ·gg-sch↵  
.7077 Schema: ·  
/Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch↵  
.7078 Engine.name: ·ISO ·Schematron↵  
.7079 Severity: ·error↵  
.7080 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
subSection ·or ·subSubSection.↵  
.7081 Start.location: ·12689:147↵  
.7082 ↵  
.7083 System.ID: ·  
/Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
/BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.7084 Main.validation.file: ·  
/Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
/BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.7085 Scenario.name: ·gg-sch↵  
.7086 Schema: ·  
/Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch↵  
.7087 Engine.name: ·ISO ·Schematron↵  
.7088 Severity: ·error↵

.7089 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.7089 subSection ·or ·subSubSection. ↵  
.7090 Start ·location: ·12710:111 ↵  
.7091 ↵  
.7092 System ·ID: ·  
.7092 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.7092 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.7093 Main ·validation ·file: ·  
.7093 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.7093 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.7094 Scenario ·name: ·gg-sch ↵  
.7095 Schema: ·  
.7095 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.7095 ent..sch ↵  
.7096 Engine ·name: ·ISO ·Schematron ↵  
.7097 Severity: ·error ↵  
.7098 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.7098 subSection ·or ·subSubSection. ↵  
.7099 Start ·location: ·12751:111 ↵  
.7100 ↵  
.7101 System ·ID: ·  
.7101 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.7101 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.7102 Main ·validation ·file: ·  
.7102 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.7102 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.7103 Scenario ·name: ·gg-sch ↵  
.7104 Schema: ·  
.7104 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.7104 ent..sch ↵  
.7105 Engine ·name: ·ISO ·Schematron ↵  
.7106 Severity: ·error ↵  
.7107 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.7107 subSection ·or ·subSubSection. ↵  
.7108 Start ·location: ·12773:111 ↵

.7109 ↵  
.7110 System·ID: ·  
.7110 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.7110 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.7111 Main·validation·file: ·  
.7111 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.7111 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.7112 Scenario·name: ·gg-sch↵  
.7113 Schema: ·  
.7113 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.7113 ent..sch↵  
.7114 Engine·name: ·ISO·Schematron↵  
.7115 Severity: ·error↵  
.7116 Description: ·A·paragraph·must·have·an·ancestor·  
.7116 subSection·or·subSubSection.↵  
.7117 Start·location: ·12790:111↵  
.7118 ↵  
.7119 System·ID: ·  
.7119 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.7119 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.7120 Main·validation·file: ·  
.7120 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.7120 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.7121 Scenario·name: ·gg-sch↵  
.7122 Schema: ·  
.7122 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.7122 ent..sch↵  
.7123 Engine·name: ·ISO·Schematron↵  
.7124 Severity: ·error↵  
.7125 Description: ·A·paragraph·must·have·an·ancestor·  
.7125 subSection·or·subSubSection.↵  
.7126 Start·location: ·12809:111↵  
.7127 ↵  
.7128 System·ID: ·  
.7128 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax

.7128 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.7129 Main-validation-file: ·  
.7129 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.7129 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.7130 Scenario-name: ·gg-sch ↵  
.7131 Schema: ·  
.7131 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.7131 ent..sch ↵  
.7132 Engine-name: ·ISO-Schematron ↵  
.7133 Severity: ·error ↵  
.7134 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.7134 subSection ·or ·subSubSection. ↵  
.7135 Start-location: ·12828:111 ↵  
.7136 ↵  
.7137 System-ID: ·  
.7137 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.7137 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.7138 Main-validation-file: ·  
.7138 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.7138 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.7139 Scenario-name: ·gg-sch ↵  
.7140 Schema: ·  
.7140 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.7140 ent..sch ↵  
.7141 Engine-name: ·ISO-Schematron ↵  
.7142 Severity: ·error ↵  
.7143 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.7143 subSection ·or ·subSubSection. ↵  
.7144 Start-location: ·12844:111 ↵  
.7145 ↵  
.7146 System-ID: ·  
.7146 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.7146 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.7147 Main-validation-file: ·  
.7147 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax

.7147 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.7148 Scenario.name: .gg-sch ↵  
.7149 Schema: .  
.7149 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
.7150 Engine.name: .ISO.Schematron ↵  
.7151 Severity: .error ↵  
.7152 Description: .A.paragraph.must.have.an.ancestor.  
.7152 subSection.or.subSubSection. ↵  
.7153 Start.location: .12857:111 ↵  
.7154 ↵  
.7155 System.ID: .  
.7155 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.7155 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.7156 Main.validation.file: .  
.7156 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.7156 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.7157 Scenario.name: .gg-sch ↵  
.7158 Schema: .  
.7158 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
.7159 Engine.name: .ISO.Schematron ↵  
.7160 Severity: .error ↵  
.7161 Description: .A.paragraph.must.have.an.ancestor.  
.7161 subSection.or.subSubSection. ↵  
.7162 Start.location: .12880:111 ↵  
.7163 ↵  
.7164 System.ID: .  
.7164 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.7164 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.7165 Main.validation.file: .  
.7165 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.7165 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.7166 Scenario.name: .gg-sch ↵  
.7167 Schema: .

.7167 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.7167 ent..sch↵  
.7168 Engine.name: ·ISO ·Schematron↵  
.7169 Severity: ·error↵  
.7170 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.7170 subSection ·or ·subSubSection.↵  
.7171 Start ·location: ·12892:111↵  
.7172 ↵  
.7173 System ·ID: ·  
.7173 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.7173 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.7174 Main ·validation ·file: ·  
.7174 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.7174 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.7175 Scenario ·name: ·gg-sch↵  
.7176 Schema: ·  
.7176 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.7176 ent..sch↵  
.7177 Engine.name: ·ISO ·Schematron↵  
.7178 Severity: ·error↵  
.7179 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.7179 subSection ·or ·subSubSection.↵  
.7180 Start ·location: ·12904:111↵  
.7181 ↵  
.7182 System ·ID: ·  
.7182 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.7182 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.7183 Main ·validation ·file: ·  
.7183 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.7183 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.7184 Scenario ·name: ·gg-sch↵  
.7185 Schema: ·  
.7185 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.7185 ent..sch↵  
.7186 Engine.name: ·ISO ·Schematron↵

.7187 Severity: ·error↵  
.7188 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.7188 subSection ·or ·subSubSection.↵  
.7189 Start ·location: ·12941:111↵  
.7190 ↵  
.7191 System ·ID: ·  
/Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
/BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.7192 Main ·validation ·file: ·  
/Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
/BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.7193 Scenario ·name: ·gg-sch↵  
.7194 Schema: ·  
/Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch↵  
.7195 Engine ·name: ·ISO ·Schematron↵  
.7196 Severity: ·error↵  
.7197 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.7197 subSection ·or ·subSubSection.↵  
.7198 Start ·location: ·12953:111↵  
.7199 ↵  
.7200 System ·ID: ·  
/Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
/BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.7201 Main ·validation ·file: ·  
/Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
/BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.7202 Scenario ·name: ·gg-sch↵  
.7203 Schema: ·  
/Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch↵  
.7204 Engine ·name: ·ISO ·Schematron↵  
.7205 Severity: ·error↵  
.7206 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.7206 subSection ·or ·subSubSection.↵

.7207 Start ·location: ·12968:111 ↵  
.7208 ↵  
.7209 System ·ID: ·  
.7209 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.7209 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.7210 Main ·validation ·file: ·  
.7210 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.7210 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.7211 Scenario ·name: ·gg-sch ↵  
.7212 Schema: ·  
.7212 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.7212 ent..sch ↵  
.7213 Engine ·name: ·ISO ·Schematron ↵  
.7214 Severity: ·error ↵  
.7215 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.7215 subSection ·or ·subSubSection. ↵  
.7216 Start ·location: ·13003:111 ↵  
.7217 ↵  
.7218 System ·ID: ·  
.7218 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.7218 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.7219 Main ·validation ·file: ·  
.7219 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.7219 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.7220 Scenario ·name: ·gg-sch ↵  
.7221 Schema: ·  
.7221 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.7221 ent..sch ↵  
.7222 Engine ·name: ·ISO ·Schematron ↵  
.7223 Severity: ·error ↵  
.7224 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.7224 subSection ·or ·subSubSection. ↵  
.7225 Start ·location: ·13022:111 ↵  
.7226 ↵  
.7227 System ·ID: ·

.7227 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.7227 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.7228 Main-validation-file: ·  
.7228 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.7228 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.7229 Scenario-name: ·gg-sch ↵  
.7230 Schema: ·  
.7230 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.7230 ent..sch ↵  
.7231 Engine-name: ·ISO ·Schematron ↵  
.7232 Severity: ·error ↵  
.7233 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.7233 subSection ·or ·subSubSection. ↵  
.7234 Start-location: ·13043:111 ↵  
.7235 ↵  
.7236 System-ID: ·  
.7236 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.7236 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.7237 Main-validation-file: ·  
.7237 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.7237 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.7238 Scenario-name: ·gg-sch ↵  
.7239 Schema: ·  
.7239 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.7239 ent..sch ↵  
.7240 Engine-name: ·ISO ·Schematron ↵  
.7241 Severity: ·error ↵  
.7242 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.7242 subSection ·or ·subSubSection. ↵  
.7243 Start-location: ·13064:111 ↵  
.7244 ↵  
.7245 System-ID: ·  
.7245 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.7245 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.7246 Main-validation-file: ·

.7246 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.7246 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.7247 Scenario.name: .gg-sch↵  
.7248 Schema: .  
.7248 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.7248 ent..sch↵  
.7249 Engine.name: .ISO .Schematron↵  
.7250 Severity: .error↵  
.7251 Description: .A .paragraph .must .have .an .ancestor .  
.7251 subSection .or .subSubSection.↵  
.7252 Start.location: .13085:111↵  
.7253 ↵  
.7254 System.ID: .  
.7254 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.7254 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.7255 Main.validation.file: .  
.7255 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.7255 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.7256 Scenario.name: .gg-sch↵  
.7257 Schema: .  
.7257 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.7257 ent..sch↵  
.7258 Engine.name: .ISO .Schematron↵  
.7259 Severity: .error↵  
.7260 Description: .A .paragraph .must .have .an .ancestor .  
.7260 subSection .or .subSubSection.↵  
.7261 Start.location: .13097:111↵  
.7262 ↵  
.7263 System.ID: .  
.7263 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.7263 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.7264 Main.validation.file: .  
.7264 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.7264 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.7265 Scenario.name: .gg-sch↵

.7266 Schema: .  
.7266 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.7266 ent..sch↵  
.7267 Engine.name: ·ISO ·Schematron↵  
.7268 Severity: ·error↵  
.7269 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.7269 subSection ·or ·subSubSection.↵  
.7270 Start.location: ·13109:111↵  
.7271 ↵  
.7272 System.ID: .  
.7272 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.7272 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.7273 Main.validation.file: .  
.7273 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.7273 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.7274 Scenario.name: ·gg-sch↵  
.7275 Schema: .  
.7275 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.7275 ent..sch↵  
.7276 Engine.name: ·ISO ·Schematron↵  
.7277 Severity: ·error↵  
.7278 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.7278 subSection ·or ·subSubSection.↵  
.7279 Start.location: ·13128:111↵  
.7280 ↵  
.7281 System.ID: .  
.7281 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.7281 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.7282 Main.validation.file: .  
.7282 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.7282 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.7283 Scenario.name: ·gg-sch↵  
.7284 Schema: .  
.7284 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.7284 ent..sch↵

.7285 Engine ·name: ·ISO ·Schematron ↵  
.7286 Severity: ·error ↵  
.7287 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.7287 subSection ·or ·subSubSection. ↵  
.7288 Start ·location: ·13140:111 ↵  
.7289 ↵  
.7290 System ·ID: ·  
.7290 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.7290 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.7291 Main ·validation ·file: ·  
.7291 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.7291 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.7292 Scenario ·name: ·gg-sch ↵  
.7293 Schema: ·  
.7293 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.7293 ent..sch ↵  
.7294 Engine ·name: ·ISO ·Schematron ↵  
.7295 Severity: ·error ↵  
.7296 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.7296 subSection ·or ·subSubSection. ↵  
.7297 Start ·location: ·13159:111 ↵  
.7298 ↵  
.7299 System ·ID: ·  
.7299 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.7299 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.7300 Main ·validation ·file: ·  
.7300 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.7300 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.7301 Scenario ·name: ·gg-sch ↵  
.7302 Schema: ·  
.7302 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.7302 ent..sch ↵  
.7303 Engine ·name: ·ISO ·Schematron ↵  
.7304 Severity: ·error ↵  
.7305 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·

.7305 subSection ·or ·subSubSection .↳  
.7306 Start ·location: ·13175:111↳  
.7307 ↳  
.7308 System ·ID: ·  
.7308 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.7308 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↳  
.7309 Main ·validation ·file: ·  
.7309 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.7309 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↳  
.7310 Scenario ·name: ·gg-sch↳  
.7311 Schema: ·  
.7311 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.7311 ent..sch↳  
.7312 Engine ·name: ·ISO ·Schematron↳  
.7313 Severity: ·error↳  
.7314 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.7314 subSection ·or ·subSubSection .↳  
.7315 Start ·location: ·13187:111↳  
.7316 ↳  
.7317 System ·ID: ·  
.7317 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.7317 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↳  
.7318 Main ·validation ·file: ·  
.7318 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.7318 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↳  
.7319 Scenario ·name: ·gg-sch↳  
.7320 Schema: ·  
.7320 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.7320 ent..sch↳  
.7321 Engine ·name: ·ISO ·Schematron↳  
.7322 Severity: ·error↳  
.7323 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.7323 subSection ·or ·subSubSection .↳  
.7324 Start ·location: ·13220:111↳  
.7325 ↳

.7326 System·ID: ·  
.7326 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.7326 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.7327 Main·validation·file: ·  
.7327 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.7327 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.7328 Scenario·name: ·gg-sch↵  
.7329 Schema: ·  
.7329 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.7329 ent..sch↵  
.7330 Engine·name: ·ISO·Schematron↵  
.7331 Severity: ·error↵  
.7332 Description: ·A·paragraph·must·have·an·ancestor·  
.7332 subSection·or·subSubSection.↵  
.7333 Start·location: ·13238:111↵  
.7334 ↵  
.7335 System·ID: ·  
.7335 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.7335 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.7336 Main·validation·file: ·  
.7336 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.7336 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.7337 Scenario·name: ·gg-sch↵  
.7338 Schema: ·  
.7338 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.7338 ent..sch↵  
.7339 Engine·name: ·ISO·Schematron↵  
.7340 Severity: ·error↵  
.7341 Description: ·A·paragraph·must·have·an·ancestor·  
.7341 subSection·or·subSubSection.↵  
.7342 Start·location: ·13255:111↵  
.7343 ↵  
.7344 System·ID: ·  
.7344 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.7344 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵

.7345 Main-validation-file: .  
.7345 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.7345 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.7346 Scenario-name: .gg-sch↵  
.7347 Schema: .  
.7347 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.7347 ent..sch↵  
.7348 Engine-name: .ISO-Schematron↵  
.7349 Severity: .error↵  
.7350 Description: .A .paragraph .must .have .an .ancestor .  
.7350 subSection .or .subSubSection.↵  
.7351 Start-location: .13274:183↵  
.7352 ↵  
.7353 System-ID: .  
.7353 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.7353 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.7354 Main-validation-file: .  
.7354 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.7354 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.7355 Scenario-name: .gg-sch↵  
.7356 Schema: .  
.7356 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.7356 ent..sch↵  
.7357 Engine-name: .ISO-Schematron↵  
.7358 Severity: .error↵  
.7359 Description: .A .paragraph .must .have .an .ancestor .  
.7359 subSection .or .subSubSection.↵  
.7360 Start-location: .13298:110↵  
.7361 ↵  
.7362 System-ID: .  
.7362 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.7362 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.7363 Main-validation-file: .  
.7363 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.7363 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵

.7364 Scenario ·name: ·gg-sch ↵  
.7365 Schema: ·  
.7365 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
.7366 Engine ·name: ·ISO ·Schematron ↵  
.7367 Severity: ·error ↵  
.7368 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.7368 subSection ·or ·subSubSection. ↵  
.7369 Start ·location: ·13395:110 ↵  
.7370 ↵  
.7371 System ·ID: ·  
.7371 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.7371 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.7372 Main ·validation ·file: ·  
.7372 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.7372 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.7373 Scenario ·name: ·gg-sch ↵  
.7374 Schema: ·  
.7374 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
.7375 Engine ·name: ·ISO ·Schematron ↵  
.7376 Severity: ·error ↵  
.7377 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.7377 subSection ·or ·subSubSection. ↵  
.7378 Start ·location: ·13421:110 ↵  
.7379 ↵  
.7380 System ·ID: ·  
.7380 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.7380 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.7381 Main ·validation ·file: ·  
.7381 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.7381 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.7382 Scenario ·name: ·gg-sch ↵  
.7383 Schema: ·  
.7383 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm

.7383 ent..sch↵  
.7384 Engine.name: ·ISO ·Schematron↵  
.7385 Severity: ·error↵  
.7386 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.7386 subSection ·or ·subSubSection.↵  
.7387 Start ·location: ·13441:110↵  
.7388 ↵  
.7389 System ·ID: ·  
.7389 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.7389 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.7390 Main ·validation ·file: ·  
.7390 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.7390 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.7391 Scenario ·name: ·gg-sch↵  
.7392 Schema: ·  
.7392 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.7392 ent..sch↵  
.7393 Engine.name: ·ISO ·Schematron↵  
.7394 Severity: ·error↵  
.7395 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.7395 subSection ·or ·subSubSection.↵  
.7396 Start ·location: ·13468:110↵  
.7397 ↵  
.7398 System ·ID: ·  
.7398 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.7398 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.7399 Main ·validation ·file: ·  
.7399 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.7399 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.7400 Scenario ·name: ·gg-sch↵  
.7401 Schema: ·  
.7401 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.7401 ent..sch↵  
.7402 Engine.name: ·ISO ·Schematron↵  
.7403 Severity: ·error↵

.7404 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.7404 subSection ·or ·subSubSection. ↵  
.7405 Start ·location: ·13480:110 ↵  
.7406 ↵  
.7407 System ·ID: ·  
.7407 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.7407 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.7408 Main ·validation ·file: ·  
.7408 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.7408 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.7409 Scenario ·name: ·gg-sch ↵  
.7410 Schema: ·  
.7410 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.7410 ent..sch ↵  
.7411 Engine ·name: ·ISO ·Schematron ↵  
.7412 Severity: ·error ↵  
.7413 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.7413 subSection ·or ·subSubSection. ↵  
.7414 Start ·location: ·13495:110 ↵  
.7415 ↵  
.7416 System ·ID: ·  
.7416 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.7416 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.7417 Main ·validation ·file: ·  
.7417 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.7417 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.7418 Scenario ·name: ·gg-sch ↵  
.7419 Schema: ·  
.7419 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.7419 ent..sch ↵  
.7420 Engine ·name: ·ISO ·Schematron ↵  
.7421 Severity: ·error ↵  
.7422 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.7422 subSection ·or ·subSubSection. ↵  
.7423 Start ·location: ·13510:110 ↵

.7424   ↳  
.7425   System·ID: ·  
.7425    /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.7425    /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↳  
.7426   Main·validation·file: ·  
.7426    /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.7426    /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↳  
.7427   Scenario·name: ·gg-sch↳  
.7428   Schema: ·  
.7428    /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.7428    ent..sch↳  
.7429   Engine·name: ·ISO·Schematron↳  
.7430   Severity: ·error↳  
.7431   Description: ·A·paragraph·must·have·an·ancestor·  
.7431   subSection·or·subSubSection.↳  
.7432   Start·location: ·13522:110↳  
.7433    ↳  
.7434   System·ID: ·  
.7434    /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.7434    /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↳  
.7435   Main·validation·file: ·  
.7435    /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.7435    /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↳  
.7436   Scenario·name: ·gg-sch↳  
.7437   Schema: ·  
.7437    /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.7437    ent..sch↳  
.7438   Engine·name: ·ISO·Schematron↳  
.7439   Severity: ·error↳  
.7440   Description: ·A·paragraph·must·have·an·ancestor·  
.7440   subSection·or·subSubSection.↳  
.7441   Start·location: ·13537:110↳  
.7442    ↳  
.7443   System·ID: ·  
.7443    /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax

.7443 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.7444 Main-validation-file: .  
.7444 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.7444 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.7445 Scenario-name: .gg-sch ↵  
.7446 Schema: .  
.7446 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.7446 ent..sch ↵  
.7447 Engine-name: .ISO-Schematron ↵  
.7448 Severity: .error ↵  
.7449 Description: .A.paragraph.must.have.an.ancestor.  
.7449 subSection.or.subSubSection. ↵  
.7450 Start-location: .13552:110 ↵  
.7451 ↵  
.7452 System-ID: .  
.7452 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.7452 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.7453 Main-validation-file: .  
.7453 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.7453 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.7454 Scenario-name: .gg-sch ↵  
.7455 Schema: .  
.7455 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.7455 ent..sch ↵  
.7456 Engine-name: .ISO-Schematron ↵  
.7457 Severity: .error ↵  
.7458 Description: .A.paragraph.must.have.an.ancestor.  
.7458 subSection.or.subSubSection. ↵  
.7459 Start-location: .13567:110 ↵  
.7460 ↵  
.7461 System-ID: .  
.7461 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.7461 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.7462 Main-validation-file: .  
.7462 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax

.7462 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.7463 Scenario.name: .gg-sch ↵  
.7464 Schema: .  
.7464 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
.7465 Engine.name: .ISO .Schematron ↵  
.7466 Severity: .error ↵  
.7467 Description: .A .paragraph .must .have .an .ancestor .  
.7467 subSection .or .subSubSection. ↵  
.7468 Start.location: .13587:110 ↵  
.7469 ↵  
.7470 System.ID: .  
.7470 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.7470 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.7471 Main.validation.file: .  
.7471 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.7471 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.7472 Scenario.name: .gg-sch ↵  
.7473 Schema: .  
.7473 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
.7474 Engine.name: .ISO .Schematron ↵  
.7475 Severity: .error ↵  
.7476 Description: .A .paragraph .must .have .an .ancestor .  
.7476 subSection .or .subSubSection. ↵  
.7477 Start.location: .13612:111 ↵  
.7478 ↵  
.7479 System.ID: .  
.7479 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.7479 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.7480 Main.validation.file: .  
.7480 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.7480 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.7481 Scenario.name: .gg-sch ↵  
.7482 Schema: .

.7482 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.7482 ent..sch↵  
.7483 Engine.name: ·ISO ·Schematron↵  
.7484 Severity: ·error↵  
.7485 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.7485 subSection ·or ·subSubSection.↵  
.7486 Start ·location: ·13625:111↵  
.7487 ↵  
.7488 System ·ID: ·  
.7488 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.7488 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.7489 Main ·validation ·file: ·  
.7489 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.7489 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.7490 Scenario ·name: ·gg-sch↵  
.7491 Schema: ·  
.7491 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.7491 ent..sch↵  
.7492 Engine.name: ·ISO ·Schematron↵  
.7493 Severity: ·error↵  
.7494 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.7494 subSection ·or ·subSubSection.↵  
.7495 Start ·location: ·13644:111↵  
.7496 ↵  
.7497 System ·ID: ·  
.7497 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.7497 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.7498 Main ·validation ·file: ·  
.7498 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.7498 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.7499 Scenario ·name: ·gg-sch↵  
.7500 Schema: ·  
.7500 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.7500 ent..sch↵  
.7501 Engine.name: ·ISO ·Schematron↵

.7502 Severity: ·error ↵  
.7503 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.7503 subSection ·or ·subSubSection. ↵  
.7504 Start ·location: ·13659:111 ↵  
.7505 ↵  
.7506 System ·ID: ·  
/Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.7506 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.7507 Main ·validation ·file: ·  
/Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.7507 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.7508 Scenario ·name: ·gg-sch ↵  
.7509 Schema: ·  
/Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.7509 ent..sch ↵  
.7510 Engine ·name: ·ISO ·Schematron ↵  
.7511 Severity: ·error ↵  
.7512 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.7512 subSection ·or ·subSubSection. ↵  
.7513 Start ·location: ·13674:111 ↵  
.7514 ↵  
.7515 System ·ID: ·  
/Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.7515 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.7516 Main ·validation ·file: ·  
/Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.7516 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.7517 Scenario ·name: ·gg-sch ↵  
.7518 Schema: ·  
/Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.7518 ent..sch ↵  
.7519 Engine ·name: ·ISO ·Schematron ↵  
.7520 Severity: ·error ↵  
.7521 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.7521 subSection ·or ·subSubSection. ↵

.7522 Start ·location: ·13689:111 ↵  
.7523 ↵  
.7524 System ·ID: ·  
.7524 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.7524 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.7525 Main ·validation ·file: ·  
.7525 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.7525 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.7526 Scenario ·name: ·gg-sch ↵  
.7527 Schema: ·  
.7527 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.7527 ent..sch ↵  
.7528 Engine ·name: ·ISO ·Schematron ↵  
.7529 Severity: ·error ↵  
.7530 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.7530 subSection ·or ·subSubSection. ↵  
.7531 Start ·location: ·13710:111 ↵  
.7532 ↵  
.7533 System ·ID: ·  
.7533 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.7533 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.7534 Main ·validation ·file: ·  
.7534 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.7534 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.7535 Scenario ·name: ·gg-sch ↵  
.7536 Schema: ·  
.7536 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.7536 ent..sch ↵  
.7537 Engine ·name: ·ISO ·Schematron ↵  
.7538 Severity: ·error ↵  
.7539 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.7539 subSection ·or ·subSubSection. ↵  
.7540 Start ·location: ·13745:111 ↵  
.7541 ↵  
.7542 System ·ID: ·

.7542 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.7542 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.7543 Main-validation-file: ·  
.7543 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.7543 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.7544 Scenario-name: ·gg-sch ↵  
.7545 Schema: ·  
.7545 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.7545 ent..sch ↵  
.7546 Engine-name: ·ISO ·Schematron ↵  
.7547 Severity: ·error ↵  
.7548 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.7548 subSection ·or ·subSubSection. ↵  
.7549 Start-location: ·13763:111 ↵  
.7550 ↵  
.7551 System-ID: ·  
.7551 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.7551 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.7552 Main-validation-file: ·  
.7552 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.7552 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.7553 Scenario-name: ·gg-sch ↵  
.7554 Schema: ·  
.7554 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.7554 ent..sch ↵  
.7555 Engine-name: ·ISO ·Schematron ↵  
.7556 Severity: ·error ↵  
.7557 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.7557 subSection ·or ·subSubSection. ↵  
.7558 Start-location: ·13779:111 ↵  
.7559 ↵  
.7560 System-ID: ·  
.7560 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.7560 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.7561 Main-validation-file: ·

.7561 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.7561 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.7562 Scenario.name: .gg-sch ↵  
.7563 Schema: .  
.7563 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
.7564 Engine.name: .ISO .Schematron ↵  
.7565 Severity: .error ↵  
.7566 Description: .A .paragraph .must .have .an .ancestor .  
.7566 subSection .or .subSubSection. ↵  
.7567 Start.location: .13812:111 ↵  
.7568 ↵  
.7569 System.ID: .  
.7569 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.7569 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.7570 Main.validation.file: .  
.7570 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.7570 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.7571 Scenario.name: .gg-sch ↵  
.7572 Schema: .  
.7572 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
.7573 Engine.name: .ISO .Schematron ↵  
.7574 Severity: .error ↵  
.7575 Description: .A .paragraph .must .have .an .ancestor .  
.7575 subSection .or .subSubSection. ↵  
.7576 Start.location: .13832:111 ↵  
.7577 ↵  
.7578 System.ID: .  
.7578 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.7578 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.7579 Main.validation.file: .  
.7579 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.7579 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml ↵  
.7580 Scenario.name: .gg-sch ↵

.7581 Schema: .  
.7581 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.7581 ent..sch↵  
.7582 Engine.name: ·ISO ·Schematron↵  
.7583 Severity: ·error↵  
.7584 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.7584 subSection ·or ·subSubSection.↵  
.7585 Start.location: ·13850:111↵  
.7586 ↵  
.7587 System.ID: .  
.7587 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.7587 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.7588 Main.validation-file: .  
.7588 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.7588 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.7589 Scenario.name: ·gg-sch↵  
.7590 Schema: .  
.7590 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.7590 ent..sch↵  
.7591 Engine.name: ·ISO ·Schematron↵  
.7592 Severity: ·error↵  
.7593 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.7593 subSection ·or ·subSubSection.↵  
.7594 Start.location: ·13865:137↵  
.7595 ↵  
.7596 System.ID: .  
.7596 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.7596 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.7597 Main.validation-file: .  
.7597 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.7597 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.7598 Scenario.name: ·gg-sch↵  
.7599 Schema: .  
.7599 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.7599 ent..sch↵

.7600 Engine.name: ·ISO ·Schematron↵  
.7601 Severity: ·error↵  
.7602 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.7602 subSection ·or ·subSubSection.↵  
.7603 Start.location: ·13878:111↵  
.7604 ↵  
.7605 System.ID: ·  
.7605 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.7605 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.7606 Main.validation.file: ·  
.7606 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.7606 /BB12FFC5FFD5FFE7955D8C3DFF9FFFDF.xml↵  
.7607 Scenario.name: ·gg-sch↵  
.7608 Schema: ·  
.7608 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.7608 ent..sch↵  
.7609 Engine.name: ·ISO ·Schematron↵  
.7610 Severity: ·error↵  
.7611 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.7611 subSection ·or ·subSubSection.↵  
.7612 Start.location: ·13892:111↵  
.7613 ↵  
.7614 System.ID: ·  
.7614 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.7614 /BC229C385843FFE6FF8FFFA9FF9A9E39.xml↵  
.7615 Main.validation.file: ·  
.7615 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.7615 /BC229C385843FFE6FF8FFFA9FF9A9E39.xml↵  
.7616 Scenario.name: ·gg-sch↵  
.7617 Schema: ·  
.7617 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.7617 ent..sch↵  
.7618 Engine.name: ·ISO ·Schematron↵  
.7619 Severity: ·error↵  
.7620 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·

.7620 subSection ·or ·subSubSection. ↵  
.7621 Start ·location: ·80:129 ↵  
.7622 ↵  
.7623 System ·ID: ·  
.7623 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.7623 /BC229C385843FFE6FF8FFFA9FF9A9E39.xml ↵  
.7624 Main ·validation ·file: ·  
.7624 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.7624 /BC229C385843FFE6FF8FFFA9FF9A9E39.xml ↵  
.7625 Scenario ·name: ·gg-sch ↵  
.7626 Schema: ·  
.7626 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.7626 ent..sch ↵  
.7627 Engine ·name: ·ISO ·Schematron ↵  
.7628 Severity: ·error ↵  
.7629 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.7629 subSection ·or ·subSubSection. ↵  
.7630 Start ·location: ·83:129 ↵  
.7631 ↵  
.7632 System ·ID: ·  
.7632 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.7632 /BC229C385843FFE6FF8FFFA9FF9A9E39.xml ↵  
.7633 Main ·validation ·file: ·  
.7633 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.7633 /BC229C385843FFE6FF8FFFA9FF9A9E39.xml ↵  
.7634 Scenario ·name: ·gg-sch ↵  
.7635 Schema: ·  
.7635 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.7635 ent..sch ↵  
.7636 Engine ·name: ·ISO ·Schematron ↵  
.7637 Severity: ·error ↵  
.7638 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.7638 subSection ·or ·subSubSection. ↵  
.7639 Start ·location: ·88:106 ↵  
.7640 ↵

.7641 System·ID: ·  
.7641 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.7641 /BC229C385843FFE6FF8FFFA9FF9A9E39.xml↵  
.7642 Main·validation·file: ·  
.7642 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.7642 /BC229C385843FFE6FF8FFFA9FF9A9E39.xml↵  
.7643 Scenario·name: ·gg-sch↵  
.7644 Schema: ·  
.7644 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.7644 ent..sch↵  
.7645 Engine·name: ·ISO·Schematron↵  
.7646 Severity: ·error↵  
.7647 Description: ·A·paragraph·must·have·an·ancestor·  
.7647 subSection·or·subSubSection.↵  
.7648 Start·location: ·145:106↵  
.7649 ↵  
.7650 System·ID: ·  
.7650 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.7650 /BC229C385843FFE6FF8FFFA9FF9A9E39.xml↵  
.7651 Main·validation·file: ·  
.7651 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.7651 /BC229C385843FFE6FF8FFFA9FF9A9E39.xml↵  
.7652 Scenario·name: ·gg-sch↵  
.7653 Schema: ·  
.7653 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.7653 ent..sch↵  
.7654 Engine·name: ·ISO·Schematron↵  
.7655 Severity: ·error↵  
.7656 Description: ·A·paragraph·must·have·an·ancestor·  
.7656 subSection·or·subSubSection.↵  
.7657 Start·location: ·158:106↵  
.7658 ↵  
.7659 System·ID: ·  
.7659 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.7659 /BC229C385843FFE6FF8FFFA9FF9A9E39.xml↵

.7660 Main-validation-file: .  
.7660 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.7660 /BC229C385843FFE6FF8FFFA9FF9A9E39.xml↵  
.7661 Scenario-name: ·gg-sch↵  
.7662 Schema: .  
.7662 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch↵  
.7663 Engine-name: ·ISO ·Schematron↵  
.7664 Severity: ·error↵  
.7665 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.7665 subSection ·or ·subSubSection.↵  
.7666 Start-location: ·184:106↵  
.7667 ↵  
.7668 System-ID: .  
.7668 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.7668 /BC229C385843FFE6FF8FFFA9FF9A9E39.xml↵  
.7669 Main-validation-file: .  
.7669 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.7669 /BC229C385843FFE6FF8FFFA9FF9A9E39.xml↵  
.7670 Scenario-name: ·gg-sch↵  
.7671 Schema: .  
.7671 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch↵  
.7672 Engine-name: ·ISO ·Schematron↵  
.7673 Severity: ·error↵  
.7674 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.7674 subSection ·or ·subSubSection.↵  
.7675 Start-location: ·195:106↵  
.7676 ↵  
.7677 System-ID: .  
.7677 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.7677 /BC229C385843FFE6FF8FFFA9FF9A9E39.xml↵  
.7678 Main-validation-file: .  
.7678 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.7678 /BC229C385843FFE6FF8FFFA9FF9A9E39.xml↵

.7679 Scenario ·name: ·gg-sch ↵  
.7680 Schema: ·  
.7680 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
.7681 Engine ·name: ·ISO ·Schematron ↵  
.7682 Severity: ·error ↵  
.7683 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.7683 subSection ·or ·subSubSection. ↵  
.7684 Start ·location: ·196:144 ↵  
.7685 ↵  
.7686 System ·ID: ·  
.7686 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.7686 /BC229C385843FFE6FF8FFFA9FF9A9E39.xml ↵  
.7687 Main ·validation ·file: ·  
.7687 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.7687 /BC229C385843FFE6FF8FFFA9FF9A9E39.xml ↵  
.7688 Scenario ·name: ·gg-sch ↵  
.7689 Schema: ·  
.7689 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
.7690 Engine ·name: ·ISO ·Schematron ↵  
.7691 Severity: ·error ↵  
.7692 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.7692 subSection ·or ·subSubSection. ↵  
.7693 Start ·location: ·231:144 ↵  
.7694 ↵  
.7695 System ·ID: ·  
.7695 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.7695 /BC229C385843FFE6FF8FFFA9FF9A9E39.xml ↵  
.7696 Main ·validation ·file: ·  
.7696 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.7696 /BC229C385843FFE6FF8FFFA9FF9A9E39.xml ↵  
.7697 Scenario ·name: ·gg-sch ↵  
.7698 Schema: ·  
.7698 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm

.7698 ent..sch↵  
.7699 Engine.name: ·ISO ·Schematron↵  
.7700 Severity: ·error↵  
.7701 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
subSection ·or ·subSubSection.↵  
.7702 Start.location: ·255:109↵  
.7703 ↵  
.7704 System.ID: ·  
/Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
/BC229C385843FFE6FF8FFFA9FF9A9E39.xml↵  
.7705 Main.validation.file: ·  
/Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
/BC229C385843FFE6FF8FFFA9FF9A9E39.xml↵  
.7706 Scenario.name: ·gg-sch↵  
.7707 Schema: ·  
/Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch↵  
.7708 Engine.name: ·ISO ·Schematron↵  
.7709 Severity: ·error↵  
.7710 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
subSection ·or ·subSubSection.↵  
.7711 Start.location: ·266:109↵  
.7712 ↵  
.7713 System.ID: ·  
/Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
/BC229C385843FFE6FF8FFFA9FF9A9E39.xml↵  
.7714 Main.validation.file: ·  
/Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
/BC229C385843FFE6FF8FFFA9FF9A9E39.xml↵  
.7715 Scenario.name: ·gg-sch↵  
.7716 Schema: ·  
/Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch↵  
.7717 Engine.name: ·ISO ·Schematron↵  
.7718 Severity: ·error↵

.7719 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.7719 subSection ·or ·subSubSection. ↵  
.7720 Start ·location: ·271:107 ↵  
.7721 ↵  
.7722 System ·ID: ·  
.7722 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.7722 /BC229C385843FFE6FF8FFFA9FF9A9E39.xml ↵  
.7723 Main ·validation ·file: ·  
.7723 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.7723 /BC229C385843FFE6FF8FFFA9FF9A9E39.xml ↵  
.7724 Scenario ·name: ·gg-sch ↵  
.7725 Schema: ·  
.7725 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.7725 ent..sch ↵  
.7726 Engine ·name: ·ISO ·Schematron ↵  
.7727 Severity: ·error ↵  
.7728 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.7728 subSection ·or ·subSubSection. ↵  
.7729 Start ·location: ·277:109 ↵  
.7730 ↵  
.7731 System ·ID: ·  
.7731 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.7731 /BC229C385843FFE6FF8FFFA9FF9A9E39.xml ↵  
.7732 Main ·validation ·file: ·  
.7732 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.7732 /BC229C385843FFE6FF8FFFA9FF9A9E39.xml ↵  
.7733 Scenario ·name: ·gg-sch ↵  
.7734 Schema: ·  
.7734 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.7734 ent..sch ↵  
.7735 Engine ·name: ·ISO ·Schematron ↵  
.7736 Severity: ·error ↵  
.7737 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.7737 subSection ·or ·subSubSection. ↵  
.7738 Start ·location: ·296:106 ↵

.7739 ↵  
.7740 System·ID: ·  
.7740 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.7740 /BC229C385843FFE6FF8FFFA9FF9A9E39.xml↵  
.7741 Main·validation·file: ·  
.7741 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.7741 /BC229C385843FFE6FF8FFFA9FF9A9E39.xml↵  
.7742 Scenario·name: ·gg-sch↵  
.7743 Schema: ·  
.7743 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.7743 ent..sch↵  
.7744 Engine·name: ·ISO·Schematron↵  
.7745 Severity: ·error↵  
.7746 Description: ·A·paragraph·must·have·an·ancestor·  
.7746 subSection·or·subSubSection.↵  
.7747 Start·location: ·321:106↵  
.7748 ↵  
.7749 System·ID: ·  
.7749 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.7749 /BC229C385843FFE6FF8FFFA9FF9A9E39.xml↵  
.7750 Main·validation·file: ·  
.7750 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.7750 /BC229C385843FFE6FF8FFFA9FF9A9E39.xml↵  
.7751 Scenario·name: ·gg-sch↵  
.7752 Schema: ·  
.7752 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.7752 ent..sch↵  
.7753 Engine·name: ·ISO·Schematron↵  
.7754 Severity: ·error↵  
.7755 Description: ·A·paragraph·must·have·an·ancestor·  
.7755 subSection·or·subSubSection.↵  
.7756 Start·location: ·322:174↵  
.7757 ↵  
.7758 System·ID: ·  
.7758 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax

.7758 /BC229C385843FFE6FF8FFFA9FF9A9E39.xml ↵  
.7759 Main-validation-file: ·  
.7759 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.7759 /BC229C385843FFE6FF8FFFA9FF9A9E39.xml ↵  
.7760 Scenario-name: ·gg-sch ↵  
.7761 Schema: ·  
.7761 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.7761 ent..sch ↵  
.7762 Engine-name: ·ISO-Schematron ↵  
.7763 Severity: ·error ↵  
.7764 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.7764 subSection ·or ·subSubSection. ↵  
.7765 Start-location: ·365:109 ↵  
.7766 ↵  
.7767 System-ID: ·  
.7767 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.7767 /BC229C385843FFE6FF8FFFA9FF9A9E39.xml ↵  
.7768 Main-validation-file: ·  
.7768 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.7768 /BC229C385843FFE6FF8FFFA9FF9A9E39.xml ↵  
.7769 Scenario-name: ·gg-sch ↵  
.7770 Schema: ·  
.7770 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.7770 ent..sch ↵  
.7771 Engine-name: ·ISO-Schematron ↵  
.7772 Severity: ·error ↵  
.7773 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.7773 subSection ·or ·subSubSection. ↵  
.7774 Start-location: ·391:106 ↵  
.7775 ↵  
.7776 System-ID: ·  
.7776 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.7776 /BC229C385843FFE6FF8FFFA9FF9A9E39.xml ↵  
.7777 Main-validation-file: ·  
.7777 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax

.7777 /BC229C385843FFE6FF8FFFA9FF9A9E39.xml ↵  
.7778 Scenario.name: .gg-sch ↵  
.7779 Schema: .  
.7779 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
.7780 Engine.name: .ISO.Schematron ↵  
.7781 Severity: .error ↵  
.7782 Description: .A.paragraph.must.have.an.ancestor.  
.7782 subSection.or.subSubSection. ↵  
.7783 Start.location: .405:142 ↵  
.7784 ↵  
.7785 System.ID: .  
.7785 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.7785 /BC229C385843FFE6FF8FFFA9FF9A9E39.xml ↵  
.7786 Main.validation.file: .  
.7786 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.7786 /BC229C385843FFE6FF8FFFA9FF9A9E39.xml ↵  
.7787 Scenario.name: .gg-sch ↵  
.7788 Schema: .  
.7788 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
.7789 Engine.name: .ISO.Schematron ↵  
.7790 Severity: .error ↵  
.7791 Description: .A.paragraph.must.have.an.ancestor.  
.7791 subSection.or.subSubSection. ↵  
.7792 Start.location: .426:108 ↵  
.7793 ↵  
.7794 System.ID: .  
.7794 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.7794 /BC229C385843FFE6FF8FFFA9FF9A9E39.xml ↵  
.7795 Main.validation.file: .  
.7795 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.7795 /BC229C385843FFE6FF8FFFA9FF9A9E39.xml ↵  
.7796 Scenario.name: .gg-sch ↵  
.7797 Schema: .

.7797 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.7797 ent..sch↵  
.7798 Engine.name: ·ISO ·Schematron↵  
.7799 Severity: ·error↵  
.7800 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.7800 subSection ·or ·subSubSection.↵  
.7801 Start ·location: ·435:145↵  
.7802 ↵  
.7803 System ·ID: ·  
.7803 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.7803 /BC229C385843FFE6FF8FFFA9FF9A9E39.xml↵  
.7804 Main ·validation ·file: ·  
.7804 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.7804 /BC229C385843FFE6FF8FFFA9FF9A9E39.xml↵  
.7805 Scenario ·name: ·gg-sch↵  
.7806 Schema: ·  
.7806 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.7806 ent..sch↵  
.7807 Engine.name: ·ISO ·Schematron↵  
.7808 Severity: ·error↵  
.7809 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.7809 subSection ·or ·subSubSection.↵  
.7810 Start ·location: ·448:138↵  
.7811 ↵  
.7812 System ·ID: ·  
.7812 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.7812 /BC229C385843FFE6FF8FFFA9FF9A9E39.xml↵  
.7813 Main ·validation ·file: ·  
.7813 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.7813 /BC229C385843FFE6FF8FFFA9FF9A9E39.xml↵  
.7814 Scenario ·name: ·gg-sch↵  
.7815 Schema: ·  
.7815 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.7815 ent..sch↵  
.7816 Engine.name: ·ISO ·Schematron↵

.7817 Severity: ·error ↵  
.7818 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.7818 subSection ·or ·subSubSection. ↵  
.7819 Start ·location: ·453:110 ↵  
.7820 ↵  
.7821 System ·ID: ·  
/Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
/BC229C385843FFE6FF8FFFA9FF9A9E39.xml ↵  
.7822 Main ·validation ·file: ·  
/Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
/BC229C385843FFE6FF8FFFA9FF9A9E39.xml ↵  
.7823 Scenario ·name: ·gg-sch ↵  
.7824 Schema: ·  
/Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
.7825 Engine ·name: ·ISO ·Schematron ↵  
.7826 Severity: ·error ↵  
.7827 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.7827 subSection ·or ·subSubSection. ↵  
.7828 Start ·location: ·467:110 ↵  
.7829 ↵  
.7830 System ·ID: ·  
/Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
/BC229C385843FFE6FF8FFFA9FF9A9E39.xml ↵  
.7831 Main ·validation ·file: ·  
/Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
/BC229C385843FFE6FF8FFFA9FF9A9E39.xml ↵  
.7832 Scenario ·name: ·gg-sch ↵  
.7833 Schema: ·  
/Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
.7834 Engine ·name: ·ISO ·Schematron ↵  
.7835 Severity: ·error ↵  
.7836 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.7836 subSection ·or ·subSubSection. ↵

.7837 Start ·location: ·491:110 ↵  
.7838 ↵  
.7839 System ·ID: ·  
.7839 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
/BC229C385843FFE6FF8FFFA9FF9A9E39.xml ↵  
.7840 Main ·validation ·file: ·  
.7840 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
/BC229C385843FFE6FF8FFFA9FF9A9E39.xml ↵  
.7841 Scenario ·name: ·gg-sch ↵  
.7842 Schema: ·  
.7842 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
.7843 Engine ·name: ·ISO ·Schematron ↵  
.7844 Severity: ·error ↵  
.7845 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.7845 subSection ·or ·subSubSection. ↵  
.7846 Start ·location: ·519:110 ↵  
.7847 ↵  
.7848 System ·ID: ·  
.7848 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
/BC229C385843FFE6FF8FFFA9FF9A9E39.xml ↵  
.7849 Main ·validation ·file: ·  
.7849 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
/BC229C385843FFE6FF8FFFA9FF9A9E39.xml ↵  
.7850 Scenario ·name: ·gg-sch ↵  
.7851 Schema: ·  
.7851 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
.7852 Engine ·name: ·ISO ·Schematron ↵  
.7853 Severity: ·error ↵  
.7854 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.7854 subSection ·or ·subSubSection. ↵  
.7855 Start ·location: ·532:110 ↵  
.7856 ↵  
.7857 System ·ID: ·

.7857 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.7857 /BC229C385843FFE6FF8FFFA9FF9A9E39.xml ↵  
.7858 Main-validation-file: ·  
.7858 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.7858 /BC229C385843FFE6FF8FFFA9FF9A9E39.xml ↵  
.7859 Scenario-name: ·gg-sch ↵  
.7860 Schema: ·  
.7860 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.7860 ent..sch ↵  
.7861 Engine-name: ·ISO-Schematron ↵  
.7862 Severity: ·error ↵  
.7863 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.7863 subSection ·or ·subSubSection. ↵  
.7864 Start-location: ·543:110 ↵  
.7865 ↵  
.7866 System-ID: ·  
.7866 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.7866 /BC229C385843FFE6FF8FFFA9FF9A9E39.xml ↵  
.7867 Main-validation-file: ·  
.7867 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.7867 /BC229C385843FFE6FF8FFFA9FF9A9E39.xml ↵  
.7868 Scenario-name: ·gg-sch ↵  
.7869 Schema: ·  
.7869 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.7869 ent..sch ↵  
.7870 Engine-name: ·ISO-Schematron ↵  
.7871 Severity: ·error ↵  
.7872 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.7872 subSection ·or ·subSubSection. ↵  
.7873 Start-location: ·562:138 ↵  
.7874 ↵  
.7875 System-ID: ·  
.7875 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.7875 /BC229C385843FFE6FF8FFFA9FF9A9E39.xml ↵  
.7876 Main-validation-file: ·

.7876 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.7876 /BC229C385843FFE6FF8FFFA9FF9A9E39.xml ↵  
.7877 Scenario.name: .gg-sch ↵  
.7878 Schema: .  
.7878 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
.7879 Engine.name: .ISO .Schematron ↵  
.7880 Severity: .error ↵  
.7881 Description: .A .paragraph .must .have .an .ancestor .  
.7881 subSection .or .subSubSection. ↵  
.7882 Start.location: .585:138 ↵  
.7883 ↵  
.7884 System.ID: .  
.7884 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.7884 /BC229C385843FFE6FF8FFFA9FF9A9E39.xml ↵  
.7885 Main.validation.file: .  
.7885 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.7885 /BC229C385843FFE6FF8FFFA9FF9A9E39.xml ↵  
.7886 Scenario.name: .gg-sch ↵  
.7887 Schema: .  
.7887 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
.7888 Engine.name: .ISO .Schematron ↵  
.7889 Severity: .error ↵  
.7890 Description: .A .paragraph .must .have .an .ancestor .  
.7890 subSection .or .subSubSection. ↵  
.7891 Start.location: .605:110 ↵  
.7892 ↵  
.7893 System.ID: .  
.7893 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.7893 /BC229C385843FFE6FF8FFFA9FF9A9E39.xml ↵  
.7894 Main.validation.file: .  
.7894 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.7894 /BC229C385843FFE6FF8FFFA9FF9A9E39.xml ↵  
.7895 Scenario.name: .gg-sch ↵

.7896 Schema: .  
.7896 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.7896 ent..sch↵  
.7897 Engine.name: .ISO .Schematron↵  
.7898 Severity: .error↵  
.7899 Description: .A .paragraph .must .have .an .ancestor .  
.7899 subSection .or .subSubSection.↵  
.7900 Start.location: .621:110↵  
.7901 ↵  
.7902 System.ID: .  
.7902 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.7902 /BC229C385843FFE6FF8FFFA9FF9A9E39.xml↵  
.7903 Main.validation.file: .  
.7903 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.7903 /BC229C385843FFE6FF8FFFA9FF9A9E39.xml↵  
.7904 Scenario.name: .gg-sch↵  
.7905 Schema: .  
.7905 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.7905 ent..sch↵  
.7906 Engine.name: .ISO .Schematron↵  
.7907 Severity: .error↵  
.7908 Description: .A .paragraph .must .have .an .ancestor .  
.7908 subSection .or .subSubSection.↵  
.7909 Start.location: .622:138↵  
.7910 ↵  
.7911 System.ID: .  
.7911 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.7911 /BC229C385843FFE6FF8FFFA9FF9A9E39.xml↵  
.7912 Main.validation.file: .  
.7912 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.7912 /BC229C385843FFE6FF8FFFA9FF9A9E39.xml↵  
.7913 Scenario.name: .gg-sch↵  
.7914 Schema: .  
.7914 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.7914 ent..sch↵

.7915 Engine ·name: ·ISO ·Schematron ↵  
.7916 Severity: ·error ↵  
.7917 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.7917 subSection ·or ·subSubSection. ↵  
.7918 Start ·location: ·645:138 ↵  
.7919 ↵  
.7920 System ·ID: ·  
.7920 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.7920 /BC229C385843FFE6FF8FFFA9FF9A9E39.xml ↵  
.7921 Main ·validation ·file: ·  
.7921 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.7921 /BC229C385843FFE6FF8FFFA9FF9A9E39.xml ↵  
.7922 Scenario ·name: ·gg-sch ↵  
.7923 Schema: ·  
.7923 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.7923 ent..sch ↵  
.7924 Engine ·name: ·ISO ·Schematron ↵  
.7925 Severity: ·error ↵  
.7926 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.7926 subSection ·or ·subSubSection. ↵  
.7927 Start ·location: ·668:138 ↵  
.7928 ↵  
.7929 System ·ID: ·  
.7929 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.7929 /BC229C385843FFE6FF8FFFA9FF9A9E39.xml ↵  
.7930 Main ·validation ·file: ·  
.7930 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.7930 /BC229C385843FFE6FF8FFFA9FF9A9E39.xml ↵  
.7931 Scenario ·name: ·gg-sch ↵  
.7932 Schema: ·  
.7932 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.7932 ent..sch ↵  
.7933 Engine ·name: ·ISO ·Schematron ↵  
.7934 Severity: ·error ↵  
.7935 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·

.7935 subSection ·or ·subSubSection .↳  
.7936 Start ·location: ·691:110↳  
.7937 ↳  
.7938 System ·ID: ·  
.7938 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.7938 /BC229C385843FFE6FF8FFFA9FF9A9E39.xml↳  
.7939 Main ·validation ·file: ·  
.7939 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.7939 /BC229C385843FFE6FF8FFFA9FF9A9E39.xml↳  
.7940 Scenario ·name: ·gg-sch↳  
.7941 Schema: ·  
.7941 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.7941 ent..sch↳  
.7942 Engine ·name: ·ISO ·Schematron↳  
.7943 Severity: ·error↳  
.7944 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.7944 subSection ·or ·subSubSection .↳  
.7945 Start ·location: ·705:128↳  
.7946 ↳  
.7947 System ·ID: ·  
.7947 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.7947 /BC229C385843FFE6FF8FFFA9FF9A9E39.xml↳  
.7948 Main ·validation ·file: ·  
.7948 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.7948 /BC229C385843FFE6FF8FFFA9FF9A9E39.xml↳  
.7949 Scenario ·name: ·gg-sch↳  
.7950 Schema: ·  
.7950 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.7950 ent..sch↳  
.7951 Engine ·name: ·ISO ·Schematron↳  
.7952 Severity: ·error↳  
.7953 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.7953 subSection ·or ·subSubSection .↳  
.7954 Start ·location: ·728:105↳  
.7955 ↳

.7956 System·ID: ·  
.7956 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.7956 /BC229C385843FFE6FF8FFFA9FF9A9E39.xml↵  
.7957 Main·validation·file: ·  
.7957 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.7957 /BC229C385843FFE6FF8FFFA9FF9A9E39.xml↵  
.7958 Scenario·name: ·gg-sch↵  
.7959 Schema: ·  
.7959 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.7959 ent..sch↵  
.7960 Engine·name: ·ISO·Schematron↵  
.7961 Severity: ·error↵  
.7962 Description: ·A·paragraph·must·have·an·ancestor·  
.7962 subSection·or·subSubSection.↵  
.7963 Start·location: ·744:128↵  
.7964 ↵  
.7965 System·ID: ·  
.7965 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.7965 /BC229C385843FFE6FF8FFFA9FF9A9E39.xml↵  
.7966 Main·validation·file: ·  
.7966 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.7966 /BC229C385843FFE6FF8FFFA9FF9A9E39.xml↵  
.7967 Scenario·name: ·gg-sch↵  
.7968 Schema: ·  
.7968 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.7968 ent..sch↵  
.7969 Engine·name: ·ISO·Schematron↵  
.7970 Severity: ·error↵  
.7971 Description: ·A·paragraph·must·have·an·ancestor·  
.7971 subSection·or·subSubSection.↵  
.7972 Start·location: ·768:128↵  
.7973 ↵  
.7974 System·ID: ·  
.7974 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.7974 /BC229C385843FFE6FF8FFFA9FF9A9E39.xml↵

.7975 Main-validation-file: .  
.7975 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.7975 /BC229C385843FFE6FF8FFFA9FF9A9E39.xml↵  
.7976 Scenario-name: .gg-sch↵  
.7977 Schema: .  
.7977 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.7977 ent..sch↵  
.7978 Engine-name: .ISO-Schematron↵  
.7979 Severity: .error↵  
.7980 Description: .A .paragraph .must .have .an .ancestor .  
.7980 subSection .or .subSubSection.↵  
.7981 Start-location: .791:105↵  
.7982 ↵  
.7983 System-ID: .  
.7983 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.7983 /BC229C385843FFE6FF8FFFA9FF9A9E39.xml↵  
.7984 Main-validation-file: .  
.7984 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.7984 /BC229C385843FFE6FF8FFFA9FF9A9E39.xml↵  
.7985 Scenario-name: .gg-sch↵  
.7986 Schema: .  
.7986 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.7986 ent..sch↵  
.7987 Engine-name: .ISO-Schematron↵  
.7988 Severity: .error↵  
.7989 Description: .A .paragraph .must .have .an .ancestor .  
.7989 subSection .or .subSubSection.↵  
.7990 Start-location: .822:128↵  
.7991 ↵  
.7992 System-ID: .  
.7992 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.7992 /BC229C385843FFE6FF8FFFA9FF9A9E39.xml↵  
.7993 Main-validation-file: .  
.7993 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.7993 /BC229C385843FFE6FF8FFFA9FF9A9E39.xml↵

.7994 Scenario ·name: ·gg-sch ↵  
.7995 Schema: ·  
.7995 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
.7996 Engine ·name: ·ISO ·Schematron ↵  
.7997 Severity: ·error ↵  
.7998 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.7998 subSection ·or ·subSubSection. ↵  
.7999 Start ·location: ·845:128 ↵  
.8000 ↵  
.8001 System ·ID: ·  
.8001 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
/BC229C385843FFE6FF8FFFA9FF9A9E39.xml ↵  
.8002 Main ·validation ·file: ·  
.8002 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
/BC229C385843FFE6FF8FFFA9FF9A9E39.xml ↵  
.8003 Scenario ·name: ·gg-sch ↵  
.8004 Schema: ·  
.8004 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
.8005 Engine ·name: ·ISO ·Schematron ↵  
.8006 Severity: ·error ↵  
.8007 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.8007 subSection ·or ·subSubSection. ↵  
.8008 Start ·location: ·865:128 ↵  
.8009 ↵  
.8010 System ·ID: ·  
.8010 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
/BC229C385843FFE6FF8FFFA9FF9A9E39.xml ↵  
.8011 Main ·validation ·file: ·  
.8011 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
/BC229C385843FFE6FF8FFFA9FF9A9E39.xml ↵  
.8012 Scenario ·name: ·gg-sch ↵  
.8013 Schema: ·  
.8013 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm

.8013 ent..sch↵  
.8014 Engine.name: ·ISO ·Schematron↵  
.8015 Severity: ·error↵  
.8016 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.8016 subSection ·or ·subSubSection.↵  
.8017 Start ·location: ·870:105↵  
.8018 ↵  
.8019 System ·ID: ·  
.8019 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.8019 /BC229C385843FFE6FF8FFFA9FF9A9E39.xml↵  
.8020 Main ·validation ·file: ·  
.8020 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.8020 /BC229C385843FFE6FF8FFFA9FF9A9E39.xml↵  
.8021 Scenario ·name: ·gg-sch↵  
.8022 Schema: ·  
.8022 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.8022 ent..sch↵  
.8023 Engine.name: ·ISO ·Schematron↵  
.8024 Severity: ·error↵  
.8025 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.8025 subSection ·or ·subSubSection.↵  
.8026 Start ·location: ·871:107↵  
.8027 ↵  
.8028 System ·ID: ·  
.8028 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.8028 /BC229C385843FFE6FF8FFFA9FF9A9E39.xml↵  
.8029 Main ·validation ·file: ·  
.8029 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.8029 /BC229C385843FFE6FF8FFFA9FF9A9E39.xml↵  
.8030 Scenario ·name: ·gg-sch↵  
.8031 Schema: ·  
.8031 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.8031 ent..sch↵  
.8032 Engine.name: ·ISO ·Schematron↵  
.8033 Severity: ·error↵

.8034 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.8034 subSection ·or ·subSubSection. ↵  
.8035 Start ·location: ·880:107 ↵  
.8036 ↵  
.8037 System ·ID: ·  
.8037 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.8037 /BC229C385843FFE6FF8FFFA9FF9A9E39.xml ↵  
.8038 Main ·validation ·file: ·  
.8038 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.8038 /BC229C385843FFE6FF8FFFA9FF9A9E39.xml ↵  
.8039 Scenario ·name: ·gg-sch ↵  
.8040 Schema: ·  
.8040 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.8040 ent..sch ↵  
.8041 Engine ·name: ·ISO ·Schematron ↵  
.8042 Severity: ·error ↵  
.8043 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.8043 subSection ·or ·subSubSection. ↵  
.8044 Start ·location: ·881:107 ↵  
.8045 ↵  
.8046 System ·ID: ·  
.8046 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.8046 /BC229C385843FFE6FF8FFFA9FF9A9E39.xml ↵  
.8047 Main ·validation ·file: ·  
.8047 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.8047 /BC229C385843FFE6FF8FFFA9FF9A9E39.xml ↵  
.8048 Scenario ·name: ·gg-sch ↵  
.8049 Schema: ·  
.8049 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.8049 ent..sch ↵  
.8050 Engine ·name: ·ISO ·Schematron ↵  
.8051 Severity: ·error ↵  
.8052 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.8052 subSection ·or ·subSubSection. ↵  
.8053 Start ·location: ·882:107 ↵

.8054 ↵  
.8055 System·ID: ·  
.8055 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.8055 /BC229C385843FFE6FF8FFFA9FF9A9E39.xml↵  
.8056 Main·validation·file: ·  
.8056 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.8056 /BC229C385843FFE6FF8FFFA9FF9A9E39.xml↵  
.8057 Scenario·name: ·gg-sch↵  
.8058 Schema: ·  
.8058 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch↵  
.8059 Engine·name: ·ISO·Schematron↵  
.8060 Severity: ·error↵  
.8061 Description: ·A·paragraph·must·have·an·ancestor·  
.8061 subSection·or·subSubSection.↵  
.8062 Start·location: ·888:107↵  
.8063 ↵  
.8064 System·ID: ·  
.8064 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.8064 /BC229C385843FFE6FF8FFFA9FF9A9E39.xml↵  
.8065 Main·validation·file: ·  
.8065 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.8065 /BC229C385843FFE6FF8FFFA9FF9A9E39.xml↵  
.8066 Scenario·name: ·gg-sch↵  
.8067 Schema: ·  
.8067 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch↵  
.8068 Engine·name: ·ISO·Schematron↵  
.8069 Severity: ·error↵  
.8070 Description: ·A·paragraph·must·have·an·ancestor·  
.8070 subSection·or·subSubSection.↵  
.8071 Start·location: ·893:107↵  
.8072 ↵  
.8073 System·ID: ·  
.8073 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax

.8073 /BC229C385843FFE6FF8FFFA9FF9A9E39.xml ↵  
.8074 Main-validation-file: ·  
.8074 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.8074 /BC229C385843FFE6FF8FFFA9FF9A9E39.xml ↵  
.8075 Scenario-name: ·gg-sch ↵  
.8076 Schema: ·  
.8076 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.8076 ent..sch ↵  
.8077 Engine-name: ·ISO-Schematron ↵  
.8078 Severity: ·error ↵  
.8079 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.8079 subSection ·or ·subSubSection. ↵  
.8080 Start-location: ·898:107 ↵  
.8081 ↵  
.8082 System-ID: ·  
.8082 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.8082 /BC229C385843FFE6FF8FFFA9FF9A9E39.xml ↵  
.8083 Main-validation-file: ·  
.8083 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.8083 /BC229C385843FFE6FF8FFFA9FF9A9E39.xml ↵  
.8084 Scenario-name: ·gg-sch ↵  
.8085 Schema: ·  
.8085 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.8085 ent..sch ↵  
.8086 Engine-name: ·ISO-Schematron ↵  
.8087 Severity: ·error ↵  
.8088 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.8088 subSection ·or ·subSubSection. ↵  
.8089 Start-location: ·903:131 ↵  
.8090 ↵  
.8091 System-ID: ·  
.8091 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.8091 /BC229C385843FFE6FF8FFFA9FF9A9E39.xml ↵  
.8092 Main-validation-file: ·  
.8092 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax

.8092 /BC229C385843FFE6FF8FFFA9FF9A9E39.xml ↵  
.8093 Scenario.name: .gg-sch ↵  
.8094 Schema: .  
.8094 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
.8095 Engine.name: .ISO.Schematron ↵  
.8096 Severity: .error ↵  
.8097 Description: .A.paragraph.must.have.an.ancestor.  
.8097 subSection.or.subSubSection. ↵  
.8098 Start.location: .908:107 ↵  
.8099 ↵  
.8100 System.ID: .  
.8100 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.8100 /BC229C385843FFE6FF8FFFA9FF9A9E39.xml ↵  
.8101 Main.validation.file: .  
.8101 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.8101 /BC229C385843FFE6FF8FFFA9FF9A9E39.xml ↵  
.8102 Scenario.name: .gg-sch ↵  
.8103 Schema: .  
.8103 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
.8104 Engine.name: .ISO.Schematron ↵  
.8105 Severity: .error ↵  
.8106 Description: .A.paragraph.must.have.an.ancestor.  
.8106 subSection.or.subSubSection. ↵  
.8107 Start.location: .909:106 ↵  
.8108 ↵  
.8109 System.ID: .  
.8109 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.8109 /BC229C385843FFE6FF8FFFA9FF9A9E39.xml ↵  
.8110 Main.validation.file: .  
.8110 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.8110 /BC229C385843FFE6FF8FFFA9FF9A9E39.xml ↵  
.8111 Scenario.name: .gg-sch ↵  
.8112 Schema: .

.8112 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.8112 ent..sch↵  
.8113 Engine.name: ·ISO ·Schematron↵  
.8114 Severity: ·error↵  
.8115 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.8115 subSection ·or ·subSubSection.↵  
.8116 Start ·location: ·914:131↵  
.8117 ↵  
.8118 System ·ID: ·  
.8118 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.8118 /BC229C385843FFE6FF8FFFA9FF9A9E39.xml↵  
.8119 Main ·validation ·file: ·  
.8119 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.8119 /BC229C385843FFE6FF8FFFA9FF9A9E39.xml↵  
.8120 Scenario ·name: ·gg-sch↵  
.8121 Schema: ·  
.8121 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.8121 ent..sch↵  
.8122 Engine.name: ·ISO ·Schematron↵  
.8123 Severity: ·error↵  
.8124 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.8124 subSection ·or ·subSubSection.↵  
.8125 Start ·location: ·919:107↵  
.8126 ↵  
.8127 System ·ID: ·  
.8127 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.8127 /BC229C385843FFE6FF8FFFA9FF9A9E39.xml↵  
.8128 Main ·validation ·file: ·  
.8128 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.8128 /BC229C385843FFE6FF8FFFA9FF9A9E39.xml↵  
.8129 Scenario ·name: ·gg-sch↵  
.8130 Schema: ·  
.8130 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.8130 ent..sch↵  
.8131 Engine.name: ·ISO ·Schematron↵

.8132 Severity: ·error ↵  
.8133 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.8133 subSection ·or ·subSubSection. ↵  
.8134 Start ·location: ·924:131 ↵  
.8135 ↵  
.8136 System ·ID: ·  
/Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.8136 /BC229C385843FFE6FF8FFFA9FF9A9E39.xml ↵  
.8137 Main ·validation ·file: ·  
/Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.8137 /BC229C385843FFE6FF8FFFA9FF9A9E39.xml ↵  
.8138 Scenario ·name: ·gg-sch ↵  
.8139 Schema: ·  
/Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.8139 ent..sch ↵  
.8140 Engine ·name: ·ISO ·Schematron ↵  
.8141 Severity: ·error ↵  
.8142 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.8142 subSection ·or ·subSubSection. ↵  
.8143 Start ·location: ·928:130 ↵  
.8144 ↵  
.8145 System ·ID: ·  
/Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.8145 /BC229C385843FFE6FF8FFFA9FF9A9E39.xml ↵  
.8146 Main ·validation ·file: ·  
/Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.8146 /BC229C385843FFE6FF8FFFA9FF9A9E39.xml ↵  
.8147 Scenario ·name: ·gg-sch ↵  
.8148 Schema: ·  
/Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.8148 ent..sch ↵  
.8149 Engine ·name: ·ISO ·Schematron ↵  
.8150 Severity: ·error ↵  
.8151 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.8151 subSection ·or ·subSubSection. ↵

.8152 Start ·location: ·933:130 ↵  
.8153 ↵  
.8154 System ·ID: ·  
.8154 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.8154 /BC229C385843FFE6FF8FFFA9FF9A9E39.xml ↵  
.8155 Main ·validation ·file: ·  
.8155 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.8155 /BC229C385843FFE6FF8FFFA9FF9A9E39.xml ↵  
.8156 Scenario ·name: ·gg-sch ↵  
.8157 Schema: ·  
.8157 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.8157 ent..sch ↵  
.8158 Engine ·name: ·ISO ·Schematron ↵  
.8159 Severity: ·error ↵  
.8160 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.8160 subSection ·or ·subSubSection. ↵  
.8161 Start ·location: ·937:134 ↵  
.8162 ↵  
.8163 System ·ID: ·  
.8163 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.8163 /BC229C385843FFE6FF8FFFA9FF9A9E39.xml ↵  
.8164 Main ·validation ·file: ·  
.8164 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.8164 /BC229C385843FFE6FF8FFFA9FF9A9E39.xml ↵  
.8165 Scenario ·name: ·gg-sch ↵  
.8166 Schema: ·  
.8166 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.8166 ent..sch ↵  
.8167 Engine ·name: ·ISO ·Schematron ↵  
.8168 Severity: ·error ↵  
.8169 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.8169 subSection ·or ·subSubSection. ↵  
.8170 Start ·location: ·940:134 ↵  
.8171 ↵  
.8172 System ·ID: ·

.8172 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.8172 /BC229C385843FFE6FF8FFFA9FF9A9E39.xml ↵  
.8173 Main-validation-file: ·  
.8173 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.8173 /BC229C385843FFE6FF8FFFA9FF9A9E39.xml ↵  
.8174 Scenario-name: ·gg-sch ↵  
.8175 Schema: ·  
.8175 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.8175 ent..sch ↵  
.8176 Engine-name: ·ISO-Schematron ↵  
.8177 Severity: ·error ↵  
.8178 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.8178 subSection ·or ·subSubSection. ↵  
.8179 Start-location: ·944:136 ↵  
.8180 ↵  
.8181 System-ID: ·  
.8181 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.8181 /BC229C385843FFE6FF8FFFA9FF9A9E39.xml ↵  
.8182 Main-validation-file: ·  
.8182 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.8182 /BC229C385843FFE6FF8FFFA9FF9A9E39.xml ↵  
.8183 Scenario-name: ·gg-sch ↵  
.8184 Schema: ·  
.8184 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.8184 ent..sch ↵  
.8185 Engine-name: ·ISO-Schematron ↵  
.8186 Severity: ·error ↵  
.8187 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.8187 subSection ·or ·subSubSection. ↵  
.8188 Start-location: ·946:134 ↵  
.8189 ↵  
.8190 System-ID: ·  
.8190 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.8190 /BC229C385843FFE6FF8FFFA9FF9A9E39.xml ↵  
.8191 Main-validation-file: ·

.8191 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.8191 /BC229C385843FFE6FF8FFFA9FF9A9E39.xml ↵  
.8192 Scenario.name: .gg-sch ↵  
.8193 Schema: .  
.8193 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
.8194 Engine.name: .ISO .Schematron ↵  
.8195 Severity: .error ↵  
.8196 Description: .A .paragraph .must .have .an .ancestor .  
.8196 subSection .or .subSubSection. ↵  
.8197 Start.location: .949:134 ↵  
.8198 ↵  
.8199 System.ID: .  
.8199 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.8199 /BC229C385843FFE6FF8FFFA9FF9A9E39.xml ↵  
.8200 Main.validation.file: .  
.8200 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.8200 /BC229C385843FFE6FF8FFFA9FF9A9E39.xml ↵  
.8201 Scenario.name: .gg-sch ↵  
.8202 Schema: .  
.8202 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
.8203 Engine.name: .ISO .Schematron ↵  
.8204 Severity: .error ↵  
.8205 Description: .A .paragraph .must .have .an .ancestor .  
.8205 subSection .or .subSubSection. ↵  
.8206 Start.location: .953:136 ↵  
.8207 ↵  
.8208 System.ID: .  
.8208 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.8208 /BC229C385843FFE6FF8FFFA9FF9A9E39.xml ↵  
.8209 Main.validation.file: .  
.8209 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.8209 /BC229C385843FFE6FF8FFFA9FF9A9E39.xml ↵  
.8210 Scenario.name: .gg-sch ↵

.8211 Schema: .  
.8211 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.8211 ent..sch↵  
.8212 Engine.name: ·ISO ·Schematron↵  
.8213 Severity: ·error↵  
.8214 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.8214 subSection ·or ·subSubSection.↵  
.8215 Start.location: ·954:134↵  
.8216 ↵  
.8217 System.ID: .  
.8217 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.8217 /BC229C385843FFE6FF8FFFA9FF9A9E39.xml↵  
.8218 Main.validation.file: .  
.8218 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.8218 /BC229C385843FFE6FF8FFFA9FF9A9E39.xml↵  
.8219 Scenario.name: ·gg-sch↵  
.8220 Schema: .  
.8220 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.8220 ent..sch↵  
.8221 Engine.name: ·ISO ·Schematron↵  
.8222 Severity: ·error↵  
.8223 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.8223 subSection ·or ·subSubSection.↵  
.8224 Start.location: ·959:109↵  
.8225 ↵  
.8226 System.ID: .  
.8226 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.8226 /BC229C385843FFE6FF8FFFA9FF9A9E39.xml↵  
.8227 Main.validation.file: .  
.8227 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.8227 /BC229C385843FFE6FF8FFFA9FF9A9E39.xml↵  
.8228 Scenario.name: ·gg-sch↵  
.8229 Schema: .  
.8229 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.8229 ent..sch↵

.8230 Engine.name: .ISO.Schematron↵  
.8231 Severity: .error↵  
.8232 Description: .A .paragraph .must .have .an .ancestor .  
.8232 subSection .or .subSubSection.↵  
.8233 Start.location: .960:134↵  
.8234 ↵  
.8235 System.ID: .  
.8235 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.8235 /BC229C385843FFE6FF8FFFA9FF9A9E39.xml↵  
.8236 Main.validation.file: .  
.8236 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.8236 /BC229C385843FFE6FF8FFFA9FF9A9E39.xml↵  
.8237 Scenario.name: .gg-sch↵  
.8238 Schema: .  
.8238 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.8238 ent..sch↵  
.8239 Engine.name: .ISO.Schematron↵  
.8240 Severity: .error↵  
.8241 Description: .A .paragraph .must .have .an .ancestor .  
.8241 subSection .or .subSubSection.↵  
.8242 Start.location: .965:136↵  
.8243 ↵  
.8244 System.ID: .  
.8244 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.8244 /BC229C385843FFE6FF8FFFA9FF9A9E39.xml↵  
.8245 Main.validation.file: .  
.8245 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.8245 /BC229C385843FFE6FF8FFFA9FF9A9E39.xml↵  
.8246 Scenario.name: .gg-sch↵  
.8247 Schema: .  
.8247 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.8247 ent..sch↵  
.8248 Engine.name: .ISO.Schematron↵  
.8249 Severity: .error↵  
.8250 Description: .A .paragraph .must .have .an .ancestor .

.8250 subSection ·or ·subSubSection .↳  
.8251 Start ·location: ·966:134↳  
.8252 ↳  
.8253 System ·ID: ·  
.8253 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.8253 /BC229C385843FFE6FF8FFFA9FF9A9E39.xml↳  
.8254 Main ·validation ·file: ·  
.8254 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.8254 /BC229C385843FFE6FF8FFFA9FF9A9E39.xml↳  
.8255 Scenario ·name: ·gg-sch↳  
.8256 Schema: ·  
.8256 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.8256 ent..sch↳  
.8257 Engine ·name: ·ISO ·Schematron↳  
.8258 Severity: ·error↳  
.8259 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.8259 subSection ·or ·subSubSection .↳  
.8260 Start ·location: ·967:109↳  
.8261 ↳  
.8262 System ·ID: ·  
.8262 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.8262 /BC229C385843FFE6FF8FFFA9FF9A9E39.xml↳  
.8263 Main ·validation ·file: ·  
.8263 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.8263 /BC229C385843FFE6FF8FFFA9FF9A9E39.xml↳  
.8264 Scenario ·name: ·gg-sch↳  
.8265 Schema: ·  
.8265 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.8265 ent..sch↳  
.8266 Engine ·name: ·ISO ·Schematron↳  
.8267 Severity: ·error↳  
.8268 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.8268 subSection ·or ·subSubSection .↳  
.8269 Start ·location: ·971:109↳  
.8270 ↳

.8271 System·ID: ·  
.8271 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.8271 /C271FF992D44B2716077FFA8FFFE9F08.xml↵  
.8272 Main·validation·file: ·  
.8272 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.8272 /C271FF992D44B2716077FFA8FFFE9F08.xml↵  
.8273 Scenario·name: ·gg-sch↵  
.8274 Schema: ·  
.8274 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.8274 ent..sch↵  
.8275 Engine·name: ·ISO·Schematron↵  
.8276 Severity: ·error↵  
.8277 Description: ·A·paragraph·must·have·an·ancestor·  
.8277 subSection·or·subSubSection.↵  
.8278 Start·location: ·50:130↵  
.8279 ↵  
.8280 System·ID: ·  
.8280 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.8280 /C271FF992D44B2716077FFA8FFFE9F08.xml↵  
.8281 Main·validation·file: ·  
.8281 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.8281 /C271FF992D44B2716077FFA8FFFE9F08.xml↵  
.8282 Scenario·name: ·gg-sch↵  
.8283 Schema: ·  
.8283 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.8283 ent..sch↵  
.8284 Engine·name: ·ISO·Schematron↵  
.8285 Severity: ·error↵  
.8286 Description: ·A·paragraph·must·have·an·ancestor·  
.8286 subSection·or·subSubSection.↵  
.8287 Start·location: ·53:130↵  
.8288 ↵  
.8289 System·ID: ·  
.8289 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.8289 /C271FF992D44B2716077FFA8FFFE9F08.xml↵

.8290 Main-validation-file: .  
.8290 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.8290 /C271FF992D44B2716077FFA8FFFE9F08.xml↵  
.8291 Scenario-name: .gg-sch↵  
.8292 Schema: .  
.8292 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.8292 ent..sch↵  
.8293 Engine-name: .ISO-Schematron↵  
.8294 Severity: .error↵  
.8295 Description: .A .paragraph .must .have .an .ancestor .  
.8295 subSection .or .subSubSection.↵  
.8296 Start-location: .63:132↵  
.8297 ↵  
.8298 System-ID: .  
.8298 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.8298 /C271FF992D44B2716077FFA8FFFE9F08.xml↵  
.8299 Main-validation-file: .  
.8299 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.8299 /C271FF992D44B2716077FFA8FFFE9F08.xml↵  
.8300 Scenario-name: .gg-sch↵  
.8301 Schema: .  
.8301 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.8301 ent..sch↵  
.8302 Engine-name: .ISO-Schematron↵  
.8303 Severity: .error↵  
.8304 Description: .A .paragraph .must .have .an .ancestor .  
.8304 subSection .or .subSubSection.↵  
.8305 Start-location: .69:140↵  
.8306 ↵  
.8307 System-ID: .  
.8307 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.8307 /C271FF992D44B2716077FFA8FFFE9F08.xml↵  
.8308 Main-validation-file: .  
.8308 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.8308 /C271FF992D44B2716077FFA8FFFE9F08.xml↵

.8309 Scenario ·name: ·gg-sch ↵  
.8310 Schema: ·  
.8310 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
.8311 Engine ·name: ·ISO ·Schematron ↵  
.8312 Severity: ·error ↵  
.8313 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.8313 subSection ·or ·subSubSection. ↵  
.8314 Start ·location: ·77:143 ↵  
.8315 ↵  
.8316 System ·ID: ·  
.8316 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.8316 /C271FF992D44B2716077FFA8FFFE9F08.xml ↵  
.8317 Main ·validation ·file: ·  
.8317 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.8317 /C271FF992D44B2716077FFA8FFFE9F08.xml ↵  
.8318 Scenario ·name: ·gg-sch ↵  
.8319 Schema: ·  
.8319 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
.8320 Engine ·name: ·ISO ·Schematron ↵  
.8321 Severity: ·error ↵  
.8322 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.8322 subSection ·or ·subSubSection. ↵  
.8323 Start ·location: ·96:130 ↵  
.8324 ↵  
.8325 System ·ID: ·  
.8325 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.8325 /C271FF992D44B2716077FFA8FFFE9F08.xml ↵  
.8326 Main ·validation ·file: ·  
.8326 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.8326 /C271FF992D44B2716077FFA8FFFE9F08.xml ↵  
.8327 Scenario ·name: ·gg-sch ↵  
.8328 Schema: ·  
.8328 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm

.8328 ent..sch↵  
.8329 Engine.name: ·ISO ·Schematron↵  
.8330 Severity: ·error↵  
.8331 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
subSection ·or ·subSubSection.↵  
.8332 Start.location: ·101:130↵  
.8333 ↵  
.8334 System.ID: ·  
/Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
/C271FF992D44B2716077FFA8FFFE9F08.xml↵  
.8335 Main.validation.file: ·  
/Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
/C271FF992D44B2716077FFA8FFFE9F08.xml↵  
.8336 Scenario.name: ·gg-sch↵  
.8337 Schema: ·  
/Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch↵  
.8338 Engine.name: ·ISO ·Schematron↵  
.8339 Severity: ·error↵  
.8340 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
subSection ·or ·subSubSection.↵  
.8341 Start.location: ·104:130↵  
.8342 ↵  
.8343 System.ID: ·  
/Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
/C271FF992D44B2716077FFA8FFFE9F08.xml↵  
.8344 Main.validation.file: ·  
/Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
/C271FF992D44B2716077FFA8FFFE9F08.xml↵  
.8345 Scenario.name: ·gg-sch↵  
.8346 Schema: ·  
/Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch↵  
.8347 Engine.name: ·ISO ·Schematron↵  
.8348 Severity: ·error↵

.8349 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.8349 subSection ·or ·subSubSection. ↵  
.8350 Start ·location: ·109:130 ↵  
.8351 ↵  
.8352 System ·ID: ·  
.8352 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.8352 /C271FF992D44B2716077FFA8FFFE9F08.xml ↵  
.8353 Main ·validation ·file: ·  
.8353 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.8353 /C271FF992D44B2716077FFA8FFFE9F08.xml ↵  
.8354 Scenario ·name: ·gg-sch ↵  
.8355 Schema: ·  
.8355 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.8355 ent..sch ↵  
.8356 Engine ·name: ·ISO ·Schematron ↵  
.8357 Severity: ·error ↵  
.8358 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.8358 subSection ·or ·subSubSection. ↵  
.8359 Start ·location: ·112:130 ↵  
.8360 ↵  
.8361 System ·ID: ·  
.8361 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.8361 /C271FF992D44B2716077FFA8FFFE9F08.xml ↵  
.8362 Main ·validation ·file: ·  
.8362 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.8362 /C271FF992D44B2716077FFA8FFFE9F08.xml ↵  
.8363 Scenario ·name: ·gg-sch ↵  
.8364 Schema: ·  
.8364 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.8364 ent..sch ↵  
.8365 Engine ·name: ·ISO ·Schematron ↵  
.8366 Severity: ·error ↵  
.8367 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.8367 subSection ·or ·subSubSection. ↵  
.8368 Start ·location: ·113:130 ↵

.8369 ↵  
.8370 System·ID: ·  
.8370 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.8370 /C271FF992D44B2716077FFA8FFFE9F08.xml↵  
.8371 Main·validation·file: ·  
.8371 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.8371 /C271FF992D44B2716077FFA8FFFE9F08.xml↵  
.8372 Scenario·name: ·gg-sch↵  
.8373 Schema: ·  
.8373 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.8373 ent..sch↵  
.8374 Engine·name: ·ISO·Schematron↵  
.8375 Severity: ·error↵  
.8376 Description: ·A·paragraph·must·have·an·ancestor·  
.8376 subSection·or·subSubSection.↵  
.8377 Start·location: ·114:130↵  
.8378 ↵  
.8379 System·ID: ·  
.8379 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.8379 /C271FF992D44B2716077FFA8FFFE9F08.xml↵  
.8380 Main·validation·file: ·  
.8380 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.8380 /C271FF992D44B2716077FFA8FFFE9F08.xml↵  
.8381 Scenario·name: ·gg-sch↵  
.8382 Schema: ·  
.8382 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.8382 ent..sch↵  
.8383 Engine·name: ·ISO·Schematron↵  
.8384 Severity: ·error↵  
.8385 Description: ·A·paragraph·must·have·an·ancestor·  
.8385 subSection·or·subSubSection.↵  
.8386 Start·location: ·115:164↵  
.8387 ↵  
.8388 System·ID: ·  
.8388 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax

.8388 /E50CA85DFFE026379703CD25FFFaffd2.xml ↵  
.8389 Main-validation-file: ·  
.8389 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.8389 /E50CA85DFFE026379703CD25FFFaffd2.xml ↵  
.8390 Scenario-name: ·gg-sch↵  
.8391 Schema: ·  
.8391 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.8391 ent..sch↵  
.8392 Engine-name: ·ISO-Schematron↵  
.8393 Severity: ·error↵  
.8394 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.8394 subSection ·or ·subSubSection.↵  
.8395 Start-location: ·60:130↵  
.8396 ↵  
.8397 System-ID: ·  
.8397 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.8397 /E50CA85DFFE026379703CD25FFFaffd2.xml ↵  
.8398 Main-validation-file: ·  
.8398 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.8398 /E50CA85DFFE026379703CD25FFFaffd2.xml ↵  
.8399 Scenario-name: ·gg-sch↵  
.8400 Schema: ·  
.8400 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.8400 ent..sch↵  
.8401 Engine-name: ·ISO-Schematron↵  
.8402 Severity: ·error↵  
.8403 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.8403 subSection ·or ·subSubSection.↵  
.8404 Start-location: ·66:107↵  
.8405 ↵  
.8406 System-ID: ·  
.8406 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.8406 /E50CA85DFFE026379703CD25FFFaffd2.xml ↵  
.8407 Main-validation-file: ·  
.8407 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax

.8407 /E50CA85DFFE026379703CD25FFFaffd2.xml ↵  
.8408 Scenario.name: .gg-sch ↵  
.8409 Schema: .  
.8409 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
.8410 Engine.name: .ISO .Schematron ↵  
.8411 Severity: .error ↵  
.8412 Description: .A .paragraph .must .have .an .ancestor .  
.8412 subSection .or .subSubSection. ↵  
.8413 Start.location: .74:130 ↵  
.8414 ↵  
.8415 System.ID: .  
.8415 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.8415 /E50CA85DFFE026379703CD25FFFaffd2.xml ↵  
.8416 Main.validation.file: .  
.8416 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.8416 /E50CA85DFFE026379703CD25FFFaffd2.xml ↵  
.8417 Scenario.name: .gg-sch ↵  
.8418 Schema: .  
.8418 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
.8419 Engine.name: .ISO .Schematron ↵  
.8420 Severity: .error ↵  
.8421 Description: .A .paragraph .must .have .an .ancestor .  
.8421 subSection .or .subSubSection. ↵  
.8422 Start.location: .98:107 ↵  
.8423 ↵  
.8424 System.ID: .  
.8424 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.8424 /E50CA85DFFE026379703CD25FFFaffd2.xml ↵  
.8425 Main.validation.file: .  
.8425 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.8425 /E50CA85DFFE026379703CD25FFFaffd2.xml ↵  
.8426 Scenario.name: .gg-sch ↵  
.8427 Schema: .

.8427 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.8427 ent..sch↵  
.8428 Engine.name: ·ISO ·Schematron↵  
.8429 Severity: ·error↵  
.8430 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.8430 subSection ·or ·subSubSection.↵  
.8431 Start ·location: ·101:132↵  
.8432 ↵  
.8433 System ·ID: ·  
.8433 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.8433 /E50CA85DFFE026379703CD25FFFaffd2.xml↵  
.8434 Main ·validation ·file: ·  
.8434 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.8434 /E50CA85DFFE026379703CD25FFFaffd2.xml↵  
.8435 Scenario ·name: ·gg-sch↵  
.8436 Schema: ·  
.8436 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.8436 ent..sch↵  
.8437 Engine.name: ·ISO ·Schematron↵  
.8438 Severity: ·error↵  
.8439 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.8439 subSection ·or ·subSubSection.↵  
.8440 Start ·location: ·106:132↵  
.8441 ↵  
.8442 System ·ID: ·  
.8442 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.8442 /E50CA85DFFE026379703CD25FFFaffd2.xml↵  
.8443 Main ·validation ·file: ·  
.8443 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.8443 /E50CA85DFFE026379703CD25FFFaffd2.xml↵  
.8444 Scenario ·name: ·gg-sch↵  
.8445 Schema: ·  
.8445 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.8445 ent..sch↵  
.8446 Engine.name: ·ISO ·Schematron↵

.8447 Severity: ·error ↵  
.8448 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.8448 subSection ·or ·subSubSection. ↵  
.8449 Start ·location: ·107:130 ↵  
.8450 ↵  
.8451 System ·ID: ·  
/Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
/E50CA85DFFE026379703CD25FFFaffd2.xml ↵  
.8452 Main ·validation ·file: ·  
/Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
/E50CA85DFFE026379703CD25FFFaffd2.xml ↵  
.8453 Scenario ·name: ·gg-sch ↵  
.8454 Schema: ·  
/Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
.8455 Engine ·name: ·ISO ·Schematron ↵  
.8456 Severity: ·error ↵  
.8457 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.8457 subSection ·or ·subSubSection. ↵  
.8458 Start ·location: ·113:130 ↵  
.8459 ↵  
.8460 System ·ID: ·  
/Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
/E50CA85DFFE026379703CD25FFFaffd2.xml ↵  
.8461 Main ·validation ·file: ·  
/Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
/E50CA85DFFE026379703CD25FFFaffd2.xml ↵  
.8462 Scenario ·name: ·gg-sch ↵  
.8463 Schema: ·  
/Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
.8464 Engine ·name: ·ISO ·Schematron ↵  
.8465 Severity: ·error ↵  
.8466 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.8466 subSection ·or ·subSubSection. ↵

.8467 Start ·location: ·114:107 ↵  
.8468 ↵  
.8469 System ·ID: ·  
.8469 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
/E50CA85DFFE026379703CD25FFFaffd2.xml ↵  
.8470 Main ·validation ·file: ·  
.8470 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
/E50CA85DFFE026379703CD25FFFaffd2.xml ↵  
.8471 Scenario ·name: ·gg-sch ↵  
.8472 Schema: ·  
.8472 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
.8473 Engine ·name: ·ISO ·Schematron ↵  
.8474 Severity: ·error ↵  
.8475 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.8475 subSection ·or ·subSubSection. ↵  
.8476 Start ·location: ·124:108 ↵  
.8477 ↵  
.8478 System ·ID: ·  
.8478 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
/E50CA85DFFE026379703CD25FFFaffd2.xml ↵  
.8479 Main ·validation ·file: ·  
.8479 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
/E50CA85DFFE026379703CD25FFFaffd2.xml ↵  
.8480 Scenario ·name: ·gg-sch ↵  
.8481 Schema: ·  
.8481 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
.8482 Engine ·name: ·ISO ·Schematron ↵  
.8483 Severity: ·error ↵  
.8484 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.8484 subSection ·or ·subSubSection. ↵  
.8485 Start ·location: ·129:134 ↵  
.8486 ↵  
.8487 System ·ID: ·

.8487 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.8487 /E50CA85DFFE026379703CD25FFFACFD2.xml ↵  
.8488 Main-validation-file: ·  
.8488 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.8488 /E50CA85DFFE026379703CD25FFFACFD2.xml ↵  
.8489 Scenario-name: ·gg-sch ↵  
.8490 Schema: ·  
.8490 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.8490 ent..sch ↵  
.8491 Engine-name: ·ISO ·Schematron ↵  
.8492 Severity: ·error ↵  
.8493 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.8493 subSection ·or ·subSubSection. ↵  
.8494 Start-location: ·133:134 ↵  
.8495 ↵  
.8496 System-ID: ·  
.8496 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.8496 /E50CA85DFFE026379703CD25FFFACFD2.xml ↵  
.8497 Main-validation-file: ·  
.8497 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.8497 /E50CA85DFFE026379703CD25FFFACFD2.xml ↵  
.8498 Scenario-name: ·gg-sch ↵  
.8499 Schema: ·  
.8499 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.8499 ent..sch ↵  
.8500 Engine-name: ·ISO ·Schematron ↵  
.8501 Severity: ·error ↵  
.8502 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.8502 subSection ·or ·subSubSection. ↵  
.8503 Start-location: ·138:108 ↵  
.8504 ↵  
.8505 System-ID: ·  
.8505 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.8505 /E50CA85DFFE026379703CD25FFFACFD2.xml ↵  
.8506 Main-validation-file: ·

.8506 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.8506 /E50CA85DFFE026379703CD25FFFACFD2.xml ↵  
.8507 Scenario.name: .gg-sch ↵  
.8508 Schema: .  
.8508 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
.8509 Engine.name: .ISO .Schematron ↵  
.8510 Severity: .error ↵  
.8511 Description: .A .paragraph .must .have .an .ancestor .  
.8511 subSection .or .subSubSection. ↵  
.8512 Start.location: .149:176 ↵  
.8513 ↵  
.8514 System.ID: .  
.8514 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.8514 /E50CA85DFFE026379703CD25FFFACFD2.xml ↵  
.8515 Main.validation.file: .  
.8515 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.8515 /E50CA85DFFE026379703CD25FFFACFD2.xml ↵  
.8516 Scenario.name: .gg-sch ↵  
.8517 Schema: .  
.8517 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
.8518 Engine.name: .ISO .Schematron ↵  
.8519 Severity: .error ↵  
.8520 Description: .A .paragraph .must .have .an .ancestor .  
.8520 subSection .or .subSubSection. ↵  
.8521 Start.location: .168:135 ↵  
.8522 ↵  
.8523 System.ID: .  
.8523 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.8523 /E50CA85DFFE026379703CD25FFFACFD2.xml ↵  
.8524 Main.validation.file: .  
.8524 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.8524 /E50CA85DFFE026379703CD25FFFACFD2.xml ↵  
.8525 Scenario.name: .gg-sch ↵

.8526 Schema: .  
.8526 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.8526 ent..sch↵  
.8527 Engine.name: ·ISO ·Schematron↵  
.8528 Severity: ·error↵  
.8529 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.8529 subSection ·or ·subSubSection.↵  
.8530 Start.location: ·172:109↵  
.8531 ↵  
.8532 System.ID: .  
.8532 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.8532 /E50CA85DFFE026379703CD25FFFaffd2.xml↵  
.8533 Main.validation.file: .  
.8533 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.8533 /E50CA85DFFE026379703CD25FFFaffd2.xml↵  
.8534 Scenario.name: ·gg-sch↵  
.8535 Schema: .  
.8535 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.8535 ent..sch↵  
.8536 Engine.name: ·ISO ·Schematron↵  
.8537 Severity: ·error↵  
.8538 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.8538 subSection ·or ·subSubSection.↵  
.8539 Start.location: ·177:106↵  
.8540 ↵  
.8541 System.ID: .  
.8541 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.8541 /E50CA85DFFE026379703CD25FFFaffd2.xml↵  
.8542 Main.validation.file: .  
.8542 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.8542 /E50CA85DFFE026379703CD25FFFaffd2.xml↵  
.8543 Scenario.name: ·gg-sch↵  
.8544 Schema: .  
.8544 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.8544 ent..sch↵

.8545 Engine ·name: ·ISO ·Schematron ↵  
.8546 Severity: ·error ↵  
.8547 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
subSection ·or ·subSubSection. ↵  
.8548 Start ·location: ·184:130 ↵  
.8549 ↵  
.8550 System ·ID: ·  
/Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
/E50CA85DFFE026379703CD25FFFaffd2.xml ↵  
.8551 Main ·validation ·file: ·  
/Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
/E50CA85DFFE026379703CD25FFFaffd2.xml ↵  
.8552 Scenario ·name: ·gg-sch ↵  
.8553 Schema: ·  
/Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
.8554 Engine ·name: ·ISO ·Schematron ↵  
.8555 Severity: ·error ↵  
.8556 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
subSection ·or ·subSubSection. ↵  
.8557 Start ·location: ·189:107 ↵  
.8558 ↵  
.8559 System ·ID: ·  
/Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
/E50CA85DFFE026379703CD25FFFaffd2.xml ↵  
.8560 Main ·validation ·file: ·  
/Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
/E50CA85DFFE026379703CD25FFFaffd2.xml ↵  
.8561 Scenario ·name: ·gg-sch ↵  
.8562 Schema: ·  
/Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
.8563 Engine ·name: ·ISO ·Schematron ↵  
.8564 Severity: ·error ↵  
.8565 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·

.8565 subSection ·or ·subSubSection .↳  
.8566 Start ·location: ·198:142↳  
.8567 ↳  
.8568 System ·ID: ·  
.8568 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.8568 /E50CA85DFFE026379703CD25FFFaffd2.xml↳  
.8569 Main ·validation ·file: ·  
.8569 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.8569 /E50CA85DFFE026379703CD25FFFaffd2.xml↳  
.8570 Scenario ·name: ·gg-sch↳  
.8571 Schema: ·  
.8571 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.8571 ent..sch↳  
.8572 Engine ·name: ·ISO ·Schematron↳  
.8573 Severity: ·error↳  
.8574 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.8574 subSection ·or ·subSubSection .↳  
.8575 Start ·location: ·209:132↳  
.8576 ↳  
.8577 System ·ID: ·  
.8577 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.8577 /E50CA85DFFE026379703CD25FFFaffd2.xml↳  
.8578 Main ·validation ·file: ·  
.8578 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.8578 /E50CA85DFFE026379703CD25FFFaffd2.xml↳  
.8579 Scenario ·name: ·gg-sch↳  
.8580 Schema: ·  
.8580 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.8580 ent..sch↳  
.8581 Engine ·name: ·ISO ·Schematron↳  
.8582 Severity: ·error↳  
.8583 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.8583 subSection ·or ·subSubSection .↳  
.8584 Start ·location: ·214:132↳  
.8585 ↳

.8586 System·ID: ·  
.8586 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.8586 /E50CA85DFFE026379703CD25FFFaffd2.xml↵  
.8587 Main·validation·file: ·  
.8587 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.8587 /E50CA85DFFE026379703CD25FFFaffd2.xml↵  
.8588 Scenario·name: ·gg-sch↵  
.8589 Schema: ·  
.8589 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.8589 ent..sch↵  
.8590 Engine·name: ·ISO·Schematron↵  
.8591 Severity: ·error↵  
.8592 Description: ·A·paragraph·must·have·an·ancestor·  
.8592 subSection·or·subSubSection.↵  
.8593 Start·location: ·219:108↵  
.8594 ↵  
.8595 System·ID: ·  
.8595 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.8595 /E50CA85DFFE026379703CD25FFFaffd2.xml↵  
.8596 Main·validation·file: ·  
.8596 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.8596 /E50CA85DFFE026379703CD25FFFaffd2.xml↵  
.8597 Scenario·name: ·gg-sch↵  
.8598 Schema: ·  
.8598 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.8598 ent..sch↵  
.8599 Engine·name: ·ISO·Schematron↵  
.8600 Severity: ·error↵  
.8601 Description: ·A·paragraph·must·have·an·ancestor·  
.8601 subSection·or·subSubSection.↵  
.8602 Start·location: ·228:108↵  
.8603 ↵  
.8604 System·ID: ·  
.8604 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.8604 /E50CA85DFFE026379703CD25FFFaffd2.xml↵

.8605 Main-validation-file: ·  
.8605 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.8605 /E50CA85DFFE026379703CD25FFFaffd2.xml ↵  
.8606 Scenario-name: ·gg-sch ↵  
.8607 Schema: ·  
.8607 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.8607 ent..sch ↵  
.8608 Engine-name: ·ISO ·Schematron ↵  
.8609 Severity: ·error ↵  
.8610 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.8610 subSection ·or ·subSubSection. ↵  
.8611 Start-location: ·233:136 ↵  
.8612 ↵  
.8613 System-ID: ·  
.8613 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.8613 /E50CA85DFFE026379703CD25FFFaffd2.xml ↵  
.8614 Main-validation-file: ·  
.8614 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.8614 /E50CA85DFFE026379703CD25FFFaffd2.xml ↵  
.8615 Scenario-name: ·gg-sch ↵  
.8616 Schema: ·  
.8616 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.8616 ent..sch ↵  
.8617 Engine-name: ·ISO ·Schematron ↵  
.8618 Severity: ·error ↵  
.8619 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.8619 subSection ·or ·subSubSection. ↵  
.8620 Start-location: ·238:178 ↵  
.8621 ↵  
.8622 System-ID: ·  
.8622 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.8622 /E50CA85DFFE026379703CD25FFFaffd2.xml ↵  
.8623 Main-validation-file: ·  
.8623 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.8623 /E50CA85DFFE026379703CD25FFFaffd2.xml ↵

.8624 Scenario ·name: ·gg-sch ↵  
.8625 Schema: ·  
.8625 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
.8626 Engine ·name: ·ISO ·Schematron ↵  
.8627 Severity: ·error ↵  
.8628 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.8628 subSection ·or ·subSubSection. ↵  
.8629 Start ·location: ·262:108 ↵  
.8630 ↵  
.8631 System ·ID: ·  
.8631 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
/E50CA85DFFE026379703CD25FFFaffd2.xml ↵  
.8632 Main ·validation ·file: ·  
.8632 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
/E50CA85DFFE026379703CD25FFFaffd2.xml ↵  
.8633 Scenario ·name: ·gg-sch ↵  
.8634 Schema: ·  
.8634 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
.8635 Engine ·name: ·ISO ·Schematron ↵  
.8636 Severity: ·error ↵  
.8637 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.8637 subSection ·or ·subSubSection. ↵  
.8638 Start ·location: ·276:109 ↵  
.8639 ↵  
.8640 System ·ID: ·  
.8640 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
/E50CA85DFFE026379703CD25FFFaffd2.xml ↵  
.8641 Main ·validation ·file: ·  
.8641 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
/E50CA85DFFE026379703CD25FFFaffd2.xml ↵  
.8642 Scenario ·name: ·gg-sch ↵  
.8643 Schema: ·  
.8643 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm

.8643 ent..sch↵  
.8644 Engine.name: ·ISO ·Schematron↵  
.8645 Severity: ·error↵  
.8646 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.8646 subSection ·or ·subSubSection.↵  
.8647 Start ·location: ·285:107↵  
.8648 ↵  
.8649 System ·ID: ·  
.8649 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.8649 /E50CA85DFFE026379703CD25FFFaffd2.xml↵  
.8650 Main ·validation ·file: ·  
.8650 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.8650 /E50CA85DFFE026379703CD25FFFaffd2.xml↵  
.8651 Scenario ·name: ·gg-sch↵  
.8652 Schema: ·  
.8652 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.8652 ent..sch↵  
.8653 Engine.name: ·ISO ·Schematron↵  
.8654 Severity: ·error↵  
.8655 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.8655 subSection ·or ·subSubSection.↵  
.8656 Start ·location: ·300:134↵  
.8657 ↵  
.8658 System ·ID: ·  
.8658 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.8658 /E50CA85DFFE026379703CD25FFFaffd2.xml↵  
.8659 Main ·validation ·file: ·  
.8659 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.8659 /E50CA85DFFE026379703CD25FFFaffd2.xml↵  
.8660 Scenario ·name: ·gg-sch↵  
.8661 Schema: ·  
.8661 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.8661 ent..sch↵  
.8662 Engine.name: ·ISO ·Schematron↵  
.8663 Severity: ·error↵

.8664 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.8664 subSection ·or ·subSubSection. ↵  
.8665 Start ·location: ·305:108 ↵  
.8666 ↵  
.8667 System ·ID: ·  
.8667 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.8667 /E50CA85DFFE026379703CD25FFFACFD2.xml ↵  
.8668 Main ·validation ·file: ·  
.8668 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.8668 /E50CA85DFFE026379703CD25FFFACFD2.xml ↵  
.8669 Scenario ·name: ·gg-sch ↵  
.8670 Schema: ·  
.8670 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.8670 ent..sch ↵  
.8671 Engine ·name: ·ISO ·Schematron ↵  
.8672 Severity: ·error ↵  
.8673 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.8673 subSection ·or ·subSubSection. ↵  
.8674 Start ·location: ·306:144 ↵  
.8675 ↵  
.8676 System ·ID: ·  
.8676 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.8676 /E50CA85DFFE026379703CD25FFFACFD2.xml ↵  
.8677 Main ·validation ·file: ·  
.8677 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.8677 /E50CA85DFFE026379703CD25FFFACFD2.xml ↵  
.8678 Scenario ·name: ·gg-sch ↵  
.8679 Schema: ·  
.8679 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.8679 ent..sch ↵  
.8680 Engine ·name: ·ISO ·Schematron ↵  
.8681 Severity: ·error ↵  
.8682 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.8682 subSection ·or ·subSubSection. ↵  
.8683 Start ·location: ·313:108 ↵

.8684 <  
.8685 System·ID: ·  
.8685 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.8685 /E50CA85DFFE026379703CD25FFFaffd2.xml<  
.8686 Main·validation·file: ·  
.8686 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.8686 /E50CA85DFFE026379703CD25FFFaffd2.xml<  
.8687 Scenario·name: ·gg-sch<  
.8688 Schema: ·  
.8688 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.8688 ent..sch<  
.8689 Engine·name: ·ISO·Schematron<  
.8690 Severity: ·error<  
.8691 Description: ·A·paragraph·must·have·an·ancestor·  
.8691 subSection·or·subSubSection.<  
.8692 Start·location: ·318:176<  
.8693 <  
.8694 System·ID: ·  
.8694 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.8694 /E50CA85DFFE026379703CD25FFFaffd2.xml<  
.8695 Main·validation·file: ·  
.8695 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.8695 /E50CA85DFFE026379703CD25FFFaffd2.xml<  
.8696 Scenario·name: ·gg-sch<  
.8697 Schema: ·  
.8697 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.8697 ent..sch<  
.8698 Engine·name: ·ISO·Schematron<  
.8699 Severity: ·error<  
.8700 Description: ·A·paragraph·must·have·an·ancestor·  
.8700 subSection·or·subSubSection.<  
.8701 Start·location: ·336:132<  
.8702 <  
.8703 System·ID: ·  
.8703 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax

.8703 /E50CA85DFFE026379703CD25FFFaffd2.xml ↵  
.8704 Main-validation-file: ·  
.8704 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.8704 /E50CA85DFFE026379703CD25FFFaffd2.xml ↵  
.8705 Scenario-name: ·gg-sch ↵  
.8706 Schema: ·  
.8706 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.8706 ent..sch ↵  
.8707 Engine-name: ·ISO-Schematron ↵  
.8708 Severity: ·error ↵  
.8709 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.8709 subSection ·or ·subSubSection. ↵  
.8710 Start-location: ·341:76 ↵  
.8711 ↵  
.8712 System-ID: ·  
.8712 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.8712 /E50CA85DFFE026379703CD25FFFaffd2.xml ↵  
.8713 Main-validation-file: ·  
.8713 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.8713 /E50CA85DFFE026379703CD25FFFaffd2.xml ↵  
.8714 Scenario-name: ·gg-sch ↵  
.8715 Schema: ·  
.8715 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.8715 ent..sch ↵  
.8716 Engine-name: ·ISO-Schematron ↵  
.8717 Severity: ·error ↵  
.8718 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.8718 subSection ·or ·subSubSection. ↵  
.8719 Start-location: ·644:134 ↵  
.8720 ↵  
.8721 System-ID: ·  
.8721 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.8721 /E50CA85DFFE026379703CD25FFFaffd2.xml ↵  
.8722 Main-validation-file: ·  
.8722 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax

.8722 /E50CA85DFFE026379703CD25FFFaffd2.xml ↵  
.8723 Scenario.name: .gg-sch ↵  
.8724 Schema: .  
.8724 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
.8725 Engine.name: .ISO .Schematron ↵  
.8726 Severity: .error ↵  
.8727 Description: .A .paragraph .must .have .an .ancestor .  
.8727 subSection .or .subSubSection. ↵  
.8728 Start.location: .650:130 ↵  
.8729 ↵  
.8730 System.ID: .  
.8730 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.8730 /E50CA85DFFE026379703CD25FFFaffd2.xml ↵  
.8731 Main.validation.file: .  
.8731 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.8731 /E50CA85DFFE026379703CD25FFFaffd2.xml ↵  
.8732 Scenario.name: .gg-sch ↵  
.8733 Schema: .  
.8733 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
.8734 Engine.name: .ISO .Schematron ↵  
.8735 Severity: .error ↵  
.8736 Description: .A .paragraph .must .have .an .ancestor .  
.8736 subSection .or .subSubSection. ↵  
.8737 Start.location: .655:107 ↵  
.8738 ↵  
.8739 System.ID: .  
.8739 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.8739 /E50CA85DFFE026379703CD25FFFaffd2.xml ↵  
.8740 Main.validation.file: .  
.8740 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.8740 /E50CA85DFFE026379703CD25FFFaffd2.xml ↵  
.8741 Scenario.name: .gg-sch ↵  
.8742 Schema: .

.8742 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.8742 ent..sch↵  
.8743 Engine.name: ·ISO ·Schematron↵  
.8744 Severity: ·error↵  
.8745 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.8745 subSection ·or ·subSubSection.↵  
.8746 Start ·location: ·666:142↵  
.8747 ↵  
.8748 System ·ID: ·  
.8748 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.8748 /E50CA85DFFE026379703CD25FFFaffd2.xml↵  
.8749 Main ·validation ·file: ·  
.8749 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.8749 /E50CA85DFFE026379703CD25FFFaffd2.xml↵  
.8750 Scenario ·name: ·gg-sch↵  
.8751 Schema: ·  
.8751 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.8751 ent..sch↵  
.8752 Engine.name: ·ISO ·Schematron↵  
.8753 Severity: ·error↵  
.8754 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.8754 subSection ·or ·subSubSection.↵  
.8755 Start ·location: ·667:132↵  
.8756 ↵  
.8757 System ·ID: ·  
.8757 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.8757 /E50CA85DFFE026379703CD25FFFaffd2.xml↵  
.8758 Main ·validation ·file: ·  
.8758 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.8758 /E50CA85DFFE026379703CD25FFFaffd2.xml↵  
.8759 Scenario ·name: ·gg-sch↵  
.8760 Schema: ·  
.8760 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.8760 ent..sch↵  
.8761 Engine.name: ·ISO ·Schematron↵

.8762 Severity: ·error ↵  
.8763 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.8763 subSection ·or ·subSubSection. ↵  
.8764 Start ·location: ·672:107 ↵  
.8765 ↵  
.8766 System ·ID: ·  
/Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.8766 /E50CA85DFFE026379703CD25FFFaffd2.xml ↵  
.8767 Main ·validation ·file: ·  
/Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.8767 /E50CA85DFFE026379703CD25FFFaffd2.xml ↵  
.8768 Scenario ·name: ·gg-sch ↵  
.8769 Schema: ·  
/Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.8769 ent..sch ↵  
.8770 Engine ·name: ·ISO ·Schematron ↵  
.8771 Severity: ·error ↵  
.8772 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.8772 subSection ·or ·subSubSection. ↵  
.8773 Start ·location: ·673:130 ↵  
.8774 ↵  
.8775 System ·ID: ·  
/Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.8775 /E50CA85DFFE026379703CD25FFFaffd2.xml ↵  
.8776 Main ·validation ·file: ·  
/Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.8776 /E50CA85DFFE026379703CD25FFFaffd2.xml ↵  
.8777 Scenario ·name: ·gg-sch ↵  
.8778 Schema: ·  
/Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.8778 ent..sch ↵  
.8779 Engine ·name: ·ISO ·Schematron ↵  
.8780 Severity: ·error ↵  
.8781 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.8781 subSection ·or ·subSubSection. ↵

.8782 Start ·location: ·678:107 ↵  
.8783 ↵  
.8784 System ·ID: ·  
.8784 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.8784 /E50CA85DFFE026379703CD25FFFaffd2.xml ↵  
.8785 Main ·validation ·file: ·  
.8785 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.8785 /E50CA85DFFE026379703CD25FFFaffd2.xml ↵  
.8786 Scenario ·name: ·gg-sch ↵  
.8787 Schema: ·  
.8787 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.8787 ent..sch ↵  
.8788 Engine ·name: ·ISO ·Schematron ↵  
.8789 Severity: ·error ↵  
.8790 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.8790 subSection ·or ·subSubSection. ↵  
.8791 Start ·location: ·679:132 ↵  
.8792 ↵  
.8793 System ·ID: ·  
.8793 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.8793 /E50CA85DFFE026379703CD25FFFaffd2.xml ↵  
.8794 Main ·validation ·file: ·  
.8794 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.8794 /E50CA85DFFE026379703CD25FFFaffd2.xml ↵  
.8795 Scenario ·name: ·gg-sch ↵  
.8796 Schema: ·  
.8796 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.8796 ent..sch ↵  
.8797 Engine ·name: ·ISO ·Schematron ↵  
.8798 Severity: ·error ↵  
.8799 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.8799 subSection ·or ·subSubSection. ↵  
.8800 Start ·location: ·683:132 ↵  
.8801 ↵  
.8802 System ·ID: ·

.8802 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.8802 /E50CA85DFFE026379703CD25FFFaffd2.xml ↵  
.8803 Main-validation-file: ·  
.8803 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.8803 /E50CA85DFFE026379703CD25FFFaffd2.xml ↵  
.8804 Scenario-name: ·gg-sch ↵  
.8805 Schema: ·  
.8805 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.8805 ent..sch ↵  
.8806 Engine-name: ·ISO ·Schematron ↵  
.8807 Severity: ·error ↵  
.8808 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.8808 subSection ·or ·subSubSection. ↵  
.8809 Start-location: ·688:108 ↵  
.8810 ↵  
.8811 System-ID: ·  
.8811 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.8811 /E50CA85DFFE026379703CD25FFFaffd2.xml ↵  
.8812 Main-validation-file: ·  
.8812 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.8812 /E50CA85DFFE026379703CD25FFFaffd2.xml ↵  
.8813 Scenario-name: ·gg-sch ↵  
.8814 Schema: ·  
.8814 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.8814 ent..sch ↵  
.8815 Engine-name: ·ISO ·Schematron ↵  
.8816 Severity: ·error ↵  
.8817 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.8817 subSection ·or ·subSubSection. ↵  
.8818 Start-location: ·714:108 ↵  
.8819 ↵  
.8820 System-ID: ·  
.8820 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.8820 /E50CA85DFFE026379703CD25FFFaffd2.xml ↵  
.8821 Main-validation-file: ·

.8821 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.8821 /E50CA85DFFE026379703CD25FFFACFD2.xml ↵  
.8822 Scenario.name: .gg-sch ↵  
.8823 Schema: .  
.8823 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
.8824 Engine.name: .ISO .Schematron ↵  
.8825 Severity: .error ↵  
.8826 Description: .A .paragraph .must .have .an .ancestor .  
.8826 subSection .or .subSubSection. ↵  
.8827 Start.location: .737:108 ↵  
.8828 ↵  
.8829 System.ID: .  
.8829 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.8829 /E50CA85DFFE026379703CD25FFFACFD2.xml ↵  
.8830 Main.validation.file: .  
.8830 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.8830 /E50CA85DFFE026379703CD25FFFACFD2.xml ↵  
.8831 Scenario.name: .gg-sch ↵  
.8832 Schema: .  
.8832 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
.8833 Engine.name: .ISO .Schematron ↵  
.8834 Severity: .error ↵  
.8835 Description: .A .paragraph .must .have .an .ancestor .  
.8835 subSection .or .subSubSection. ↵  
.8836 Start.location: .757:108 ↵  
.8837 ↵  
.8838 System.ID: .  
.8838 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.8838 /E50CA85DFFE026379703CD25FFFACFD2.xml ↵  
.8839 Main.validation.file: .  
.8839 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.8839 /E50CA85DFFE026379703CD25FFFACFD2.xml ↵  
.8840 Scenario.name: .gg-sch ↵

.8841 Schema: .  
.8841 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.8841 ent..sch↵  
.8842 Engine.name: ·ISO ·Schematron↵  
.8843 Severity: ·error↵  
.8844 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.8844 subSection ·or ·subSubSection.↵  
.8845 Start.location: ·773:108↵  
.8846 ↵  
.8847 System.ID: .  
.8847 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.8847 /E50CA85DFFE026379703CD25FFFaffd2.xml↵  
.8848 Main.validation-file: .  
.8848 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.8848 /E50CA85DFFE026379703CD25FFFaffd2.xml↵  
.8849 Scenario.name: ·gg-sch↵  
.8850 Schema: .  
.8850 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.8850 ent..sch↵  
.8851 Engine.name: ·ISO ·Schematron↵  
.8852 Severity: ·error↵  
.8853 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.8853 subSection ·or ·subSubSection.↵  
.8854 Start.location: ·799:108↵  
.8855 ↵  
.8856 System.ID: .  
.8856 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.8856 /E50CA85DFFE026379703CD25FFFaffd2.xml↵  
.8857 Main.validation-file: .  
.8857 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.8857 /E50CA85DFFE026379703CD25FFFaffd2.xml↵  
.8858 Scenario.name: ·gg-sch↵  
.8859 Schema: .  
.8859 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.8859 ent..sch↵

.8860 Engine.name: ·ISO ·Schematron↵  
.8861 Severity: ·error↵  
.8862 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.8862 subSection ·or ·subSubSection.↵  
.8863 Start.location: ·825:108↵  
.8864 ↵  
.8865 System.ID: ·  
.8865 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.8865 /E50CA85DFFE026379703CD25FFFaffd2.xml↵  
.8866 Main.validation.file: ·  
.8866 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.8866 /E50CA85DFFE026379703CD25FFFaffd2.xml↵  
.8867 Scenario.name: ·gg-sch↵  
.8868 Schema: ·  
.8868 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.8868 ent..sch↵  
.8869 Engine.name: ·ISO ·Schematron↵  
.8870 Severity: ·error↵  
.8871 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.8871 subSection ·or ·subSubSection.↵  
.8872 Start.location: ·851:108↵  
.8873 ↵  
.8874 System.ID: ·  
.8874 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.8874 /E50CA85DFFE026379703CD25FFFaffd2.xml↵  
.8875 Main.validation.file: ·  
.8875 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.8875 /E50CA85DFFE026379703CD25FFFaffd2.xml↵  
.8876 Scenario.name: ·gg-sch↵  
.8877 Schema: ·  
.8877 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.8877 ent..sch↵  
.8878 Engine.name: ·ISO ·Schematron↵  
.8879 Severity: ·error↵  
.8880 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·

.8880 subSection ·or ·subSubSection .↳  
.8881 Start ·location: ·872:108↳  
.8882 ↳  
.8883 System ·ID: ·  
.8883 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.8883 /E50CA85DFFE026379703CD25FFFaffd2.xml↳  
.8884 Main ·validation ·file: ·  
.8884 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.8884 /E50CA85DFFE026379703CD25FFFaffd2.xml↳  
.8885 Scenario ·name: ·gg-sch↳  
.8886 Schema: ·  
.8886 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.8886 ent..sch↳  
.8887 Engine ·name: ·ISO ·Schematron↳  
.8888 Severity: ·error↳  
.8889 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.8889 subSection ·or ·subSubSection .↳  
.8890 Start ·location: ·898:108↳  
.8891 ↳  
.8892 System ·ID: ·  
.8892 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.8892 /E50CA85DFFE026379703CD25FFFaffd2.xml↳  
.8893 Main ·validation ·file: ·  
.8893 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.8893 /E50CA85DFFE026379703CD25FFFaffd2.xml↳  
.8894 Scenario ·name: ·gg-sch↳  
.8895 Schema: ·  
.8895 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.8895 ent..sch↳  
.8896 Engine ·name: ·ISO ·Schematron↳  
.8897 Severity: ·error↳  
.8898 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.8898 subSection ·or ·subSubSection .↳  
.8899 Start ·location: ·924:108↳  
.8900 ↳

.8901 System·ID: ·  
.8901 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.8901 /E50CA85DFFE026379703CD25FFFaffd2.xml↵  
.8902 Main·validation·file: ·  
.8902 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.8902 /E50CA85DFFE026379703CD25FFFaffd2.xml↵  
.8903 Scenario·name: ·gg-sch↵  
.8904 Schema: ·  
.8904 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.8904 ent..sch↵  
.8905 Engine·name: ·ISO·Schematron↵  
.8906 Severity: ·error↵  
.8907 Description: ·A·paragraph·must·have·an·ancestor·  
.8907 subSection·or·subSubSection.↵  
.8908 Start·location: ·947:108↵  
.8909 ↵  
.8910 System·ID: ·  
.8910 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.8910 /E50CA85DFFE026379703CD25FFFaffd2.xml↵  
.8911 Main·validation·file: ·  
.8911 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.8911 /E50CA85DFFE026379703CD25FFFaffd2.xml↵  
.8912 Scenario·name: ·gg-sch↵  
.8913 Schema: ·  
.8913 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.8913 ent..sch↵  
.8914 Engine·name: ·ISO·Schematron↵  
.8915 Severity: ·error↵  
.8916 Description: ·A·paragraph·must·have·an·ancestor·  
.8916 subSection·or·subSubSection.↵  
.8917 Start·location: ·973:108↵  
.8918 ↵  
.8919 System·ID: ·  
.8919 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.8919 /E50CA85DFFE026379703CD25FFFaffd2.xml↵

.8920 Main-validation-file: .  
.8920 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.8920 /E50CA85DFFE026379703CD25FFFaffd2.xml↵  
.8921 Scenario-name: ·gg-sch↵  
.8922 Schema: .  
.8922 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch↵  
.8923 Engine-name: ·ISO ·Schematron↵  
.8924 Severity: ·error↵  
.8925 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.8925 subSection ·or ·subSubSection.↵  
.8926 Start ·location: ·999:106↵  
.8927 ↵  
.8928 System ·ID: .  
.8928 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.8928 /E50CA85DFFE026379703CD25FFFaffd2.xml↵  
.8929 Main-validation-file: .  
.8929 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.8929 /E50CA85DFFE026379703CD25FFFaffd2.xml↵  
.8930 Scenario-name: ·gg-sch↵  
.8931 Schema: .  
.8931 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch↵  
.8932 Engine-name: ·ISO ·Schematron↵  
.8933 Severity: ·error↵  
.8934 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.8934 subSection ·or ·subSubSection.↵  
.8935 Start ·location: ·1025:106↵  
.8936 ↵  
.8937 System ·ID: .  
.8937 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.8937 /E50CA85DFFE026379703CD25FFFaffd2.xml↵  
.8938 Main-validation-file: .  
.8938 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.8938 /E50CA85DFFE026379703CD25FFFaffd2.xml↵

.8939 Scenario ·name: ·gg-sch ↵  
.8940 Schema: ·  
.8940 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
.8941 Engine ·name: ·ISO ·Schematron ↵  
.8942 Severity: ·error ↵  
.8943 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.8943 subSection ·or ·subSubSection. ↵  
.8944 Start ·location: ·1051:106 ↵  
.8945 ↵  
.8946 System ·ID: ·  
.8946 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.8946 /E50CA85DFFE026379703CD25FFFaffd2.xml ↵  
.8947 Main ·validation ·file: ·  
.8947 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.8947 /E50CA85DFFE026379703CD25FFFaffd2.xml ↵  
.8948 Scenario ·name: ·gg-sch ↵  
.8949 Schema: ·  
.8949 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
.8950 Engine ·name: ·ISO ·Schematron ↵  
.8951 Severity: ·error ↵  
.8952 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.8952 subSection ·or ·subSubSection. ↵  
.8953 Start ·location: ·1077:106 ↵  
.8954 ↵  
.8955 System ·ID: ·  
.8955 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.8955 /E50CA85DFFE026379703CD25FFFaffd2.xml ↵  
.8956 Main ·validation ·file: ·  
.8956 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.8956 /E50CA85DFFE026379703CD25FFFaffd2.xml ↵  
.8957 Scenario ·name: ·gg-sch ↵  
.8958 Schema: ·  
.8958 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm

.8958 ent..sch↵  
.8959 Engine.name: ·ISO ·Schematron↵  
.8960 Severity: ·error↵  
.8961 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
subSection ·or ·subSubSection.↵  
.8962 Start.location: ·1103:106↵  
.8963 ↵  
.8964 System.ID: ·  
.8964 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.8964 /E50CA85DFFE026379703CD25FFFaffd2.xml↵  
.8965 Main.validation.file: ·  
.8965 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.8965 /E50CA85DFFE026379703CD25FFFaffd2.xml↵  
.8966 Scenario.name: ·gg-sch↵  
.8967 Schema: ·  
.8967 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.8967 ent..sch↵  
.8968 Engine.name: ·ISO ·Schematron↵  
.8969 Severity: ·error↵  
.8970 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
subSection ·or ·subSubSection.↵  
.8971 Start.location: ·1129:106↵  
.8972 ↵  
.8973 System.ID: ·  
.8973 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.8973 /E50CA85DFFE026379703CD25FFFaffd2.xml↵  
.8974 Main.validation.file: ·  
.8974 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.8974 /E50CA85DFFE026379703CD25FFFaffd2.xml↵  
.8975 Scenario.name: ·gg-sch↵  
.8976 Schema: ·  
.8976 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.8976 ent..sch↵  
.8977 Engine.name: ·ISO ·Schematron↵  
.8978 Severity: ·error↵

.8979 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.8979 subSection ·or ·subSubSection. ↵  
.8980 Start ·location: ·1155:106 ↵  
.8981 ↵  
.8982 System ·ID: ·  
.8982 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.8982 /E50CA85DFFE026379703CD25FFFaffd2.xml ↵  
.8983 Main ·validation ·file: ·  
.8983 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.8983 /E50CA85DFFE026379703CD25FFFaffd2.xml ↵  
.8984 Scenario ·name: ·gg-sch ↵  
.8985 Schema: ·  
.8985 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.8985 ent..sch ↵  
.8986 Engine ·name: ·ISO ·Schematron ↵  
.8987 Severity: ·error ↵  
.8988 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.8988 subSection ·or ·subSubSection. ↵  
.8989 Start ·location: ·1181:106 ↵  
.8990 ↵  
.8991 System ·ID: ·  
.8991 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.8991 /E50CA85DFFE026379703CD25FFFaffd2.xml ↵  
.8992 Main ·validation ·file: ·  
.8992 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.8992 /E50CA85DFFE026379703CD25FFFaffd2.xml ↵  
.8993 Scenario ·name: ·gg-sch ↵  
.8994 Schema: ·  
.8994 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.8994 ent..sch ↵  
.8995 Engine ·name: ·ISO ·Schematron ↵  
.8996 Severity: ·error ↵  
.8997 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.8997 subSection ·or ·subSubSection. ↵  
.8998 Start ·location: ·1207:106 ↵

.8999 ↵  
.9000 System·ID: ·  
.9000 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.9000 /E50CA85DFFE026379703CD25FFFaffd2.xml↵  
.9001 Main·validation·file: ·  
.9001 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.9001 /E50CA85DFFE026379703CD25FFFaffd2.xml↵  
.9002 Scenario·name: ·gg-sch↵  
.9003 Schema: ·  
.9003 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch↵  
.9004 Engine·name: ·ISO·Schematron↵  
.9005 Severity: ·error↵  
.9006 Description: ·A·paragraph·must·have·an·ancestor·  
.9006 subSection·or·subSubSection.↵  
.9007 Start·location: ·1233:106↵  
.9008 ↵  
.9009 System·ID: ·  
.9009 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.9009 /E50CA85DFFE026379703CD25FFFaffd2.xml↵  
.9010 Main·validation·file: ·  
.9010 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.9010 /E50CA85DFFE026379703CD25FFFaffd2.xml↵  
.9011 Scenario·name: ·gg-sch↵  
.9012 Schema: ·  
.9012 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch↵  
.9013 Engine·name: ·ISO·Schematron↵  
.9014 Severity: ·error↵  
.9015 Description: ·A·paragraph·must·have·an·ancestor·  
.9015 subSection·or·subSubSection.↵  
.9016 Start·location: ·1260:107↵  
.9017 ↵  
.9018 System·ID: ·  
.9018 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax

.9018 /E50CA85DFFE026379703CD25FFFaffd2.xml ↵  
.9019 Main-validation-file: ·  
.9019 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.9019 /E50CA85DFFE026379703CD25FFFaffd2.xml ↵  
.9020 Scenario-name: ·gg-sch ↵  
.9021 Schema: ·  
.9021 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.9021 ent..sch ↵  
.9022 Engine-name: ·ISO-Schematron ↵  
.9023 Severity: ·error ↵  
.9024 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.9024 subSection ·or ·subSubSection. ↵  
.9025 Start-location: ·1286:107 ↵  
.9026 ↵  
.9027 System-ID: ·  
.9027 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.9027 /E50CA85DFFE026379703CD25FFFaffd2.xml ↵  
.9028 Main-validation-file: ·  
.9028 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.9028 /E50CA85DFFE026379703CD25FFFaffd2.xml ↵  
.9029 Scenario-name: ·gg-sch ↵  
.9030 Schema: ·  
.9030 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.9030 ent..sch ↵  
.9031 Engine-name: ·ISO-Schematron ↵  
.9032 Severity: ·error ↵  
.9033 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.9033 subSection ·or ·subSubSection. ↵  
.9034 Start-location: ·1312:107 ↵  
.9035 ↵  
.9036 System-ID: ·  
.9036 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.9036 /E50CA85DFFE026379703CD25FFFaffd2.xml ↵  
.9037 Main-validation-file: ·  
.9037 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax

.9037 /E50CA85DFFE026379703CD25FFFaffd2.xml ↵  
.9038 Scenario.name: .gg-sch ↵  
.9039 Schema: .  
.9039 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
.9040 Engine.name: .ISO .Schematron ↵  
.9041 Severity: .error ↵  
.9042 Description: .A .paragraph .must .have .an .ancestor .  
.9042 subSection .or .subSubSection. ↵  
.9043 Start.location: .1338:107 ↵  
.9044 ↵  
.9045 System.ID: .  
.9045 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.9045 /E50CA85DFFE026379703CD25FFFaffd2.xml ↵  
.9046 Main.validation.file: .  
.9046 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.9046 /E50CA85DFFE026379703CD25FFFaffd2.xml ↵  
.9047 Scenario.name: .gg-sch ↵  
.9048 Schema: .  
.9048 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
.9049 Engine.name: .ISO .Schematron ↵  
.9050 Severity: .error ↵  
.9051 Description: .A .paragraph .must .have .an .ancestor .  
.9051 subSection .or .subSubSection. ↵  
.9052 Start.location: .1364:107 ↵  
.9053 ↵  
.9054 System.ID: .  
.9054 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.9054 /E50CA85DFFE026379703CD25FFFaffd2.xml ↵  
.9055 Main.validation.file: .  
.9055 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.9055 /E50CA85DFFE026379703CD25FFFaffd2.xml ↵  
.9056 Scenario.name: .gg-sch ↵  
.9057 Schema: .

.9057 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.9057 ent..sch↵  
.9058 Engine.name: ·ISO ·Schematron↵  
.9059 Severity: ·error↵  
.9060 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.9060 subSection ·or ·subSubSection.↵  
.9061 Start ·location: ·1385:107↵  
.9062 ↵  
.9063 System ·ID: ·  
.9063 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.9063 /E50CA85DFFE026379703CD25FFFaffd2.xml↵  
.9064 Main ·validation ·file: ·  
.9064 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.9064 /E50CA85DFFE026379703CD25FFFaffd2.xml↵  
.9065 Scenario ·name: ·gg-sch↵  
.9066 Schema: ·  
.9066 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.9066 ent..sch↵  
.9067 Engine.name: ·ISO ·Schematron↵  
.9068 Severity: ·error↵  
.9069 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.9069 subSection ·or ·subSubSection.↵  
.9070 Start ·location: ·1410:107↵  
.9071 ↵  
.9072 System ·ID: ·  
.9072 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.9072 /E50CA85DFFE026379703CD25FFFaffd2.xml↵  
.9073 Main ·validation ·file: ·  
.9073 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.9073 /E50CA85DFFE026379703CD25FFFaffd2.xml↵  
.9074 Scenario ·name: ·gg-sch↵  
.9075 Schema: ·  
.9075 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.9075 ent..sch↵  
.9076 Engine.name: ·ISO ·Schematron↵

.9077 Severity: ·error ↵  
.9078 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.9078 subSection ·or ·subSubSection. ↵  
.9079 Start ·location: ·1433:107 ↵  
.9080 ↵  
.9081 System ·ID: ·  
/Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
/E50CA85DFFE026379703CD25FFFaffd2.xml ↵  
.9082 Main ·validation ·file: ·  
/Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
/E50CA85DFFE026379703CD25FFFaffd2.xml ↵  
.9083 Scenario ·name: ·gg-sch ↵  
.9084 Schema: ·  
/Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
.9085 Engine ·name: ·ISO ·Schematron ↵  
.9086 Severity: ·error ↵  
.9087 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.9087 subSection ·or ·subSubSection. ↵  
.9088 Start ·location: ·1459:107 ↵  
.9089 ↵  
.9090 System ·ID: ·  
/Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
/E50CA85DFFE026379703CD25FFFaffd2.xml ↵  
.9091 Main ·validation ·file: ·  
/Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
/E50CA85DFFE026379703CD25FFFaffd2.xml ↵  
.9092 Scenario ·name: ·gg-sch ↵  
.9093 Schema: ·  
/Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
.9094 Engine ·name: ·ISO ·Schematron ↵  
.9095 Severity: ·error ↵  
.9096 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.9096 subSection ·or ·subSubSection. ↵

.9097 Start ·location: ·1485:107 ↵  
.9098 ↵  
.9099 System ·ID: ·  
.9099 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.9099 /E50CA85DFFE026379703CD25FFFaffd2.xml ↵  
.9100 Main ·validation ·file: ·  
.9100 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.9100 /E50CA85DFFE026379703CD25FFFaffd2.xml ↵  
.9101 Scenario ·name: ·gg-sch ↵  
.9102 Schema: ·  
.9102 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.9102 ent..sch ↵  
.9103 Engine ·name: ·ISO ·Schematron ↵  
.9104 Severity: ·error ↵  
.9105 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.9105 subSection ·or ·subSubSection. ↵  
.9106 Start ·location: ·1511:107 ↵  
.9107 ↵  
.9108 System ·ID: ·  
.9108 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.9108 /FF91FFA08707240FFFCEFFCCE728FFBF.xml ↵  
.9109 Main ·validation ·file: ·  
.9109 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.9109 /FF91FFA08707240FFFCEFFCCE728FFBF.xml ↵  
.9110 Scenario ·name: ·gg-sch ↵  
.9111 Schema: ·  
.9111 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.9111 ent..sch ↵  
.9112 Engine ·name: ·ISO ·Schematron ↵  
.9113 Severity: ·error ↵  
.9114 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.9114 subSection ·or ·subSubSection. ↵  
.9115 Start ·location: ·554:113 ↵  
.9116 ↵  
.9117 System ·ID: ·

.9117 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.9117 /FF92FFA9301FFF0FFF3FFBCE46DFFB8.xml ↵  
.9118 Main-validation-file: ·  
.9118 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.9118 /FF92FFA9301FFF0FFF3FFBCE46DFFB8.xml ↵  
.9119 Scenario-name: ·gg-sch ↵  
.9120 Schema: ·  
.9120 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.9120 ent..sch ↵  
.9121 Engine-name: ·ISO ·Schematron ↵  
.9122 Severity: ·error ↵  
.9123 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.9123 subSection ·or ·subSubSection. ↵  
.9124 Start-location: ·95:130 ↵  
.9125 ↵  
.9126 System-ID: ·  
.9126 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.9126 /FF92FFA9301FFF0FFF3FFBCE46DFFB8.xml ↵  
.9127 Main-validation-file: ·  
.9127 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.9127 /FF92FFA9301FFF0FFF3FFBCE46DFFB8.xml ↵  
.9128 Scenario-name: ·gg-sch ↵  
.9129 Schema: ·  
.9129 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.9129 ent..sch ↵  
.9130 Engine-name: ·ISO ·Schematron ↵  
.9131 Severity: ·error ↵  
.9132 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.9132 subSection ·or ·subSubSection. ↵  
.9133 Start-location: ·100:130 ↵  
.9134 ↵  
.9135 System-ID: ·  
.9135 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.9135 /FF92FFA9301FFF0FFF3FFBCE46DFFB8.xml ↵  
.9136 Main-validation-file: ·

.9136 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.9136 /FF92FFA9301FFF0FFF3FFBCE46DFFB8.xml ↵  
.9137 Scenario.name: .gg-sch ↵  
.9138 Schema: .  
.9138 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
.9139 Engine.name: .ISO .Schematron ↵  
.9140 Severity: .error ↵  
.9141 Description: .A .paragraph .must .have .an .ancestor .  
.9141 subSection .or .subSubSection. ↵  
.9142 Start.location: .105:106 ↵  
.9143 ↵  
.9144 System.ID: .  
.9144 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.9144 /FF92FFA9301FFF0FFF3FFBCE46DFFB8.xml ↵  
.9145 Main.validation.file: .  
.9145 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.9145 /FF92FFA9301FFF0FFF3FFBCE46DFFB8.xml ↵  
.9146 Scenario.name: .gg-sch ↵  
.9147 Schema: .  
.9147 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
.9148 Engine.name: .ISO .Schematron ↵  
.9149 Severity: .error ↵  
.9150 Description: .A .paragraph .must .have .an .ancestor .  
.9150 subSection .or .subSubSection. ↵  
.9151 Start.location: .132:130 ↵  
.9152 ↵  
.9153 System.ID: .  
.9153 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.9153 /FF92FFA9301FFF0FFF3FFBCE46DFFB8.xml ↵  
.9154 Main.validation.file: .  
.9154 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.9154 /FF92FFA9301FFF0FFF3FFBCE46DFFB8.xml ↵  
.9155 Scenario.name: .gg-sch ↵

.9156 Schema: .  
.9156 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch↵  
.9157 Engine.name: ·ISO ·Schematron↵  
.9158 Severity: ·error↵  
.9159 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
subSection ·or ·subSubSection.↵  
.9160 Start.location: ·135:130↵  
.9161 ↵  
.9162 System.ID: .  
.9162 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
/FF92FFA9301FFF80FFF3FFBCE46DFFB8.xml↵  
.9163 Main.validation.file: .  
.9163 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
/FF92FFA9301FFF80FFF3FFBCE46DFFB8.xml↵  
.9164 Scenario.name: ·gg-sch↵  
.9165 Schema: .  
.9165 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch↵  
.9166 Engine.name: ·ISO ·Schematron↵  
.9167 Severity: ·error↵  
.9168 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
subSection ·or ·subSubSection.↵  
.9169 Start.location: ·138:134↵  
.9170 ↵  
.9171 System.ID: .  
.9171 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
/FF92FFA9301FFF80FFF3FFBCE46DFFB8.xml↵  
.9172 Main.validation.file: .  
.9172 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
/FF92FFA9301FFF80FFF3FFBCE46DFFB8.xml↵  
.9173 Scenario.name: ·gg-sch↵  
.9174 Schema: .  
.9174 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch↵

.9175 Engine ·name: ·ISO ·Schematron ↵  
.9176 Severity: ·error ↵  
.9177 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.9177 subSection ·or ·subSubSection. ↵  
.9178 Start ·location: ·141:134 ↵  
.9179 ↵  
.9180 System ·ID: ·  
/Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
/FF92FFA9301FFF0FFF3FFBCE46DFFB8.xml ↵  
.9181 Main ·validation ·file: ·  
/Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
/FF92FFA9301FFF0FFF3FFBCE46DFFB8.xml ↵  
.9182 Scenario ·name: ·gg-sch ↵  
.9183 Schema: ·  
/Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
.9184 Engine ·name: ·ISO ·Schematron ↵  
.9185 Severity: ·error ↵  
.9186 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.9186 subSection ·or ·subSubSection. ↵  
.9187 Start ·location: ·144:134 ↵  
.9188 ↵  
.9189 System ·ID: ·  
/Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
/FF92FFA9301FFF0FFF3FFBCE46DFFB8.xml ↵  
.9190 Main ·validation ·file: ·  
/Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
/FF92FFA9301FFF0FFF3FFBCE46DFFB8.xml ↵  
.9191 Scenario ·name: ·gg-sch ↵  
.9192 Schema: ·  
/Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
.9193 Engine ·name: ·ISO ·Schematron ↵  
.9194 Severity: ·error ↵  
.9195 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·

.9195 subSection ·or ·subSubSection .↳  
.9196 Start ·location: ·147:178↳  
.9197 ↳  
.9198 System ·ID: ·  
.9198 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.9198 /FF92FFA9301FFF0FFF3FFBCE46DFFB8.xml↳  
.9199 Main ·validation ·file: ·  
.9199 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.9199 /FF92FFA9301FFF0FFF3FFBCE46DFFB8.xml↳  
.9200 Scenario ·name: ·gg-sch↳  
.9201 Schema: ·  
.9201 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.9201 ent..sch↳  
.9202 Engine ·name: ·ISO ·Schematron↳  
.9203 Severity: ·error↳  
.9204 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.9204 subSection ·or ·subSubSection .↳  
.9205 Start ·location: ·168:108↳  
.9206 ↳  
.9207 System ·ID: ·  
.9207 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.9207 /FF92FFA9301FFF0FFF3FFBCE46DFFB8.xml↳  
.9208 Main ·validation ·file: ·  
.9208 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.9208 /FF92FFA9301FFF0FFF3FFBCE46DFFB8.xml↳  
.9209 Scenario ·name: ·gg-sch↳  
.9210 Schema: ·  
.9210 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.9210 ent..sch↳  
.9211 Engine ·name: ·ISO ·Schematron↳  
.9212 Severity: ·error↳  
.9213 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.9213 subSection ·or ·subSubSection .↳  
.9214 Start ·location: ·171:134↳  
.9215 ↳

.9216 System·ID: ·  
.9216 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.9216 /FF92FFA9301FFF0FFF3FFBCE46DFFB8.xml↵  
.9217 Main·validation·file: ·  
.9217 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.9217 /FF92FFA9301FFF0FFF3FFBCE46DFFB8.xml↵  
.9218 Scenario·name: ·gg-sch↵  
.9219 Schema: ·  
.9219 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.9219 ent..sch↵  
.9220 Engine·name: ·ISO·Schematron↵  
.9221 Severity: ·error↵  
.9222 Description: ·A·paragraph·must·have·an·ancestor·  
.9222 subSection·or·subSubSection.↵  
.9223 Start·location: ·174:108↵  
.9224 ↵  
.9225 System·ID: ·  
.9225 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.9225 /FF92FFA9301FFF0FFF3FFBCE46DFFB8.xml↵  
.9226 Main·validation·file: ·  
.9226 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.9226 /FF92FFA9301FFF0FFF3FFBCE46DFFB8.xml↵  
.9227 Scenario·name: ·gg-sch↵  
.9228 Schema: ·  
.9228 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.9228 ent..sch↵  
.9229 Engine·name: ·ISO·Schematron↵  
.9230 Severity: ·error↵  
.9231 Description: ·A·paragraph·must·have·an·ancestor·  
.9231 subSection·or·subSubSection.↵  
.9232 Start·location: ·177:108↵  
.9233 ↵  
.9234 System·ID: ·  
.9234 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.9234 /FF92FFA9301FFF0FFF3FFBCE46DFFB8.xml↵

.9235 Main-validation-file: ·  
.9235 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.9235 /FF92FFA9301FFF0FFF3FFBCE46DFFB8.xml ↵  
.9236 Scenario-name: ·gg-sch ↵  
.9237 Schema: ·  
.9237 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.9237 ent..sch ↵  
.9238 Engine-name: ·ISO-Schematron ↵  
.9239 Severity: ·error ↵  
.9240 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.9240 subSection ·or ·subSubSection. ↵  
.9241 Start-location: ·185:108 ↵  
.9242 ↵  
.9243 System-ID: ·  
.9243 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.9243 /FF92FFA9301FFF0FFF3FFBCE46DFFB8.xml ↵  
.9244 Main-validation-file: ·  
.9244 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.9244 /FF92FFA9301FFF0FFF3FFBCE46DFFB8.xml ↵  
.9245 Scenario-name: ·gg-sch ↵  
.9246 Schema: ·  
.9246 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.9246 ent..sch ↵  
.9247 Engine-name: ·ISO-Schematron ↵  
.9248 Severity: ·error ↵  
.9249 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.9249 subSection ·or ·subSubSection. ↵  
.9250 Start-location: ·188:134 ↵  
.9251 ↵  
.9252 System-ID: ·  
.9252 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.9252 /FF92FFA9301FFF0FFF3FFBCE46DFFB8.xml ↵  
.9253 Main-validation-file: ·  
.9253 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.9253 /FF92FFA9301FFF0FFF3FFBCE46DFFB8.xml ↵

.9254 Scenario ·name: ·gg-sch ↵  
.9255 Schema: ·  
.9255 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
.9256 Engine ·name: ·ISO ·Schematron ↵  
.9257 Severity: ·error ↵  
.9258 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.9258 subSection ·or ·subSubSection. ↵  
.9259 Start ·location: ·191:142 ↵  
.9260 ↵  
.9261 System ·ID: ·  
.9261 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
/FF92FFA9301FFF80FFF3FFBCE46DFFB8.xml ↵  
.9262 Main ·validation ·file: ·  
.9262 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
/FF92FFA9301FFF80FFF3FFBCE46DFFB8.xml ↵  
.9263 Scenario ·name: ·gg-sch ↵  
.9264 Schema: ·  
.9264 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
.9265 Engine ·name: ·ISO ·Schematron ↵  
.9266 Severity: ·error ↵  
.9267 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.9267 subSection ·or ·subSubSection. ↵  
.9268 Start ·location: ·202:142 ↵  
.9269 ↵  
.9270 System ·ID: ·  
.9270 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
/FF92FFA9301FFF80FFF3FFBCE46DFFB8.xml ↵  
.9271 Main ·validation ·file: ·  
.9271 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
/FF92FFA9301FFF80FFF3FFBCE46DFFB8.xml ↵  
.9272 Scenario ·name: ·gg-sch ↵  
.9273 Schema: ·  
.9273 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm

.9273 ent..sch↵  
.9274 Engine.name: ·ISO ·Schematron↵  
.9275 Severity: ·error↵  
.9276 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.9276 subSection ·or ·subSubSection.↵  
.9277 Start ·location: ·226:107↵  
.9278 ↵  
.9279 System ·ID: ·  
.9279 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.9279 /FF92FFA9301FFF80FFF3FFBCE46DFFB8.xml↵  
.9280 Main ·validation ·file: ·  
.9280 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.9280 /FF92FFA9301FFF80FFF3FFBCE46DFFB8.xml↵  
.9281 Scenario ·name: ·gg-sch↵  
.9282 Schema: ·  
.9282 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.9282 ent..sch↵  
.9283 Engine.name: ·ISO ·Schematron↵  
.9284 Severity: ·error↵  
.9285 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.9285 subSection ·or ·subSubSection.↵  
.9286 Start ·location: ·234:132↵  
.9287 ↵  
.9288 System ·ID: ·  
.9288 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.9288 /FF92FFA9301FFF80FFF3FFBCE46DFFB8.xml↵  
.9289 Main ·validation ·file: ·  
.9289 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.9289 /FF92FFA9301FFF80FFF3FFBCE46DFFB8.xml↵  
.9290 Scenario ·name: ·gg-sch↵  
.9291 Schema: ·  
.9291 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.9291 ent..sch↵  
.9292 Engine.name: ·ISO ·Schematron↵  
.9293 Severity: ·error↵

.9294 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.9294 subSection ·or ·subSubSection. ↵  
.9295 Start ·location: ·240:107 ↵  
.9296 ↵  
.9297 System ·ID: ·  
.9297 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.9297 /FF92FFA9301FFF80FFF3FFBCE46DFFB8.xml ↵  
.9298 Main ·validation ·file: ·  
.9298 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.9298 /FF92FFA9301FFF80FFF3FFBCE46DFFB8.xml ↵  
.9299 Scenario ·name: ·gg-sch ↵  
.9300 Schema: ·  
.9300 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.9300 ent..sch ↵  
.9301 Engine ·name: ·ISO ·Schematron ↵  
.9302 Severity: ·error ↵  
.9303 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.9303 subSection ·or ·subSubSection. ↵  
.9304 Start ·location: ·246:107 ↵  
.9305 ↵  
.9306 System ·ID: ·  
.9306 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.9306 /FF92FFA9301FFF80FFF3FFBCE46DFFB8.xml ↵  
.9307 Main ·validation ·file: ·  
.9307 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.9307 /FF92FFA9301FFF80FFF3FFBCE46DFFB8.xml ↵  
.9308 Scenario ·name: ·gg-sch ↵  
.9309 Schema: ·  
.9309 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.9309 ent..sch ↵  
.9310 Engine ·name: ·ISO ·Schematron ↵  
.9311 Severity: ·error ↵  
.9312 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.9312 subSection ·or ·subSubSection. ↵  
.9313 Start ·location: ·252:109 ↵

.9314   ↳  
.9315   System·ID: ·  
.9315    /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.9315    /FF92FFA9301FFF80FFF3FFBCE46DFFB8.xml↳  
.9316   Main·validation·file: ·  
.9316    /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.9316    /FF92FFA9301FFF80FFF3FFBCE46DFFB8.xml↳  
.9317   Scenario·name: ·gg-sch↳  
.9318   Schema: ·  
.9318    /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch↳  
.9319   Engine·name: ·ISO·Schematron↳  
.9320   Severity: ·error↳  
.9321   Description: ·A·paragraph·must·have·an·ancestor·  
.9321   subSection·or·subSubSection.↳  
.9322   Start·location: ·267:135↳  
.9323    ↳  
.9324   System·ID: ·  
.9324    /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.9324    /FF92FFA9301FFF80FFF3FFBCE46DFFB8.xml↳  
.9325   Main·validation·file: ·  
.9325    /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.9325    /FF92FFA9301FFF80FFF3FFBCE46DFFB8.xml↳  
.9326   Scenario·name: ·gg-sch↳  
.9327   Schema: ·  
.9327    /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch↳  
.9328   Engine·name: ·ISO·Schematron↳  
.9329   Severity: ·error↳  
.9330   Description: ·A·paragraph·must·have·an·ancestor·  
.9330   subSection·or·subSubSection.↳  
.9331   Start·location: ·271:130↳  
.9332    ↳  
.9333   System·ID: ·  
.9333    /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax

.9333 /FF92FFA9301FFF0FFF3FFBCE46DFFB8.xml ↵  
.9334 Main-validation-file: ·  
.9334 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.9334 /FF92FFA9301FFF0FFF3FFBCE46DFFB8.xml ↵  
.9335 Scenario-name: ·gg-sch↵  
.9336 Schema: ·  
.9336 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.9336 ent..sch↵  
.9337 Engine-name: ·ISO-Schematron↵  
.9338 Severity: ·error↵  
.9339 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.9339 subSection ·or ·subSubSection.↵  
.9340 Start-location: ·276:108↵  
.9341 ↵  
.9342 System-ID: ·  
.9342 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.9342 /FF92FFA9301FFF0FFF3FFBCE46DFFB8.xml ↵  
.9343 Main-validation-file: ·  
.9343 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.9343 /FF92FFA9301FFF0FFF3FFBCE46DFFB8.xml ↵  
.9344 Scenario-name: ·gg-sch↵  
.9345 Schema: ·  
.9345 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.9345 ent..sch↵  
.9346 Engine-name: ·ISO-Schematron↵  
.9347 Severity: ·error↵  
.9348 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.9348 subSection ·or ·subSubSection.↵  
.9349 Start-location: ·287:108↵  
.9350 ↵  
.9351 System-ID: ·  
.9351 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.9351 /FF92FFA9301FFF0FFF3FFBCE46DFFB8.xml ↵  
.9352 Main-validation-file: ·  
.9352 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax

.9352 /FF92FFA9301FFF0FFF3FFBCE46DFFB8.xml ↵  
.9353 Scenario.name: .gg-sch ↵  
.9354 Schema: .  
.9354 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
.9355 Engine.name: .ISO.Schematron ↵  
.9356 Severity: .error ↵  
.9357 Description: .A.paragraph.must.have.an.ancestor.  
.9357 subSection.or.subSubSection. ↵  
.9358 Start.location: .294:108 ↵  
.9359 ↵  
.9360 System.ID: .  
.9360 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.9360 /FF92FFA9301FFF0FFF3FFBCE46DFFB8.xml ↵  
.9361 Main.validation.file: .  
.9361 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.9361 /FF92FFA9301FFF0FFF3FFBCE46DFFB8.xml ↵  
.9362 Scenario.name: .gg-sch ↵  
.9363 Schema: .  
.9363 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
.9364 Engine.name: .ISO.Schematron ↵  
.9365 Severity: .error ↵  
.9366 Description: .A.paragraph.must.have.an.ancestor.  
.9366 subSection.or.subSubSection. ↵  
.9367 Start.location: .359:109 ↵  
.9368 ↵  
.9369 System.ID: .  
.9369 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.9369 /FF92FFA9301FFF0FFF3FFBCE46DFFB8.xml ↵  
.9370 Main.validation.file: .  
.9370 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.9370 /FF92FFA9301FFF0FFF3FFBCE46DFFB8.xml ↵  
.9371 Scenario.name: .gg-sch ↵  
.9372 Schema: .

.9372 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.9372 ent..sch↵  
.9373 Engine.name: ·ISO ·Schematron↵  
.9374 Severity: ·error↵  
.9375 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.9375 subSection ·or ·subSubSection.↵  
.9376 Start ·location: ·418:109↵  
.9377 ↵  
.9378 System ·ID: ·  
.9378 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.9378 /FF92FFA9301FFF80FFF3FFBCE46DFFB8.xml↵  
.9379 Main ·validation ·file: ·  
.9379 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.9379 /FF92FFA9301FFF80FFF3FFBCE46DFFB8.xml↵  
.9380 Scenario ·name: ·gg-sch↵  
.9381 Schema: ·  
.9381 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.9381 ent..sch↵  
.9382 Engine.name: ·ISO ·Schematron↵  
.9383 Severity: ·error↵  
.9384 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.9384 subSection ·or ·subSubSection.↵  
.9385 Start ·location: ·425:134↵  
.9386 ↵  
.9387 System ·ID: ·  
.9387 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.9387 /FF92FFA9301FFF80FFF3FFBCE46DFFB8.xml↵  
.9388 Main ·validation ·file: ·  
.9388 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.9388 /FF92FFA9301FFF80FFF3FFBCE46DFFB8.xml↵  
.9389 Scenario ·name: ·gg-sch↵  
.9390 Schema: ·  
.9390 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.9390 ent..sch↵  
.9391 Engine.name: ·ISO ·Schematron↵

.9392 Severity: ·error ↵  
.9393 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.9393 subSection ·or ·subSubSection. ↵  
.9394 Start ·location: ·430:134 ↵  
.9395 ↵  
.9396 System ·ID: ·  
/Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
/FF92FFA9301FFF80FFF3FFBCE46DFFB8.xml ↵  
.9397 Main ·validation ·file: ·  
/Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
/FF92FFA9301FFF80FFF3FFBCE46DFFB8.xml ↵  
.9398 Scenario ·name: ·gg-sch ↵  
.9399 Schema: ·  
/Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
.9400 Engine ·name: ·ISO ·Schematron ↵  
.9401 Severity: ·error ↵  
.9402 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.9402 subSection ·or ·subSubSection. ↵  
.9403 Start ·location: ·435:180 ↵  
.9404 ↵  
.9405 System ·ID: ·  
/Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
/FF92FFA9301FFF80FFF3FFBCE46DFFB8.xml ↵  
.9406 Main ·validation ·file: ·  
/Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
/FF92FFA9301FFF80FFF3FFBCE46DFFB8.xml ↵  
.9407 Scenario ·name: ·gg-sch ↵  
.9408 Schema: ·  
/Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
.9409 Engine ·name: ·ISO ·Schematron ↵  
.9410 Severity: ·error ↵  
.9411 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.9411 subSection ·or ·subSubSection. ↵

.9412 Start ·location: ·472:130 ↵  
.9413 ↵  
.9414 System ·ID: ·  
.9414 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.9414 /FF92FFA9301FFF80FFF3FFBCE46DFFB8.xml ↵  
.9415 Main ·validation ·file: ·  
.9415 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.9415 /FF92FFA9301FFF80FFF3FFBCE46DFFB8.xml ↵  
.9416 Scenario ·name: ·gg-sch ↵  
.9417 Schema: ·  
.9417 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.9417 ent..sch ↵  
.9418 Engine ·name: ·ISO ·Schematron ↵  
.9419 Severity: ·error ↵  
.9420 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.9420 subSection ·or ·subSubSection. ↵  
.9421 Start ·location: ·484:76 ↵  
.9422 ↵  
.9423 System ·ID: ·  
.9423 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.9423 /FF92FFA9301FFF80FFF3FFBCE46DFFB8.xml ↵  
.9424 Main ·validation ·file: ·  
.9424 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.9424 /FF92FFA9301FFF80FFF3FFBCE46DFFB8.xml ↵  
.9425 Scenario ·name: ·gg-sch ↵  
.9426 Schema: ·  
.9426 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.9426 ent..sch ↵  
.9427 Engine ·name: ·ISO ·Schematron ↵  
.9428 Severity: ·error ↵  
.9429 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.9429 subSection ·or ·subSubSection. ↵  
.9430 Start ·location: ·807:138 ↵  
.9431 ↵  
.9432 System ·ID: ·

.9432 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.9432 /FF92FFA9301FFF0FFF3FFBCE46DFFB8.xml ↵  
.9433 Main-validation-file: ·  
.9433 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.9433 /FF92FFA9301FFF0FFF3FFBCE46DFFB8.xml ↵  
.9434 Scenario-name: ·gg-sch ↵  
.9435 Schema: ·  
.9435 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
.9436 Engine-name: ·ISO ·Schematron ↵  
.9437 Severity: ·error ↵  
.9438 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.9438 subSection ·or ·subSubSection. ↵  
.9439 Start-location: ·817:128 ↵  
.9440 ↵  
.9441 System-ID: ·  
.9441 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.9441 /FF92FFA9301FFF0FFF3FFBCE46DFFB8.xml ↵  
.9442 Main-validation-file: ·  
.9442 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.9442 /FF92FFA9301FFF0FFF3FFBCE46DFFB8.xml ↵  
.9443 Scenario-name: ·gg-sch ↵  
.9444 Schema: ·  
.9444 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
.9445 Engine-name: ·ISO ·Schematron ↵  
.9446 Severity: ·error ↵  
.9447 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.9447 subSection ·or ·subSubSection. ↵  
.9448 Start-location: ·823:76 ↵  
.9449 ↵  
.9450 System-ID: ·  
.9450 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.9450 /FF92FFA9301FFF0FFF3FFBCE46DFFB8.xml ↵  
.9451 Main-validation-file: ·

.9451 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.9451 /FF92FFA9301FFF0FFF3FFBCE46DFFB8.xml ↵  
.9452 Scenario.name: .gg-sch ↵  
.9453 Schema: .  
.9453 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
.9454 Engine.name: .ISO .Schematron ↵  
.9455 Severity: .error ↵  
.9456 Description: .A .paragraph .must .have .an .ancestor .  
.9456 subSection .or .subSubSection. ↵  
.9457 Start.location: .1121:138 ↵  
.9458 ↵  
.9459 System.ID: .  
.9459 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.9459 /FF92FFA9301FFF0FFF3FFBCE46DFFB8.xml ↵  
.9460 Main.validation.file: .  
.9460 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.9460 /FF92FFA9301FFF0FFF3FFBCE46DFFB8.xml ↵  
.9461 Scenario.name: .gg-sch ↵  
.9462 Schema: .  
.9462 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
.9463 Engine.name: .ISO .Schematron ↵  
.9464 Severity: .error ↵  
.9465 Description: .A .paragraph .must .have .an .ancestor .  
.9465 subSection .or .subSubSection. ↵  
.9466 Start.location: .1133:128 ↵  
.9467 ↵  
.9468 System.ID: .  
.9468 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.9468 /FF92FFA9301FFF0FFF3FFBCE46DFFB8.xml ↵  
.9469 Main.validation.file: .  
.9469 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.9469 /FF92FFA9301FFF0FFF3FFBCE46DFFB8.xml ↵  
.9470 Scenario.name: .gg-sch ↵

.9471 Schema: .  
.9471 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.9471 ent..sch↵  
.9472 Engine.name: ·ISO ·Schematron↵  
.9473 Severity: ·error↵  
.9474 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.9474 subSection ·or ·subSubSection.↵  
.9475 Start.location: ·1139:76↵  
.9476 ↵  
.9477 System.ID: .  
.9477 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.9477 /FF92FFA9301FFF80FFF3FFBCE46DFFB8.xml↵  
.9478 Main.validation.file: .  
.9478 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.9478 /FF92FFA9301FFF80FFF3FFBCE46DFFB8.xml↵  
.9479 Scenario.name: ·gg-sch↵  
.9480 Schema: .  
.9480 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.9480 ent..sch↵  
.9481 Engine.name: ·ISO ·Schematron↵  
.9482 Severity: ·error↵  
.9483 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.9483 subSection ·or ·subSubSection.↵  
.9484 Start.location: ·1348:109↵  
.9485 ↵  
.9486 System.ID: .  
.9486 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.9486 /FF92FFA9301FFF80FFF3FFBCE46DFFB8.xml↵  
.9487 Main.validation.file: .  
.9487 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.9487 /FF92FFA9301FFF80FFF3FFBCE46DFFB8.xml↵  
.9488 Scenario.name: ·gg-sch↵  
.9489 Schema: .  
.9489 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.9489 ent..sch↵

.9490 Engine ·name: ·ISO ·Schematron ↵  
.9491 Severity: ·error ↵  
.9492 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.9492 subSection ·or ·subSubSection. ↵  
.9493 Start ·location: ·1356:134 ↵  
.9494 ↵  
.9495 System ·ID: ·  
.9495 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.9495 /FF92FFA9301FFF80FFF3FFBCE46DFFB8.xml ↵  
.9496 Main ·validation ·file: ·  
.9496 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.9496 /FF92FFA9301FFF80FFF3FFBCE46DFFB8.xml ↵  
.9497 Scenario ·name: ·gg-sch ↵  
.9498 Schema: ·  
.9498 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.9498 ent..sch ↵  
.9499 Engine ·name: ·ISO ·Schematron ↵  
.9500 Severity: ·error ↵  
.9501 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.9501 subSection ·or ·subSubSection. ↵  
.9502 Start ·location: ·1361:109 ↵  
.9503 ↵  
.9504 System ·ID: ·  
.9504 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.9504 /FF92FFA9301FFF80FFF3FFBCE46DFFB8.xml ↵  
.9505 Main ·validation ·file: ·  
.9505 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.9505 /FF92FFA9301FFF80FFF3FFBCE46DFFB8.xml ↵  
.9506 Scenario ·name: ·gg-sch ↵  
.9507 Schema: ·  
.9507 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.9507 ent..sch ↵  
.9508 Engine ·name: ·ISO ·Schematron ↵  
.9509 Severity: ·error ↵  
.9510 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·

.9510 subSection ·or ·subSubSection .↳  
.9511 Start ·location: ·1370:178↳  
.9512 ↳  
.9513 System ·ID: ·  
/Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.9513 /FF92FFA9301FFF0FFF3FFBCE46DFFB8.xml↳  
.9514 Main ·validation ·file: ·  
/Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.9514 /FF92FFA9301FFF0FFF3FFBCE46DFFB8.xml↳  
.9515 Scenario ·name: ·gg-sch↳  
.9516 Schema: ·  
/Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.9516 ent..sch↳  
.9517 Engine ·name: ·ISO ·Schematron↳  
.9518 Severity: ·error↳  
.9519 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.9519 subSection ·or ·subSubSection .↳  
.9520 Start ·location: ·1411:107↳  
.9521 ↳  
.9522 System ·ID: ·  
/Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.9522 /FF92FFA9301FFF0FFF3FFBCE46DFFB8.xml↳  
.9523 Main ·validation ·file: ·  
/Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.9523 /FF92FFA9301FFF0FFF3FFBCE46DFFB8.xml↳  
.9524 Scenario ·name: ·gg-sch↳  
.9525 Schema: ·  
/Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.9525 ent..sch↳  
.9526 Engine ·name: ·ISO ·Schematron↳  
.9527 Severity: ·error↳  
.9528 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.9528 subSection ·or ·subSubSection .↳  
.9529 Start ·location: ·1424:130↳  
.9530 ↳

.9531 System·ID: ·  
.9531 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.9531 /FF92FFA9301FFF0FFF3FFBCE46DFFB8.xml↵  
.9532 Main·validation·file: ·  
.9532 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.9532 /FF92FFA9301FFF0FFF3FFBCE46DFFB8.xml↵  
.9533 Scenario·name: ·gg-sch↵  
.9534 Schema: ·  
.9534 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.9534 ent..sch↵  
.9535 Engine·name: ·ISO·Schematron↵  
.9536 Severity: ·error↵  
.9537 Description: ·A·paragraph·must·have·an·ancestor·  
.9537 subSection·or·subSubSection.↵  
.9538 Start·location: ·1429:107↵  
.9539 ↵  
.9540 System·ID: ·  
.9540 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.9540 /FF92FFA9301FFF0FFF3FFBCE46DFFB8.xml↵  
.9541 Main·validation·file: ·  
.9541 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.9541 /FF92FFA9301FFF0FFF3FFBCE46DFFB8.xml↵  
.9542 Scenario·name: ·gg-sch↵  
.9543 Schema: ·  
.9543 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.9543 ent..sch↵  
.9544 Engine·name: ·ISO·Schematron↵  
.9545 Severity: ·error↵  
.9546 Description: ·A·paragraph·must·have·an·ancestor·  
.9546 subSection·or·subSubSection.↵  
.9547 Start·location: ·1460:134↵  
.9548 ↵  
.9549 System·ID: ·  
.9549 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.9549 /FF92FFA9301FFF0FFF3FFBCE46DFFB8.xml↵

.9550 Main-validation-file: .  
.9550 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.9550 /FF92FFA9301FFF0FFF3FFBCE46DFFB8.xml↵  
.9551 Scenario-name: ·gg-sch↵  
.9552 Schema: .  
.9552 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch↵  
.9553 Engine-name: ·ISO ·Schematron↵  
.9554 Severity: ·error↵  
.9555 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.9555 subSection ·or ·subSubSection.↵  
.9556 Start-location: ·1465:109↵  
.9557 ↵  
.9558 System-ID: .  
.9558 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.9558 /FF92FFA9301FFF0FFF3FFBCE46DFFB8.xml↵  
.9559 Main-validation-file: .  
.9559 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.9559 /FF92FFA9301FFF0FFF3FFBCE46DFFB8.xml↵  
.9560 Scenario-name: ·gg-sch↵  
.9561 Schema: .  
.9561 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch↵  
.9562 Engine-name: ·ISO ·Schematron↵  
.9563 Severity: ·error↵  
.9564 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.9564 subSection ·or ·subSubSection.↵  
.9565 Start-location: ·1487:134↵  
.9566 ↵  
.9567 System-ID: .  
.9567 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.9567 /FF92FFA9301FFF0FFF3FFBCE46DFFB8.xml↵  
.9568 Main-validation-file: .  
.9568 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.9568 /FF92FFA9301FFF0FFF3FFBCE46DFFB8.xml↵

.9569 Scenario ·name: ·gg-sch ↵  
.9570 Schema: ·  
.9570 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
.9571 Engine ·name: ·ISO ·Schematron ↵  
.9572 Severity: ·error ↵  
.9573 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.9573 subSection ·or ·subSubSection. ↵  
.9574 Start ·location: ·1492:134 ↵  
.9575 ↵  
.9576 System ·ID: ·  
.9576 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.9576 /FF92FFA9301FFF80FFF3FFBCE46DFFB8.xml ↵  
.9577 Main ·validation ·file: ·  
.9577 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.9577 /FF92FFA9301FFF80FFF3FFBCE46DFFB8.xml ↵  
.9578 Scenario ·name: ·gg-sch ↵  
.9579 Schema: ·  
.9579 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
.9580 Engine ·name: ·ISO ·Schematron ↵  
.9581 Severity: ·error ↵  
.9582 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.9582 subSection ·or ·subSubSection. ↵  
.9583 Start ·location: ·1497:179 ↵  
.9584 ↵  
.9585 System ·ID: ·  
.9585 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.9585 /FF92FFA9301FFF80FFF3FFBCE46DFFB8.xml ↵  
.9586 Main ·validation ·file: ·  
.9586 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.9586 /FF92FFA9301FFF80FFF3FFBCE46DFFB8.xml ↵  
.9587 Scenario ·name: ·gg-sch ↵  
.9588 Schema: ·  
.9588 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm

.9588 ent..sch↵  
.9589 Engine.name: ·ISO ·Schematron↵  
.9590 Severity: ·error↵  
.9591 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
subSection ·or ·subSubSection.↵  
.9592 Start ·location: ·1549:109↵  
.9593 ↵  
.9594 System ·ID: ·  
/Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
/FF92FFA9301FFF80FFF3FFBCE46DFFB8.xml↵  
.9595 Main ·validation ·file: ·  
/Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
/FF92FFA9301FFF80FFF3FFBCE46DFFB8.xml↵  
.9596 Scenario ·name: ·gg-sch↵  
.9597 Schema: ·  
/Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch↵  
.9598 Engine.name: ·ISO ·Schematron↵  
.9599 Severity: ·error↵  
.9600 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
subSection ·or ·subSubSection.↵  
.9601 Start ·location: ·1581:108↵  
.9602 ↵  
.9603 System ·ID: ·  
/Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
/FF92FFA9301FFF80FFF3FFBCE46DFFB8.xml↵  
.9604 Main ·validation ·file: ·  
/Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
/FF92FFA9301FFF80FFF3FFBCE46DFFB8.xml↵  
.9605 Scenario ·name: ·gg-sch↵  
.9606 Schema: ·  
/Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch↵  
.9607 Engine.name: ·ISO ·Schematron↵  
.9608 Severity: ·error↵

.9609 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.9609 subSection ·or ·subSubSection. ↵  
.9610 Start ·location: ·1590:77 ↵  
.9611 ↵  
.9612 System ·ID: ·  
.9612 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.9612 /FF92FFA9301FFF80FFF3FFBCE46DFFB8.xml ↵  
.9613 Main ·validation ·file: ·  
.9613 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.9613 /FF92FFA9301FFF80FFF3FFBCE46DFFB8.xml ↵  
.9614 Scenario ·name: ·gg-sch ↵  
.9615 Schema: ·  
.9615 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.9615 ent..sch ↵  
.9616 Engine ·name: ·ISO ·Schematron ↵  
.9617 Severity: ·error ↵  
.9618 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.9618 subSection ·or ·subSubSection. ↵  
.9619 Start ·location: ·1647:131 ↵  
.9620 ↵  
.9621 System ·ID: ·  
.9621 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.9621 /FF92FFA9301FFF80FFF3FFBCE46DFFB8.xml ↵  
.9622 Main ·validation ·file: ·  
.9622 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.9622 /FF92FFA9301FFF80FFF3FFBCE46DFFB8.xml ↵  
.9623 Scenario ·name: ·gg-sch ↵  
.9624 Schema: ·  
.9624 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.9624 ent..sch ↵  
.9625 Engine ·name: ·ISO ·Schematron ↵  
.9626 Severity: ·error ↵  
.9627 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.9627 subSection ·or ·subSubSection. ↵  
.9628 Start ·location: ·1652:110 ↵

.9629   ↳  
.9630   System·ID: ·  
.9630   /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.9630   /FF92FFA9301FFF80FFF3FFBCE46DFFB8.xml↳  
.9631   Main·validation·file: ·  
.9631   /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.9631   /FF92FFA9301FFF80FFF3FFBCE46DFFB8.xml↳  
.9632   Scenario·name: ·gg-sch↳  
.9633   Schema: ·  
.9633   /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch↳  
.9634   Engine·name: ·ISO·Schematron↳  
.9635   Severity: ·error↳  
.9636   Description: ·A·paragraph·must·have·an·ancestor·  
.9636   subSection·or·subSubSection.↳  
.9637   Start·location: ·1679:135↳  
.9638   ↳  
.9639   System·ID: ·  
.9639   /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.9639   /FF92FFA9301FFF80FFF3FFBCE46DFFB8.xml↳  
.9640   Main·validation·file: ·  
.9640   /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.9640   /FF92FFA9301FFF80FFF3FFBCE46DFFB8.xml↳  
.9641   Scenario·name: ·gg-sch↳  
.9642   Schema: ·  
.9642   /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch↳  
.9643   Engine·name: ·ISO·Schematron↳  
.9644   Severity: ·error↳  
.9645   Description: ·A·paragraph·must·have·an·ancestor·  
.9645   subSection·or·subSubSection.↳  
.9646   Start·location: ·1684:184↳  
.9647   ↳  
.9648   System·ID: ·  
.9648   /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax

.9648 /FF92FFA9301FFF0FFF3FFBCE46DFFB8.xml ↵  
.9649 Main-validation-file: ·  
.9649 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.9649 /FF92FFA9301FFF0FFF3FFBCE46DFFB8.xml ↵  
.9650 Scenario-name: ·gg-sch↵  
.9651 Schema: ·  
.9651 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.9651 ent..sch↵  
.9652 Engine-name: ·ISO-Schematron↵  
.9653 Severity: ·error↵  
.9654 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.9654 subSection ·or ·subSubSection.↵  
.9655 Start-location: ·1702:110↵  
.9656 ↵  
.9657 System-ID: ·  
.9657 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.9657 /FF92FFA9301FFF0FFF3FFBCE46DFFB8.xml ↵  
.9658 Main-validation-file: ·  
.9658 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.9658 /FF92FFA9301FFF0FFF3FFBCE46DFFB8.xml ↵  
.9659 Scenario-name: ·gg-sch↵  
.9660 Schema: ·  
.9660 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.9660 ent..sch↵  
.9661 Engine-name: ·ISO-Schematron↵  
.9662 Severity: ·error↵  
.9663 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.9663 subSection ·or ·subSubSection.↵  
.9664 Start-location: ·1722:112↵  
.9665 ↵  
.9666 System-ID: ·  
.9666 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.9666 /FF92FFA9301FFF0FFF3FFBCE46DFFB8.xml ↵  
.9667 Main-validation-file: ·  
.9667 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax

.9667 /FF92FFA9301FFF0FFF3FFBCE46DFFB8.xml ↵  
.9668 Scenario.name: .gg-sch ↵  
.9669 Schema: .  
.9669 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
.9670 Engine.name: .ISO.Schematron ↵  
.9671 Severity: .error ↵  
.9672 Description: .A.paragraph.must.have.an.ancestor.  
.9672 subSection.or.subSubSection. ↵  
.9673 Start.location: .1730:137 ↵  
.9674 ↵  
.9675 System.ID: .  
.9675 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.9675 /FF92FFA9301FFF0FFF3FFBCE46DFFB8.xml ↵  
.9676 Main.validation.file: .  
.9676 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.9676 /FF92FFA9301FFF0FFF3FFBCE46DFFB8.xml ↵  
.9677 Scenario.name: .gg-sch ↵  
.9678 Schema: .  
.9678 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
.9679 Engine.name: .ISO.Schematron ↵  
.9680 Severity: .error ↵  
.9681 Description: .A.paragraph.must.have.an.ancestor.  
.9681 subSection.or.subSubSection. ↵  
.9682 Start.location: .1735:137 ↵  
.9683 ↵  
.9684 System.ID: .  
.9684 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.9684 /FF92FFA9301FFF0FFF3FFBCE46DFFB8.xml ↵  
.9685 Main.validation.file: .  
.9685 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.9685 /FF92FFA9301FFF0FFF3FFBCE46DFFB8.xml ↵  
.9686 Scenario.name: .gg-sch ↵  
.9687 Schema: .

.9687 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.9687 ent..sch↵  
.9688 Engine.name: ·ISO ·Schematron↵  
.9689 Severity: ·error↵  
.9690 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.9690 subSection ·or ·subSubSection.↵  
.9691 Start ·location: ·1740:185↵  
.9692 ↵  
.9693 System ·ID: ·  
.9693 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.9693 /FF92FFA9301FFF80FFF3FFBCE46DFFB8.xml↵  
.9694 Main ·validation ·file: ·  
.9694 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.9694 /FF92FFA9301FFF80FFF3FFBCE46DFFB8.xml↵  
.9695 Scenario ·name: ·gg-sch↵  
.9696 Schema: ·  
.9696 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.9696 ent..sch↵  
.9697 Engine.name: ·ISO ·Schematron↵  
.9698 Severity: ·error↵  
.9699 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.9699 subSection ·or ·subSubSection.↵  
.9700 Start ·location: ·1767:111↵  
.9701 ↵  
.9702 System ·ID: ·  
.9702 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.9702 /FF92FFA9301FFF80FFF3FFBCE46DFFB8.xml↵  
.9703 Main ·validation ·file: ·  
.9703 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.9703 /FF92FFA9301FFF80FFF3FFBCE46DFFB8.xml↵  
.9704 Scenario ·name: ·gg-sch↵  
.9705 Schema: ·  
.9705 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.9705 ent..sch↵  
.9706 Engine.name: ·ISO ·Schematron↵

.9707 Severity: ·error ↵  
.9708 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.9708 subSection ·or ·subSubSection. ↵  
.9709 Start ·location: ·1793:111 ↵  
.9710 ↵  
.9711 System ·ID: ·  
/Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
/FF92FFA9301FFF80FFF3FFBCE46DFFB8.xml ↵  
.9712 Main ·validation ·file: ·  
/Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
/FF92FFA9301FFF80FFF3FFBCE46DFFB8.xml ↵  
.9713 Scenario ·name: ·gg-sch ↵  
.9714 Schema: ·  
/Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
.9715 Engine ·name: ·ISO ·Schematron ↵  
.9716 Severity: ·error ↵  
.9717 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.9717 subSection ·or ·subSubSection. ↵  
.9718 Start ·location: ·1820:111 ↵  
.9719 ↵  
.9720 System ·ID: ·  
/Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
/FF92FFA9301FFF80FFF3FFBCE46DFFB8.xml ↵  
.9721 Main ·validation ·file: ·  
/Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
/FF92FFA9301FFF80FFF3FFBCE46DFFB8.xml ↵  
.9722 Scenario ·name: ·gg-sch ↵  
.9723 Schema: ·  
/Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
.9724 Engine ·name: ·ISO ·Schematron ↵  
.9725 Severity: ·error ↵  
.9726 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.9726 subSection ·or ·subSubSection. ↵

.9727 Start ·location: ·1840:133 ↵  
.9728 ↵  
.9729 System ·ID: ·  
.9729 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
/FF92FFA9301FFF0FFF3FFBCE46DFFB8.xml ↵  
.9730 Main ·validation ·file: ·  
.9730 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
/FF92FFA9301FFF0FFF3FFBCE46DFFB8.xml ↵  
.9731 Scenario ·name: ·gg-sch ↵  
.9732 Schema: ·  
.9732 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
.9733 Engine ·name: ·ISO ·Schematron ↵  
.9734 Severity: ·error ↵  
.9735 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.9735 subSection ·or ·subSubSection. ↵  
.9736 Start ·location: ·1845:111 ↵  
.9737 ↵  
.9738 System ·ID: ·  
.9738 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
/FF92FFA9301FFF0FFF3FFBCE46DFFB8.xml ↵  
.9739 Main ·validation ·file: ·  
.9739 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
/FF92FFA9301FFF0FFF3FFBCE46DFFB8.xml ↵  
.9740 Scenario ·name: ·gg-sch ↵  
.9741 Schema: ·  
.9741 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
.9742 Engine ·name: ·ISO ·Schematron ↵  
.9743 Severity: ·error ↵  
.9744 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.9744 subSection ·or ·subSubSection. ↵  
.9745 Start ·location: ·1871:111 ↵  
.9746 ↵  
.9747 System ·ID: ·

.9747 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.9747 /FF92FFA9301FFF0FFF3FFBCE46DFFB8.xml ↵  
.9748 Main-validation-file: ·  
.9748 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.9748 /FF92FFA9301FFF0FFF3FFBCE46DFFB8.xml ↵  
.9749 Scenario-name: ·gg-sch ↵  
.9750 Schema: ·  
.9750 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.9750 ent..sch ↵  
.9751 Engine-name: ·ISO ·Schematron ↵  
.9752 Severity: ·error ↵  
.9753 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.9753 subSection ·or ·subSubSection. ↵  
.9754 Start-location: ·1927:111 ↵  
.9755 ↵  
.9756 System-ID: ·  
.9756 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.9756 /FF92FFA9301FFF0FFF3FFBCE46DFFB8.xml ↵  
.9757 Main-validation-file: ·  
.9757 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.9757 /FF92FFA9301FFF0FFF3FFBCE46DFFB8.xml ↵  
.9758 Scenario-name: ·gg-sch ↵  
.9759 Schema: ·  
.9759 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.9759 ent..sch ↵  
.9760 Engine-name: ·ISO ·Schematron ↵  
.9761 Severity: ·error ↵  
.9762 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.9762 subSection ·or ·subSubSection. ↵  
.9763 Start-location: ·1985:137 ↵  
.9764 ↵  
.9765 System-ID: ·  
.9765 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.9765 /FF92FFA9301FFF0FFF3FFBCE46DFFB8.xml ↵  
.9766 Main-validation-file: ·

.9766 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.9766 /FF92FFA9301FFF0FFF3FFBCE46DFFB8.xml ↵  
.9767 Scenario.name: .gg-sch ↵  
.9768 Schema: .  
.9768 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
.9769 Engine.name: .ISO .Schematron ↵  
.9770 Severity: .error ↵  
.9771 Description: .A .paragraph .must .have .an .ancestor .  
.9771 subSection .or .subSubSection. ↵  
.9772 Start.location: .1990:112 ↵  
.9773 ↵  
.9774 System.ID: .  
.9774 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.9774 /FF92FFA9301FFF0FFF3FFBCE46DFFB8.xml ↵  
.9775 Main.validation.file: .  
.9775 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.9775 /FF92FFA9301FFF0FFF3FFBCE46DFFB8.xml ↵  
.9776 Scenario.name: .gg-sch ↵  
.9777 Schema: .  
.9777 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
.9778 Engine.name: .ISO .Schematron ↵  
.9779 Severity: .error ↵  
.9780 Description: .A .paragraph .must .have .an .ancestor .  
.9780 subSection .or .subSubSection. ↵  
.9781 Start.location: .2021:112 ↵  
.9782 ↵  
.9783 System.ID: .  
.9783 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.9783 /FF92FFA9301FFF0FFF3FFBCE46DFFB8.xml ↵  
.9784 Main.validation.file: .  
.9784 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.9784 /FF92FFA9301FFF0FFF3FFBCE46DFFB8.xml ↵  
.9785 Scenario.name: .gg-sch ↵

.9786 Schema: .  
.9786 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.9786 ent..sch↵  
.9787 Engine.name: ·ISO ·Schematron↵  
.9788 Severity: ·error↵  
.9789 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.9789 subSection ·or ·subSubSection.↵  
.9790 Start.location: ·2038:133↵  
.9791 ↵  
.9792 System.ID: .  
.9792 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.9792 /FF92FFA9301FFF80FFF3FFBCE46DFFB8.xml↵  
.9793 Main.validation.file: .  
.9793 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.9793 /FF92FFA9301FFF80FFF3FFBCE46DFFB8.xml↵  
.9794 Scenario.name: ·gg-sch↵  
.9795 Schema: .  
.9795 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.9795 ent..sch↵  
.9796 Engine.name: ·ISO ·Schematron↵  
.9797 Severity: ·error↵  
.9798 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.9798 subSection ·or ·subSubSection.↵  
.9799 Start.location: ·2043:111↵  
.9800 ↵  
.9801 System.ID: .  
.9801 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.9801 /FF92FFA9301FFF80FFF3FFBCE46DFFB8.xml↵  
.9802 Main.validation.file: .  
.9802 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.9802 /FF92FFA9301FFF80FFF3FFBCE46DFFB8.xml↵  
.9803 Scenario.name: ·gg-sch↵  
.9804 Schema: .  
.9804 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.9804 ent..sch↵

.9805 Engine ·name: ·ISO ·Schematron ↵  
.9806 Severity: ·error ↵  
.9807 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.9807 subSection ·or ·subSubSection. ↵  
.9808 Start ·location: ·2070:111 ↵  
.9809 ↵  
.9810 System ·ID: ·  
/Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
/FF92FFA9301FFF0FFF3FFBCE46DFFB8.xml ↵  
.9811 Main ·validation ·file: ·  
/Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
/FF92FFA9301FFF0FFF3FFBCE46DFFB8.xml ↵  
.9812 Scenario ·name: ·gg-sch ↵  
.9813 Schema: ·  
/Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
.9814 Engine ·name: ·ISO ·Schematron ↵  
.9815 Severity: ·error ↵  
.9816 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.9816 subSection ·or ·subSubSection. ↵  
.9817 Start ·location: ·2085:112 ↵  
.9818 ↵  
.9819 System ·ID: ·  
/Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
/FF92FFA9301FFF0FFF3FFBCE46DFFB8.xml ↵  
.9820 Main ·validation ·file: ·  
/Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
/FF92FFA9301FFF0FFF3FFBCE46DFFB8.xml ↵  
.9821 Scenario ·name: ·gg-sch ↵  
.9822 Schema: ·  
/Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
.9823 Engine ·name: ·ISO ·Schematron ↵  
.9824 Severity: ·error ↵  
.9825 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·

.9825 subSection ·or ·subSubSection .↳  
.9826 Start ·location: ·2089:112↳  
.9827 ↳  
.9828 System ·ID: ·  
.9828 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.9828 /FF92FFA9301FFF0FFF3FFBCE46DFFB8.xml↳  
.9829 Main ·validation ·file: ·  
.9829 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.9829 /FF92FFA9301FFF0FFF3FFBCE46DFFB8.xml↳  
.9830 Scenario ·name: ·gg-sch↳  
.9831 Schema: ·  
.9831 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.9831 ent..sch↳  
.9832 Engine ·name: ·ISO ·Schematron↳  
.9833 Severity: ·error↳  
.9834 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.9834 subSection ·or ·subSubSection .↳  
.9835 Start ·location: ·2093:112↳  
.9836 ↳  
.9837 System ·ID: ·  
.9837 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.9837 /FF92FFA9301FFF0FFF3FFBCE46DFFB8.xml↳  
.9838 Main ·validation ·file: ·  
.9838 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.9838 /FF92FFA9301FFF0FFF3FFBCE46DFFB8.xml↳  
.9839 Scenario ·name: ·gg-sch↳  
.9840 Schema: ·  
.9840 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.9840 ent..sch↳  
.9841 Engine ·name: ·ISO ·Schematron↳  
.9842 Severity: ·error↳  
.9843 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.9843 subSection ·or ·subSubSection .↳  
.9844 Start ·location: ·2099:138↳  
.9845 ↳

.9846 System·ID: ·  
.9846 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.9846 /FF92FFA9301FFF0FFF3FFBCE46DFFB8.xml↵  
.9847 Main·validation·file: ·  
.9847 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.9847 /FF92FFA9301FFF0FFF3FFBCE46DFFB8.xml↵  
.9848 Scenario·name: ·gg-sch↵  
.9849 Schema: ·  
.9849 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.9849 ent..sch↵  
.9850 Engine·name: ·ISO·Schematron↵  
.9851 Severity: ·error↵  
.9852 Description: ·A·paragraph·must·have·an·ancestor·  
.9852 subSection·or·subSubSection.↵  
.9853 Start·location: ·2103:112↵  
.9854 ↵  
.9855 System·ID: ·  
.9855 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.9855 /FF92FFA9301FFF0FFF3FFBCE46DFFB8.xml↵  
.9856 Main·validation·file: ·  
.9856 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.9856 /FF92FFA9301FFF0FFF3FFBCE46DFFB8.xml↵  
.9857 Scenario·name: ·gg-sch↵  
.9858 Schema: ·  
.9858 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.9858 ent..sch↵  
.9859 Engine·name: ·ISO·Schematron↵  
.9860 Severity: ·error↵  
.9861 Description: ·A·paragraph·must·have·an·ancestor·  
.9861 subSection·or·subSubSection.↵  
.9862 Start·location: ·2107:112↵  
.9863 ↵  
.9864 System·ID: ·  
.9864 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.9864 /FF92FFA9301FFF0FFF3FFBCE46DFFB8.xml↵

.9865 Main-validation-file: .  
.9865 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.9865 /FF92FFA9301FFF0FFF3FFBCE46DFFB8.xml↵  
.9866 Scenario-name: .gg-sch↵  
.9867 Schema: .  
.9867 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch↵  
.9868 Engine-name: .ISO-Schematron↵  
.9869 Severity: .error↵  
.9870 Description: .A .paragraph .must .have .an .ancestor .  
.9870 subSection .or .subSubSection.↵  
.9871 Start-location: .2111:133↵  
.9872 ↵  
.9873 System-ID: .  
.9873 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.9873 /FF92FFA9301FFF0FFF3FFBCE46DFFB8.xml↵  
.9874 Main-validation-file: .  
.9874 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.9874 /FF92FFA9301FFF0FFF3FFBCE46DFFB8.xml↵  
.9875 Scenario-name: .gg-sch↵  
.9876 Schema: .  
.9876 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch↵  
.9877 Engine-name: .ISO-Schematron↵  
.9878 Severity: .error↵  
.9879 Description: .A .paragraph .must .have .an .ancestor .  
.9879 subSection .or .subSubSection.↵  
.9880 Start-location: .2116:145↵  
.9881 ↵  
.9882 System-ID: .  
.9882 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.9882 /FF92FFA9301FFF0FFF3FFBCE46DFFB8.xml↵  
.9883 Main-validation-file: .  
.9883 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.9883 /FF92FFA9301FFF0FFF3FFBCE46DFFB8.xml↵

```
.9884 Scenario·name: ·gg-sch↵
.9885 Schema: ·
.9885 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
.9885 ent..sch↵
.9886 Engine·name: ·ISO·Schematron↵
.9887 Severity: ·error↵
.9888 Description: ·A·paragraph·must·have·an·ancestor·
.9888 subSection·or·subSubSection.↵
.9889 Start·location: ·2140:145↵
.9890 ↵
.9891 System·ID: ·
.9891 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
.9891 /FF92FFA9301FFF80FFF3FFBCE46DFFB8.xml↵
.9892 Main·validation·file: ·
.9892 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
.9892 /FF92FFA9301FFF80FFF3FFBCE46DFFB8.xml↵
.9893 Scenario·name: ·gg-sch↵
.9894 Schema: ·
.9894 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
.9894 ent..sch↵
.9895 Engine·name: ·ISO·Schematron↵
.9896 Severity: ·error↵
.9897 Description: ·A·paragraph·must·have·an·ancestor·
.9897 subSection·or·subSubSection.↵
.9898 Start·location: ·2177:145↵
.9899 ↵
.9900 System·ID: ·
.9900 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
.9900 /FF92FFA9301FFF80FFF3FFBCE46DFFB8.xml↵
.9901 Main·validation·file: ·
.9901 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
.9901 /FF92FFA9301FFF80FFF3FFBCE46DFFB8.xml↵
.9902 Scenario·name: ·gg-sch↵
.9903 Schema: ·
.9903 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
```

.9903 ent..sch↵  
.9904 Engine.name: ·ISO ·Schematron↵  
.9905 Severity: ·error↵  
.9906 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.9906 subSection ·or ·subSubSection.↵  
.9907 Start ·location: ·2205:145↵  
.9908 ↵  
.9909 System ·ID: ·  
.9909 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.9909 /FF92FFA9301FFF80FFF3FFBCE46DFFB8.xml↵  
.9910 Main ·validation ·file: ·  
.9910 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.9910 /FF92FFA9301FFF80FFF3FFBCE46DFFB8.xml↵  
.9911 Scenario ·name: ·gg-sch↵  
.9912 Schema: ·  
.9912 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.9912 ent..sch↵  
.9913 Engine.name: ·ISO ·Schematron↵  
.9914 Severity: ·error↵  
.9915 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.9915 subSection ·or ·subSubSection.↵  
.9916 Start ·location: ·2231:145↵  
.9917 ↵  
.9918 System ·ID: ·  
.9918 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.9918 /FF92FFA9301FFF80FFF3FFBCE46DFFB8.xml↵  
.9919 Main ·validation ·file: ·  
.9919 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.9919 /FF92FFA9301FFF80FFF3FFBCE46DFFB8.xml↵  
.9920 Scenario ·name: ·gg-sch↵  
.9921 Schema: ·  
.9921 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.9921 ent..sch↵  
.9922 Engine.name: ·ISO ·Schematron↵  
.9923 Severity: ·error↵

.9924 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.9924 subSection ·or ·subSubSection. ↵  
.9925 Start ·location: ·2260:145 ↵  
.9926 ↵  
.9927 System ·ID: ·  
.9927 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.9927 /FF92FFA9301FFF80FFF3FFBCE46DFFB8.xml ↵  
.9928 Main ·validation ·file: ·  
.9928 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.9928 /FF92FFA9301FFF80FFF3FFBCE46DFFB8.xml ↵  
.9929 Scenario ·name: ·gg-sch ↵  
.9930 Schema: ·  
.9930 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.9930 ent..sch ↵  
.9931 Engine ·name: ·ISO ·Schematron ↵  
.9932 Severity: ·error ↵  
.9933 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.9933 subSection ·or ·subSubSection. ↵  
.9934 Start ·location: ·2293:145 ↵  
.9935 ↵  
.9936 System ·ID: ·  
.9936 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.9936 /FF92FFA9301FFF80FFF3FFBCE46DFFB8.xml ↵  
.9937 Main ·validation ·file: ·  
.9937 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.9937 /FF92FFA9301FFF80FFF3FFBCE46DFFB8.xml ↵  
.9938 Scenario ·name: ·gg-sch ↵  
.9939 Schema: ·  
.9939 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.9939 ent..sch ↵  
.9940 Engine ·name: ·ISO ·Schematron ↵  
.9941 Severity: ·error ↵  
.9942 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.9942 subSection ·or ·subSubSection. ↵  
.9943 Start ·location: ·2327:147 ↵

```
.9944 <System·ID:·  
.9945 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.9945 /FF92FFA9301FFF0FFF3FFBCE46DFFB8.xml<  
.9946 Main·validation·file:·  
.9946 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.9946 /FF92FFA9301FFF0FFF3FFBCE46DFFB8.xml<  
.9947 Scenario·name:·gg-sch<  
.9948 Schema:·  
.9948 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm  
ent..sch<  
.9949 Engine·name:·ISO·Schematron<  
.9950 Severity:·error<  
.9951 Description:·A·paragraph·must·have·an·ancestor·  
.9951 subSection·or·subSubSection.<  
.9952 Start·location:·2355:147<  
.9953 <  
.9954 System·ID:·  
.9954 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.9954 /FF92FFA9301FFF0FFF3FFBCE46DFFB8.xml<  
.9955 Main·validation·file:·  
.9955 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.9955 /FF92FFA9301FFF0FFF3FFBCE46DFFB8.xml<  
.9956 Scenario·name:·gg-sch<  
.9957 Schema:·  
.9957 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm  
ent..sch<  
.9958 Engine·name:·ISO·Schematron<  
.9959 Severity:·error<  
.9960 Description:·A·paragraph·must·have·an·ancestor·  
.9960 subSection·or·subSubSection.<  
.9961 Start·location:·2384:147<  
.9962 <  
.9963 System·ID:·  
.9963 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
```

.9963 /FF92FFA9301FFF0FFF3FFBCE46DFFB8.xml ↵  
.9964 Main-validation-file: ·  
.9964 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.9964 /FF92FFA9301FFF0FFF3FFBCE46DFFB8.xml ↵  
.9965 Scenario-name: ·gg-sch↵  
.9966 Schema: ·  
.9966 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.9966 ent..sch↵  
.9967 Engine-name: ·ISO-Schematron↵  
.9968 Severity: ·error↵  
.9969 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.9969 subSection ·or ·subSubSection.↵  
.9970 Start-location: ·2412:147↵  
.9971 ↵  
.9972 System-ID: ·  
.9972 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.9972 /FF92FFA9301FFF0FFF3FFBCE46DFFB8.xml ↵  
.9973 Main-validation-file: ·  
.9973 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.9973 /FF92FFA9301FFF0FFF3FFBCE46DFFB8.xml ↵  
.9974 Scenario-name: ·gg-sch↵  
.9975 Schema: ·  
.9975 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
.9975 ent..sch↵  
.9976 Engine-name: ·ISO-Schematron↵  
.9977 Severity: ·error↵  
.9978 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
.9978 subSection ·or ·subSubSection.↵  
.9979 Start-location: ·2451:147↵  
.9980 ↵  
.9981 System-ID: ·  
.9981 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.9981 /FF92FFA9301FFF0FFF3FFBCE46DFFB8.xml ↵  
.9982 Main-validation-file: ·  
.9982 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax

.9982 /FF92FFA9301FFF0FFF3FFBCE46DFFB8.xml ↵  
.9983 Scenario.name: .gg-sch ↵  
.9984 Schema: .  
.9984 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
.9985 Engine.name: .ISO .Schematron ↵  
.9986 Severity: .error ↵  
.9987 Description: .A .paragraph .must .have .an .ancestor .  
.9987 subSection .or .subSubSection. ↵  
.9988 Start.location: .2479:147 ↵  
.9989 ↵  
.9990 System.ID: .  
.9990 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.9990 /FF92FFA9301FFF0FFF3FFBCE46DFFB8.xml ↵  
.9991 Main.validation.file: .  
.9991 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.9991 /FF92FFA9301FFF0FFF3FFBCE46DFFB8.xml ↵  
.9992 Scenario.name: .gg-sch ↵  
.9993 Schema: .  
.9993 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
.9994 Engine.name: .ISO .Schematron ↵  
.9995 Severity: .error ↵  
.9996 Description: .A .paragraph .must .have .an .ancestor .  
.9996 subSection .or .subSubSection. ↵  
.9997 Start.location: .2518:145 ↵  
.9998 ↵  
.9999 System.ID: .  
.9999 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.9999 /FF92FFA9301FFF0FFF3FFBCE46DFFB8.xml ↵  
.0000 Main.validation.file: .  
.0000 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
.0000 /FF92FFA9301FFF0FFF3FFBCE46DFFB8.xml ↵  
.0001 Scenario.name: .gg-sch ↵  
.0002 Schema: .

```
:0002 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm  
:0002 ent..sch↵  
:0003 Engine.name: ·ISO ·Schematron↵  
:0004 Severity: ·error↵  
:0005 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:0005 subSection ·or ·subSubSection.↵  
:0006 Start ·location: ·2553:145↵  
:0007 ↵  
:0008 System ·ID: ·  
:0008 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:0008 /FF92FFA9301FFF80FFF3FFBCE46DFFB8.xml↵  
:0009 Main ·validation ·file: ·  
:0009 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:0009 /FF92FFA9301FFF80FFF3FFBCE46DFFB8.xml↵  
:0010 Scenario ·name: ·gg-sch↵  
:0011 Schema: ·  
:0011 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm  
:0011 ent..sch↵  
:0012 Engine.name: ·ISO ·Schematron↵  
:0013 Severity: ·error↵  
:0014 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:0014 subSection ·or ·subSubSection.↵  
:0015 Start ·location: ·2585:145↵  
:0016 ↵  
:0017 System ·ID: ·  
:0017 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:0017 /FF92FFA9301FFF80FFF3FFBCE46DFFB8.xml↵  
:0018 Main ·validation ·file: ·  
:0018 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:0018 /FF92FFA9301FFF80FFF3FFBCE46DFFB8.xml↵  
:0019 Scenario ·name: ·gg-sch↵  
:0020 Schema: ·  
:0020 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm  
:0020 ent..sch↵  
:0021 Engine.name: ·ISO ·Schematron↵
```

:0022 Severity: ·error ↵  
:0023 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:0023 subSection ·or ·subSubSection. ↵  
:0024 Start ·location: ·2614:145 ↵  
:0025 ↵  
:0026 System ·ID: ·  
:0026 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:0026 /FF92FFA9301FFF80FFF3FFBCE46DFFB8.xml ↵  
:0027 Main ·validation ·file: ·  
:0027 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:0027 /FF92FFA9301FFF80FFF3FFBCE46DFFB8.xml ↵  
:0028 Scenario ·name: ·gg-sch ↵  
:0029 Schema: ·  
:0029 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
:0030 Engine ·name: ·ISO ·Schematron ↵  
:0031 Severity: ·error ↵  
:0032 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:0032 subSection ·or ·subSubSection. ↵  
:0033 Start ·location: ·2632:145 ↵  
:0034 ↵  
:0035 System ·ID: ·  
:0035 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:0035 /FF92FFA9301FFF80FFF3FFBCE46DFFB8.xml ↵  
:0036 Main ·validation ·file: ·  
:0036 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:0036 /FF92FFA9301FFF80FFF3FFBCE46DFFB8.xml ↵  
:0037 Scenario ·name: ·gg-sch ↵  
:0038 Schema: ·  
:0038 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
:0039 Engine ·name: ·ISO ·Schematron ↵  
:0040 Severity: ·error ↵  
:0041 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:0041 subSection ·or ·subSubSection. ↵

```
:0042 Start ·location: ·2660:147↵
:0043 ↵
:0044 System ·ID: ·
:0044 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
:0044 /FF92FFA9301FFF0FFF3FFBCE46DFFB8.xml↵
:0045 Main ·validation ·file: ·
:0045 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
:0045 /FF92FFA9301FFF0FFF3FFBCE46DFFB8.xml↵
:0046 Scenario ·name: ·gg-sch↵
:0047 Schema: ·
:0047 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
:0047 ent..sch↵
:0048 Engine ·name: ·ISO ·Schematron↵
:0049 Severity: ·error↵
:0050 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
:0050 subSection ·or ·subSubSection.↵
:0051 Start ·location: ·2693:147↵
:0052 ↵
:0053 System ·ID: ·
:0053 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
:0053 /FF92FFA9301FFF0FFF3FFBCE46DFFB8.xml↵
:0054 Main ·validation ·file: ·
:0054 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
:0054 /FF92FFA9301FFF0FFF3FFBCE46DFFB8.xml↵
:0055 Scenario ·name: ·gg-sch↵
:0056 Schema: ·
:0056 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
:0056 ent..sch↵
:0057 Engine ·name: ·ISO ·Schematron↵
:0058 Severity: ·error↵
:0059 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
:0059 subSection ·or ·subSubSection.↵
:0060 Start ·location: ·2721:147↵
:0061 ↵
:0062 System ·ID: ·
```

```
'0062 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
'0062 /FF92FFA9301FFF0FFF3FFBCE46DFFB8.xml↵
'0063 Main-validation-file: ·
'0063 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
'0063 /FF92FFA9301FFF0FFF3FFBCE46DFFB8.xml↵
'0064 Scenario-name: ·gg-sch↵
'0065 Schema: ·
'0065 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
'0065 ent..sch↵
'0066 Engine-name: ·ISO ·Schematron↵
'0067 Severity: ·error↵
'0068 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
'0068 subSection ·or ·subSubSection.↵
'0069 Start-location: ·2737:147↵
'0070 ↵
'0071 System-ID: ·
'0071 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
'0071 /FF92FFA9301FFF0FFF3FFBCE46DFFB8.xml↵
'0072 Main-validation-file: ·
'0072 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
'0072 /FF92FFA9301FFF0FFF3FFBCE46DFFB8.xml↵
'0073 Scenario-name: ·gg-sch↵
'0074 Schema: ·
'0074 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
'0074 ent..sch↵
'0075 Engine-name: ·ISO ·Schematron↵
'0076 Severity: ·error↵
'0077 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
'0077 subSection ·or ·subSubSection.↵
'0078 Start-location: ·2771:147↵
'0079 ↵
'0080 System-ID: ·
'0080 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
'0080 /FF92FFA9301FFF0FFF3FFBCE46DFFB8.xml↵
'0081 Main-validation-file: ·
```

```
:0081 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
:0081 /FF92FFA9301FFF0FFF3FFBCE46DFFB8.xml↵
:0082 Scenario·name: ·gg-sch↵
:0083 Schema: ·
:0083 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
:0083 ent..sch↵
:0084 Engine·name: ·ISO ·Schematron↵
:0085 Severity: ·error↵
:0086 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
:0086 subSection ·or ·subSubSection.↵
:0087 Start ·location: ·2805:147↵
:0088 ↵
:0089 System ·ID: ·
:0089 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
:0089 /FF92FFA9301FFF0FFF3FFBCE46DFFB8.xml↵
:0090 Main ·validation ·file: ·
:0090 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
:0090 /FF92FFA9301FFF0FFF3FFBCE46DFFB8.xml↵
:0091 Scenario ·name: ·gg-sch↵
:0092 Schema: ·
:0092 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
:0092 ent..sch↵
:0093 Engine·name: ·ISO ·Schematron↵
:0094 Severity: ·error↵
:0095 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
:0095 subSection ·or ·subSubSection.↵
:0096 Start ·location: ·2833:148↵
:0097 ↵
:0098 System ·ID: ·
:0098 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
:0098 /FF92FFA9301FFF0FFF3FFBCE46DFFB8.xml↵
:0099 Main ·validation ·file: ·
:0099 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
:0099 /FF92FFA9301FFF0FFF3FFBCE46DFFB8.xml↵
:0100 Scenario ·name: ·gg-sch↵
```

```
'0101 Schema: .
'0101 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
'0101 ent..sch<
'0102 Engine.name: .ISO .Schematron<
'0103 Severity: .error<
'0104 Description: .A .paragraph .must .have .an .ancestor .
'0104 subSection .or .subSubSection.<
'0105 Start.location: .2861:146<
'0106 <
'0107 System.ID: .
'0107 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
'0107 /FF92FFA9301FFF80FFF3FFBCE46DFFB8.xml<
'0108 Main.validation.file: .
'0108 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
'0108 /FF92FFA9301FFF80FFF3FFBCE46DFFB8.xml<
'0109 Scenario.name: .gg-sch<
'0110 Schema: .
'0110 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
'0110 ent..sch<
'0111 Engine.name: .ISO .Schematron<
'0112 Severity: .error<
'0113 Description: .A .paragraph .must .have .an .ancestor .
'0113 subSection .or .subSubSection.<
'0114 Start.location: .2874:146<
'0115 <
'0116 System.ID: .
'0116 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
'0116 /FF92FFA9301FFF80FFF3FFBCE46DFFB8.xml<
'0117 Main.validation.file: .
'0117 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
'0117 /FF92FFA9301FFF80FFF3FFBCE46DFFB8.xml<
'0118 Scenario.name: .gg-sch<
'0119 Schema: .
'0119 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
'0119 ent..sch<
```

:0120 Engine.name: ·ISO ·Schematron↵  
:0121 Severity: ·error↵  
:0122 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:0122 subSection ·or ·subSubSection.↵  
:0123 Start.location: ·2905:146↵  
:0124 ↵  
:0125 System.ID: ·  
:0125 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:0125 /FF92FFA9301FFF80FFF3FFBCE46DFFB8.xml↵  
:0126 Main.validation.file: ·  
:0126 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:0126 /FF92FFA9301FFF80FFF3FFBCE46DFFB8.xml↵  
:0127 Scenario.name: ·gg-sch↵  
:0128 Schema: ·  
:0128 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:0128 ent..sch↵  
:0129 Engine.name: ·ISO ·Schematron↵  
:0130 Severity: ·error↵  
:0131 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:0131 subSection ·or ·subSubSection.↵  
:0132 Start.location: ·2928:146↵  
:0133 ↵  
:0134 System.ID: ·  
:0134 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:0134 /FF92FFA9301FFF80FFF3FFBCE46DFFB8.xml↵  
:0135 Main.validation.file: ·  
:0135 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:0135 /FF92FFA9301FFF80FFF3FFBCE46DFFB8.xml↵  
:0136 Scenario.name: ·gg-sch↵  
:0137 Schema: ·  
:0137 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:0137 ent..sch↵  
:0138 Engine.name: ·ISO ·Schematron↵  
:0139 Severity: ·error↵  
:0140 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·

```
'0140 subSection ·or ·subSubSection.↵
'0141 Start ·location: ·2954:146↵
'0142 ↵
'0143 System ·ID: ·
'0143 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
'0143 /FF92FFA9301FFF0FFF3FFBCE46DFFB8.xml↵
'0144 Main ·validation ·file: ·
'0144 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
'0144 /FF92FFA9301FFF0FFF3FFBCE46DFFB8.xml↵
'0145 Scenario ·name: ·gg-sch↵
'0146 Schema: ·
'0146 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
'0146 ent..sch↵
'0147 Engine ·name: ·ISO ·Schematron↵
'0148 Severity: ·error↵
'0149 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
'0149 subSection ·or ·subSubSection.↵
'0150 Start ·location: ·2976:146↵
'0151 ↵
'0152 System ·ID: ·
'0152 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
'0152 /FF92FFA9301FFF0FFF3FFBCE46DFFB8.xml↵
'0153 Main ·validation ·file: ·
'0153 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
'0153 /FF92FFA9301FFF0FFF3FFBCE46DFFB8.xml↵
'0154 Scenario ·name: ·gg-sch↵
'0155 Schema: ·
'0155 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
'0155 ent..sch↵
'0156 Engine ·name: ·ISO ·Schematron↵
'0157 Severity: ·error↵
'0158 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
'0158 subSection ·or ·subSubSection.↵
'0159 Start ·location: ·3013:146↵
'0160 ↵
```

:0161 System·ID: ·  
:0161 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:0161 /FF92FFA9301FFF0FFF3FFBCE46DFFB8.xml↵  
:0162 Main·validation·file: ·  
:0162 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:0162 /FF92FFA9301FFF0FFF3FFBCE46DFFB8.xml↵  
:0163 Scenario·name: ·gg-sch↵  
:0164 Schema: ·  
:0164 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:0164 ent..sch↵  
:0165 Engine·name: ·ISO·Schematron↵  
:0166 Severity: ·error↵  
:0167 Description: ·A·paragraph·must·have·an·ancestor·  
:0167 subSection·or·subSubSection.↵  
:0168 Start·location: ·3040:148↵  
:0169 ↵  
:0170 System·ID: ·  
:0170 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:0170 /FF92FFA9301FFF0FFF3FFBCE46DFFB8.xml↵  
:0171 Main·validation·file: ·  
:0171 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:0171 /FF92FFA9301FFF0FFF3FFBCE46DFFB8.xml↵  
:0172 Scenario·name: ·gg-sch↵  
:0173 Schema: ·  
:0173 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:0173 ent..sch↵  
:0174 Engine·name: ·ISO·Schematron↵  
:0175 Severity: ·error↵  
:0176 Description: ·A·paragraph·must·have·an·ancestor·  
:0176 subSection·or·subSubSection.↵  
:0177 Start·location: ·3073:148↵  
:0178 ↵  
:0179 System·ID: ·  
:0179 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:0179 /FF92FFA9301FFF0FFF3FFBCE46DFFB8.xml↵

```
'0180 Main-validation-file: ·
'0180 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
'0180 /FF92FFA9301FFF0FFF3FFBCE46DFFB8.xml↵
'0181 Scenario-name: ·gg-sch↵
'0182 Schema: ·
'0182 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
'0182 ent..sch↵
'0183 Engine-name: ·ISO ·Schematron↵
'0184 Severity: ·error↵
'0185 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
'0185 subSection ·or ·subSubSection.↵
'0186 Start ·location: ·3102:148↵
'0187 ↵
'0188 System ·ID: ·
'0188 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
'0188 /FF92FFA9301FFF0FFF3FFBCE46DFFB8.xml↵
'0189 Main-validation-file: ·
'0189 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
'0189 /FF92FFA9301FFF0FFF3FFBCE46DFFB8.xml↵
'0190 Scenario-name: ·gg-sch↵
'0191 Schema: ·
'0191 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
'0191 ent..sch↵
'0192 Engine-name: ·ISO ·Schematron↵
'0193 Severity: ·error↵
'0194 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
'0194 subSection ·or ·subSubSection.↵
'0195 Start ·location: ·3128:148↵
'0196 ↵
'0197 System ·ID: ·
'0197 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
'0197 /FF92FFA9301FFF0FFF3FFBCE46DFFB8.xml↵
'0198 Main-validation-file: ·
'0198 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
'0198 /FF92FFA9301FFF0FFF3FFBCE46DFFB8.xml↵
```

```
'0199 Scenario·name: ·gg-sch↵
'0200 Schema: ·
'0200 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
'0200 ent..sch↵
'0201 Engine·name: ·ISO·Schematron↵
'0202 Severity: ·error↵
'0203 Description: ·A·paragraph·must·have·an·ancestor·
'0203 subSection·or·subSubSection.↵
'0204 Start·location: ·3164:148↵
'0205 ↵
'0206 System·ID: ·
'0206 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
'0206 /FF92FFA9301FFF80FFF3FFBCE46DFFB8.xml↵
'0207 Main·validation·file: ·
'0207 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
'0207 /FF92FFA9301FFF80FFF3FFBCE46DFFB8.xml↵
'0208 Scenario·name: ·gg-sch↵
'0209 Schema: ·
'0209 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
'0209 ent..sch↵
'0210 Engine·name: ·ISO·Schematron↵
'0211 Severity: ·error↵
'0212 Description: ·A·paragraph·must·have·an·ancestor·
'0212 subSection·or·subSubSection.↵
'0213 Start·location: ·3190:148↵
'0214 ↵
'0215 System·ID: ·
'0215 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
'0215 /FF92FFA9301FFF80FFF3FFBCE46DFFB8.xml↵
'0216 Main·validation·file: ·
'0216 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
'0216 /FF92FFA9301FFF80FFF3FFBCE46DFFB8.xml↵
'0217 Scenario·name: ·gg-sch↵
'0218 Schema: ·
'0218 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
```

```
'0218 ent..sch↵
'0219 Engine·name: ·ISO ·Schematron↵
'0220 Severity: ·error↵
'0221 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
'0221 subSection ·or ·subSubSection.↵
'0222 Start ·location: ·3212:148↵
'0223 ↵
'0224 System ·ID: ·
'0224 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
'0224 /FF92FFA9301FFF80FFF3FFBCE46DFFB8.xml↵
'0225 Main ·validation ·file: ·
'0225 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
'0225 /FF92FFA9301FFF80FFF3FFBCE46DFFB8.xml↵
'0226 Scenario ·name: ·gg-sch↵
'0227 Schema: ·
'0227 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
'0227 ent..sch↵
'0228 Engine·name: ·ISO ·Schematron↵
'0229 Severity: ·error↵
'0230 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
'0230 subSection ·or ·subSubSection.↵
'0231 Start ·location: ·3239:183↵
'0232 ↵
'0233 System ·ID: ·
'0233 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
'0233 /FF92FFA9301FFF80FFF3FFBCE46DFFB8.xml↵
'0234 Main ·validation ·file: ·
'0234 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
'0234 /FF92FFA9301FFF80FFF3FFBCE46DFFB8.xml↵
'0235 Scenario ·name: ·gg-sch↵
'0236 Schema: ·
'0236 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
'0236 ent..sch↵
'0237 Engine·name: ·ISO ·Schematron↵
'0238 Severity: ·error↵
```

:0239 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:0239 subSection ·or ·subSubSection. ↵  
:0240 Start ·location: ·3265:145 ↵  
:0241 ↵  
:0242 System ·ID: ·  
:0242 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:0242 /FF92FFA9301FFF80FFF3FFBCE46DFFB8.xml ↵  
:0243 Main ·validation ·file: ·  
:0243 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:0243 /FF92FFA9301FFF80FFF3FFBCE46DFFB8.xml ↵  
:0244 Scenario ·name: ·gg-sch ↵  
:0245 Schema: ·  
:0245 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:0245 ent..sch ↵  
:0246 Engine ·name: ·ISO ·Schematron ↵  
:0247 Severity: ·error ↵  
:0248 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:0248 subSection ·or ·subSubSection. ↵  
:0249 Start ·location: ·3287:145 ↵  
:0250 ↵  
:0251 System ·ID: ·  
:0251 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:0251 /FF92FFA9301FFF80FFF3FFBCE46DFFB8.xml ↵  
:0252 Main ·validation ·file: ·  
:0252 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:0252 /FF92FFA9301FFF80FFF3FFBCE46DFFB8.xml ↵  
:0253 Scenario ·name: ·gg-sch ↵  
:0254 Schema: ·  
:0254 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:0254 ent..sch ↵  
:0255 Engine ·name: ·ISO ·Schematron ↵  
:0256 Severity: ·error ↵  
:0257 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:0257 subSection ·or ·subSubSection. ↵  
:0258 Start ·location: ·3305:145 ↵

```
:0259 <System>
:0260 System·ID: ·
:0260 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
:0260 /FF92FFA9301FFF80FFF3FFBCE46DFFB8.xml<
:0261 Main·validation·file: ·
:0261 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
:0261 /FF92FFA9301FFF80FFF3FFBCE46DFFB8.xml<
:0262 Scenario·name: ·gg-sch<
:0263 Schema: ·
:0263 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
:0263 ent..sch<
:0264 Engine·name: ·ISO·Schematron<
:0265 Severity: ·error<
:0266 Description: ·A·paragraph·must·have·an·ancestor·
:0266 subSection·or·subSubSection.<
:0267 Start·location: ·3332:145<
:0268 <
:0269 System·ID: ·
:0269 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
:0269 /FF92FFA9301FFF80FFF3FFBCE46DFFB8.xml<
:0270 Main·validation·file: ·
:0270 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
:0270 /FF92FFA9301FFF80FFF3FFBCE46DFFB8.xml<
:0271 Scenario·name: ·gg-sch<
:0272 Schema: ·
:0272 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
:0272 ent..sch<
:0273 Engine·name: ·ISO·Schematron<
:0274 Severity: ·error<
:0275 Description: ·A·paragraph·must·have·an·ancestor·
:0275 subSection·or·subSubSection.<
:0276 Start·location: ·3363:145<
:0277 <
:0278 System·ID: ·
:0278 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
```

```
:0278 /FF92FFA9301FFF0FFF3FFBCE46DFFB8.xml↵
:0279 Main-validation-file: ·
:0279 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
:0279 /FF92FFA9301FFF0FFF3FFBCE46DFFB8.xml↵
:0280 Scenario-name: ·gg-sch↵
:0281 Schema: ·
:0281 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
:0281 ent..sch↵
:0282 Engine-name: ·ISO ·Schematron↵
:0283 Severity: ·error↵
:0284 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
:0284 subSection ·or ·subSubSection.↵
:0285 Start ·location: ·3388:146↵
:0286 ↵
:0287 System ·ID: ·
:0287 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
:0287 /FF92FFA9301FFF0FFF3FFBCE46DFFB8.xml↵
:0288 Main-validation-file: ·
:0288 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
:0288 /FF92FFA9301FFF0FFF3FFBCE46DFFB8.xml↵
:0289 Scenario-name: ·gg-sch↵
:0290 Schema: ·
:0290 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
:0290 ent..sch↵
:0291 Engine-name: ·ISO ·Schematron↵
:0292 Severity: ·error↵
:0293 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
:0293 subSection ·or ·subSubSection.↵
:0294 Start ·location: ·3396:146↵
:0295 ↵
:0296 System ·ID: ·
:0296 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
:0296 /FF92FFA9301FFF0FFF3FFBCE46DFFB8.xml↵
:0297 Main-validation-file: ·
:0297 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
```

```
'0297 /FF92FFA9301FFF0FFF3FFBCE46DFFB8.xml↵
'0298 Scenario·name: ·gg-sch↵
'0299 Schema: ·
'0299 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
'0299 ent..sch↵
'0300 Engine·name: ·ISO ·Schematron↵
'0301 Severity: ·error↵
'0302 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
'0302 subSection ·or ·subSubSection.↵
'0303 Start ·location: ·3405:145↵
'0304 ↵
'0305 System ·ID: ·
'0305 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
'0305 /FF92FFA9301FFF0FFF3FFBCE46DFFB8.xml↵
'0306 Main ·validation ·file: ·
'0306 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
'0306 /FF92FFA9301FFF0FFF3FFBCE46DFFB8.xml↵
'0307 Scenario ·name: ·gg-sch↵
'0308 Schema: ·
'0308 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
'0308 ent..sch↵
'0309 Engine·name: ·ISO ·Schematron↵
'0310 Severity: ·error↵
'0311 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
'0311 subSection ·or ·subSubSection.↵
'0312 Start ·location: ·3412:145↵
'0313 ↵
'0314 System ·ID: ·
'0314 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
'0314 /FF92FFA9301FFF0FFF3FFBCE46DFFB8.xml↵
'0315 Main ·validation ·file: ·
'0315 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
'0315 /FF92FFA9301FFF0FFF3FFBCE46DFFB8.xml↵
'0316 Scenario ·name: ·gg-sch↵
'0317 Schema: ·
```

```
:0317 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm  
:0317 ent..sch↵  
:0318 Engine.name: ·ISO ·Schematron↵  
:0319 Severity: ·error↵  
:0320 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:0320 subSection ·or ·subSubSection.↵  
:0321 Start ·location: ·3421:146↵  
:0322 ↵  
:0323 System ·ID: ·  
:0323 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:0323 /FF92FFA9301FFF80FFF3FFBCE46DFFB8.xml↵  
:0324 Main ·validation ·file: ·  
:0324 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:0324 /FF92FFA9301FFF80FFF3FFBCE46DFFB8.xml↵  
:0325 Scenario ·name: ·gg-sch↵  
:0326 Schema: ·  
:0326 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm  
:0326 ent..sch↵  
:0327 Engine.name: ·ISO ·Schematron↵  
:0328 Severity: ·error↵  
:0329 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:0329 subSection ·or ·subSubSection.↵  
:0330 Start ·location: ·3430:145↵  
:0331 ↵  
:0332 System ·ID: ·  
:0332 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:0332 /FF92FFA9301FFF80FFF3FFBCE46DFFB8.xml↵  
:0333 Main ·validation ·file: ·  
:0333 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:0333 /FF92FFA9301FFF80FFF3FFBCE46DFFB8.xml↵  
:0334 Scenario ·name: ·gg-sch↵  
:0335 Schema: ·  
:0335 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm  
:0335 ent..sch↵  
:0336 Engine.name: ·ISO ·Schematron↵
```

:0337 Severity: ·error ↵  
:0338 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:0338 subSection ·or ·subSubSection. ↵  
:0339 Start ·location: ·3439:147 ↵  
:0340 ↵  
:0341 System ·ID: ·  
:0341 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:0341 /FF92FFA9301FFF80FFF3FFBCE46DFFB8.xml ↵  
:0342 Main ·validation ·file: ·  
:0342 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:0342 /FF92FFA9301FFF80FFF3FFBCE46DFFB8.xml ↵  
:0343 Scenario ·name: ·gg-sch ↵  
:0344 Schema: ·  
:0344 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:0344 ent..sch ↵  
:0345 Engine ·name: ·ISO ·Schematron ↵  
:0346 Severity: ·error ↵  
:0347 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:0347 subSection ·or ·subSubSection. ↵  
:0348 Start ·location: ·3449:148 ↵  
:0349 ↵  
:0350 System ·ID: ·  
:0350 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:0350 /FF92FFA9301FFF80FFF3FFBCE46DFFB8.xml ↵  
:0351 Main ·validation ·file: ·  
:0351 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:0351 /FF92FFA9301FFF80FFF3FFBCE46DFFB8.xml ↵  
:0352 Scenario ·name: ·gg-sch ↵  
:0353 Schema: ·  
:0353 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:0353 ent..sch ↵  
:0354 Engine ·name: ·ISO ·Schematron ↵  
:0355 Severity: ·error ↵  
:0356 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:0356 subSection ·or ·subSubSection. ↵

```
:0357 Start ·location: ·3456:147↵
:0358 ↵
:0359 System ·ID: ·
:0359 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
:0359 /FF92FFA9301FFF0FFF3FFBCE46DFFB8.xml↵
:0360 Main ·validation ·file: ·
:0360 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
:0360 /FF92FFA9301FFF0FFF3FFBCE46DFFB8.xml↵
:0361 Scenario ·name: ·gg-sch↵
:0362 Schema: ·
:0362 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
:0362 ent..sch↵
:0363 Engine ·name: ·ISO ·Schematron↵
:0364 Severity: ·error↵
:0365 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
:0365 subSection ·or ·subSubSection.↵
:0366 Start ·location: ·3463:148↵
:0367 ↵
:0368 System ·ID: ·
:0368 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
:0368 /FF92FFA9301FFF0FFF3FFBCE46DFFB8.xml↵
:0369 Main ·validation ·file: ·
:0369 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
:0369 /FF92FFA9301FFF0FFF3FFBCE46DFFB8.xml↵
:0370 Scenario ·name: ·gg-sch↵
:0371 Schema: ·
:0371 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
:0371 ent..sch↵
:0372 Engine ·name: ·ISO ·Schematron↵
:0373 Severity: ·error↵
:0374 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
:0374 subSection ·or ·subSubSection.↵
:0375 Start ·location: ·3470:147↵
:0376 ↵
:0377 System ·ID: ·
```

```
:0377 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
:0377 /FF92FFA9301FFF0FFF3FFBCE46DFFB8.xml↵
:0378 Main-validation-file: ·
:0378 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
:0378 /FF92FFA9301FFF0FFF3FFBCE46DFFB8.xml↵
:0379 Scenario-name: ·gg-sch↵
:0380 Schema: ·
:0380 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
:0380 ent..sch↵
:0381 Engine-name: ·ISO ·Schematron↵
:0382 Severity: ·error↵
:0383 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
:0383 subSection ·or ·subSubSection.↵
:0384 Start-location: ·3485:148↵
:0385 ↵
:0386 System-ID: ·
:0386 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
:0386 /FF92FFA9301FFF0FFF3FFBCE46DFFB8.xml↵
:0387 Main-validation-file: ·
:0387 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
:0387 /FF92FFA9301FFF0FFF3FFBCE46DFFB8.xml↵
:0388 Scenario-name: ·gg-sch↵
:0389 Schema: ·
:0389 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
:0389 ent..sch↵
:0390 Engine-name: ·ISO ·Schematron↵
:0391 Severity: ·error↵
:0392 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
:0392 subSection ·or ·subSubSection.↵
:0393 Start-location: ·3494:148↵
:0394 ↵
:0395 System-ID: ·
:0395 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
:0395 /FF92FFA9301FFF0FFF3FFBCE46DFFB8.xml↵
:0396 Main-validation-file: ·
```

```
:0396 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
:0396 /FF92FFA9301FFF0FFF3FFBCE46DFFB8.xml↵
:0397 Scenario·name: ·gg-sch↵
:0398 Schema: ·
:0398 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
:0398 ent..sch↵
:0399 Engine·name: ·ISO ·Schematron↵
:0400 Severity: ·error↵
:0401 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
:0401 subSection ·or ·subSubSection.↵
:0402 Start ·location: ·3504:147↵
:0403 ↵
:0404 System ·ID: ·
:0404 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
:0404 /FF92FFA9301FFF0FFF3FFBCE46DFFB8.xml↵
:0405 Main ·validation ·file: ·
:0405 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
:0405 /FF92FFA9301FFF0FFF3FFBCE46DFFB8.xml↵
:0406 Scenario ·name: ·gg-sch↵
:0407 Schema: ·
:0407 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
:0407 ent..sch↵
:0408 Engine·name: ·ISO ·Schematron↵
:0409 Severity: ·error↵
:0410 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
:0410 subSection ·or ·subSubSection.↵
:0411 Start ·location: ·3513:148↵
:0412 ↵
:0413 System ·ID: ·
:0413 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
:0413 /FF92FFA9301FFF0FFF3FFBCE46DFFB8.xml↵
:0414 Main ·validation ·file: ·
:0414 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
:0414 /FF92FFA9301FFF0FFF3FFBCE46DFFB8.xml↵
:0415 Scenario ·name: ·gg-sch↵
```

:0416 Schema: .  
:0416 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:0416 ent..sch↵  
:0417 Engine.name: .ISO .Schematron↵  
:0418 Severity: .error↵  
:0419 Description: .A .paragraph .must .have .an .ancestor .  
:0419 subSection .or .subSubSection.↵  
:0420 Start.location: .3522:147↵  
:0421 ↵  
:0422 System.ID: .  
:0422 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:0422 /FF92FFA9301FFF80FFF3FFBCE46DFFB8.xml↵  
:0423 Main.validation.file: .  
:0423 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:0423 /FF92FFA9301FFF80FFF3FFBCE46DFFB8.xml↵  
:0424 Scenario.name: .gg-sch↵  
:0425 Schema: .  
:0425 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:0425 ent..sch↵  
:0426 Engine.name: .ISO .Schematron↵  
:0427 Severity: .error↵  
:0428 Description: .A .paragraph .must .have .an .ancestor .  
:0428 subSection .or .subSubSection.↵  
:0429 Start.location: .3533:148↵  
:0430 ↵  
:0431 System.ID: .  
:0431 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:0431 /FF92FFA9301FFF80FFF3FFBCE46DFFB8.xml↵  
:0432 Main.validation.file: .  
:0432 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:0432 /FF92FFA9301FFF80FFF3FFBCE46DFFB8.xml↵  
:0433 Scenario.name: .gg-sch↵  
:0434 Schema: .  
:0434 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:0434 ent..sch↵

:0435 Engine·name: ·ISO ·Schematron↵  
:0436 Severity: ·error↵  
:0437 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:0437 subSection ·or ·subSubSection.↵  
:0438 Start ·location: ·3544:147↵  
:0439 ↵  
:0440 System ·ID: ·  
:0440 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:0440 /FF92FFA9301FFF80FFF3FFBCE46DFFB8.xml↵  
:0441 Main ·validation ·file: ·  
:0441 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:0441 /FF92FFA9301FFF80FFF3FFBCE46DFFB8.xml↵  
:0442 Scenario ·name: ·gg-sch↵  
:0443 Schema: ·  
:0443 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:0443 ent..sch↵  
:0444 Engine·name: ·ISO ·Schematron↵  
:0445 Severity: ·error↵  
:0446 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:0446 subSection ·or ·subSubSection.↵  
:0447 Start ·location: ·3564:145↵  
:0448 ↵  
:0449 System ·ID: ·  
:0449 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:0449 /FF92FFA9301FFF80FFF3FFBCE46DFFB8.xml↵  
:0450 Main ·validation ·file: ·  
:0450 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:0450 /FF92FFA9301FFF80FFF3FFBCE46DFFB8.xml↵  
:0451 Scenario ·name: ·gg-sch↵  
:0452 Schema: ·  
:0452 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:0452 ent..sch↵  
:0453 Engine·name: ·ISO ·Schematron↵  
:0454 Severity: ·error↵  
:0455 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·

```
:0455 subSection ·or ·subSubSection.↵
:0456 Start ·location: ·3573:145↵
:0457 ↵
:0458 System ·ID: ·
:0458 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
:0458 /FF92FFA9301FFF0FFF3FFBCE46DFFB8.xml↵
:0459 Main ·validation ·file: ·
:0459 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
:0459 /FF92FFA9301FFF0FFF3FFBCE46DFFB8.xml↵
:0460 Scenario ·name: ·gg-sch↵
:0461 Schema: ·
:0461 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
:0461 ent..sch↵
:0462 Engine ·name: ·ISO ·Schematron↵
:0463 Severity: ·error↵
:0464 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
:0464 subSection ·or ·subSubSection.↵
:0465 Start ·location: ·3582:145↵
:0466 ↵
:0467 System ·ID: ·
:0467 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
:0467 /FF92FFA9301FFF0FFF3FFBCE46DFFB8.xml↵
:0468 Main ·validation ·file: ·
:0468 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
:0468 /FF92FFA9301FFF0FFF3FFBCE46DFFB8.xml↵
:0469 Scenario ·name: ·gg-sch↵
:0470 Schema: ·
:0470 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
:0470 ent..sch↵
:0471 Engine ·name: ·ISO ·Schematron↵
:0472 Severity: ·error↵
:0473 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
:0473 subSection ·or ·subSubSection.↵
:0474 Start ·location: ·3592:145↵
:0475 ↵
```

:0476 System·ID: ·  
:0476 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:0476 /FF92FFA9301FFF0FFF3FFBCE46DFFB8.xml↵  
:0477 Main·validation·file: ·  
:0477 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:0477 /FF92FFA9301FFF0FFF3FFBCE46DFFB8.xml↵  
:0478 Scenario·name: ·gg-sch↵  
:0479 Schema: ·  
:0479 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:0479 ent..sch↵  
:0480 Engine·name: ·ISO·Schematron↵  
:0481 Severity: ·error↵  
:0482 Description: ·A·paragraph·must·have·an·ancestor·  
:0482 subSection·or·subSubSection.↵  
:0483 Start·location: ·3602:145↵  
:0484 ↵  
:0485 System·ID: ·  
:0485 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:0485 /FF92FFA9301FFF0FFF3FFBCE46DFFB8.xml↵  
:0486 Main·validation·file: ·  
:0486 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:0486 /FF92FFA9301FFF0FFF3FFBCE46DFFB8.xml↵  
:0487 Scenario·name: ·gg-sch↵  
:0488 Schema: ·  
:0488 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:0488 ent..sch↵  
:0489 Engine·name: ·ISO·Schematron↵  
:0490 Severity: ·error↵  
:0491 Description: ·A·paragraph·must·have·an·ancestor·  
:0491 subSection·or·subSubSection.↵  
:0492 Start·location: ·3615:145↵  
:0493 ↵  
:0494 System·ID: ·  
:0494 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:0494 /FF92FFA9301FFF0FFF3FFBCE46DFFB8.xml↵

:0495 Main-validation-file: .  
:0495 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:0495 /FF92FFA9301FFF0FFF3FFBCE46DFFB8.xml↵  
:0496 Scenario-name: .gg-sch↵  
:0497 Schema: .  
:0497 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:0497 ent..sch↵  
:0498 Engine-name: .ISO-Schematron↵  
:0499 Severity: .error↵  
:0500 Description: .A .paragraph .must .have .an .ancestor .  
:0500 subSection .or .subSubSection.↵  
:0501 Start-location: .3625:145↵  
:0502 ↵  
:0503 System-ID: .  
:0503 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:0503 /FF92FFA9301FFF0FFF3FFBCE46DFFB8.xml↵  
:0504 Main-validation-file: .  
:0504 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:0504 /FF92FFA9301FFF0FFF3FFBCE46DFFB8.xml↵  
:0505 Scenario-name: .gg-sch↵  
:0506 Schema: .  
:0506 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:0506 ent..sch↵  
:0507 Engine-name: .ISO-Schematron↵  
:0508 Severity: .error↵  
:0509 Description: .A .paragraph .must .have .an .ancestor .  
:0509 subSection .or .subSubSection.↵  
:0510 Start-location: .3636:147↵  
:0511 ↵  
:0512 System-ID: .  
:0512 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:0512 /FF92FFA9301FFF0FFF3FFBCE46DFFB8.xml↵  
:0513 Main-validation-file: .  
:0513 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:0513 /FF92FFA9301FFF0FFF3FFBCE46DFFB8.xml↵

```
:0514 Scenario·name: ·gg-sch↵
:0515 Schema: ·
:0515 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
:0515 ent..sch↵
:0516 Engine·name: ·ISO·Schematron↵
:0517 Severity: ·error↵
:0518 Description: ·A·paragraph·must·have·an·ancestor·
:0518 subSection·or·subSubSection.↵
:0519 Start·location: ·3645:147↵
:0520 ↵
:0521 System·ID: ·
:0521 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
:0521 /FF92FFA9301FFF80FFF3FFBCE46DFFB8.xml↵
:0522 Main·validation·file: ·
:0522 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
:0522 /FF92FFA9301FFF80FFF3FFBCE46DFFB8.xml↵
:0523 Scenario·name: ·gg-sch↵
:0524 Schema: ·
:0524 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
:0524 ent..sch↵
:0525 Engine·name: ·ISO·Schematron↵
:0526 Severity: ·error↵
:0527 Description: ·A·paragraph·must·have·an·ancestor·
:0527 subSection·or·subSubSection.↵
:0528 Start·location: ·3656:147↵
:0529 ↵
:0530 System·ID: ·
:0530 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
:0530 /FF92FFA9301FFF80FFF3FFBCE46DFFB8.xml↵
:0531 Main·validation·file: ·
:0531 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
:0531 /FF92FFA9301FFF80FFF3FFBCE46DFFB8.xml↵
:0532 Scenario·name: ·gg-sch↵
:0533 Schema: ·
:0533 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
```

```
:0533  ent..sch↵
:0534  Engine·name: ·ISO ·Schematron↵
:0535  Severity: ·error↵
:0536  Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
:0536  subSection ·or ·subSubSection.↵
:0537  Start ·location: ·3665:147↵
:0538  ↵
:0539  System ·ID: ·
:0539  /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
:0539  /FF92FFA9301FFF80FFF3FFBCE46DFFB8.xml↵
:0540  Main ·validation ·file: ·
:0540  /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
:0540  /FF92FFA9301FFF80FFF3FFBCE46DFFB8.xml↵
:0541  Scenario ·name: ·gg-sch↵
:0542  Schema: ·
:0542  /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
:0542  ent..sch↵
:0543  Engine·name: ·ISO ·Schematron↵
:0544  Severity: ·error↵
:0545  Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
:0545  subSection ·or ·subSubSection.↵
:0546  Start ·location: ·3674:147↵
:0547  ↵
:0548  System ·ID: ·
:0548  /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
:0548  /FF92FFA9301FFF80FFF3FFBCE46DFFB8.xml↵
:0549  Main ·validation ·file: ·
:0549  /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
:0549  /FF92FFA9301FFF80FFF3FFBCE46DFFB8.xml↵
:0550  Scenario ·name: ·gg-sch↵
:0551  Schema: ·
:0551  /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
:0551  ent..sch↵
:0552  Engine·name: ·ISO ·Schematron↵
:0553  Severity: ·error↵
```

:0554 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:0554 subSection ·or ·subSubSection. ↵  
:0555 Start ·location: ·3685:147 ↵  
:0556 ↵  
:0557 System ·ID: ·  
:0557 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:0557 /FF92FFA9301FFF80FFF3FFBCE46DFFB8.xml ↵  
:0558 Main ·validation ·file: ·  
:0558 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:0558 /FF92FFA9301FFF80FFF3FFBCE46DFFB8.xml ↵  
:0559 Scenario ·name: ·gg-sch ↵  
:0560 Schema: ·  
:0560 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:0560 ent..sch ↵  
:0561 Engine ·name: ·ISO ·Schematron ↵  
:0562 Severity: ·error ↵  
:0563 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:0563 subSection ·or ·subSubSection. ↵  
:0564 Start ·location: ·3694:148 ↵  
:0565 ↵  
:0566 System ·ID: ·  
:0566 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:0566 /FF92FFA9301FFF80FFF3FFBCE46DFFB8.xml ↵  
:0567 Main ·validation ·file: ·  
:0567 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:0567 /FF92FFA9301FFF80FFF3FFBCE46DFFB8.xml ↵  
:0568 Scenario ·name: ·gg-sch ↵  
:0569 Schema: ·  
:0569 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:0569 ent..sch ↵  
:0570 Engine ·name: ·ISO ·Schematron ↵  
:0571 Severity: ·error ↵  
:0572 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:0572 subSection ·or ·subSubSection. ↵  
:0573 Start ·location: ·3710:146 ↵

```
:0574 <System>
:0575 System·ID: ·
:0575 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
:0575 /FF92FFA9301FFF80FFF3FFBCE46DFFB8.xml<
:0576 Main·validation·file: ·
:0576 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
:0576 /FF92FFA9301FFF80FFF3FFBCE46DFFB8.xml<
:0577 Scenario·name: ·gg-sch<
:0578 Schema: ·
:0578 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
:0578 ent..sch<
:0579 Engine·name: ·ISO·Schematron<
:0580 Severity: ·error<
:0581 Description: ·A·paragraph·must·have·an·ancestor·
:0581 subSection·or·subSubSection.<
:0582 Start·location: ·3721:146<
:0583 <
:0584 System·ID: ·
:0584 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
:0584 /FF92FFA9301FFF80FFF3FFBCE46DFFB8.xml<
:0585 Main·validation·file: ·
:0585 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
:0585 /FF92FFA9301FFF80FFF3FFBCE46DFFB8.xml<
:0586 Scenario·name: ·gg-sch<
:0587 Schema: ·
:0587 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
:0587 ent..sch<
:0588 Engine·name: ·ISO·Schematron<
:0589 Severity: ·error<
:0590 Description: ·A·paragraph·must·have·an·ancestor·
:0590 subSection·or·subSubSection.<
:0591 Start·location: ·3728:146<
:0592 <
:0593 System·ID: ·
:0593 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
```

:0593 /FF97D55CBD3BD6286B5A0304FFCD8605.xml ↵  
:0594 Main-validation-file: ·  
:0594 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:0594 /FF97D55CBD3BD6286B5A0304FFCD8605.xml ↵  
:0595 Scenario-name: ·gg-sch ↵  
:0596 Schema: ·  
:0596 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:0596 ent..sch ↵  
:0597 Engine-name: ·ISO-Schematron ↵  
:0598 Severity: ·error ↵  
:0599 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:0599 subSection ·or ·subSubSection. ↵  
:0600 Start-location: ·75:132 ↵  
:0601 ↵  
:0602 System-ID: ·  
:0602 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:0602 /FF97D55CBD3BD6286B5A0304FFCD8605.xml ↵  
:0603 Main-validation-file: ·  
:0603 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:0603 /FF97D55CBD3BD6286B5A0304FFCD8605.xml ↵  
:0604 Scenario-name: ·gg-sch ↵  
:0605 Schema: ·  
:0605 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:0605 ent..sch ↵  
:0606 Engine-name: ·ISO-Schematron ↵  
:0607 Severity: ·error ↵  
:0608 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:0608 subSection ·or ·subSubSection. ↵  
:0609 Start-location: ·76:132 ↵  
:0610 ↵  
:0611 System-ID: ·  
:0611 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:0611 /FF97D55CBD3BD6286B5A0304FFCD8605.xml ↵  
:0612 Main-validation-file: ·  
:0612 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax

:0612 /FF97D55CBD3BD6286B5A0304FFCD8605.xml ↵  
:0613 Scenario.name: .gg-sch ↵  
:0614 Schema: .  
:0614 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
:0615 Engine.name: .ISO.Schematron ↵  
:0616 Severity: .error ↵  
:0617 Description: .A.paragraph.must.have.an.ancestor.  
subSection.or.subSubSection. ↵  
:0618 Start.location: .82:107 ↵  
:0619 ↵  
:0620 System.ID: .  
:0620 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:0620 /FF97D55CBD3BD6286B5A0304FFCD8605.xml ↵  
:0621 Main.validation.file: .  
:0621 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:0621 /FF97D55CBD3BD6286B5A0304FFCD8605.xml ↵  
:0622 Scenario.name: .gg-sch ↵  
:0623 Schema: .  
:0623 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
:0624 Engine.name: .ISO.Schematron ↵  
:0625 Severity: .error ↵  
:0626 Description: .A.paragraph.must.have.an.ancestor.  
subSection.or.subSubSection. ↵  
:0627 Start.location: .97:132 ↵  
:0628 ↵  
:0629 System.ID: .  
:0629 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:0629 /FF97D55CBD3BD6286B5A0304FFCD8605.xml ↵  
:0630 Main.validation.file: .  
:0630 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:0630 /FF97D55CBD3BD6286B5A0304FFCD8605.xml ↵  
:0631 Scenario.name: .gg-sch ↵  
:0632 Schema: .

```
:0632 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm  
:0632 ent..sch↵  
:0633 Engine.name: ·ISO ·Schematron↵  
:0634 Severity: ·error↵  
:0635 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:0635 subSection ·or ·subSubSection.↵  
:0636 Start ·location: ·98:107↵  
:0637 ↵  
:0638 System ·ID: ·  
:0638 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:0638 /FF97D55CBD3BD6286B5A0304FFCD8605.xml↵  
:0639 Main ·validation ·file: ·  
:0639 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:0639 /FF97D55CBD3BD6286B5A0304FFCD8605.xml↵  
:0640 Scenario ·name: ·gg-sch↵  
:0641 Schema: ·  
:0641 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm  
:0641 ent..sch↵  
:0642 Engine.name: ·ISO ·Schematron↵  
:0643 Severity: ·error↵  
:0644 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:0644 subSection ·or ·subSubSection.↵  
:0645 Start ·location: ·110:130↵  
:0646 ↵  
:0647 System ·ID: ·  
:0647 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:0647 /FF97D55CBD3BD6286B5A0304FFCD8605.xml↵  
:0648 Main ·validation ·file: ·  
:0648 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:0648 /FF97D55CBD3BD6286B5A0304FFCD8605.xml↵  
:0649 Scenario ·name: ·gg-sch↵  
:0650 Schema: ·  
:0650 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm  
:0650 ent..sch↵  
:0651 Engine.name: ·ISO ·Schematron↵
```

:0652 Severity: ·error↵  
:0653 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:0653 subSection ·or ·subSubSection.↵  
:0654 Start ·location: ·115:131↵  
:0655 ↵  
:0656 System ·ID: ·  
:0656 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:0656 /FF97D55CBD3BD6286B5A0304FFCD8605.xml↵  
:0657 Main ·validation ·file: ·  
:0657 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:0657 /FF97D55CBD3BD6286B5A0304FFCD8605.xml↵  
:0658 Scenario ·name: ·gg-sch↵  
:0659 Schema: ·  
:0659 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:0659 ent..sch↵  
:0660 Engine ·name: ·ISO ·Schematron↵  
:0661 Severity: ·error↵  
:0662 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:0662 subSection ·or ·subSubSection.↵  
:0663 Start ·location: ·116:131↵  
:0664 ↵  
:0665 System ·ID: ·  
:0665 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:0665 /FF97D55CBD3BD6286B5A0304FFCD8605.xml↵  
:0666 Main ·validation ·file: ·  
:0666 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:0666 /FF97D55CBD3BD6286B5A0304FFCD8605.xml↵  
:0667 Scenario ·name: ·gg-sch↵  
:0668 Schema: ·  
:0668 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:0668 ent..sch↵  
:0669 Engine ·name: ·ISO ·Schematron↵  
:0670 Severity: ·error↵  
:0671 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:0671 subSection ·or ·subSubSection.↵

:0672 Start ·location: ·120:132 ↵  
:0673 ↵  
:0674 System ·ID: ·  
:0674 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:0674 /FF97D55CBD3BD6286B5A0304FFCD8605.xml ↵  
:0675 Main ·validation ·file: ·  
:0675 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:0675 /FF97D55CBD3BD6286B5A0304FFCD8605.xml ↵  
:0676 Scenario ·name: ·gg-sch ↵  
:0677 Schema: ·  
:0677 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:0677 ent..sch ↵  
:0678 Engine ·name: ·ISO ·Schematron ↵  
:0679 Severity: ·error ↵  
:0680 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:0680 subSection ·or ·subSubSection. ↵  
:0681 Start ·location: ·121:133 ↵  
:0682 ↵  
:0683 System ·ID: ·  
:0683 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:0683 /FF97D55CBD3BD6286B5A0304FFCD8605.xml ↵  
:0684 Main ·validation ·file: ·  
:0684 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:0684 /FF97D55CBD3BD6286B5A0304FFCD8605.xml ↵  
:0685 Scenario ·name: ·gg-sch ↵  
:0686 Schema: ·  
:0686 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:0686 ent..sch ↵  
:0687 Engine ·name: ·ISO ·Schematron ↵  
:0688 Severity: ·error ↵  
:0689 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:0689 subSection ·or ·subSubSection. ↵  
:0690 Start ·location: ·122:136 ↵  
:0691 ↵  
:0692 System ·ID: ·

```
:0692 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
:0692 /FF97D55CBD3BD6286B5A0304FFCD8605.xml↵
:0693 Main-validation-file: ·
:0693 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
:0693 /FF97D55CBD3BD6286B5A0304FFCD8605.xml↵
:0694 Scenario-name: ·gg-sch↵
:0695 Schema: ·
:0695 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
:0695 ent..sch↵
:0696 Engine-name: ·ISO ·Schematron↵
:0697 Severity: ·error↵
:0698 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
:0698 subSection ·or ·subSubSection.↵
:0699 Start-location: ·125:135↵
:0700 ↵
:0701 System-ID: ·
:0701 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
:0701 /FF97D55CBD3BD6286B5A0304FFCD8605.xml↵
:0702 Main-validation-file: ·
:0702 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
:0702 /FF97D55CBD3BD6286B5A0304FFCD8605.xml↵
:0703 Scenario-name: ·gg-sch↵
:0704 Schema: ·
:0704 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
:0704 ent..sch↵
:0705 Engine-name: ·ISO ·Schematron↵
:0706 Severity: ·error↵
:0707 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
:0707 subSection ·or ·subSubSection.↵
:0708 Start-location: ·126:134↵
:0709 ↵
:0710 System-ID: ·
:0710 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
:0710 /FF97D55CBD3BD6286B5A0304FFCD8605.xml↵
:0711 Main-validation-file: ·
```

:0711 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:0711 /FF97D55CBD3BD6286B5A0304FFCD8605.xml ↵  
:0712 Scenario.name: .gg-sch ↵  
:0713 Schema: .  
:0713 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:0713 ent..sch ↵  
:0714 Engine.name: .ISO .Schematron ↵  
:0715 Severity: .error ↵  
:0716 Description: .A .paragraph .must .have .an .ancestor .  
:0716 subSection .or .subSubSection. ↵  
:0717 Start.location: .127:130 ↵  
:0718 ↵  
:0719 System.ID: .  
:0719 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:0719 /FF97D55CBD3BD6286B5A0304FFCD8605.xml ↵  
:0720 Main.validation.file: .  
:0720 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:0720 /FF97D55CBD3BD6286B5A0304FFCD8605.xml ↵  
:0721 Scenario.name: .gg-sch ↵  
:0722 Schema: .  
:0722 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:0722 ent..sch ↵  
:0723 Engine.name: .ISO .Schematron ↵  
:0724 Severity: .error ↵  
:0725 Description: .A .paragraph .must .have .an .ancestor .  
:0725 subSection .or .subSubSection. ↵  
:0726 Start.location: .132:131 ↵  
:0727 ↵  
:0728 System.ID: .  
:0728 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:0728 /FF97D55CBD3BD6286B5A0304FFCD8605.xml ↵  
:0729 Main.validation.file: .  
:0729 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:0729 /FF97D55CBD3BD6286B5A0304FFCD8605.xml ↵  
:0730 Scenario.name: .gg-sch ↵

:0731 Schema: .  
:0731 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:0731 ent..sch↵  
:0732 Engine.name: .ISO .Schematron↵  
:0733 Severity: .error↵  
:0734 Description: .A .paragraph .must .have .an .ancestor .  
:0734 subSection .or .subSubSection.↵  
:0735 Start.location: .133:107↵  
:0736 ↵  
:0737 System.ID: .  
:0737 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:0737 /FF97D55CBD3BD6286B5A0304FFCD8605.xml↵  
:0738 Main.validation.file: .  
:0738 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:0738 /FF97D55CBD3BD6286B5A0304FFCD8605.xml↵  
:0739 Scenario.name: .gg-sch↵  
:0740 Schema: .  
:0740 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:0740 ent..sch↵  
:0741 Engine.name: .ISO .Schematron↵  
:0742 Severity: .error↵  
:0743 Description: .A .paragraph .must .have .an .ancestor .  
:0743 subSection .or .subSubSection.↵  
:0744 Start.location: .146:133↵  
:0745 ↵  
:0746 System.ID: .  
:0746 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:0746 /FF97D55CBD3BD6286B5A0304FFCD8605.xml↵  
:0747 Main.validation.file: .  
:0747 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:0747 /FF97D55CBD3BD6286B5A0304FFCD8605.xml↵  
:0748 Scenario.name: .gg-sch↵  
:0749 Schema: .  
:0749 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:0749 ent..sch↵

:0750 Engine.name: ·ISO ·Schematron↵  
:0751 Severity: ·error↵  
:0752 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:0752 subSection ·or ·subSubSection.↵  
:0753 Start.location: ·147:108↵  
:0754 ↵  
:0755 System.ID: ·  
:0755 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:0755 /FF97D55CBD3BD6286B5A0304FFCD8605.xml↵  
:0756 Main.validation.file: ·  
:0756 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:0756 /FF97D55CBD3BD6286B5A0304FFCD8605.xml↵  
:0757 Scenario.name: ·gg-sch↵  
:0758 Schema: ·  
:0758 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:0758 ent..sch↵  
:0759 Engine.name: ·ISO ·Schematron↵  
:0760 Severity: ·error↵  
:0761 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:0761 subSection ·or ·subSubSection.↵  
:0762 Start.location: ·162:135↵  
:0763 ↵  
:0764 System.ID: ·  
:0764 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:0764 /FF97D55CBD3BD6286B5A0304FFCD8605.xml↵  
:0765 Main.validation.file: ·  
:0765 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:0765 /FF97D55CBD3BD6286B5A0304FFCD8605.xml↵  
:0766 Scenario.name: ·gg-sch↵  
:0767 Schema: ·  
:0767 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:0767 ent..sch↵  
:0768 Engine.name: ·ISO ·Schematron↵  
:0769 Severity: ·error↵  
:0770 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·

:0770 subSection ·or ·subSubSection. ↵  
:0771 Start ·location: ·163:109 ↵  
:0772 ↵  
:0773 System ·ID: ·  
:0773 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:0773 /FF97D55CBD3BD6286B5A0304FFCD8605.xml ↵  
:0774 Main ·validation ·file: ·  
:0774 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:0774 /FF97D55CBD3BD6286B5A0304FFCD8605.xml ↵  
:0775 Scenario ·name: ·gg-sch ↵  
:0776 Schema: ·  
:0776 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:0776 ent..sch ↵  
:0777 Engine ·name: ·ISO ·Schematron ↵  
:0778 Severity: ·error ↵  
:0779 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:0779 subSection ·or ·subSubSection. ↵  
:0780 Start ·location: ·172:135 ↵  
:0781 ↵  
:0782 System ·ID: ·  
:0782 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:0782 /FF97D55CBD3BD6286B5A0304FFCD8605.xml ↵  
:0783 Main ·validation ·file: ·  
:0783 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:0783 /FF97D55CBD3BD6286B5A0304FFCD8605.xml ↵  
:0784 Scenario ·name: ·gg-sch ↵  
:0785 Schema: ·  
:0785 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:0785 ent..sch ↵  
:0786 Engine ·name: ·ISO ·Schematron ↵  
:0787 Severity: ·error ↵  
:0788 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:0788 subSection ·or ·subSubSection. ↵  
:0789 Start ·location: ·173:178 ↵  
:0790 ↵

:0791 System·ID: ·  
:0791 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:0791 /FF97D55CBD3BD6286B5A0304FFCD8605.xml↵  
:0792 Main·validation·file: ·  
:0792 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:0792 /FF97D55CBD3BD6286B5A0304FFCD8605.xml↵  
:0793 Scenario·name: ·gg-sch↵  
:0794 Schema: ·  
:0794 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:0794 ent..sch↵  
:0795 Engine·name: ·ISO·Schematron↵  
:0796 Severity: ·error↵  
:0797 Description: ·A·paragraph·must·have·an·ancestor·  
:0797 subSection·or·subSubSection.↵  
:0798 Start·location: ·184:132↵  
:0799 ↵  
:0800 System·ID: ·  
:0800 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:0800 /FF97D55CBD3BD6286B5A0304FFCD8605.xml↵  
:0801 Main·validation·file: ·  
:0801 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:0801 /FF97D55CBD3BD6286B5A0304FFCD8605.xml↵  
:0802 Scenario·name: ·gg-sch↵  
:0803 Schema: ·  
:0803 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:0803 ent..sch↵  
:0804 Engine·name: ·ISO·Schematron↵  
:0805 Severity: ·error↵  
:0806 Description: ·A·paragraph·must·have·an·ancestor·  
:0806 subSection·or·subSubSection.↵  
:0807 Start·location: ·185:108↵  
:0808 ↵  
:0809 System·ID: ·  
:0809 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:0809 /FF97D55CBD3BD6286B5A0304FFCD8605.xml↵

```
'0810 Main-validation-file: ·
'0810 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
'0810 /FF97D55CBD3BD6286B5A0304FFCD8605.xml↵
'0811 Scenario-name: ·gg-sch↵
'0812 Schema: ·
'0812 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
'0812 ent..sch↵
'0813 Engine-name: ·ISO ·Schematron↵
'0814 Severity: ·error↵
'0815 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
'0815 subSection ·or ·subSubSection.↵
'0816 Start ·location: ·200:136↵
'0817 ↵
'0818 System ·ID: ·
'0818 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
'0818 /FF97D55CBD3BD6286B5A0304FFCD8605.xml↵
'0819 Main-validation-file: ·
'0819 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
'0819 /FF97D55CBD3BD6286B5A0304FFCD8605.xml↵
'0820 Scenario-name: ·gg-sch↵
'0821 Schema: ·
'0821 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
'0821 ent..sch↵
'0822 Engine-name: ·ISO ·Schematron↵
'0823 Severity: ·error↵
'0824 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
'0824 subSection ·or ·subSubSection.↵
'0825 Start ·location: ·201:135↵
'0826 ↵
'0827 System ·ID: ·
'0827 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
'0827 /FF97D55CBD3BD6286B5A0304FFCD8605.xml↵
'0828 Main-validation-file: ·
'0828 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
'0828 /FF97D55CBD3BD6286B5A0304FFCD8605.xml↵
```

```
'0829 Scenario ·name: ·gg-sch↵
'0830 Schema: ·
'0830 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
'0830 ent..sch↵
'0831 Engine ·name: ·ISO ·Schematron↵
'0832 Severity: ·error↵
'0833 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
'0833 subSection ·or ·subSubSection.↵
'0834 Start ·location: ·202:109↵
'0835 ↵
'0836 System ·ID: ·
'0836 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
'0836 /FF97D55CBD3BD6286B5A0304FFCD8605.xml↵
'0837 Main ·validation ·file: ·
'0837 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
'0837 /FF97D55CBD3BD6286B5A0304FFCD8605.xml↵
'0838 Scenario ·name: ·gg-sch↵
'0839 Schema: ·
'0839 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
'0839 ent..sch↵
'0840 Engine ·name: ·ISO ·Schematron↵
'0841 Severity: ·error↵
'0842 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
'0842 subSection ·or ·subSubSection.↵
'0843 Start ·location: ·213:135↵
'0844 ↵
'0845 System ·ID: ·
'0845 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
'0845 /FF97D55CBD3BD6286B5A0304FFCD8605.xml↵
'0846 Main ·validation ·file: ·
'0846 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
'0846 /FF97D55CBD3BD6286B5A0304FFCD8605.xml↵
'0847 Scenario ·name: ·gg-sch↵
'0848 Schema: ·
'0848 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
```

```
'0848 ent..sch↵
'0849 Engine.name: ·ISO ·Schematron↵
'0850 Severity: ·error↵
'0851 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
'0851 subSection ·or ·subSubSection.↵
'0852 Start ·location: ·214:109↵
'0853 ↵
'0854 System ·ID: ·
'0854 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
'0854 /FF97D55CBD3BD6286B5A0304FFCD8605.xml↵
'0855 Main ·validation ·file: ·
'0855 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
'0855 /FF97D55CBD3BD6286B5A0304FFCD8605.xml↵
'0856 Scenario ·name: ·gg-sch↵
'0857 Schema: ·
'0857 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
'0857 ent..sch↵
'0858 Engine.name: ·ISO ·Schematron↵
'0859 Severity: ·error↵
'0860 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
'0860 subSection ·or ·subSubSection.↵
'0861 Start ·location: ·219:107↵
'0862 ↵
'0863 System ·ID: ·
'0863 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
'0863 /FF97D55CBD3BD6286B5A0304FFCD8605.xml↵
'0864 Main ·validation ·file: ·
'0864 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
'0864 /FF97D55CBD3BD6286B5A0304FFCD8605.xml↵
'0865 Scenario ·name: ·gg-sch↵
'0866 Schema: ·
'0866 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
'0866 ent..sch↵
'0867 Engine.name: ·ISO ·Schematron↵
'0868 Severity: ·error↵
```

:0869 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:0869 subSection ·or ·subSubSection. ↵  
:0870 Start ·location: ·234:107 ↵  
:0871 ↵  
:0872 System ·ID: ·  
:0872 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:0872 /FF97D55CBD3BD6286B5A0304FFCD8605.xml ↵  
:0873 Main ·validation ·file: ·  
:0873 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:0873 /FF97D55CBD3BD6286B5A0304FFCD8605.xml ↵  
:0874 Scenario ·name: ·gg-sch ↵  
:0875 Schema: ·  
:0875 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:0875 ent..sch ↵  
:0876 Engine ·name: ·ISO ·Schematron ↵  
:0877 Severity: ·error ↵  
:0878 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:0878 subSection ·or ·subSubSection. ↵  
:0879 Start ·location: ·241:131 ↵  
:0880 ↵  
:0881 System ·ID: ·  
:0881 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:0881 /FF97D55CBD3BD6286B5A0304FFCD8605.xml ↵  
:0882 Main ·validation ·file: ·  
:0882 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:0882 /FF97D55CBD3BD6286B5A0304FFCD8605.xml ↵  
:0883 Scenario ·name: ·gg-sch ↵  
:0884 Schema: ·  
:0884 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:0884 ent..sch ↵  
:0885 Engine ·name: ·ISO ·Schematron ↵  
:0886 Severity: ·error ↵  
:0887 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:0887 subSection ·or ·subSubSection. ↵  
:0888 Start ·location: ·242:107 ↵

```
:0889 <System·ID: ·  
:0890 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:0890 /FF97D55CBD3BD6286B5A0304FFCD8605.xml<  
:0891 Main·validation·file: ·  
:0891 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:0891 /FF97D55CBD3BD6286B5A0304FFCD8605.xml<  
:0892 Scenario·name: ·gg-sch<  
:0893 Schema: ·  
:0893 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm  
ent..sch<  
:0894 Engine·name: ·ISO·Schematron<  
:0895 Severity: ·error<  
:0896 Description: ·A·paragraph·must·have·an·ancestor·  
:0896 subSection·or·subSubSection.<  
:0897 Start·location: ·243:132<  
:0898 <  
:0899 System·ID: ·  
:0899 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:0899 /FF97D55CBD3BD6286B5A0304FFCD8605.xml<  
:0900 Main·validation·file: ·  
:0900 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:0900 /FF97D55CBD3BD6286B5A0304FFCD8605.xml<  
:0901 Scenario·name: ·gg-sch<  
:0902 Schema: ·  
:0902 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm  
ent..sch<  
:0903 Engine·name: ·ISO·Schematron<  
:0904 Severity: ·error<  
:0905 Description: ·A·paragraph·must·have·an·ancestor·  
:0905 subSection·or·subSubSection.<  
:0906 Start·location: ·244:108<  
:0907 <  
:0908 System·ID: ·  
:0908 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
```

:0908 /FF97D55CBD3BD6286B5A0304FFCD8605.xml ↵  
:0909 Main-validation-file: .  
:0909 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:0909 /FF97D55CBD3BD6286B5A0304FFCD8605.xml ↵  
:0910 Scenario-name: .gg-sch ↵  
:0911 Schema: .  
:0911 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
:0912 Engine-name: .ISO-Schematron ↵  
:0913 Severity: .error ↵  
:0914 Description: .A.paragraph.must.have.an.ancestor.  
subSection.or.subSubSection. ↵  
:0915 Start-location: .253:108 ↵  
:0916 ↵  
:0917 System-ID: .  
:0917 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:0917 /FF97D55CBD3BD6286B5A0304FFCD8605.xml ↵  
:0918 Main-validation-file: .  
:0918 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:0918 /FF97D55CBD3BD6286B5A0304FFCD8605.xml ↵  
:0919 Scenario-name: .gg-sch ↵  
:0920 Schema: .  
:0920 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
:0921 Engine-name: .ISO-Schematron ↵  
:0922 Severity: .error ↵  
:0923 Description: .A.paragraph.must.have.an.ancestor.  
subSection.or.subSubSection. ↵  
:0924 Start-location: .260:135 ↵  
:0925 ↵  
:0926 System-ID: .  
:0926 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:0926 /FF97D55CBD3BD6286B5A0304FFCD8605.xml ↵  
:0927 Main-validation-file: .  
:0927 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax

:0927 /FF97D55CBD3BD6286B5A0304FFCD8605.xml ↵  
:0928 Scenario.name: .gg-sch ↵  
:0929 Schema: .  
:0929 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
:0930 Engine.name: .ISO.Schematron ↵  
:0931 Severity: .error ↵  
:0932 Description: .A.paragraph.must.have.an.ancestor.  
subSection.or.subSubSection. ↵  
:0933 Start.location: .261:178 ↵  
:0934 ↵  
:0935 System.ID: .  
:0935 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:0935 /FF97D55CBD3BD6286B5A0304FFCD8605.xml ↵  
:0936 Main.validation.file: .  
:0936 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:0936 /FF97D55CBD3BD6286B5A0304FFCD8605.xml ↵  
:0937 Scenario.name: .gg-sch ↵  
:0938 Schema: .  
:0938 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
:0939 Engine.name: .ISO.Schematron ↵  
:0940 Severity: .error ↵  
:0941 Description: .A.paragraph.must.have.an.ancestor.  
subSection.or.subSubSection. ↵  
:0942 Start.location: .290:107 ↵  
:0943 ↵  
:0944 System.ID: .  
:0944 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:0944 /FF97D55CBD3BD6286B5A0304FFCD8605.xml ↵  
:0945 Main.validation.file: .  
:0945 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:0945 /FF97D55CBD3BD6286B5A0304FFCD8605.xml ↵  
:0946 Scenario.name: .gg-sch ↵  
:0947 Schema: .

```
:0947 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm  
:0947 ent..sch↵  
:0948 Engine.name: ·ISO ·Schematron↵  
:0949 Severity: ·error↵  
:0950 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:0950 subSection ·or ·subSubSection.↵  
:0951 Start ·location: ·291:107↵  
:0952 ↵  
:0953 System ·ID: ·  
:0953 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:0953 /FF97D55CBD3BD6286B5A0304FFCD8605.xml↵  
:0954 Main ·validation ·file: ·  
:0954 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:0954 /FF97D55CBD3BD6286B5A0304FFCD8605.xml↵  
:0955 Scenario ·name: ·gg-sch↵  
:0956 Schema: ·  
:0956 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm  
:0956 ent..sch↵  
:0957 Engine.name: ·ISO ·Schematron↵  
:0958 Severity: ·error↵  
:0959 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:0959 subSection ·or ·subSubSection.↵  
:0960 Start ·location: ·292:133↵  
:0961 ↵  
:0962 System ·ID: ·  
:0962 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:0962 /FF97D55CBD3BD6286B5A0304FFCD8605.xml↵  
:0963 Main ·validation ·file: ·  
:0963 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:0963 /FF97D55CBD3BD6286B5A0304FFCD8605.xml↵  
:0964 Scenario ·name: ·gg-sch↵  
:0965 Schema: ·  
:0965 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm  
:0965 ent..sch↵  
:0966 Engine.name: ·ISO ·Schematron↵
```

:0967 Severity: ·error↵  
:0968 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:0968 subSection ·or ·subSubSection.↵  
:0969 Start ·location: ·293:108↵  
:0970 ↵  
:0971 System ·ID: ·  
:0971 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:0971 /FF97D55CBD3BD6286B5A0304FFCD8605.xml↵  
:0972 Main ·validation ·file: ·  
:0972 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:0972 /FF97D55CBD3BD6286B5A0304FFCD8605.xml↵  
:0973 Scenario ·name: ·gg-sch↵  
:0974 Schema: ·  
:0974 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:0974 ent..sch↵  
:0975 Engine ·name: ·ISO ·Schematron↵  
:0976 Severity: ·error↵  
:0977 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:0977 subSection ·or ·subSubSection.↵  
:0978 Start ·location: ·302:135↵  
:0979 ↵  
:0980 System ·ID: ·  
:0980 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:0980 /FF97D55CBD3BD6286B5A0304FFCD8605.xml↵  
:0981 Main ·validation ·file: ·  
:0981 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:0981 /FF97D55CBD3BD6286B5A0304FFCD8605.xml↵  
:0982 Scenario ·name: ·gg-sch↵  
:0983 Schema: ·  
:0983 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:0983 ent..sch↵  
:0984 Engine ·name: ·ISO ·Schematron↵  
:0985 Severity: ·error↵  
:0986 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:0986 subSection ·or ·subSubSection.↵

```
:0987 Start ·location: ·303:135↵
:0988 ↵
:0989 System ·ID: ·
:0989 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
:0989 /FF97D55CBD3BD6286B5A0304FFCD8605.xml↵
:0990 Main ·validation ·file: ·
:0990 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
:0990 /FF97D55CBD3BD6286B5A0304FFCD8605.xml↵
:0991 Scenario ·name: ·gg-sch↵
:0992 Schema: ·
:0992 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
:0992 ent..sch↵
:0993 Engine ·name: ·ISO ·Schematron↵
:0994 Severity: ·error↵
:0995 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
:0995 subSection ·or ·subSubSection.↵
:0996 Start ·location: ·304:109↵
:0997 ↵
:0998 System ·ID: ·
:0998 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
:0998 /FF97D55CBD3BD6286B5A0304FFCD8605.xml↵
:0999 Main ·validation ·file: ·
:0999 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
:0999 /FF97D55CBD3BD6286B5A0304FFCD8605.xml↵
:1000 Scenario ·name: ·gg-sch↵
:1001 Schema: ·
:1001 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
:1001 ent..sch↵
:1002 Engine ·name: ·ISO ·Schematron↵
:1003 Severity: ·error↵
:1004 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
:1004 subSection ·or ·subSubSection.↵
:1005 Start ·location: ·305:134↵
:1006 ↵
:1007 System ·ID: ·
```

```
'1007 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
'1007 /FF97D55CBD3BD6286B5A0304FFCD8605.xml↵
'1008 Main-validation-file: ·
'1008 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
'1008 /FF97D55CBD3BD6286B5A0304FFCD8605.xml↵
'1009 Scenario-name: ·gg-sch↵
'1010 Schema: ·
'1010 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
'1010 ent..sch↵
'1011 Engine-name: ·ISO ·Schematron↵
'1012 Severity: ·error↵
'1013 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
'1013 subSection ·or ·subSubSection.↵
'1014 Start-location: ·306:107↵
'1015 ↵
'1016 System-ID: ·
'1016 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
'1016 /FF97D55CBD3BD6286B5A0304FFCD8605.xml↵
'1017 Main-validation-file: ·
'1017 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
'1017 /FF97D55CBD3BD6286B5A0304FFCD8605.xml↵
'1018 Scenario-name: ·gg-sch↵
'1019 Schema: ·
'1019 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
'1019 ent..sch↵
'1020 Engine-name: ·ISO ·Schematron↵
'1021 Severity: ·error↵
'1022 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
'1022 subSection ·or ·subSubSection.↵
'1023 Start-location: ·307:107↵
'1024 ↵
'1025 System-ID: ·
'1025 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
'1025 /FF97D55CBD3BD6286B5A0304FFCD8605.xml↵
'1026 Main-validation-file: ·
```

:1026 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:1026 /FF97D55CBD3BD6286B5A0304FFCD8605.xml ↵  
:1027 Scenario.name: .gg-sch ↵  
:1028 Schema: .  
:1028 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:1028 ent..sch ↵  
:1029 Engine.name: .ISO .Schematron ↵  
:1030 Severity: .error ↵  
:1031 Description: .A .paragraph .must .have .an .ancestor .  
:1031 subSection .or .subSubSection. ↵  
:1032 Start.location: .326:132 ↵  
:1033 ↵  
:1034 System.ID: .  
:1034 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:1034 /FF97D55CBD3BD6286B5A0304FFCD8605.xml ↵  
:1035 Main.validation.file: .  
:1035 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:1035 /FF97D55CBD3BD6286B5A0304FFCD8605.xml ↵  
:1036 Scenario.name: .gg-sch ↵  
:1037 Schema: .  
:1037 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:1037 ent..sch ↵  
:1038 Engine.name: .ISO .Schematron ↵  
:1039 Severity: .error ↵  
:1040 Description: .A .paragraph .must .have .an .ancestor .  
:1040 subSection .or .subSubSection. ↵  
:1041 Start.location: .327:108 ↵  
:1042 ↵  
:1043 System.ID: .  
:1043 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:1043 /FF97D55CBD3BD6286B5A0304FFCD8605.xml ↵  
:1044 Main.validation.file: .  
:1044 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:1044 /FF97D55CBD3BD6286B5A0304FFCD8605.xml ↵  
:1045 Scenario.name: .gg-sch ↵

```
'1046 Schema: .
'1046 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
'1046 ent..sch<
'1047 Engine.name: .ISO .Schematron<
'1048 Severity: .error<
'1049 Description: .A .paragraph .must .have .an .ancestor .
'1049 subSection .or .subSubSection.<
'1050 Start.location: .328:135<
'1051 <
'1052 System.ID: .
'1052 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
'1052 /FF97D55CBD3BD6286B5A0304FFCD8605.xml<
'1053 Main.validation.file: .
'1053 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
'1053 /FF97D55CBD3BD6286B5A0304FFCD8605.xml<
'1054 Scenario.name: .gg-sch<
'1055 Schema: .
'1055 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
'1055 ent..sch<
'1056 Engine.name: .ISO .Schematron<
'1057 Severity: .error<
'1058 Description: .A .paragraph .must .have .an .ancestor .
'1058 subSection .or .subSubSection.<
'1059 Start.location: .329:130<
'1060 <
'1061 System.ID: .
'1061 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
'1061 /FF97D55CBD3BD6286B5A0304FFCD8605.xml<
'1062 Main.validation.file: .
'1062 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
'1062 /FF97D55CBD3BD6286B5A0304FFCD8605.xml<
'1063 Scenario.name: .gg-sch<
'1064 Schema: .
'1064 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
'1064 ent..sch<
```

:1065 Engine ·name: ·ISO ·Schematron ↵  
:1066 Severity: ·error ↵  
:1067 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:1067 subSection ·or ·subSubSection. ↵  
:1068 Start ·location: ·334:109 ↵  
:1069 ↵  
:1070 System ·ID: ·  
:1070 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:1070 /FF97D55CBD3BD6286B5A0304FFCD8605.xml ↵  
:1071 Main ·validation ·file: ·  
:1071 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:1071 /FF97D55CBD3BD6286B5A0304FFCD8605.xml ↵  
:1072 Scenario ·name: ·gg-sch ↵  
:1073 Schema: ·  
:1073 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:1073 ent..sch ↵  
:1074 Engine ·name: ·ISO ·Schematron ↵  
:1075 Severity: ·error ↵  
:1076 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:1076 subSection ·or ·subSubSection. ↵  
:1077 Start ·location: ·342:109 ↵  
:1078 ↵  
:1079 System ·ID: ·  
:1079 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:1079 /FF97D55CBD3BD6286B5A0304FFCD8605.xml ↵  
:1080 Main ·validation ·file: ·  
:1080 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:1080 /FF97D55CBD3BD6286B5A0304FFCD8605.xml ↵  
:1081 Scenario ·name: ·gg-sch ↵  
:1082 Schema: ·  
:1082 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:1082 ent..sch ↵  
:1083 Engine ·name: ·ISO ·Schematron ↵  
:1084 Severity: ·error ↵  
:1085 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·

```
'1085 subSection ·or ·subSubSection.↵
'1086 Start ·location: ·348:107↵
'1087 ↵
'1088 System ·ID: ·
'1088 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
'1088 /FF97D55CBD3BD6286B5A0304FFCD8605.xml↵
'1089 Main ·validation ·file: ·
'1089 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
'1089 /FF97D55CBD3BD6286B5A0304FFCD8605.xml↵
'1090 Scenario ·name: ·gg-sch↵
'1091 Schema: ·
'1091 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
'1091 ent..sch↵
'1092 Engine ·name: ·ISO ·Schematron↵
'1093 Severity: ·error↵
'1094 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
'1094 subSection ·or ·subSubSection.↵
'1095 Start ·location: ·354:110↵
'1096 ↵
'1097 System ·ID: ·
'1097 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
'1097 /FF97D55CBD3BD6286B5A0304FFCD8605.xml↵
'1098 Main ·validation ·file: ·
'1098 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
'1098 /FF97D55CBD3BD6286B5A0304FFCD8605.xml↵
'1099 Scenario ·name: ·gg-sch↵
'1100 Schema: ·
'1100 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
'1100 ent..sch↵
'1101 Engine ·name: ·ISO ·Schematron↵
'1102 Severity: ·error↵
'1103 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
'1103 subSection ·or ·subSubSection.↵
'1104 Start ·location: ·360:112↵
'1105 ↵
```

```
'1106 System·ID: ·  
'1106 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
'1106 /FF97D55CBD3BD6286B5A0304FFCD8605.xml↵  
'1107 Main·validation·file: ·  
'1107 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
'1107 /FF97D55CBD3BD6286B5A0304FFCD8605.xml↵  
'1108 Scenario·name: ·gg-sch↵  
'1109 Schema: ·  
'1109 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm  
'1109 ent..sch↵  
'1110 Engine·name: ·ISO·Schematron↵  
'1111 Severity: ·error↵  
'1112 Description: ·A·paragraph·must·have·an·ancestor·  
'1112 subSection·or·subSubSection.↵  
'1113 Start·location: ·366:111↵  
'1114 ↵  
'1115 System·ID: ·  
'1115 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
'1115 /FF97D55CBD3BD6286B5A0304FFCD8605.xml↵  
'1116 Main·validation·file: ·  
'1116 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
'1116 /FF97D55CBD3BD6286B5A0304FFCD8605.xml↵  
'1117 Scenario·name: ·gg-sch↵  
'1118 Schema: ·  
'1118 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm  
'1118 ent..sch↵  
'1119 Engine·name: ·ISO·Schematron↵  
'1120 Severity: ·error↵  
'1121 Description: ·A·paragraph·must·have·an·ancestor·  
'1121 subSection·or·subSubSection.↵  
'1122 Start·location: ·372:112↵  
'1123 ↵  
'1124 System·ID: ·  
'1124 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
'1124 /FF97D55CBD3BD6286B5A0304FFCD8605.xml↵
```

```
'1125 Main-validation-file: ·
'1125 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
'1125 /FF97D55CBD3BD6286B5A0304FFCD8605.xml↵
'1126 Scenario-name: ·gg-sch↵
'1127 Schema: ·
'1127 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
'1127 ent..sch↵
'1128 Engine-name: ·ISO ·Schematron↵
'1129 Severity: ·error↵
'1130 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
'1130 subSection ·or ·subSubSection.↵
'1131 Start ·location: ·378:112↵
'1132 ↵
'1133 System ·ID: ·
'1133 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
'1133 /FF97D55CBD3BD6286B5A0304FFCD8605.xml↵
'1134 Main-validation-file: ·
'1134 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
'1134 /FF97D55CBD3BD6286B5A0304FFCD8605.xml↵
'1135 Scenario-name: ·gg-sch↵
'1136 Schema: ·
'1136 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
'1136 ent..sch↵
'1137 Engine-name: ·ISO ·Schematron↵
'1138 Severity: ·error↵
'1139 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
'1139 subSection ·or ·subSubSection.↵
'1140 Start ·location: ·382:112↵
'1141 ↵
'1142 System ·ID: ·
'1142 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
'1142 /FF97D55CBD3BD6286B5A0304FFCD8605.xml↵
'1143 Main-validation-file: ·
'1143 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
'1143 /FF97D55CBD3BD6286B5A0304FFCD8605.xml↵
```

```
'1144 Scenario ·name: ·gg-sch↵
'1145 Schema: ·
'1145 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
'1145 ent..sch↵
'1146 Engine ·name: ·ISO ·Schematron↵
'1147 Severity: ·error↵
'1148 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
'1148 subSection ·or ·subSubSection.↵
'1149 Start ·location: ·386:112↵
'1150 ↵
'1151 System ·ID: ·
'1151 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
'1151 /FF97D55CBD3BD6286B5A0304FFCD8605.xml↵
'1152 Main ·validation ·file: ·
'1152 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
'1152 /FF97D55CBD3BD6286B5A0304FFCD8605.xml↵
'1153 Scenario ·name: ·gg-sch↵
'1154 Schema: ·
'1154 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
'1154 ent..sch↵
'1155 Engine ·name: ·ISO ·Schematron↵
'1156 Severity: ·error↵
'1157 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
'1157 subSection ·or ·subSubSection.↵
'1158 Start ·location: ·390:112↵
'1159 ↵
'1160 System ·ID: ·
'1160 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
'1160 /FF97D55CBD3BD6286B5A0304FFCD8605.xml↵
'1161 Main ·validation ·file: ·
'1161 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
'1161 /FF97D55CBD3BD6286B5A0304FFCD8605.xml↵
'1162 Scenario ·name: ·gg-sch↵
'1163 Schema: ·
'1163 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
```

```
'1163  ent..sch↵
'1164  Engine·name: ·ISO ·Schematron↵
'1165  Severity: ·error↵
'1166  Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
'1166  subSection ·or ·subSubSection.↵
'1167  Start ·location: ·394:110↵
'1168  ↵
'1169  System ·ID: ·
'1169  /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
'1169  /FF97D55CBD3BD6286B5A0304FFCD8605.xml↵
'1170  Main ·validation ·file: ·
'1170  /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
'1170  /FF97D55CBD3BD6286B5A0304FFCD8605.xml↵
'1171  Scenario ·name: ·gg-sch↵
'1172  Schema: ·
'1172  /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
'1172  ent..sch↵
'1173  Engine·name: ·ISO ·Schematron↵
'1174  Severity: ·error↵
'1175  Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
'1175  subSection ·or ·subSubSection.↵
'1176  Start ·location: ·398:133↵
'1177  ↵
'1178  System ·ID: ·
'1178  /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
'1178  /FF97D55CBD3BD6286B5A0304FFCD8605.xml↵
'1179  Main ·validation ·file: ·
'1179  /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
'1179  /FF97D55CBD3BD6286B5A0304FFCD8605.xml↵
'1180  Scenario ·name: ·gg-sch↵
'1181  Schema: ·
'1181  /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
'1181  ent..sch↵
'1182  Engine·name: ·ISO ·Schematron↵
'1183  Severity: ·error↵
```

'1184 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
'1184 subSection ·or ·subSubSection. ↵  
'1185 Start ·location: ·401:78 ↵  
'1186 ↵  
'1187 System ·ID: ·  
'1187 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
'1187 /FF97D55CBD3BD6286B5A0304FFCD8605.xml ↵  
'1188 Main ·validation ·file: ·  
'1188 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
'1188 /FF97D55CBD3BD6286B5A0304FFCD8605.xml ↵  
'1189 Scenario ·name: ·gg-sch ↵  
'1190 Schema: ·  
'1190 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
'1190 ent..sch ↵  
'1191 Engine ·name: ·ISO ·Schematron ↵  
'1192 Severity: ·error ↵  
'1193 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
'1193 subSection ·or ·subSubSection. ↵  
'1194 Start ·location: ·465:77 ↵  
'1195 ↵  
'1196 System ·ID: ·  
'1196 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
'1196 /FF97D55CBD3BD6286B5A0304FFCD8605.xml ↵  
'1197 Main ·validation ·file: ·  
'1197 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
'1197 /FF97D55CBD3BD6286B5A0304FFCD8605.xml ↵  
'1198 Scenario ·name: ·gg-sch ↵  
'1199 Schema: ·  
'1199 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
'1199 ent..sch ↵  
'1200 Engine ·name: ·ISO ·Schematron ↵  
'1201 Severity: ·error ↵  
'1202 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
'1202 subSection ·or ·subSubSection. ↵  
'1203 Start ·location: ·696:186 ↵

```
'1204 <System·ID: ·  
'1205 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
'1205 /FF97D55CBD3BD6286B5A0304FFCD8605.xml<  
'1206 Main·validation·file: ·  
'1206 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
'1206 /FF97D55CBD3BD6286B5A0304FFCD8605.xml<  
'1207 Scenario·name: ·gg-sch<  
'1208 Schema: ·  
'1208 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm  
ent..sch<  
'1209 Engine·name: ·ISO·Schematron<  
'1210 Severity: ·error<  
'1211 Description: ·A·paragraph·must·have·an·ancestor·  
subSection·or·subSubSection.<  
'1212 Start·location: ·697:77<  
'1213 <  
'1214 System·ID: ·  
'1214 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
'1214 /FF97D55CBD3BD6286B5A0304FFCD8605.xml<  
'1215 Main·validation·file: ·  
'1215 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
'1215 /FF97D55CBD3BD6286B5A0304FFCD8605.xml<  
'1216 Scenario·name: ·gg-sch<  
'1217 Schema: ·  
'1217 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm  
ent..sch<  
'1218 Engine·name: ·ISO·Schematron<  
'1219 Severity: ·error<  
'1220 Description: ·A·paragraph·must·have·an·ancestor·  
subSection·or·subSubSection.<  
'1221 Start·location: ·781:109<  
'1222 <  
'1223 System·ID: ·  
'1223 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
```

:1223 /FF97D55CBD3BD6286B5A0304FFCD8605.xml ↵  
:1224 Main-validation-file: ·  
:1224 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:1224 /FF97D55CBD3BD6286B5A0304FFCD8605.xml ↵  
:1225 Scenario-name: ·gg-sch ↵  
:1226 Schema: ·  
:1226 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:1226 ent..sch ↵  
:1227 Engine-name: ·ISO-Schematron ↵  
:1228 Severity: ·error ↵  
:1229 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:1229 subSection ·or ·subSubSection. ↵  
:1230 Start-location: ·787:141 ↵  
:1231 ↵  
:1232 System-ID: ·  
:1232 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:1232 /FF97D55CBD3BD6286B5A0304FFCD8605.xml ↵  
:1233 Main-validation-file: ·  
:1233 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:1233 /FF97D55CBD3BD6286B5A0304FFCD8605.xml ↵  
:1234 Scenario-name: ·gg-sch ↵  
:1235 Schema: ·  
:1235 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:1235 ent..sch ↵  
:1236 Engine-name: ·ISO-Schematron ↵  
:1237 Severity: ·error ↵  
:1238 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:1238 subSection ·or ·subSubSection. ↵  
:1239 Start-location: ·788:133 ↵  
:1240 ↵  
:1241 System-ID: ·  
:1241 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:1241 /FF97D55CBD3BD6286B5A0304FFCD8605.xml ↵  
:1242 Main-validation-file: ·  
:1242 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax

```
'1242 /FF97D55CBD3BD6286B5A0304FFCD8605.xml↵
'1243 Scenario·name: ·gg-sch↵
'1244 Schema: ·
'1244 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
'1244 ent..sch↵
'1245 Engine·name: ·ISO ·Schematron↵
'1246 Severity: ·error↵
'1247 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
'1247 subSection ·or ·subSubSection.↵
'1248 Start ·location: ·793:110↵
'1249 ↵
'1250 System ·ID: ·
'1250 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
'1250 /FF97D55CBD3BD6286B5A0304FFCD8605.xml↵
'1251 Main ·validation ·file: ·
'1251 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
'1251 /FF97D55CBD3BD6286B5A0304FFCD8605.xml↵
'1252 Scenario ·name: ·gg-sch↵
'1253 Schema: ·
'1253 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
'1253 ent..sch↵
'1254 Engine·name: ·ISO ·Schematron↵
'1255 Severity: ·error↵
'1256 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
'1256 subSection ·or ·subSubSection.↵
'1257 Start ·location: ·807:110↵
'1258 ↵
'1259 System ·ID: ·
'1259 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
'1259 /FF97D55CBD3BD6286B5A0304FFCD8605.xml↵
'1260 Main ·validation ·file: ·
'1260 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
'1260 /FF97D55CBD3BD6286B5A0304FFCD8605.xml↵
'1261 Scenario ·name: ·gg-sch↵
'1262 Schema: ·
```

```
'1262 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm  
'1262 ent..sch↵  
'1263 Engine.name: ·ISO ·Schematron↵  
'1264 Severity: ·error↵  
'1265 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
'1265 subSection ·or ·subSubSection.↵  
'1266 Start ·location: ·891:110↵  
'1267 ↵  
'1268 System ·ID: ·  
'1268 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
'1268 /FF97D55CBD3BD6286B5A0304FFCD8605.xml↵  
'1269 Main ·validation ·file: ·  
'1269 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
'1269 /FF97D55CBD3BD6286B5A0304FFCD8605.xml↵  
'1270 Scenario ·name: ·gg-sch↵  
'1271 Schema: ·  
'1271 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm  
'1271 ent..sch↵  
'1272 Engine.name: ·ISO ·Schematron↵  
'1273 Severity: ·error↵  
'1274 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
'1274 subSection ·or ·subSubSection.↵  
'1275 Start ·location: ·919:135↵  
'1276 ↵  
'1277 System ·ID: ·  
'1277 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
'1277 /FF97D55CBD3BD6286B5A0304FFCD8605.xml↵  
'1278 Main ·validation ·file: ·  
'1278 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
'1278 /FF97D55CBD3BD6286B5A0304FFCD8605.xml↵  
'1279 Scenario ·name: ·gg-sch↵  
'1280 Schema: ·  
'1280 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm  
'1280 ent..sch↵  
'1281 Engine.name: ·ISO ·Schematron↵
```

'1282 Severity: ·error↵  
'1283 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
'1283 subSection ·or ·subSubSection.↵  
'1284 Start ·location: ·932:135↵  
'1285 ↵  
'1286 System ·ID: ·  
'1286 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
'1286 /FF97D55CBD3BD6286B5A0304FFCD8605.xml↵  
'1287 Main ·validation ·file: ·  
'1287 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
'1287 /FF97D55CBD3BD6286B5A0304FFCD8605.xml↵  
'1288 Scenario ·name: ·gg-sch↵  
'1289 Schema: ·  
'1289 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch↵  
'1290 Engine ·name: ·ISO ·Schematron↵  
'1291 Severity: ·error↵  
'1292 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
'1292 subSection ·or ·subSubSection.↵  
'1293 Start ·location: ·943:110↵  
'1294 ↵  
'1295 System ·ID: ·  
'1295 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
'1295 /FF97D55CBD3BD6286B5A0304FFCD8605.xml↵  
'1296 Main ·validation ·file: ·  
'1296 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
'1296 /FF97D55CBD3BD6286B5A0304FFCD8605.xml↵  
'1297 Scenario ·name: ·gg-sch↵  
'1298 Schema: ·  
'1298 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch↵  
'1299 Engine ·name: ·ISO ·Schematron↵  
'1300 Severity: ·error↵  
'1301 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
'1301 subSection ·or ·subSubSection.↵

```
'1302 Start ·location: ·962:111↵
'1303 ↵
'1304 System ·ID: ·
'1304 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
'1304 /FF97D55CBD3BD6286B5A0304FFCD8605.xml↵
'1305 Main ·validation ·file: ·
'1305 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
'1305 /FF97D55CBD3BD6286B5A0304FFCD8605.xml↵
'1306 Scenario ·name: ·gg-sch↵
'1307 Schema: ·
'1307 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
'1307 ent..sch↵
'1308 Engine ·name: ·ISO ·Schematron↵
'1309 Severity: ·error↵
'1310 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
'1310 subSection ·or ·subSubSection.↵
'1311 Start ·location: ·1008:112↵
'1312 ↵
'1313 System ·ID: ·
'1313 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
'1313 /FF97D55CBD3BD6286B5A0304FFCD8605.xml↵
'1314 Main ·validation ·file: ·
'1314 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
'1314 /FF97D55CBD3BD6286B5A0304FFCD8605.xml↵
'1315 Scenario ·name: ·gg-sch↵
'1316 Schema: ·
'1316 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
'1316 ent..sch↵
'1317 Engine ·name: ·ISO ·Schematron↵
'1318 Severity: ·error↵
'1319 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
'1319 subSection ·or ·subSubSection.↵
'1320 Start ·location: ·1059:112↵
'1321 ↵
'1322 System ·ID: ·
```

```
'1322 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
'1322 /FF97D55CBD3BD6286B5A0304FFCD8605.xml↵
'1323 Main-validation-file: ·
'1323 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
'1323 /FF97D55CBD3BD6286B5A0304FFCD8605.xml↵
'1324 Scenario-name: ·gg-sch↵
'1325 Schema: ·
'1325 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
'1325 ent..sch↵
'1326 Engine-name: ·ISO ·Schematron↵
'1327 Severity: ·error↵
'1328 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
'1328 subSection ·or ·subSubSection.↵
'1329 Start-location: ·1064:139↵
'1330 ↵
'1331 System-ID: ·
'1331 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
'1331 /FF97D55CBD3BD6286B5A0304FFCD8605.xml↵
'1332 Main-validation-file: ·
'1332 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
'1332 /FF97D55CBD3BD6286B5A0304FFCD8605.xml↵
'1333 Scenario-name: ·gg-sch↵
'1334 Schema: ·
'1334 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
'1334 ent..sch↵
'1335 Engine-name: ·ISO ·Schematron↵
'1336 Severity: ·error↵
'1337 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
'1337 subSection ·or ·subSubSection.↵
'1338 Start-location: ·1065:112↵
'1339 ↵
'1340 System-ID: ·
'1340 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
'1340 /FF97D55CBD3BD6286B5A0304FFCD8605.xml↵
'1341 Main-validation-file: ·
```

```
'1341 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
'1341 /FF97D55CBD3BD6286B5A0304FFCD8605.xml↵
'1342 Scenario·name: ·gg-sch↵
'1343 Schema: ·
'1343 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
'1343 ent..sch↵
'1344 Engine·name: ·ISO ·Schematron↵
'1345 Severity: ·error↵
'1346 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
'1346 subSection ·or ·subSubSection.↵
'1347 Start ·location: ·1099:139↵
'1348 ↵
'1349 System ·ID: ·
'1349 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
'1349 /FF97D55CBD3BD6286B5A0304FFCD8605.xml↵
'1350 Main ·validation ·file: ·
'1350 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
'1350 /FF97D55CBD3BD6286B5A0304FFCD8605.xml↵
'1351 Scenario ·name: ·gg-sch↵
'1352 Schema: ·
'1352 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
'1352 ent..sch↵
'1353 Engine·name: ·ISO ·Schematron↵
'1354 Severity: ·error↵
'1355 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
'1355 subSection ·or ·subSubSection.↵
'1356 Start ·location: ·1120:139↵
'1357 ↵
'1358 System ·ID: ·
'1358 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
'1358 /FF97D55CBD3BD6286B5A0304FFCD8605.xml↵
'1359 Main ·validation ·file: ·
'1359 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
'1359 /FF97D55CBD3BD6286B5A0304FFCD8605.xml↵
'1360 Scenario ·name: ·gg-sch↵
```

:1361 Schema: .  
:1361 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:1361 ent..sch↵  
:1362 Engine.name: .ISO .Schematron↵  
:1363 Severity: .error↵  
:1364 Description: .A .paragraph .must .have .an .ancestor .  
:1364 subSection .or .subSubSection.↵  
:1365 Start.location: .1137:112↵  
:1366 ↵  
:1367 System.ID: .  
:1367 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:1367 /FF97D55CBD3BD6286B5A0304FFCD8605.xml↵  
:1368 Main.validation.file: .  
:1368 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:1368 /FF97D55CBD3BD6286B5A0304FFCD8605.xml↵  
:1369 Scenario.name: .gg-sch↵  
:1370 Schema: .  
:1370 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:1370 ent..sch↵  
:1371 Engine.name: .ISO .Schematron↵  
:1372 Severity: .error↵  
:1373 Description: .A .paragraph .must .have .an .ancestor .  
:1373 subSection .or .subSubSection.↵  
:1374 Start.location: .1165:112↵  
:1375 ↵  
:1376 System.ID: .  
:1376 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:1376 /FF97D55CBD3BD6286B5A0304FFCD8605.xml↵  
:1377 Main.validation.file: .  
:1377 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:1377 /FF97D55CBD3BD6286B5A0304FFCD8605.xml↵  
:1378 Scenario.name: .gg-sch↵  
:1379 Schema: .  
:1379 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:1379 ent..sch↵

```
'1380 Engine·name: ·ISO ·Schematron↵
'1381 Severity: ·error↵
'1382 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
'1382 subsection ·or ·subSubSection.↵
'1383 Start ·location: ·1210:110↵
'1384 ↵
'1385 System ·ID: ·
'1385 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
'1385 /FF97D55CBD3BD6286B5A0304FFCD8605.xml↵
'1386 Main ·validation ·file: ·
'1386 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
'1386 /FF97D55CBD3BD6286B5A0304FFCD8605.xml↵
'1387 Scenario ·name: ·gg-sch↵
'1388 Schema: ·
'1388 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
'1388 ent..sch↵
'1389 Engine·name: ·ISO ·Schematron↵
'1390 Severity: ·error↵
'1391 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
'1391 subsection ·or ·subSubSection.↵
'1392 Start ·location: ·1228:110↵
'1393 ↵
'1394 System ·ID: ·
'1394 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
'1394 /FF97D55CBD3BD6286B5A0304FFCD8605.xml↵
'1395 Main ·validation ·file: ·
'1395 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
'1395 /FF97D55CBD3BD6286B5A0304FFCD8605.xml↵
'1396 Scenario ·name: ·gg-sch↵
'1397 Schema: ·
'1397 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
'1397 ent..sch↵
'1398 Engine·name: ·ISO ·Schematron↵
'1399 Severity: ·error↵
'1400 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
```

```
'1400 subSection ·or ·subSubSection.↵
'1401 Start ·location: ·1278:110↵
'1402 ↵
'1403 System ·ID: ·
'1403 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
'1403 /FF97D55CBD3BD6286B5A0304FFCD8605.xml↵
'1404 Main ·validation ·file: ·
'1404 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
'1404 /FF97D55CBD3BD6286B5A0304FFCD8605.xml↵
'1405 Scenario ·name: ·gg-sch↵
'1406 Schema: ·
'1406 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
'1406 ent..sch↵
'1407 Engine ·name: ·ISO ·Schematron↵
'1408 Severity: ·error↵
'1409 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
'1409 subSection ·or ·subSubSection.↵
'1410 Start ·location: ·1294:110↵
'1411 ↵
'1412 System ·ID: ·
'1412 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
'1412 /FF97D55CBD3BD6286B5A0304FFCD8605.xml↵
'1413 Main ·validation ·file: ·
'1413 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
'1413 /FF97D55CBD3BD6286B5A0304FFCD8605.xml↵
'1414 Scenario ·name: ·gg-sch↵
'1415 Schema: ·
'1415 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
'1415 ent..sch↵
'1416 Engine ·name: ·ISO ·Schematron↵
'1417 Severity: ·error↵
'1418 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
'1418 subSection ·or ·subSubSection.↵
'1419 Start ·location: ·1408:111↵
'1420 ↵
```

:1421 System·ID: ·  
:1421 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:1421 /FF97D55CBD3BD6286B5A0304FFCD8605.xml↵  
:1422 Main·validation·file: ·  
:1422 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:1422 /FF97D55CBD3BD6286B5A0304FFCD8605.xml↵  
:1423 Scenario·name: ·gg-sch↵  
:1424 Schema: ·  
:1424 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:1424 ent..sch↵  
:1425 Engine·name: ·ISO·Schematron↵  
:1426 Severity: ·error↵  
:1427 Description: ·A·paragraph·must·have·an·ancestor·  
:1427 subSection·or·subSubSection.↵  
:1428 Start·location: ·1464:112↵  
:1429 ↵  
:1430 System·ID: ·  
:1430 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:1430 /FF97D55CBD3BD6286B5A0304FFCD8605.xml↵  
:1431 Main·validation·file: ·  
:1431 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:1431 /FF97D55CBD3BD6286B5A0304FFCD8605.xml↵  
:1432 Scenario·name: ·gg-sch↵  
:1433 Schema: ·  
:1433 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:1433 ent..sch↵  
:1434 Engine·name: ·ISO·Schematron↵  
:1435 Severity: ·error↵  
:1436 Description: ·A·paragraph·must·have·an·ancestor·  
:1436 subSection·or·subSubSection.↵  
:1437 Start·location: ·1494:112↵  
:1438 ↵  
:1439 System·ID: ·  
:1439 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:1439 /FF97D55CBD3BD6286B5A0304FFCD8605.xml↵

```
'1440 Main-validation-file: ·
'1440 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
'1440 /FF97D55CBD3BD6286B5A0304FFCD8605.xml↵
'1441 Scenario-name: ·gg-sch↵
'1442 Schema: ·
'1442 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
'1442 ent..sch↵
'1443 Engine-name: ·ISO ·Schematron↵
'1444 Severity: ·error↵
'1445 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
'1445 subSection ·or ·subSubSection.↵
'1446 Start ·location: ·1528:112↵
'1447 ↵
'1448 System ·ID: ·
'1448 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
'1448 /FF97D55CBD3BD6286B5A0304FFCD8605.xml↵
'1449 Main-validation-file: ·
'1449 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
'1449 /FF97D55CBD3BD6286B5A0304FFCD8605.xml↵
'1450 Scenario-name: ·gg-sch↵
'1451 Schema: ·
'1451 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
'1451 ent..sch↵
'1452 Engine-name: ·ISO ·Schematron↵
'1453 Severity: ·error↵
'1454 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
'1454 subSection ·or ·subSubSection.↵
'1455 Start ·location: ·1568:112↵
'1456 ↵
'1457 System ·ID: ·
'1457 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
'1457 /FF97D55CBD3BD6286B5A0304FFCD8605.xml↵
'1458 Main-validation-file: ·
'1458 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
'1458 /FF97D55CBD3BD6286B5A0304FFCD8605.xml↵
```

```
'1459 Scenario ·name: ·gg-sch↵
'1460 Schema: ·
'1460 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
'1460 ent..sch↵
'1461 Engine ·name: ·ISO ·Schematron↵
'1462 Severity: ·error↵
'1463 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
'1463 subSection ·or ·subSubSection.↵
'1464 Start ·location: ·1626:112↵
'1465 ↵
'1466 System ·ID: ·
'1466 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
'1466 /FF97D55CBD3BD6286B5A0304FFCD8605.xml↵
'1467 Main ·validation ·file: ·
'1467 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
'1467 /FF97D55CBD3BD6286B5A0304FFCD8605.xml↵
'1468 Scenario ·name: ·gg-sch↵
'1469 Schema: ·
'1469 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
'1469 ent..sch↵
'1470 Engine ·name: ·ISO ·Schematron↵
'1471 Severity: ·error↵
'1472 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
'1472 subSection ·or ·subSubSection.↵
'1473 Start ·location: ·1649:112↵
'1474 ↵
'1475 System ·ID: ·
'1475 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
'1475 /FF97D55CBD3BD6286B5A0304FFCD8605.xml↵
'1476 Main ·validation ·file: ·
'1476 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
'1476 /FF97D55CBD3BD6286B5A0304FFCD8605.xml↵
'1477 Scenario ·name: ·gg-sch↵
'1478 Schema: ·
'1478 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
```

```
'1478 ent..sch↵
'1479 Engine.name: ·ISO ·Schematron↵
'1480 Severity: ·error↵
'1481 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
'1481 subSection ·or ·subSubSection.↵
'1482 Start ·location: ·1675:110↵
'1483 ↵
'1484 System ·ID: ·
'1484 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
'1484 /FF97D55CBD3BD6286B5A0304FFCD8605.xml↵
'1485 Main ·validation ·file: ·
'1485 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
'1485 /FF97D55CBD3BD6286B5A0304FFCD8605.xml↵
'1486 Scenario ·name: ·gg-sch↵
'1487 Schema: ·
'1487 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
'1487 ent..sch↵
'1488 Engine.name: ·ISO ·Schematron↵
'1489 Severity: ·error↵
'1490 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
'1490 subSection ·or ·subSubSection.↵
'1491 Start ·location: ·1707:110↵
'1492 ↵
'1493 System ·ID: ·
'1493 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
'1493 /FF97D55CBD3BD6286B5A0304FFCD8605.xml↵
'1494 Main ·validation ·file: ·
'1494 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
'1494 /FF97D55CBD3BD6286B5A0304FFCD8605.xml↵
'1495 Scenario ·name: ·gg-sch↵
'1496 Schema: ·
'1496 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
'1496 ent..sch↵
'1497 Engine.name: ·ISO ·Schematron↵
'1498 Severity: ·error↵
```

'1499 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
'1499 subSection ·or ·subSubSection. ↵  
'1500 Start ·location: ·1772:110 ↵  
'1501 ↵  
'1502 System ·ID: ·  
'1502 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
'1502 /FF97D55CBD3BD6286B5A0304FFCD8605.xml ↵  
'1503 Main ·validation ·file: ·  
'1503 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
'1503 /FF97D55CBD3BD6286B5A0304FFCD8605.xml ↵  
'1504 Scenario ·name: ·gg-sch ↵  
'1505 Schema: ·  
'1505 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
'1505 ent..sch ↵  
'1506 Engine ·name: ·ISO ·Schematron ↵  
'1507 Severity: ·error ↵  
'1508 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
'1508 subSection ·or ·subSubSection. ↵  
'1509 Start ·location: ·1892:111 ↵  
'1510 ↵  
'1511 System ·ID: ·  
'1511 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
'1511 /FF97D55CBD3BD6286B5A0304FFCD8605.xml ↵  
'1512 Main ·validation ·file: ·  
'1512 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
'1512 /FF97D55CBD3BD6286B5A0304FFCD8605.xml ↵  
'1513 Scenario ·name: ·gg-sch ↵  
'1514 Schema: ·  
'1514 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
'1514 ent..sch ↵  
'1515 Engine ·name: ·ISO ·Schematron ↵  
'1516 Severity: ·error ↵  
'1517 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
'1517 subSection ·or ·subSubSection. ↵  
'1518 Start ·location: ·1907:112 ↵

```
'1519 <System·ID: ·  
'1520 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
'1520 /FFA9FFDEFFAFEE53AC2F1972FFF7FF8B.xml<  
'1521 Main·validation·file: ·  
'1521 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
'1521 /FFA9FFDEFFAFEE53AC2F1972FFF7FF8B.xml<  
'1522 Scenario·name: ·gg-sch<  
'1523 Schema: ·  
'1523 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm  
'1523 ent..sch<  
'1524 Engine·name: ·ISO·Schematron<  
'1525 Severity: ·error<  
'1526 Description: ·A·paragraph·must·have·an·ancestor·  
'1526 subSection·or·subSubSection.<  
'1527 Start·location: ·52:111<  
'1528 <  
'1529 System·ID: ·  
'1529 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
'1529 /FFA9FFDEFFAFEE53AC2F1972FFF7FF8B.xml<  
'1530 Main·validation·file: ·  
'1530 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
'1530 /FFA9FFDEFFAFEE53AC2F1972FFF7FF8B.xml<  
'1531 Scenario·name: ·gg-sch<  
'1532 Schema: ·  
'1532 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm  
'1532 ent..sch<  
'1533 Engine·name: ·ISO·Schematron<  
'1534 Severity: ·error<  
'1535 Description: ·A·paragraph·must·have·an·ancestor·  
'1535 subSection·or·subSubSection.<  
'1536 Start·location: ·64:134<  
'1537 <  
'1538 System·ID: ·  
'1538 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
```

```
'1538 /FFA9FFDEFFAFEE53AC2F1972FFF7FF8B.xml↵
'1539 Main-validation-file: ·
'1539 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
'1539 /FFA9FFDEFFAFEE53AC2F1972FFF7FF8B.xml↵
'1540 Scenario-name: ·gg-sch↵
'1541 Schema: ·
'1541 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
'1541 ent..sch↵
'1542 Engine-name: ·ISO ·Schematron↵
'1543 Severity: ·error↵
'1544 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
'1544 subSection ·or ·subSubSection.↵
'1545 Start ·location: ·86:136↵
'1546 ↵
'1547 System ·ID: ·
'1547 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
'1547 /FFA9FFDEFFAFEE53AC2F1972FFF7FF8B.xml↵
'1548 Main-validation-file: ·
'1548 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
'1548 /FFA9FFDEFFAFEE53AC2F1972FFF7FF8B.xml↵
'1549 Scenario-name: ·gg-sch↵
'1550 Schema: ·
'1550 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
'1550 ent..sch↵
'1551 Engine-name: ·ISO ·Schematron↵
'1552 Severity: ·error↵
'1553 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
'1553 subSection ·or ·subSubSection.↵
'1554 Start ·location: ·92:136↵
'1555 ↵
'1556 System ·ID: ·
'1556 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
'1556 /FFA9FFDEFFAFEE53AC2F1972FFF7FF8B.xml↵
'1557 Main-validation-file: ·
'1557 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
```

```
'1557 /FFA9FFDEFFAFEE53AC2F1972FFF7FF8B.xml↵
'1558 Scenario·name: ·gg-sch↵
'1559 Schema: ·
'1559 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
'1559 ent..sch↵
'1560 Engine·name: ·ISO ·Schematron↵
'1561 Severity: ·error↵
'1562 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
'1562 subSection ·or ·subSubSection.↵
'1563 Start ·location: ·97:136↵
'1564 ↵
'1565 System ·ID: ·
'1565 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
'1565 /FFA9FFDEFFAFEE53AC2F1972FFF7FF8B.xml↵
'1566 Main ·validation ·file: ·
'1566 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
'1566 /FFA9FFDEFFAFEE53AC2F1972FFF7FF8B.xml↵
'1567 Scenario·name: ·gg-sch↵
'1568 Schema: ·
'1568 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
'1568 ent..sch↵
'1569 Engine·name: ·ISO ·Schematron↵
'1570 Severity: ·error↵
'1571 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
'1571 subSection ·or ·subSubSection.↵
'1572 Start ·location: ·98:135↵
'1573 ↵
'1574 System ·ID: ·
'1574 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
'1574 /FFA9FFDEFFAFEE53AC2F1972FFF7FF8B.xml↵
'1575 Main ·validation ·file: ·
'1575 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
'1575 /FFA9FFDEFFAFEE53AC2F1972FFF7FF8B.xml↵
'1576 Scenario·name: ·gg-sch↵
'1577 Schema: ·
```

```
'1577 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm  
'1577 ent..sch↵  
'1578 Engine.name: ·ISO ·Schematron↵  
'1579 Severity: ·error↵  
'1580 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
'1580 subSection ·or ·subSubSection.↵  
'1581 Start ·location: ·99:110↵  
'1582 ↵  
'1583 System ·ID: ·  
'1583 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
'1583 /FFA9FFDEFFAFEE53AC2F1972FFF7FF8B.xml↵  
'1584 Main ·validation ·file: ·  
'1584 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
'1584 /FFA9FFDEFFAFEE53AC2F1972FFF7FF8B.xml↵  
'1585 Scenario ·name: ·gg-sch↵  
'1586 Schema: ·  
'1586 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm  
'1586 ent..sch↵  
'1587 Engine.name: ·ISO ·Schematron↵  
'1588 Severity: ·error↵  
'1589 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
'1589 subSection ·or ·subSubSection.↵  
'1590 Start ·location: ·115:138↵  
'1591 ↵  
'1592 System ·ID: ·  
'1592 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
'1592 /FFA9FFDEFFAFEE53AC2F1972FFF7FF8B.xml↵  
'1593 Main ·validation ·file: ·  
'1593 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
'1593 /FFA9FFDEFFAFEE53AC2F1972FFF7FF8B.xml↵  
'1594 Scenario ·name: ·gg-sch↵  
'1595 Schema: ·  
'1595 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm  
'1595 ent..sch↵  
'1596 Engine.name: ·ISO ·Schematron↵
```

```
'1597 Severity: ·error↵
'1598 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
'1598 subSection ·or ·subSubSection.↵
'1599 Start ·location: ·116:112↵
'1600 ↵
'1601 System ·ID: ·
'1601 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
'1601 /FFA9FFDEFFAFEE53AC2F1972FFF7FF8B.xml↵
'1602 Main ·validation ·file: ·
'1602 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
'1602 /FFA9FFDEFFAFEE53AC2F1972FFF7FF8B.xml↵
'1603 Scenario ·name: ·gg-sch↵
'1604 Schema: ·
'1604 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
'1604 ent..sch↵
'1605 Engine ·name: ·ISO ·Schematron↵
'1606 Severity: ·error↵
'1607 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
'1607 subSection ·or ·subSubSection.↵
'1608 Start ·location: ·123:136↵
'1609 ↵
'1610 System ·ID: ·
'1610 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
'1610 /FFA9FFDEFFAFEE53AC2F1972FFF7FF8B.xml↵
'1611 Main ·validation ·file: ·
'1611 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
'1611 /FFA9FFDEFFAFEE53AC2F1972FFF7FF8B.xml↵
'1612 Scenario ·name: ·gg-sch↵
'1613 Schema: ·
'1613 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
'1613 ent..sch↵
'1614 Engine ·name: ·ISO ·Schematron↵
'1615 Severity: ·error↵
'1616 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
'1616 subSection ·or ·subSubSection.↵
```

```
'1617 Start ·location: ·124:136↵
'1618 ↵
'1619 System ·ID: ·
'1619 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
'1619 /FFA9FFDEFFAFEE53AC2F1972FFF7FF8B.xml↵
'1620 Main ·validation ·file: ·
'1620 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
'1620 /FFA9FFDEFFAFEE53AC2F1972FFF7FF8B.xml↵
'1621 Scenario ·name: ·gg-sch↵
'1622 Schema: ·
'1622 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
'1622 ent..sch↵
'1623 Engine ·name: ·ISO ·Schematron↵
'1624 Severity: ·error↵
'1625 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
'1625 subSection ·or ·subSubSection.↵
'1626 Start ·location: ·125:136↵
'1627 ↵
'1628 System ·ID: ·
'1628 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
'1628 /FFA9FFDEFFAFEE53AC2F1972FFF7FF8B.xml↵
'1629 Main ·validation ·file: ·
'1629 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
'1629 /FFA9FFDEFFAFEE53AC2F1972FFF7FF8B.xml↵
'1630 Scenario ·name: ·gg-sch↵
'1631 Schema: ·
'1631 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
'1631 ent..sch↵
'1632 Engine ·name: ·ISO ·Schematron↵
'1633 Severity: ·error↵
'1634 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
'1634 subSection ·or ·subSubSection.↵
'1635 Start ·location: ·130:137↵
'1636 ↵
'1637 System ·ID: ·
```

```
'1637 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
'1637 /FFA9FFDEFFAFEE53AC2F1972FFF7FF8B.xml↵
'1638 Main-validation-file: ·
'1638 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
'1638 /FFA9FFDEFFAFEE53AC2F1972FFF7FF8B.xml↵
'1639 Scenario-name: ·gg-sch↵
'1640 Schema: ·
'1640 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
'1640 ent..sch↵
'1641 Engine-name: ·ISO ·Schematron↵
'1642 Severity: ·error↵
'1643 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
'1643 subSection ·or ·subSubSection.↵
'1644 Start-location: ·133:112↵
'1645 ↵
'1646 System-ID: ·
'1646 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
'1646 /FFA9FFDEFFAFEE53AC2F1972FFF7FF8B.xml↵
'1647 Main-validation-file: ·
'1647 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
'1647 /FFA9FFDEFFAFEE53AC2F1972FFF7FF8B.xml↵
'1648 Scenario-name: ·gg-sch↵
'1649 Schema: ·
'1649 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
'1649 ent..sch↵
'1650 Engine-name: ·ISO ·Schematron↵
'1651 Severity: ·error↵
'1652 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
'1652 subSection ·or ·subSubSection.↵
'1653 Start-location: ·137:137↵
'1654 ↵
'1655 System-ID: ·
'1655 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
'1655 /FFA9FFDEFFAFEE53AC2F1972FFF7FF8B.xml↵
'1656 Main-validation-file: ·
```

```
'1656 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
'1656 /FFA9FFDEFFAFEE53AC2F1972FFF7FF8B.xml↵
'1657 Scenario·name: ·gg-sch↵
'1658 Schema: ·
'1658 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
'1658 ent..sch↵
'1659 Engine·name: ·ISO ·Schematron↵
'1660 Severity: ·error↵
'1661 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
'1661 subSection ·or ·subSubSection.↵
'1662 Start ·location: ·138:137↵
'1663 ↵
'1664 System ·ID: ·
'1664 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
'1664 /FFA9FFDEFFAFEE53AC2F1972FFF7FF8B.xml↵
'1665 Main ·validation ·file: ·
'1665 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
'1665 /FFA9FFDEFFAFEE53AC2F1972FFF7FF8B.xml↵
'1666 Scenario ·name: ·gg-sch↵
'1667 Schema: ·
'1667 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
'1667 ent..sch↵
'1668 Engine·name: ·ISO ·Schematron↵
'1669 Severity: ·error↵
'1670 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
'1670 subSection ·or ·subSubSection.↵
'1671 Start ·location: ·139:137↵
'1672 ↵
'1673 System ·ID: ·
'1673 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
'1673 /FFA9FFDEFFAFEE53AC2F1972FFF7FF8B.xml↵
'1674 Main ·validation ·file: ·
'1674 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
'1674 /FFA9FFDEFFAFEE53AC2F1972FFF7FF8B.xml↵
'1675 Scenario ·name: ·gg-sch↵
```

```
'1676 Schema: .
'1676 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
'1676 ent..sch↵
'1677 Engine.name: .ISO .Schematron↵
'1678 Severity: .error↵
'1679 Description: .A .paragraph .must .have .an .ancestor .
'1679 subSection .or .subSubSection.↵
'1680 Start.location: .140:137↵
'1681 ↵
'1682 System.ID: .
'1682 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
'1682 /FFA9FFDEFFAFEE53AC2F1972FFF7FF8B.xml↵
'1683 Main.validation.file: .
'1683 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
'1683 /FFA9FFDEFFAFEE53AC2F1972FFF7FF8B.xml↵
'1684 Scenario.name: .gg-sch↵
'1685 Schema: .
'1685 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
'1685 ent..sch↵
'1686 Engine.name: .ISO .Schematron↵
'1687 Severity: .error↵
'1688 Description: .A .paragraph .must .have .an .ancestor .
'1688 subSection .or .subSubSection.↵
'1689 Start.location: .141:137↵
'1690 ↵
'1691 System.ID: .
'1691 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
'1691 /FFA9FFDEFFAFEE53AC2F1972FFF7FF8B.xml↵
'1692 Main.validation.file: .
'1692 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
'1692 /FFA9FFDEFFAFEE53AC2F1972FFF7FF8B.xml↵
'1693 Scenario.name: .gg-sch↵
'1694 Schema: .
'1694 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
'1694 ent..sch↵
```

:1695 Engine·name: ·ISO ·Schematron↵  
:1696 Severity: ·error↵  
:1697 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:1697 subSection ·or ·subSubSection.↵  
:1698 Start ·location: ·142:137↵  
:1699 ↵  
:1700 System ·ID: ·  
:1700 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:1700 /FFA9FFDEFFAFEE53AC2F1972FFF7FF8B.xml↵  
:1701 Main ·validation ·file: ·  
:1701 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:1701 /FFA9FFDEFFAFEE53AC2F1972FFF7FF8B.xml↵  
:1702 Scenario ·name: ·gg-sch↵  
:1703 Schema: ·  
:1703 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:1703 ent..sch↵  
:1704 Engine·name: ·ISO ·Schematron↵  
:1705 Severity: ·error↵  
:1706 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:1706 subSection ·or ·subSubSection.↵  
:1707 Start ·location: ·143:112↵  
:1708 ↵  
:1709 System ·ID: ·  
:1709 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:1709 /FFA9FFDEFFAFEE53AC2F1972FFF7FF8B.xml↵  
:1710 Main ·validation ·file: ·  
:1710 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:1710 /FFA9FFDEFFAFEE53AC2F1972FFF7FF8B.xml↵  
:1711 Scenario ·name: ·gg-sch↵  
:1712 Schema: ·  
:1712 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:1712 ent..sch↵  
:1713 Engine·name: ·ISO ·Schematron↵  
:1714 Severity: ·error↵  
:1715 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·

```
:1715 subSection ·or ·subSubSection. ↵
:1716 Start ·location: ·151:137 ↵
:1717 ↵
:1718 System ·ID: ·
:1718 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
:1718 /FFA9FFDEFFAFEE53AC2F1972FFF7FF8B.xml ↵
:1719 Main ·validation ·file: ·
:1719 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
:1719 /FFA9FFDEFFAFEE53AC2F1972FFF7FF8B.xml ↵
:1720 Scenario ·name: ·gg-sch ↵
:1721 Schema: ·
:1721 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
:1721 ent..sch ↵
:1722 Engine ·name: ·ISO ·Schematron ↵
:1723 Severity: ·error ↵
:1724 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
:1724 subSection ·or ·subSubSection. ↵
:1725 Start ·location: ·152:137 ↵
:1726 ↵
:1727 System ·ID: ·
:1727 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
:1727 /FFA9FFDEFFAFEE53AC2F1972FFF7FF8B.xml ↵
:1728 Main ·validation ·file: ·
:1728 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
:1728 /FFA9FFDEFFAFEE53AC2F1972FFF7FF8B.xml ↵
:1729 Scenario ·name: ·gg-sch ↵
:1730 Schema: ·
:1730 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
:1730 ent..sch ↵
:1731 Engine ·name: ·ISO ·Schematron ↵
:1732 Severity: ·error ↵
:1733 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
:1733 subSection ·or ·subSubSection. ↵
:1734 Start ·location: ·153:137 ↵
:1735 ↵
```

:1736 System·ID: ·  
:1736 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:1736 /FFA9FFDEFFAFEE53AC2F1972FFF7FF8B.xml↵  
:1737 Main·validation·file: ·  
:1737 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:1737 /FFA9FFDEFFAFEE53AC2F1972FFF7FF8B.xml↵  
:1738 Scenario·name: ·gg-sch↵  
:1739 Schema: ·  
:1739 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:1739 ent..sch↵  
:1740 Engine·name: ·ISO·Schematron↵  
:1741 Severity: ·error↵  
:1742 Description: ·A·paragraph·must·have·an·ancestor·  
:1742 subSection·or·subSubSection.↵  
:1743 Start·location: ·154:137↵  
:1744 ↵  
:1745 System·ID: ·  
:1745 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:1745 /FFA9FFDEFFAFEE53AC2F1972FFF7FF8B.xml↵  
:1746 Main·validation·file: ·  
:1746 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:1746 /FFA9FFDEFFAFEE53AC2F1972FFF7FF8B.xml↵  
:1747 Scenario·name: ·gg-sch↵  
:1748 Schema: ·  
:1748 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:1748 ent..sch↵  
:1749 Engine·name: ·ISO·Schematron↵  
:1750 Severity: ·error↵  
:1751 Description: ·A·paragraph·must·have·an·ancestor·  
:1751 subSection·or·subSubSection.↵  
:1752 Start·location: ·155:137↵  
:1753 ↵  
:1754 System·ID: ·  
:1754 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:1754 /FFA9FFDEFFAFEE53AC2F1972FFF7FF8B.xml↵

```
'1755 Main-validation-file: ·
'1755 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
'1755 /FFA9FFDEFFAFEE53AC2F1972FFF7FF8B.xml↵
'1756 Scenario-name: ·gg-sch↵
'1757 Schema: ·
'1757 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
'1757 ent..sch↵
'1758 Engine-name: ·ISO ·Schematron↵
'1759 Severity: ·error↵
'1760 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
'1760 subSection ·or ·subSubSection.↵
'1761 Start ·location: ·159:138↵
'1762 ↵
'1763 System ·ID: ·
'1763 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
'1763 /FFA9FFDEFFAFEE53AC2F1972FFF7FF8B.xml↵
'1764 Main-validation-file: ·
'1764 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
'1764 /FFA9FFDEFFAFEE53AC2F1972FFF7FF8B.xml↵
'1765 Scenario-name: ·gg-sch↵
'1766 Schema: ·
'1766 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
'1766 ent..sch↵
'1767 Engine-name: ·ISO ·Schematron↵
'1768 Severity: ·error↵
'1769 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
'1769 subSection ·or ·subSubSection.↵
'1770 Start ·location: ·166:139↵
'1771 ↵
'1772 System ·ID: ·
'1772 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
'1772 /FFA9FFDEFFAFEE53AC2F1972FFF7FF8B.xml↵
'1773 Main-validation-file: ·
'1773 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
'1773 /FFA9FFDEFFAFEE53AC2F1972FFF7FF8B.xml↵
```

```
'1774 Scenario ·name: ·gg-sch↵
'1775 Schema: ·
'1775 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
'1775 ent..sch↵
'1776 Engine ·name: ·ISO ·Schematron↵
'1777 Severity: ·error↵
'1778 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
'1778 subSection ·or ·subSubSection.↵
'1779 Start ·location: ·167:112↵
'1780 ↵
'1781 System ·ID: ·
'1781 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
'1781 /FFA9FFDEFFAFEE53AC2F1972FFF7FF8B.xml↵
'1782 Main ·validation ·file: ·
'1782 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
'1782 /FFA9FFDEFFAFEE53AC2F1972FFF7FF8B.xml↵
'1783 Scenario ·name: ·gg-sch↵
'1784 Schema: ·
'1784 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
'1784 ent..sch↵
'1785 Engine ·name: ·ISO ·Schematron↵
'1786 Severity: ·error↵
'1787 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
'1787 subSection ·or ·subSubSection.↵
'1788 Start ·location: ·168:139↵
'1789 ↵
'1790 System ·ID: ·
'1790 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
'1790 /FFA9FFDEFFAFEE53AC2F1972FFF7FF8B.xml↵
'1791 Main ·validation ·file: ·
'1791 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
'1791 /FFA9FFDEFFAFEE53AC2F1972FFF7FF8B.xml↵
'1792 Scenario ·name: ·gg-sch↵
'1793 Schema: ·
'1793 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
```

```
'1793  ent..sch↵
'1794  Engine·name: ·ISO ·Schematron↵
'1795  Severity: ·error↵
'1796  Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
'1796  subSection ·or ·subSubSection.↵
'1797  Start ·location: ·173:139↵
'1798  ↵
'1799  System ·ID: ·
'1799  /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
'1799  /FFA9FFDEFFAFEE53AC2F1972FFF7FF8B.xml↵
'1800  Main ·validation ·file: ·
'1800  /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
'1800  /FFA9FFDEFFAFEE53AC2F1972FFF7FF8B.xml↵
'1801  Scenario ·name: ·gg-sch↵
'1802  Schema: ·
'1802  /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
'1802  ent..sch↵
'1803  Engine·name: ·ISO ·Schematron↵
'1804  Severity: ·error↵
'1805  Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
'1805  subSection ·or ·subSubSection.↵
'1806  Start ·location: ·174:139↵
'1807  ↵
'1808  System ·ID: ·
'1808  /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
'1808  /FFA9FFDEFFAFEE53AC2F1972FFF7FF8B.xml↵
'1809  Main ·validation ·file: ·
'1809  /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
'1809  /FFA9FFDEFFAFEE53AC2F1972FFF7FF8B.xml↵
'1810  Scenario ·name: ·gg-sch↵
'1811  Schema: ·
'1811  /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
'1811  ent..sch↵
'1812  Engine·name: ·ISO ·Schematron↵
'1813  Severity: ·error↵
```

'1814 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
'1814 subSection ·or ·subSubSection. ↵  
'1815 Start ·location: ·175:138 ↵  
'1816 ↵  
'1817 System ·ID: ·  
'1817 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
'1817 /FFA9FFDEFFAFEE53AC2F1972FFF7FF8B.xml ↵  
'1818 Main ·validation ·file: ·  
'1818 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
'1818 /FFA9FFDEFFAFEE53AC2F1972FFF7FF8B.xml ↵  
'1819 Scenario ·name: ·gg-sch ↵  
'1820 Schema: ·  
'1820 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
'1820 ent..sch ↵  
'1821 Engine ·name: ·ISO ·Schematron ↵  
'1822 Severity: ·error ↵  
'1823 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
'1823 subSection ·or ·subSubSection. ↵  
'1824 Start ·location: ·182:113 ↵  
'1825 ↵  
'1826 System ·ID: ·  
'1826 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
'1826 /FFA9FFDEFFAFEE53AC2F1972FFF7FF8B.xml ↵  
'1827 Main ·validation ·file: ·  
'1827 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
'1827 /FFA9FFDEFFAFEE53AC2F1972FFF7FF8B.xml ↵  
'1828 Scenario ·name: ·gg-sch ↵  
'1829 Schema: ·  
'1829 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
'1829 ent..sch ↵  
'1830 Engine ·name: ·ISO ·Schematron ↵  
'1831 Severity: ·error ↵  
'1832 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
'1832 subSection ·or ·subSubSection. ↵  
'1833 Start ·location: ·194:113 ↵

```
'1834 <System>
'1835   System·ID: ·
'1835   /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
'1835   /FFA9FFDEFFAFEE53AC2F1972FFF7FF8B.xml<
'1836   Main·validation·file: ·
'1836   /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
'1836   /FFA9FFDEFFAFEE53AC2F1972FFF7FF8B.xml<
'1837   Scenario·name: ·gg-sch<
'1838   Schema: ·
'1838   /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
'1838   ent..sch<
'1839   Engine·name: ·ISO·Schematron<
'1840   Severity: ·error<
'1841   Description: ·A·paragraph·must·have·an·ancestor·
'1841   subSection·or·subSubSection.<
'1842   Start·location: ·195:140<
'1843 <
'1844   System·ID: ·
'1844   /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
'1844   /FFA9FFDEFFAFEE53AC2F1972FFF7FF8B.xml<
'1845   Main·validation·file: ·
'1845   /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
'1845   /FFA9FFDEFFAFEE53AC2F1972FFF7FF8B.xml<
'1846   Scenario·name: ·gg-sch<
'1847   Schema: ·
'1847   /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
'1847   ent..sch<
'1848   Engine·name: ·ISO·Schematron<
'1849   Severity: ·error<
'1850   Description: ·A·paragraph·must·have·an·ancestor·
'1850   subSection·or·subSubSection.<
'1851   Start·location: ·196:113<
'1852 <
'1853   System·ID: ·
'1853   /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
```

```
'1853 /FFA9FFDEFFAFEE53AC2F1972FFF7FF8B.xml↵
'1854 Main-validation-file: ·
'1854 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
'1854 /FFA9FFDEFFAFEE53AC2F1972FFF7FF8B.xml↵
'1855 Scenario-name: ·gg-sch↵
'1856 Schema: ·
'1856 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
'1856 ent..sch↵
'1857 Engine-name: ·ISO ·Schematron↵
'1858 Severity: ·error↵
'1859 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
'1859 subSection ·or ·subSubSection.↵
'1860 Start ·location: ·197:140↵
'1861 ↵
'1862 System ·ID: ·
'1862 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
'1862 /FFA9FFDEFFAFEE53AC2F1972FFF7FF8B.xml↵
'1863 Main-validation-file: ·
'1863 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
'1863 /FFA9FFDEFFAFEE53AC2F1972FFF7FF8B.xml↵
'1864 Scenario-name: ·gg-sch↵
'1865 Schema: ·
'1865 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
'1865 ent..sch↵
'1866 Engine-name: ·ISO ·Schematron↵
'1867 Severity: ·error↵
'1868 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
'1868 subSection ·or ·subSubSection.↵
'1869 Start ·location: ·198:140↵
'1870 ↵
'1871 System ·ID: ·
'1871 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
'1871 /FFA9FFDEFFAFEE53AC2F1972FFF7FF8B.xml↵
'1872 Main-validation-file: ·
'1872 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
```

```
'1872 /FFA9FFDEFFAFEE53AC2F1972FFF7FF8B.xml↵
'1873 Scenario·name: ·gg-sch↵
'1874 Schema: ·
'1874 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
'1874 ent..sch↵
'1875 Engine·name: ·ISO ·Schematron↵
'1876 Severity: ·error↵
'1877 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
'1877 subSection ·or ·subSubSection.↵
'1878 Start ·location: ·202:113↵
'1879 ↵
'1880 System ·ID: ·
'1880 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
'1880 /FFA9FFDEFFAFEE53AC2F1972FFF7FF8B.xml↵
'1881 Main ·validation ·file: ·
'1881 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
'1881 /FFA9FFDEFFAFEE53AC2F1972FFF7FF8B.xml↵
'1882 Scenario ·name: ·gg-sch↵
'1883 Schema: ·
'1883 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
'1883 ent..sch↵
'1884 Engine·name: ·ISO ·Schematron↵
'1885 Severity: ·error↵
'1886 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
'1886 subSection ·or ·subSubSection.↵
'1887 Start ·location: ·204:138↵
'1888 ↵
'1889 System ·ID: ·
'1889 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
'1889 /FFA9FFDEFFAFEE53AC2F1972FFF7FF8B.xml↵
'1890 Main ·validation ·file: ·
'1890 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
'1890 /FFA9FFDEFFAFEE53AC2F1972FFF7FF8B.xml↵
'1891 Scenario ·name: ·gg-sch↵
'1892 Schema: ·
```

```
'1892 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm  
'1892 ent..sch↵  
'1893 Engine.name: ·ISO ·Schematron↵  
'1894 Severity: ·error↵  
'1895 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
'1895 subSection ·or ·subSubSection.↵  
'1896 Start ·location: ·210:111↵  
'1897 ↵  
'1898 System ·ID: ·  
'1898 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
'1898 /FFA9FFDEFFAFEE53AC2F1972FFF7FF8B.xml↵  
'1899 Main ·validation ·file: ·  
'1899 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
'1899 /FFA9FFDEFFAFEE53AC2F1972FFF7FF8B.xml↵  
'1900 Scenario ·name: ·gg-sch↵  
'1901 Schema: ·  
'1901 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm  
'1901 ent..sch↵  
'1902 Engine.name: ·ISO ·Schematron↵  
'1903 Severity: ·error↵  
'1904 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
'1904 subSection ·or ·subSubSection.↵  
'1905 Start ·location: ·229:112↵  
'1906 ↵  
'1907 System ·ID: ·  
'1907 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
'1907 /FFA9FFDEFFAFEE53AC2F1972FFF7FF8B.xml↵  
'1908 Main ·validation ·file: ·  
'1908 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
'1908 /FFA9FFDEFFAFEE53AC2F1972FFF7FF8B.xml↵  
'1909 Scenario ·name: ·gg-sch↵  
'1910 Schema: ·  
'1910 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm  
'1910 ent..sch↵  
'1911 Engine.name: ·ISO ·Schematron↵
```

'1912 Severity: ·error ↵  
'1913 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
'1913 subSection ·or ·subSubSection. ↵  
'1914 Start ·location: ·234:112 ↵  
'1915 ↵  
'1916 System ·ID: ·  
'/Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
'1916 /FFA9FFDEFFAFEE53AC2F1972FFF7FF8B.xml ↵  
'1917 Main ·validation ·file: ·  
'/Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
'1917 /FFA9FFDEFFAFEE53AC2F1972FFF7FF8B.xml ↵  
'1918 Scenario ·name: ·gg-sch ↵  
'1919 Schema: ·  
'/Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
'1919 ent..sch ↵  
'1920 Engine ·name: ·ISO ·Schematron ↵  
'1921 Severity: ·error ↵  
'1922 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
'1922 subSection ·or ·subSubSection. ↵  
'1923 Start ·location: ·257:147 ↵  
'1924 ↵  
'1925 System ·ID: ·  
'/Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
'1925 /FFA9FFDEFFAFEE53AC2F1972FFF7FF8B.xml ↵  
'1926 Main ·validation ·file: ·  
'/Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
'1926 /FFA9FFDEFFAFEE53AC2F1972FFF7FF8B.xml ↵  
'1927 Scenario ·name: ·gg-sch ↵  
'1928 Schema: ·  
'/Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
'1928 ent..sch ↵  
'1929 Engine ·name: ·ISO ·Schematron ↵  
'1930 Severity: ·error ↵  
'1931 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
'1931 subSection ·or ·subSubSection. ↵

'1932 Start ·location: ·283:112 ↵  
'1933 ↵  
'1934 System ·ID: ·  
'1934 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
'1934 /FFA9FFDEFFAFEE53AC2F1972FFF7FF8B.xml ↵  
'1935 Main ·validation ·file: ·  
'1935 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
'1935 /FFA9FFDEFFAFEE53AC2F1972FFF7FF8B.xml ↵  
'1936 Scenario ·name: ·gg-sch ↵  
'1937 Schema: ·  
'1937 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
'1937 ent..sch ↵  
'1938 Engine ·name: ·ISO ·Schematron ↵  
'1939 Severity: ·error ↵  
'1940 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
'1940 subSection ·or ·subSubSection. ↵  
'1941 Start ·location: ·303:112 ↵  
'1942 ↵  
'1943 System ·ID: ·  
'1943 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
'1943 /FFA9FFDEFFAFEE53AC2F1972FFF7FF8B.xml ↵  
'1944 Main ·validation ·file: ·  
'1944 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
'1944 /FFA9FFDEFFAFEE53AC2F1972FFF7FF8B.xml ↵  
'1945 Scenario ·name: ·gg-sch ↵  
'1946 Schema: ·  
'1946 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
'1946 ent..sch ↵  
'1947 Engine ·name: ·ISO ·Schematron ↵  
'1948 Severity: ·error ↵  
'1949 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
'1949 subSection ·or ·subSubSection. ↵  
'1950 Start ·location: ·311:112 ↵  
'1951 ↵  
'1952 System ·ID: ·

```
'1952 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
'1952 /FFA9FFDEFFAFEE53AC2F1972FFF7FF8B.xml↵
'1953 Main-validation-file: ·
'1953 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
'1953 /FFA9FFDEFFAFEE53AC2F1972FFF7FF8B.xml↵
'1954 Scenario-name: ·gg-sch↵
'1955 Schema: ·
'1955 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
'1955 ent..sch↵
'1956 Engine-name: ·ISO ·Schematron↵
'1957 Severity: ·error↵
'1958 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
'1958 subSection ·or ·subSubSection.↵
'1959 Start-location: ·324:112↵
'1960 ↵
'1961 System-ID: ·
'1961 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
'1961 /FFA9FFDEFFAFEE53AC2F1972FFF7FF8B.xml↵
'1962 Main-validation-file: ·
'1962 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
'1962 /FFA9FFDEFFAFEE53AC2F1972FFF7FF8B.xml↵
'1963 Scenario-name: ·gg-sch↵
'1964 Schema: ·
'1964 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
'1964 ent..sch↵
'1965 Engine-name: ·ISO ·Schematron↵
'1966 Severity: ·error↵
'1967 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
'1967 subSection ·or ·subSubSection.↵
'1968 Start-location: ·335:113↵
'1969 ↵
'1970 System-ID: ·
'1970 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
'1970 /FFA9FFDEFFAFEE53AC2F1972FFF7FF8B.xml↵
'1971 Main-validation-file: ·
```

'1971 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
'1971 /FFA9FFDEFFAFEE53AC2F1972FFF7FF8B.xml ↵  
'1972 Scenario ·name: ·gg-sch ↵  
'1973 Schema: ·  
'1973 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
'1974 Engine ·name: ·ISO ·Schematron ↵  
'1975 Severity: ·error ↵  
'1976 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
'1976 subSection ·or ·subSubSection. ↵  
'1977 Start ·location: ·356:147 ↵  
'1978 ↵  
'1979 System ·ID: ·  
'1979 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
'1979 /FFA9FFDEFFAFEE53AC2F1972FFF7FF8B.xml ↵  
'1980 Main ·validation ·file: ·  
'1980 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
'1980 /FFA9FFDEFFAFEE53AC2F1972FFF7FF8B.xml ↵  
'1981 Scenario ·name: ·gg-sch ↵  
'1982 Schema: ·  
'1982 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
'1983 Engine ·name: ·ISO ·Schematron ↵  
'1984 Severity: ·error ↵  
'1985 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
'1985 subSection ·or ·subSubSection. ↵  
'1986 Start ·location: ·380:112 ↵  
'1987 ↵  
'1988 System ·ID: ·  
'1988 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
'1988 /FFA9FFDEFFAFEE53AC2F1972FFF7FF8B.xml ↵  
'1989 Main ·validation ·file: ·  
'1989 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
'1989 /FFA9FFDEFFAFEE53AC2F1972FFF7FF8B.xml ↵  
'1990 Scenario ·name: ·gg-sch ↵

:1991 Schema: .  
:1991 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:1991 ent..sch↵  
:1992 Engine.name: .ISO .Schematron↵  
:1993 Severity: .error↵  
:1994 Description: .A .paragraph .must .have .an .ancestor .  
:1994 subSection .or .subSubSection.↵  
:1995 Start.location: .382:110↵  
:1996 ↵  
:1997 System.ID: .  
:1997 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:1997 /FFA9FFDEFFAFEE53AC2F1972FFF7FF8B.xml↵  
:1998 Main.validation.file: .  
:1998 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:1998 /FFA9FFDEFFAFEE53AC2F1972FFF7FF8B.xml↵  
:1999 Scenario.name: .gg-sch↵  
:2000 Schema: .  
:2000 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:2000 ent..sch↵  
:2001 Engine.name: .ISO .Schematron↵  
:2002 Severity: .error↵  
:2003 Description: .A .paragraph .must .have .an .ancestor .  
:2003 subSection .or .subSubSection.↵  
:2004 Start.location: .401:112↵  
:2005 ↵  
:2006 System.ID: .  
:2006 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:2006 /FFA9FFDEFFAFEE53AC2F1972FFF7FF8B.xml↵  
:2007 Main.validation.file: .  
:2007 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:2007 /FFA9FFDEFFAFEE53AC2F1972FFF7FF8B.xml↵  
:2008 Scenario.name: .gg-sch↵  
:2009 Schema: .  
:2009 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:2009 ent..sch↵

:2010 Engine.name: ·ISO ·Schematron ↵  
:2011 Severity: ·error ↵  
:2012 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:2012 subSection ·or ·subSubSection. ↵  
:2013 Start.location: ·402:113 ↵  
:2014 ↵  
:2015 System.ID: ·  
:2015 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:2015 /FFA9FFDEFFAFEE53AC2F1972FFF7FF8B.xml ↵  
:2016 Main.validation.file: ·  
:2016 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:2016 /FFA9FFDEFFAFEE53AC2F1972FFF7FF8B.xml ↵  
:2017 Scenario.name: ·gg-sch ↵  
:2018 Schema: ·  
:2018 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:2018 ent..sch ↵  
:2019 Engine.name: ·ISO ·Schematron ↵  
:2020 Severity: ·error ↵  
:2021 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:2021 subSection ·or ·subSubSection. ↵  
:2022 Start.location: ·412:138 ↵  
:2023 ↵  
:2024 System.ID: ·  
:2024 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:2024 /FFA9FFDEFFAFEE53AC2F1972FFF7FF8B.xml ↵  
:2025 Main.validation.file: ·  
:2025 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:2025 /FFA9FFDEFFAFEE53AC2F1972FFF7FF8B.xml ↵  
:2026 Scenario.name: ·gg-sch ↵  
:2027 Schema: ·  
:2027 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:2027 ent..sch ↵  
:2028 Engine.name: ·ISO ·Schematron ↵  
:2029 Severity: ·error ↵  
:2030 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·

:2030 subSection ·or ·subSubSection. ↵  
:2031 Start ·location: ·418:138 ↵  
:2032 ↵  
:2033 System ·ID: ·  
:2033 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:2033 /FFA9FFDEFFAFEE53AC2F1972FFF7FF8B.xml ↵  
:2034 Main ·validation ·file: ·  
:2034 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:2034 /FFA9FFDEFFAFEE53AC2F1972FFF7FF8B.xml ↵  
:2035 Scenario ·name: ·gg-sch ↵  
:2036 Schema: ·  
:2036 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:2036 ent..sch ↵  
:2037 Engine ·name: ·ISO ·Schematron ↵  
:2038 Severity: ·error ↵  
:2039 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:2039 subSection ·or ·subSubSection. ↵  
:2040 Start ·location: ·419:138 ↵  
:2041 ↵  
:2042 System ·ID: ·  
:2042 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:2042 /FFA9FFDEFFAFEE53AC2F1972FFF7FF8B.xml ↵  
:2043 Main ·validation ·file: ·  
:2043 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:2043 /FFA9FFDEFFAFEE53AC2F1972FFF7FF8B.xml ↵  
:2044 Scenario ·name: ·gg-sch ↵  
:2045 Schema: ·  
:2045 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:2045 ent..sch ↵  
:2046 Engine ·name: ·ISO ·Schematron ↵  
:2047 Severity: ·error ↵  
:2048 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:2048 subSection ·or ·subSubSection. ↵  
:2049 Start ·location: ·420:138 ↵  
:2050 ↵

:2051 System·ID: ·  
:2051 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:2051 /FFA9FFDEFFAFEE53AC2F1972FFF7FF8B.xml↵  
:2052 Main·validation·file: ·  
:2052 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:2052 /FFA9FFDEFFAFEE53AC2F1972FFF7FF8B.xml↵  
:2053 Scenario·name: ·gg-sch↵  
:2054 Schema: ·  
:2054 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:2054 ent..sch↵  
:2055 Engine·name: ·ISO·Schematron↵  
:2056 Severity: ·error↵  
:2057 Description: ·A·paragraph·must·have·an·ancestor·  
:2057 subSection·or·subSubSection.↵  
:2058 Start·location: ·421:138↵  
:2059 ↵  
:2060 System·ID: ·  
:2060 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:2060 /FFA9FFDEFFAFEE53AC2F1972FFF7FF8B.xml↵  
:2061 Main·validation·file: ·  
:2061 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:2061 /FFA9FFDEFFAFEE53AC2F1972FFF7FF8B.xml↵  
:2062 Scenario·name: ·gg-sch↵  
:2063 Schema: ·  
:2063 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:2063 ent..sch↵  
:2064 Engine·name: ·ISO·Schematron↵  
:2065 Severity: ·error↵  
:2066 Description: ·A·paragraph·must·have·an·ancestor·  
:2066 subSection·or·subSubSection.↵  
:2067 Start·location: ·422:138↵  
:2068 ↵  
:2069 System·ID: ·  
:2069 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:2069 /FFA9FFDEFFAFEE53AC2F1972FFF7FF8B.xml↵

:2070 Main-validation-file: .  
:2070 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:2070 /FFA9FFDEFFAFEE53AC2F1972FFF7FF8B.xml↵  
:2071 Scenario-name: .gg-sch↵  
:2072 Schema: .  
:2072 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:2072 ent..sch↵  
:2073 Engine-name: .ISO-Schematron↵  
:2074 Severity: .error↵  
:2075 Description: .A .paragraph .must .have .an .ancestor .  
:2075 subSection .or .subSubSection.↵  
:2076 Start-location: .427:138↵  
:2077 ↵  
:2078 System-ID: .  
:2078 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:2078 /FFA9FFDEFFAFEE53AC2F1972FFF7FF8B.xml↵  
:2079 Main-validation-file: .  
:2079 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:2079 /FFA9FFDEFFAFEE53AC2F1972FFF7FF8B.xml↵  
:2080 Scenario-name: .gg-sch↵  
:2081 Schema: .  
:2081 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:2081 ent..sch↵  
:2082 Engine-name: .ISO-Schematron↵  
:2083 Severity: .error↵  
:2084 Description: .A .paragraph .must .have .an .ancestor .  
:2084 subSection .or .subSubSection.↵  
:2085 Start-location: .428:138↵  
:2086 ↵  
:2087 System-ID: .  
:2087 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:2087 /FFA9FFDEFFAFEE53AC2F1972FFF7FF8B.xml↵  
:2088 Main-validation-file: .  
:2088 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:2088 /FFA9FFDEFFAFEE53AC2F1972FFF7FF8B.xml↵

```
:2089 Scenario·name: ·gg-sch↵
:2090 Schema: ·
:2090 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
:2090 ent..sch↵
:2091 Engine·name: ·ISO·Schematron↵
:2092 Severity: ·error↵
:2093 Description: ·A·paragraph·must·have·an·ancestor·
:2093 subSection·or·subSubSection.↵
:2094 Start·location: ·433:138↵
:2095 ↵
:2096 System·ID: ·
:2096 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
:2096 /FFA9FFDEFFAFEE53AC2F1972FFF7FF8B.xml↵
:2097 Main·validation·file: ·
:2097 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
:2097 /FFA9FFDEFFAFEE53AC2F1972FFF7FF8B.xml↵
:2098 Scenario·name: ·gg-sch↵
:2099 Schema: ·
:2099 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
:2099 ent..sch↵
:2100 Engine·name: ·ISO·Schematron↵
:2101 Severity: ·error↵
:2102 Description: ·A·paragraph·must·have·an·ancestor·
:2102 subSection·or·subSubSection.↵
:2103 Start·location: ·434:138↵
:2104 ↵
:2105 System·ID: ·
:2105 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
:2105 /FFA9FFDEFFAFEE53AC2F1972FFF7FF8B.xml↵
:2106 Main·validation·file: ·
:2106 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
:2106 /FFA9FFDEFFAFEE53AC2F1972FFF7FF8B.xml↵
:2107 Scenario·name: ·gg-sch↵
:2108 Schema: ·
:2108 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
```

```
'2108  ent..sch↵
'2109  Engine·name: ·ISO ·Schematron↵
'2110  Severity: ·error↵
'2111  Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
'2111  subSection ·or ·subSubSection.↵
'2112  Start ·location: ·435:138↵
'2113  ↵
'2114  System ·ID: ·
'2114  /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
'2114  /FFA9FFDEFFAFEE53AC2F1972FFF7FF8B.xml↵
'2115  Main ·validation ·file: ·
'2115  /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
'2115  /FFA9FFDEFFAFEE53AC2F1972FFF7FF8B.xml↵
'2116  Scenario ·name: ·gg-sch↵
'2117  Schema: ·
'2117  /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
'2117  ent..sch↵
'2118  Engine·name: ·ISO ·Schematron↵
'2119  Severity: ·error↵
'2120  Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
'2120  subSection ·or ·subSubSection.↵
'2121  Start ·location: ·440:138↵
'2122  ↵
'2123  System ·ID: ·
'2123  /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
'2123  /FFA9FFDEFFAFEE53AC2F1972FFF7FF8B.xml↵
'2124  Main ·validation ·file: ·
'2124  /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
'2124  /FFA9FFDEFFAFEE53AC2F1972FFF7FF8B.xml↵
'2125  Scenario ·name: ·gg-sch↵
'2126  Schema: ·
'2126  /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
'2126  ent..sch↵
'2127  Engine·name: ·ISO ·Schematron↵
'2128  Severity: ·error↵
```

:2129 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:2129 subSection ·or ·subSubSection. ↵  
:2130 Start ·location: ·441:138 ↵  
:2131 ↵  
:2132 System ·ID: ·  
:2132 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:2132 /FFA9FFDEFFAFEE53AC2F1972FFF7FF8B.xml ↵  
:2133 Main ·validation ·file: ·  
:2133 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:2133 /FFA9FFDEFFAFEE53AC2F1972FFF7FF8B.xml ↵  
:2134 Scenario ·name: ·gg-sch ↵  
:2135 Schema: ·  
:2135 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:2135 ent..sch ↵  
:2136 Engine ·name: ·ISO ·Schematron ↵  
:2137 Severity: ·error ↵  
:2138 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:2138 subSection ·or ·subSubSection. ↵  
:2139 Start ·location: ·442:138 ↵  
:2140 ↵  
:2141 System ·ID: ·  
:2141 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:2141 /FFA9FFDEFFAFEE53AC2F1972FFF7FF8B.xml ↵  
:2142 Main ·validation ·file: ·  
:2142 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:2142 /FFA9FFDEFFAFEE53AC2F1972FFF7FF8B.xml ↵  
:2143 Scenario ·name: ·gg-sch ↵  
:2144 Schema: ·  
:2144 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:2144 ent..sch ↵  
:2145 Engine ·name: ·ISO ·Schematron ↵  
:2146 Severity: ·error ↵  
:2147 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:2147 subSection ·or ·subSubSection. ↵  
:2148 Start ·location: ·443:138 ↵

```
:2149 <System·ID: ·  
:2150 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:2150 /FFA9FFDEFFAFEE53AC2F1972FFF7FF8B.xml<  
:2151 Main·validation·file: ·  
:2151 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:2151 /FFA9FFDEFFAFEE53AC2F1972FFF7FF8B.xml<  
:2152 Scenario·name: ·gg-sch<  
:2153 Schema: ·  
:2153 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm  
:2153 ent..sch<  
:2154 Engine·name: ·ISO·Schematron<  
:2155 Severity: ·error<  
:2156 Description: ·A·paragraph·must·have·an·ancestor·  
:2156 subSection·or·subSubSection.<  
:2157 Start·location: ·444:138<  
:2158 <  
:2159 System·ID: ·  
:2159 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:2159 /FFA9FFDEFFAFEE53AC2F1972FFF7FF8B.xml<  
:2160 Main·validation·file: ·  
:2160 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:2160 /FFA9FFDEFFAFEE53AC2F1972FFF7FF8B.xml<  
:2161 Scenario·name: ·gg-sch<  
:2162 Schema: ·  
:2162 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm  
:2162 ent..sch<  
:2163 Engine·name: ·ISO·Schematron<  
:2164 Severity: ·error<  
:2165 Description: ·A·paragraph·must·have·an·ancestor·  
:2165 subSection·or·subSubSection.<  
:2166 Start·location: ·445:138<  
:2167 <  
:2168 System·ID: ·  
:2168 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
```

```
'2168 /FFA9FFDEFFAFEE53AC2F1972FFF7FF8B.xml↵
'2169 Main-validation-file: ·
'2169 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
'2169 /FFA9FFDEFFAFEE53AC2F1972FFF7FF8B.xml↵
'2170 Scenario-name: ·gg-sch↵
'2171 Schema: ·
'2171 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
'2171 ent..sch↵
'2172 Engine-name: ·ISO ·Schematron↵
'2173 Severity: ·error↵
'2174 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
'2174 subSection ·or ·subSubSection.↵
'2175 Start ·location: ·446:138↵
'2176 ↵
'2177 System ·ID: ·
'2177 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
'2177 /FFA9FFDEFFAFEE53AC2F1972FFF7FF8B.xml↵
'2178 Main-validation-file: ·
'2178 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
'2178 /FFA9FFDEFFAFEE53AC2F1972FFF7FF8B.xml↵
'2179 Scenario-name: ·gg-sch↵
'2180 Schema: ·
'2180 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
'2180 ent..sch↵
'2181 Engine-name: ·ISO ·Schematron↵
'2182 Severity: ·error↵
'2183 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
'2183 subSection ·or ·subSubSection.↵
'2184 Start ·location: ·451:138↵
'2185 ↵
'2186 System ·ID: ·
'2186 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
'2186 /FFA9FFDEFFAFEE53AC2F1972FFF7FF8B.xml↵
'2187 Main-validation-file: ·
'2187 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
```

```
'2187 /FFA9FFDEFFAFEE53AC2F1972FFF7FF8B.xml↵
'2188 Scenario·name: ·gg-sch↵
'2189 Schema: ·
'2189 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
ent..sch↵
'2190 Engine·name: ·ISO ·Schematron↵
'2191 Severity: ·error↵
'2192 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
subSection ·or ·subSubSection.↵
'2193 Start ·location: ·456:138↵
'2194 ↵
'2195 System ·ID: ·
'2195 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
'2195 /FFA9FFDEFFAFEE53AC2F1972FFF7FF8B.xml↵
'2196 Main ·validation ·file: ·
'2196 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
'2196 /FFA9FFDEFFAFEE53AC2F1972FFF7FF8B.xml↵
'2197 Scenario·name: ·gg-sch↵
'2198 Schema: ·
'2198 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
ent..sch↵
'2199 Engine·name: ·ISO ·Schematron↵
'2200 Severity: ·error↵
'2201 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
subSection ·or ·subSubSection.↵
'2202 Start ·location: ·457:138↵
'2203 ↵
'2204 System ·ID: ·
'2204 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
'2204 /FFA9FFDEFFAFEE53AC2F1972FFF7FF8B.xml↵
'2205 Main ·validation ·file: ·
'2205 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
'2205 /FFA9FFDEFFAFEE53AC2F1972FFF7FF8B.xml↵
'2206 Scenario·name: ·gg-sch↵
'2207 Schema: ·
```

:2207 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:2207 ent..sch↵  
:2208 Engine.name: ·ISO ·Schematron↵  
:2209 Severity: ·error↵  
:2210 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:2210 subSection ·or ·subSubSection.↵  
:2211 Start ·location: ·458:138↵  
:2212 ↵  
:2213 System ·ID: ·  
:2213 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:2213 /FFA9FFDEFFAFEE53AC2F1972FFF7FF8B.xml↵  
:2214 Main ·validation ·file: ·  
:2214 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:2214 /FFA9FFDEFFAFEE53AC2F1972FFF7FF8B.xml↵  
:2215 Scenario ·name: ·gg-sch↵  
:2216 Schema: ·  
:2216 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:2216 ent..sch↵  
:2217 Engine.name: ·ISO ·Schematron↵  
:2218 Severity: ·error↵  
:2219 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:2219 subSection ·or ·subSubSection.↵  
:2220 Start ·location: ·459:138↵  
:2221 ↵  
:2222 System ·ID: ·  
:2222 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:2222 /FFA9FFDEFFAFEE53AC2F1972FFF7FF8B.xml↵  
:2223 Main ·validation ·file: ·  
:2223 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:2223 /FFA9FFDEFFAFEE53AC2F1972FFF7FF8B.xml↵  
:2224 Scenario ·name: ·gg-sch↵  
:2225 Schema: ·  
:2225 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:2225 ent..sch↵  
:2226 Engine.name: ·ISO ·Schematron↵

:2227 Severity: ·error ↵  
:2228 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:2228 subSection ·or ·subSubSection. ↵  
:2229 Start ·location: ·460:107 ↵  
:2230 ↵  
:2231 System ·ID: ·  
:2231 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:2231 /FFA9FFDEFFAFEE53AC2F1972FFF7FF8B.xml ↵  
:2232 Main ·validation ·file: ·  
:2232 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:2232 /FFA9FFDEFFAFEE53AC2F1972FFF7FF8B.xml ↵  
:2233 Scenario ·name: ·gg-sch ↵  
:2234 Schema: ·  
:2234 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:2234 ent..sch ↵  
:2235 Engine ·name: ·ISO ·Schematron ↵  
:2236 Severity: ·error ↵  
:2237 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:2237 subSection ·or ·subSubSection. ↵  
:2238 Start ·location: ·461:106 ↵  
:2239 ↵  
:2240 System ·ID: ·  
:2240 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:2240 /FFA9FFDEFFAFEE53AC2F1972FFF7FF8B.xml ↵  
:2241 Main ·validation ·file: ·  
:2241 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:2241 /FFA9FFDEFFAFEE53AC2F1972FFF7FF8B.xml ↵  
:2242 Scenario ·name: ·gg-sch ↵  
:2243 Schema: ·  
:2243 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:2243 ent..sch ↵  
:2244 Engine ·name: ·ISO ·Schematron ↵  
:2245 Severity: ·error ↵  
:2246 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:2246 subSection ·or ·subSubSection. ↵

```
'2247 Start ·location: -464:134↵
'2248 ↵
'2249 System ·ID: ·
'2249 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
'2249 /FFA9FFDEFFAFEE53AC2F1972FFF7FF8B.xml↵
'2250 Main ·validation ·file: ·
'2250 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
'2250 /FFA9FFDEFFAFEE53AC2F1972FFF7FF8B.xml↵
'2251 Scenario ·name: ·gg-sch↵
'2252 Schema: ·
'2252 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
'2252 ent..sch↵
'2253 Engine ·name: ·ISO ·Schematron↵
'2254 Severity: ·error↵
'2255 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
'2255 subSection ·or ·subSubSection.↵
'2256 Start ·location: -467:136↵
'2257 ↵
'2258 System ·ID: ·
'2258 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
'2258 /FFA9FFDEFFAFEE53AC2F1972FFF7FF8B.xml↵
'2259 Main ·validation ·file: ·
'2259 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
'2259 /FFA9FFDEFFAFEE53AC2F1972FFF7FF8B.xml↵
'2260 Scenario ·name: ·gg-sch↵
'2261 Schema: ·
'2261 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
'2261 ent..sch↵
'2262 Engine ·name: ·ISO ·Schematron↵
'2263 Severity: ·error↵
'2264 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
'2264 subSection ·or ·subSubSection.↵
'2265 Start ·location: -472:136↵
'2266 ↵
'2267 System ·ID: ·
```

```
'2267 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
'2267 /FFA9FFDEFFAFEE53AC2F1972FFF7FF8B.xml↵
'2268 Main-validation-file: ·
'2268 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
'2268 /FFA9FFDEFFAFEE53AC2F1972FFF7FF8B.xml↵
'2269 Scenario-name: ·gg-sch↵
'2270 Schema: ·
'2270 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
'2270 ent..sch↵
'2271 Engine-name: ·ISO ·Schematron↵
'2272 Severity: ·error↵
'2273 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
'2273 subSection ·or ·subSubSection.↵
'2274 Start-location: ·475:80↵
'2275 ↵
'2276 System-ID: ·
'2276 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
'2276 /FFA9FFDEFFAFEE53AC2F1972FFF7FF8B.xml↵
'2277 Main-validation-file: ·
'2277 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
'2277 /FFA9FFDEFFAFEE53AC2F1972FFF7FF8B.xml↵
'2278 Scenario-name: ·gg-sch↵
'2279 Schema: ·
'2279 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
'2279 ent..sch↵
'2280 Engine-name: ·ISO ·Schematron↵
'2281 Severity: ·error↵
'2282 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
'2282 subSection ·or ·subSubSection.↵
'2283 Start-location: ·533:136↵
'2284 ↵
'2285 System-ID: ·
'2285 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
'2285 /FFA9FFDEFFAFEE53AC2F1972FFF7FF8B.xml↵
'2286 Main-validation-file: ·
```

```
:2286 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
:2286 /FFA9FFDEFFAFEE53AC2F1972FFF7FF8B.xml↵
:2287 Scenario·name: ·gg-sch↵
:2288 Schema: ·
:2288 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
:2288 ent..sch↵
:2289 Engine·name: ·ISO ·Schematron↵
:2290 Severity: ·error↵
:2291 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
:2291 subSection ·or ·subSubSection.↵
:2292 Start ·location: ·542:110↵
:2293 ↵
:2294 System ·ID: ·
:2294 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
:2294 /FFA9FFDEFFAFEE53AC2F1972FFF7FF8B.xml↵
:2295 Main ·validation ·file: ·
:2295 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
:2295 /FFA9FFDEFFAFEE53AC2F1972FFF7FF8B.xml↵
:2296 Scenario ·name: ·gg-sch↵
:2297 Schema: ·
:2297 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
:2297 ent..sch↵
:2298 Engine·name: ·ISO ·Schematron↵
:2299 Severity: ·error↵
:2300 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
:2300 subSection ·or ·subSubSection.↵
:2301 Start ·location: ·560:146↵
:2302 ↵
:2303 System ·ID: ·
:2303 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
:2303 /FFA9FFDEFFAFEE53AC2F1972FFF7FF8B.xml↵
:2304 Main ·validation ·file: ·
:2304 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
:2304 /FFA9FFDEFFAFEE53AC2F1972FFF7FF8B.xml↵
:2305 Scenario ·name: ·gg-sch↵
```

```
:2306 Schema: .
:2306 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
:2306 ent..sch↵
:2307 Engine.name: .ISO .Schematron↵
:2308 Severity: .error↵
:2309 Description: .A .paragraph .must .have .an .ancestor .
:2309 subSection .or .subSubSection.↵
:2310 Start.location: .586:112↵
:2311 ↵
:2312 System.ID: .
:2312 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
:2312 /FFA9FFDEFFAFEE53AC2F1972FFF7FF8B.xml↵
:2313 Main.validation.file: .
:2313 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
:2313 /FFA9FFDEFFAFEE53AC2F1972FFF7FF8B.xml↵
:2314 Scenario.name: .gg-sch↵
:2315 Schema: .
:2315 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
:2315 ent..sch↵
:2316 Engine.name: .ISO .Schematron↵
:2317 Severity: .error↵
:2318 Description: .A .paragraph .must .have .an .ancestor .
:2318 subSection .or .subSubSection.↵
:2319 Start.location: .590:112↵
:2320 ↵
:2321 System.ID: .
:2321 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
:2321 /FFA9FFDEFFAFEE53AC2F1972FFF7FF8B.xml↵
:2322 Main.validation.file: .
:2322 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
:2322 /FFA9FFDEFFAFEE53AC2F1972FFF7FF8B.xml↵
:2323 Scenario.name: .gg-sch↵
:2324 Schema: .
:2324 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
:2324 ent..sch↵
```

:2325 Engine·name: ·ISO ·Schematron↵  
:2326 Severity: ·error↵  
:2327 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:2327 subSection ·or ·subSubSection.↵  
:2328 Start ·location: ·591:112↵  
:2329 ↵  
:2330 System ·ID: ·  
:2330 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:2330 /FFA9FFDEFFAFEE53AC2F1972FFF7FF8B.xml↵  
:2331 Main ·validation ·file: ·  
:2331 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:2331 /FFA9FFDEFFAFEE53AC2F1972FFF7FF8B.xml↵  
:2332 Scenario ·name: ·gg-sch↵  
:2333 Schema: ·  
:2333 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:2333 ent..sch↵  
:2334 Engine·name: ·ISO ·Schematron↵  
:2335 Severity: ·error↵  
:2336 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:2336 subSection ·or ·subSubSection.↵  
:2337 Start ·location: ·592:139↵  
:2338 ↵  
:2339 System ·ID: ·  
:2339 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:2339 /FFA9FFDEFFAFEE53AC2F1972FFF7FF8B.xml↵  
:2340 Main ·validation ·file: ·  
:2340 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:2340 /FFA9FFDEFFAFEE53AC2F1972FFF7FF8B.xml↵  
:2341 Scenario ·name: ·gg-sch↵  
:2342 Schema: ·  
:2342 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:2342 ent..sch↵  
:2343 Engine·name: ·ISO ·Schematron↵  
:2344 Severity: ·error↵  
:2345 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·

:2345 subSection ·or ·subSubSection. ↵  
:2346 Start ·location: ·597:186 ↵  
:2347 ↵  
:2348 System ·ID: ·  
:2348 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:2348 /FFA9FFDEFFAFEE53AC2F1972FFF7FF8B.xml ↵  
:2349 Main ·validation ·file: ·  
:2349 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:2349 /FFA9FFDEFFAFEE53AC2F1972FFF7FF8B.xml ↵  
:2350 Scenario ·name: ·gg-sch ↵  
:2351 Schema: ·  
:2351 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:2351 ent..sch ↵  
:2352 Engine ·name: ·ISO ·Schematron ↵  
:2353 Severity: ·error ↵  
:2354 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:2354 subSection ·or ·subSubSection. ↵  
:2355 Start ·location: ·605:112 ↵  
:2356 ↵  
:2357 System ·ID: ·  
:2357 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:2357 /FFA9FFDEFFAFEE53AC2F1972FFF7FF8B.xml ↵  
:2358 Main ·validation ·file: ·  
:2358 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:2358 /FFA9FFDEFFAFEE53AC2F1972FFF7FF8B.xml ↵  
:2359 Scenario ·name: ·gg-sch ↵  
:2360 Schema: ·  
:2360 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:2360 ent..sch ↵  
:2361 Engine ·name: ·ISO ·Schematron ↵  
:2362 Severity: ·error ↵  
:2363 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:2363 subSection ·or ·subSubSection. ↵  
:2364 Start ·location: ·621:110 ↵  
:2365 ↵

:2366 System·ID: ·  
:2366 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:2366 /FFA9FFDEFFAFEE53AC2F1972FFF7FF8B.xml↵  
:2367 Main·validation·file: ·  
:2367 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:2367 /FFA9FFDEFFAFEE53AC2F1972FFF7FF8B.xml↵  
:2368 Scenario·name: ·gg-sch↵  
:2369 Schema: ·  
:2369 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:2369 ent..sch↵  
:2370 Engine·name: ·ISO·Schematron↵  
:2371 Severity: ·error↵  
:2372 Description: ·A·paragraph·must·have·an·ancestor·  
:2372 subSection·or·subSubSection.↵  
:2373 Start·location: ·636:111↵  
:2374 ↵  
:2375 System·ID: ·  
:2375 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:2375 /FFA9FFDEFFAFEE53AC2F1972FFF7FF8B.xml↵  
:2376 Main·validation·file: ·  
:2376 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:2376 /FFA9FFDEFFAFEE53AC2F1972FFF7FF8B.xml↵  
:2377 Scenario·name: ·gg-sch↵  
:2378 Schema: ·  
:2378 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:2378 ent..sch↵  
:2379 Engine·name: ·ISO·Schematron↵  
:2380 Severity: ·error↵  
:2381 Description: ·A·paragraph·must·have·an·ancestor·  
:2381 subSection·or·subSubSection.↵  
:2382 Start·location: ·645:146↵  
:2383 ↵  
:2384 System·ID: ·  
:2384 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:2384 /FFA9FFDEFFAFEE53AC2F1972FFF7FF8B.xml↵

```
'2385 Main-validation-file: ·
'2385 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
'2385 /FFA9FFDEFFAFEE53AC2F1972FFF7FF8B.xml↵
'2386 Scenario-name: ·gg-sch↵
'2387 Schema: ·
'2387 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
'2387 ent..sch↵
'2388 Engine-name: ·ISO ·Schematron↵
'2389 Severity: ·error↵
'2390 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
'2390 subSection ·or ·subSubSection.↵
'2391 Start ·location: ·646:111↵
'2392 ↵
'2393 System ·ID: ·
'2393 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
'2393 /FFA9FFDEFFAFEE53AC2F1972FFF7FF8B.xml↵
'2394 Main-validation-file: ·
'2394 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
'2394 /FFA9FFDEFFAFEE53AC2F1972FFF7FF8B.xml↵
'2395 Scenario-name: ·gg-sch↵
'2396 Schema: ·
'2396 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
'2396 ent..sch↵
'2397 Engine-name: ·ISO ·Schematron↵
'2398 Severity: ·error↵
'2399 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
'2399 subSection ·or ·subSubSection.↵
'2400 Start ·location: ·647:136↵
'2401 ↵
'2402 System ·ID: ·
'2402 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
'2402 /FFA9FFDEFFAFEE53AC2F1972FFF7FF8B.xml↵
'2403 Main-validation-file: ·
'2403 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
'2403 /FFA9FFDEFFAFEE53AC2F1972FFF7FF8B.xml↵
```

```
:2404 Scenario·name: ·gg-sch↵
:2405 Schema: ·
:2405 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
:2405 ent..sch↵
:2406 Engine·name: ·ISO·Schematron↵
:2407 Severity: ·error↵
:2408 Description: ·A·paragraph·must·have·an·ancestor·
:2408 subSection·or·subSubSection.↵
:2409 Start·location: ·652:137↵
:2410 ↵
:2411 System·ID: ·
:2411 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
:2411 /FFA9FFDEFFAFEE53AC2F1972FFF7FF8B.xml↵
:2412 Main·validation·file: ·
:2412 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
:2412 /FFA9FFDEFFAFEE53AC2F1972FFF7FF8B.xml↵
:2413 Scenario·name: ·gg-sch↵
:2414 Schema: ·
:2414 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
:2414 ent..sch↵
:2415 Engine·name: ·ISO·Schematron↵
:2416 Severity: ·error↵
:2417 Description: ·A·paragraph·must·have·an·ancestor·
:2417 subSection·or·subSubSection.↵
:2418 Start·location: ·656:137↵
:2419 ↵
:2420 System·ID: ·
:2420 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
:2420 /FFA9FFDEFFAFEE53AC2F1972FFF7FF8B.xml↵
:2421 Main·validation·file: ·
:2421 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
:2421 /FFA9FFDEFFAFEE53AC2F1972FFF7FF8B.xml↵
:2422 Scenario·name: ·gg-sch↵
:2423 Schema: ·
:2423 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
```

```
'2423  ent..sch↵
'2424  Engine·name: ·ISO ·Schematron↵
'2425  Severity: ·error↵
'2426  Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
'2426  subSection ·or ·subSubSection.↵
'2427  Start ·location: ·661:137↵
'2428  ↵
'2429  System ·ID: ·
'2429  /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
'2429  /FFA9FFDEFFAFEE53AC2F1972FFF7FF8B.xml↵
'2430  Main ·validation ·file: ·
'2430  /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
'2430  /FFA9FFDEFFAFEE53AC2F1972FFF7FF8B.xml↵
'2431  Scenario ·name: ·gg-sch↵
'2432  Schema: ·
'2432  /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
'2432  ent..sch↵
'2433  Engine·name: ·ISO ·Schematron↵
'2434  Severity: ·error↵
'2435  Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
'2435  subSection ·or ·subSubSection.↵
'2436  Start ·location: ·662:112↵
'2437  ↵
'2438  System ·ID: ·
'2438  /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
'2438  /FFA9FFDEFFAFEE53AC2F1972FFF7FF8B.xml↵
'2439  Main ·validation ·file: ·
'2439  /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
'2439  /FFA9FFDEFFAFEE53AC2F1972FFF7FF8B.xml↵
'2440  Scenario ·name: ·gg-sch↵
'2441  Schema: ·
'2441  /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
'2441  ent..sch↵
'2442  Engine·name: ·ISO ·Schematron↵
'2443  Severity: ·error↵
```

:2444 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:2444 subSection ·or ·subSubSection. ↵  
:2445 Start ·location: ·663:137 ↵  
:2446 ↵  
:2447 System ·ID: ·  
:2447 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:2447 /FFA9FFDEFFAFEE53AC2F1972FFF7FF8B.xml ↵  
:2448 Main ·validation ·file: ·  
:2448 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:2448 /FFA9FFDEFFAFEE53AC2F1972FFF7FF8B.xml ↵  
:2449 Scenario ·name: ·gg-sch ↵  
:2450 Schema: ·  
:2450 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:2450 ent..sch ↵  
:2451 Engine ·name: ·ISO ·Schematron ↵  
:2452 Severity: ·error ↵  
:2453 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:2453 subSection ·or ·subSubSection. ↵  
:2454 Start ·location: ·664:137 ↵  
:2455 ↵  
:2456 System ·ID: ·  
:2456 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:2456 /FFA9FFDEFFAFEE53AC2F1972FFF7FF8B.xml ↵  
:2457 Main ·validation ·file: ·  
:2457 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:2457 /FFA9FFDEFFAFEE53AC2F1972FFF7FF8B.xml ↵  
:2458 Scenario ·name: ·gg-sch ↵  
:2459 Schema: ·  
:2459 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:2459 ent..sch ↵  
:2460 Engine ·name: ·ISO ·Schematron ↵  
:2461 Severity: ·error ↵  
:2462 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:2462 subSection ·or ·subSubSection. ↵  
:2463 Start ·location: ·669:137 ↵

```
'2464 <System·ID: ·  
'2465 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
'2465 /FFA9FFDEFFAFEE53AC2F1972FFF7FF8B.xml<  
'2466 Main·validation·file: ·  
'2466 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
'2466 /FFA9FFDEFFAFEE53AC2F1972FFF7FF8B.xml<  
'2467 Scenario·name: ·gg-sch<  
'2468 Schema: ·  
'2468 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm  
ent..sch<  
'2469 Engine·name: ·ISO·Schematron<  
'2470 Severity: ·error<  
'2471 Description: ·A·paragraph·must·have·an·ancestor·  
'2471 subSection·or·subSubSection.<  
'2472 Start·location: ·674:137<  
'2473 <  
'2474 System·ID: ·  
'2474 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
'2474 /FFA9FFDEFFAFEE53AC2F1972FFF7FF8B.xml<  
'2475 Main·validation·file: ·  
'2475 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
'2475 /FFA9FFDEFFAFEE53AC2F1972FFF7FF8B.xml<  
'2476 Scenario·name: ·gg-sch<  
'2477 Schema: ·  
'2477 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm  
ent..sch<  
'2478 Engine·name: ·ISO·Schematron<  
'2479 Severity: ·error<  
'2480 Description: ·A·paragraph·must·have·an·ancestor·  
'2480 subSection·or·subSubSection.<  
'2481 Start·location: ·675:112<  
'2482 <  
'2483 System·ID: ·  
'2483 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
```

```
'2483 /FFA9FFDEFFAFEE53AC2F1972FFF7FF8B.xml↵
'2484 Main-validation-file: ·
'2484 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
'2484 /FFA9FFDEFFAFEE53AC2F1972FFF7FF8B.xml↵
'2485 Scenario-name: ·gg-sch↵
'2486 Schema: ·
'2486 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
'2486 ent..sch↵
'2487 Engine-name: ·ISO ·Schematron↵
'2488 Severity: ·error↵
'2489 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
'2489 subSection ·or ·subSubSection.↵
'2490 Start ·location: ·676:139↵
'2491 ↵
'2492 System ·ID: ·
'2492 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
'2492 /FFA9FFDEFFAFEE53AC2F1972FFF7FF8B.xml↵
'2493 Main-validation-file: ·
'2493 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
'2493 /FFA9FFDEFFAFEE53AC2F1972FFF7FF8B.xml↵
'2494 Scenario-name: ·gg-sch↵
'2495 Schema: ·
'2495 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
'2495 ent..sch↵
'2496 Engine-name: ·ISO ·Schematron↵
'2497 Severity: ·error↵
'2498 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
'2498 subSection ·or ·subSubSection.↵
'2499 Start ·location: ·683:139↵
'2500 ↵
'2501 System ·ID: ·
'2501 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
'2501 /FFA9FFDEFFAFEE53AC2F1972FFF7FF8B.xml↵
'2502 Main-validation-file: ·
'2502 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
```

```
:2502 /FFA9FFDEFFAFEE53AC2F1972FFF7FF8B.xml↵
:2503 Scenario·name: ·gg-sch↵
:2504 Schema: ·
:2504 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
:2504 ent..sch↵
:2505 Engine·name: ·ISO ·Schematron↵
:2506 Severity: ·error↵
:2507 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
:2507 subSection ·or ·subSubSection.↵
:2508 Start ·location: ·684:139↵
:2509 ↵
:2510 System ·ID: ·
:2510 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
:2510 /FFA9FFDEFFAFEE53AC2F1972FFF7FF8B.xml↵
:2511 Main ·validation ·file: ·
:2511 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
:2511 /FFA9FFDEFFAFEE53AC2F1972FFF7FF8B.xml↵
:2512 Scenario·name: ·gg-sch↵
:2513 Schema: ·
:2513 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
:2513 ent..sch↵
:2514 Engine·name: ·ISO ·Schematron↵
:2515 Severity: ·error↵
:2516 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
:2516 subSection ·or ·subSubSection.↵
:2517 Start ·location: ·685:139↵
:2518 ↵
:2519 System ·ID: ·
:2519 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
:2519 /FFA9FFDEFFAFEE53AC2F1972FFF7FF8B.xml↵
:2520 Main ·validation ·file: ·
:2520 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
:2520 /FFA9FFDEFFAFEE53AC2F1972FFF7FF8B.xml↵
:2521 Scenario·name: ·gg-sch↵
:2522 Schema: ·
```

```
:2522 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm  
:2522 ent..sch↵  
:2523 Engine.name: ·ISO ·Schematron↵  
:2524 Severity: ·error↵  
:2525 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:2525 subSection ·or ·subSubSection.↵  
:2526 Start ·location: ·686:113↵  
:2527 ↵  
:2528 System ·ID: ·  
:2528 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:2528 /FFA9FFDEFFAFEE53AC2F1972FFF7FF8B.xml↵  
:2529 Main ·validation ·file: ·  
:2529 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:2529 /FFA9FFDEFFAFEE53AC2F1972FFF7FF8B.xml↵  
:2530 Scenario ·name: ·gg-sch↵  
:2531 Schema: ·  
:2531 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm  
:2531 ent..sch↵  
:2532 Engine.name: ·ISO ·Schematron↵  
:2533 Severity: ·error↵  
:2534 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:2534 subSection ·or ·subSubSection.↵  
:2535 Start ·location: ·704:185↵  
:2536 ↵  
:2537 System ·ID: ·  
:2537 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:2537 /FFA9FFDEFFAFEE53AC2F1972FFF7FF8B.xml↵  
:2538 Main ·validation ·file: ·  
:2538 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:2538 /FFA9FFDEFFAFEE53AC2F1972FFF7FF8B.xml↵  
:2539 Scenario ·name: ·gg-sch↵  
:2540 Schema: ·  
:2540 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm  
:2540 ent..sch↵  
:2541 Engine.name: ·ISO ·Schematron↵
```

:2542 Severity: ·error ↵  
:2543 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:2543 subSection ·or ·subSubSection. ↵  
:2544 Start ·location: ·714:110 ↵  
:2545 ↵  
:2546 System ·ID: ·  
:2546 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:2546 /FFA9FFDEFFAFEE53AC2F1972FFF7FF8B.xml ↵  
:2547 Main ·validation ·file: ·  
:2547 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:2547 /FFA9FFDEFFAFEE53AC2F1972FFF7FF8B.xml ↵  
:2548 Scenario ·name: ·gg-sch ↵  
:2549 Schema: ·  
:2549 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:2549 ent..sch ↵  
:2550 Engine ·name: ·ISO ·Schematron ↵  
:2551 Severity: ·error ↵  
:2552 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:2552 subSection ·or ·subSubSection. ↵  
:2553 Start ·location: ·720:110 ↵  
:2554 ↵  
:2555 System ·ID: ·  
:2555 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:2555 /FFA9FFDEFFAFEE53AC2F1972FFF7FF8B.xml ↵  
:2556 Main ·validation ·file: ·  
:2556 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:2556 /FFA9FFDEFFAFEE53AC2F1972FFF7FF8B.xml ↵  
:2557 Scenario ·name: ·gg-sch ↵  
:2558 Schema: ·  
:2558 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:2558 ent..sch ↵  
:2559 Engine ·name: ·ISO ·Schematron ↵  
:2560 Severity: ·error ↵  
:2561 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:2561 subSection ·or ·subSubSection. ↵

:2562 Start ·location: ·728:111 ↵  
:2563 ↵  
:2564 System ·ID: ·  
:2564 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:2564 /FFA9FFDEFFAFEE53AC2F1972FFF7FF8B.xml ↵  
:2565 Main ·validation ·file: ·  
:2565 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:2565 /FFA9FFDEFFAFEE53AC2F1972FFF7FF8B.xml ↵  
:2566 Scenario ·name: ·gg-sch ↵  
:2567 Schema: ·  
:2567 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:2567 ent..sch ↵  
:2568 Engine ·name: ·ISO ·Schematron ↵  
:2569 Severity: ·error ↵  
:2570 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:2570 subSection ·or ·subSubSection. ↵  
:2571 Start ·location: ·733:111 ↵  
:2572 ↵  
:2573 System ·ID: ·  
:2573 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:2573 /FFA9FFDEFFAFEE53AC2F1972FFF7FF8B.xml ↵  
:2574 Main ·validation ·file: ·  
:2574 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:2574 /FFA9FFDEFFAFEE53AC2F1972FFF7FF8B.xml ↵  
:2575 Scenario ·name: ·gg-sch ↵  
:2576 Schema: ·  
:2576 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:2576 ent..sch ↵  
:2577 Engine ·name: ·ISO ·Schematron ↵  
:2578 Severity: ·error ↵  
:2579 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:2579 subSection ·or ·subSubSection. ↵  
:2580 Start ·location: ·741:111 ↵  
:2581 ↵  
:2582 System ·ID: ·

```
:2582 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
:2582 /FFA9FFDEFFAFEE53AC2F1972FFF7FF8B.xml↵
:2583 Main-validation-file: .
:2583 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
:2583 /FFA9FFDEFFAFEE53AC2F1972FFF7FF8B.xml↵
:2584 Scenario-name: .gg-sch↵
:2585 Schema: .
:2585 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
:2585 ent..sch↵
:2586 Engine-name: .ISO-Schematron↵
:2587 Severity: .error↵
:2588 Description: .A .paragraph .must .have .an .ancestor .
:2588 subSection .or .subSubSection.↵
:2589 Start-location: .747:111↵
:2590 ↵
:2591 System-ID: .
:2591 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
:2591 /FFA9FFDEFFAFEE53AC2F1972FFF7FF8B.xml↵
:2592 Main-validation-file: .
:2592 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
:2592 /FFA9FFDEFFAFEE53AC2F1972FFF7FF8B.xml↵
:2593 Scenario-name: .gg-sch↵
:2594 Schema: .
:2594 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
:2594 ent..sch↵
:2595 Engine-name: .ISO-Schematron↵
:2596 Severity: .error↵
:2597 Description: .A .paragraph .must .have .an .ancestor .
:2597 subSection .or .subSubSection.↵
:2598 Start-location: .751:135↵
:2599 ↵
:2600 System-ID: .
:2600 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
:2600 /FFA9FFDEFFAFEE53AC2F1972FFF7FF8B.xml↵
:2601 Main-validation-file: .
```

:2601 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:2601 /FFA9FFDEFFAFEE53AC2F1972FFF7FF8B.xml ↵  
:2602 Scenario.name: .gg-sch ↵  
:2603 Schema: .  
:2603 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:2603 ent..sch ↵  
:2604 Engine.name: .ISO .Schematron ↵  
:2605 Severity: .error ↵  
:2606 Description: .A .paragraph .must .have .an .ancestor .  
:2606 subSection .or .subSubSection. ↵  
:2607 Start.location: .752:111 ↵  
:2608 ↵  
:2609 System.ID: .  
:2609 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:2609 /FFA9FFDEFFAFEE53AC2F1972FFF7FF8B.xml ↵  
:2610 Main.validation.file: .  
:2610 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:2610 /FFA9FFDEFFAFEE53AC2F1972FFF7FF8B.xml ↵  
:2611 Scenario.name: .gg-sch ↵  
:2612 Schema: .  
:2612 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:2612 ent..sch ↵  
:2613 Engine.name: .ISO .Schematron ↵  
:2614 Severity: .error ↵  
:2615 Description: .A .paragraph .must .have .an .ancestor .  
:2615 subSection .or .subSubSection. ↵  
:2616 Start.location: .772:111 ↵  
:2617 ↵  
:2618 System.ID: .  
:2618 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:2618 /FFA9FFDEFFAFEE53AC2F1972FFF7FF8B.xml ↵  
:2619 Main.validation.file: .  
:2619 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:2619 /FFA9FFDEFFAFEE53AC2F1972FFF7FF8B.xml ↵  
:2620 Scenario.name: .gg-sch ↵

:2621 Schema: .  
:2621 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:2621 ent..sch↵  
:2622 Engine.name: .ISO .Schematron↵  
:2623 Severity: .error↵  
:2624 Description: .A .paragraph .must .have .an .ancestor .  
:2624 subSection .or .subSubSection.↵  
:2625 Start.location: .792:111↵  
:2626 ↵  
:2627 System.ID: .  
:2627 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:2627 /FFA9FFDEFFAFEE53AC2F1972FFF7FF8B.xml↵  
:2628 Main.validation.file: .  
:2628 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:2628 /FFA9FFDEFFAFEE53AC2F1972FFF7FF8B.xml↵  
:2629 Scenario.name: .gg-sch↵  
:2630 Schema: .  
:2630 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:2630 ent..sch↵  
:2631 Engine.name: .ISO .Schematron↵  
:2632 Severity: .error↵  
:2633 Description: .A .paragraph .must .have .an .ancestor .  
:2633 subSection .or .subSubSection.↵  
:2634 Start.location: .812:111↵  
:2635 ↵  
:2636 System.ID: .  
:2636 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:2636 /FFA9FFDEFFAFEE53AC2F1972FFF7FF8B.xml↵  
:2637 Main.validation.file: .  
:2637 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:2637 /FFA9FFDEFFAFEE53AC2F1972FFF7FF8B.xml↵  
:2638 Scenario.name: .gg-sch↵  
:2639 Schema: .  
:2639 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:2639 ent..sch↵

:2640 Engine.name: ·ISO ·Schematron↵  
:2641 Severity: ·error↵  
:2642 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:2642 subSection ·or ·subSubSection.↵  
:2643 Start.location: ·834:111↵  
:2644 ↵  
:2645 System.ID: ·  
:2645 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:2645 /FFA9FFDEFFAFEE53AC2F1972FFF7FF8B.xml↵  
:2646 Main.validation.file: ·  
:2646 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:2646 /FFA9FFDEFFAFEE53AC2F1972FFF7FF8B.xml↵  
:2647 Scenario.name: ·gg-sch↵  
:2648 Schema: ·  
:2648 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:2648 ent..sch↵  
:2649 Engine.name: ·ISO ·Schematron↵  
:2650 Severity: ·error↵  
:2651 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:2651 subSection ·or ·subSubSection.↵  
:2652 Start.location: ·854:111↵  
:2653 ↵  
:2654 System.ID: ·  
:2654 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:2654 /FFA9FFDEFFAFEE53AC2F1972FFF7FF8B.xml↵  
:2655 Main.validation.file: ·  
:2655 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:2655 /FFA9FFDEFFAFEE53AC2F1972FFF7FF8B.xml↵  
:2656 Scenario.name: ·gg-sch↵  
:2657 Schema: ·  
:2657 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:2657 ent..sch↵  
:2658 Engine.name: ·ISO ·Schematron↵  
:2659 Severity: ·error↵  
:2660 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·

:2660 subSection ·or ·subSubSection. ↵  
:2661 Start ·location: ·878:111 ↵  
:2662 ↵  
:2663 System ·ID: ·  
:2663 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:2663 /FFA9FFDEFFAFEE53AC2F1972FFF7FF8B.xml ↵  
:2664 Main ·validation ·file: ·  
:2664 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:2664 /FFA9FFDEFFAFEE53AC2F1972FFF7FF8B.xml ↵  
:2665 Scenario ·name: ·gg-sch ↵  
:2666 Schema: ·  
:2666 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:2666 ent..sch ↵  
:2667 Engine ·name: ·ISO ·Schematron ↵  
:2668 Severity: ·error ↵  
:2669 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:2669 subSection ·or ·subSubSection. ↵  
:2670 Start ·location: ·896:111 ↵  
:2671 ↵  
:2672 System ·ID: ·  
:2672 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:2672 /FFA9FFDEFFAFEE53AC2F1972FFF7FF8B.xml ↵  
:2673 Main ·validation ·file: ·  
:2673 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:2673 /FFA9FFDEFFAFEE53AC2F1972FFF7FF8B.xml ↵  
:2674 Scenario ·name: ·gg-sch ↵  
:2675 Schema: ·  
:2675 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:2675 ent..sch ↵  
:2676 Engine ·name: ·ISO ·Schematron ↵  
:2677 Severity: ·error ↵  
:2678 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:2678 subSection ·or ·subSubSection. ↵  
:2679 Start ·location: ·920:111 ↵  
:2680 ↵

:2681 System·ID: ·  
:2681 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:2681 /FFA9FFDEFFAFEE53AC2F1972FFF7FF8B.xml↵  
:2682 Main·validation·file: ·  
:2682 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:2682 /FFA9FFDEFFAFEE53AC2F1972FFF7FF8B.xml↵  
:2683 Scenario·name: ·gg-sch↵  
:2684 Schema: ·  
:2684 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:2684 ent..sch↵  
:2685 Engine·name: ·ISO·Schematron↵  
:2686 Severity: ·error↵  
:2687 Description: ·A·paragraph·must·have·an·ancestor·  
:2687 subSection·or·subSubSection.↵  
:2688 Start·location: ·940:111↵  
:2689 ↵  
:2690 System·ID: ·  
:2690 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:2690 /FFA9FFDEFFAFEE53AC2F1972FFF7FF8B.xml↵  
:2691 Main·validation·file: ·  
:2691 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:2691 /FFA9FFDEFFAFEE53AC2F1972FFF7FF8B.xml↵  
:2692 Scenario·name: ·gg-sch↵  
:2693 Schema: ·  
:2693 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:2693 ent..sch↵  
:2694 Engine·name: ·ISO·Schematron↵  
:2695 Severity: ·error↵  
:2696 Description: ·A·paragraph·must·have·an·ancestor·  
:2696 subSection·or·subSubSection.↵  
:2697 Start·location: ·960:111↵  
:2698 ↵  
:2699 System·ID: ·  
:2699 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:2699 /FFA9FFDEFFAFEE53AC2F1972FFF7FF8B.xml↵

:2700 Main-validation-file: .  
:2700 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:2700 /FFA9FFDEFFAFEE53AC2F1972FFF7FF8B.xml↵  
:2701 Scenario-name: .gg-sch↵  
:2702 Schema: .  
:2702 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:2702 ent..sch↵  
:2703 Engine-name: .ISO-Schematron↵  
:2704 Severity: .error↵  
:2705 Description: .A .paragraph .must .have .an .ancestor .  
:2705 subSection .or .subSubSection.↵  
:2706 Start-location: .982:111↵  
:2707 ↵  
:2708 System-ID: .  
:2708 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:2708 /FFA9FFDEFFAFEE53AC2F1972FFF7FF8B.xml↵  
:2709 Main-validation-file: .  
:2709 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:2709 /FFA9FFDEFFAFEE53AC2F1972FFF7FF8B.xml↵  
:2710 Scenario-name: .gg-sch↵  
:2711 Schema: .  
:2711 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:2711 ent..sch↵  
:2712 Engine-name: .ISO-Schematron↵  
:2713 Severity: .error↵  
:2714 Description: .A .paragraph .must .have .an .ancestor .  
:2714 subSection .or .subSubSection.↵  
:2715 Start-location: .1004:111↵  
:2716 ↵  
:2717 System-ID: .  
:2717 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:2717 /FFA9FFDEFFAFEE53AC2F1972FFF7FF8B.xml↵  
:2718 Main-validation-file: .  
:2718 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:2718 /FFA9FFDEFFAFEE53AC2F1972FFF7FF8B.xml↵

```
:2719 Scenario·name: ·gg-sch↵
:2720 Schema: ·
:2720 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
:2720 ent..sch↵
:2721 Engine·name: ·ISO·Schematron↵
:2722 Severity: ·error↵
:2723 Description: ·A·paragraph·must·have·an·ancestor·
:2723 subSection·or·subSubSection.↵
:2724 Start·location: ·1026:111↵
:2725 ↵
:2726 System·ID: ·
:2726 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
:2726 /FFA9FFDEFFAFEE53AC2F1972FFF7FF8B.xml↵
:2727 Main·validation·file: ·
:2727 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
:2727 /FFA9FFDEFFAFEE53AC2F1972FFF7FF8B.xml↵
:2728 Scenario·name: ·gg-sch↵
:2729 Schema: ·
:2729 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
:2729 ent..sch↵
:2730 Engine·name: ·ISO·Schematron↵
:2731 Severity: ·error↵
:2732 Description: ·A·paragraph·must·have·an·ancestor·
:2732 subSection·or·subSubSection.↵
:2733 Start·location: ·1048:111↵
:2734 ↵
:2735 System·ID: ·
:2735 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
:2735 /FFA9FFDEFFAFEE53AC2F1972FFF7FF8B.xml↵
:2736 Main·validation·file: ·
:2736 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
:2736 /FFA9FFDEFFAFEE53AC2F1972FFF7FF8B.xml↵
:2737 Scenario·name: ·gg-sch↵
:2738 Schema: ·
:2738 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
```

:2738 ent..sch↵  
:2739 Engine.name: ·ISO ·Schematron↵  
:2740 Severity: ·error↵  
:2741 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:2741 subSection ·or ·subSubSection.↵  
:2742 Start ·location: ·1072:111↵  
:2743 ↵  
:2744 System ·ID: ·  
:2744 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:2744 /FFA9FFDEFFAFEE53AC2F1972FFF7FF8B.xml↵  
:2745 Main ·validation ·file: ·  
:2745 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:2745 /FFA9FFDEFFAFEE53AC2F1972FFF7FF8B.xml↵  
:2746 Scenario ·name: ·gg-sch↵  
:2747 Schema: ·  
:2747 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:2747 ent..sch↵  
:2748 Engine.name: ·ISO ·Schematron↵  
:2749 Severity: ·error↵  
:2750 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:2750 subSection ·or ·subSubSection.↵  
:2751 Start ·location: ·1092:111↵  
:2752 ↵  
:2753 System ·ID: ·  
:2753 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:2753 /FFA9FFDEFFAFEE53AC2F1972FFF7FF8B.xml↵  
:2754 Main ·validation ·file: ·  
:2754 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:2754 /FFA9FFDEFFAFEE53AC2F1972FFF7FF8B.xml↵  
:2755 Scenario ·name: ·gg-sch↵  
:2756 Schema: ·  
:2756 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:2756 ent..sch↵  
:2757 Engine.name: ·ISO ·Schematron↵  
:2758 Severity: ·error↵

:2759 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:2759 subSection ·or ·subSubSection. ↵  
:2760 Start ·location: ·1114:111 ↵  
:2761 ↵  
:2762 System ·ID: ·  
:2762 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:2762 /FFA9FFDEFFAFEE53AC2F1972FFF7FF8B.xml ↵  
:2763 Main ·validation ·file: ·  
:2763 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:2763 /FFA9FFDEFFAFEE53AC2F1972FFF7FF8B.xml ↵  
:2764 Scenario ·name: ·gg-sch ↵  
:2765 Schema: ·  
:2765 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:2765 ent..sch ↵  
:2766 Engine ·name: ·ISO ·Schematron ↵  
:2767 Severity: ·error ↵  
:2768 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:2768 subSection ·or ·subSubSection. ↵  
:2769 Start ·location: ·1136:111 ↵  
:2770 ↵  
:2771 System ·ID: ·  
:2771 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:2771 /FFA9FFDEFFAFEE53AC2F1972FFF7FF8B.xml ↵  
:2772 Main ·validation ·file: ·  
:2772 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:2772 /FFA9FFDEFFAFEE53AC2F1972FFF7FF8B.xml ↵  
:2773 Scenario ·name: ·gg-sch ↵  
:2774 Schema: ·  
:2774 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:2774 ent..sch ↵  
:2775 Engine ·name: ·ISO ·Schematron ↵  
:2776 Severity: ·error ↵  
:2777 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:2777 subSection ·or ·subSubSection. ↵  
:2778 Start ·location: ·1158:111 ↵

```
:2779 <System>
:2780 System·ID: ·
:2780 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
:2780 /FFA9FFDEFFAFEE53AC2F1972FFF7FF8B.xml<
:2781 Main·validation·file: ·
:2781 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
:2781 /FFA9FFDEFFAFEE53AC2F1972FFF7FF8B.xml<
:2782 Scenario·name: ·gg-sch<
:2783 Schema: ·
:2783 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
:2783 ent..sch<
:2784 Engine·name: ·ISO·Schematron<
:2785 Severity: ·error<
:2786 Description: ·A·paragraph·must·have·an·ancestor·
:2786 subSection·or·subSubSection.<
:2787 Start·location: ·1180:111<
:2788 <
:2789 System·ID: ·
:2789 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
:2789 /FFA9FFDEFFAFEE53AC2F1972FFF7FF8B.xml<
:2790 Main·validation·file: ·
:2790 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
:2790 /FFA9FFDEFFAFEE53AC2F1972FFF7FF8B.xml<
:2791 Scenario·name: ·gg-sch<
:2792 Schema: ·
:2792 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
:2792 ent..sch<
:2793 Engine·name: ·ISO·Schematron<
:2794 Severity: ·error<
:2795 Description: ·A·paragraph·must·have·an·ancestor·
:2795 subSection·or·subSubSection.<
:2796 Start·location: ·1206:112<
:2797 <
:2798 System·ID: ·
:2798 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
```

```
:2798 /FFA9FFDEFFAFEE53AC2F1972FFF7FF8B.xml↵
:2799 Main-validation-file: ·
:2799 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
:2799 /FFA9FFDEFFAFEE53AC2F1972FFF7FF8B.xml↵
:2800 Scenario-name: ·gg-sch↵
:2801 Schema: ·
:2801 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
:2801 ent..sch↵
:2802 Engine-name: ·ISO ·Schematron↵
:2803 Severity: ·error↵
:2804 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
:2804 subSection ·or ·subSubSection.↵
:2805 Start ·location: ·1211:112↵
:2806 ↵
:2807 System ·ID: ·
:2807 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
:2807 /FFA9FFDEFFAFEE53AC2F1972FFF7FF8B.xml↵
:2808 Main-validation-file: ·
:2808 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
:2808 /FFA9FFDEFFAFEE53AC2F1972FFF7FF8B.xml↵
:2809 Scenario-name: ·gg-sch↵
:2810 Schema: ·
:2810 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
:2810 ent..sch↵
:2811 Engine-name: ·ISO ·Schematron↵
:2812 Severity: ·error↵
:2813 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
:2813 subSection ·or ·subSubSection.↵
:2814 Start ·location: ·1216:112↵
:2815 ↵
:2816 System ·ID: ·
:2816 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
:2816 /FFA9FFDEFFAFEE53AC2F1972FFF7FF8B.xml↵
:2817 Main-validation-file: ·
:2817 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
```

```
'2817 /FFA9FFDEFFAFEE53AC2F1972FFF7FF8B.xml↵
'2818 Scenario·name: ·gg-sch↵
'2819 Schema: ·
'2819 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
'2819 ent..sch↵
'2820 Engine·name: ·ISO ·Schematron↵
'2821 Severity: ·error↵
'2822 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
'2822 subSection ·or ·subSubSection.↵
'2823 Start ·location: ·1221:112↵
'2824 ↵
'2825 System ·ID: ·
'2825 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
'2825 /FFA9FFDEFFAFEE53AC2F1972FFF7FF8B.xml↵
'2826 Main ·validation ·file: ·
'2826 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
'2826 /FFA9FFDEFFAFEE53AC2F1972FFF7FF8B.xml↵
'2827 Scenario ·name: ·gg-sch↵
'2828 Schema: ·
'2828 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
'2828 ent..sch↵
'2829 Engine·name: ·ISO ·Schematron↵
'2830 Severity: ·error↵
'2831 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
'2831 subSection ·or ·subSubSection.↵
'2832 Start ·location: ·1226:112↵
'2833 ↵
'2834 System ·ID: ·
'2834 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
'2834 /FFA9FFDEFFAFEE53AC2F1972FFF7FF8B.xml↵
'2835 Main ·validation ·file: ·
'2835 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
'2835 /FFA9FFDEFFAFEE53AC2F1972FFF7FF8B.xml↵
'2836 Scenario ·name: ·gg-sch↵
'2837 Schema: ·
```

```
:2837 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm  
:2837 ent..sch↵  
:2838 Engine.name: ·ISO ·Schematron↵  
:2839 Severity: ·error↵  
:2840 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:2840 subSection ·or ·subSubSection.↵  
:2841 Start ·location: ·1231:112↵  
:2842 ↵  
:2843 System ·ID: ·  
:2843 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:2843 /FFA9FFDEFFAFEE53AC2F1972FFF7FF8B.xml↵  
:2844 Main ·validation ·file: ·  
:2844 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:2844 /FFA9FFDEFFAFEE53AC2F1972FFF7FF8B.xml↵  
:2845 Scenario ·name: ·gg-sch↵  
:2846 Schema: ·  
:2846 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm  
:2846 ent..sch↵  
:2847 Engine.name: ·ISO ·Schematron↵  
:2848 Severity: ·error↵  
:2849 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:2849 subSection ·or ·subSubSection.↵  
:2850 Start ·location: ·1236:112↵  
:2851 ↵  
:2852 System ·ID: ·  
:2852 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:2852 /FFA9FFDEFFAFEE53AC2F1972FFF7FF8B.xml↵  
:2853 Main ·validation ·file: ·  
:2853 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:2853 /FFA9FFDEFFAFEE53AC2F1972FFF7FF8B.xml↵  
:2854 Scenario ·name: ·gg-sch↵  
:2855 Schema: ·  
:2855 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm  
:2855 ent..sch↵  
:2856 Engine.name: ·ISO ·Schematron↵
```

```
:2857 Severity: ·error↵
:2858 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
:2858 subSection ·or ·subSubSection.↵
:2859 Start ·location: ·1241:112↵
:2860 ↵
:2861 System ·ID: ·
:2861 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
:2861 /FFA9FFDEFFAFEE53AC2F1972FFF7FF8B.xml↵
:2862 Main ·validation ·file: ·
:2862 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
:2862 /FFA9FFDEFFAFEE53AC2F1972FFF7FF8B.xml↵
:2863 Scenario ·name: ·gg-sch↵
:2864 Schema: ·
:2864 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
:2864 ent..sch↵
:2865 Engine ·name: ·ISO ·Schematron↵
:2866 Severity: ·error↵
:2867 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
:2867 subSection ·or ·subSubSection.↵
:2868 Start ·location: ·1246:112↵
:2869 ↵
:2870 System ·ID: ·
:2870 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
:2870 /FFA9FFDEFFAFEE53AC2F1972FFF7FF8B.xml↵
:2871 Main ·validation ·file: ·
:2871 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
:2871 /FFA9FFDEFFAFEE53AC2F1972FFF7FF8B.xml↵
:2872 Scenario ·name: ·gg-sch↵
:2873 Schema: ·
:2873 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
:2873 ent..sch↵
:2874 Engine ·name: ·ISO ·Schematron↵
:2875 Severity: ·error↵
:2876 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
:2876 subSection ·or ·subSubSection.↵
```

```
:2877 Start ·location: ·1251:112↵
:2878 ↵
:2879 System ·ID: ·
:2879 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
:2879 /FFA9FFDEFFAFEE53AC2F1972FFF7FF8B.xml↵
:2880 Main ·validation ·file: ·
:2880 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
:2880 /FFA9FFDEFFAFEE53AC2F1972FFF7FF8B.xml↵
:2881 Scenario ·name: ·gg-sch↵
:2882 Schema: ·
:2882 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
:2882 ent..sch↵
:2883 Engine ·name: ·ISO ·Schematron↵
:2884 Severity: ·error↵
:2885 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
:2885 subSection ·or ·subSubSection.↵
:2886 Start ·location: ·1256:112↵
:2887 ↵
:2888 System ·ID: ·
:2888 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
:2888 /FFA9FFDEFFAFEE53AC2F1972FFF7FF8B.xml↵
:2889 Main ·validation ·file: ·
:2889 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
:2889 /FFA9FFDEFFAFEE53AC2F1972FFF7FF8B.xml↵
:2890 Scenario ·name: ·gg-sch↵
:2891 Schema: ·
:2891 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
:2891 ent..sch↵
:2892 Engine ·name: ·ISO ·Schematron↵
:2893 Severity: ·error↵
:2894 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
:2894 subSection ·or ·subSubSection.↵
:2895 Start ·location: ·1261:112↵
:2896 ↵
:2897 System ·ID: ·
```

```
'2897 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
'2897 /FFA9FFDEFFAFEE53AC2F1972FFF7FF8B.xml↵
'2898 Main-validation-file: ·
'2898 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
'2898 /FFA9FFDEFFAFEE53AC2F1972FFF7FF8B.xml↵
'2899 Scenario-name: ·gg-sch↵
'2900 Schema: ·
'2900 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
'2900 ent..sch↵
'2901 Engine-name: ·ISO ·Schematron↵
'2902 Severity: ·error↵
'2903 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
'2903 subSection ·or ·subSubSection.↵
'2904 Start-location: ·1266:112↵
'2905 ↵
'2906 System-ID: ·
'2906 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
'2906 /FFA9FFDEFFAFEE53AC2F1972FFF7FF8B.xml↵
'2907 Main-validation-file: ·
'2907 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
'2907 /FFA9FFDEFFAFEE53AC2F1972FFF7FF8B.xml↵
'2908 Scenario-name: ·gg-sch↵
'2909 Schema: ·
'2909 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
'2909 ent..sch↵
'2910 Engine-name: ·ISO ·Schematron↵
'2911 Severity: ·error↵
'2912 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
'2912 subSection ·or ·subSubSection.↵
'2913 Start-location: ·1271:112↵
'2914 ↵
'2915 System-ID: ·
'2915 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
'2915 /FFA9FFDEFFAFEE53AC2F1972FFF7FF8B.xml↵
'2916 Main-validation-file: ·
```

```
:2916 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
:2916 /FFA9FFDEFFAFEE53AC2F1972FFF7FF8B.xml↵
:2917 Scenario·name: ·gg-sch↵
:2918 Schema: ·
:2918 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
:2918 ent..sch↵
:2919 Engine·name: ·ISO ·Schematron↵
:2920 Severity: ·error↵
:2921 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
:2921 subSection ·or ·subSubSection.↵
:2922 Start ·location: ·1276:112↵
:2923 ↵
:2924 System ·ID: ·
:2924 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
:2924 /FFA9FFDEFFAFEE53AC2F1972FFF7FF8B.xml↵
:2925 Main ·validation ·file: ·
:2925 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
:2925 /FFA9FFDEFFAFEE53AC2F1972FFF7FF8B.xml↵
:2926 Scenario ·name: ·gg-sch↵
:2927 Schema: ·
:2927 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
:2927 ent..sch↵
:2928 Engine·name: ·ISO ·Schematron↵
:2929 Severity: ·error↵
:2930 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
:2930 subSection ·or ·subSubSection.↵
:2931 Start ·location: ·1281:112↵
:2932 ↵
:2933 System ·ID: ·
:2933 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
:2933 /FFA9FFDEFFAFEE53AC2F1972FFF7FF8B.xml↵
:2934 Main ·validation ·file: ·
:2934 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
:2934 /FFA9FFDEFFAFEE53AC2F1972FFF7FF8B.xml↵
:2935 Scenario ·name: ·gg-sch↵
```

```
:2936 Schema: .
:2936 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
:2936 ent..sch↵
:2937 Engine.name: .ISO .Schematron↵
:2938 Severity: .error↵
:2939 Description: .A .paragraph .must .have .an .ancestor .
:2939 subSection .or .subSubSection.↵
:2940 Start.location: .1286:112↵
:2941 ↵
:2942 System.ID: .
:2942 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
:2942 /FFA9FFDEFFAFEE53AC2F1972FFF7FF8B.xml↵
:2943 Main.validation.file: .
:2943 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
:2943 /FFA9FFDEFFAFEE53AC2F1972FFF7FF8B.xml↵
:2944 Scenario.name: .gg-sch↵
:2945 Schema: .
:2945 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
:2945 ent..sch↵
:2946 Engine.name: .ISO .Schematron↵
:2947 Severity: .error↵
:2948 Description: .A .paragraph .must .have .an .ancestor .
:2948 subSection .or .subSubSection.↵
:2949 Start.location: .1291:112↵
:2950 ↵
:2951 System.ID: .
:2951 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
:2951 /FFA9FFDEFFAFEE53AC2F1972FFF7FF8B.xml↵
:2952 Main.validation.file: .
:2952 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
:2952 /FFA9FFDEFFAFEE53AC2F1972FFF7FF8B.xml↵
:2953 Scenario.name: .gg-sch↵
:2954 Schema: .
:2954 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
:2954 ent..sch↵
```

:2955 Engine·name: ·ISO ·Schematron↵  
:2956 Severity: ·error↵  
:2957 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:2957 subSection ·or ·subSubSection.↵  
:2958 Start ·location: ·1296:112↵  
:2959 ↵  
:2960 System ·ID: ·  
:2960 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:2960 /FFA107234076FFF1FFC5FFC0FF861731.xml↵  
:2961 Main ·validation ·file: ·  
:2961 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:2961 /FFA107234076FFF1FFC5FFC0FF861731.xml↵  
:2962 Scenario ·name: ·gg-sch↵  
:2963 Schema: ·  
:2963 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:2963 ent..sch↵  
:2964 Engine·name: ·ISO ·Schematron↵  
:2965 Severity: ·error↵  
:2966 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:2966 subSection ·or ·subSubSection.↵  
:2967 Start ·location: ·1015:109↵  
:2968 ↵  
:2969 System ·ID: ·  
:2969 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:2969 /FFA107234076FFF1FFC5FFC0FF861731.xml↵  
:2970 Main ·validation ·file: ·  
:2970 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:2970 /FFA107234076FFF1FFC5FFC0FF861731.xml↵  
:2971 Scenario ·name: ·gg-sch↵  
:2972 Schema: ·  
:2972 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:2972 ent..sch↵  
:2973 Engine·name: ·ISO ·Schematron↵  
:2974 Severity: ·error↵  
:2975 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·

```
:2975 subSection ·or ·subSubSection.↵
:2976 Start ·location: ·1024:135↵
:2977 ↵
:2978 System ·ID: ·
:2978 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
:2978 /FFA107234076FFF1FFC5FFC0FF861731.xml↵
:2979 Main ·validation ·file: ·
:2979 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
:2979 /FFA107234076FFF1FFC5FFC0FF861731.xml↵
:2980 Scenario ·name: ·gg-sch↵
:2981 Schema: ·
:2981 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
:2981 ent..sch↵
:2982 Engine ·name: ·ISO ·Schematron↵
:2983 Severity: ·error↵
:2984 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
:2984 subSection ·or ·subSubSection.↵
:2985 Start ·location: ·1028:135↵
:2986 ↵
:2987 System ·ID: ·
:2987 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
:2987 /FFA107234076FFF1FFC5FFC0FF861731.xml↵
:2988 Main ·validation ·file: ·
:2988 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
:2988 /FFA107234076FFF1FFC5FFC0FF861731.xml↵
:2989 Scenario ·name: ·gg-sch↵
:2990 Schema: ·
:2990 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
:2990 ent..sch↵
:2991 Engine ·name: ·ISO ·Schematron↵
:2992 Severity: ·error↵
:2993 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
:2993 subSection ·or ·subSubSection.↵
:2994 Start ·location: ·1037:76↵
:2995 ↵
```

```
:2996 System·ID: ·  
:2996 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:2996 /FFAAFF911E43D104D6427538FF95065B.xml↵  
:2997 Main·validation·file: ·  
:2997 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:2997 /FFAAFF911E43D104D6427538FF95065B.xml↵  
:2998 Scenario·name: ·gg-sch↵  
:2999 Schema: ·  
:2999 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm  
:2999 ent..sch↵  
:3000 Engine·name: ·ISO·Schematron↵  
:3001 Severity: ·error↵  
:3002 Description: ·A·paragraph·must·have·an·ancestor·  
:3002 subSection·or·subSubSection.↵  
:3003 Start·location: ·379:131↵  
:3004 ↵  
:3005 System·ID: ·  
:3005 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:3005 /FFAAFF911E43D104D6427538FF95065B.xml↵  
:3006 Main·validation·file: ·  
:3006 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:3006 /FFAAFF911E43D104D6427538FF95065B.xml↵  
:3007 Scenario·name: ·gg-sch↵  
:3008 Schema: ·  
:3008 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm  
:3008 ent..sch↵  
:3009 Engine·name: ·ISO·Schematron↵  
:3010 Severity: ·error↵  
:3011 Description: ·A·paragraph·must·have·an·ancestor·  
:3011 subSection·or·subSubSection.↵  
:3012 Start·location: ·384:107↵  
:3013 ↵  
:3014 System·ID: ·  
:3014 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:3014 /FFAAFF911E43D104D6427538FF95065B.xml↵
```

```
'3015 Main-validation-file: ·
'3015 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
'3015 /FFAAFF911E43D104D6427538FF95065B.xml↵
'3016 Scenario-name: ·gg-sch↵
'3017 Schema: ·
'3017 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
'3017 ent..sch↵
'3018 Engine-name: ·ISO ·Schematron↵
'3019 Severity: ·error↵
'3020 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
'3020 subSection ·or ·subSubSection.↵
'3021 Start-location: ·427:107↵
'3022 ↵
'3023 System-ID: ·
'3023 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
'3023 /FFAAFF911E43D104D6427538FF95065B.xml↵
'3024 Main-validation-file: ·
'3024 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
'3024 /FFAAFF911E43D104D6427538FF95065B.xml↵
'3025 Scenario-name: ·gg-sch↵
'3026 Schema: ·
'3026 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
'3026 ent..sch↵
'3027 Engine-name: ·ISO ·Schematron↵
'3028 Severity: ·error↵
'3029 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
'3029 subSection ·or ·subSubSection.↵
'3030 Start-location: ·486:133↵
'3031 ↵
'3032 System-ID: ·
'3032 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
'3032 /FFAAFF911E43D104D6427538FF95065B.xml↵
'3033 Main-validation-file: ·
'3033 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
'3033 /FFAAFF911E43D104D6427538FF95065B.xml↵
```

```
:3034 Scenario·name: ·gg-sch↵
:3035 Schema: ·
:3035 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
:3035 ent..sch↵
:3036 Engine·name: ·ISO ·Schematron↵
:3037 Severity: ·error↵
:3038 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
:3038 subSection ·or ·subSubSection.↵
:3039 Start ·location: ·495:108↵
:3040 ↵
:3041 System ·ID: ·
:3041 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
:3041 /FFAAFF911E43D104D6427538FF95065B.xml↵
:3042 Main ·validation ·file: ·
:3042 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
:3042 /FFAAFF911E43D104D6427538FF95065B.xml↵
:3043 Scenario·name: ·gg-sch↵
:3044 Schema: ·
:3044 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
:3044 ent..sch↵
:3045 Engine·name: ·ISO ·Schematron↵
:3046 Severity: ·error↵
:3047 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
:3047 subSection ·or ·subSubSection.↵
:3048 Start ·location: ·534:108↵
:3049 ↵
:3050 System ·ID: ·
:3050 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
:3050 /FFAAFF911E43D104D6427538FF95065B.xml↵
:3051 Main ·validation ·file: ·
:3051 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
:3051 /FFAAFF911E43D104D6427538FF95065B.xml↵
:3052 Scenario·name: ·gg-sch↵
:3053 Schema: ·
:3053 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
```

```
:3053  ent..sch↵
:3054  Engine·name: ·ISO ·Schematron↵
:3055  Severity: ·error↵
:3056  Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
:3056  subSection ·or ·subSubSection.↵
:3057  Start ·location: ·593:136↵
:3058  ↵
:3059  System ·ID: ·
:3059  /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
:3059  /FFAAFF911E43D104D6427538FF95065B.xml↵
:3060  Main ·validation ·file: ·
:3060  /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
:3060  /FFAAFF911E43D104D6427538FF95065B.xml↵
:3061  Scenario ·name: ·gg-sch↵
:3062  Schema: ·
:3062  /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
:3062  ent..sch↵
:3063  Engine·name: ·ISO ·Schematron↵
:3064  Severity: ·error↵
:3065  Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
:3065  subSection ·or ·subSubSection.↵
:3066  Start ·location: ·598:109↵
:3067  ↵
:3068  System ·ID: ·
:3068  /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
:3068  /FFAAFF911E43D104D6427538FF95065B.xml↵
:3069  Main ·validation ·file: ·
:3069  /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
:3069  /FFAAFF911E43D104D6427538FF95065B.xml↵
:3070  Scenario ·name: ·gg-sch↵
:3071  Schema: ·
:3071  /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
:3071  ent..sch↵
:3072  Engine·name: ·ISO ·Schematron↵
:3073  Severity: ·error↵
```

:3074 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:3074 subSection ·or ·subSubSection. ↵  
:3075 Start ·location: ·612:179 ↵  
:3076 ↵  
:3077 System ·ID: ·  
:3077 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:3077 /FFAAFF911E43D104D6427538FF95065B.xml ↵  
:3078 Main ·validation ·file: ·  
:3078 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:3078 /FFAAFF911E43D104D6427538FF95065B.xml ↵  
:3079 Scenario ·name: ·gg-sch ↵  
:3080 Schema: ·  
:3080 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:3080 ent..sch ↵  
:3081 Engine ·name: ·ISO ·Schematron ↵  
:3082 Severity: ·error ↵  
:3083 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:3083 subSection ·or ·subSubSection. ↵  
:3084 Start ·location: ·627:145 ↵  
:3085 ↵  
:3086 System ·ID: ·  
:3086 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:3086 /FFAAFF911E43D104D6427538FF95065B.xml ↵  
:3087 Main ·validation ·file: ·  
:3087 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:3087 /FFAAFF911E43D104D6427538FF95065B.xml ↵  
:3088 Scenario ·name: ·gg-sch ↵  
:3089 Schema: ·  
:3089 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:3089 ent..sch ↵  
:3090 Engine ·name: ·ISO ·Schematron ↵  
:3091 Severity: ·error ↵  
:3092 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:3092 subSection ·or ·subSubSection. ↵  
:3093 Start ·location: ·646:145 ↵

:3094 ↵  
:3095 System·ID: ·  
:3095 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:3095 /FFAAFF911E43D104D6427538FF95065B.xml↵  
:3096 Main·validation·file: ·  
:3096 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:3096 /FFAAFF911E43D104D6427538FF95065B.xml↵  
:3097 Scenario·name: ·gg-sch↵  
:3098 Schema: ·  
:3098 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:3098 ent..sch↵  
:3099 Engine·name: ·ISO·Schematron↵  
:3100 Severity: ·error↵  
:3101 Description: ·A·paragraph·must·have·an·ancestor·  
:3101 subSection·or·subSubSection.↵  
:3102 Start·location: ·657:179↵  
:3103 ↵  
:3104 System·ID: ·  
:3104 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:3104 /FFAAFF911E43D104D6427538FF95065B.xml↵  
:3105 Main·validation·file: ·  
:3105 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:3105 /FFAAFF911E43D104D6427538FF95065B.xml↵  
:3106 Scenario·name: ·gg-sch↵  
:3107 Schema: ·  
:3107 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:3107 ent..sch↵  
:3108 Engine·name: ·ISO·Schematron↵  
:3109 Severity: ·error↵  
:3110 Description: ·A·paragraph·must·have·an·ancestor·  
:3110 subSection·or·subSubSection.↵  
:3111 Start·location: ·681:145↵  
:3112 ↵  
:3113 System·ID: ·  
:3113 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax

:3113 /FFAAFF911E43D104D6427538FF95065B.xml ↵  
:3114 Main-validation-file: ·  
:3114 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:3114 /FFAAFF911E43D104D6427538FF95065B.xml ↵  
:3115 Scenario-name: ·gg-sch ↵  
:3116 Schema: ·  
:3116 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:3116 ent..sch ↵  
:3117 Engine-name: ·ISO-Schematron ↵  
:3118 Severity: ·error ↵  
:3119 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:3119 subSection ·or ·subSubSection. ↵  
:3120 Start-location: ·694:109 ↵  
:3121 ↵  
:3122 System-ID: ·  
:3122 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:3122 /FFAAFF911E43D104D6427538FF95065B.xml ↵  
:3123 Main-validation-file: ·  
:3123 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:3123 /FFAAFF911E43D104D6427538FF95065B.xml ↵  
:3124 Scenario-name: ·gg-sch ↵  
:3125 Schema: ·  
:3125 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:3125 ent..sch ↵  
:3126 Engine-name: ·ISO-Schematron ↵  
:3127 Severity: ·error ↵  
:3128 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:3128 subSection ·or ·subSubSection. ↵  
:3129 Start-location: ·703:109 ↵  
:3130 ↵  
:3131 System-ID: ·  
:3131 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:3131 /FFAAFF911E43D104D6427538FF95065B.xml ↵  
:3132 Main-validation-file: ·  
:3132 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax

:3132 /FFAAFF911E43D104D6427538FF95065B.xml ↵  
:3133 Scenario.name: .gg-sch ↵  
:3134 Schema: .  
:3134 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
:3135 Engine.name: .ISO.Schematron ↵  
:3136 Severity: .error ↵  
:3137 Description: .A.paragraph.must.have.an.ancestor.  
subSection.or.subSubSection. ↵  
:3138 Start.location: .724:108 ↵  
:3139 ↵  
:3140 System.ID: .  
:3140 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:3140 /FFAAFF911E43D104D6427538FF95065B.xml ↵  
:3141 Main.validation.file: .  
:3141 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:3141 /FFAAFF911E43D104D6427538FF95065B.xml ↵  
:3142 Scenario.name: .gg-sch ↵  
:3143 Schema: .  
:3143 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
:3144 Engine.name: .ISO.Schematron ↵  
:3145 Severity: .error ↵  
:3146 Description: .A.paragraph.must.have.an.ancestor.  
subSection.or.subSubSection. ↵  
:3147 Start.location: .736:134 ↵  
:3148 ↵  
:3149 System.ID: .  
:3149 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:3149 /FFAAFF911E43D104D6427538FF95065B.xml ↵  
:3150 Main.validation.file: .  
:3150 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:3150 /FFAAFF911E43D104D6427538FF95065B.xml ↵  
:3151 Scenario.name: .gg-sch ↵  
:3152 Schema: .

```
:3152 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
:3152 ent..sch↵
:3153 Engine.name: ·ISO ·Schematron↵
:3154 Severity: ·error↵
:3155 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
:3155 subSection ·or ·subSubSection.↵
:3156 Start ·location: ·741:108↵
:3157 ↵
:3158 System ·ID: ·
:3158 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
:3158 /FFAAFF911E43D104D6427538FF95065B.xml↵
:3159 Main ·validation ·file: ·
:3159 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
:3159 /FFAAFF911E43D104D6427538FF95065B.xml↵
:3160 Scenario ·name: ·gg-sch↵
:3161 Schema: ·
:3161 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
:3161 ent..sch↵
:3162 Engine.name: ·ISO ·Schematron↵
:3163 Severity: ·error↵
:3164 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
:3164 subSection ·or ·subSubSection.↵
:3165 Start ·location: ·749:145↵
:3166 ↵
:3167 System ·ID: ·
:3167 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
:3167 /FFAAFF911E43D104D6427538FF95065B.xml↵
:3168 Main ·validation ·file: ·
:3168 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
:3168 /FFAAFF911E43D104D6427538FF95065B.xml↵
:3169 Scenario ·name: ·gg-sch↵
:3170 Schema: ·
:3170 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
:3170 ent..sch↵
:3171 Engine.name: ·ISO ·Schematron↵
```

:3172 Severity: ·error ↵  
:3173 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:3173 subSection ·or ·subSubSection. ↵  
:3174 Start ·location: ·755:144 ↵  
:3175 ↵  
:3176 System ·ID: ·  
:3176 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:3176 /FFAAFF911E43D104D6427538FF95065B.xml ↵  
:3177 Main ·validation ·file: ·  
:3177 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:3177 /FFAAFF911E43D104D6427538FF95065B.xml ↵  
:3178 Scenario ·name: ·gg-sch ↵  
:3179 Schema: ·  
:3179 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:3179 ent..sch ↵  
:3180 Engine ·name: ·ISO ·Schematron ↵  
:3181 Severity: ·error ↵  
:3182 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:3182 subSection ·or ·subSubSection. ↵  
:3183 Start ·location: ·769:108 ↵  
:3184 ↵  
:3185 System ·ID: ·  
:3185 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:3185 /FFAAFF911E43D104D6427538FF95065B.xml ↵  
:3186 Main ·validation ·file: ·  
:3186 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:3186 /FFAAFF911E43D104D6427538FF95065B.xml ↵  
:3187 Scenario ·name: ·gg-sch ↵  
:3188 Schema: ·  
:3188 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:3188 ent..sch ↵  
:3189 Engine ·name: ·ISO ·Schematron ↵  
:3190 Severity: ·error ↵  
:3191 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:3191 subSection ·or ·subSubSection. ↵

:3192 Start ·location: ·780:178 ↵  
:3193 ↵  
:3194 System ·ID: ·  
:3194 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:3194 /FFAAFF911E43D104D6427538FF95065B.xml ↵  
:3195 Main ·validation ·file: ·  
:3195 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:3195 /FFAAFF911E43D104D6427538FF95065B.xml ↵  
:3196 Scenario ·name: ·gg-sch ↵  
:3197 Schema: ·  
:3197 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:3197 ent..sch ↵  
:3198 Engine ·name: ·ISO ·Schematron ↵  
:3199 Severity: ·error ↵  
:3200 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:3200 subSection ·or ·subSubSection. ↵  
:3201 Start ·location: ·851:143 ↵  
:3202 ↵  
:3203 System ·ID: ·  
:3203 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:3203 /FFAAFF911E43D104D6427538FF95065B.xml ↵  
:3204 Main ·validation ·file: ·  
:3204 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:3204 /FFAAFF911E43D104D6427538FF95065B.xml ↵  
:3205 Scenario ·name: ·gg-sch ↵  
:3206 Schema: ·  
:3206 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:3206 ent..sch ↵  
:3207 Engine ·name: ·ISO ·Schematron ↵  
:3208 Severity: ·error ↵  
:3209 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:3209 subSection ·or ·subSubSection. ↵  
:3210 Start ·location: ·860:109 ↵  
:3211 ↵  
:3212 System ·ID: ·

:3212 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:3212 /FFAAFF911E43D104D6427538FF95065B.xml ↵  
:3213 Main-validation-file: ·  
:3213 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:3213 /FFAAFF911E43D104D6427538FF95065B.xml ↵  
:3214 Scenario-name: ·gg-sch ↵  
:3215 Schema: ·  
:3215 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:3215 ent..sch ↵  
:3216 Engine-name: ·ISO ·Schematron ↵  
:3217 Severity: ·error ↵  
:3218 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:3218 subSection ·or ·subSubSection. ↵  
:3219 Start-location: ·881:108 ↵  
:3220 ↵  
:3221 System-ID: ·  
:3221 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:3221 /FFAAFF911E43D104D6427538FF95065B.xml ↵  
:3222 Main-validation-file: ·  
:3222 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:3222 /FFAAFF911E43D104D6427538FF95065B.xml ↵  
:3223 Scenario-name: ·gg-sch ↵  
:3224 Schema: ·  
:3224 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:3224 ent..sch ↵  
:3225 Engine-name: ·ISO ·Schematron ↵  
:3226 Severity: ·error ↵  
:3227 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:3227 subSection ·or ·subSubSection. ↵  
:3228 Start-location: ·903:109 ↵  
:3229 ↵  
:3230 System-ID: ·  
:3230 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:3230 /FFAAFF911E43D104D6427538FF95065B.xml ↵  
:3231 Main-validation-file: ·

```
'3231 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
'3231 /FFAAFF911E43D104D6427538FF95065B.xml↵
'3232 Scenario·name: ·gg-sch↵
'3233 Schema: ·
'3233 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
'3233 ent..sch↵
'3234 Engine·name: ·ISO ·Schematron↵
'3235 Severity: ·error↵
'3236 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
'3236 subSection ·or ·subSubSection.↵
'3237 Start ·location: ·910:108↵
'3238 ↵
'3239 System ·ID: ·
'3239 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
'3239 /FFAAFF911E43D104D6427538FF95065B.xml↵
'3240 Main ·validation ·file: ·
'3240 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
'3240 /FFAAFF911E43D104D6427538FF95065B.xml↵
'3241 Scenario ·name: ·gg-sch↵
'3242 Schema: ·
'3242 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
'3242 ent..sch↵
'3243 Engine·name: ·ISO ·Schematron↵
'3244 Severity: ·error↵
'3245 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
'3245 subSection ·or ·subSubSection.↵
'3246 Start ·location: ·954:106↵
'3247 ↵
'3248 System ·ID: ·
'3248 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
'3248 /FFAAFF911E43D104D6427538FF95065B.xml↵
'3249 Main ·validation ·file: ·
'3249 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
'3249 /FFAAFF911E43D104D6427538FF95065B.xml↵
'3250 Scenario ·name: ·gg-sch↵
```

:3251 Schema: .  
:3251 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:3251 ent..sch↵  
:3252 Engine.name: .ISO .Schematron↵  
:3253 Severity: .error↵  
:3254 Description: .A .paragraph .must .have .an .ancestor .  
:3254 subSection .or .subSubSection.↵  
:3255 Start.location: .961:130↵  
:3256 ↵  
:3257 System.ID: .  
:3257 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:3257 /FFAAFF911E43D104D6427538FF95065B.xml↵  
:3258 Main.validation.file: .  
:3258 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:3258 /FFAAFF911E43D104D6427538FF95065B.xml↵  
:3259 Scenario.name: .gg-sch↵  
:3260 Schema: .  
:3260 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:3260 ent..sch↵  
:3261 Engine.name: .ISO .Schematron↵  
:3262 Severity: .error↵  
:3263 Description: .A .paragraph .must .have .an .ancestor .  
:3263 subSection .or .subSubSection.↵  
:3264 Start.location: .966:106↵  
:3265 ↵  
:3266 System.ID: .  
:3266 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:3266 /FFAAFF911E43D104D6427538FF95065B.xml↵  
:3267 Main.validation.file: .  
:3267 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:3267 /FFAAFF911E43D104D6427538FF95065B.xml↵  
:3268 Scenario.name: .gg-sch↵  
:3269 Schema: .  
:3269 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:3269 ent..sch↵

:3270 Engine.name: ·ISO ·Schematron↵  
:3271 Severity: ·error↵  
:3272 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:3272 subSection ·or ·subSubSection.↵  
:3273 Start.location: ·2028:130↵  
:3274 ↵  
:3275 System.ID: ·  
:3275 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:3275 /FFAAFF911E43D104D6427538FF95065B.xml↵  
:3276 Main.validation-file: ·  
:3276 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:3276 /FFAAFF911E43D104D6427538FF95065B.xml↵  
:3277 Scenario.name: ·gg-sch↵  
:3278 Schema: ·  
:3278 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:3278 ent..sch↵  
:3279 Engine.name: ·ISO ·Schematron↵  
:3280 Severity: ·error↵  
:3281 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:3281 subSection ·or ·subSubSection.↵  
:3282 Start.location: ·2033:106↵  
:3283 ↵  
:3284 System.ID: ·  
:3284 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:3284 /FFAAFF911E43D104D6427538FF95065B.xml↵  
:3285 Main.validation-file: ·  
:3285 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:3285 /FFAAFF911E43D104D6427538FF95065B.xml↵  
:3286 Scenario.name: ·gg-sch↵  
:3287 Schema: ·  
:3287 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:3287 ent..sch↵  
:3288 Engine.name: ·ISO ·Schematron↵  
:3289 Severity: ·error↵  
:3290 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·

```
:3290 subSection ·or ·subSubSection.↵
:3291 Start ·location: ·2042:131↵
:3292 ↵
:3293 System ·ID: ·
:3293 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
:3293 /FFAAFF911E43D104D6427538FF95065B.xml↵
:3294 Main ·validation ·file: ·
:3294 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
:3294 /FFAAFF911E43D104D6427538FF95065B.xml↵
:3295 Scenario ·name: ·gg-sch↵
:3296 Schema: ·
:3296 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
:3296 ent..sch↵
:3297 Engine ·name: ·ISO ·Schematron↵
:3298 Severity: ·error↵
:3299 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
:3299 subSection ·or ·subSubSection.↵
:3300 Start ·location: ·2047:107↵
:3301 ↵
:3302 System ·ID: ·
:3302 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
:3302 /FFAAFF911E43D104D6427538FF95065B.xml↵
:3303 Main ·validation ·file: ·
:3303 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
:3303 /FFAAFF911E43D104D6427538FF95065B.xml↵
:3304 Scenario ·name: ·gg-sch↵
:3305 Schema: ·
:3305 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
:3305 ent..sch↵
:3306 Engine ·name: ·ISO ·Schematron↵
:3307 Severity: ·error↵
:3308 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
:3308 subSection ·or ·subSubSection.↵
:3309 Start ·location: ·2050:107↵
:3310 ↵
```

:3311 System·ID: ·  
:3311 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:3311 /FFAAFF911E43D104D6427538FF95065B.xml↵  
:3312 Main·validation·file: ·  
:3312 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:3312 /FFAAFF911E43D104D6427538FF95065B.xml↵  
:3313 Scenario·name: ·gg-sch↵  
:3314 Schema: ·  
:3314 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:3314 ent..sch↵  
:3315 Engine·name: ·ISO·Schematron↵  
:3316 Severity: ·error↵  
:3317 Description: ·A·paragraph·must·have·an·ancestor·  
:3317 subSection·or·subSubSection.↵  
:3318 Start·location: ·2053:107↵  
:3319 ↵  
:3320 System·ID: ·  
:3320 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:3320 /FFAAFF911E43D104D6427538FF95065B.xml↵  
:3321 Main·validation·file: ·  
:3321 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:3321 /FFAAFF911E43D104D6427538FF95065B.xml↵  
:3322 Scenario·name: ·gg-sch↵  
:3323 Schema: ·  
:3323 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:3323 ent..sch↵  
:3324 Engine·name: ·ISO·Schematron↵  
:3325 Severity: ·error↵  
:3326 Description: ·A·paragraph·must·have·an·ancestor·  
:3326 subSection·or·subSubSection.↵  
:3327 Start·location: ·2056:107↵  
:3328 ↵  
:3329 System·ID: ·  
:3329 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:3329 /FFAAFF911E43D104D6427538FF95065B.xml↵

:3330 Main-validation-file: .  
:3330 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:3330 /FFAAFF911E43D104D6427538FF95065B.xml↵  
:3331 Scenario-name: .gg-sch↵  
:3332 Schema: .  
:3332 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:3332 ent..sch↵  
:3333 Engine-name: .ISO-Schematron↵  
:3334 Severity: .error↵  
:3335 Description: .A .paragraph .must .have .an .ancestor .  
:3335 subSection .or .subSubSection.↵  
:3336 Start-location: .2059:134↵  
:3337 ↵  
:3338 System-ID: .  
:3338 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:3338 /FFAAFF911E43D104D6427538FF95065B.xml↵  
:3339 Main-validation-file: .  
:3339 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:3339 /FFAAFF911E43D104D6427538FF95065B.xml↵  
:3340 Scenario-name: .gg-sch↵  
:3341 Schema: .  
:3341 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:3341 ent..sch↵  
:3342 Engine-name: .ISO-Schematron↵  
:3343 Severity: .error↵  
:3344 Description: .A .paragraph .must .have .an .ancestor .  
:3344 subSection .or .subSubSection.↵  
:3345 Start-location: .2064:143↵  
:3346 ↵  
:3347 System-ID: .  
:3347 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:3347 /FFAAFF911E43D104D6427538FF95065B.xml↵  
:3348 Main-validation-file: .  
:3348 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:3348 /FFAAFF911E43D104D6427538FF95065B.xml↵

```
:3349 Scenario·name: ·gg-sch↵
:350 Schema: ·
:350 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
:350 ent..sch↵
:351 Engine·name: ·ISO ·Schematron↵
:352 Severity: ·error↵
:353 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
:353 subSection ·or ·subSubSection.↵
:354 Start ·location: ·2080:132↵
:355 ↵
:356 System ·ID: ·
:356 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
:356 /FFAAFF911E43D104D6427538FF95065B.xml↵
:357 Main ·validation ·file: ·
:357 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
:357 /FFAAFF911E43D104D6427538FF95065B.xml↵
:358 Scenario·name: ·gg-sch↵
:359 Schema: ·
:359 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
:359 ent..sch↵
:360 Engine·name: ·ISO ·Schematron↵
:361 Severity: ·error↵
:362 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
:362 subSection ·or ·subSubSection.↵
:363 Start ·location: ·2085:107↵
:364 ↵
:365 System ·ID: ·
:365 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
:365 /FFAAFF911E43D104D6427538FF95065B.xml↵
:366 Main ·validation ·file: ·
:366 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
:366 /FFAAFF911E43D104D6427538FF95065B.xml↵
:367 Scenario·name: ·gg-sch↵
:368 Schema: ·
:368 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
```

```
:3368 ent..sch↵
:3369 Engine.name: ·ISO ·Schematron↵
:3370 Severity: ·error↵
:3371 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
:3371 subSection ·or ·subSubSection.↵
:3372 Start ·location: ·2092:133↵
:3373 ↵
:3374 System ·ID: ·
:3374 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
:3374 /FFAAFF911E43D104D6427538FF95065B.xml↵
:3375 Main ·validation ·file: ·
:3375 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
:3375 /FFAAFF911E43D104D6427538FF95065B.xml↵
:3376 Scenario ·name: ·gg-sch↵
:3377 Schema: ·
:3377 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
:3377 ent..sch↵
:3378 Engine.name: ·ISO ·Schematron↵
:3379 Severity: ·error↵
:3380 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
:3380 subSection ·or ·subSubSection.↵
:3381 Start ·location: ·2101:108↵
:3382 ↵
:3383 System ·ID: ·
:3383 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
:3383 /FFAAFF911E43D104D6427538FF95065B.xml↵
:3384 Main ·validation ·file: ·
:3384 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
:3384 /FFAAFF911E43D104D6427538FF95065B.xml↵
:3385 Scenario ·name: ·gg-sch↵
:3386 Schema: ·
:3386 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
:3386 ent..sch↵
:3387 Engine.name: ·ISO ·Schematron↵
:3388 Severity: ·error↵
```

:3389 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:3389 subSection ·or ·subSubSection. ↵  
:3390 Start ·location: ·2125:136 ↵  
:3391 ↵  
:3392 System ·ID: ·  
:3392 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:3392 /FFAAFF911E43D104D6427538FF95065B.xml ↵  
:3393 Main ·validation ·file: ·  
:3393 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:3393 /FFAAFF911E43D104D6427538FF95065B.xml ↵  
:3394 Scenario ·name: ·gg-sch ↵  
:3395 Schema: ·  
:3395 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:3395 ent..sch ↵  
:3396 Engine ·name: ·ISO ·Schematron ↵  
:3397 Severity: ·error ↵  
:3398 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:3398 subSection ·or ·subSubSection. ↵  
:3399 Start ·location: ·2130:109 ↵  
:3400 ↵  
:3401 System ·ID: ·  
:3401 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:3401 /FFAAFF911E43D104D6427538FF95065B.xml ↵  
:3402 Main ·validation ·file: ·  
:3402 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:3402 /FFAAFF911E43D104D6427538FF95065B.xml ↵  
:3403 Scenario ·name: ·gg-sch ↵  
:3404 Schema: ·  
:3404 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:3404 ent..sch ↵  
:3405 Engine ·name: ·ISO ·Schematron ↵  
:3406 Severity: ·error ↵  
:3407 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:3407 subSection ·or ·subSubSection. ↵  
:3408 Start ·location: ·2137:109 ↵

```
'3409 <!--
'3410 System·ID: ·
'3410 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
'3410 /FFAAFF911E43D104D6427538FF95065B.xml<!--
'3411 Main·validation·file: ·
'3411 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
'3411 /FFAAFF911E43D104D6427538FF95065B.xml<!--
'3412 Scenario·name: ·gg-sch<!--
'3413 Schema: ·
'3413 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
'3413 ent..sch<!--
'3414 Engine·name: ·ISO·Schematron<!--
'3415 Severity: ·error<!--
'3416 Description: ·A·paragraph·must·have·an·ancestor·
'3416 subSection·or·subSubSection.<!--
'3417 Start·location: ·2140:109<!--
'3418 <!--
'3419 System·ID: ·
'3419 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
'3419 /FFAAFF911E43D104D6427538FF95065B.xml<!--
'3420 Main·validation·file: ·
'3420 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
'3420 /FFAAFF911E43D104D6427538FF95065B.xml<!--
'3421 Scenario·name: ·gg-sch<!--
'3422 Schema: ·
'3422 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
'3422 ent..sch<!--
'3423 Engine·name: ·ISO·Schematron<!--
'3424 Severity: ·error<!--
'3425 Description: ·A·paragraph·must·have·an·ancestor·
'3425 subSection·or·subSubSection.<!--
'3426 Start·location: ·2143:136<!--
'3427 <!--
'3428 System·ID: ·
'3428 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
```

:3428 /FFAAFF911E43D104D6427538FF95065B.xml ↵  
:3429 Main-validation-file: .  
:3429 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:3429 /FFAAFF911E43D104D6427538FF95065B.xml ↵  
:3430 Scenario-name: .gg-sch ↵  
:3431 Schema: .  
:3431 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:3431 ent..sch ↵  
:3432 Engine-name: .ISO-Schematron ↵  
:3433 Severity: .error ↵  
:3434 Description: .A.paragraph.must.have.an.ancestor.  
:3434 subSection.or.subSubSection. ↵  
:3435 Start-location: .2148:177 ↵  
:3436 ↵  
:3437 System-ID: .  
:3437 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:3437 /FFAAFF911E43D104D6427538FF95065B.xml ↵  
:3438 Main-validation-file: .  
:3438 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:3438 /FFAAFF911E43D104D6427538FF95065B.xml ↵  
:3439 Scenario-name: .gg-sch ↵  
:3440 Schema: .  
:3440 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:3440 ent..sch ↵  
:3441 Engine-name: .ISO-Schematron ↵  
:3442 Severity: .error ↵  
:3443 Description: .A.paragraph.must.have.an.ancestor.  
:3443 subSection.or.subSubSection. ↵  
:3444 Start-location: .2149:131 ↵  
:3445 ↵  
:3446 System-ID: .  
:3446 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:3446 /FFAAFF911E43D104D6427538FF95065B.xml ↵  
:3447 Main-validation-file: .  
:3447 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax

:3447 /FFAAFF911E43D104D6427538FF95065B.xml ↵  
:3448 Scenario.name: .gg-sch ↵  
:3449 Schema: .  
:3449 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
:3450 Engine.name: .ISO.Schematron ↵  
:3451 Severity: .error ↵  
:3452 Description: .A.paragraph.must.have.an.ancestor.  
:3452 subSection.or.subSubSection. ↵  
:3453 Start.location: .2152:143 ↵  
:3454 ↵  
:3455 System.ID: .  
:3455 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:3455 /FFAAFF911E43D104D6427538FF95065B.xml ↵  
:3456 Main.validation.file: .  
:3456 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:3456 /FFAAFF911E43D104D6427538FF95065B.xml ↵  
:3457 Scenario.name: .gg-sch ↵  
:3458 Schema: .  
:3458 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
:3459 Engine.name: .ISO.Schematron ↵  
:3460 Severity: .error ↵  
:3461 Description: .A.paragraph.must.have.an.ancestor.  
:3461 subSection.or.subSubSection. ↵  
:3462 Start.location: .2173:108 ↵  
:3463 ↵  
:3464 System.ID: .  
:3464 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:3464 /FFAAFF911E43D104D6427538FF95065B.xml ↵  
:3465 Main.validation.file: .  
:3465 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:3465 /FFAAFF911E43D104D6427538FF95065B.xml ↵  
:3466 Scenario.name: .gg-sch ↵  
:3467 Schema: .

```
:3467 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm  
:3467 ent..sch↵  
:3468 Engine.name: ·ISO ·Schematron↵  
:3469 Severity: ·error↵  
:3470 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:3470 subSection ·or ·subSubSection.↵  
:3471 Start ·location: ·2184:143↵  
:3472 ↵  
:3473 System ·ID: ·  
:3473 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:3473 /FFAAFF911E43D104D6427538FF95065B.xml↵  
:3474 Main ·validation ·file: ·  
:3474 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:3474 /FFAAFF911E43D104D6427538FF95065B.xml↵  
:3475 Scenario ·name: ·gg-sch↵  
:3476 Schema: ·  
:3476 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm  
:3476 ent..sch↵  
:3477 Engine.name: ·ISO ·Schematron↵  
:3478 Severity: ·error↵  
:3479 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:3479 subSection ·or ·subSubSection.↵  
:3480 Start ·location: ·2194:132↵  
:3481 ↵  
:3482 System ·ID: ·  
:3482 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:3482 /FFAAFF911E43D104D6427538FF95065B.xml↵  
:3483 Main ·validation ·file: ·  
:3483 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:3483 /FFAAFF911E43D104D6427538FF95065B.xml↵  
:3484 Scenario ·name: ·gg-sch↵  
:3485 Schema: ·  
:3485 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm  
:3485 ent..sch↵  
:3486 Engine.name: ·ISO ·Schematron↵
```

:3487 Severity: ·error ↵  
:3488 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:3488 subSection ·or ·subSubSection. ↵  
:3489 Start ·location: ·2199:107 ↵  
:3490 ↵  
:3491 System ·ID: ·  
:3491 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:3491 /FFAAFF911E43D104D6427538FF95065B.xml ↵  
:3492 Main ·validation ·file: ·  
:3492 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:3492 /FFAAFF911E43D104D6427538FF95065B.xml ↵  
:3493 Scenario ·name: ·gg-sch ↵  
:3494 Schema: ·  
:3494 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:3494 ent..sch ↵  
:3495 Engine ·name: ·ISO ·Schematron ↵  
:3496 Severity: ·error ↵  
:3497 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:3497 subSection ·or ·subSubSection. ↵  
:3498 Start ·location: ·2204:132 ↵  
:3499 ↵  
:3500 System ·ID: ·  
:3500 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:3500 /FFAAFF911E43D104D6427538FF95065B.xml ↵  
:3501 Main ·validation ·file: ·  
:3501 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:3501 /FFAAFF911E43D104D6427538FF95065B.xml ↵  
:3502 Scenario ·name: ·gg-sch ↵  
:3503 Schema: ·  
:3503 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:3503 ent..sch ↵  
:3504 Engine ·name: ·ISO ·Schematron ↵  
:3505 Severity: ·error ↵  
:3506 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:3506 subSection ·or ·subSubSection. ↵

```
:3507 Start ·location: ·2207:107↵
:3508 ↵
:3509 System ·ID: ·
:3509 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
:3509 /FFAAFF911E43D104D6427538FF95065B.xml↵
:3510 Main ·validation ·file: ·
:3510 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
:3510 /FFAAFF911E43D104D6427538FF95065B.xml↵
:3511 Scenario ·name: ·gg-sch↵
:3512 Schema: ·
:3512 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
:3512 ent..sch↵
:3513 Engine ·name: ·ISO ·Schematron↵
:3514 Severity: ·error↵
:3515 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
:3515 subSection ·or ·subSubSection.↵
:3516 Start ·location: ·2213:133↵
:3517 ↵
:3518 System ·ID: ·
:3518 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
:3518 /FFAAFF911E43D104D6427538FF95065B.xml↵
:3519 Main ·validation ·file: ·
:3519 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
:3519 /FFAAFF911E43D104D6427538FF95065B.xml↵
:3520 Scenario ·name: ·gg-sch↵
:3521 Schema: ·
:3521 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
:3521 ent..sch↵
:3522 Engine ·name: ·ISO ·Schematron↵
:3523 Severity: ·error↵
:3524 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
:3524 subSection ·or ·subSubSection.↵
:3525 Start ·location: ·2218:136↵
:3526 ↵
:3527 System ·ID: ·
```

```
:3527 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
:3527 /FFAAFF911E43D104D6427538FF95065B.xml↵
:3528 Main-validation-file: ·
:3528 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
:3528 /FFAAFF911E43D104D6427538FF95065B.xml↵
:3529 Scenario-name: ·gg-sch↵
:3530 Schema: ·
:3530 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
:3530 ent..sch↵
:3531 Engine-name: ·ISO ·Schematron↵
:3532 Severity: ·error↵
:3533 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
:3533 subSection ·or ·subSubSection.↵
:3534 Start-location: ·2223:178↵
:3535 ↵
:3536 System-ID: ·
:3536 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
:3536 /FFAAFF911E43D104D6427538FF95065B.xml↵
:3537 Main-validation-file: ·
:3537 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
:3537 /FFAAFF911E43D104D6427538FF95065B.xml↵
:3538 Scenario-name: ·gg-sch↵
:3539 Schema: ·
:3539 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
:3539 ent..sch↵
:3540 Engine-name: ·ISO ·Schematron↵
:3541 Severity: ·error↵
:3542 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
:3542 subSection ·or ·subSubSection.↵
:3543 Start-location: ·2229:107↵
:3544 ↵
:3545 System-ID: ·
:3545 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
:3545 /FFAAFF911E43D104D6427538FF95065B.xml↵
:3546 Main-validation-file: ·
```

```
:3546 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
:3546 /FFAAFF911E43D104D6427538FF95065B.xml↵
:3547 Scenario·name: ·gg-sch↵
:3548 Schema: ·
:3548 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
:3548 ent..sch↵
:3549 Engine·name: ·ISO ·Schematron↵
:3550 Severity: ·error↵
:3551 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
:3551 subSection ·or ·subSubSection.↵
:3552 Start ·location: ·2232:131↵
:3553 ↵
:3554 System ·ID: ·
:3554 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
:3554 /FFAAFF911E43D104D6427538FF95065B.xml↵
:3555 Main ·validation ·file: ·
:3555 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
:3555 /FFAAFF911E43D104D6427538FF95065B.xml↵
:3556 Scenario ·name: ·gg-sch↵
:3557 Schema: ·
:3557 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
:3557 ent..sch↵
:3558 Engine·name: ·ISO ·Schematron↵
:3559 Severity: ·error↵
:3560 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
:3560 subSection ·or ·subSubSection.↵
:3561 Start ·location: ·2237:107↵
:3562 ↵
:3563 System ·ID: ·
:3563 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
:3563 /FFAAFF911E43D104D6427538FF95065B.xml↵
:3564 Main ·validation ·file: ·
:3564 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
:3564 /FFAAFF911E43D104D6427538FF95065B.xml↵
:3565 Scenario ·name: ·gg-sch↵
```

```
:3566 Schema: .
:3566 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
:3566 ent..sch↵
:3567 Engine.name: .ISO .Schematron↵
:3568 Severity: .error↵
:3569 Description: .A .paragraph .must .have .an .ancestor .
:3569 subSection .or .subSubSection.↵
:3570 Start.location: .2240:132↵
:3571 ↵
:3572 System.ID: .
:3572 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
:3572 /FFAAFF911E43D104D6427538FF95065B.xml↵
:3573 Main.validation.file: .
:3573 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
:3573 /FFAAFF911E43D104D6427538FF95065B.xml↵
:3574 Scenario.name: .gg-sch↵
:3575 Schema: .
:3575 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
:3575 ent..sch↵
:3576 Engine.name: .ISO .Schematron↵
:3577 Severity: .error↵
:3578 Description: .A .paragraph .must .have .an .ancestor .
:3578 subSection .or .subSubSection.↵
:3579 Start.location: .2245:108↵
:3580 ↵
:3581 System.ID: .
:3581 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
:3581 /FFAAFF911E43D104D6427538FF95065B.xml↵
:3582 Main.validation.file: .
:3582 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
:3582 /FFAAFF911E43D104D6427538FF95065B.xml↵
:3583 Scenario.name: .gg-sch↵
:3584 Schema: .
:3584 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
:3584 ent..sch↵
```

:3585 Engine·name: ·ISO ·Schematron↵  
:3586 Severity: ·error↵  
:3587 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:3587 subSection ·or ·subSubSection.↵  
:3588 Start ·location: ·2260:135↵  
:3589 ↵  
:3590 System ·ID: ·  
:3590 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:3590 /FFAAFF911E43D104D6427538FF95065B.xml↵  
:3591 Main ·validation ·file: ·  
:3591 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:3591 /FFAAFF911E43D104D6427538FF95065B.xml↵  
:3592 Scenario ·name: ·gg-sch↵  
:3593 Schema: ·  
:3593 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:3593 ent..sch↵  
:3594 Engine·name: ·ISO ·Schematron↵  
:3595 Severity: ·error↵  
:3596 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:3596 subSection ·or ·subSubSection.↵  
:3597 Start ·location: ·2265:109↵  
:3598 ↵  
:3599 System ·ID: ·  
:3599 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:3599 /FFAAFF911E43D104D6427538FF95065B.xml↵  
:3600 Main ·validation ·file: ·  
:3600 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:3600 /FFAAFF911E43D104D6427538FF95065B.xml↵  
:3601 Scenario ·name: ·gg-sch↵  
:3602 Schema: ·  
:3602 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:3602 ent..sch↵  
:3603 Engine·name: ·ISO ·Schematron↵  
:3604 Severity: ·error↵  
:3605 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·

```
:3605 subSection ·or ·subSubSection.↵
:3606 Start ·location: ·2278:144↵
:3607 ↵
:3608 System ·ID: ·
:3608 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
:3608 /FFAAFF911E43D104D6427538FF95065B.xml↵
:3609 Main ·validation ·file: ·
:3609 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
:3609 /FFAAFF911E43D104D6427538FF95065B.xml↵
:3610 Scenario ·name: ·gg-sch↵
:3611 Schema: ·
:3611 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
:3611 ent..sch↵
:3612 Engine ·name: ·ISO ·Schematron↵
:3613 Severity: ·error↵
:3614 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
:3614 subSection ·or ·subSubSection.↵
:3615 Start ·location: ·2306:109↵
:3616 ↵
:3617 System ·ID: ·
:3617 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
:3617 /FFAAFF911E43D104D6427538FF95065B.xml↵
:3618 Main ·validation ·file: ·
:3618 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
:3618 /FFAAFF911E43D104D6427538FF95065B.xml↵
:3619 Scenario ·name: ·gg-sch↵
:3620 Schema: ·
:3620 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
:3620 ent..sch↵
:3621 Engine ·name: ·ISO ·Schematron↵
:3622 Severity: ·error↵
:3623 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
:3623 subSection ·or ·subSubSection.↵
:3624 Start ·location: ·3157:149↵
:3625 ↵
```

:3626 System·ID: ·  
:3626 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:3626 /FFAAFF911E43D104D6427538FF95065B.xml↵  
:3627 Main·validation·file: ·  
:3627 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:3627 /FFAAFF911E43D104D6427538FF95065B.xml↵  
:3628 Scenario·name: ·gg-sch↵  
:3629 Schema: ·  
:3629 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:3629 ent..sch↵  
:3630 Engine·name: ·ISO·Schematron↵  
:3631 Severity: ·error↵  
:3632 Description: ·A·paragraph·must·have·an·ancestor·  
:3632 subSection·or·subSubSection.↵  
:3633 Start·location: ·3165:112↵  
:3634 ↵  
:3635 System·ID: ·  
:3635 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:3635 /FFAAFF911E43D104D6427538FF95065B.xml↵  
:3636 Main·validation·file: ·  
:3636 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:3636 /FFAAFF911E43D104D6427538FF95065B.xml↵  
:3637 Scenario·name: ·gg-sch↵  
:3638 Schema: ·  
:3638 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:3638 ent..sch↵  
:3639 Engine·name: ·ISO·Schematron↵  
:3640 Severity: ·error↵  
:3641 Description: ·A·paragraph·must·have·an·ancestor·  
:3641 subSection·or·subSubSection.↵  
:3642 Start·location: ·3168:145↵  
:3643 ↵  
:3644 System·ID: ·  
:3644 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:3644 /FFAAFF911E43D104D6427538FF95065B.xml↵

```
:3645 Main-validation-file: .
:3645 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
:3645 /FFAAFF911E43D104D6427538FF95065B.xml↵
:3646 Scenario-name: .gg-sch↵
:3647 Schema: .
:3647 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
:3647 ent..sch↵
:3648 Engine-name: .ISO-Schematron↵
:3649 Severity: .error↵
:3650 Description: .A .paragraph .must .have .an .ancestor .
:3650 subSection .or .subSubSection.↵
:3651 Start-location: .3171:111↵
:3652 ↵
:3653 System-ID: .
:3653 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
:3653 /FFAAFF911E43D104D6427538FF95065B.xml↵
:3654 Main-validation-file: .
:3654 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
:3654 /FFAAFF911E43D104D6427538FF95065B.xml↵
:3655 Scenario-name: .gg-sch↵
:3656 Schema: .
:3656 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
:3656 ent..sch↵
:3657 Engine-name: .ISO-Schematron↵
:3658 Severity: .error↵
:3659 Description: .A .paragraph .must .have .an .ancestor .
:3659 subSection .or .subSubSection.↵
:3660 Start-location: .3178:112↵
:3661 ↵
:3662 System-ID: .
:3662 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
:3662 /FFAAFF911E43D104D6427538FF95065B.xml↵
:3663 Main-validation-file: .
:3663 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
:3663 /FFAAFF911E43D104D6427538FF95065B.xml↵
```

```
:3664 Scenario·name: ·gg-sch↵
:3665 Schema: ·
:3665 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
:3665 ent..sch↵
:3666 Engine·name: ·ISO ·Schematron↵
:3667 Severity: ·error↵
:3668 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
:3668 subSection ·or ·subSubSection.↵
:3669 Start ·location: ·3189:149↵
:3670 ↵
:3671 System ·ID: ·
:3671 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
:3671 /FFAAFF911E43D104D6427538FF95065B.xml↵
:3672 Main ·validation ·file: ·
:3672 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
:3672 /FFAAFF911E43D104D6427538FF95065B.xml↵
:3673 Scenario·name: ·gg-sch↵
:3674 Schema: ·
:3674 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
:3674 ent..sch↵
:3675 Engine·name: ·ISO ·Schematron↵
:3676 Severity: ·error↵
:3677 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
:3677 subSection ·or ·subSubSection.↵
:3678 Start ·location: ·3192:145↵
:3679 ↵
:3680 System ·ID: ·
:3680 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
:3680 /FFAAFF911E43D104D6427538FF95065B.xml↵
:3681 Main ·validation ·file: ·
:3681 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
:3681 /FFAAFF911E43D104D6427538FF95065B.xml↵
:3682 Scenario·name: ·gg-sch↵
:3683 Schema: ·
:3683 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
```

```
:3683 ent..sch↵
:3684 Engine.name: ·ISO ·Schematron↵
:3685 Severity: ·error↵
:3686 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
:3686 subSection ·or ·subSubSection.↵
:3687 Start ·location: ·3197:149↵
:3688 ↵
:3689 System ·ID: ·
:3689 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
:3689 /FFAAFF911E43D104D6427538FF95065B.xml↵
:3690 Main ·validation ·file: ·
:3690 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
:3690 /FFAAFF911E43D104D6427538FF95065B.xml↵
:3691 Scenario ·name: ·gg-sch↵
:3692 Schema: ·
:3692 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
:3692 ent..sch↵
:3693 Engine.name: ·ISO ·Schematron↵
:3694 Severity: ·error↵
:3695 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
:3695 subSection ·or ·subSubSection.↵
:3696 Start ·location: ·3200:109↵
:3697 ↵
:3698 System ·ID: ·
:3698 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
:3698 /FFAAFF911E43D104D6427538FF95065B.xml↵
:3699 Main ·validation ·file: ·
:3699 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
:3699 /FFAAFF911E43D104D6427538FF95065B.xml↵
:3700 Scenario ·name: ·gg-sch↵
:3701 Schema: ·
:3701 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
:3701 ent..sch↵
:3702 Engine.name: ·ISO ·Schematron↵
:3703 Severity: ·error↵
```

:3704 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:3704 subSection ·or ·subSubSection. ↵  
:3705 Start ·location: ·3203:110 ↵  
:3706 ↵  
:3707 System ·ID: ·  
:3707 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:3707 /FFAAFF911E43D104D6427538FF95065B.xml ↵  
:3708 Main ·validation ·file: ·  
:3708 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:3708 /FFAAFF911E43D104D6427538FF95065B.xml ↵  
:3709 Scenario ·name: ·gg-sch ↵  
:3710 Schema: ·  
:3710 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:3710 ent..sch ↵  
:3711 Engine ·name: ·ISO ·Schematron ↵  
:3712 Severity: ·error ↵  
:3713 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:3713 subSection ·or ·subSubSection. ↵  
:3714 Start ·location: ·3208:78 ↵  
:3715 ↵  
:3716 System ·ID: ·  
:3716 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:3716 /FFAAFF911E43D104D6427538FF95065B.xml ↵  
:3717 Main ·validation ·file: ·  
:3717 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:3717 /FFAAFF911E43D104D6427538FF95065B.xml ↵  
:3718 Scenario ·name: ·gg-sch ↵  
:3719 Schema: ·  
:3719 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:3719 ent..sch ↵  
:3720 Engine ·name: ·ISO ·Schematron ↵  
:3721 Severity: ·error ↵  
:3722 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:3722 subSection ·or ·subSubSection. ↵  
:3723 Start ·location: ·3215:149 ↵

```
:3724 <System·ID: ·  
:3725 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:3725 /FFAE7130EE49C57E5E7BD3018700BD59.xml<  
:3726 Main·validation·file: ·  
:3726 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:3726 /FFAE7130EE49C57E5E7BD3018700BD59.xml<  
:3727 Scenario·name: ·gg-sch<  
:3728 Schema: ·  
:3728 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm  
:3728 ent..sch<  
:3729 Engine·name: ·ISO·Schematron<  
:3730 Severity: ·error<  
:3731 Description: ·A·paragraph·must·have·an·ancestor·  
:3731 subSection·or·subSubSection.<  
:3732 Start·location: ·38:102<  
:3733 <  
:3734 System·ID: ·  
:3734 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:3734 /FFAE7130EE49C57E5E7BD3018700BD59.xml<  
:3735 Main·validation·file: ·  
:3735 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:3735 /FFAE7130EE49C57E5E7BD3018700BD59.xml<  
:3736 Scenario·name: ·gg-sch<  
:3737 Schema: ·  
:3737 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm  
:3737 ent..sch<  
:3738 Engine·name: ·ISO·Schematron<  
:3739 Severity: ·error<  
:3740 Description: ·A·paragraph·must·have·an·ancestor·  
:3740 subSection·or·subSubSection.<  
:3741 Start·location: ·43:103<  
:3742 <  
:3743 System·ID: ·  
:3743 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
```

:3743 /FFAE7130EE49C57E5E7BD3018700BD59.xml ↵  
:3744 Main-validation-file: .  
:3744 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:3744 /FFAE7130EE49C57E5E7BD3018700BD59.xml ↵  
:3745 Scenario-name: .gg-sch ↵  
:3746 Schema: .  
:3746 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:3746 ent..sch ↵  
:3747 Engine-name: .ISO-Schematron ↵  
:3748 Severity: .error ↵  
:3749 Description: .A.paragraph.must.have.an.ancestor.  
:3749 subSection.or.subSubSection. ↵  
:3750 Start-location: .50:104 ↵  
:3751 ↵  
:3752 System-ID: .  
:3752 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:3752 /FFAE7130EE49C57E5E7BD3018700BD59.xml ↵  
:3753 Main-validation-file: .  
:3753 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:3753 /FFAE7130EE49C57E5E7BD3018700BD59.xml ↵  
:3754 Scenario-name: .gg-sch ↵  
:3755 Schema: .  
:3755 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:3755 ent..sch ↵  
:3756 Engine-name: .ISO-Schematron ↵  
:3757 Severity: .error ↵  
:3758 Description: .A.paragraph.must.have.an.ancestor.  
:3758 subSection.or.subSubSection. ↵  
:3759 Start-location: .51:102 ↵  
:3760 ↵  
:3761 System-ID: .  
:3761 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:3761 /FFAE7130EE49C57E5E7BD3018700BD59.xml ↵  
:3762 Main-validation-file: .  
:3762 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax

:3762 /FFAE7130EE49C57E5E7BD3018700BD59.xml ↵  
:3763 Scenario.name: .gg-sch ↵  
:3764 Schema: .  
:3764 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
:3765 Engine.name: .ISO.Schematron ↵  
:3766 Severity: .error ↵  
:3767 Description: .A.paragraph.must.have.an.ancestor.  
subSection.or.subSubSection. ↵  
:3768 Start.location: .52:78 ↵  
:3769 ↵  
:3770 System.ID: .  
:3770 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:3770 /FFAE7130EE49C57E5E7BD3018700BD59.xml ↵  
:3771 Main.validation.file: .  
:3771 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:3771 /FFAE7130EE49C57E5E7BD3018700BD59.xml ↵  
:3772 Scenario.name: .gg-sch ↵  
:3773 Schema: .  
:3773 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
:3774 Engine.name: .ISO.Schematron ↵  
:3775 Severity: .error ↵  
:3776 Description: .A.paragraph.must.have.an.ancestor.  
subSection.or.subSubSection. ↵  
:3777 Start.location: .60:102 ↵  
:3778 ↵  
:3779 System.ID: .  
:3779 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:3779 /FFAE7130EE49C57E5E7BD3018700BD59.xml ↵  
:3780 Main.validation.file: .  
:3780 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:3780 /FFAE7130EE49C57E5E7BD3018700BD59.xml ↵  
:3781 Scenario.name: .gg-sch ↵  
:3782 Schema: .

```
:3782 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm  
:3782 ent..sch↵  
:3783 Engine.name: ·ISO ·Schematron↵  
:3784 Severity: ·error↵  
:3785 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:3785 subSection ·or ·subSubSection.↵  
:3786 Start ·location: ·64:103↵  
:3787 ↵  
:3788 System ·ID: ·  
:3788 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:3788 /FFAE7130EE49C57E5E7BD3018700BD59.xml↵  
:3789 Main ·validation ·file: ·  
:3789 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:3789 /FFAE7130EE49C57E5E7BD3018700BD59.xml↵  
:3790 Scenario ·name: ·gg-sch↵  
:3791 Schema: ·  
:3791 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm  
:3791 ent..sch↵  
:3792 Engine.name: ·ISO ·Schematron↵  
:3793 Severity: ·error↵  
:3794 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:3794 subSection ·or ·subSubSection.↵  
:3795 Start ·location: ·65:104↵  
:3796 ↵  
:3797 System ·ID: ·  
:3797 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:3797 /FFAE7130EE49C57E5E7BD3018700BD59.xml↵  
:3798 Main ·validation ·file: ·  
:3798 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:3798 /FFAE7130EE49C57E5E7BD3018700BD59.xml↵  
:3799 Scenario ·name: ·gg-sch↵  
:3800 Schema: ·  
:3800 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm  
:3800 ent..sch↵  
:3801 Engine.name: ·ISO ·Schematron↵
```

:3802 Severity: ·error ↵  
:3803 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:3803 subSection ·or ·subSubSection. ↵  
:3804 Start ·location: ·70:78 ↵  
:3805 ↵  
:3806 System ·ID: ·  
:3806 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:3806 /FFAE7130EE49C57E5E7BD3018700BD59.xml ↵  
:3807 Main ·validation ·file: ·  
:3807 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:3807 /FFAE7130EE49C57E5E7BD3018700BD59.xml ↵  
:3808 Scenario ·name: ·gg-sch ↵  
:3809 Schema: ·  
:3809 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:3809 ent..sch ↵  
:3810 Engine ·name: ·ISO ·Schematron ↵  
:3811 Severity: ·error ↵  
:3812 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:3812 subSection ·or ·subSubSection. ↵  
:3813 Start ·location: ·71:104 ↵  
:3814 ↵  
:3815 System ·ID: ·  
:3815 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:3815 /FFAE7130EE49C57E5E7BD3018700BD59.xml ↵  
:3816 Main ·validation ·file: ·  
:3816 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:3816 /FFAE7130EE49C57E5E7BD3018700BD59.xml ↵  
:3817 Scenario ·name: ·gg-sch ↵  
:3818 Schema: ·  
:3818 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:3818 ent..sch ↵  
:3819 Engine ·name: ·ISO ·Schematron ↵  
:3820 Severity: ·error ↵  
:3821 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:3821 subSection ·or ·subSubSection. ↵

:3822 Start ·location: ·76:78 ↵  
:3823 ↵  
:3824 System ·ID: ·  
:3824 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:3824 /FFAE7130EE49C57E5E7BD3018700BD59.xml ↵  
:3825 Main ·validation ·file: ·  
:3825 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:3825 /FFAE7130EE49C57E5E7BD3018700BD59.xml ↵  
:3826 Scenario ·name: ·gg-sch ↵  
:3827 Schema: ·  
:3827 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:3827 ent..sch ↵  
:3828 Engine ·name: ·ISO ·Schematron ↵  
:3829 Severity: ·error ↵  
:3830 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:3830 subSection ·or ·subSubSection. ↵  
:3831 Start ·location: ·77:104 ↵  
:3832 ↵  
:3833 System ·ID: ·  
:3833 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:3833 /FFAE7130EE49C57E5E7BD3018700BD59.xml ↵  
:3834 Main ·validation ·file: ·  
:3834 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:3834 /FFAE7130EE49C57E5E7BD3018700BD59.xml ↵  
:3835 Scenario ·name: ·gg-sch ↵  
:3836 Schema: ·  
:3836 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:3836 ent..sch ↵  
:3837 Engine ·name: ·ISO ·Schematron ↵  
:3838 Severity: ·error ↵  
:3839 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:3839 subSection ·or ·subSubSection. ↵  
:3840 Start ·location: ·78:104 ↵  
:3841 ↵  
:3842 System ·ID: ·

```
'3842 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
'3842 /FFAE7130EE49C57E5E7BD3018700BD59.xml↵
'3843 Main-validation-file: ·
'3843 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
'3843 /FFAE7130EE49C57E5E7BD3018700BD59.xml↵
'3844 Scenario-name: ·gg-sch↵
'3845 Schema: ·
'3845 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
'3845 ent..sch↵
'3846 Engine-name: ·ISO ·Schematron↵
'3847 Severity: ·error↵
'3848 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
'3848 subSection ·or ·subSubSection.↵
'3849 Start-location: ·83:78↵
'3850 ↵
'3851 System-ID: ·
'3851 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
'3851 /FFAE7130EE49C57E5E7BD3018700BD59.xml↵
'3852 Main-validation-file: ·
'3852 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
'3852 /FFAE7130EE49C57E5E7BD3018700BD59.xml↵
'3853 Scenario-name: ·gg-sch↵
'3854 Schema: ·
'3854 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
'3854 ent..sch↵
'3855 Engine-name: ·ISO ·Schematron↵
'3856 Severity: ·error↵
'3857 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
'3857 subSection ·or ·subSubSection.↵
'3858 Start-location: ·84:105↵
'3859 ↵
'3860 System-ID: ·
'3860 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
'3860 /FFAE7130EE49C57E5E7BD3018700BD59.xml↵
'3861 Main-validation-file: ·
```

:3861 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:3861 /FFAE7130EE49C57E5E7BD3018700BD59.xml ↵  
:3862 Scenario.name: .gg-sch ↵  
:3863 Schema: .  
:3863 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:3863 ent..sch ↵  
:3864 Engine.name: .ISO .Schematron ↵  
:3865 Severity: .error ↵  
:3866 Description: .A .paragraph .must .have .an .ancestor .  
:3866 subSection .or .subSubSection. ↵  
:3867 Start.location: .89:78 ↵  
:3868 ↵  
:3869 System.ID: .  
:3869 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:3869 /FFAE7130EE49C57E5E7BD3018700BD59.xml ↵  
:3870 Main.validation.file: .  
:3870 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:3870 /FFAE7130EE49C57E5E7BD3018700BD59.xml ↵  
:3871 Scenario.name: .gg-sch ↵  
:3872 Schema: .  
:3872 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:3872 ent..sch ↵  
:3873 Engine.name: .ISO .Schematron ↵  
:3874 Severity: .error ↵  
:3875 Description: .A .paragraph .must .have .an .ancestor .  
:3875 subSection .or .subSubSection. ↵  
:3876 Start.location: .90:114 ↵  
:3877 ↵  
:3878 System.ID: .  
:3878 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:3878 /FFAE7130EE49C57E5E7BD3018700BD59.xml ↵  
:3879 Main.validation.file: .  
:3879 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:3879 /FFAE7130EE49C57E5E7BD3018700BD59.xml ↵  
:3880 Scenario.name: .gg-sch ↵

:3881 Schema: .  
:3881 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:3881 ent..sch↵  
:3882 Engine.name: .ISO .Schematron↵  
:3883 Severity: .error↵  
:3884 Description: .A .paragraph .must .have .an .ancestor .  
:3884 subSection .or .subSubSection.↵  
:3885 Start.location: .92:78↵  
:3886 ↵  
:3887 System.ID: .  
:3887 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:3887 /FFAE7130EE49C57E5E7BD3018700BD59.xml↵  
:3888 Main.validation.file: .  
:3888 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:3888 /FFAE7130EE49C57E5E7BD3018700BD59.xml↵  
:3889 Scenario.name: .gg-sch↵  
:3890 Schema: .  
:3890 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:3890 ent..sch↵  
:3891 Engine.name: .ISO .Schematron↵  
:3892 Severity: .error↵  
:3893 Description: .A .paragraph .must .have .an .ancestor .  
:3893 subSection .or .subSubSection.↵  
:3894 Start.location: .94:104↵  
:3895 ↵  
:3896 System.ID: .  
:3896 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:3896 /FFAE7130EE49C57E5E7BD3018700BD59.xml↵  
:3897 Main.validation.file: .  
:3897 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:3897 /FFAE7130EE49C57E5E7BD3018700BD59.xml↵  
:3898 Scenario.name: .gg-sch↵  
:3899 Schema: .  
:3899 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:3899 ent..sch↵

:3900 Engine.name: ·ISO ·Schematron↵  
:3901 Severity: ·error↵  
:3902 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:3902 subSection ·or ·subSubSection.↵  
:3903 Start.location: ·95:78↵  
:3904 ↵  
:3905 System.ID: ·  
:3905 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:3905 /FFAE7130EE49C57E5E7BD3018700BD59.xml↵  
:3906 Main.validation.file: ·  
:3906 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:3906 /FFAE7130EE49C57E5E7BD3018700BD59.xml↵  
:3907 Scenario.name: ·gg-sch↵  
:3908 Schema: ·  
:3908 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:3908 ent..sch↵  
:3909 Engine.name: ·ISO ·Schematron↵  
:3910 Severity: ·error↵  
:3911 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:3911 subSection ·or ·subSubSection.↵  
:3912 Start.location: ·97:104↵  
:3913 ↵  
:3914 System.ID: ·  
:3914 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:3914 /FFAE7130EE49C57E5E7BD3018700BD59.xml↵  
:3915 Main.validation.file: ·  
:3915 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:3915 /FFAE7130EE49C57E5E7BD3018700BD59.xml↵  
:3916 Scenario.name: ·gg-sch↵  
:3917 Schema: ·  
:3917 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:3917 ent..sch↵  
:3918 Engine.name: ·ISO ·Schematron↵  
:3919 Severity: ·error↵  
:3920 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·

:3920 subSection ·or ·subSubSection. ↵  
:3921 Start ·location: ·98:78 ↵  
:3922 ↵  
:3923 System ·ID: ·  
:3923 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:3923 /FFAE7130EE49C57E5E7BD3018700BD59.xml ↵  
:3924 Main ·validation ·file: ·  
:3924 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:3924 /FFAE7130EE49C57E5E7BD3018700BD59.xml ↵  
:3925 Scenario ·name: ·gg-sch ↵  
:3926 Schema: ·  
:3926 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:3926 ent..sch ↵  
:3927 Engine ·name: ·ISO ·Schematron ↵  
:3928 Severity: ·error ↵  
:3929 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:3929 subSection ·or ·subSubSection. ↵  
:3930 Start ·location: ·100:78 ↵  
:3931 ↵  
:3932 System ·ID: ·  
:3932 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:3932 /FFAE7130EE49C57E5E7BD3018700BD59.xml ↵  
:3933 Main ·validation ·file: ·  
:3933 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:3933 /FFAE7130EE49C57E5E7BD3018700BD59.xml ↵  
:3934 Scenario ·name: ·gg-sch ↵  
:3935 Schema: ·  
:3935 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:3935 ent..sch ↵  
:3936 Engine ·name: ·ISO ·Schematron ↵  
:3937 Severity: ·error ↵  
:3938 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:3938 subSection ·or ·subSubSection. ↵  
:3939 Start ·location: ·116:114 ↵  
:3940 ↵

:3941 System·ID: ·  
:3941 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:3941 /FFAE7130EE49C57E5E7BD3018700BD59.xml↵  
:3942 Main·validation·file: ·  
:3942 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:3942 /FFAE7130EE49C57E5E7BD3018700BD59.xml↵  
:3943 Scenario·name: ·gg-sch↵  
:3944 Schema: ·  
:3944 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:3944 ent..sch↵  
:3945 Engine·name: ·ISO·Schematron↵  
:3946 Severity: ·error↵  
:3947 Description: ·A·paragraph·must·have·an·ancestor·  
:3947 subSection·or·subSubSection.↵  
:3948 Start·location: ·117:78↵  
:3949 ↵  
:3950 System·ID: ·  
:3950 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:3950 /FFAE7130EE49C57E5E7BD3018700BD59.xml↵  
:3951 Main·validation·file: ·  
:3951 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:3951 /FFAE7130EE49C57E5E7BD3018700BD59.xml↵  
:3952 Scenario·name: ·gg-sch↵  
:3953 Schema: ·  
:3953 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:3953 ent..sch↵  
:3954 Engine·name: ·ISO·Schematron↵  
:3955 Severity: ·error↵  
:3956 Description: ·A·paragraph·must·have·an·ancestor·  
:3956 subSection·or·subSubSection.↵  
:3957 Start·location: ·118:78↵  
:3958 ↵  
:3959 System·ID: ·  
:3959 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:3959 /FFAE7130EE49C57E5E7BD3018700BD59.xml↵

```
:3960 Main-validation-file: .
:3960 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
:3960 /FFAE7130EE49C57E5E7BD3018700BD59.xml↵
:3961 Scenario-name: .gg-sch↵
:3962 Schema: .
:3962 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
:3962 ent..sch↵
:3963 Engine-name: .ISO-Schematron↵
:3964 Severity: .error↵
:3965 Description: .A .paragraph .must .have .an .ancestor .
:3965 subSection .or .subSubSection.↵
:3966 Start-location: .125:102↵
:3967 ↵
:3968 System-ID: .
:3968 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
:3968 /FFAE7130EE49C57E5E7BD3018700BD59.xml↵
:3969 Main-validation-file: .
:3969 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
:3969 /FFAE7130EE49C57E5E7BD3018700BD59.xml↵
:3970 Scenario-name: .gg-sch↵
:3971 Schema: .
:3971 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
:3971 ent..sch↵
:3972 Engine-name: .ISO-Schematron↵
:3973 Severity: .error↵
:3974 Description: .A .paragraph .must .have .an .ancestor .
:3974 subSection .or .subSubSection.↵
:3975 Start-location: .130:78↵
:3976 ↵
:3977 System-ID: .
:3977 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
:3977 /FFAE7130EE49C57E5E7BD3018700BD59.xml↵
:3978 Main-validation-file: .
:3978 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
:3978 /FFAE7130EE49C57E5E7BD3018700BD59.xml↵
```

```
:3979 Scenario·name: ·gg-sch↵
:3980 Schema: ·
:3980 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
:3980 ent..sch↵
:3981 Engine·name: ·ISO ·Schematron↵
:3982 Severity: ·error↵
:3983 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
:3983 subSection ·or ·subSubSection.↵
:3984 Start ·location: ·131:78↵
:3985 ↵
:3986 System ·ID: ·
:3986 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
:3986 /FFAE7130EE49C57E5E7BD3018700BD59.xml↵
:3987 Main ·validation ·file: ·
:3987 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
:3987 /FFAE7130EE49C57E5E7BD3018700BD59.xml↵
:3988 Scenario·name: ·gg-sch↵
:3989 Schema: ·
:3989 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
:3989 ent..sch↵
:3990 Engine·name: ·ISO ·Schematron↵
:3991 Severity: ·error↵
:3992 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
:3992 subSection ·or ·subSubSection.↵
:3993 Start ·location: ·144:78↵
:3994 ↵
:3995 System ·ID: ·
:3995 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
:3995 /FFAE7130EE49C57E5E7BD3018700BD59.xml↵
:3996 Main ·validation ·file: ·
:3996 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
:3996 /FFAE7130EE49C57E5E7BD3018700BD59.xml↵
:3997 Scenario·name: ·gg-sch↵
:3998 Schema: ·
:3998 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
```

'3998 ent..sch↵  
'3999 Engine.name: ·ISO ·Schematron↵  
'4000 Severity: ·error↵  
'4001 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
'4001 subSection ·or ·subSubSection.↵  
'4002 Start ·location: ·149:78↵  
'4003 ↵  
'4004 System ·ID: ·  
'4004 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
'4004 /FFAE7130EE49C57E5E7BD3018700BD59.xml↵  
'4005 Main ·validation ·file: ·  
'4005 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
'4005 /FFAE7130EE49C57E5E7BD3018700BD59.xml↵  
'4006 Scenario ·name: ·gg-sch↵  
'4007 Schema: ·  
'4007 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
'4007 ent..sch↵  
'4008 Engine.name: ·ISO ·Schematron↵  
'4009 Severity: ·error↵  
'4010 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
'4010 subSection ·or ·subSubSection.↵  
'4011 Start ·location: ·150:78↵  
'4012 ↵  
'4013 System ·ID: ·  
'4013 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
'4013 /FFAE7130EE49C57E5E7BD3018700BD59.xml↵  
'4014 Main ·validation ·file: ·  
'4014 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
'4014 /FFAE7130EE49C57E5E7BD3018700BD59.xml↵  
'4015 Scenario ·name: ·gg-sch↵  
'4016 Schema: ·  
'4016 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
'4016 ent..sch↵  
'4017 Engine.name: ·ISO ·Schematron↵  
'4018 Severity: ·error↵

'4019 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
'4019 subSection ·or ·subSubSection. ↵  
'4020 Start ·location: ·161:114 ↵  
'4021 ↵  
'4022 System ·ID: ·  
'4022 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
'4022 /FFAE7130EE49C57E5E7BD3018700BD59.xml ↵  
'4023 Main ·validation ·file: ·  
'4023 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
'4023 /FFAE7130EE49C57E5E7BD3018700BD59.xml ↵  
'4024 Scenario ·name: ·gg-sch ↵  
'4025 Schema: ·  
'4025 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
'4025 ent..sch ↵  
'4026 Engine ·name: ·ISO ·Schematron ↵  
'4027 Severity: ·error ↵  
'4028 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
'4028 subSection ·or ·subSubSection. ↵  
'4029 Start ·location: ·170:78 ↵  
'4030 ↵  
'4031 System ·ID: ·  
'4031 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
'4031 /FFAE7130EE49C57E5E7BD3018700BD59.xml ↵  
'4032 Main ·validation ·file: ·  
'4032 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
'4032 /FFAE7130EE49C57E5E7BD3018700BD59.xml ↵  
'4033 Scenario ·name: ·gg-sch ↵  
'4034 Schema: ·  
'4034 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
'4034 ent..sch ↵  
'4035 Engine ·name: ·ISO ·Schematron ↵  
'4036 Severity: ·error ↵  
'4037 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
'4037 subSection ·or ·subSubSection. ↵  
'4038 Start ·location: ·171:102 ↵

'4039   ↳  
'4040   System·ID: ·  
'4040   /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
'4040   /FFAE7130EE49C57E5E7BD3018700BD59.xml↳  
'4041   Main·validation·file: ·  
'4041   /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
'4041   /FFAE7130EE49C57E5E7BD3018700BD59.xml↳  
'4042   Scenario·name: ·gg-sch↳  
'4043   Schema: ·  
'4043   /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch↳  
'4044   Engine·name: ·ISO·Schematron↳  
'4045   Severity: ·error↳  
'4046   Description: ·A·paragraph·must·have·an·ancestor·  
'4046   subSection·or·subSubSection.↳  
'4047   Start·location: ·176:78↳  
'4048   ↳  
'4049   System·ID: ·  
'4049   /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
'4049   /FFAE7130EE49C57E5E7BD3018700BD59.xml↳  
'4050   Main·validation·file: ·  
'4050   /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
'4050   /FFAE7130EE49C57E5E7BD3018700BD59.xml↳  
'4051   Scenario·name: ·gg-sch↳  
'4052   Schema: ·  
'4052   /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch↳  
'4053   Engine·name: ·ISO·Schematron↳  
'4054   Severity: ·error↳  
'4055   Description: ·A·paragraph·must·have·an·ancestor·  
'4055   subSection·or·subSubSection.↳  
'4056   Start·location: ·194:78↳  
'4057   ↳  
'4058   System·ID: ·  
'4058   /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax

:4058 /FFAE7130EE49C57E5E7BD3018700BD59.xml ↵  
:4059 Main-validation-file: .  
:4059 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:4059 /FFAE7130EE49C57E5E7BD3018700BD59.xml ↵  
:4060 Scenario-name: .gg-sch ↵  
:4061 Schema: .  
:4061 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:4061 ent..sch ↵  
:4062 Engine-name: .ISO-Schematron ↵  
:4063 Severity: .error ↵  
:4064 Description: .A.paragraph.must.have.an.ancestor.  
:4064 subSection.or.subSubSection. ↵  
:4065 Start-location: .214:78 ↵  
:4066 ↵  
:4067 System-ID: .  
:4067 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:4067 /FFAE7130EE49C57E5E7BD3018700BD59.xml ↵  
:4068 Main-validation-file: .  
:4068 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:4068 /FFAE7130EE49C57E5E7BD3018700BD59.xml ↵  
:4069 Scenario-name: .gg-sch ↵  
:4070 Schema: .  
:4070 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:4070 ent..sch ↵  
:4071 Engine-name: .ISO-Schematron ↵  
:4072 Severity: .error ↵  
:4073 Description: .A.paragraph.must.have.an.ancestor.  
:4073 subSection.or.subSubSection. ↵  
:4074 Start-location: .236:78 ↵  
:4075 ↵  
:4076 System-ID: .  
:4076 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:4076 /FFAE7130EE49C57E5E7BD3018700BD59.xml ↵  
:4077 Main-validation-file: .  
:4077 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax

'4077 /FFAE7130EE49C57E5E7BD3018700BD59.xml ↵  
'4078 Scenario.name: .gg-sch ↵  
'4079 Schema: .  
'4079 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
'4080 Engine.name: .ISO.Schematron ↵  
'4081 Severity: .error ↵  
'4082 Description: .A.paragraph.must.have.an.ancestor.  
subSection.or.subSubSection. ↵  
'4083 Start.location: .256:78 ↵  
'4084 ↵  
'4085 System.ID: .  
'4085 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
/FFAE7130EE49C57E5E7BD3018700BD59.xml ↵  
'4086 Main.validation.file: .  
'4086 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
/FFAE7130EE49C57E5E7BD3018700BD59.xml ↵  
'4087 Scenario.name: .gg-sch ↵  
'4088 Schema: .  
'4088 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
'4089 Engine.name: .ISO.Schematron ↵  
'4090 Severity: .error ↵  
'4091 Description: .A.paragraph.must.have.an.ancestor.  
subSection.or.subSubSection. ↵  
'4092 Start.location: .272:78 ↵  
'4093 ↵  
'4094 System.ID: .  
'4094 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
/FFAE7130EE49C57E5E7BD3018700BD59.xml ↵  
'4095 Main.validation.file: .  
'4095 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
/FFAE7130EE49C57E5E7BD3018700BD59.xml ↵  
'4096 Scenario.name: .gg-sch ↵  
'4097 Schema: .

'4097 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatment..sch↵  
'4098 Engine.name: ·ISO ·Schematron↵  
'4099 Severity: ·error↵  
'4100 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
'4100 subSection ·or ·subSubSection.↵  
'4101 Start.location: ·294:78↵  
'4102 ↵  
'4103 System.ID: ·  
'4103 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
'4103 /FFAE7130EE49C57E5E7BD3018700BD59.xml↵  
'4104 Main.validation.file: ·  
'4104 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
'4104 /FFAE7130EE49C57E5E7BD3018700BD59.xml↵  
'4105 Scenario.name: ·gg-sch↵  
'4106 Schema: ·  
'4106 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatment  
'4106 ent..sch↵  
'4107 Engine.name: ·ISO ·Schematron↵  
'4108 Severity: ·error↵  
'4109 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
'4109 subSection ·or ·subSubSection.↵  
'4110 Start.location: ·310:78↵  
'4111 ↵  
'4112 System.ID: ·  
'4112 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
'4112 /FFAE7130EE49C57E5E7BD3018700BD59.xml↵  
'4113 Main.validation.file: ·  
'4113 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
'4113 /FFAE7130EE49C57E5E7BD3018700BD59.xml↵  
'4114 Scenario.name: ·gg-sch↵  
'4115 Schema: ·  
'4115 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatment  
'4115 ent..sch↵  
'4116 Engine.name: ·ISO ·Schematron↵

'4117 Severity: ·error↵  
'4118 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
'4118 subSection ·or ·subSubSection.↵  
'4119 Start ·location: ·332:78↵  
'4120 ↵  
'4121 System ·ID: ·  
/Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
/FFAE7130EE49C57E5E7BD3018700BD59.xml↵  
'4122 Main ·validation ·file: ·  
/Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
/FFAE7130EE49C57E5E7BD3018700BD59.xml↵  
'4123 Scenario ·name: ·gg-sch↵  
'4124 Schema: ·  
/Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch↵  
'4125 Engine ·name: ·ISO ·Schematron↵  
'4126 Severity: ·error↵  
'4127 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
'4127 subSection ·or ·subSubSection.↵  
'4128 Start ·location: ·348:78↵  
'4129 ↵  
'4130 System ·ID: ·  
/Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
/FFAE7130EE49C57E5E7BD3018700BD59.xml↵  
'4131 Main ·validation ·file: ·  
/Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
/FFAE7130EE49C57E5E7BD3018700BD59.xml↵  
'4132 Scenario ·name: ·gg-sch↵  
'4133 Schema: ·  
/Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch↵  
'4134 Engine ·name: ·ISO ·Schematron↵  
'4135 Severity: ·error↵  
'4136 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
'4136 subSection ·or ·subSubSection.↵

'4137 Start ·location: -366:78 ↵  
'4138 ↵  
'4139 System ·ID: ·  
'4139 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
/FFAE7130EE49C57E5E7BD3018700BD59.xml ↵  
'4140 Main ·validation ·file: ·  
'4140 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
/FFAE7130EE49C57E5E7BD3018700BD59.xml ↵  
'4141 Scenario ·name: ·gg-sch ↵  
'4142 Schema: ·  
'4142 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
'4143 Engine ·name: ·ISO ·Schematron ↵  
'4144 Severity: ·error ↵  
'4145 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
subSection ·or ·subSubSection. ↵  
'4146 Start ·location: -384:78 ↵  
'4147 ↵  
'4148 System ·ID: ·  
'4148 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
/FFAE7130EE49C57E5E7BD3018700BD59.xml ↵  
'4149 Main ·validation ·file: ·  
'4149 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
/FFAE7130EE49C57E5E7BD3018700BD59.xml ↵  
'4150 Scenario ·name: ·gg-sch ↵  
'4151 Schema: ·  
'4151 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
'4152 Engine ·name: ·ISO ·Schematron ↵  
'4153 Severity: ·error ↵  
'4154 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
subSection ·or ·subSubSection. ↵  
'4155 Start ·location: -404:78 ↵  
'4156 ↵  
'4157 System ·ID: ·

```
'4157 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
'4157 /FFB2FFB7FFC915103538FFB8FF831A57.xml↵
'4158 Main-validation-file: ·
'4158 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
'4158 /FFB2FFB7FFC915103538FFB8FF831A57.xml↵
'4159 Scenario-name: ·gg-sch↵
'4160 Schema: ·
'4160 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
'4160 ent..sch↵
'4161 Engine-name: ·ISO ·Schematron↵
'4162 Severity: ·error↵
'4163 Description: ·A ·paragraph ·must ·not ·have ·a ·descendant ·
'4163 subSection.↵
'4164 Start-location: ·292:29↵
'4165 ↵
'4166 System-ID: ·
'4166 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
'4166 /FFB2FFB7FFC915103538FFB8FF831A57.xml↵
'4167 Main-validation-file: ·
'4167 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
'4167 /FFB2FFB7FFC915103538FFB8FF831A57.xml↵
'4168 Scenario-name: ·gg-sch↵
'4169 Schema: ·
'4169 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
'4169 ent..sch↵
'4170 Engine-name: ·ISO ·Schematron↵
'4171 Severity: ·error↵
'4172 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
'4172 subSection ·or ·subSubSection.↵
'4173 Start-location: ·292:29↵
'4174 ↵
'4175 System-ID: ·
'4175 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
'4175 /FFB2FFB7FFC915103538FFB8FF831A57.xml↵
'4176 Main-validation-file: ·
```

```
'4176 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
'4176 /FFB2FFB7FFC915103538FFB8FF831A57.xml↵
'4177 Scenario·name: ·gg-sch↵
'4178 Schema: ·
'4178 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
'4178 ent..sch↵
'4179 Engine·name: ·ISO ·Schematron↵
'4180 Severity: ·error↵
'4181 Description: ·A ·paragraph ·must ·not ·have ·a ·descendant ·
'4181 subSection.↵
'4182 Start·location: ·316:64↵
'4183 ↵
'4184 System·ID: ·
'4184 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
'4184 /FFB2FFB7FFC915103538FFB8FF831A57.xml↵
'4185 Main·validation·file: ·
'4185 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
'4185 /FFB2FFB7FFC915103538FFB8FF831A57.xml↵
'4186 Scenario·name: ·gg-sch↵
'4187 Schema: ·
'4187 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
'4187 ent..sch↵
'4188 Engine·name: ·ISO ·Schematron↵
'4189 Severity: ·error↵
'4190 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
'4190 subSection ·or ·subSubSection.↵
'4191 Start·location: ·316:64↵
'4192 ↵
'4193 System·ID: ·
'4193 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
'4193 /FFB2FFB7FFC915103538FFB8FF831A57.xml↵
'4194 Main·validation·file: ·
'4194 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
'4194 /FFB2FFB7FFC915103538FFB8FF831A57.xml↵
'4195 Scenario·name: ·gg-sch↵
```

'4196 Schema: .  
'4196 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
'4196 ent..sch↵  
'4197 Engine.name: .ISO .Schematron↵  
'4198 Severity: .error↵  
'4199 Description: .A .paragraph .must .have .an .ancestor .  
'4199 subSection .or .subSubSection.↵  
'4200 Start.location: .6558:61↵  
'4201 ↵  
'4202 System.ID: .  
'4202 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
'4202 /FFB2FFB7FFC915103538FFB8FF831A57.xml↵  
'4203 Main.validation.file: .  
'4203 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
'4203 /FFB2FFB7FFC915103538FFB8FF831A57.xml↵  
'4204 Scenario.name: .gg-sch↵  
'4205 Schema: .  
'4205 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
'4205 ent..sch↵  
'4206 Engine.name: .ISO .Schematron↵  
'4207 Severity: .error↵  
'4208 Description: .A .paragraph .must .have .an .ancestor .  
'4208 subSection .or .subSubSection.↵  
'4209 Start.location: .6566:25↵  
'4210 ↵  
'4211 System.ID: .  
'4211 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
'4211 /FFB2FFB7FFC915103538FFB8FF831A57.xml↵  
'4212 Main.validation.file: .  
'4212 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
'4212 /FFB2FFB7FFC915103538FFB8FF831A57.xml↵  
'4213 Scenario.name: .gg-sch↵  
'4214 Schema: .  
'4214 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
'4214 ent..sch↵

'4215 Engine·name: ·ISO ·Schematron↵  
'4216 Severity: ·error↵  
'4217 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
subSection ·or ·subSubSection.↵  
'4218 Start ·location: ·6606:25↵  
'4219 ↵  
'4220 System ·ID: ·  
/Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
/FFB2FFB7FFC915103538FFB8FF831A57.xml↵  
'4221 Main ·validation ·file: ·  
/Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
/FFB2FFB7FFC915103538FFB8FF831A57.xml↵  
'4222 Scenario ·name: ·gg-sch↵  
'4223 Schema: ·  
/Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch↵  
'4224 Engine·name: ·ISO ·Schematron↵  
'4225 Severity: ·error↵  
'4226 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
subSection ·or ·subSubSection.↵  
'4227 Start ·location: ·6639:25↵  
'4228 ↵  
'4229 System ·ID: ·  
/Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
/FFB2FFB7FFC915103538FFB8FF831A57.xml↵  
'4230 Main ·validation ·file: ·  
/Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
/FFB2FFB7FFC915103538FFB8FF831A57.xml↵  
'4231 Scenario ·name: ·gg-sch↵  
'4232 Schema: ·  
/Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch↵  
'4233 Engine·name: ·ISO ·Schematron↵  
'4234 Severity: ·error↵  
'4235 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·

'4235 subSection ·or ·subSubSection. ↵  
'4236 Start ·location: ·6684:25 ↵  
'4237 ↵  
'4238 System ·ID: ·  
'4238 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
'4238 /FFB2FFB7FFC915103538FFB8FF831A57.xml ↵  
'4239 Main ·validation ·file: ·  
'4239 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
'4239 /FFB2FFB7FFC915103538FFB8FF831A57.xml ↵  
'4240 Scenario ·name: ·gg-sch ↵  
'4241 Schema: ·  
'4241 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
'4241 ent..sch ↵  
'4242 Engine ·name: ·ISO ·Schematron ↵  
'4243 Severity: ·error ↵  
'4244 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
'4244 subSection ·or ·subSubSection. ↵  
'4245 Start ·location: ·6719:25 ↵  
'4246 ↵  
'4247 System ·ID: ·  
'4247 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
'4247 /FFB2FFB7FFC915103538FFB8FF831A57.xml ↵  
'4248 Main ·validation ·file: ·  
'4248 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
'4248 /FFB2FFB7FFC915103538FFB8FF831A57.xml ↵  
'4249 Scenario ·name: ·gg-sch ↵  
'4250 Schema: ·  
'4250 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
'4250 ent..sch ↵  
'4251 Engine ·name: ·ISO ·Schematron ↵  
'4252 Severity: ·error ↵  
'4253 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
'4253 subSection ·or ·subSubSection. ↵  
'4254 Start ·location: ·6752:25 ↵  
'4255 ↵

'4256 System·ID: ·  
'4256 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
'4256 /FFB2FFB7FFC915103538FFB8FF831A57.xml↵  
'4257 Main·validation·file: ·  
'4257 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
'4257 /FFB2FFB7FFC915103538FFB8FF831A57.xml↵  
'4258 Scenario·name: ·gg-sch↵  
'4259 Schema: ·  
'4259 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
'4259 ent..sch↵  
'4260 Engine·name: ·ISO·Schematron↵  
'4261 Severity: ·error↵  
'4262 Description: ·A·paragraph·must·have·an·ancestor·  
'4262 subSection·or·subSubSection.↵  
'4263 Start·location: ·6774:25↵  
'4264 ↵  
'4265 System·ID: ·  
'4265 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
'4265 /FFB2FFB7FFC915103538FFB8FF831A57.xml↵  
'4266 Main·validation·file: ·  
'4266 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
'4266 /FFB2FFB7FFC915103538FFB8FF831A57.xml↵  
'4267 Scenario·name: ·gg-sch↵  
'4268 Schema: ·  
'4268 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
'4268 ent..sch↵  
'4269 Engine·name: ·ISO·Schematron↵  
'4270 Severity: ·error↵  
'4271 Description: ·A·paragraph·must·have·an·ancestor·  
'4271 subSection·or·subSubSection.↵  
'4272 Start·location: ·6798:25↵  
'4273 ↵  
'4274 System·ID: ·  
'4274 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
'4274 /FFB2FFB7FFC915103538FFB8FF831A57.xml↵

'4275 Main-validation-file: ·  
'4275 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
'4275 /FFB2FFB7FFC915103538FFB8FF831A57.xml ↵  
'4276 Scenario-name: ·gg-sch ↵  
'4277 Schema: ·  
'4277 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
'4278 Engine-name: ·ISO-Schematron ↵  
'4279 Severity: ·error ↵  
'4280 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
subSection ·or ·subSubSection. ↵  
'4281 Start-location: ·6823:49 ↵  
'4282 ↵  
'4283 System-ID: ·  
'4283 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
'4283 /FFB2FFB7FFC915103538FFB8FF831A57.xml ↵  
'4284 Main-validation-file: ·  
'4284 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
'4284 /FFB2FFB7FFC915103538FFB8FF831A57.xml ↵  
'4285 Scenario-name: ·gg-sch ↵  
'4286 Schema: ·  
'4286 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
'4287 Engine-name: ·ISO-Schematron ↵  
'4288 Severity: ·error ↵  
'4289 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
subSection ·or ·subSubSection. ↵  
'4290 Start-location: ·6863:25 ↵  
'4291 ↵  
'4292 System-ID: ·  
'4292 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
'4292 /FFB2FFB7FFC915103538FFB8FF831A57.xml ↵  
'4293 Main-validation-file: ·  
'4293 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
'4293 /FFB2FFB7FFC915103538FFB8FF831A57.xml ↵

'4294 Scenario ·name: ·gg-sch↵  
'4295 Schema: ·  
'4295 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch↵  
'4296 Engine ·name: ·ISO ·Schematron↵  
'4297 Severity: ·error↵  
'4298 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
'4298 subSection ·or ·subSubSection.↵  
'4299 Start ·location: ·6894:25↵  
'4300 ↵  
'4301 System ·ID: ·  
'4301 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
/FFB2FFB7FFC915103538FFB8FF831A57.xml↵  
'4302 Main ·validation ·file: ·  
'4302 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
/FFB2FFB7FFC915103538FFB8FF831A57.xml↵  
'4303 Scenario ·name: ·gg-sch↵  
'4304 Schema: ·  
'4304 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch↵  
'4305 Engine ·name: ·ISO ·Schematron↵  
'4306 Severity: ·error↵  
'4307 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
'4307 subSection ·or ·subSubSection.↵  
'4308 Start ·location: ·6924:25↵  
'4309 ↵  
'4310 System ·ID: ·  
'4310 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
/FFB2FFB7FFC915103538FFB8FF831A57.xml↵  
'4311 Main ·validation ·file: ·  
'4311 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
/FFB2FFB7FFC915103538FFB8FF831A57.xml↵  
'4312 Scenario ·name: ·gg-sch↵  
'4313 Schema: ·  
'4313 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm

'4313 ent..sch↵  
'4314 Engine.name: ·ISO ·Schematron↵  
'4315 Severity: ·error↵  
'4316 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
'4316 subSection ·or ·subSubSection.↵  
'4317 Start ·location: ·6974:25↵  
'4318 ↵  
'4319 System ·ID: ·  
'4319 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
'4319 /FFB2FFB7FFC915103538FFB8FF831A57.xml↵  
'4320 Main ·validation ·file: ·  
'4320 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
'4320 /FFB2FFB7FFC915103538FFB8FF831A57.xml↵  
'4321 Scenario ·name: ·gg-sch↵  
'4322 Schema: ·  
'4322 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
'4322 ent..sch↵  
'4323 Engine.name: ·ISO ·Schematron↵  
'4324 Severity: ·error↵  
'4325 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
'4325 subSection ·or ·subSubSection.↵  
'4326 Start ·location: ·7002:49↵  
'4327 ↵  
'4328 System ·ID: ·  
'4328 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
'4328 /FFB2FFB7FFC915103538FFB8FF831A57.xml↵  
'4329 Main ·validation ·file: ·  
'4329 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
'4329 /FFB2FFB7FFC915103538FFB8FF831A57.xml↵  
'4330 Scenario ·name: ·gg-sch↵  
'4331 Schema: ·  
'4331 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
'4331 ent..sch↵  
'4332 Engine.name: ·ISO ·Schematron↵  
'4333 Severity: ·error↵

'4334 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
'4334 subSection ·or ·subSubSection. ↵  
'4335 Start ·location: ·7045:25 ↵  
'4336 ↵  
'4337 System ·ID: ·  
'4337 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
'4337 /FFB2FFB7FFC915103538FFB8FF831A57.xml ↵  
'4338 Main ·validation ·file: ·  
'4338 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
'4338 /FFB2FFB7FFC915103538FFB8FF831A57.xml ↵  
'4339 Scenario ·name: ·gg-sch ↵  
'4340 Schema: ·  
'4340 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
'4340 ent..sch ↵  
'4341 Engine ·name: ·ISO ·Schematron ↵  
'4342 Severity: ·error ↵  
'4343 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
'4343 subSection ·or ·subSubSection. ↵  
'4344 Start ·location: ·7069:25 ↵  
'4345 ↵  
'4346 System ·ID: ·  
'4346 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
'4346 /FFB2FFB7FFC915103538FFB8FF831A57.xml ↵  
'4347 Main ·validation ·file: ·  
'4347 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
'4347 /FFB2FFB7FFC915103538FFB8FF831A57.xml ↵  
'4348 Scenario ·name: ·gg-sch ↵  
'4349 Schema: ·  
'4349 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
'4349 ent..sch ↵  
'4350 Engine ·name: ·ISO ·Schematron ↵  
'4351 Severity: ·error ↵  
'4352 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
'4352 subSection ·or ·subSubSection. ↵  
'4353 Start ·location: ·7103:25 ↵

:4354 ↵  
:4355 System·ID: ·  
:4355 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:4355 /FFB2FFB7FFC915103538FFB8FF831A57.xml↵  
:4356 Main·validation·file: ·  
:4356 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:4356 /FFB2FFB7FFC915103538FFB8FF831A57.xml↵  
:4357 Scenario·name: ·gg-sch↵  
:4358 Schema: ·  
:4358 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch↵  
:4359 Engine·name: ·ISO·Schematron↵  
:4360 Severity: ·error↵  
:4361 Description: ·A·paragraph·must·have·an·ancestor·  
:4361 subSection·or·subSubSection.↵  
:4362 Start·location: ·7147:25↵  
:4363 ↵  
:4364 System·ID: ·  
:4364 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:4364 /FFB2FFB7FFC915103538FFB8FF831A57.xml↵  
:4365 Main·validation·file: ·  
:4365 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:4365 /FFB2FFB7FFC915103538FFB8FF831A57.xml↵  
:4366 Scenario·name: ·gg-sch↵  
:4367 Schema: ·  
:4367 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch↵  
:4368 Engine·name: ·ISO·Schematron↵  
:4369 Severity: ·error↵  
:4370 Description: ·A·paragraph·must·have·an·ancestor·  
:4370 subSection·or·subSubSection.↵  
:4371 Start·location: ·7173:25↵  
:4372 ↵  
:4373 System·ID: ·  
:4373 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax

'4373 /FFB2FFB7FFC915103538FFB8FF831A57.xml ↵  
'4374 Main-validation-file: ·  
· /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
'4374 /FFB2FFB7FFC915103538FFB8FF831A57.xml ↵  
'4375 Scenario-name: ·gg-sch ↵  
'4376 Schema: ·  
· /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
'4376 ent..sch ↵  
'4377 Engine-name: ·ISO-Schematron ↵  
'4378 Severity: ·error ↵  
'4379 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
'4379 subSection ·or ·subSubSection. ↵  
'4380 Start-location: ·7208:25 ↵  
'4381 ↵  
'4382 System-ID: ·  
· /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
'4382 /FFB2FFB7FFC915103538FFB8FF831A57.xml ↵  
'4383 Main-validation-file: ·  
· /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
'4383 /FFB2FFB7FFC915103538FFB8FF831A57.xml ↵  
'4384 Scenario-name: ·gg-sch ↵  
'4385 Schema: ·  
· /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
'4385 ent..sch ↵  
'4386 Engine-name: ·ISO-Schematron ↵  
'4387 Severity: ·error ↵  
'4388 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
'4388 subSection ·or ·subSubSection. ↵  
'4389 Start-location: ·7231:25 ↵  
'4390 ↵  
'4391 System-ID: ·  
· /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
'4391 /FFB2FFB7FFC915103538FFB8FF831A57.xml ↵  
'4392 Main-validation-file: ·  
· /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax

:4392 /FFB2FFB7FFC915103538FFB8FF831A57.xml ↵  
:4393 Scenario·name: ·gg-sch↵  
:4394 Schema: ·  
:4394 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch↵  
:4395 Engine·name: ·ISO ·Schematron↵  
:4396 Severity: ·error↵  
:4397 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
subSection ·or ·subSubSection.↵  
:4398 Start ·location: ·7269:25↵  
:4399 ↵  
:4400 System ·ID: ·  
:4400 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:4400 /FFB2FFB7FFC915103538FFB8FF831A57.xml ↵  
:4401 Main ·validation ·file: ·  
:4401 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:4401 /FFB2FFB7FFC915103538FFB8FF831A57.xml ↵  
:4402 Scenario·name: ·gg-sch↵  
:4403 Schema: ·  
:4403 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch↵  
:4404 Engine·name: ·ISO ·Schematron↵  
:4405 Severity: ·error↵  
:4406 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
subSection ·or ·subSubSection.↵  
:4407 Start ·location: ·7306:25↵  
:4408 ↵  
:4409 System ·ID: ·  
:4409 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:4409 /FFB2FFB7FFC915103538FFB8FF831A57.xml ↵  
:4410 Main ·validation ·file: ·  
:4410 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:4410 /FFB2FFB7FFC915103538FFB8FF831A57.xml ↵  
:4411 Scenario·name: ·gg-sch↵  
:4412 Schema: ·

'4412 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
'4412 ent..sch↵  
'4413 Engine.name: ·ISO ·Schematron↵  
'4414 Severity: ·error↵  
'4415 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
'4415 subSection ·or ·subSubSection.↵  
'4416 Start ·location: ·7345:25↵  
'4417 ↵  
'4418 System ·ID: ·  
'4418 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
'4418 /FFB2FFB7FFC915103538FFB8FF831A57.xml↵  
'4419 Main ·validation ·file: ·  
'4419 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
'4419 /FFB2FFB7FFC915103538FFB8FF831A57.xml↵  
'4420 Scenario ·name: ·gg-sch↵  
'4421 Schema: ·  
'4421 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
'4421 ent..sch↵  
'4422 Engine.name: ·ISO ·Schematron↵  
'4423 Severity: ·error↵  
'4424 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
'4424 subSection ·or ·subSubSection.↵  
'4425 Start ·location: ·7384:25↵  
'4426 ↵  
'4427 System ·ID: ·  
'4427 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
'4427 /FFB2FFB7FFC915103538FFB8FF831A57.xml↵  
'4428 Main ·validation ·file: ·  
'4428 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
'4428 /FFB2FFB7FFC915103538FFB8FF831A57.xml↵  
'4429 Scenario ·name: ·gg-sch↵  
'4430 Schema: ·  
'4430 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
'4430 ent..sch↵  
'4431 Engine.name: ·ISO ·Schematron↵

'4432 Severity: ·error↵  
'4433 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
'4433 subSection ·or ·subSubSection.↵  
'4434 Start ·location: ·7427:25↵  
'4435 ↵  
'4436 System ·ID: ·  
'4436 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
'4436 /FFB2FFB7FFC915103538FFB8FF831A57.xml↵  
'4437 Main ·validation ·file: ·  
'4437 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
'4437 /FFB2FFB7FFC915103538FFB8FF831A57.xml↵  
'4438 Scenario ·name: ·gg-sch↵  
'4439 Schema: ·  
'4439 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch↵  
'4440 Engine ·name: ·ISO ·Schematron↵  
'4441 Severity: ·error↵  
'4442 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
'4442 subSection ·or ·subSubSection.↵  
'4443 Start ·location: ·7459:25↵  
'4444 ↵  
'4445 System ·ID: ·  
'4445 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
'4445 /FFB2FFB7FFC915103538FFB8FF831A57.xml↵  
'4446 Main ·validation ·file: ·  
'4446 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
'4446 /FFB2FFB7FFC915103538FFB8FF831A57.xml↵  
'4447 Scenario ·name: ·gg-sch↵  
'4448 Schema: ·  
'4448 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch↵  
'4449 Engine ·name: ·ISO ·Schematron↵  
'4450 Severity: ·error↵  
'4451 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
'4451 subSection ·or ·subSubSection.↵

'4452 Start ·location: ·7495:74 ↵  
'4453 ↵  
'4454 System ·ID: ·  
'4454 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
'4454 /FFB2FFB7FFC915103538FFB8FF831A57.xml ↵  
'4455 Main ·validation ·file: ·  
'4455 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
'4455 /FFB2FFB7FFC915103538FFB8FF831A57.xml ↵  
'4456 Scenario ·name: ·gg-sch ↵  
'4457 Schema: ·  
'4457 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
'4457 ent..sch ↵  
'4458 Engine ·name: ·ISO ·Schematron ↵  
'4459 Severity: ·error ↵  
'4460 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
'4460 subSection ·or ·subSubSection. ↵  
'4461 Start ·location: ·7535:90 ↵  
'4462 ↵  
'4463 System ·ID: ·  
'4463 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
'4463 /FFB2FFB7FFC915103538FFB8FF831A57.xml ↵  
'4464 Main ·validation ·file: ·  
'4464 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
'4464 /FFB2FFB7FFC915103538FFB8FF831A57.xml ↵  
'4465 Scenario ·name: ·gg-sch ↵  
'4466 Schema: ·  
'4466 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
'4466 ent..sch ↵  
'4467 Engine ·name: ·ISO ·Schematron ↵  
'4468 Severity: ·error ↵  
'4469 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
'4469 subSection ·or ·subSubSection. ↵  
'4470 Start ·location: ·7591:25 ↵  
'4471 ↵  
'4472 System ·ID: ·

'4472 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
'4472 /FFB2FFB7FFC915103538FFB8FF831A57.xml ↵  
'4473 Main-validation-file: ·  
'4473 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
'4473 /FFB2FFB7FFC915103538FFB8FF831A57.xml ↵  
'4474 Scenario-name: ·gg-sch ↵  
'4475 Schema: ·  
'4475 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
'4476 Engine-name: ·ISO-Schematron ↵  
'4477 Severity: ·error ↵  
'4478 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
subSection ·or ·subSubSection. ↵  
'4479 Start-location: ·7621:49 ↵  
'4480 ↵  
'4481 System-ID: ·  
'4481 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
'4481 /FFB2FFB7FFC915103538FFB8FF831A57.xml ↵  
'4482 Main-validation-file: ·  
'4482 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
'4482 /FFB2FFB7FFC915103538FFB8FF831A57.xml ↵  
'4483 Scenario-name: ·gg-sch ↵  
'4484 Schema: ·  
'4484 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
'4485 Engine-name: ·ISO-Schematron ↵  
'4486 Severity: ·error ↵  
'4487 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
subSection ·or ·subSubSection. ↵  
'4488 Start-location: ·7666:25 ↵  
'4489 ↵  
'4490 System-ID: ·  
'4490 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
'4490 /FFB2FFB7FFC915103538FFB8FF831A57.xml ↵  
'4491 Main-validation-file: ·

'4491 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
'4491 /FFB2FFB7FFC915103538FFB8FF831A57.xml ↵  
'4492 Scenario.name: .gg-sch ↵  
'4493 Schema: .  
'4493 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
'4494 Engine.name: .ISO .Schematron ↵  
'4495 Severity: .error ↵  
'4496 Description: .A .paragraph .must .have .an .ancestor .  
'4496 subSection .or .subSubSection. ↵  
'4497 Start.location: .7694:25 ↵  
'4498 ↵  
'4499 System.ID: .  
'4499 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
'4499 /FFB2FFB7FFC915103538FFB8FF831A57.xml ↵  
'4500 Main.validation.file: .  
'4500 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
'4500 /FFB2FFB7FFC915103538FFB8FF831A57.xml ↵  
'4501 Scenario.name: .gg-sch ↵  
'4502 Schema: .  
'4502 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
'4503 Engine.name: .ISO .Schematron ↵  
'4504 Severity: .error ↵  
'4505 Description: .A .paragraph .must .have .an .ancestor .  
'4505 subSection .or .subSubSection. ↵  
'4506 Start.location: .7735:25 ↵  
'4507 ↵  
'4508 System.ID: .  
'4508 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
'4508 /FFB2FFB7FFC915103538FFB8FF831A57.xml ↵  
'4509 Main.validation.file: .  
'4509 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
'4509 /FFB2FFB7FFC915103538FFB8FF831A57.xml ↵  
'4510 Scenario.name: .gg-sch ↵

:4511 Schema: .  
:4511 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:4511 ent..sch↵  
:4512 Engine.name: .ISO .Schematron↵  
:4513 Severity: .error↵  
:4514 Description: .A .paragraph .must .have .an .ancestor .  
:4514 subSection .or .subSubSection.↵  
:4515 Start.location: .7769:25↵  
:4516 ↵  
:4517 System.ID: .  
:4517 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:4517 /FFB2FFB7FFC915103538FFB8FF831A57.xml↵  
:4518 Main.validation.file: .  
:4518 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:4518 /FFB2FFB7FFC915103538FFB8FF831A57.xml↵  
:4519 Scenario.name: .gg-sch↵  
:4520 Schema: .  
:4520 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:4520 ent..sch↵  
:4521 Engine.name: .ISO .Schematron↵  
:4522 Severity: .error↵  
:4523 Description: .A .paragraph .must .have .an .ancestor .  
:4523 subSection .or .subSubSection.↵  
:4524 Start.location: .7788:25↵  
:4525 ↵  
:4526 System.ID: .  
:4526 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:4526 /FFB2FFB7FFC915103538FFB8FF831A57.xml↵  
:4527 Main.validation.file: .  
:4527 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:4527 /FFB2FFB7FFC915103538FFB8FF831A57.xml↵  
:4528 Scenario.name: .gg-sch↵  
:4529 Schema: .  
:4529 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:4529 ent..sch↵

:4530 Engine.name: ·ISO ·Schematron↵  
:4531 Severity: ·error↵  
:4532 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:4532 subSection ·or ·subSubSection.↵  
:4533 Start.location: ·7821:25↵  
:4534 ↵  
:4535 System.ID: ·  
:4535 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:4535 /FFB2FFB7FFC915103538FFB8FF831A57.xml↵  
:4536 Main.validation.file: ·  
:4536 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:4536 /FFB2FFB7FFC915103538FFB8FF831A57.xml↵  
:4537 Scenario.name: ·gg-sch↵  
:4538 Schema: ·  
:4538 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:4538 ent..sch↵  
:4539 Engine.name: ·ISO ·Schematron↵  
:4540 Severity: ·error↵  
:4541 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:4541 subSection ·or ·subSubSection.↵  
:4542 Start.location: ·7851:25↵  
:4543 ↵  
:4544 System.ID: ·  
:4544 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:4544 /FFB2FFB7FFC915103538FFB8FF831A57.xml↵  
:4545 Main.validation.file: ·  
:4545 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:4545 /FFB2FFB7FFC915103538FFB8FF831A57.xml↵  
:4546 Scenario.name: ·gg-sch↵  
:4547 Schema: ·  
:4547 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:4547 ent..sch↵  
:4548 Engine.name: ·ISO ·Schematron↵  
:4549 Severity: ·error↵  
:4550 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·

:4550 subSection ·or ·subSubSection. ↵  
:4551 Start ·location: ·7870:82 ↵  
:4552 ↵  
:4553 System ·ID: ·  
:4553 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:4553 /FFB2FFB7FFC915103538FFB8FF831A57.xml ↵  
:4554 Main ·validation ·file: ·  
:4554 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:4554 /FFB2FFB7FFC915103538FFB8FF831A57.xml ↵  
:4555 Scenario ·name: ·gg-sch ↵  
:4556 Schema: ·  
:4556 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:4556 ent..sch ↵  
:4557 Engine ·name: ·ISO ·Schematron ↵  
:4558 Severity: ·error ↵  
:4559 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:4559 subSection ·or ·subSubSection. ↵  
:4560 Start ·location: ·7908:94 ↵  
:4561 ↵  
:4562 System ·ID: ·  
:4562 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:4562 /FFB2FFB7FFC915103538FFB8FF831A57.xml ↵  
:4563 Main ·validation ·file: ·  
:4563 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:4563 /FFB2FFB7FFC915103538FFB8FF831A57.xml ↵  
:4564 Scenario ·name: ·gg-sch ↵  
:4565 Schema: ·  
:4565 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:4565 ent..sch ↵  
:4566 Engine ·name: ·ISO ·Schematron ↵  
:4567 Severity: ·error ↵  
:4568 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:4568 subSection ·or ·subSubSection. ↵  
:4569 Start ·location: ·7945:25 ↵  
:4570 ↵

'4571 System·ID: ·  
'4571 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
'4571 /FFB2FFB7FFC915103538FFB8FF831A57.xml↵  
'4572 Main·validation·file: ·  
'4572 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
'4572 /FFB2FFB7FFC915103538FFB8FF831A57.xml↵  
'4573 Scenario·name: ·gg-sch↵  
'4574 Schema: ·  
'4574 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch↵  
'4575 Engine·name: ·ISO·Schematron↵  
'4576 Severity: ·error↵  
'4577 Description: ·A·paragraph·must·have·an·ancestor·  
'4577 subSection·or·subSubSection.↵  
'4578 Start·location: ·7981:61↵  
'4579 ↵  
'4580 System·ID: ·  
'4580 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
'4580 /FFB2FFB7FFC915103538FFB8FF831A57.xml↵  
'4581 Main·validation·file: ·  
'4581 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
'4581 /FFB2FFB7FFC915103538FFB8FF831A57.xml↵  
'4582 Scenario·name: ·gg-sch↵  
'4583 Schema: ·  
'4583 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch↵  
'4584 Engine·name: ·ISO·Schematron↵  
'4585 Severity: ·error↵  
'4586 Description: ·A·paragraph·must·have·an·ancestor·  
'4586 subSection·or·subSubSection.↵  
'4587 Start·location: ·7989:76↵  
'4588 ↵  
'4589 System·ID: ·  
'4589 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
'4589 /FFB2FFB7FFC915103538FFB8FF831A57.xml↵

'4590 Main-validation-file: .  
'4590 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
'4590 /FFB2FFB7FFC915103538FFB8FF831A57.xml↵  
'4591 Scenario-name: .gg-sch↵  
'4592 Schema: .  
'4592 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch↵  
'4593 Engine-name: .ISO-Schematron↵  
'4594 Severity: .error↵  
'4595 Description: .A .paragraph .must .have .an .ancestor .  
'4595 subSection .or .subSubSection.↵  
'4596 Start-location: .8008:29↵  
'4597 ↵  
'4598 System-ID: .  
'4598 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
'4598 /FFB8F8490576FFE56D77FFF4FFA7FFC1.xml↵  
'4599 Main-validation-file: .  
'4599 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
'4599 /FFB8F8490576FFE56D77FFF4FFA7FFC1.xml↵  
'4600 Scenario-name: .gg-sch↵  
'4601 Schema: .  
'4601 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch↵  
'4602 Engine-name: .ISO-Schematron↵  
'4603 Severity: .error↵  
'4604 Description: .A .paragraph .must .have .an .ancestor .  
'4604 subSection .or .subSubSection.↵  
'4605 Start-location: .115:130↵  
'4606 ↵  
'4607 System-ID: .  
'4607 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
'4607 /FFB8F8490576FFE56D77FFF4FFA7FFC1.xml↵  
'4608 Main-validation-file: .  
'4608 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
'4608 /FFB8F8490576FFE56D77FFF4FFA7FFC1.xml↵

'4609 Scenario ·name: ·gg-sch↵  
'4610 Schema: ·  
'4610 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch↵  
'4611 Engine ·name: ·ISO ·Schematron↵  
'4612 Severity: ·error↵  
'4613 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
subSection ·or ·subSubSection.↵  
'4614 Start ·location: ·120:107↵  
'4615 ↵  
'4616 System ·ID: ·  
'4616 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
/FFB8F8490576FFE56D77FFF4FFA7FFC1.xml↵  
'4617 Main ·validation ·file: ·  
'4617 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
/FFB8F8490576FFE56D77FFF4FFA7FFC1.xml↵  
'4618 Scenario ·name: ·gg-sch↵  
'4619 Schema: ·  
'4619 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch↵  
'4620 Engine ·name: ·ISO ·Schematron↵  
'4621 Severity: ·error↵  
'4622 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
subSection ·or ·subSubSection.↵  
'4623 Start ·location: ·138:107↵  
'4624 ↵  
'4625 System ·ID: ·  
'4625 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
/FFB8F8490576FFE56D77FFF4FFA7FFC1.xml↵  
'4626 Main ·validation ·file: ·  
'4626 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
/FFB8F8490576FFE56D77FFF4FFA7FFC1.xml↵  
'4627 Scenario ·name: ·gg-sch↵  
'4628 Schema: ·  
'4628 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm

'4628 ent..sch↵  
'4629 Engine.name: ·ISO ·Schematron↵  
'4630 Severity: ·error↵  
'4631 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
subSection ·or ·subSubSection.↵  
'4632 Start.location: ·263:108↵  
'4633 ↵  
'4634 System.ID: ·  
/Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
/FFB8F8490576FFE56D77FFF4FFA7FFC1.xml↵  
'4635 Main.validation.file: ·  
/Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
/FFB8F8490576FFE56D77FFF4FFA7FFC1.xml↵  
'4636 Scenario.name: ·gg-sch↵  
'4637 Schema: ·  
/Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch↵  
'4638 Engine.name: ·ISO ·Schematron↵  
'4639 Severity: ·error↵  
'4640 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
subSection ·or ·subSubSection.↵  
'4641 Start.location: ·288:109↵  
'4642 ↵  
'4643 System.ID: ·  
/Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
/FFB8F8490576FFE56D77FFF4FFA7FFC1.xml↵  
'4644 Main.validation.file: ·  
/Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
/FFB8F8490576FFE56D77FFF4FFA7FFC1.xml↵  
'4645 Scenario.name: ·gg-sch↵  
'4646 Schema: ·  
/Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch↵  
'4647 Engine.name: ·ISO ·Schematron↵  
'4648 Severity: ·error↵

'4649 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
'4649 subSection ·or ·subSubSection. ↵  
'4650 Start ·location: ·313:109 ↵  
'4651 ↵  
'4652 System ·ID: ·  
'4652 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
'4652 /FFB8F8490576FFE56D77FFF4FFA7FFC1.xml ↵  
'4653 Main ·validation ·file: ·  
'4653 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
'4653 /FFB8F8490576FFE56D77FFF4FFA7FFC1.xml ↵  
'4654 Scenario ·name: ·gg-sch ↵  
'4655 Schema: ·  
'4655 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
'4655 ent..sch ↵  
'4656 Engine ·name: ·ISO ·Schematron ↵  
'4657 Severity: ·error ↵  
'4658 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
'4658 subSection ·or ·subSubSection. ↵  
'4659 Start ·location: ·326:109 ↵  
'4660 ↵  
'4661 System ·ID: ·  
'4661 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
'4661 /FFB8F8490576FFE56D77FFF4FFA7FFC1.xml ↵  
'4662 Main ·validation ·file: ·  
'4662 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
'4662 /FFB8F8490576FFE56D77FFF4FFA7FFC1.xml ↵  
'4663 Scenario ·name: ·gg-sch ↵  
'4664 Schema: ·  
'4664 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
'4664 ent..sch ↵  
'4665 Engine ·name: ·ISO ·Schematron ↵  
'4666 Severity: ·error ↵  
'4667 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
'4667 subSection ·or ·subSubSection. ↵  
'4668 Start ·location: ·374:107 ↵

```
'4669 <!--
'470 System·ID: ·
'470 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
'470 /FFB8F8490576FFE56D77FFF4FFA7FFC1.xml<!--
'471 Main·validation·file: ·
'471 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
'471 /FFB8F8490576FFE56D77FFF4FFA7FFC1.xml<!--
'472 Scenario·name: ·gg-sch<!--
'473 Schema: ·
'473 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
'473 ent..sch<!--
'474 Engine·name: ·ISO·Schematron<!--
'475 Severity: ·error<!--
'476 Description: ·A·paragraph·must·have·an·ancestor·
'476 subSection·or·subSubSection.<!--
'477 Start·location: ·401:107<!--
'478 <!--
'479 System·ID: ·
'479 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
'479 /FFB8F8490576FFE56D77FFF4FFA7FFC1.xml<!--
'480 Main·validation·file: ·
'480 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
'480 /FFB8F8490576FFE56D77FFF4FFA7FFC1.xml<!--
'481 Scenario·name: ·gg-sch<!--
'482 Schema: ·
'482 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
'482 ent..sch<!--
'483 Engine·name: ·ISO·Schematron<!--
'484 Severity: ·error<!--
'485 Description: ·A·paragraph·must·have·an·ancestor·
'485 subSection·or·subSubSection.<!--
'486 Start·location: ·435:107<!--
'487 <!--
'488 System·ID: ·
'488 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
```

'4688 /FFB8F8490576FFE56D77FFF4FFA7FFC1.xml ↵  
'4689 Main-validation-file: ·  
'4689 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
'4689 /FFB8F8490576FFE56D77FFF4FFA7FFC1.xml ↵  
'4690 Scenario-name: ·gg-sch ↵  
'4691 Schema: ·  
'4691 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
'4692 Engine-name: ·ISO-Schematron ↵  
'4693 Severity: ·error ↵  
'4694 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
subSection ·or ·subSubSection. ↵  
'4695 Start-location: ·473:107 ↵  
'4696 ↵  
'4697 System-ID: ·  
'4697 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
'4697 /FFB8F8490576FFE56D77FFF4FFA7FFC1.xml ↵  
'4698 Main-validation-file: ·  
'4698 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
'4698 /FFB8F8490576FFE56D77FFF4FFA7FFC1.xml ↵  
'4699 Scenario-name: ·gg-sch ↵  
'4700 Schema: ·  
'4700 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
'4701 Engine-name: ·ISO-Schematron ↵  
'4702 Severity: ·error ↵  
'4703 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
subSection ·or ·subSubSection. ↵  
'4704 Start-location: ·498:107 ↵  
'4705 ↵  
'4706 System-ID: ·  
'4706 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
'4706 /FFB8F8490576FFE56D77FFF4FFA7FFC1.xml ↵  
'4707 Main-validation-file: ·  
'4707 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax

:4707 /FFB8F8490576FFE56D77FFF4FFA7FFC1.xml ↵  
:4708 Scenario.name: .gg-sch ↵  
:4709 Schema: .  
:4709 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
:4710 Engine.name: .ISO.Schematron ↵  
:4711 Severity: .error ↵  
:4712 Description: .A.paragraph.must.have.an.ancestor.  
subSection.or.subSubSection. ↵  
:4713 Start.location: .537:132 ↵  
:4714 ↵  
:4715 System.ID: .  
:4715 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:4715 /FFB8F8490576FFE56D77FFF4FFA7FFC1.xml ↵  
:4716 Main.validation.file: .  
:4716 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:4716 /FFB8F8490576FFE56D77FFF4FFA7FFC1.xml ↵  
:4717 Scenario.name: .gg-sch ↵  
:4718 Schema: .  
:4718 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
:4719 Engine.name: .ISO.Schematron ↵  
:4720 Severity: .error ↵  
:4721 Description: .A.paragraph.must.have.an.ancestor.  
subSection.or.subSubSection. ↵  
:4722 Start.location: .542:108 ↵  
:4723 ↵  
:4724 System.ID: .  
:4724 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:4724 /FFB8F8490576FFE56D77FFF4FFA7FFC1.xml ↵  
:4725 Main.validation.file: .  
:4725 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:4725 /FFB8F8490576FFE56D77FFF4FFA7FFC1.xml ↵  
:4726 Scenario.name: .gg-sch ↵  
:4727 Schema: .

:4727 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:4727 ent..sch↵  
:4728 Engine.name: ·ISO ·Schematron↵  
:4729 Severity: ·error↵  
:4730 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:4730 subSection ·or ·subSubSection.↵  
:4731 Start ·location: ·579:109↵  
:4732 ↵  
:4733 System ·ID: ·  
:4733 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:4733 /FFB8F8490576FFE56D77FFF4FFA7FFC1.xml↵  
:4734 Main ·validation ·file: ·  
:4734 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:4734 /FFB8F8490576FFE56D77FFF4FFA7FFC1.xml↵  
:4735 Scenario ·name: ·gg-sch↵  
:4736 Schema: ·  
:4736 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:4736 ent..sch↵  
:4737 Engine.name: ·ISO ·Schematron↵  
:4738 Severity: ·error↵  
:4739 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:4739 subSection ·or ·subSubSection.↵  
:4740 Start ·location: ·595:109↵  
:4741 ↵  
:4742 System ·ID: ·  
:4742 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:4742 /FFB8F8490576FFE56D77FFF4FFA7FFC1.xml↵  
:4743 Main ·validation ·file: ·  
:4743 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:4743 /FFB8F8490576FFE56D77FFF4FFA7FFC1.xml↵  
:4744 Scenario ·name: ·gg-sch↵  
:4745 Schema: ·  
:4745 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:4745 ent..sch↵  
:4746 Engine.name: ·ISO ·Schematron↵

:4747 Severity: ·error↵  
:4748 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:4748 subSection ·or ·subSubSection.↵  
:4749 Start ·location: ·682:178↵  
:4750 ↵  
:4751 System ·ID: ·  
:4751 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:4751 /FFB8F8490576FFE56D77FFF4FFA7FFC1.xml↵  
:4752 Main ·validation ·file: ·  
:4752 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:4752 /FFB8F8490576FFE56D77FFF4FFA7FFC1.xml↵  
:4753 Scenario ·name: ·gg-sch↵  
:4754 Schema: ·  
:4754 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:4754 ent..sch↵  
:4755 Engine ·name: ·ISO ·Schematron↵  
:4756 Severity: ·error↵  
:4757 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:4757 subSection ·or ·subSubSection.↵  
:4758 Start ·location: ·757:109↵  
:4759 ↵  
:4760 System ·ID: ·  
:4760 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:4760 /FFB8F8490576FFE56D77FFF4FFA7FFC1.xml↵  
:4761 Main ·validation ·file: ·  
:4761 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:4761 /FFB8F8490576FFE56D77FFF4FFA7FFC1.xml↵  
:4762 Scenario ·name: ·gg-sch↵  
:4763 Schema: ·  
:4763 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:4763 ent..sch↵  
:4764 Engine ·name: ·ISO ·Schematron↵  
:4765 Severity: ·error↵  
:4766 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:4766 subSection ·or ·subSubSection.↵

'4767 Start ·location: ·841:107 ↵  
'4768 ↵  
'4769 System ·ID: ·  
'4769 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
'4769 /FFB8F8490576FFE56D77FFF4FFA7FFC1.xml ↵  
'4770 Main ·validation ·file: ·  
'4770 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
'4770 /FFB8F8490576FFE56D77FFF4FFA7FFC1.xml ↵  
'4771 Scenario ·name: ·gg-sch ↵  
'4772 Schema: ·  
'4772 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
'4772 ent..sch ↵  
'4773 Engine ·name: ·ISO ·Schematron ↵  
'4774 Severity: ·error ↵  
'4775 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
'4775 subSection ·or ·subSubSection. ↵  
'4776 Start ·location: ·908:107 ↵  
'4777 ↵  
'4778 System ·ID: ·  
'4778 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
'4778 /FFB8F8490576FFE56D77FFF4FFA7FFC1.xml ↵  
'4779 Main ·validation ·file: ·  
'4779 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
'4779 /FFB8F8490576FFE56D77FFF4FFA7FFC1.xml ↵  
'4780 Scenario ·name: ·gg-sch ↵  
'4781 Schema: ·  
'4781 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
'4781 ent..sch ↵  
'4782 Engine ·name: ·ISO ·Schematron ↵  
'4783 Severity: ·error ↵  
'4784 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
'4784 subSection ·or ·subSubSection. ↵  
'4785 Start ·location: ·918:131 ↵  
'4786 ↵  
'4787 System ·ID: ·

```
'4787 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
'4787 /FFB8F8490576FFE56D77FFF4FFA7FFC1.xml↵
'4788 Main-validation-file: ·
'4788 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
'4788 /FFB8F8490576FFE56D77FFF4FFA7FFC1.xml↵
'4789 Scenario-name: ·gg-sch↵
'4790 Schema: ·
'4790 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
'4790 ent..sch↵
'4791 Engine-name: ·ISO ·Schematron↵
'4792 Severity: ·error↵
'4793 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
'4793 subSection ·or ·subSubSection.↵
'4794 Start-location: ·923:107↵
'4795 ↵
'4796 System-ID: ·
'4796 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
'4796 /FFB8F8490576FFE56D77FFF4FFA7FFC1.xml↵
'4797 Main-validation-file: ·
'4797 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
'4797 /FFB8F8490576FFE56D77FFF4FFA7FFC1.xml↵
'4798 Scenario-name: ·gg-sch↵
'4799 Schema: ·
'4799 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
'4799 ent..sch↵
'4800 Engine-name: ·ISO ·Schematron↵
'4801 Severity: ·error↵
'4802 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
'4802 subSection ·or ·subSubSection.↵
'4803 Start-location: ·961:109↵
'4804 ↵
'4805 System-ID: ·
'4805 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
'4805 /FFB8F8490576FFE56D77FFF4FFA7FFC1.xml↵
'4806 Main-validation-file: ·
```

'4806 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
'4806 /FFB8F8490576FFE56D77FFF4FFA7FFC1.xml ↵  
'4807 Scenario.name: .gg-sch ↵  
'4808 Schema: .  
'4808 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
'4809 Engine.name: .ISO .Schematron ↵  
'4810 Severity: .error ↵  
'4811 Description: .A .paragraph .must .have .an .ancestor .  
'4811 subSection .or .subSubSection. ↵  
'4812 Start.location: .1044:109 ↵  
'4813 ↵  
'4814 System.ID: .  
'4814 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
'4814 /FFB8F8490576FFE56D77FFF4FFA7FFC1.xml ↵  
'4815 Main.validation.file: .  
'4815 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
'4815 /FFB8F8490576FFE56D77FFF4FFA7FFC1.xml ↵  
'4816 Scenario.name: .gg-sch ↵  
'4817 Schema: .  
'4817 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
'4818 Engine.name: .ISO .Schematron ↵  
'4819 Severity: .error ↵  
'4820 Description: .A .paragraph .must .have .an .ancestor .  
'4820 subSection .or .subSubSection. ↵  
'4821 Start.location: .1097:109 ↵  
'4822 ↵  
'4823 System.ID: .  
'4823 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
'4823 /FFB8F8490576FFE56D77FFF4FFA7FFC1.xml ↵  
'4824 Main.validation.file: .  
'4824 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
'4824 /FFB8F8490576FFE56D77FFF4FFA7FFC1.xml ↵  
'4825 Scenario.name: .gg-sch ↵

'4826 Schema: .  
'4826 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
'4826 ent..sch↵  
'4827 Engine.name: .ISO .Schematron↵  
'4828 Severity: .error↵  
'4829 Description: .A .paragraph .must .have .an .ancestor .  
'4829 subSection .or .subSubSection.↵  
'4830 Start.location: .1168:109↵  
'4831 ↵  
'4832 System.ID: .  
'4832 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
'4832 /FFB8F8490576FFE56D77FFF4FFA7FFC1.xml↵  
'4833 Main.validation.file: .  
'4833 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
'4833 /FFB8F8490576FFE56D77FFF4FFA7FFC1.xml↵  
'4834 Scenario.name: .gg-sch↵  
'4835 Schema: .  
'4835 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
'4835 ent..sch↵  
'4836 Engine.name: .ISO .Schematron↵  
'4837 Severity: .error↵  
'4838 Description: .A .paragraph .must .have .an .ancestor .  
'4838 subSection .or .subSubSection.↵  
'4839 Start.location: .1186:130↵  
'4840 ↵  
'4841 System.ID: .  
'4841 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
'4841 /FFB8F8490576FFE56D77FFF4FFA7FFC1.xml↵  
'4842 Main.validation.file: .  
'4842 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
'4842 /FFB8F8490576FFE56D77FFF4FFA7FFC1.xml↵  
'4843 Scenario.name: .gg-sch↵  
'4844 Schema: .  
'4844 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
'4844 ent..sch↵

'4845 Engine ·name: ·ISO ·Schematron↵  
'4846 Severity: ·error↵  
'4847 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
subSection ·or ·subSubSection.↵  
'4848 Start ·location: ·1190:130↵  
'4849 ↵  
'4850 System ·ID: ·  
/Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
/FFB8F8490576FFE56D77FFF4FFA7FFC1.xml↵  
'4851 Main ·validation ·file: ·  
/Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
/FFB8F8490576FFE56D77FFF4FFA7FFC1.xml↵  
'4852 Scenario ·name: ·gg-sch↵  
'4853 Schema: ·  
/Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch↵  
'4854 Engine ·name: ·ISO ·Schematron↵  
'4855 Severity: ·error↵  
'4856 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
subSection ·or ·subSubSection.↵  
'4857 Start ·location: ·1194:130↵  
'4858 ↵  
'4859 System ·ID: ·  
/Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
/FFB8F8490576FFE56D77FFF4FFA7FFC1.xml↵  
'4860 Main ·validation ·file: ·  
/Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
/FFB8F8490576FFE56D77FFF4FFA7FFC1.xml↵  
'4861 Scenario ·name: ·gg-sch↵  
'4862 Schema: ·  
/Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch↵  
'4863 Engine ·name: ·ISO ·Schematron↵  
'4864 Severity: ·error↵  
'4865 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·

'4865 subSection ·or ·subSubSection. ↵  
'4866 Start ·location: ·1201:133 ↵  
'4867 ↵  
'4868 System ·ID: ·  
'4868 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
'4868 /FFB8F8490576FFE56D77FFF4FFA7FFC1.xml ↵  
'4869 Main ·validation ·file: ·  
'4869 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
'4869 /FFB8F8490576FFE56D77FFF4FFA7FFC1.xml ↵  
'4870 Scenario ·name: ·gg-sch ↵  
'4871 Schema: ·  
'4871 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
'4871 ent..sch ↵  
'4872 Engine ·name: ·ISO ·Schematron ↵  
'4873 Severity: ·error ↵  
'4874 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
'4874 subSection ·or ·subSubSection. ↵  
'4875 Start ·location: ·1210:133 ↵  
'4876 ↵  
'4877 System ·ID: ·  
'4877 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
'4877 /FFB8F8490576FFE56D77FFF4FFA7FFC1.xml ↵  
'4878 Main ·validation ·file: ·  
'4878 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
'4878 /FFB8F8490576FFE56D77FFF4FFA7FFC1.xml ↵  
'4879 Scenario ·name: ·gg-sch ↵  
'4880 Schema: ·  
'4880 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
'4880 ent..sch ↵  
'4881 Engine ·name: ·ISO ·Schematron ↵  
'4882 Severity: ·error ↵  
'4883 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
'4883 subSection ·or ·subSubSection. ↵  
'4884 Start ·location: ·1211:108 ↵  
'4885 ↵

'4886 System·ID: ·  
'4886 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
'4886 /FFB8F8490576FFE56D77FFF4FFA7FFC1.xml↵  
'4887 Main·validation·file: ·  
'4887 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
'4887 /FFB8F8490576FFE56D77FFF4FFA7FFC1.xml↵  
'4888 Scenario·name: ·gg-sch↵  
'4889 Schema: ·  
'4889 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch↵  
'4890 Engine·name: ·ISO·Schematron↵  
'4891 Severity: ·error↵  
'4892 Description: ·A·paragraph·must·have·an·ancestor·  
'4892 subSection·or·subSubSection.↵  
'4893 Start·location: ·1217:108↵  
'4894 ↵  
'4895 System·ID: ·  
'4895 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
'4895 /FFB8F8490576FFE56D77FFF4FFA7FFC1.xml↵  
'4896 Main·validation·file: ·  
'4896 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
'4896 /FFB8F8490576FFE56D77FFF4FFA7FFC1.xml↵  
'4897 Scenario·name: ·gg-sch↵  
'4898 Schema: ·  
'4898 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch↵  
'4899 Engine·name: ·ISO·Schematron↵  
'4900 Severity: ·error↵  
'4901 Description: ·A·paragraph·must·have·an·ancestor·  
'4901 subSection·or·subSubSection.↵  
'4902 Start·location: ·1221:108↵  
'4903 ↵  
'4904 System·ID: ·  
'4904 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
'4904 /FFB8F8490576FFE56D77FFF4FFA7FFC1.xml↵

'4905 Main-validation-file: .  
'4905 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
'4905 /FFB8F8490576FFE56D77FFF4FFA7FFC1.xml↵  
'4906 Scenario-name: .gg-sch↵  
'4907 Schema: .  
'4907 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch↵  
'4908 Engine-name: .ISO-Schematron↵  
'4909 Severity: .error↵  
'4910 Description: .A .paragraph .must .have .an .ancestor .  
'4910 subSection .or .subSubSection.↵  
'4911 Start-location: .1227:133↵  
'4912 ↵  
'4913 System-ID: .  
'4913 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
'4913 /FFB8F8490576FFE56D77FFF4FFA7FFC1.xml↵  
'4914 Main-validation-file: .  
'4914 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
'4914 /FFB8F8490576FFE56D77FFF4FFA7FFC1.xml↵  
'4915 Scenario-name: .gg-sch↵  
'4916 Schema: .  
'4916 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch↵  
'4917 Engine-name: .ISO-Schematron↵  
'4918 Severity: .error↵  
'4919 Description: .A .paragraph .must .have .an .ancestor .  
'4919 subSection .or .subSubSection.↵  
'4920 Start-location: .1231:108↵  
'4921 ↵  
'4922 System-ID: .  
'4922 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
'4922 /FFB8F8490576FFE56D77FFF4FFA7FFC1.xml↵  
'4923 Main-validation-file: .  
'4923 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
'4923 /FFB8F8490576FFE56D77FFF4FFA7FFC1.xml↵

```
'4924 Scenario ·name: ·gg-sch↵
'4925 Schema: ·
'4925 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
'4925 ent..sch↵
'4926 Engine ·name: ·ISO ·Schematron↵
'4927 Severity: ·error↵
'4928 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
'4928 subSection ·or ·subSubSection.↵
'4929 Start ·location: ·1237:108↵
'4930 ↵
'4931 System ·ID: ·
'4931 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
'4931 /FFB8F8490576FFE56D77FFF4FFA7FFC1.xml↵
'4932 Main ·validation ·file: ·
'4932 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
'4932 /FFB8F8490576FFE56D77FFF4FFA7FFC1.xml↵
'4933 Scenario ·name: ·gg-sch↵
'4934 Schema: ·
'4934 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
'4934 ent..sch↵
'4935 Engine ·name: ·ISO ·Schematron↵
'4936 Severity: ·error↵
'4937 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
'4937 subSection ·or ·subSubSection.↵
'4938 Start ·location: ·1241:108↵
'4939 ↵
'4940 System ·ID: ·
'4940 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
'4940 /FFB8F8490576FFE56D77FFF4FFA7FFC1.xml↵
'4941 Main ·validation ·file: ·
'4941 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
'4941 /FFB8F8490576FFE56D77FFF4FFA7FFC1.xml↵
'4942 Scenario ·name: ·gg-sch↵
'4943 Schema: ·
'4943 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
```

```
'4943  ent..sch↵
'4944  Engine·name: ·ISO ·Schematron↵
'4945  Severity: ·error↵
'4946  Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
'4946  subSection ·or ·subSubSection.↵
'4947  Start ·location: ·1247:108↵
'4948  ↵
'4949  System ·ID: ·
'4949  /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
'4949  /FFB8F8490576FFE56D77FFF4FFA7FFC1.xml↵
'4950  Main ·validation ·file: ·
'4950  /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
'4950  /FFB8F8490576FFE56D77FFF4FFA7FFC1.xml↵
'4951  Scenario ·name: ·gg-sch↵
'4952  Schema: ·
'4952  /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
'4952  ent..sch↵
'4953  Engine·name: ·ISO ·Schematron↵
'4954  Severity: ·error↵
'4955  Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
'4955  subSection ·or ·subSubSection.↵
'4956  Start ·location: ·1268:135↵
'4957  ↵
'4958  System ·ID: ·
'4958  /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
'4958  /FFB8F8490576FFE56D77FFF4FFA7FFC1.xml↵
'4959  Main ·validation ·file: ·
'4959  /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
'4959  /FFB8F8490576FFE56D77FFF4FFA7FFC1.xml↵
'4960  Scenario ·name: ·gg-sch↵
'4961  Schema: ·
'4961  /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
'4961  ent..sch↵
'4962  Engine·name: ·ISO ·Schematron↵
'4963  Severity: ·error↵
```

'4964 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
'4964 subSection ·or ·subSubSection. ↵  
'4965 Start ·location: ·1274:135 ↵  
'4966 ↵  
'4967 System ·ID: ·  
'4967 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
'4967 /FFB8F8490576FFE56D77FFF4FFA7FFC1.xml ↵  
'4968 Main ·validation ·file: ·  
'4968 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
'4968 /FFB8F8490576FFE56D77FFF4FFA7FFC1.xml ↵  
'4969 Scenario ·name: ·gg-sch ↵  
'4970 Schema: ·  
'4970 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
'4970 ent..sch ↵  
'4971 Engine ·name: ·ISO ·Schematron ↵  
'4972 Severity: ·error ↵  
'4973 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
'4973 subSection ·or ·subSubSection. ↵  
'4974 Start ·location: ·1278:179 ↵  
'4975 ↵  
'4976 System ·ID: ·  
'4976 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
'4976 /FFB8F8490576FFE56D77FFF4FFA7FFC1.xml ↵  
'4977 Main ·validation ·file: ·  
'4977 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
'4977 /FFB8F8490576FFE56D77FFF4FFA7FFC1.xml ↵  
'4978 Scenario ·name: ·gg-sch ↵  
'4979 Schema: ·  
'4979 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
'4979 ent..sch ↵  
'4980 Engine ·name: ·ISO ·Schematron ↵  
'4981 Severity: ·error ↵  
'4982 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
'4982 subSection ·or ·subSubSection. ↵  
'4983 Start ·location: ·1319:107 ↵

```
'4984 <System·ID: ·  
'4985 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
'4985 /FFB8F8490576FFE56D77FFF4FFA7FFC1.xml<  
'4986 Main·validation·file: ·  
'4986 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
'4986 /FFB8F8490576FFE56D77FFF4FFA7FFC1.xml<  
'4987 Scenario·name: ·gg-sch<  
'4988 Schema: ·  
'4988 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm  
ent..sch<  
'4989 Engine·name: ·ISO·Schematron<  
'4990 Severity: ·error<  
'4991 Description: ·A·paragraph·must·have·an·ancestor·  
subSection·or·subSubSection.<  
'4992 Start·location: ·1333:76<  
'4993 <  
'4994 System·ID: ·  
'4994 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
'4994 /FFB8F8490576FFE56D77FFF4FFA7FFC1.xml<  
'4995 Main·validation·file: ·  
'4995 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
'4995 /FFB8F8490576FFE56D77FFF4FFA7FFC1.xml<  
'4996 Scenario·name: ·gg-sch<  
'4997 Schema: ·  
'4997 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm  
ent..sch<  
'4998 Engine·name: ·ISO·Schematron<  
'4999 Severity: ·error<  
'5000 Description: ·A·paragraph·must·have·an·ancestor·  
subSection·or·subSubSection.<  
'5001 Start·location: ·1463:109<  
'5002 <  
'5003 System·ID: ·  
'5003 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
```

:5003 /FFB8F8490576FFE56D77FFF4FFA7FFC1.xml ↵  
:5004 Main-validation-file: ·  
:5004 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:5004 /FFB8F8490576FFE56D77FFF4FFA7FFC1.xml ↵  
:5005 Scenario-name: ·gg-sch ↵  
:5006 Schema: ·  
:5006 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:5006 ent..sch ↵  
:5007 Engine-name: ·ISO-Schematron ↵  
:5008 Severity: ·error ↵  
:5009 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:5009 subSection ·or ·subSubSection. ↵  
:5010 Start-location: ·1473:135 ↵  
:5011 ↵  
:5012 System-ID: ·  
:5012 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:5012 /FFB8F8490576FFE56D77FFF4FFA7FFC1.xml ↵  
:5013 Main-validation-file: ·  
:5013 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:5013 /FFB8F8490576FFE56D77FFF4FFA7FFC1.xml ↵  
:5014 Scenario-name: ·gg-sch ↵  
:5015 Schema: ·  
:5015 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:5015 ent..sch ↵  
:5016 Engine-name: ·ISO-Schematron ↵  
:5017 Severity: ·error ↵  
:5018 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:5018 subSection ·or ·subSubSection. ↵  
:5019 Start-location: ·1478:109 ↵  
:5020 ↵  
:5021 System-ID: ·  
:5021 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:5021 /FFB8F8490576FFE56D77FFF4FFA7FFC1.xml ↵  
:5022 Main-validation-file: ·  
:5022 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax

:5022 /FFB8F8490576FFE56D77FFF4FFA7FFC1.xml ↵  
:5023 Scenario.name: .gg-sch ↵  
:5024 Schema: .  
:5024 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
:5025 Engine.name: .ISO.Schematron ↵  
:5026 Severity: .error ↵  
:5027 Description: .A.paragraph.must.have.an.ancestor.  
subSection.or.subSubSection. ↵  
:5028 Start.location: .1515:107 ↵  
:5029 ↵  
:5030 System.ID: .  
:5030 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:5030 /FFB8F8490576FFE56D77FFF4FFA7FFC1.xml ↵  
:5031 Main.validation.file: .  
:5031 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:5031 /FFB8F8490576FFE56D77FFF4FFA7FFC1.xml ↵  
:5032 Scenario.name: .gg-sch ↵  
:5033 Schema: .  
:5033 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
:5034 Engine.name: .ISO.Schematron ↵  
:5035 Severity: .error ↵  
:5036 Description: .A.paragraph.must.have.an.ancestor.  
subSection.or.subSubSection. ↵  
:5037 Start.location: .1549:108 ↵  
:5038 ↵  
:5039 System.ID: .  
:5039 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:5039 /FFB8F8490576FFE56D77FFF4FFA7FFC1.xml ↵  
:5040 Main.validation.file: .  
:5040 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:5040 /FFB8F8490576FFE56D77FFF4FFA7FFC1.xml ↵  
:5041 Scenario.name: .gg-sch ↵  
:5042 Schema: .

:5042 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:5042 ent..sch↵  
:5043 Engine.name: ·ISO ·Schematron↵  
:5044 Severity: ·error↵  
:5045 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:5045 subSection ·or ·subSubSection.↵  
:5046 Start ·location: ·1608:108↵  
:5047 ↵  
:5048 System ·ID: ·  
:5048 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:5048 /FFB8F8490576FFE56D77FFF4FFA7FFC1.xml↵  
:5049 Main ·validation ·file: ·  
:5049 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:5049 /FFB8F8490576FFE56D77FFF4FFA7FFC1.xml↵  
:5050 Scenario ·name: ·gg-sch↵  
:5051 Schema: ·  
:5051 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:5051 ent..sch↵  
:5052 Engine.name: ·ISO ·Schematron↵  
:5053 Severity: ·error↵  
:5054 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:5054 subSection ·or ·subSubSection.↵  
:5055 Start ·location: ·1625:108↵  
:5056 ↵  
:5057 System ·ID: ·  
:5057 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:5057 /FFB8F8490576FFE56D77FFF4FFA7FFC1.xml↵  
:5058 Main ·validation ·file: ·  
:5058 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:5058 /FFB8F8490576FFE56D77FFF4FFA7FFC1.xml↵  
:5059 Scenario ·name: ·gg-sch↵  
:5060 Schema: ·  
:5060 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:5060 ent..sch↵  
:5061 Engine.name: ·ISO ·Schematron↵

:5062 Severity: ·error ↵  
:5063 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:5063 subSection ·or ·subSubSection. ↵  
:5064 Start ·location: ·1659:108 ↵  
:5065 ↵  
:5066 System ·ID: ·  
:5066 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:5066 /FFB8F8490576FFE56D77FFF4FFA7FFC1.xml ↵  
:5067 Main ·validation ·file: ·  
:5067 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:5067 /FFB8F8490576FFE56D77FFF4FFA7FFC1.xml ↵  
:5068 Scenario ·name: ·gg-sch ↵  
:5069 Schema: ·  
:5069 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:5069 ent..sch ↵  
:5070 Engine ·name: ·ISO ·Schematron ↵  
:5071 Severity: ·error ↵  
:5072 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:5072 subSection ·or ·subSubSection. ↵  
:5073 Start ·location: ·1690:109 ↵  
:5074 ↵  
:5075 System ·ID: ·  
:5075 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:5075 /FFB8F8490576FFE56D77FFF4FFA7FFC1.xml ↵  
:5076 Main ·validation ·file: ·  
:5076 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:5076 /FFB8F8490576FFE56D77FFF4FFA7FFC1.xml ↵  
:5077 Scenario ·name: ·gg-sch ↵  
:5078 Schema: ·  
:5078 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:5078 ent..sch ↵  
:5079 Engine ·name: ·ISO ·Schematron ↵  
:5080 Severity: ·error ↵  
:5081 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:5081 subSection ·or ·subSubSection. ↵

:5082 Start ·location: ·1699:109 ↵  
:5083 ↵  
:5084 System ·ID: ·  
:5084 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:5084 /FFB8F8490576FFE56D77FFF4FFA7FFC1.xml ↵  
:5085 Main ·validation ·file: ·  
:5085 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:5085 /FFB8F8490576FFE56D77FFF4FFA7FFC1.xml ↵  
:5086 Scenario ·name: ·gg-sch ↵  
:5087 Schema: ·  
:5087 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:5087 ent..sch ↵  
:5088 Engine ·name: ·ISO ·Schematron ↵  
:5089 Severity: ·error ↵  
:5090 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:5090 subSection ·or ·subSubSection. ↵  
:5091 Start ·location: ·1748:109 ↵  
:5092 ↵  
:5093 System ·ID: ·  
:5093 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:5093 /FFB8F8490576FFE56D77FFF4FFA7FFC1.xml ↵  
:5094 Main ·validation ·file: ·  
:5094 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:5094 /FFB8F8490576FFE56D77FFF4FFA7FFC1.xml ↵  
:5095 Scenario ·name: ·gg-sch ↵  
:5096 Schema: ·  
:5096 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:5096 ent..sch ↵  
:5097 Engine ·name: ·ISO ·Schematron ↵  
:5098 Severity: ·error ↵  
:5099 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:5099 subSection ·or ·subSubSection. ↵  
:5100 Start ·location: ·1798:109 ↵  
:5101 ↵  
:5102 System ·ID: ·

:5102 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:5102 /FFB8F8490576FFE56D77FFF4FFA7FFC1.xml ↵  
:5103 Main-validation-file: ·  
:5103 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:5103 /FFB8F8490576FFE56D77FFF4FFA7FFC1.xml ↵  
:5104 Scenario-name: ·gg-sch ↵  
:5105 Schema: ·  
:5105 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:5105 ent..sch ↵  
:5106 Engine-name: ·ISO-Schematron ↵  
:5107 Severity: ·error ↵  
:5108 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:5108 subSection ·or ·subSubSection. ↵  
:5109 Start-location: ·1853:180 ↵  
:5110 ↵  
:5111 System-ID: ·  
:5111 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:5111 /FFB8F8490576FFE56D77FFF4FFA7FFC1.xml ↵  
:5112 Main-validation-file: ·  
:5112 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:5112 /FFB8F8490576FFE56D77FFF4FFA7FFC1.xml ↵  
:5113 Scenario-name: ·gg-sch ↵  
:5114 Schema: ·  
:5114 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:5114 ent..sch ↵  
:5115 Engine-name: ·ISO-Schematron ↵  
:5116 Severity: ·error ↵  
:5117 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:5117 subSection ·or ·subSubSection. ↵  
:5118 Start-location: ·1881:109 ↵  
:5119 ↵  
:5120 System-ID: ·  
:5120 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:5120 /FFB8F8490576FFE56D77FFF4FFA7FFC1.xml ↵  
:5121 Main-validation-file: ·

:5121 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:5121 /FFB8F8490576FFE56D77FFF4FFA7FFC1.xml ↵  
:5122 Scenario.name: .gg-sch ↵  
:5123 Schema: .  
:5123 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:5123 ent..sch ↵  
:5124 Engine.name: .ISO .Schematron ↵  
:5125 Severity: .error ↵  
:5126 Description: .A .paragraph .must .have .an .ancestor .  
:5126 subSection .or .subSubSection. ↵  
:5127 Start.location: .1901:109 ↵  
:5128 ↵  
:5129 System.ID: .  
:5129 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:5129 /FFB8F8490576FFE56D77FFF4FFA7FFC1.xml ↵  
:5130 Main.validation.file: .  
:5130 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:5130 /FFB8F8490576FFE56D77FFF4FFA7FFC1.xml ↵  
:5131 Scenario.name: .gg-sch ↵  
:5132 Schema: .  
:5132 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:5132 ent..sch ↵  
:5133 Engine.name: .ISO .Schematron ↵  
:5134 Severity: .error ↵  
:5135 Description: .A .paragraph .must .have .an .ancestor .  
:5135 subSection .or .subSubSection. ↵  
:5136 Start.location: .1960:109 ↵  
:5137 ↵  
:5138 System.ID: .  
:5138 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:5138 /FFB8F8490576FFE56D77FFF4FFA7FFC1.xml ↵  
:5139 Main.validation.file: .  
:5139 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:5139 /FFB8F8490576FFE56D77FFF4FFA7FFC1.xml ↵  
:5140 Scenario.name: .gg-sch ↵

:5141 Schema: .  
:5141 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:5141 ent..sch↵  
:5142 Engine.name: .ISO .Schematron↵  
:5143 Severity: .error↵  
:5144 Description: .A .paragraph .must .have .an .ancestor .  
:5144 subSection .or .subSubSection.↵  
:5145 Start.location: .2000:110↵  
:5146 ↵  
:5147 System.ID: .  
:5147 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:5147 /FFB8F8490576FFE56D77FFF4FFA7FFC1.xml↵  
:5148 Main.validation.file: .  
:5148 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:5148 /FFB8F8490576FFE56D77FFF4FFA7FFC1.xml↵  
:5149 Scenario.name: .gg-sch↵  
:5150 Schema: .  
:5150 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:5150 ent..sch↵  
:5151 Engine.name: .ISO .Schematron↵  
:5152 Severity: .error↵  
:5153 Description: .A .paragraph .must .have .an .ancestor .  
:5153 subSection .or .subSubSection.↵  
:5154 Start.location: .2014:136↵  
:5155 ↵  
:5156 System.ID: .  
:5156 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:5156 /FFB8F8490576FFE56D77FFF4FFA7FFC1.xml↵  
:5157 Main.validation.file: .  
:5157 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:5157 /FFB8F8490576FFE56D77FFF4FFA7FFC1.xml↵  
:5158 Scenario.name: .gg-sch↵  
:5159 Schema: .  
:5159 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:5159 ent..sch↵

:5160 Engine.name: ·ISO ·Schematron↵  
:5161 Severity: ·error↵  
:5162 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:5162 subSection ·or ·subSubSection.↵  
:5163 Start.location: ·2019:182↵  
:5164 ↵  
:5165 System.ID: ·  
:5165 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:5165 /FFB8F8490576FFE56D77FFF4FFA7FFC1.xml↵  
:5166 Main.validation.file: ·  
:5166 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:5166 /FFB8F8490576FFE56D77FFF4FFA7FFC1.xml↵  
:5167 Scenario.name: ·gg-sch↵  
:5168 Schema: ·  
:5168 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:5168 ent..sch↵  
:5169 Engine.name: ·ISO ·Schematron↵  
:5170 Severity: ·error↵  
:5171 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:5171 subSection ·or ·subSubSection.↵  
:5172 Start.location: ·2118:134↵  
:5173 ↵  
:5174 System.ID: ·  
:5174 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:5174 /FFB8F8490576FFE56D77FFF4FFA7FFC1.xml↵  
:5175 Main.validation.file: ·  
:5175 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:5175 /FFB8F8490576FFE56D77FFF4FFA7FFC1.xml↵  
:5176 Scenario.name: ·gg-sch↵  
:5177 Schema: ·  
:5177 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:5177 ent..sch↵  
:5178 Engine.name: ·ISO ·Schematron↵  
:5179 Severity: ·error↵  
:5180 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·

:5180 subSection ·or ·subSubSection. ↵  
:5181 Start ·location: ·2123:110 ↵  
:5182 ↵  
:5183 System ·ID: ·  
/Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:5183 /FFB8F8490576FFE56D77FFF4FFA7FFC1.xml ↵  
:5184 Main ·validation ·file: ·  
/Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:5184 /FFB8F8490576FFE56D77FFF4FFA7FFC1.xml ↵  
:5185 Scenario ·name: ·gg-sch ↵  
:5186 Schema: ·  
/Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:5186 ent..sch ↵  
:5187 Engine ·name: ·ISO ·Schematron ↵  
:5188 Severity: ·error ↵  
:5189 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
subSection ·or ·subSubSection. ↵  
:5190 Start ·location: ·2124:134 ↵  
:5191 ↵  
:5192 System ·ID: ·  
/Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:5192 /FFB8F8490576FFE56D77FFF4FFA7FFC1.xml ↵  
:5193 Main ·validation ·file: ·  
/Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:5193 /FFB8F8490576FFE56D77FFF4FFA7FFC1.xml ↵  
:5194 Scenario ·name: ·gg-sch ↵  
:5195 Schema: ·  
/Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:5195 ent..sch ↵  
:5196 Engine ·name: ·ISO ·Schematron ↵  
:5197 Severity: ·error ↵  
:5198 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
subSection ·or ·subSubSection. ↵  
:5199 Start ·location: ·2129:110 ↵  
:5200 ↵

:5201 System·ID: ·  
:5201 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:5201 /FFB8F8490576FFE56D77FFF4FFA7FFC1.xml↵  
:5202 Main·validation·file: ·  
:5202 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:5202 /FFB8F8490576FFE56D77FFF4FFA7FFC1.xml↵  
:5203 Scenario·name: ·gg-sch↵  
:5204 Schema: ·  
:5204 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:5204 ent..sch↵  
:5205 Engine·name: ·ISO·Schematron↵  
:5206 Severity: ·error↵  
:5207 Description: ·A·paragraph·must·have·an·ancestor·  
:5207 subSection·or·subSubSection.↵  
:5208 Start·location: ·2130:133↵  
:5209 ↵  
:5210 System·ID: ·  
:5210 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:5210 /FFB8F8490576FFE56D77FFF4FFA7FFC1.xml↵  
:5211 Main·validation·file: ·  
:5211 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:5211 /FFB8F8490576FFE56D77FFF4FFA7FFC1.xml↵  
:5212 Scenario·name: ·gg-sch↵  
:5213 Schema: ·  
:5213 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:5213 ent..sch↵  
:5214 Engine·name: ·ISO·Schematron↵  
:5215 Severity: ·error↵  
:5216 Description: ·A·paragraph·must·have·an·ancestor·  
:5216 subSection·or·subSubSection.↵  
:5217 Start·location: ·2131:135↵  
:5218 ↵  
:5219 System·ID: ·  
:5219 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:5219 /FFB8F8490576FFE56D77FFF4FFA7FFC1.xml↵

:5220 Main-validation-file: .  
:5220 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:5220 /FFB8F8490576FFE56D77FFF4FFA7FFC1.xml↵  
:5221 Scenario-name: .gg-sch↵  
:5222 Schema: .  
:5222 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:5222 ent..sch↵  
:5223 Engine-name: .ISO-Schematron↵  
:5224 Severity: .error↵  
:5225 Description: .A .paragraph .must .have .an .ancestor .  
:5225 subSection .or .subSubSection.↵  
:5226 Start-location: .2136:111↵  
:5227 ↵  
:5228 System-ID: .  
:5228 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:5228 /FFB8F8490576FFE56D77FFF4FFA7FFC1.xml↵  
:5229 Main-validation-file: .  
:5229 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:5229 /FFB8F8490576FFE56D77FFF4FFA7FFC1.xml↵  
:5230 Scenario-name: .gg-sch↵  
:5231 Schema: .  
:5231 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:5231 ent..sch↵  
:5232 Engine-name: .ISO-Schematron↵  
:5233 Severity: .error↵  
:5234 Description: .A .paragraph .must .have .an .ancestor .  
:5234 subSection .or .subSubSection.↵  
:5235 Start-location: .2152:111↵  
:5236 ↵  
:5237 System-ID: .  
:5237 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:5237 /FFB8F8490576FFE56D77FFF4FFA7FFC1.xml↵  
:5238 Main-validation-file: .  
:5238 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:5238 /FFB8F8490576FFE56D77FFF4FFA7FFC1.xml↵

```
:5239 Scenario·name: ·gg-sch↵
:5240 Schema: ·
:5240 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
:5240 ent..sch↵
:5241 Engine·name: ·ISO·Schematron↵
:5242 Severity: ·error↵
:5243 Description: ·A·paragraph·must·have·an·ancestor·
:5243 subSection·or·subSubSection.↵
:5244 Start·location: ·2175:111↵
:5245 ↵
:5246 System·ID: ·
:5246 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
:5246 /FFB8F8490576FFE56D77FFF4FFA7FFC1.xml↵
:5247 Main·validation·file: ·
:5247 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
:5247 /FFB8F8490576FFE56D77FFF4FFA7FFC1.xml↵
:5248 Scenario·name: ·gg-sch↵
:5249 Schema: ·
:5249 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
:5249 ent..sch↵
:5250 Engine·name: ·ISO·Schematron↵
:5251 Severity: ·error↵
:5252 Description: ·A·paragraph·must·have·an·ancestor·
:5252 subSection·or·subSubSection.↵
:5253 Start·location: ·2197:111↵
:5254 ↵
:5255 System·ID: ·
:5255 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
:5255 /FFB8F8490576FFE56D77FFF4FFA7FFC1.xml↵
:5256 Main·validation·file: ·
:5256 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
:5256 /FFB8F8490576FFE56D77FFF4FFA7FFC1.xml↵
:5257 Scenario·name: ·gg-sch↵
:5258 Schema: ·
:5258 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
```

```
:5258 ent..sch↵
:5259 Engine.name: ·ISO ·Schematron↵
:5260 Severity: ·error↵
:5261 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
:5261 subSection ·or ·subSubSection.↵
:5262 Start ·location: ·2226:111↵
:5263 ↵
:5264 System ·ID: ·
:5264 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
:5264 /FFB8F8490576FFE56D77FFF4FFA7FFC1.xml↵
:5265 Main ·validation ·file: ·
:5265 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
:5265 /FFB8F8490576FFE56D77FFF4FFA7FFC1.xml↵
:5266 Scenario ·name: ·gg-sch↵
:5267 Schema: ·
:5267 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
:5267 ent..sch↵
:5268 Engine.name: ·ISO ·Schematron↵
:5269 Severity: ·error↵
:5270 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
:5270 subSection ·or ·subSubSection.↵
:5271 Start ·location: ·2251:111↵
:5272 ↵
:5273 System ·ID: ·
:5273 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
:5273 /FFB8F8490576FFE56D77FFF4FFA7FFC1.xml↵
:5274 Main ·validation ·file: ·
:5274 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
:5274 /FFB8F8490576FFE56D77FFF4FFA7FFC1.xml↵
:5275 Scenario ·name: ·gg-sch↵
:5276 Schema: ·
:5276 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
:5276 ent..sch↵
:5277 Engine.name: ·ISO ·Schematron↵
:5278 Severity: ·error↵
```

:5279 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:5279 subSection ·or ·subSubSection. ↵  
:5280 Start ·location: ·2274:111 ↵  
:5281 ↵  
:5282 System ·ID: ·  
:5282 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:5282 /FFB8F8490576FFE56D77FFF4FFA7FFC1.xml ↵  
:5283 Main ·validation ·file: ·  
:5283 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:5283 /FFB8F8490576FFE56D77FFF4FFA7FFC1.xml ↵  
:5284 Scenario ·name: ·gg-sch ↵  
:5285 Schema: ·  
:5285 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:5285 ent..sch ↵  
:5286 Engine ·name: ·ISO ·Schematron ↵  
:5287 Severity: ·error ↵  
:5288 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:5288 subSection ·or ·subSubSection. ↵  
:5289 Start ·location: ·2293:111 ↵  
:5290 ↵  
:5291 System ·ID: ·  
:5291 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:5291 /FFB8F8490576FFE56D77FFF4FFA7FFC1.xml ↵  
:5292 Main ·validation ·file: ·  
:5292 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:5292 /FFB8F8490576FFE56D77FFF4FFA7FFC1.xml ↵  
:5293 Scenario ·name: ·gg-sch ↵  
:5294 Schema: ·  
:5294 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:5294 ent..sch ↵  
:5295 Engine ·name: ·ISO ·Schematron ↵  
:5296 Severity: ·error ↵  
:5297 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:5297 subSection ·or ·subSubSection. ↵  
:5298 Start ·location: ·2316:111 ↵

```
:5299 <!--
:5300 System·ID: ·
:5300 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
:5300 /FFB8F8490576FFE56D77FFF4FFA7FFC1.xml<!--
:5301 Main·validation·file: ·
:5301 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
:5301 /FFB8F8490576FFE56D77FFF4FFA7FFC1.xml<!--
:5302 Scenario·name: ·gg-sch<!--
:5303 Schema: ·
:5303 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
:5303 ent..sch<!--
:5304 Engine·name: ·ISO·Schematron<!--
:5305 Severity: ·error<!--
:5306 Description: ·A·paragraph·must·have·an·ancestor·
:5306 subSection·or·subSubSection.<!--
:5307 Start·location: ·2345:138<!--
:5308 <!--
:5309 System·ID: ·
:5309 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
:5309 /FFB8F8490576FFE56D77FFF4FFA7FFC1.xml<!--
:5310 Main·validation·file: ·
:5310 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
:5310 /FFB8F8490576FFE56D77FFF4FFA7FFC1.xml<!--
:5311 Scenario·name: ·gg-sch<!--
:5312 Schema: ·
:5312 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
:5312 ent..sch<!--
:5313 Engine·name: ·ISO·Schematron<!--
:5314 Severity: ·error<!--
:5315 Description: ·A·paragraph·must·have·an·ancestor·
:5315 subSection·or·subSubSection.<!--
:5316 Start·location: ·2360:111<!--
:5317 <!--
:5318 System·ID: ·
:5318 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
```

:5318 /FFB8F8490576FFE56D77FFF4FFA7FFC1.xml ↵  
:5319 Main-validation-file: ·  
:5319 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:5319 /FFB8F8490576FFE56D77FFF4FFA7FFC1.xml ↵  
:5320 Scenario-name: ·gg-sch ↵  
:5321 Schema: ·  
:5321 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:5321 ent..sch ↵  
:5322 Engine-name: ·ISO-Schematron ↵  
:5323 Severity: ·error ↵  
:5324 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:5324 subSection ·or ·subSubSection. ↵  
:5325 Start-location: ·2400:138 ↵  
:5326 ↵  
:5327 System-ID: ·  
:5327 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:5327 /FFB8F8490576FFE56D77FFF4FFA7FFC1.xml ↵  
:5328 Main-validation-file: ·  
:5328 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:5328 /FFB8F8490576FFE56D77FFF4FFA7FFC1.xml ↵  
:5329 Scenario-name: ·gg-sch ↵  
:5330 Schema: ·  
:5330 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:5330 ent..sch ↵  
:5331 Engine-name: ·ISO-Schematron ↵  
:5332 Severity: ·error ↵  
:5333 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:5333 subSection ·or ·subSubSection. ↵  
:5334 Start-location: ·2420:138 ↵  
:5335 ↵  
:5336 System-ID: ·  
:5336 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:5336 /FFB8F8490576FFE56D77FFF4FFA7FFC1.xml ↵  
:5337 Main-validation-file: ·  
:5337 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax

:5337 /FFB8F8490576FFE56D77FFF4FFA7FFC1.xml ↵  
:5338 Scenario.name: .gg-sch ↵  
:5339 Schema: .  
:5339 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
:5340 Engine.name: .ISO.Schematron ↵  
:5341 Severity: .error ↵  
:5342 Description: .A.paragraph.must.have.an.ancestor.  
:5342 subSection.or.subSubSection. ↵  
:5343 Start.location: .2435:138 ↵  
:5344 ↵  
:5345 System.ID: .  
:5345 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:5345 /FFB8F8490576FFE56D77FFF4FFA7FFC1.xml ↵  
:5346 Main.validation.file: .  
:5346 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:5346 /FFB8F8490576FFE56D77FFF4FFA7FFC1.xml ↵  
:5347 Scenario.name: .gg-sch ↵  
:5348 Schema: .  
:5348 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
:5349 Engine.name: .ISO.Schematron ↵  
:5350 Severity: .error ↵  
:5351 Description: .A.paragraph.must.have.an.ancestor.  
:5351 subSection.or.subSubSection. ↵  
:5352 Start.location: .2454:138 ↵  
:5353 ↵  
:5354 System.ID: .  
:5354 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:5354 /FFB8F8490576FFE56D77FFF4FFA7FFC1.xml ↵  
:5355 Main.validation.file: .  
:5355 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:5355 /FFB8F8490576FFE56D77FFF4FFA7FFC1.xml ↵  
:5356 Scenario.name: .gg-sch ↵  
:5357 Schema: .

```
:5357 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm  
:5357 ent..sch↵  
:5358 Engine.name: ·ISO ·Schematron↵  
:5359 Severity: ·error↵  
:5360 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:5360 subSection ·or ·subSubSection.↵  
:5361 Start ·location: ·2472:111↵  
:5362 ↵  
:5363 System ·ID: ·  
:5363 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:5363 /FFB8F8490576FFE56D77FFF4FFA7FFC1.xml↵  
:5364 Main ·validation ·file: ·  
:5364 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:5364 /FFB8F8490576FFE56D77FFF4FFA7FFC1.xml↵  
:5365 Scenario ·name: ·gg-sch↵  
:5366 Schema: ·  
:5366 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm  
:5366 ent..sch↵  
:5367 Engine.name: ·ISO ·Schematron↵  
:5368 Severity: ·error↵  
:5369 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:5369 subSection ·or ·subSubSection.↵  
:5370 Start ·location: ·2495:111↵  
:5371 ↵  
:5372 System ·ID: ·  
:5372 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:5372 /FFB8F8490576FFE56D77FFF4FFA7FFC1.xml↵  
:5373 Main ·validation ·file: ·  
:5373 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:5373 /FFB8F8490576FFE56D77FFF4FFA7FFC1.xml↵  
:5374 Scenario ·name: ·gg-sch↵  
:5375 Schema: ·  
:5375 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm  
:5375 ent..sch↵  
:5376 Engine.name: ·ISO ·Schematron↵
```

:5377 Severity: ·error ↵  
:5378 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:5378 subSection ·or ·subSubSection. ↵  
:5379 Start ·location: ·2521:138 ↵  
:5380 ↵  
:5381 System ·ID: ·  
:5381 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:5381 /FFB8F8490576FFE56D77FFF4FFA7FFC1.xml ↵  
:5382 Main ·validation ·file: ·  
:5382 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:5382 /FFB8F8490576FFE56D77FFF4FFA7FFC1.xml ↵  
:5383 Scenario ·name: ·gg-sch ↵  
:5384 Schema: ·  
:5384 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:5384 ent..sch ↵  
:5385 Engine ·name: ·ISO ·Schematron ↵  
:5386 Severity: ·error ↵  
:5387 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:5387 subSection ·or ·subSubSection. ↵  
:5388 Start ·location: ·2536:138 ↵  
:5389 ↵  
:5390 System ·ID: ·  
:5390 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:5390 /FFB8F8490576FFE56D77FFF4FFA7FFC1.xml ↵  
:5391 Main ·validation ·file: ·  
:5391 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:5391 /FFB8F8490576FFE56D77FFF4FFA7FFC1.xml ↵  
:5392 Scenario ·name: ·gg-sch ↵  
:5393 Schema: ·  
:5393 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:5393 ent..sch ↵  
:5394 Engine ·name: ·ISO ·Schematron ↵  
:5395 Severity: ·error ↵  
:5396 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:5396 subSection ·or ·subSubSection. ↵

:5397 Start ·location: ·2547:111 ↵  
:5398 ↵  
:5399 System ·ID: ·  
:5399 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:5399 /FFB8F8490576FFE56D77FFF4FFA7FFC1.xml ↵  
:5400 Main ·validation ·file: ·  
:5400 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:5400 /FFB8F8490576FFE56D77FFF4FFA7FFC1.xml ↵  
:5401 Scenario ·name: ·gg-sch ↵  
:5402 Schema: ·  
:5402 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:5402 ent..sch ↵  
:5403 Engine ·name: ·ISO ·Schematron ↵  
:5404 Severity: ·error ↵  
:5405 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:5405 subSection ·or ·subSubSection. ↵  
:5406 Start ·location: ·2569:111 ↵  
:5407 ↵  
:5408 System ·ID: ·  
:5408 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:5408 /FFB8F8490576FFE56D77FFF4FFA7FFC1.xml ↵  
:5409 Main ·validation ·file: ·  
:5409 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:5409 /FFB8F8490576FFE56D77FFF4FFA7FFC1.xml ↵  
:5410 Scenario ·name: ·gg-sch ↵  
:5411 Schema: ·  
:5411 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:5411 ent..sch ↵  
:5412 Engine ·name: ·ISO ·Schematron ↵  
:5413 Severity: ·error ↵  
:5414 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:5414 subSection ·or ·subSubSection. ↵  
:5415 Start ·location: ·2600:111 ↵  
:5416 ↵  
:5417 System ·ID: ·

```
:5417 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
:5417 /FFB8F8490576FFE56D77FFF4FFA7FFC1.xml↵
:5418 Main-validation-file: ·
:5418 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
:5418 /FFB8F8490576FFE56D77FFF4FFA7FFC1.xml↵
:5419 Scenario-name: ·gg-sch↵
:5420 Schema: ·
:5420 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
:5420 ent..sch↵
:5421 Engine-name: ·ISO ·Schematron↵
:5422 Severity: ·error↵
:5423 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
:5423 subSection ·or ·subSubSection.↵
:5424 Start-location: ·2621:111↵
:5425 ↵
:5426 System-ID: ·
:5426 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
:5426 /FFB8F8490576FFE56D77FFF4FFA7FFC1.xml↵
:5427 Main-validation-file: ·
:5427 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
:5427 /FFB8F8490576FFE56D77FFF4FFA7FFC1.xml↵
:5428 Scenario-name: ·gg-sch↵
:5429 Schema: ·
:5429 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
:5429 ent..sch↵
:5430 Engine-name: ·ISO ·Schematron↵
:5431 Severity: ·error↵
:5432 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
:5432 subSection ·or ·subSubSection.↵
:5433 Start-location: ·2645:138↵
:5434 ↵
:5435 System-ID: ·
:5435 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
:5435 /FFB8F8490576FFE56D77FFF4FFA7FFC1.xml↵
:5436 Main-validation-file: ·
```

:5436 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:5436 /FFB8F8490576FFE56D77FFF4FFA7FFC1.xml ↵  
:5437 Scenario.name: .gg-sch ↵  
:5438 Schema: .  
:5438 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:5438 ent..sch ↵  
:5439 Engine.name: .ISO .Schematron ↵  
:5440 Severity: .error ↵  
:5441 Description: .A .paragraph .must .have .an .ancestor .  
:5441 subSection .or .subSubSection. ↵  
:5442 Start.location: .2665:111 ↵  
:5443 ↵  
:5444 System.ID: .  
:5444 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:5444 /FFB8F8490576FFE56D77FFF4FFA7FFC1.xml ↵  
:5445 Main.validation.file: .  
:5445 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:5445 /FFB8F8490576FFE56D77FFF4FFA7FFC1.xml ↵  
:5446 Scenario.name: .gg-sch ↵  
:5447 Schema: .  
:5447 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:5447 ent..sch ↵  
:5448 Engine.name: .ISO .Schematron ↵  
:5449 Severity: .error ↵  
:5450 Description: .A .paragraph .must .have .an .ancestor .  
:5450 subSection .or .subSubSection. ↵  
:5451 Start.location: .2692:138 ↵  
:5452 ↵  
:5453 System.ID: .  
:5453 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:5453 /FFB8F8490576FFE56D77FFF4FFA7FFC1.xml ↵  
:5454 Main.validation.file: .  
:5454 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:5454 /FFB8F8490576FFE56D77FFF4FFA7FFC1.xml ↵  
:5455 Scenario.name: .gg-sch ↵

```
:5456 Schema: .
:5456 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
:5456 ent..sch↵
:5457 Engine.name: .ISO .Schematron↵
:5458 Severity: .error↵
:5459 Description: .A .paragraph .must .have .an .ancestor .
:5459 subSection .or .subSubSection.↵
:5460 Start.location: .2711:111↵
:5461 ↵
:5462 System.ID: .
:5462 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
:5462 /FFB8F8490576FFE56D77FFF4FFA7FFC1.xml↵
:5463 Main.validation.file: .
:5463 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
:5463 /FFB8F8490576FFE56D77FFF4FFA7FFC1.xml↵
:5464 Scenario.name: .gg-sch↵
:5465 Schema: .
:5465 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
:5465 ent..sch↵
:5466 Engine.name: .ISO .Schematron↵
:5467 Severity: .error↵
:5468 Description: .A .paragraph .must .have .an .ancestor .
:5468 subSection .or .subSubSection.↵
:5469 Start.location: .2736:111↵
:5470 ↵
:5471 System.ID: .
:5471 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
:5471 /FFB8F8490576FFE56D77FFF4FFA7FFC1.xml↵
:5472 Main.validation.file: .
:5472 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
:5472 /FFB8F8490576FFE56D77FFF4FFA7FFC1.xml↵
:5473 Scenario.name: .gg-sch↵
:5474 Schema: .
:5474 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
:5474 ent..sch↵
```

:5475 Engine·name: ·ISO ·Schematron↵  
:5476 Severity: ·error↵  
:5477 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:5477 subSection ·or ·subSubSection.↵  
:5478 Start ·location: ·2758:111↵  
:5479 ↵  
:5480 System ·ID: ·  
:5480 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:5480 /FFB8F8490576FFE56D77FFF4FFA7FFC1.xml↵  
:5481 Main ·validation ·file: ·  
:5481 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:5481 /FFB8F8490576FFE56D77FFF4FFA7FFC1.xml↵  
:5482 Scenario ·name: ·gg-sch↵  
:5483 Schema: ·  
:5483 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:5483 ent..sch↵  
:5484 Engine·name: ·ISO ·Schematron↵  
:5485 Severity: ·error↵  
:5486 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:5486 subSection ·or ·subSubSection.↵  
:5487 Start ·location: ·2785:111↵  
:5488 ↵  
:5489 System ·ID: ·  
:5489 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:5489 /FFB8F8490576FFE56D77FFF4FFA7FFC1.xml↵  
:5490 Main ·validation ·file: ·  
:5490 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:5490 /FFB8F8490576FFE56D77FFF4FFA7FFC1.xml↵  
:5491 Scenario ·name: ·gg-sch↵  
:5492 Schema: ·  
:5492 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:5492 ent..sch↵  
:5493 Engine·name: ·ISO ·Schematron↵  
:5494 Severity: ·error↵  
:5495 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·

```
:5495 subSection ·or ·subSubSection.↵
:5496 Start ·location: ·2806:138↵
:5497 ↵
:5498 System ·ID: ·
:5498 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
:5498 /FFB8F8490576FFE56D77FFF4FFA7FFC1.xml↵
:5499 Main ·validation ·file: ·
:5499 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
:5499 /FFB8F8490576FFE56D77FFF4FFA7FFC1.xml↵
:5500 Scenario ·name: ·gg-sch↵
:5501 Schema: ·
:5501 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
:5501 ent..sch↵
:5502 Engine ·name: ·ISO ·Schematron↵
:5503 Severity: ·error↵
:5504 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
:5504 subSection ·or ·subSubSection.↵
:5505 Start ·location: ·2821:111↵
:5506 ↵
:5507 System ·ID: ·
:5507 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
:5507 /FFB8F8490576FFE56D77FFF4FFA7FFC1.xml↵
:5508 Main ·validation ·file: ·
:5508 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
:5508 /FFB8F8490576FFE56D77FFF4FFA7FFC1.xml↵
:5509 Scenario ·name: ·gg-sch↵
:5510 Schema: ·
:5510 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
:5510 ent..sch↵
:5511 Engine ·name: ·ISO ·Schematron↵
:5512 Severity: ·error↵
:5513 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
:5513 subSection ·or ·subSubSection.↵
:5514 Start ·location: ·2842:111↵
:5515 ↵
```

:5516 System·ID: ·  
:5516 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:5516 /FFB8F8490576FFE56D77FFF4FFA7FFC1.xml↵  
:5517 Main·validation·file: ·  
:5517 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:5517 /FFB8F8490576FFE56D77FFF4FFA7FFC1.xml↵  
:5518 Scenario·name: ·gg-sch↵  
:5519 Schema: ·  
:5519 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:5519 ent..sch↵  
:5520 Engine·name: ·ISO·Schematron↵  
:5521 Severity: ·error↵  
:5522 Description: ·A·paragraph·must·have·an·ancestor·  
:5522 subSection·or·subSubSection.↵  
:5523 Start·location: ·2865:136↵  
:5524 ↵  
:5525 System·ID: ·  
:5525 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:5525 /FFB8F8490576FFE56D77FFF4FFA7FFC1.xml↵  
:5526 Main·validation·file: ·  
:5526 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:5526 /FFB8F8490576FFE56D77FFF4FFA7FFC1.xml↵  
:5527 Scenario·name: ·gg-sch↵  
:5528 Schema: ·  
:5528 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:5528 ent..sch↵  
:5529 Engine·name: ·ISO·Schematron↵  
:5530 Severity: ·error↵  
:5531 Description: ·A·paragraph·must·have·an·ancestor·  
:5531 subSection·or·subSubSection.↵  
:5532 Start·location: ·2886:111↵  
:5533 ↵  
:5534 System·ID: ·  
:5534 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:5534 /FFB8F8490576FFE56D77FFF4FFA7FFC1.xml↵

:5535 Main-validation-file: .  
:5535 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:5535 /FFB8F8490576FFE56D77FFF4FFA7FFC1.xml↵  
:5536 Scenario-name: .gg-sch↵  
:5537 Schema: .  
:5537 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:5537 ent..sch↵  
:5538 Engine-name: .ISO-Schematron↵  
:5539 Severity: .error↵  
:5540 Description: .A .paragraph .must .have .an .ancestor .  
:5540 subSection .or .subSubSection.↵  
:5541 Start-location: .2915:111↵  
:5542 ↵  
:5543 System-ID: .  
:5543 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:5543 /FFB8F8490576FFE56D77FFF4FFA7FFC1.xml↵  
:5544 Main-validation-file: .  
:5544 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:5544 /FFB8F8490576FFE56D77FFF4FFA7FFC1.xml↵  
:5545 Scenario-name: .gg-sch↵  
:5546 Schema: .  
:5546 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:5546 ent..sch↵  
:5547 Engine-name: .ISO-Schematron↵  
:5548 Severity: .error↵  
:5549 Description: .A .paragraph .must .have .an .ancestor .  
:5549 subSection .or .subSubSection.↵  
:5550 Start-location: .2941:111↵  
:5551 ↵  
:5552 System-ID: .  
:5552 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:5552 /FFB8F8490576FFE56D77FFF4FFA7FFC1.xml↵  
:5553 Main-validation-file: .  
:5553 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:5553 /FFB8F8490576FFE56D77FFF4FFA7FFC1.xml↵

```
:5554 Scenario·name: ·gg-sch↵
:5555 Schema: ·
:5555 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
:5555 ent..sch↵
:5556 Engine·name: ·ISO·Schematron↵
:5557 Severity: ·error↵
:5558 Description: ·A·paragraph·must·have·an·ancestor·
:5558 subSection·or·subSubSection.↵
:5559 Start·location: ·2962:111↵
:5560 ↵
:5561 System·ID: ·
:5561 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
:5561 /FFB8F8490576FFE56D77FFF4FFA7FFC1.xml↵
:5562 Main·validation·file: ·
:5562 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
:5562 /FFB8F8490576FFE56D77FFF4FFA7FFC1.xml↵
:5563 Scenario·name: ·gg-sch↵
:5564 Schema: ·
:5564 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
:5564 ent..sch↵
:5565 Engine·name: ·ISO·Schematron↵
:5566 Severity: ·error↵
:5567 Description: ·A·paragraph·must·have·an·ancestor·
:5567 subSection·or·subSubSection.↵
:5568 Start·location: ·2989:111↵
:5569 ↵
:5570 System·ID: ·
:5570 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
:5570 /FFB8F8490576FFE56D77FFF4FFA7FFC1.xml↵
:5571 Main·validation·file: ·
:5571 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
:5571 /FFB8F8490576FFE56D77FFF4FFA7FFC1.xml↵
:5572 Scenario·name: ·gg-sch↵
:5573 Schema: ·
:5573 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
```

```
:5573 ent..sch↵
:5574 Engine·name: ·ISO ·Schematron↵
:5575 Severity: ·error↵
:5576 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
:5576 subSection ·or ·subSubSection.↵
:5577 Start ·location: ·3018:111↵
:5578 ↵
:5579 System ·ID: ·
:5579 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
:5579 /FFB8F8490576FFE56D77FFF4FFA7FFC1.xml↵
:5580 Main ·validation ·file: ·
:5580 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
:5580 /FFB8F8490576FFE56D77FFF4FFA7FFC1.xml↵
:5581 Scenario ·name: ·gg-sch↵
:5582 Schema: ·
:5582 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
:5582 ent..sch↵
:5583 Engine·name: ·ISO ·Schematron↵
:5584 Severity: ·error↵
:5585 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
:5585 subSection ·or ·subSubSection.↵
:5586 Start ·location: ·3036:111↵
:5587 ↵
:5588 System ·ID: ·
:5588 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
:5588 /FFB8F8490576FFE56D77FFF4FFA7FFC1.xml↵
:5589 Main ·validation ·file: ·
:5589 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
:5589 /FFB8F8490576FFE56D77FFF4FFA7FFC1.xml↵
:5590 Scenario ·name: ·gg-sch↵
:5591 Schema: ·
:5591 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
:5591 ent..sch↵
:5592 Engine·name: ·ISO ·Schematron↵
:5593 Severity: ·error↵
```

:5594 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:5594 subSection ·or ·subSubSection. ↵  
:5595 Start ·location: ·3057:111 ↵  
:5596 ↵  
:5597 System ·ID: ·  
:5597 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:5597 /FFB8F8490576FFE56D77FFF4FFA7FFC1.xml ↵  
:5598 Main ·validation ·file: ·  
:5598 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:5598 /FFB8F8490576FFE56D77FFF4FFA7FFC1.xml ↵  
:5599 Scenario ·name: ·gg-sch ↵  
:5600 Schema: ·  
:5600 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:5600 ent..sch ↵  
:5601 Engine ·name: ·ISO ·Schematron ↵  
:5602 Severity: ·error ↵  
:5603 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:5603 subSection ·or ·subSubSection. ↵  
:5604 Start ·location: ·3080:111 ↵  
:5605 ↵  
:5606 System ·ID: ·  
:5606 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:5606 /FFB8F8490576FFE56D77FFF4FFA7FFC1.xml ↵  
:5607 Main ·validation ·file: ·  
:5607 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:5607 /FFB8F8490576FFE56D77FFF4FFA7FFC1.xml ↵  
:5608 Scenario ·name: ·gg-sch ↵  
:5609 Schema: ·  
:5609 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:5609 ent..sch ↵  
:5610 Engine ·name: ·ISO ·Schematron ↵  
:5611 Severity: ·error ↵  
:5612 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:5612 subSection ·or ·subSubSection. ↵  
:5613 Start ·location: ·3102:136 ↵

```
:5614 <System·ID: ·  
:5615 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:5615 /FFB8F8490576FFE56D77FFF4FFA7FFC1.xml<  
:5616 Main·validation·file: ·  
:5616 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:5616 /FFB8F8490576FFE56D77FFF4FFA7FFC1.xml<  
:5617 Scenario·name: ·gg-sch<  
:5618 Schema: ·  
:5618 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm  
:5618 ent..sch<  
:5619 Engine·name: ·ISO·Schematron<  
:5620 Severity: ·error<  
:5621 Description: ·A·paragraph·must·have·an·ancestor·  
:5621 subSection·or·subSubSection.<  
:5622 Start·location: ·3125:111<  
:5623 <  
:5624 System·ID: ·  
:5624 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:5624 /FFB8F8490576FFE56D77FFF4FFA7FFC1.xml<  
:5625 Main·validation·file: ·  
:5625 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:5625 /FFB8F8490576FFE56D77FFF4FFA7FFC1.xml<  
:5626 Scenario·name: ·gg-sch<  
:5627 Schema: ·  
:5627 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm  
:5627 ent..sch<  
:5628 Engine·name: ·ISO·Schematron<  
:5629 Severity: ·error<  
:5630 Description: ·A·paragraph·must·have·an·ancestor·  
:5630 subSection·or·subSubSection.<  
:5631 Start·location: ·3142:111<  
:5632 <  
:5633 System·ID: ·  
:5633 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
```

:5633 /FFB8F8490576FFE56D77FFF4FFA7FFC1.xml ↵  
:5634 Main-validation-file: ·  
:5634 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:5634 /FFB8F8490576FFE56D77FFF4FFA7FFC1.xml ↵  
:5635 Scenario-name: ·gg-sch ↵  
:5636 Schema: ·  
:5636 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:5636 ent..sch ↵  
:5637 Engine-name: ·ISO-Schematron ↵  
:5638 Severity: ·error ↵  
:5639 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:5639 subSection ·or ·subSubSection. ↵  
:5640 Start-location: ·3168:136 ↵  
:5641 ↵  
:5642 System-ID: ·  
:5642 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:5642 /FFB8F8490576FFE56D77FFF4FFA7FFC1.xml ↵  
:5643 Main-validation-file: ·  
:5643 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:5643 /FFB8F8490576FFE56D77FFF4FFA7FFC1.xml ↵  
:5644 Scenario-name: ·gg-sch ↵  
:5645 Schema: ·  
:5645 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:5645 ent..sch ↵  
:5646 Engine-name: ·ISO-Schematron ↵  
:5647 Severity: ·error ↵  
:5648 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:5648 subSection ·or ·subSubSection. ↵  
:5649 Start-location: ·3184:111 ↵  
:5650 ↵  
:5651 System-ID: ·  
:5651 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:5651 /FFB8F8490576FFE56D77FFF4FFA7FFC1.xml ↵  
:5652 Main-validation-file: ·  
:5652 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax

:5652 /FFB8F8490576FFE56D77FFF4FFA7FFC1.xml ↵  
:5653 Scenario.name: .gg-sch ↵  
:5654 Schema: .  
:5654 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:5654 ent..sch ↵  
:5655 Engine.name: .ISO.Schematron ↵  
:5656 Severity: .error ↵  
:5657 Description: .A.paragraph.must.have.an.ancestor.  
:5657 subSection.or.subSubSection. ↵  
:5658 Start.location: .3205:111 ↵  
:5659 ↵  
:5660 System.ID: .  
:5660 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:5660 /FFB8F8490576FFE56D77FFF4FFA7FFC1.xml ↵  
:5661 Main.validation.file: .  
:5661 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:5661 /FFB8F8490576FFE56D77FFF4FFA7FFC1.xml ↵  
:5662 Scenario.name: .gg-sch ↵  
:5663 Schema: .  
:5663 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:5663 ent..sch ↵  
:5664 Engine.name: .ISO.Schematron ↵  
:5665 Severity: .error ↵  
:5666 Description: .A.paragraph.must.have.an.ancestor.  
:5666 subSection.or.subSubSection. ↵  
:5667 Start.location: .3232:111 ↵  
:5668 ↵  
:5669 System.ID: .  
:5669 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:5669 /FFB8F8490576FFE56D77FFF4FFA7FFC1.xml ↵  
:5670 Main.validation.file: .  
:5670 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:5670 /FFB8F8490576FFE56D77FFF4FFA7FFC1.xml ↵  
:5671 Scenario.name: .gg-sch ↵  
:5672 Schema: .

```
:5672 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm  
:5672 ent..sch↵  
:5673 Engine.name: ·ISO ·Schematron↵  
:5674 Severity: ·error↵  
:5675 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:5675 subSection ·or ·subSubSection.↵  
:5676 Start ·location: ·3256:111↵  
:5677 ↵  
:5678 System ·ID: ·  
:5678 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:5678 /FFB8F8490576FFE56D77FFF4FFA7FFC1.xml↵  
:5679 Main ·validation ·file: ·  
:5679 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:5679 /FFB8F8490576FFE56D77FFF4FFA7FFC1.xml↵  
:5680 Scenario ·name: ·gg-sch↵  
:5681 Schema: ·  
:5681 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm  
:5681 ent..sch↵  
:5682 Engine.name: ·ISO ·Schematron↵  
:5683 Severity: ·error↵  
:5684 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:5684 subSection ·or ·subSubSection.↵  
:5685 Start ·location: ·3289:111↵  
:5686 ↵  
:5687 System ·ID: ·  
:5687 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:5687 /FFB8F8490576FFE56D77FFF4FFA7FFC1.xml↵  
:5688 Main ·validation ·file: ·  
:5688 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:5688 /FFB8F8490576FFE56D77FFF4FFA7FFC1.xml↵  
:5689 Scenario ·name: ·gg-sch↵  
:5690 Schema: ·  
:5690 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm  
:5690 ent..sch↵  
:5691 Engine.name: ·ISO ·Schematron↵
```

:5692 Severity: ·error ↵  
:5693 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:5693 subSection ·or ·subSubSection. ↵  
:5694 Start ·location: ·3316:111 ↵  
:5695 ↵  
:5696 System ·ID: ·  
:5696 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:5696 /FFB8F8490576FFE56D77FFF4FFA7FFC1.xml ↵  
:5697 Main ·validation ·file: ·  
:5697 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:5697 /FFB8F8490576FFE56D77FFF4FFA7FFC1.xml ↵  
:5698 Scenario ·name: ·gg-sch ↵  
:5699 Schema: ·  
:5699 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:5699 ent..sch ↵  
:5700 Engine ·name: ·ISO ·Schematron ↵  
:5701 Severity: ·error ↵  
:5702 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:5702 subSection ·or ·subSubSection. ↵  
:5703 Start ·location: ·3337:138 ↵  
:5704 ↵  
:5705 System ·ID: ·  
:5705 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:5705 /FFB8F8490576FFE56D77FFF4FFA7FFC1.xml ↵  
:5706 Main ·validation ·file: ·  
:5706 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:5706 /FFB8F8490576FFE56D77FFF4FFA7FFC1.xml ↵  
:5707 Scenario ·name: ·gg-sch ↵  
:5708 Schema: ·  
:5708 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:5708 ent..sch ↵  
:5709 Engine ·name: ·ISO ·Schematron ↵  
:5710 Severity: ·error ↵  
:5711 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:5711 subSection ·or ·subSubSection. ↵

:5712 Start ·location: ·3360:111 ↵  
:5713 ↵  
:5714 System ·ID: ·  
:5714 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:5714 /FFB8F8490576FFE56D77FFF4FFA7FFC1.xml ↵  
:5715 Main ·validation ·file: ·  
:5715 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:5715 /FFB8F8490576FFE56D77FFF4FFA7FFC1.xml ↵  
:5716 Scenario ·name: ·gg-sch ↵  
:5717 Schema: ·  
:5717 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:5717 ent..sch ↵  
:5718 Engine ·name: ·ISO ·Schematron ↵  
:5719 Severity: ·error ↵  
:5720 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:5720 subSection ·or ·subSubSection. ↵  
:5721 Start ·location: ·3388:111 ↵  
:5722 ↵  
:5723 System ·ID: ·  
:5723 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:5723 /FFB8F8490576FFE56D77FFF4FFA7FFC1.xml ↵  
:5724 Main ·validation ·file: ·  
:5724 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:5724 /FFB8F8490576FFE56D77FFF4FFA7FFC1.xml ↵  
:5725 Scenario ·name: ·gg-sch ↵  
:5726 Schema: ·  
:5726 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:5726 ent..sch ↵  
:5727 Engine ·name: ·ISO ·Schematron ↵  
:5728 Severity: ·error ↵  
:5729 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:5729 subSection ·or ·subSubSection. ↵  
:5730 Start ·location: ·3410:138 ↵  
:5731 ↵  
:5732 System ·ID: ·

:5732 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:5732 /FFB8F8490576FFE56D77FFF4FFA7FFC1.xml ↵  
:5733 Main-validation-file: ·  
:5733 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:5733 /FFB8F8490576FFE56D77FFF4FFA7FFC1.xml ↵  
:5734 Scenario-name: ·gg-sch ↵  
:5735 Schema: ·  
:5735 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:5735 ent..sch ↵  
:5736 Engine-name: ·ISO ·Schematron ↵  
:5737 Severity: ·error ↵  
:5738 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:5738 subSection ·or ·subSubSection. ↵  
:5739 Start-location: ·3434:111 ↵  
:5740 ↵  
:5741 System-ID: ·  
:5741 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:5741 /FFB8F8490576FFE56D77FFF4FFA7FFC1.xml ↵  
:5742 Main-validation-file: ·  
:5742 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:5742 /FFB8F8490576FFE56D77FFF4FFA7FFC1.xml ↵  
:5743 Scenario-name: ·gg-sch ↵  
:5744 Schema: ·  
:5744 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:5744 ent..sch ↵  
:5745 Engine-name: ·ISO ·Schematron ↵  
:5746 Severity: ·error ↵  
:5747 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:5747 subSection ·or ·subSubSection. ↵  
:5748 Start-location: ·3458:111 ↵  
:5749 ↵  
:5750 System-ID: ·  
:5750 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:5750 /FFB8F8490576FFE56D77FFF4FFA7FFC1.xml ↵  
:5751 Main-validation-file: ·

:5751 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:5751 /FFB8F8490576FFE56D77FFF4FFA7FFC1.xml ↵  
:5752 Scenario.name: .gg-sch ↵  
:5753 Schema: .  
:5753 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:5753 ent..sch ↵  
:5754 Engine.name: .ISO .Schematron ↵  
:5755 Severity: .error ↵  
:5756 Description: .A .paragraph .must .have .an .ancestor .  
:5756 subSection .or .subSubSection. ↵  
:5757 Start.location: .3488:111 ↵  
:5758 ↵  
:5759 System.ID: .  
:5759 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:5759 /FFB8F8490576FFE56D77FFF4FFA7FFC1.xml ↵  
:5760 Main.validation.file: .  
:5760 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:5760 /FFB8F8490576FFE56D77FFF4FFA7FFC1.xml ↵  
:5761 Scenario.name: .gg-sch ↵  
:5762 Schema: .  
:5762 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:5762 ent..sch ↵  
:5763 Engine.name: .ISO .Schematron ↵  
:5764 Severity: .error ↵  
:5765 Description: .A .paragraph .must .have .an .ancestor .  
:5765 subSection .or .subSubSection. ↵  
:5766 Start.location: .3510:138 ↵  
:5767 ↵  
:5768 System.ID: .  
:5768 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:5768 /FFB8F8490576FFE56D77FFF4FFA7FFC1.xml ↵  
:5769 Main.validation.file: .  
:5769 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:5769 /FFB8F8490576FFE56D77FFF4FFA7FFC1.xml ↵  
:5770 Scenario.name: .gg-sch ↵

:5771 Schema: .  
:5771 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:5771 ent..sch↵  
:5772 Engine.name: .ISO .Schematron↵  
:5773 Severity: .error↵  
:5774 Description: .A .paragraph .must .have .an .ancestor .  
:5774 subSection .or .subSubSection.↵  
:5775 Start.location: .3515:112↵  
:5776 ↵  
:5777 System.ID: .  
:5777 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:5777 /FFB8F8490576FFE56D77FFF4FFA7FFC1.xml↵  
:5778 Main.validation.file: .  
:5778 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:5778 /FFB8F8490576FFE56D77FFF4FFA7FFC1.xml↵  
:5779 Scenario.name: .gg-sch↵  
:5780 Schema: .  
:5780 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:5780 ent..sch↵  
:5781 Engine.name: .ISO .Schematron↵  
:5782 Severity: .error↵  
:5783 Description: .A .paragraph .must .have .an .ancestor .  
:5783 subSection .or .subSubSection.↵  
:5784 Start.location: .3516:138↵  
:5785 ↵  
:5786 System.ID: .  
:5786 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:5786 /FFB8F8490576FFE56D77FFF4FFA7FFC1.xml↵  
:5787 Main.validation.file: .  
:5787 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:5787 /FFB8F8490576FFE56D77FFF4FFA7FFC1.xml↵  
:5788 Scenario.name: .gg-sch↵  
:5789 Schema: .  
:5789 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:5789 ent..sch↵

:5790 Engine.name: ·ISO ·Schematron↵  
:5791 Severity: ·error↵  
:5792 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:5792 subSection ·or ·subSubSection.↵  
:5793 Start.location: ·3521:112↵  
:5794 ↵  
:5795 System.ID: ·  
:5795 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:5795 /FFB8F8490576FFE56D77FFF4FFA7FFC1.xml↵  
:5796 Main.validation.file: ·  
:5796 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:5796 /FFB8F8490576FFE56D77FFF4FFA7FFC1.xml↵  
:5797 Scenario.name: ·gg-sch↵  
:5798 Schema: ·  
:5798 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:5798 ent..sch↵  
:5799 Engine.name: ·ISO ·Schematron↵  
:5800 Severity: ·error↵  
:5801 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:5801 subSection ·or ·subSubSection.↵  
:5802 Start.location: ·3522:138↵  
:5803 ↵  
:5804 System.ID: ·  
:5804 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:5804 /FFB8F8490576FFE56D77FFF4FFA7FFC1.xml↵  
:5805 Main.validation.file: ·  
:5805 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:5805 /FFB8F8490576FFE56D77FFF4FFA7FFC1.xml↵  
:5806 Scenario.name: ·gg-sch↵  
:5807 Schema: ·  
:5807 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:5807 ent..sch↵  
:5808 Engine.name: ·ISO ·Schematron↵  
:5809 Severity: ·error↵  
:5810 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·

```
:5810 subSection ·or ·subSubSection.↵
:5811 Start ·location: ·3527:112↵
:5812 ↵
:5813 System ·ID: ·
:5813 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
:5813 /FFB8F8490576FFE56D77FFF4FFA7FFC1.xml↵
:5814 Main ·validation ·file: ·
:5814 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
:5814 /FFB8F8490576FFE56D77FFF4FFA7FFC1.xml↵
:5815 Scenario ·name: ·gg-sch↵
:5816 Schema: ·
:5816 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
:5816 ent..sch↵
:5817 Engine ·name: ·ISO ·Schematron↵
:5818 Severity: ·error↵
:5819 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
:5819 subSection ·or ·subSubSection.↵
:5820 Start ·location: ·3528:133↵
:5821 ↵
:5822 System ·ID: ·
:5822 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
:5822 /FFB8F8490576FFE56D77FFF4FFA7FFC1.xml↵
:5823 Main ·validation ·file: ·
:5823 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
:5823 /FFB8F8490576FFE56D77FFF4FFA7FFC1.xml↵
:5824 Scenario ·name: ·gg-sch↵
:5825 Schema: ·
:5825 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
:5825 ent..sch↵
:5826 Engine ·name: ·ISO ·Schematron↵
:5827 Severity: ·error↵
:5828 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
:5828 subSection ·or ·subSubSection.↵
:5829 Start ·location: ·3533:133↵
:5830 ↵
```

:5831 System·ID: ·  
:5831 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:5831 /FFB8F8490576FFE56D77FFF4FFA7FFC1.xml↵  
:5832 Main·validation·file: ·  
:5832 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:5832 /FFB8F8490576FFE56D77FFF4FFA7FFC1.xml↵  
:5833 Scenario·name: ·gg-sch↵  
:5834 Schema: ·  
:5834 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:5834 ent..sch↵  
:5835 Engine·name: ·ISO·Schematron↵  
:5836 Severity: ·error↵  
:5837 Description: ·A·paragraph·must·have·an·ancestor·  
:5837 subSection·or·subSubSection.↵  
:5838 Start·location: ·3534:134↵  
:5839 ↵  
:5840 System·ID: ·  
:5840 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:5840 /FFB8F8490576FFE56D77FFF4FFA7FFC1.xml↵  
:5841 Main·validation·file: ·  
:5841 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:5841 /FFB8F8490576FFE56D77FFF4FFA7FFC1.xml↵  
:5842 Scenario·name: ·gg-sch↵  
:5843 Schema: ·  
:5843 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:5843 ent..sch↵  
:5844 Engine·name: ·ISO·Schematron↵  
:5845 Severity: ·error↵  
:5846 Description: ·A·paragraph·must·have·an·ancestor·  
:5846 subSection·or·subSubSection.↵  
:5847 Start·location: ·3539:110↵  
:5848 ↵  
:5849 System·ID: ·  
:5849 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:5849 /FFB8F8490576FFE56D77FFF4FFA7FFC1.xml↵

```
:5850 Main-validation-file: .
:5850 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
:5850 /FFB8F8490576FFE56D77FFF4FFA7FFC1.xml↵
:5851 Scenario-name: .gg-sch↵
:5852 Schema: .
:5852 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
:5852 ent..sch↵
:5853 Engine-name: .ISO-Schematron↵
:5854 Severity: .error↵
:5855 Description: .A .paragraph .must .have .an .ancestor .
:5855 subSection .or .subSubSection.↵
:5856 Start-location: .3543:135↵
:5857 ↵
:5858 System-ID: .
:5858 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
:5858 /FFB8F8490576FFE56D77FFF4FFA7FFC1.xml↵
:5859 Main-validation-file: .
:5859 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
:5859 /FFB8F8490576FFE56D77FFF4FFA7FFC1.xml↵
:5860 Scenario-name: .gg-sch↵
:5861 Schema: .
:5861 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
:5861 ent..sch↵
:5862 Engine-name: .ISO-Schematron↵
:5863 Severity: .error↵
:5864 Description: .A .paragraph .must .have .an .ancestor .
:5864 subSection .or .subSubSection.↵
:5865 Start-location: .3547:135↵
:5866 ↵
:5867 System-ID: .
:5867 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
:5867 /FFB8F8490576FFE56D77FFF4FFA7FFC1.xml↵
:5868 Main-validation-file: .
:5868 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
:5868 /FFB8F8490576FFE56D77FFF4FFA7FFC1.xml↵
```

```
:5869 Scenario·name: ·gg-sch↵
:5870 Schema: ·
:5870 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
:5870 ent..sch↵
:5871 Engine·name: ·ISO·Schematron↵
:5872 Severity: ·error↵
:5873 Description: ·A·paragraph·must·have·an·ancestor·
:5873 subSection·or·subSubSection.↵
:5874 Start·location: ·3551:110↵
:5875 ↵
:5876 System·ID: ·
:5876 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
:5876 /FFB8F8490576FFE56D77FFF4FFA7FFC1.xml↵
:5877 Main·validation·file: ·
:5877 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
:5877 /FFB8F8490576FFE56D77FFF4FFA7FFC1.xml↵
:5878 Scenario·name: ·gg-sch↵
:5879 Schema: ·
:5879 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
:5879 ent..sch↵
:5880 Engine·name: ·ISO·Schematron↵
:5881 Severity: ·error↵
:5882 Description: ·A·paragraph·must·have·an·ancestor·
:5882 subSection·or·subSubSection.↵
:5883 Start·location: ·3555:110↵
:5884 ↵
:5885 System·ID: ·
:5885 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
:5885 /FFB8F8490576FFE56D77FFF4FFA7FFC1.xml↵
:5886 Main·validation·file: ·
:5886 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
:5886 /FFB8F8490576FFE56D77FFF4FFA7FFC1.xml↵
:5887 Scenario·name: ·gg-sch↵
:5888 Schema: ·
:5888 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
```

```
:5888  ent..sch↵
:5889  Engine·name: ·ISO ·Schematron↵
:5890  Severity: ·error↵
:5891  Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
:5891  subSection ·or ·subSubSection.↵
:5892  Start ·location: ·3560:133↵
:5893  ↵
:5894  System ·ID: ·
:5894  /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
:5894  /FFC75C16FFB08B00FFC0FF9EDC70FFFFD.xml↵
:5895  Main ·validation ·file: ·
:5895  /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
:5895  /FFC75C16FFB08B00FFC0FF9EDC70FFFFD.xml↵
:5896  Scenario ·name: ·gg-sch↵
:5897  Schema: ·
:5897  /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
:5897  ent..sch↵
:5898  Engine·name: ·ISO ·Schematron↵
:5899  Severity: ·error↵
:5900  Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
:5900  subSection ·or ·subSubSection.↵
:5901  Start ·location: ·46:135↵
:5902  ↵
:5903  System ·ID: ·
:5903  /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
:5903  /FFC75C16FFB08B00FFC0FF9EDC70FFFFD.xml↵
:5904  Main ·validation ·file: ·
:5904  /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
:5904  /FFC75C16FFB08B00FFC0FF9EDC70FFFFD.xml↵
:5905  Scenario ·name: ·gg-sch↵
:5906  Schema: ·
:5906  /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
:5906  ent..sch↵
:5907  Engine·name: ·ISO ·Schematron↵
:5908  Severity: ·error↵
```

:5909 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:5909 subSection ·or ·subSubSection. ↵  
:5910 Start ·location: ·51:111 ↵  
:5911 ↵  
:5912 System ·ID: ·  
:5912 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:5912 /FFC75C16FFB08B00FFC0FF9EDC70FFFFD.xml ↵  
:5913 Main ·validation ·file: ·  
:5913 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:5913 /FFC75C16FFB08B00FFC0FF9EDC70FFFFD.xml ↵  
:5914 Scenario ·name: ·gg-sch ↵  
:5915 Schema: ·  
:5915 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:5915 ent..sch ↵  
:5916 Engine ·name: ·ISO ·Schematron ↵  
:5917 Severity: ·error ↵  
:5918 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:5918 subSection ·or ·subSubSection. ↵  
:5919 Start ·location: ·58:111 ↵  
:5920 ↵  
:5921 System ·ID: ·  
:5921 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:5921 /FFC75C16FFB08B00FFC0FF9EDC70FFFFD.xml ↵  
:5922 Main ·validation ·file: ·  
:5922 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:5922 /FFC75C16FFB08B00FFC0FF9EDC70FFFFD.xml ↵  
:5923 Scenario ·name: ·gg-sch ↵  
:5924 Schema: ·  
:5924 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:5924 ent..sch ↵  
:5925 Engine ·name: ·ISO ·Schematron ↵  
:5926 Severity: ·error ↵  
:5927 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:5927 subSection ·or ·subSubSection. ↵  
:5928 Start ·location: ·71:135 ↵

```
:5929 <System>
:5930 System·ID: ·
:5930 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
:5930 /FFC75C16FFB08B00FFC0FF9EDC70FFFFD.xml<
:5931 Main·validation·file: ·
:5931 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
:5931 /FFC75C16FFB08B00FFC0FF9EDC70FFFFD.xml<
:5932 Scenario·name: ·gg-sch<
:5933 Schema: ·
:5933 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
:5933 ent..sch<
:5934 Engine·name: ·ISO·Schematron<
:5935 Severity: ·error<
:5936 Description: ·A·paragraph·must·have·an·ancestor·
:5936 subSection·or·subSubSection.<
:5937 Start·location: ·72:111<
:5938 <
:5939 System·ID: ·
:5939 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
:5939 /FFC75C16FFB08B00FFC0FF9EDC70FFFFD.xml<
:5940 Main·validation·file: ·
:5940 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
:5940 /FFC75C16FFB08B00FFC0FF9EDC70FFFFD.xml<
:5941 Scenario·name: ·gg-sch<
:5942 Schema: ·
:5942 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
:5942 ent..sch<
:5943 Engine·name: ·ISO·Schematron<
:5944 Severity: ·error<
:5945 Description: ·A·paragraph·must·have·an·ancestor·
:5945 subSection·or·subSubSection.<
:5946 Start·location: ·77:111<
:5947 <
:5948 System·ID: ·
:5948 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
```

:5948 /FFC75C16FFB08B00FFC0FF9EDC70FFFFD.xml ↵  
:5949 Main-validation-file: .  
:5949 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:5949 /FFC75C16FFB08B00FFC0FF9EDC70FFFFD.xml ↵  
:5950 Scenario-name: .gg-sch ↵  
:5951 Schema: .  
:5951 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:5951 ent..sch ↵  
:5952 Engine-name: .ISO-Schematron ↵  
:5953 Severity: .error ↵  
:5954 Description: .A.paragraph.must.have.an.ancestor.  
:5954 subSection.or.subSubSection. ↵  
:5955 Start-location: .78:111 ↵  
:5956 ↵  
:5957 System-ID: .  
:5957 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:5957 /FFC75C16FFB08B00FFC0FF9EDC70FFFFD.xml ↵  
:5958 Main-validation-file: .  
:5958 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:5958 /FFC75C16FFB08B00FFC0FF9EDC70FFFFD.xml ↵  
:5959 Scenario-name: .gg-sch ↵  
:5960 Schema: .  
:5960 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:5960 ent..sch ↵  
:5961 Engine-name: .ISO-Schematron ↵  
:5962 Severity: .error ↵  
:5963 Description: .A.paragraph.must.have.an.ancestor.  
:5963 subSection.or.subSubSection. ↵  
:5964 Start-location: .83:111 ↵  
:5965 ↵  
:5966 System-ID: .  
:5966 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:5966 /FFC75C16FFB08B00FFC0FF9EDC70FFFFD.xml ↵  
:5967 Main-validation-file: .  
:5967 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax

:5967 /FFC75C16FFB08B00FFC0FF9EDC70FFFFD.xml ↵  
:5968 Scenario ·name: ·gg-sch ↵  
:5969 Schema: ·  
:5969 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:5969 ent..sch ↵  
:5970 Engine ·name: ·ISO ·Schematron ↵  
:5971 Severity: ·error ↵  
:5972 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:5972 subSection ·or ·subSubSection. ↵  
:5973 Start ·location: ·88:138 ↵  
:5974 ↵  
:5975 System ·ID: ·  
:5975 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:5975 /FFC75C16FFB08B00FFC0FF9EDC70FFFFD.xml ↵  
:5976 Main ·validation ·file: ·  
:5976 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:5976 /FFC75C16FFB08B00FFC0FF9EDC70FFFFD.xml ↵  
:5977 Scenario ·name: ·gg-sch ↵  
:5978 Schema: ·  
:5978 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:5978 ent..sch ↵  
:5979 Engine ·name: ·ISO ·Schematron ↵  
:5980 Severity: ·error ↵  
:5981 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:5981 subSection ·or ·subSubSection. ↵  
:5982 Start ·location: ·97:112 ↵  
:5983 ↵  
:5984 System ·ID: ·  
:5984 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:5984 /FFC75C16FFB08B00FFC0FF9EDC70FFFFD.xml ↵  
:5985 Main ·validation ·file: ·  
:5985 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:5985 /FFC75C16FFB08B00FFC0FF9EDC70FFFFD.xml ↵  
:5986 Scenario ·name: ·gg-sch ↵  
:5987 Schema: ·

```
:5987 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm  
:5987 ent..sch↵  
:5988 Engine.name: ·ISO ·Schematron↵  
:5989 Severity: ·error↵  
:5990 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:5990 subSection ·or ·subSubSection.↵  
:5991 Start ·location: ·100:112↵  
:5992 ↵  
:5993 System ·ID: ·  
:5993 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:5993 /FFC75C16FFB08B00FFC0FF9EDC70FFFFD.xml↵  
:5994 Main ·validation ·file: ·  
:5994 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:5994 /FFC75C16FFB08B00FFC0FF9EDC70FFFFD.xml↵  
:5995 Scenario ·name: ·gg-sch↵  
:5996 Schema: ·  
:5996 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm  
:5996 ent..sch↵  
:5997 Engine.name: ·ISO ·Schematron↵  
:5998 Severity: ·error↵  
:5999 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:5999 subSection ·or ·subSubSection.↵  
:6000 Start ·location: ·107:111↵  
:6001 ↵  
:6002 System ·ID: ·  
:6002 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:6002 /FFC75C16FFB08B00FFC0FF9EDC70FFFFD.xml↵  
:6003 Main ·validation ·file: ·  
:6003 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:6003 /FFC75C16FFB08B00FFC0FF9EDC70FFFFD.xml↵  
:6004 Scenario ·name: ·gg-sch↵  
:6005 Schema: ·  
:6005 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm  
:6005 ent..sch↵  
:6006 Engine.name: ·ISO ·Schematron↵
```

:6007 Severity: ·error↵  
:6008 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:6008 subSection ·or ·subSubSection.↵  
:6009 Start ·location: ·116:111↵  
:6010 ↵  
:6011 System ·ID: ·  
:6011 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:6011 /FFC75C16FFB08B00FFC0FF9EDC70FFFFD.xml↵  
:6012 Main ·validation ·file: ·  
:6012 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:6012 /FFC75C16FFB08B00FFC0FF9EDC70FFFFD.xml↵  
:6013 Scenario ·name: ·gg-sch↵  
:6014 Schema: ·  
:6014 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:6014 ent..sch↵  
:6015 Engine ·name: ·ISO ·Schematron↵  
:6016 Severity: ·error↵  
:6017 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:6017 subSection ·or ·subSubSection.↵  
:6018 Start ·location: ·117:111↵  
:6019 ↵  
:6020 System ·ID: ·  
:6020 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:6020 /FFC75C16FFB08B00FFC0FF9EDC70FFFFD.xml↵  
:6021 Main ·validation ·file: ·  
:6021 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:6021 /FFC75C16FFB08B00FFC0FF9EDC70FFFFD.xml↵  
:6022 Scenario ·name: ·gg-sch↵  
:6023 Schema: ·  
:6023 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:6023 ent..sch↵  
:6024 Engine ·name: ·ISO ·Schematron↵  
:6025 Severity: ·error↵  
:6026 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:6026 subSection ·or ·subSubSection.↵

:6027 Start ·location: ·126:148 ↵  
:6028 ↵  
:6029 System ·ID: ·  
:6029 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:6029 /FFC75C16FFB08B00FFC0FF9EDC70FFFFD.xml ↵  
:6030 Main ·validation ·file: ·  
:6030 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:6030 /FFC75C16FFB08B00FFC0FF9EDC70FFFFD.xml ↵  
:6031 Scenario ·name: ·gg-sch ↵  
:6032 Schema: ·  
:6032 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:6032 ent..sch ↵  
:6033 Engine ·name: ·ISO ·Schematron ↵  
:6034 Severity: ·error ↵  
:6035 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:6035 subSection ·or ·subSubSection. ↵  
:6036 Start ·location: ·127:113 ↵  
:6037 ↵  
:6038 System ·ID: ·  
:6038 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:6038 /FFC75C16FFB08B00FFC0FF9EDC70FFFFD.xml ↵  
:6039 Main ·validation ·file: ·  
:6039 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:6039 /FFC75C16FFB08B00FFC0FF9EDC70FFFFD.xml ↵  
:6040 Scenario ·name: ·gg-sch ↵  
:6041 Schema: ·  
:6041 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:6041 ent..sch ↵  
:6042 Engine ·name: ·ISO ·Schematron ↵  
:6043 Severity: ·error ↵  
:6044 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:6044 subSection ·or ·subSubSection. ↵  
:6045 Start ·location: ·132:113 ↵  
:6046 ↵  
:6047 System ·ID: ·

```
:6047 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
:6047 /FFC75C16FFB08B00FFC0FF9EDC70FFFFD.xml↵
:6048 Main-validation-file: .
:6048 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
:6048 /FFC75C16FFB08B00FFC0FF9EDC70FFFFD.xml↵
:6049 Scenario-name: .gg-sch↵
:6050 Schema: .
:6050 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
:6050 ent..sch↵
:6051 Engine-name: .ISO-Schematron↵
:6052 Severity: .error↵
:6053 Description: .A paragraph must have an ancestor .
:6053 subSection.or subSubSection.↵
:6054 Start-location: .133:113↵
:6055 ↵
:6056 System-ID: .
:6056 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
:6056 /FFC75C16FFB08B00FFC0FF9EDC70FFFFD.xml↵
:6057 Main-validation-file: .
:6057 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
:6057 /FFC75C16FFB08B00FFC0FF9EDC70FFFFD.xml↵
:6058 Scenario-name: .gg-sch↵
:6059 Schema: .
:6059 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
:6059 ent..sch↵
:6060 Engine-name: .ISO-Schematron↵
:6061 Severity: .error↵
:6062 Description: .A paragraph must have an ancestor .
:6062 subSection.or subSubSection.↵
:6063 Start-location: .134:111↵
:6064 ↵
:6065 System-ID: .
:6065 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
:6065 /FFC75C16FFB08B00FFC0FF9EDC70FFFFD.xml↵
:6066 Main-validation-file: .
```

:6066 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:6066 /FFC75C16FFB08B00FFC0FF9EDC70FFFFD.xml ↵  
:6067 Scenario.name: .gg-sch ↵  
:6068 Schema: .  
:6068 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:6068 ent..sch ↵  
:6069 Engine.name: .ISO .Schematron ↵  
:6070 Severity: .error ↵  
:6071 Description: .A .paragraph .must .have .an .ancestor .  
:6071 subSection .or .subSubSection. ↵  
:6072 Start.location: .135:111 ↵  
:6073 ↵  
:6074 System.ID: .  
:6074 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:6074 /FFC75C16FFB08B00FFC0FF9EDC70FFFFD.xml ↵  
:6075 Main.validation.file: .  
:6075 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:6075 /FFC75C16FFB08B00FFC0FF9EDC70FFFFD.xml ↵  
:6076 Scenario.name: .gg-sch ↵  
:6077 Schema: .  
:6077 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:6077 ent..sch ↵  
:6078 Engine.name: .ISO .Schematron ↵  
:6079 Severity: .error ↵  
:6080 Description: .A .paragraph .must .have .an .ancestor .  
:6080 subSection .or .subSubSection. ↵  
:6081 Start.location: .137:136 ↵  
:6082 ↵  
:6083 System.ID: .  
:6083 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:6083 /FFC75C16FFB08B00FFC0FF9EDC70FFFFD.xml ↵  
:6084 Main.validation.file: .  
:6084 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:6084 /FFC75C16FFB08B00FFC0FF9EDC70FFFFD.xml ↵  
:6085 Scenario.name: .gg-sch ↵

:6086 Schema: .  
:6086 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:6086 ent..sch↵  
:6087 Engine.name: .ISO .Schematron↵  
:6088 Severity: .error↵  
:6089 Description: .A .paragraph .must .have .an .ancestor .  
:6089 subSection .or .subSubSection.↵  
:6090 Start.location: .145:134↵  
:6091 ↵  
:6092 System.ID: .  
:6092 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:6092 /FFC75C16FFB08B00FFC0FF9EDC70FFFFD.xml↵  
:6093 Main.validation.file: .  
:6093 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:6093 /FFC75C16FFB08B00FFC0FF9EDC70FFFFD.xml↵  
:6094 Scenario.name: .gg-sch↵  
:6095 Schema: .  
:6095 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:6095 ent..sch↵  
:6096 Engine.name: .ISO .Schematron↵  
:6097 Severity: .error↵  
:6098 Description: .A .paragraph .must .have .an .ancestor .  
:6098 subSection .or .subSubSection.↵  
:6099 Start.location: .147:80↵  
:6100 ↵  
:6101 System.ID: .  
:6101 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:6101 /FFC75C16FFB08B00FFC0FF9EDC70FFFFD.xml↵  
:6102 Main.validation.file: .  
:6102 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:6102 /FFC75C16FFB08B00FFC0FF9EDC70FFFFD.xml↵  
:6103 Scenario.name: .gg-sch↵  
:6104 Schema: .  
:6104 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:6104 ent..sch↵

:6105 Engine·name: ·ISO ·Schematron↵  
:6106 Severity: ·error↵  
:6107 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:6107 subSection ·or ·subSubSection.↵  
:6108 Start ·location: ·183:111↵  
:6109 ↵  
:6110 System ·ID: ·  
:6110 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:6110 /FFC75C16FFB08B00FFC0FF9EDC70FFFFD.xml↵  
:6111 Main ·validation ·file: ·  
:6111 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:6111 /FFC75C16FFB08B00FFC0FF9EDC70FFFFD.xml↵  
:6112 Scenario ·name: ·gg-sch↵  
:6113 Schema: ·  
:6113 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:6113 ent..sch↵  
:6114 Engine·name: ·ISO ·Schematron↵  
:6115 Severity: ·error↵  
:6116 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:6116 subSection ·or ·subSubSection.↵  
:6117 Start ·location: ·191:111↵  
:6118 ↵  
:6119 System ·ID: ·  
:6119 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:6119 /FFC75C16FFB08B00FFC0FF9EDC70FFFFD.xml↵  
:6120 Main ·validation ·file: ·  
:6120 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:6120 /FFC75C16FFB08B00FFC0FF9EDC70FFFFD.xml↵  
:6121 Scenario ·name: ·gg-sch↵  
:6122 Schema: ·  
:6122 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:6122 ent..sch↵  
:6123 Engine·name: ·ISO ·Schematron↵  
:6124 Severity: ·error↵  
:6125 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·

:6125 subSection ·or ·subSubSection. ↵  
:6126 Start ·location: ·192:111 ↵  
:6127 ↵  
:6128 System ·ID: ·  
:6128 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:6128 /FFC75C16FFB08B00FFC0FF9EDC70FFFFD.xml ↵  
:6129 Main ·validation ·file: ·  
:6129 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:6129 /FFC75C16FFB08B00FFC0FF9EDC70FFFFD.xml ↵  
:6130 Scenario ·name: ·gg-sch ↵  
:6131 Schema: ·  
:6131 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:6131 ent..sch ↵  
:6132 Engine ·name: ·ISO ·Schematron ↵  
:6133 Severity: ·error ↵  
:6134 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:6134 subSection ·or ·subSubSection. ↵  
:6135 Start ·location: ·197:111 ↵  
:6136 ↵  
:6137 System ·ID: ·  
:6137 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:6137 /FFC75C16FFB08B00FFC0FF9EDC70FFFFD.xml ↵  
:6138 Main ·validation ·file: ·  
:6138 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:6138 /FFC75C16FFB08B00FFC0FF9EDC70FFFFD.xml ↵  
:6139 Scenario ·name: ·gg-sch ↵  
:6140 Schema: ·  
:6140 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:6140 ent..sch ↵  
:6141 Engine ·name: ·ISO ·Schematron ↵  
:6142 Severity: ·error ↵  
:6143 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:6143 subSection ·or ·subSubSection. ↵  
:6144 Start ·location: ·198:111 ↵  
:6145 ↵

:6146 System·ID: ·  
:6146 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:6146 /FFC75C16FFB08B00FFC0FF9EDC70FFFFD.xml↵  
:6147 Main·validation·file: ·  
:6147 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:6147 /FFC75C16FFB08B00FFC0FF9EDC70FFFFD.xml↵  
:6148 Scenario·name: ·gg-sch↵  
:6149 Schema: ·  
:6149 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:6149 ent..sch↵  
:6150 Engine·name: ·ISO·Schematron↵  
:6151 Severity: ·error↵  
:6152 Description: ·A·paragraph·must·have·an·ancestor·  
:6152 subSection·or·subSubSection.↵  
:6153 Start·location: ·205:111↵  
:6154 ↵  
:6155 System·ID: ·  
:6155 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:6155 /FFC75C16FFB08B00FFC0FF9EDC70FFFFD.xml↵  
:6156 Main·validation·file: ·  
:6156 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:6156 /FFC75C16FFB08B00FFC0FF9EDC70FFFFD.xml↵  
:6157 Scenario·name: ·gg-sch↵  
:6158 Schema: ·  
:6158 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:6158 ent..sch↵  
:6159 Engine·name: ·ISO·Schematron↵  
:6160 Severity: ·error↵  
:6161 Description: ·A·paragraph·must·have·an·ancestor·  
:6161 subSection·or·subSubSection.↵  
:6162 Start·location: ·206:148↵  
:6163 ↵  
:6164 System·ID: ·  
:6164 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:6164 /FFC75C16FFB08B00FFC0FF9EDC70FFFFD.xml↵

:6165 Main-validation-file: ·  
:6165 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:6165 /FFC75C16FFB08B00FFC0FF9EDC70FFFFD.xml ↵  
:6166 Scenario-name: ·gg-sch ↵  
:6167 Schema: ·  
:6167 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:6167 ent..sch ↵  
:6168 Engine-name: ·ISO ·Schematron ↵  
:6169 Severity: ·error ↵  
:6170 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:6170 subSection ·or ·subSubSection. ↵  
:6171 Start-location: ·207:185 ↵  
:6172 ↵  
:6173 System-ID: ·  
:6173 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:6173 /FFC75C16FFB08B00FFC0FF9EDC70FFFFD.xml ↵  
:6174 Main-validation-file: ·  
:6174 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:6174 /FFC75C16FFB08B00FFC0FF9EDC70FFFFD.xml ↵  
:6175 Scenario-name: ·gg-sch ↵  
:6176 Schema: ·  
:6176 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:6176 ent..sch ↵  
:6177 Engine-name: ·ISO ·Schematron ↵  
:6178 Severity: ·error ↵  
:6179 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:6179 subSection ·or ·subSubSection. ↵  
:6180 Start-location: ·208:110 ↵  
:6181 ↵  
:6182 System-ID: ·  
:6182 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:6182 /FFC75C16FFB08B00FFC0FF9EDC70FFFFD.xml ↵  
:6183 Main-validation-file: ·  
:6183 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:6183 /FFC75C16FFB08B00FFC0FF9EDC70FFFFD.xml ↵

```
:6184 Scenario·name: ·gg-sch↵
:6185 Schema: ·
:6185 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
:6185 ent..sch↵
:6186 Engine·name: ·ISO·Schematron↵
:6187 Severity: ·error↵
:6188 Description: ·A·paragraph·must·have·an·ancestor·
:6188 subSection·or·subSubSection.↵
:6189 Start·location: ·209:134↵
:6190 ↵
:6191 System·ID: ·
:6191 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
:6191 /FFC75C16FFB08B00FFC0FF9EDC70FFFFD.xml↵
:6192 Main·validation·file: ·
:6192 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
:6192 /FFC75C16FFB08B00FFC0FF9EDC70FFFFD.xml↵
:6193 Scenario·name: ·gg-sch↵
:6194 Schema: ·
:6194 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
:6194 ent..sch↵
:6195 Engine·name: ·ISO·Schematron↵
:6196 Severity: ·error↵
:6197 Description: ·A·paragraph·must·have·an·ancestor·
:6197 subSection·or·subSubSection.↵
:6198 Start·location: ·214:110↵
:6199 ↵
:6200 System·ID: ·
:6200 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
:6200 /FFC75C16FFB08B00FFC0FF9EDC70FFFFD.xml↵
:6201 Main·validation·file: ·
:6201 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
:6201 /FFC75C16FFB08B00FFC0FF9EDC70FFFFD.xml↵
:6202 Scenario·name: ·gg-sch↵
:6203 Schema: ·
:6203 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
```

```
:6203  ent..sch↵
:6204  Engine·name: ·ISO ·Schematron↵
:6205  Severity: ·error↵
:6206  Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
:6206  subSection ·or ·subSubSection.↵
:6207  Start ·location: ·231:110↵
:6208  ↵
:6209  System ·ID: ·
:6209  /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
:6209  /FFC75C16FFB08B00FFC0FF9EDC70FFFFD.xml↵
:6210  Main ·validation ·file: ·
:6210  /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
:6210  /FFC75C16FFB08B00FFC0FF9EDC70FFFFD.xml↵
:6211  Scenario ·name: ·gg-sch↵
:6212  Schema: ·
:6212  /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
:6212  ent..sch↵
:6213  Engine·name: ·ISO ·Schematron↵
:6214  Severity: ·error↵
:6215  Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
:6215  subSection ·or ·subSubSection.↵
:6216  Start ·location: ·243:110↵
:6217  ↵
:6218  System ·ID: ·
:6218  /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
:6218  /FFC75C16FFB08B00FFC0FF9EDC70FFFFD.xml↵
:6219  Main ·validation ·file: ·
:6219  /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
:6219  /FFC75C16FFB08B00FFC0FF9EDC70FFFFD.xml↵
:6220  Scenario ·name: ·gg-sch↵
:6221  Schema: ·
:6221  /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
:6221  ent..sch↵
:6222  Engine·name: ·ISO ·Schematron↵
:6223  Severity: ·error↵
```

:6224 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:6224 subSection ·or ·subSubSection. ↵  
:6225 Start ·location: ·257:110 ↵  
:6226 ↵  
:6227 System ·ID: ·  
:6227 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:6227 /FFC75C16FFB08B00FFC0FF9EDC70FFFFD.xml ↵  
:6228 Main ·validation ·file: ·  
:6228 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:6228 /FFC75C16FFB08B00FFC0FF9EDC70FFFFD.xml ↵  
:6229 Scenario ·name: ·gg-sch ↵  
:6230 Schema: ·  
:6230 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:6230 ent..sch ↵  
:6231 Engine ·name: ·ISO ·Schematron ↵  
:6232 Severity: ·error ↵  
:6233 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:6233 subSection ·or ·subSubSection. ↵  
:6234 Start ·location: ·269:146 ↵  
:6235 ↵  
:6236 System ·ID: ·  
:6236 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:6236 /FFC75C16FFB08B00FFC0FF9EDC70FFFFD.xml ↵  
:6237 Main ·validation ·file: ·  
:6237 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:6237 /FFC75C16FFB08B00FFC0FF9EDC70FFFFD.xml ↵  
:6238 Scenario ·name: ·gg-sch ↵  
:6239 Schema: ·  
:6239 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:6239 ent..sch ↵  
:6240 Engine ·name: ·ISO ·Schematron ↵  
:6241 Severity: ·error ↵  
:6242 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:6242 subSection ·or ·subSubSection. ↵  
:6243 Start ·location: ·282:112 ↵

:6244 ↵  
:6245 System·ID: ·  
:6245 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:6245 /FFC75C16FFB08B00FFC0FF9EDC70FFFFD.xml↵  
:6246 Main·validation·file: ·  
:6246 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:6246 /FFC75C16FFB08B00FFC0FF9EDC70FFFFD.xml↵  
:6247 Scenario·name: ·gg-sch↵  
:6248 Schema: ·  
:6248 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch↵  
:6249 Engine·name: ·ISO·Schematron↵  
:6250 Severity: ·error↵  
:6251 Description: ·A·paragraph·must·have·an·ancestor·  
:6251 subSection·or·subSubSection.↵  
:6252 Start·location: ·294:112↵  
:6253 ↵  
:6254 System·ID: ·  
:6254 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:6254 /FFC75C16FFB08B00FFC0FF9EDC70FFFFD.xml↵  
:6255 Main·validation·file: ·  
:6255 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:6255 /FFC75C16FFB08B00FFC0FF9EDC70FFFFD.xml↵  
:6256 Scenario·name: ·gg-sch↵  
:6257 Schema: ·  
:6257 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch↵  
:6258 Engine·name: ·ISO·Schematron↵  
:6259 Severity: ·error↵  
:6260 Description: ·A·paragraph·must·have·an·ancestor·  
:6260 subSection·or·subSubSection.↵  
:6261 Start·location: ·306:112↵  
:6262 ↵  
:6263 System·ID: ·  
:6263 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax

:6263 /FFC75C16FFB08B00FFC0FF9EDC70FFFFD.xml ↵  
:6264 Main-validation-file: .  
:6264 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:6264 /FFC75C16FFB08B00FFC0FF9EDC70FFFFD.xml ↵  
:6265 Scenario-name: .gg-sch ↵  
:6266 Schema: .  
:6266 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:6266 ent..sch ↵  
:6267 Engine-name: .ISO-Schematron ↵  
:6268 Severity: .error ↵  
:6269 Description: .A.paragraph.must.have.an.ancestor.  
:6269 subSection.or.subSubSection. ↵  
:6270 Start-location: .318:112 ↵  
:6271 ↵  
:6272 System-ID: .  
:6272 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:6272 /FFD35C795E2DFF87FFABEF1FFFCF3534.xml ↵  
:6273 Main-validation-file: .  
:6273 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:6273 /FFD35C795E2DFF87FFABEF1FFFCF3534.xml ↵  
:6274 Scenario-name: .gg-sch ↵  
:6275 Schema: .  
:6275 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:6275 ent..sch ↵  
:6276 Engine-name: .ISO-Schematron ↵  
:6277 Severity: .error ↵  
:6278 Description: .A.paragraph.must.have.an.ancestor.  
:6278 subSection.or.subSubSection. ↵  
:6279 Start-location: .35:134 ↵  
:6280 ↵  
:6281 System-ID: .  
:6281 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:6281 /FFD35C795E2DFF87FFABEF1FFFCF3534.xml ↵  
:6282 Main-validation-file: .  
:6282 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax

:6282 /FFD35C795E2DFF87FFABEF1FFFCF3534.xml ↵  
:6283 Scenario.name: .gg-sch ↵  
:6284 Schema: .  
:6284 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
:6285 Engine.name: .ISO.Schematron ↵  
:6286 Severity: .error ↵  
:6287 Description: .A.paragraph.must.have.an.ancestor.  
subSection.or.subSubSection. ↵  
:6288 Start.location: .36:134 ↵  
:6289 ↵  
:6290 System.ID: .  
:6290 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:6290 /FFD35C795E2DFF87FFABEF1FFFCF3534.xml ↵  
:6291 Main.validation.file: .  
:6291 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:6291 /FFD35C795E2DFF87FFABEF1FFFCF3534.xml ↵  
:6292 Scenario.name: .gg-sch ↵  
:6293 Schema: .  
:6293 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
:6294 Engine.name: .ISO.Schematron ↵  
:6295 Severity: .error ↵  
:6296 Description: .A.paragraph.must.have.an.ancestor.  
subSection.or.subSubSection. ↵  
:6297 Start.location: .37:134 ↵  
:6298 ↵  
:6299 System.ID: .  
:6299 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:6299 /FFD35C795E2DFF87FFABEF1FFFCF3534.xml ↵  
:6300 Main.validation.file: .  
:6300 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:6300 /FFD35C795E2DFF87FFABEF1FFFCF3534.xml ↵  
:6301 Scenario.name: .gg-sch ↵  
:6302 Schema: .

:6302 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:6302 ent..sch↵  
:6303 Engine.name: ·ISO ·Schematron↵  
:6304 Severity: ·error↵  
:6305 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:6305 subSection ·or ·subSubSection.↵  
:6306 Start ·location: ·43:110↵  
:6307 ↵  
:6308 System ·ID: ·  
:6308 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:6308 /FFD35C795E2DFF87FFABEF1FFFCF3534.xml↵  
:6309 Main ·validation ·file: ·  
:6309 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:6309 /FFD35C795E2DFF87FFABEF1FFFCF3534.xml↵  
:6310 Scenario ·name: ·gg-sch↵  
:6311 Schema: ·  
:6311 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:6311 ent..sch↵  
:6312 Engine.name: ·ISO ·Schematron↵  
:6313 Severity: ·error↵  
:6314 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:6314 subSection ·or ·subSubSection.↵  
:6315 Start ·location: ·46:135↵  
:6316 ↵  
:6317 System ·ID: ·  
:6317 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:6317 /FFD35C795E2DFF87FFABEF1FFFCF3534.xml↵  
:6318 Main ·validation ·file: ·  
:6318 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:6318 /FFD35C795E2DFF87FFABEF1FFFCF3534.xml↵  
:6319 Scenario ·name: ·gg-sch↵  
:6320 Schema: ·  
:6320 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:6320 ent..sch↵  
:6321 Engine.name: ·ISO ·Schematron↵

:6322 Severity: ·error ↵  
:6323 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:6323 subSection ·or ·subSubSection. ↵  
:6324 Start ·location: ·50:110 ↵  
:6325 ↵  
:6326 System ·ID: ·  
:6326 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:6326 /FFD35C795E2DFF87FFABEF1FFFCF3534.xml ↵  
:6327 Main ·validation ·file: ·  
:6327 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:6327 /FFD35C795E2DFF87FFABEF1FFFCF3534.xml ↵  
:6328 Scenario ·name: ·gg-sch ↵  
:6329 Schema: ·  
:6329 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:6329 ent..sch ↵  
:6330 Engine ·name: ·ISO ·Schematron ↵  
:6331 Severity: ·error ↵  
:6332 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:6332 subSection ·or ·subSubSection. ↵  
:6333 Start ·location: ·54:110 ↵  
:6334 ↵  
:6335 System ·ID: ·  
:6335 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:6335 /FFD35C795E2DFF87FFABEF1FFFCF3534.xml ↵  
:6336 Main ·validation ·file: ·  
:6336 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:6336 /FFD35C795E2DFF87FFABEF1FFFCF3534.xml ↵  
:6337 Scenario ·name: ·gg-sch ↵  
:6338 Schema: ·  
:6338 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:6338 ent..sch ↵  
:6339 Engine ·name: ·ISO ·Schematron ↵  
:6340 Severity: ·error ↵  
:6341 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:6341 subSection ·or ·subSubSection. ↵

:6342 Start ·location: ·64:110 ↵  
:6343 ↵  
:6344 System ·ID: ·  
:6344 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:6344 /FFD35C795E2DFF87FFABEF1FFFCF3534.xml ↵  
:6345 Main ·validation ·file: ·  
:6345 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:6345 /FFD35C795E2DFF87FFABEF1FFFCF3534.xml ↵  
:6346 Scenario ·name: ·gg-sch ↵  
:6347 Schema: ·  
:6347 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:6347 ent..sch ↵  
:6348 Engine ·name: ·ISO ·Schematron ↵  
:6349 Severity: ·error ↵  
:6350 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:6350 subSection ·or ·subSubSection. ↵  
:6351 Start ·location: ·68:110 ↵  
:6352 ↵  
:6353 System ·ID: ·  
:6353 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:6353 /FFD35C795E2DFF87FFABEF1FFFCF3534.xml ↵  
:6354 Main ·validation ·file: ·  
:6354 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:6354 /FFD35C795E2DFF87FFABEF1FFFCF3534.xml ↵  
:6355 Scenario ·name: ·gg-sch ↵  
:6356 Schema: ·  
:6356 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:6356 ent..sch ↵  
:6357 Engine ·name: ·ISO ·Schematron ↵  
:6358 Severity: ·error ↵  
:6359 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:6359 subSection ·or ·subSubSection. ↵  
:6360 Start ·location: ·87:111 ↵  
:6361 ↵  
:6362 System ·ID: ·

```
:6362 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
:6362 /FFD35C795E2DFF87FFABEF1FFFCF3534.xml↵
:6363 Main-validation-file: .
:6363 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
:6363 /FFD35C795E2DFF87FFABEF1FFFCF3534.xml↵
:6364 Scenario-name: .gg-sch↵
:6365 Schema: .
:6365 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
:6365 ent..sch↵
:6366 Engine-name: .ISO-Schematron↵
:6367 Severity: .error↵
:6368 Description: .A .paragraph .must .have .an .ancestor .
:6368 subSection .or .subSubSection.↵
:6369 Start-location: .98:111↵
:6370 ↵
:6371 System-ID: .
:6371 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
:6371 /FFD35C795E2DFF87FFABEF1FFFCF3534.xml↵
:6372 Main-validation-file: .
:6372 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
:6372 /FFD35C795E2DFF87FFABEF1FFFCF3534.xml↵
:6373 Scenario-name: .gg-sch↵
:6374 Schema: .
:6374 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
:6374 ent..sch↵
:6375 Engine-name: .ISO-Schematron↵
:6376 Severity: .error↵
:6377 Description: .A .paragraph .must .have .an .ancestor .
:6377 subSection .or .subSubSection.↵
:6378 Start-location: .106:110↵
:6379 ↵
:6380 System-ID: .
:6380 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
:6380 /FFD35C795E2DFF87FFABEF1FFFCF3534.xml↵
:6381 Main-validation-file: .
```

:6381 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:6381 /FFD35C795E2DFF87FFABEF1FFFCF3534.xml ↵  
:6382 Scenario.name: .gg-sch ↵  
:6383 Schema: .  
:6383 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:6383 ent..sch ↵  
:6384 Engine.name: .ISO .Schematron ↵  
:6385 Severity: .error ↵  
:6386 Description: .A .paragraph .must .have .an .ancestor .  
:6386 subSection .or .subSubSection. ↵  
:6387 Start.location: .111:110 ↵  
:6388 ↵  
:6389 System.ID: .  
:6389 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:6389 /FFD35C795E2DFF87FFABEF1FFFCF3534.xml ↵  
:6390 Main.validation.file: .  
:6390 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:6390 /FFD35C795E2DFF87FFABEF1FFFCF3534.xml ↵  
:6391 Scenario.name: .gg-sch ↵  
:6392 Schema: .  
:6392 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:6392 ent..sch ↵  
:6393 Engine.name: .ISO .Schematron ↵  
:6394 Severity: .error ↵  
:6395 Description: .A .paragraph .must .have .an .ancestor .  
:6395 subSection .or .subSubSection. ↵  
:6396 Start.location: .112:110 ↵  
:6397 ↵  
:6398 System.ID: .  
:6398 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:6398 /FFD35C795E2DFF87FFABEF1FFFCF3534.xml ↵  
:6399 Main.validation.file: .  
:6399 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:6399 /FFD35C795E2DFF87FFABEF1FFFCF3534.xml ↵  
:6400 Scenario.name: .gg-sch ↵

:6401 Schema: .  
:6401 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:6401 ent..sch↵  
:6402 Engine.name: .ISO .Schematron↵  
:6403 Severity: .error↵  
:6404 Description: .A .paragraph .must .have .an .ancestor .  
:6404 subSection .or .subSubSection.↵  
:6405 Start.location: .113:110↵  
:6406 ↵  
:6407 System.ID: .  
:6407 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:6407 /FFD35C795E2DFF87FFABEF1FFFCF3534.xml↵  
:6408 Main.validation.file: .  
:6408 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:6408 /FFD35C795E2DFF87FFABEF1FFFCF3534.xml↵  
:6409 Scenario.name: .gg-sch↵  
:6410 Schema: .  
:6410 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:6410 ent..sch↵  
:6411 Engine.name: .ISO .Schematron↵  
:6412 Severity: .error↵  
:6413 Description: .A .paragraph .must .have .an .ancestor .  
:6413 subSection .or .subSubSection.↵  
:6414 Start.location: .114:111↵  
:6415 ↵  
:6416 System.ID: .  
:6416 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:6416 /FFD35C795E2DFF87FFABEF1FFFCF3534.xml↵  
:6417 Main.validation.file: .  
:6417 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:6417 /FFD35C795E2DFF87FFABEF1FFFCF3534.xml↵  
:6418 Scenario.name: .gg-sch↵  
:6419 Schema: .  
:6419 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:6419 ent..sch↵

:6420 Engine.name: ·ISO ·Schematron ↵  
:6421 Severity: ·error ↵  
:6422 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:6422 subSection ·or ·subSubSection. ↵  
:6423 Start.location: ·115:110 ↵  
:6424 ↵  
:6425 System.ID: ·  
:6425 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:6425 /FFD35C795E2DFF87FFABEF1FFFCF3534.xml ↵  
:6426 Main.validation.file: ·  
:6426 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:6426 /FFD35C795E2DFF87FFABEF1FFFCF3534.xml ↵  
:6427 Scenario.name: ·gg-sch ↵  
:6428 Schema: ·  
:6428 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:6428 ent..sch ↵  
:6429 Engine.name: ·ISO ·Schematron ↵  
:6430 Severity: ·error ↵  
:6431 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:6431 subSection ·or ·subSubSection. ↵  
:6432 Start.location: ·116:110 ↵  
:6433 ↵  
:6434 System.ID: ·  
:6434 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:6434 /FFD35C795E2DFF87FFABEF1FFFCF3534.xml ↵  
:6435 Main.validation.file: ·  
:6435 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:6435 /FFD35C795E2DFF87FFABEF1FFFCF3534.xml ↵  
:6436 Scenario.name: ·gg-sch ↵  
:6437 Schema: ·  
:6437 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:6437 ent..sch ↵  
:6438 Engine.name: ·ISO ·Schematron ↵  
:6439 Severity: ·error ↵  
:6440 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·

:6440 subSection ·or ·subSubSection. ↵  
:6441 Start ·location: ·117:138 ↵  
:6442 ↵  
:6443 System ·ID: ·  
:6443 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:6443 /FFD35C795E2DFF87FFABEF1FFFCF3534.xml ↵  
:6444 Main ·validation ·file: ·  
:6444 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:6444 /FFD35C795E2DFF87FFABEF1FFFCF3534.xml ↵  
:6445 Scenario ·name: ·gg-sch ↵  
:6446 Schema: ·  
:6446 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:6446 ent..sch ↵  
:6447 Engine ·name: ·ISO ·Schematron ↵  
:6448 Severity: ·error ↵  
:6449 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:6449 subSection ·or ·subSubSection. ↵  
:6450 Start ·location: ·122:181 ↵  
:6451 ↵  
:6452 System ·ID: ·  
:6452 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:6452 /FFD35C795E2DFF87FFABEF1FFFCF3534.xml ↵  
:6453 Main ·validation ·file: ·  
:6453 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:6453 /FFD35C795E2DFF87FFABEF1FFFCF3534.xml ↵  
:6454 Scenario ·name: ·gg-sch ↵  
:6455 Schema: ·  
:6455 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:6455 ent..sch ↵  
:6456 Engine ·name: ·ISO ·Schematron ↵  
:6457 Severity: ·error ↵  
:6458 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:6458 subSection ·or ·subSubSection. ↵  
:6459 Start ·location: ·127:136 ↵  
:6460 ↵

:6461 System·ID: ·  
:6461 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:6461 /FFD35C795E2DFF87FFABEF1FFFCF3534.xml↵  
:6462 Main·validation·file: ·  
:6462 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:6462 /FFD35C795E2DFF87FFABEF1FFFCF3534.xml↵  
:6463 Scenario·name: ·gg-sch↵  
:6464 Schema: ·  
:6464 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:6464 ent..sch↵  
:6465 Engine·name: ·ISO·Schematron↵  
:6466 Severity: ·error↵  
:6467 Description: ·A·paragraph·must·have·an·ancestor·  
:6467 subSection·or·subSubSection.↵  
:6468 Start·location: ·135:110↵  
:6469 ↵  
:6470 System·ID: ·  
:6470 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:6470 /FFD35C795E2DFF87FFABEF1FFFCF3534.xml↵  
:6471 Main·validation·file: ·  
:6471 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:6471 /FFD35C795E2DFF87FFABEF1FFFCF3534.xml↵  
:6472 Scenario·name: ·gg-sch↵  
:6473 Schema: ·  
:6473 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:6473 ent..sch↵  
:6474 Engine·name: ·ISO·Schematron↵  
:6475 Severity: ·error↵  
:6476 Description: ·A·paragraph·must·have·an·ancestor·  
:6476 subSection·or·subSubSection.↵  
:6477 Start·location: ·137:133↵  
:6478 ↵  
:6479 System·ID: ·  
:6479 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:6479 /FFD35C795E2DFF87FFABEF1FFFCF3534.xml↵

:6480 Main-validation-file: ·  
:6480 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:6480 /FFD35C795E2DFF87FFABEF1FFFCF3534.xml ↵  
:6481 Scenario-name: ·gg-sch ↵  
:6482 Schema: ·  
:6482 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:6482 ent..sch ↵  
:6483 Engine-name: ·ISO ·Schematron ↵  
:6484 Severity: ·error ↵  
:6485 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:6485 subSection ·or ·subSubSection. ↵  
:6486 Start-location: ·142:109 ↵  
:6487 ↵  
:6488 System-ID: ·  
:6488 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:6488 /FFD35C795E2DFF87FFABEF1FFFCF3534.xml ↵  
:6489 Main-validation-file: ·  
:6489 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:6489 /FFD35C795E2DFF87FFABEF1FFFCF3534.xml ↵  
:6490 Scenario-name: ·gg-sch ↵  
:6491 Schema: ·  
:6491 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:6491 ent..sch ↵  
:6492 Engine-name: ·ISO ·Schematron ↵  
:6493 Severity: ·error ↵  
:6494 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:6494 subSection ·or ·subSubSection. ↵  
:6495 Start-location: ·143:136 ↵  
:6496 ↵  
:6497 System-ID: ·  
:6497 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:6497 /FFD35C795E2DFF87FFABEF1FFFCF3534.xml ↵  
:6498 Main-validation-file: ·  
:6498 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:6498 /FFD35C795E2DFF87FFABEF1FFFCF3534.xml ↵

:6499 Scenario ·name: ·gg-sch ↵  
:6500 Schema: ·  
:6500 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:6500 ent..sch ↵  
:6501 Engine ·name: ·ISO ·Schematron ↵  
:6502 Severity: ·error ↵  
:6503 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:6503 subSection ·or ·subSubSection. ↵  
:6504 Start ·location: ·148:110 ↵  
:6505 ↵  
:6506 System ·ID: ·  
:6506 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:6506 /FFD35C795E2DFF87FFABEF1FFFCF3534.xml ↵  
:6507 Main ·validation ·file: ·  
:6507 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:6507 /FFD35C795E2DFF87FFABEF1FFFCF3534.xml ↵  
:6508 Scenario ·name: ·gg-sch ↵  
:6509 Schema: ·  
:6509 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:6509 ent..sch ↵  
:6510 Engine ·name: ·ISO ·Schematron ↵  
:6511 Severity: ·error ↵  
:6512 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:6512 subSection ·or ·subSubSection. ↵  
:6513 Start ·location: ·153:136 ↵  
:6514 ↵  
:6515 System ·ID: ·  
:6515 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:6515 /FFD35C795E2DFF87FFABEF1FFFCF3534.xml ↵  
:6516 Main ·validation ·file: ·  
:6516 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:6516 /FFD35C795E2DFF87FFABEF1FFFCF3534.xml ↵  
:6517 Scenario ·name: ·gg-sch ↵  
:6518 Schema: ·  
:6518 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm

:6518 ent..sch↵  
:6519 Engine.name: ·ISO ·Schematron↵  
:6520 Severity: ·error↵  
:6521 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:6521 subSection ·or ·subSubSection.↵  
:6522 Start ·location: ·158:145↵  
:6523 ↵  
:6524 System ·ID: ·  
:6524 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:6524 /FFD35C795E2DFF87FFABEF1FFFCF3534.xml↵  
:6525 Main ·validation ·file: ·  
:6525 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:6525 /FFD35C795E2DFF87FFABEF1FFFCF3534.xml↵  
:6526 Scenario ·name: ·gg-sch↵  
:6527 Schema: ·  
:6527 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:6527 ent..sch↵  
:6528 Engine.name: ·ISO ·Schematron↵  
:6529 Severity: ·error↵  
:6530 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:6530 subSection ·or ·subSubSection.↵  
:6531 Start ·location: ·159:135↵  
:6532 ↵  
:6533 System ·ID: ·  
:6533 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:6533 /FFD35C795E2DFF87FFABEF1FFFCF3534.xml↵  
:6534 Main ·validation ·file: ·  
:6534 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:6534 /FFD35C795E2DFF87FFABEF1FFFCF3534.xml↵  
:6535 Scenario ·name: ·gg-sch↵  
:6536 Schema: ·  
:6536 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:6536 ent..sch↵  
:6537 Engine.name: ·ISO ·Schematron↵  
:6538 Severity: ·error↵

:6539 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:6539 subSection ·or ·subSubSection. ↵  
:6540 Start ·location: ·164:110 ↵  
:6541 ↵  
:6542 System ·ID: ·  
:6542 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:6542 /FFD35C795E2DFF87FFABEF1FFFCF3534.xml ↵  
:6543 Main ·validation ·file: ·  
:6543 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:6543 /FFD35C795E2DFF87FFABEF1FFFCF3534.xml ↵  
:6544 Scenario ·name: ·gg-sch ↵  
:6545 Schema: ·  
:6545 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:6545 ent..sch ↵  
:6546 Engine ·name: ·ISO ·Schematron ↵  
:6547 Severity: ·error ↵  
:6548 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:6548 subSection ·or ·subSubSection. ↵  
:6549 Start ·location: ·165:138 ↵  
:6550 ↵  
:6551 System ·ID: ·  
:6551 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:6551 /FFD35C795E2DFF87FFABEF1FFFCF3534.xml ↵  
:6552 Main ·validation ·file: ·  
:6552 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:6552 /FFD35C795E2DFF87FFABEF1FFFCF3534.xml ↵  
:6553 Scenario ·name: ·gg-sch ↵  
:6554 Schema: ·  
:6554 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:6554 ent..sch ↵  
:6555 Engine ·name: ·ISO ·Schematron ↵  
:6556 Severity: ·error ↵  
:6557 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:6557 subSection ·or ·subSubSection. ↵  
:6558 Start ·location: ·170:111 ↵

```
:6559 <System·ID: ·  
:6560 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:6560 /FFD35C795E2DFF87FFABEF1FFFCF3534.xml<  
:6561 Main·validation·file: ·  
:6561 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:6561 /FFD35C795E2DFF87FFABEF1FFFCF3534.xml<  
:6562 Scenario·name: ·gg-sch<  
:6563 Schema: ·  
:6563 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm  
:6563 ent..sch<  
:6564 Engine·name: ·ISO·Schematron<  
:6565 Severity: ·error<  
:6566 Description: ·A·paragraph·must·have·an·ancestor·  
:6566 subSection·or·subSubSection.<  
:6567 Start·location: ·177:138<  
:6568 <  
:6569 System·ID: ·  
:6569 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:6569 /FFD35C795E2DFF87FFABEF1FFFCF3534.xml<  
:6570 Main·validation·file: ·  
:6570 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:6570 /FFD35C795E2DFF87FFABEF1FFFCF3534.xml<  
:6571 Scenario·name: ·gg-sch<  
:6572 Schema: ·  
:6572 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm  
:6572 ent..sch<  
:6573 Engine·name: ·ISO·Schematron<  
:6574 Severity: ·error<  
:6575 Description: ·A·paragraph·must·have·an·ancestor·  
:6575 subSection·or·subSubSection.<  
:6576 Start·location: ·182:111<  
:6577 <  
:6578 System·ID: ·  
:6578 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
```

:6578 /FFD35C795E2DFF87FFABEF1FFCF3534.xml ↵  
:6579 Main-validation-file: ·  
:6579 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:6579 /FFD35C795E2DFF87FFABEF1FFCF3534.xml ↵  
:6580 Scenario-name: ·gg-sch ↵  
:6581 Schema: ·  
:6581 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:6581 ent..sch ↵  
:6582 Engine-name: ·ISO-Schematron ↵  
:6583 Severity: ·error ↵  
:6584 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:6584 subSection ·or ·subSubSection. ↵  
:6585 Start-location: ·188:109 ↵  
:6586 ↵  
:6587 System-ID: ·  
:6587 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:6587 /FFD35C795E2DFF87FFABEF1FFCF3534.xml ↵  
:6588 Main-validation-file: ·  
:6588 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:6588 /FFD35C795E2DFF87FFABEF1FFCF3534.xml ↵  
:6589 Scenario-name: ·gg-sch ↵  
:6590 Schema: ·  
:6590 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:6590 ent..sch ↵  
:6591 Engine-name: ·ISO-Schematron ↵  
:6592 Severity: ·error ↵  
:6593 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:6593 subSection ·or ·subSubSection. ↵  
:6594 Start-location: ·192:109 ↵  
:6595 ↵  
:6596 System-ID: ·  
:6596 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:6596 /FFD35C795E2DFF87FFABEF1FFCF3534.xml ↵  
:6597 Main-validation-file: ·  
:6597 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax

:6597 /FFD35C795E2DFF87FFABEF1FFFCF3534.xml ↵  
:6598 Scenario.name: .gg-sch ↵  
:6599 Schema: .  
:6599 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
:6600 Engine.name: .ISO.Schematron ↵  
:6601 Severity: .error ↵  
:6602 Description: .A.paragraph.must.have.an.ancestor.  
subSection.or.subSubSection. ↵  
:6603 Start.location: .202:144 ↵  
:6604 ↵  
:6605 System.ID: .  
:6605 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:6605 /FFD35C795E2DFF87FFABEF1FFFCF3534.xml ↵  
:6606 Main.validation.file: .  
:6606 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:6606 /FFD35C795E2DFF87FFABEF1FFFCF3534.xml ↵  
:6607 Scenario.name: .gg-sch ↵  
:6608 Schema: .  
:6608 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
:6609 Engine.name: .ISO.Schematron ↵  
:6610 Severity: .error ↵  
:6611 Description: .A.paragraph.must.have.an.ancestor.  
subSection.or.subSubSection. ↵  
:6612 Start.location: .215:132 ↵  
:6613 ↵  
:6614 System.ID: .  
:6614 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:6614 /FFD35C795E2DFF87FFABEF1FFFCF3534.xml ↵  
:6615 Main.validation.file: .  
:6615 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:6615 /FFD35C795E2DFF87FFABEF1FFFCF3534.xml ↵  
:6616 Scenario.name: .gg-sch ↵  
:6617 Schema: .

:6617 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch↵  
:6618 Engine.name: ·ISO ·Schematron↵  
:6619 Severity: ·error↵  
:6620 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:6620 subSection ·or ·subSubSection.↵  
:6621 Start ·location: ·218:134↵  
:6622 ↵  
:6623 System ·ID: ·  
:6623 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:6623 /FFD35C795E2DFF87FFABEF1FFFCF3534.xml↵  
:6624 Main ·validation ·file: ·  
:6624 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:6624 /FFD35C795E2DFF87FFABEF1FFFCF3534.xml↵  
:6625 Scenario ·name: ·gg-sch↵  
:6626 Schema: ·  
:6626 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:6626 ent..sch↵  
:6627 Engine.name: ·ISO ·Schematron↵  
:6628 Severity: ·error↵  
:6629 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:6629 subSection ·or ·subSubSection.↵  
:6630 Start ·location: ·221:110↵  
:6631 ↵  
:6632 System ·ID: ·  
:6632 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:6632 /FFD35C795E2DFF87FFABEF1FFFCF3534.xml↵  
:6633 Main ·validation ·file: ·  
:6633 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:6633 /FFD35C795E2DFF87FFABEF1FFFCF3534.xml↵  
:6634 Scenario ·name: ·gg-sch↵  
:6635 Schema: ·  
:6635 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:6635 ent..sch↵  
:6636 Engine.name: ·ISO ·Schematron↵

:6637 Severity: ·error ↵  
:6638 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:6638 subSection ·or ·subSubSection. ↵  
:6639 Start ·location: ·228:110 ↵  
:6640 ↵  
:6641 System ·ID: ·  
:6641 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:6641 /FFD35C795E2DFF87FFABEF1FFFCF3534.xml ↵  
:6642 Main ·validation ·file: ·  
:6642 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:6642 /FFD35C795E2DFF87FFABEF1FFFCF3534.xml ↵  
:6643 Scenario ·name: ·gg-sch ↵  
:6644 Schema: ·  
:6644 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:6644 ent..sch ↵  
:6645 Engine ·name: ·ISO ·Schematron ↵  
:6646 Severity: ·error ↵  
:6647 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:6647 subSection ·or ·subSubSection. ↵  
:6648 Start ·location: ·239:110 ↵  
:6649 ↵  
:6650 System ·ID: ·  
:6650 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:6650 /FFD35C795E2DFF87FFABEF1FFFCF3534.xml ↵  
:6651 Main ·validation ·file: ·  
:6651 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:6651 /FFD35C795E2DFF87FFABEF1FFFCF3534.xml ↵  
:6652 Scenario ·name: ·gg-sch ↵  
:6653 Schema: ·  
:6653 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:6653 ent..sch ↵  
:6654 Engine ·name: ·ISO ·Schematron ↵  
:6655 Severity: ·error ↵  
:6656 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:6656 subSection ·or ·subSubSection. ↵

:6657 Start ·location: ·246:182 ↵  
:6658 ↵  
:6659 System ·ID: ·  
:6659 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
/FFD35C795E2DFF87FFABEF1FFFCF3534.xml ↵  
:6660 Main ·validation ·file: ·  
:6660 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
/FFD35C795E2DFF87FFABEF1FFFCF3534.xml ↵  
:6661 Scenario ·name: ·gg-sch ↵  
:6662 Schema: ·  
:6662 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
:6663 Engine ·name: ·ISO ·Schematron ↵  
:6664 Severity: ·error ↵  
:6665 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
subSection ·or ·subSubSection. ↵  
:6666 Start ·location: ·255:136 ↵  
:6667 ↵  
:6668 System ·ID: ·  
:6668 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
/FFD35C795E2DFF87FFABEF1FFFCF3534.xml ↵  
:6669 Main ·validation ·file: ·  
:6669 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
/FFD35C795E2DFF87FFABEF1FFFCF3534.xml ↵  
:6670 Scenario ·name: ·gg-sch ↵  
:6671 Schema: ·  
:6671 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
:6672 Engine ·name: ·ISO ·Schematron ↵  
:6673 Severity: ·error ↵  
:6674 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
subSection ·or ·subSubSection. ↵  
:6675 Start ·location: ·260:138 ↵  
:6676 ↵  
:6677 System ·ID: ·

```
:6677 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
:6677 /FFD35C795E2DFF87FFABEF1FFFCF3534.xml↵
:6678 Main-validation-file: .
:6678 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
:6678 /FFD35C795E2DFF87FFABEF1FFFCF3534.xml↵
:6679 Scenario-name: .gg-sch↵
:6680 Schema: .
:6680 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
:6680 ent..sch↵
:6681 Engine-name: .ISO-Schematron↵
:6682 Severity: .error↵
:6683 Description: .A paragraph must have an ancestor .
:6683 subSection.or .subSubSection.↵
:6684 Start-location: .262:110↵
:6685 ↵
:6686 System-ID: .
:6686 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
:6686 /FFD35C795E2DFF87FFABEF1FFFCF3534.xml↵
:6687 Main-validation-file: .
:6687 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
:6687 /FFD35C795E2DFF87FFABEF1FFFCF3534.xml↵
:6688 Scenario-name: .gg-sch↵
:6689 Schema: .
:6689 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
:6689 ent..sch↵
:6690 Engine-name: .ISO-Schematron↵
:6691 Severity: .error↵
:6692 Description: .A paragraph must have an ancestor .
:6692 subSection.or .subSubSection.↵
:6693 Start-location: .263:136↵
:6694 ↵
:6695 System-ID: .
:6695 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
:6695 /FFD35C795E2DFF87FFABEF1FFFCF3534.xml↵
:6696 Main-validation-file: .
```

:6696 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:6696 /FFD35C795E2DFF87FFABEF1FFFCF3534.xml ↵  
:6697 Scenario.name: .gg-sch ↵  
:6698 Schema: .  
:6698 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:6698 ent..sch ↵  
:6699 Engine.name: .ISO .Schematron ↵  
:6700 Severity: .error ↵  
:6701 Description: .A .paragraph .must .have .an .ancestor .  
:6701 subSection .or .subSubSection. ↵  
:6702 Start.location: .268:147 ↵  
:6703 ↵  
:6704 System.ID: .  
:6704 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:6704 /FFD35C795E2DFF87FFABEF1FFFCF3534.xml ↵  
:6705 Main.validation.file: .  
:6705 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:6705 /FFD35C795E2DFF87FFABEF1FFFCF3534.xml ↵  
:6706 Scenario.name: .gg-sch ↵  
:6707 Schema: .  
:6707 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:6707 ent..sch ↵  
:6708 Engine.name: .ISO .Schematron ↵  
:6709 Severity: .error ↵  
:6710 Description: .A .paragraph .must .have .an .ancestor .  
:6710 subSection .or .subSubSection. ↵  
:6711 Start.location: .281:138 ↵  
:6712 ↵  
:6713 System.ID: .  
:6713 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:6713 /FFD35C795E2DFF87FFABEF1FFFCF3534.xml ↵  
:6714 Main.validation.file: .  
:6714 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:6714 /FFD35C795E2DFF87FFABEF1FFFCF3534.xml ↵  
:6715 Scenario.name: .gg-sch ↵

:6716 Schema: .  
:6716 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:6716 ent..sch↵  
:6717 Engine.name: .ISO .Schematron↵  
:6718 Severity: .error↵  
:6719 Description: .A .paragraph .must .have .an .ancestor .  
:6719 subSection .or .subSubSection.↵  
:6720 Start.location: .284:145↵  
:6721 ↵  
:6722 System.ID: .  
:6722 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:6722 /FFD35C795E2DFF87FFABEF1FFFCF3534.xml↵  
:6723 Main.validation.file: .  
:6723 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:6723 /FFD35C795E2DFF87FFABEF1FFFCF3534.xml↵  
:6724 Scenario.name: .gg-sch↵  
:6725 Schema: .  
:6725 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:6725 ent..sch↵  
:6726 Engine.name: .ISO .Schematron↵  
:6727 Severity: .error↵  
:6728 Description: .A .paragraph .must .have .an .ancestor .  
:6728 subSection .or .subSubSection.↵  
:6729 Start.location: .290:132↵  
:6730 ↵  
:6731 System.ID: .  
:6731 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:6731 /FFD35C795E2DFF87FFABEF1FFFCF3534.xml↵  
:6732 Main.validation.file: .  
:6732 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:6732 /FFD35C795E2DFF87FFABEF1FFFCF3534.xml↵  
:6733 Scenario.name: .gg-sch↵  
:6734 Schema: .  
:6734 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:6734 ent..sch↵

:6735 Engine·name: ·ISO ·Schematron↵  
:6736 Severity: ·error↵  
:6737 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:6737 subSection ·or ·subSubSection.↵  
:6738 Start ·location: ·295:134↵  
:6739 ↵  
:6740 System ·ID: ·  
:6740 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:6740 /FFD35C795E2DFF87FFABEF1FFFCF3534.xml↵  
:6741 Main ·validation ·file: ·  
:6741 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:6741 /FFD35C795E2DFF87FFABEF1FFFCF3534.xml↵  
:6742 Scenario ·name: ·gg-sch↵  
:6743 Schema: ·  
:6743 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:6743 ent..sch↵  
:6744 Engine·name: ·ISO ·Schematron↵  
:6745 Severity: ·error↵  
:6746 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:6746 subSection ·or ·subSubSection.↵  
:6747 Start ·location: ·299:78↵  
:6748 ↵  
:6749 System ·ID: ·  
:6749 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:6749 /FFD35C795E2DFF87FFABEF1FFFCF3534.xml↵  
:6750 Main ·validation ·file: ·  
:6750 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:6750 /FFD35C795E2DFF87FFABEF1FFFCF3534.xml↵  
:6751 Scenario ·name: ·gg-sch↵  
:6752 Schema: ·  
:6752 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:6752 ent..sch↵  
:6753 Engine·name: ·ISO ·Schematron↵  
:6754 Severity: ·error↵  
:6755 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·

:6755 subSection ·or ·subSubSection. ↵  
:6756 Start ·location: ·467:134 ↵  
:6757 ↵  
:6758 System ·ID: ·  
:6758 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:6758 /FFD35C795E2DFF87FFABEF1FFFCF3534.xml ↵  
:6759 Main ·validation ·file: ·  
:6759 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:6759 /FFD35C795E2DFF87FFABEF1FFFCF3534.xml ↵  
:6760 Scenario ·name: ·gg-sch ↵  
:6761 Schema: ·  
:6761 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:6761 ent..sch ↵  
:6762 Engine ·name: ·ISO ·Schematron ↵  
:6763 Severity: ·error ↵  
:6764 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:6764 subSection ·or ·subSubSection. ↵  
:6765 Start ·location: ·471:134 ↵  
:6766 ↵  
:6767 System ·ID: ·  
:6767 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:6767 /FFD35C795E2DFF87FFABEF1FFFCF3534.xml ↵  
:6768 Main ·validation ·file: ·  
:6768 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:6768 /FFD35C795E2DFF87FFABEF1FFFCF3534.xml ↵  
:6769 Scenario ·name: ·gg-sch ↵  
:6770 Schema: ·  
:6770 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:6770 ent..sch ↵  
:6771 Engine ·name: ·ISO ·Schematron ↵  
:6772 Severity: ·error ↵  
:6773 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:6773 subSection ·or ·subSubSection. ↵  
:6774 Start ·location: ·472:110 ↵  
:6775 ↵

:6776 System·ID: ·  
:6776 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:6776 /FFD35C795E2DFF87FFABEF1FFFCF3534.xml↵  
:6777 Main·validation·file: ·  
:6777 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:6777 /FFD35C795E2DFF87FFABEF1FFFCF3534.xml↵  
:6778 Scenario·name: ·gg-sch↵  
:6779 Schema: ·  
:6779 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:6779 ent..sch↵  
:6780 Engine·name: ·ISO·Schematron↵  
:6781 Severity: ·error↵  
:6782 Description: ·A·paragraph·must·have·an·ancestor·  
:6782 subSection·or·subSubSection.↵  
:6783 Start·location: ·473:135↵  
:6784 ↵  
:6785 System·ID: ·  
:6785 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:6785 /FFD35C795E2DFF87FFABEF1FFFCF3534.xml↵  
:6786 Main·validation·file: ·  
:6786 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:6786 /FFD35C795E2DFF87FFABEF1FFFCF3534.xml↵  
:6787 Scenario·name: ·gg-sch↵  
:6788 Schema: ·  
:6788 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:6788 ent..sch↵  
:6789 Engine·name: ·ISO·Schematron↵  
:6790 Severity: ·error↵  
:6791 Description: ·A·paragraph·must·have·an·ancestor·  
:6791 subSection·or·subSubSection.↵  
:6792 Start·location: ·474:135↵  
:6793 ↵  
:6794 System·ID: ·  
:6794 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:6794 /FFD35C795E2DFF87FFABEF1FFFCF3534.xml↵

:6795 Main-validation-file: ·  
:6795 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:6795 /FFD35C795E2DFF87FFABEF1FFFCF3534.xml ↵  
:6796 Scenario-name: ·gg-sch ↵  
:6797 Schema: ·  
:6797 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:6797 ent..sch ↵  
:6798 Engine-name: ·ISO-Schematron ↵  
:6799 Severity: ·error ↵  
:6800 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:6800 subSection ·or ·subSubSection. ↵  
:6801 Start-location: ·475:135 ↵  
:6802 ↵  
:6803 System-ID: ·  
:6803 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:6803 /FFD35C795E2DFF87FFABEF1FFFCF3534.xml ↵  
:6804 Main-validation-file: ·  
:6804 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:6804 /FFD35C795E2DFF87FFABEF1FFFCF3534.xml ↵  
:6805 Scenario-name: ·gg-sch ↵  
:6806 Schema: ·  
:6806 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:6806 ent..sch ↵  
:6807 Engine-name: ·ISO-Schematron ↵  
:6808 Severity: ·error ↵  
:6809 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:6809 subSection ·or ·subSubSection. ↵  
:6810 Start-location: ·476:136 ↵  
:6811 ↵  
:6812 System-ID: ·  
:6812 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:6812 /FFD35C795E2DFF87FFABEF1FFFCF3534.xml ↵  
:6813 Main-validation-file: ·  
:6813 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:6813 /FFD35C795E2DFF87FFABEF1FFFCF3534.xml ↵

```
:6814 Scenario·name: ·gg-sch↵
:6815 Schema: ·
:6815 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
:6815 ent..sch↵
:6816 Engine·name: ·ISO·Schematron↵
:6817 Severity: ·error↵
:6818 Description: ·A·paragraph·must·have·an·ancestor·
:6818 subSection·or·subSubSection.↵
:6819 Start·location: ·478:110↵
:6820 ↵
:6821 System·ID: ·
:6821 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
:6821 /FFD35C795E2DFF87FFABEF1FFFCF3534.xml↵
:6822 Main·validation·file: ·
:6822 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
:6822 /FFD35C795E2DFF87FFABEF1FFFCF3534.xml↵
:6823 Scenario·name: ·gg-sch↵
:6824 Schema: ·
:6824 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
:6824 ent..sch↵
:6825 Engine·name: ·ISO·Schematron↵
:6826 Severity: ·error↵
:6827 Description: ·A·paragraph·must·have·an·ancestor·
:6827 subSection·or·subSubSection.↵
:6828 Start·location: ·487:136↵
:6829 ↵
:6830 System·ID: ·
:6830 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
:6830 /FFD35C795E2DFF87FFABEF1FFFCF3534.xml↵
:6831 Main·validation·file: ·
:6831 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
:6831 /FFD35C795E2DFF87FFABEF1FFFCF3534.xml↵
:6832 Scenario·name: ·gg-sch↵
:6833 Schema: ·
:6833 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
```

:6833 ent..sch↵  
:6834 Engine.name: ·ISO ·Schematron↵  
:6835 Severity: ·error↵  
:6836 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:6836 subSection ·or ·subSubSection.↵  
:6837 Start ·location: ·492:110↵  
:6838 ↵  
:6839 System ·ID: ·  
:6839 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:6839 /FFD35C795E2DFF87FFABEF1FFFCF3534.xml↵  
:6840 Main ·validation ·file: ·  
:6840 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:6840 /FFD35C795E2DFF87FFABEF1FFFCF3534.xml↵  
:6841 Scenario ·name: ·gg-sch↵  
:6842 Schema: ·  
:6842 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:6842 ent..sch↵  
:6843 Engine.name: ·ISO ·Schematron↵  
:6844 Severity: ·error↵  
:6845 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:6845 subSection ·or ·subSubSection.↵  
:6846 Start ·location: ·505:147↵  
:6847 ↵  
:6848 System ·ID: ·  
:6848 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:6848 /FFD35C795E2DFF87FFABEF1FFFCF3534.xml↵  
:6849 Main ·validation ·file: ·  
:6849 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:6849 /FFD35C795E2DFF87FFABEF1FFFCF3534.xml↵  
:6850 Scenario ·name: ·gg-sch↵  
:6851 Schema: ·  
:6851 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:6851 ent..sch↵  
:6852 Engine.name: ·ISO ·Schematron↵  
:6853 Severity: ·error↵

:6854 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:6854 subSection ·or ·subSubSection. ↵  
:6855 Start ·location: ·506:138 ↵  
:6856 ↵  
:6857 System ·ID: ·  
:6857 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:6857 /FFD35C795E2DFF87FFABEF1FFFCF3534.xml ↵  
:6858 Main ·validation ·file: ·  
:6858 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:6858 /FFD35C795E2DFF87FFABEF1FFFCF3534.xml ↵  
:6859 Scenario ·name: ·gg-sch ↵  
:6860 Schema: ·  
:6860 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:6860 ent..sch ↵  
:6861 Engine ·name: ·ISO ·Schematron ↵  
:6862 Severity: ·error ↵  
:6863 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:6863 subSection ·or ·subSubSection. ↵  
:6864 Start ·location: ·509:111 ↵  
:6865 ↵  
:6866 System ·ID: ·  
:6866 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:6866 /FFD35C795E2DFF87FFABEF1FFFCF3534.xml ↵  
:6867 Main ·validation ·file: ·  
:6867 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:6867 /FFD35C795E2DFF87FFABEF1FFFCF3534.xml ↵  
:6868 Scenario ·name: ·gg-sch ↵  
:6869 Schema: ·  
:6869 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:6869 ent..sch ↵  
:6870 Engine ·name: ·ISO ·Schematron ↵  
:6871 Severity: ·error ↵  
:6872 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:6872 subSection ·or ·subSubSection. ↵  
:6873 Start ·location: ·516:182 ↵

```
:6874 <System>
:6875 System·ID: ·
:6875 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
:6875 /FFD35C795E2DFF87FFABEF1FFFCF3534.xml<
:6876 Main·validation·file: ·
:6876 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
:6876 /FFD35C795E2DFF87FFABEF1FFFCF3534.xml<
:6877 Scenario·name: ·gg-sch<
:6878 Schema: ·
:6878 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
:6878 ent..sch<
:6879 Engine·name: ·ISO·Schematron<
:6880 Severity: ·error<
:6881 Description: ·A·paragraph·must·have·an·ancestor·
:6881 subSection·or·subSubSection.<
:6882 Start·location: ·524:132<
:6883 <
:6884 System·ID: ·
:6884 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
:6884 /FFD35C795E2DFF87FFABEF1FFFCF3534.xml<
:6885 Main·validation·file: ·
:6885 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
:6885 /FFD35C795E2DFF87FFABEF1FFFCF3534.xml<
:6886 Scenario·name: ·gg-sch<
:6887 Schema: ·
:6887 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
:6887 ent..sch<
:6888 Engine·name: ·ISO·Schematron<
:6889 Severity: ·error<
:6890 Description: ·A·paragraph·must·have·an·ancestor·
:6890 subSection·or·subSubSection.<
:6891 Start·location: ·529:134<
:6892 <
:6893 System·ID: ·
:6893 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
```

:6893 /FFD35C795E2DFF87FFABEF1FFCF3534.xml ↵  
:6894 Main-validation-file: ·  
:6894 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:6894 /FFD35C795E2DFF87FFABEF1FFCF3534.xml ↵  
:6895 Scenario-name: ·gg-sch ↵  
:6896 Schema: ·  
:6896 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:6896 ent..sch ↵  
:6897 Engine-name: ·ISO-Schematron ↵  
:6898 Severity: ·error ↵  
:6899 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:6899 subSection ·or ·subSubSection. ↵  
:6900 Start-location: ·531:136 ↵  
:6901 ↵  
:6902 System-ID: ·  
:6902 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:6902 /FFD35C795E2DFF87FFABEF1FFCF3534.xml ↵  
:6903 Main-validation-file: ·  
:6903 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:6903 /FFD35C795E2DFF87FFABEF1FFCF3534.xml ↵  
:6904 Scenario-name: ·gg-sch ↵  
:6905 Schema: ·  
:6905 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:6905 ent..sch ↵  
:6906 Engine-name: ·ISO-Schematron ↵  
:6907 Severity: ·error ↵  
:6908 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:6908 subSection ·or ·subSubSection. ↵  
:6909 Start-location: ·534:110 ↵  
:6910 ↵  
:6911 System-ID: ·  
:6911 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:6911 /FFD35C795E2DFF87FFABEF1FFCF3534.xml ↵  
:6912 Main-validation-file: ·  
:6912 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax

:6912 /FFD35C795E2DFF87FFABEF1FFFCF3534.xml ↵  
:6913 Scenario.name: .gg-sch ↵  
:6914 Schema: .  
:6914 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
:6915 Engine.name: .ISO.Schematron ↵  
:6916 Severity: .error ↵  
:6917 Description: .A.paragraph.must.have.an.ancestor.  
subSection.or.subSubSection. ↵  
:6918 Start.location: .539:146 ↵  
:6919 ↵  
:6920 System.ID: .  
:6920 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:6920 /FFD35C795E2DFF87FFABEF1FFFCF3534.xml ↵  
:6921 Main.validation.file: .  
:6921 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:6921 /FFD35C795E2DFF87FFABEF1FFFCF3534.xml ↵  
:6922 Scenario.name: .gg-sch ↵  
:6923 Schema: .  
:6923 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
:6924 Engine.name: .ISO.Schematron ↵  
:6925 Severity: .error ↵  
:6926 Description: .A.paragraph.must.have.an.ancestor.  
subSection.or.subSubSection. ↵  
:6927 Start.location: .546:110 ↵  
:6928 ↵  
:6929 System.ID: .  
:6929 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:6929 /FFD35C795E2DFF87FFABEF1FFFCF3534.xml ↵  
:6930 Main.validation.file: .  
:6930 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:6930 /FFD35C795E2DFF87FFABEF1FFFCF3534.xml ↵  
:6931 Scenario.name: .gg-sch ↵  
:6932 Schema: .

:6932 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:6932 ent..sch↵  
:6933 Engine.name: ·ISO ·Schematron↵  
:6934 Severity: ·error↵  
:6935 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:6935 subSection ·or ·subSubSection.↵  
:6936 Start ·location: ·553:110↵  
:6937 ↵  
:6938 System ·ID: ·  
:6938 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:6938 /FFD35C795E2DFF87FFABEF1FFFCF3534.xml↵  
:6939 Main ·validation ·file: ·  
:6939 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:6939 /FFD35C795E2DFF87FFABEF1FFFCF3534.xml↵  
:6940 Scenario ·name: ·gg-sch↵  
:6941 Schema: ·  
:6941 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:6941 ent..sch↵  
:6942 Engine.name: ·ISO ·Schematron↵  
:6943 Severity: ·error↵  
:6944 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:6944 subSection ·or ·subSubSection.↵  
:6945 Start ·location: ·570:181↵  
:6946 ↵  
:6947 System ·ID: ·  
:6947 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:6947 /FFD35C795E2DFF87FFABEF1FFFCF3534.xml↵  
:6948 Main ·validation ·file: ·  
:6948 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:6948 /FFD35C795E2DFF87FFABEF1FFFCF3534.xml↵  
:6949 Scenario ·name: ·gg-sch↵  
:6950 Schema: ·  
:6950 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:6950 ent..sch↵  
:6951 Engine.name: ·ISO ·Schematron↵

:6952 Severity: ·error ↵  
:6953 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:6953 subSection ·or ·subSubSection. ↵  
:6954 Start ·location: ·572:108 ↵  
:6955 ↵  
:6956 System ·ID: ·  
:6956 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:6956 /FFD35C795E2DFF87FFABEF1FFFCF3534.xml ↵  
:6957 Main ·validation ·file: ·  
:6957 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:6957 /FFD35C795E2DFF87FFABEF1FFFCF3534.xml ↵  
:6958 Scenario ·name: ·gg-sch ↵  
:6959 Schema: ·  
:6959 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:6959 ent..sch ↵  
:6960 Engine ·name: ·ISO ·Schematron ↵  
:6961 Severity: ·error ↵  
:6962 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:6962 subSection ·or ·subSubSection. ↵  
:6963 Start ·location: ·577:109 ↵  
:6964 ↵  
:6965 System ·ID: ·  
:6965 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:6965 /FFD35C795E2DFF87FFABEF1FFFCF3534.xml ↵  
:6966 Main ·validation ·file: ·  
:6966 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:6966 /FFD35C795E2DFF87FFABEF1FFFCF3534.xml ↵  
:6967 Scenario ·name: ·gg-sch ↵  
:6968 Schema: ·  
:6968 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:6968 ent..sch ↵  
:6969 Engine ·name: ·ISO ·Schematron ↵  
:6970 Severity: ·error ↵  
:6971 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:6971 subSection ·or ·subSubSection. ↵

:6972 Start ·location: ·582:145 ↵  
:6973 ↵  
:6974 System ·ID: ·  
:6974 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:6974 /FFD35C795E2DFF87FFABEF1FFFCF3534.xml ↵  
:6975 Main ·validation ·file: ·  
:6975 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:6975 /FFD35C795E2DFF87FFABEF1FFFCF3534.xml ↵  
:6976 Scenario ·name: ·gg-sch ↵  
:6977 Schema: ·  
:6977 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:6977 ent..sch ↵  
:6978 Engine ·name: ·ISO ·Schematron ↵  
:6979 Severity: ·error ↵  
:6980 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:6980 subSection ·or ·subSubSection. ↵  
:6981 Start ·location: ·583:110 ↵  
:6982 ↵  
:6983 System ·ID: ·  
:6983 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:6983 /FFD35C795E2DFF87FFABEF1FFFCF3534.xml ↵  
:6984 Main ·validation ·file: ·  
:6984 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:6984 /FFD35C795E2DFF87FFABEF1FFFCF3534.xml ↵  
:6985 Scenario ·name: ·gg-sch ↵  
:6986 Schema: ·  
:6986 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:6986 ent..sch ↵  
:6987 Engine ·name: ·ISO ·Schematron ↵  
:6988 Severity: ·error ↵  
:6989 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:6989 subSection ·or ·subSubSection. ↵  
:6990 Start ·location: ·592:110 ↵  
:6991 ↵  
:6992 System ·ID: ·

```
:6992 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
:6992 /FFD35C795E2DFF87FFABEF1FFFCF3534.xml↵
:6993 Main-validation-file: .
:6993 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
:6993 /FFD35C795E2DFF87FFABEF1FFFCF3534.xml↵
:6994 Scenario-name: .gg-sch↵
:6995 Schema: .
:6995 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
:6995 ent..sch↵
:6996 Engine-name: .ISO-Schematron↵
:6997 Severity: .error↵
:6998 Description: .A paragraph must have an ancestor .
:6998 subSection.or .subSubSection.↵
:6999 Start-location: .619:144↵
:7000 ↵
:7001 System-ID: .
:7001 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
:7001 /FFD35C795E2DFF87FFABEF1FFFCF3534.xml↵
:7002 Main-validation-file: .
:7002 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
:7002 /FFD35C795E2DFF87FFABEF1FFFCF3534.xml↵
:7003 Scenario-name: .gg-sch↵
:7004 Schema: .
:7004 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
:7004 ent..sch↵
:7005 Engine-name: .ISO-Schematron↵
:7006 Severity: .error↵
:7007 Description: .A paragraph must have an ancestor .
:7007 subSection.or .subSubSection.↵
:7008 Start-location: .625:111↵
:7009 ↵
:7010 System-ID: .
:7010 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
:7010 /FFD35C795E2DFF87FFABEF1FFFCF3534.xml↵
:7011 Main-validation-file: .
```

:7011 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:7011 /FFD35C795E2DFF87FFABEF1FFFCF3534.xml ↵  
:7012 Scenario.name: .gg-sch ↵  
:7013 Schema: .  
:7013 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:7013 ent..sch ↵  
:7014 Engine.name: .ISO .Schematron ↵  
:7015 Severity: .error ↵  
:7016 Description: .A .paragraph .must .have .an .ancestor .  
:7016 subSection .or .subSubSection. ↵  
:7017 Start.location: .630:132 ↵  
:7018 ↵  
:7019 System.ID: .  
:7019 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:7019 /FFD35C795E2DFF87FFABEF1FFFCF3534.xml ↵  
:7020 Main.validation.file: .  
:7020 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:7020 /FFD35C795E2DFF87FFABEF1FFFCF3534.xml ↵  
:7021 Scenario.name: .gg-sch ↵  
:7022 Schema: .  
:7022 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:7022 ent..sch ↵  
:7023 Engine.name: .ISO .Schematron ↵  
:7024 Severity: .error ↵  
:7025 Description: .A .paragraph .must .have .an .ancestor .  
:7025 subSection .or .subSubSection. ↵  
:7026 Start.location: .635:132 ↵  
:7027 ↵  
:7028 System.ID: .  
:7028 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:7028 /FFD35C795E2DFF87FFABEF1FFFCF3534.xml ↵  
:7029 Main.validation.file: .  
:7029 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:7029 /FFD35C795E2DFF87FFABEF1FFFCF3534.xml ↵  
:7030 Scenario.name: .gg-sch ↵

:7031 Schema: .  
:7031 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:7031 ent..sch↵  
:7032 Engine.name: .ISO .Schematron↵  
:7033 Severity: .error↵  
:7034 Description: .A .paragraph .must .have .an .ancestor .  
:7034 subSection .or .subSubSection.↵  
:7035 Start.location: .641:78↵  
:7036 ↵  
:7037 System.ID: .  
:7037 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:7037 /FFD35C795E2DFF87FFABEF1FFFCF3534.xml↵  
:7038 Main.validation.file: .  
:7038 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:7038 /FFD35C795E2DFF87FFABEF1FFFCF3534.xml↵  
:7039 Scenario.name: .gg-sch↵  
:7040 Schema: .  
:7040 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:7040 ent..sch↵  
:7041 Engine.name: .ISO .Schematron↵  
:7042 Severity: .error↵  
:7043 Description: .A .paragraph .must .have .an .ancestor .  
:7043 subSection .or .subSubSection.↵  
:7044 Start.location: .691:78↵  
:7045 ↵  
:7046 System.ID: .  
:7046 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:7046 /FFD35C795E2DFF87FFABEF1FFFCF3534.xml↵  
:7047 Main.validation.file: .  
:7047 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:7047 /FFD35C795E2DFF87FFABEF1FFFCF3534.xml↵  
:7048 Scenario.name: .gg-sch↵  
:7049 Schema: .  
:7049 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:7049 ent..sch↵

:7050 Engine.name: ·ISO ·Schematron↵  
:7051 Severity: ·error↵  
:7052 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:7052 subSection ·or ·subSubSection.↵  
:7053 Start.location: ·787:133↵  
:7054 ↵  
:7055 System.ID: ·  
:7055 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:7055 /FFD35C795E2DFF87FFABEF1FFFCF3534.xml↵  
:7056 Main.validation.file: ·  
:7056 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:7056 /FFD35C795E2DFF87FFABEF1FFFCF3534.xml↵  
:7057 Scenario.name: ·gg-sch↵  
:7058 Schema: ·  
:7058 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:7058 ent..sch↵  
:7059 Engine.name: ·ISO ·Schematron↵  
:7060 Severity: ·error↵  
:7061 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:7061 subSection ·or ·subSubSection.↵  
:7062 Start.location: ·791:109↵  
:7063 ↵  
:7064 System.ID: ·  
:7064 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:7064 /FFD35C795E2DFF87FFABEF1FFFCF3534.xml↵  
:7065 Main.validation.file: ·  
:7065 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:7065 /FFD35C795E2DFF87FFABEF1FFFCF3534.xml↵  
:7066 Scenario.name: ·gg-sch↵  
:7067 Schema: ·  
:7067 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:7067 ent..sch↵  
:7068 Engine.name: ·ISO ·Schematron↵  
:7069 Severity: ·error↵  
:7070 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·

:7070 subSection ·or ·subSubSection. ↵  
:7071 Start ·location: ·792:109 ↵  
:7072 ↵  
:7073 System ·ID: ·  
:7073 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:7073 /FFD35C795E2DFF87FFABEF1FFFCF3534.xml ↵  
:7074 Main ·validation ·file: ·  
:7074 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:7074 /FFD35C795E2DFF87FFABEF1FFFCF3534.xml ↵  
:7075 Scenario ·name: ·gg-sch ↵  
:7076 Schema: ·  
:7076 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:7076 ent..sch ↵  
:7077 Engine ·name: ·ISO ·Schematron ↵  
:7078 Severity: ·error ↵  
:7079 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:7079 subSection ·or ·subSubSection. ↵  
:7080 Start ·location: ·793:133 ↵  
:7081 ↵  
:7082 System ·ID: ·  
:7082 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:7082 /FFD35C795E2DFF87FFABEF1FFFCF3534.xml ↵  
:7083 Main ·validation ·file: ·  
:7083 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:7083 /FFD35C795E2DFF87FFABEF1FFFCF3534.xml ↵  
:7084 Scenario ·name: ·gg-sch ↵  
:7085 Schema: ·  
:7085 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:7085 ent..sch ↵  
:7086 Engine ·name: ·ISO ·Schematron ↵  
:7087 Severity: ·error ↵  
:7088 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:7088 subSection ·or ·subSubSection. ↵  
:7089 Start ·location: ·794:109 ↵  
:7090 ↵

:7091 System·ID: ·  
:7091 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:7091 /FFD35C795E2DFF87FFABEF1FFFCF3534.xml↵  
:7092 Main·validation·file: ·  
:7092 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:7092 /FFD35C795E2DFF87FFABEF1FFFCF3534.xml↵  
:7093 Scenario·name: ·gg-sch↵  
:7094 Schema: ·  
:7094 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:7094 ent..sch↵  
:7095 Engine·name: ·ISO·Schematron↵  
:7096 Severity: ·error↵  
:7097 Description: ·A·paragraph·must·have·an·ancestor·  
:7097 subSection·or·subSubSection.↵  
:7098 Start·location: ·813:109↵  
:7099 ↵  
:7100 System·ID: ·  
:7100 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:7100 /FFD35C795E2DFF87FFABEF1FFFCF3534.xml↵  
:7101 Main·validation·file: ·  
:7101 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:7101 /FFD35C795E2DFF87FFABEF1FFFCF3534.xml↵  
:7102 Scenario·name: ·gg-sch↵  
:7103 Schema: ·  
:7103 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:7103 ent..sch↵  
:7104 Engine·name: ·ISO·Schematron↵  
:7105 Severity: ·error↵  
:7106 Description: ·A·paragraph·must·have·an·ancestor·  
:7106 subSection·or·subSubSection.↵  
:7107 Start·location: ·814:136↵  
:7108 ↵  
:7109 System·ID: ·  
:7109 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:7109 /FFD35C795E2DFF87FFABEF1FFFCF3534.xml↵

:7110 Main-validation-file: ·  
:7110 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:7110 /FFD35C795E2DFF87FFABEF1FFFCF3534.xml ↵  
:7111 Scenario-name: ·gg-sch ↵  
:7112 Schema: ·  
:7112 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:7112 ent..sch ↵  
:7113 Engine-name: ·ISO ·Schematron ↵  
:7114 Severity: ·error ↵  
:7115 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:7115 subSection ·or ·subSubSection. ↵  
:7116 Start-location: ·815:144 ↵  
:7117 ↵  
:7118 System-ID: ·  
:7118 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:7118 /FFD35C795E2DFF87FFABEF1FFFCF3534.xml ↵  
:7119 Main-validation-file: ·  
:7119 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:7119 /FFD35C795E2DFF87FFABEF1FFFCF3534.xml ↵  
:7120 Scenario-name: ·gg-sch ↵  
:7121 Schema: ·  
:7121 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:7121 ent..sch ↵  
:7122 Engine-name: ·ISO ·Schematron ↵  
:7123 Severity: ·error ↵  
:7124 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:7124 subSection ·or ·subSubSection. ↵  
:7125 Start-location: ·820:131 ↵  
:7126 ↵  
:7127 System-ID: ·  
:7127 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:7127 /FFD35C795E2DFF87FFABEF1FFFCF3534.xml ↵  
:7128 Main-validation-file: ·  
:7128 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:7128 /FFD35C795E2DFF87FFABEF1FFFCF3534.xml ↵

:7129 Scenario·name: ·gg-sch↵  
:7130 Schema: ·  
:7130 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:7130 ent..sch↵  
:7131 Engine·name: ·ISO·Schematron↵  
:7132 Severity: ·error↵  
:7133 Description: ·A·paragraph·must·have·an·ancestor·  
:7133 subSection·or·subSubSection.↵  
:7134 Start·location: ·825:133↵  
:7135 ↵  
:7136 System·ID: ·  
:7136 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:7136 /FFD35C795E2DFF87FFABEF1FFFCF3534.xml↵  
:7137 Main·validation·file: ·  
:7137 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:7137 /FFD35C795E2DFF87FFABEF1FFFCF3534.xml↵  
:7138 Scenario·name: ·gg-sch↵  
:7139 Schema: ·  
:7139 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:7139 ent..sch↵  
:7140 Engine·name: ·ISO·Schematron↵  
:7141 Severity: ·error↵  
:7142 Description: ·A·paragraph·must·have·an·ancestor·  
:7142 subSection·or·subSubSection.↵  
:7143 Start·location: ·830:77↵  
:7144 ↵  
:7145 System·ID: ·  
:7145 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:7145 /FFD35C795E2DFF87FFABEF1FFFCF3534.xml↵  
:7146 Main·validation·file: ·  
:7146 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:7146 /FFD35C795E2DFF87FFABEF1FFFCF3534.xml↵  
:7147 Scenario·name: ·gg-sch↵  
:7148 Schema: ·  
:7148 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm

:7148 ent..sch↵  
:7149 Engine.name: ·ISO ·Schematron↵  
:7150 Severity: ·error↵  
:7151 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:7151 subSection ·or ·subSubSection.↵  
:7152 Start ·location: ·846:77↵  
:7153 ↵  
:7154 System ·ID: ·  
:7154 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:7154 /FFD35C795E2DFF87FFABEF1FFFCF3534.xml↵  
:7155 Main ·validation ·file: ·  
:7155 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:7155 /FFD35C795E2DFF87FFABEF1FFFCF3534.xml↵  
:7156 Scenario ·name: ·gg-sch↵  
:7157 Schema: ·  
:7157 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:7157 ent..sch↵  
:7158 Engine.name: ·ISO ·Schematron↵  
:7159 Severity: ·error↵  
:7160 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:7160 subSection ·or ·subSubSection.↵  
:7161 Start ·location: ·1110:110↵  
:7162 ↵  
:7163 System ·ID: ·  
:7163 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:7163 /FFD35C795E2DFF87FFABEF1FFFCF3534.xml↵  
:7164 Main ·validation ·file: ·  
:7164 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:7164 /FFD35C795E2DFF87FFABEF1FFFCF3534.xml↵  
:7165 Scenario ·name: ·gg-sch↵  
:7166 Schema: ·  
:7166 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:7166 ent..sch↵  
:7167 Engine.name: ·ISO ·Schematron↵  
:7168 Severity: ·error↵

:7169 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:7169 subSection ·or ·subSubSection. ↵  
:7170 Start ·location: ·1116:137 ↵  
:7171 ↵  
:7172 System ·ID: ·  
:7172 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:7172 /FFD35C795E2DFF87FFABEF1FFFCF3534.xml ↵  
:7173 Main ·validation ·file: ·  
:7173 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:7173 /FFD35C795E2DFF87FFABEF1FFFCF3534.xml ↵  
:7174 Scenario ·name: ·gg-sch ↵  
:7175 Schema: ·  
:7175 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:7175 ent..sch ↵  
:7176 Engine ·name: ·ISO ·Schematron ↵  
:7177 Severity: ·error ↵  
:7178 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:7178 subSection ·or ·subSubSection. ↵  
:7179 Start ·location: ·1117:110 ↵  
:7180 ↵  
:7181 System ·ID: ·  
:7181 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:7181 /FFD35C795E2DFF87FFABEF1FFFCF3534.xml ↵  
:7182 Main ·validation ·file: ·  
:7182 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:7182 /FFD35C795E2DFF87FFABEF1FFFCF3534.xml ↵  
:7183 Scenario ·name: ·gg-sch ↵  
:7184 Schema: ·  
:7184 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:7184 ent..sch ↵  
:7185 Engine ·name: ·ISO ·Schematron ↵  
:7186 Severity: ·error ↵  
:7187 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:7187 subSection ·or ·subSubSection. ↵  
:7188 Start ·location: ·1121:137 ↵

```
'7189 <!--
'7190 System·ID: ·
'7190 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
'7190 /FFD35C795E2DFF87FFABEF1FFFCF3534.xml<!--
'7191 Main·validation·file: ·
'7191 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
'7191 /FFD35C795E2DFF87FFABEF1FFFCF3534.xml<!--
'7192 Scenario·name: ·gg-sch<!--
'7193 Schema: ·
'7193 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
'7193 ent..sch<!--
'7194 Engine·name: ·ISO·Schematron<!--
'7195 Severity: ·error<!--
'7196 Description: ·A·paragraph·must·have·an·ancestor·
'7196 subSection·or·subSubSection.<!--
'7197 Start·location: ·1122:137<!--
'7198 <!--
'7199 System·ID: ·
'7199 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
'7199 /FFD35C795E2DFF87FFABEF1FFFCF3534.xml<!--
'7200 Main·validation·file: ·
'7200 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
'7200 /FFD35C795E2DFF87FFABEF1FFFCF3534.xml<!--
'7201 Scenario·name: ·gg-sch<!--
'7202 Schema: ·
'7202 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
'7202 ent..sch<!--
'7203 Engine·name: ·ISO·Schematron<!--
'7204 Severity: ·error<!--
'7205 Description: ·A·paragraph·must·have·an·ancestor·
'7205 subSection·or·subSubSection.<!--
'7206 Start·location: ·1123:136<!--
'7207 <!--
'7208 System·ID: ·
'7208 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
```

:7208 /FFD35C795E2DFF87FFABEF1FFCF3534.xml ↵  
:7209 Main-validation-file: .  
:7209 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:7209 /FFD35C795E2DFF87FFABEF1FFCF3534.xml ↵  
:7210 Scenario-name: .gg-sch ↵  
:7211 Schema: .  
:7211 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:7211 ent..sch ↵  
:7212 Engine-name: .ISO-Schematron ↵  
:7213 Severity: .error ↵  
:7214 Description: .A.paragraph.must.have.an.ancestor.  
:7214 subSection.or.subSubSection. ↵  
:7215 Start-location: .1124:136 ↵  
:7216 ↵  
:7217 System-ID: .  
:7217 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:7217 /FFD35C795E2DFF87FFABEF1FFCF3534.xml ↵  
:7218 Main-validation-file: .  
:7218 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:7218 /FFD35C795E2DFF87FFABEF1FFCF3534.xml ↵  
:7219 Scenario-name: .gg-sch ↵  
:7220 Schema: .  
:7220 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:7220 ent..sch ↵  
:7221 Engine-name: .ISO-Schematron ↵  
:7222 Severity: .error ↵  
:7223 Description: .A.paragraph.must.have.an.ancestor.  
:7223 subSection.or.subSubSection. ↵  
:7224 Start-location: .1125:137 ↵  
:7225 ↵  
:7226 System-ID: .  
:7226 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:7226 /FFD35C795E2DFF87FFABEF1FFCF3534.xml ↵  
:7227 Main-validation-file: .  
:7227 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax

:7227 /FFD35C795E2DFF87FFABEF1FFFCF3534.xml ↵  
:7228 Scenario.name: .gg-sch ↵  
:7229 Schema: .  
:7229 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
:7230 Engine.name: .ISO.Schematron ↵  
:7231 Severity: .error ↵  
:7232 Description: .A.paragraph.must.have.an.ancestor.  
subSection.or.subSubSection. ↵  
:7233 Start.location: .1126:137 ↵  
:7234 ↵  
:7235 System.ID: .  
:7235 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:7235 /FFD35C795E2DFF87FFABEF1FFFCF3534.xml ↵  
:7236 Main.validation.file: .  
:7236 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:7236 /FFD35C795E2DFF87FFABEF1FFFCF3534.xml ↵  
:7237 Scenario.name: .gg-sch ↵  
:7238 Schema: .  
:7238 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
:7239 Engine.name: .ISO.Schematron ↵  
:7240 Severity: .error ↵  
:7241 Description: .A.paragraph.must.have.an.ancestor.  
subSection.or.subSubSection. ↵  
:7242 Start.location: .1127:137 ↵  
:7243 ↵  
:7244 System.ID: .  
:7244 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:7244 /FFD35C795E2DFF87FFABEF1FFFCF3534.xml ↵  
:7245 Main.validation.file: .  
:7245 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:7245 /FFD35C795E2DFF87FFABEF1FFFCF3534.xml ↵  
:7246 Scenario.name: .gg-sch ↵  
:7247 Schema: .

:7247 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:7247 ent..sch↵  
:7248 Engine.name: ·ISO ·Schematron↵  
:7249 Severity: ·error↵  
:7250 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:7250 subSection ·or ·subSubSection.↵  
:7251 Start ·location: ·1128:137↵  
:7252 ↵  
:7253 System ·ID: ·  
:7253 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:7253 /FFD35C795E2DFF87FFABEF1FFFCF3534.xml↵  
:7254 Main ·validation ·file: ·  
:7254 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:7254 /FFD35C795E2DFF87FFABEF1FFFCF3534.xml↵  
:7255 Scenario ·name: ·gg-sch↵  
:7256 Schema: ·  
:7256 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:7256 ent..sch↵  
:7257 Engine.name: ·ISO ·Schematron↵  
:7258 Severity: ·error↵  
:7259 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:7259 subSection ·or ·subSubSection.↵  
:7260 Start ·location: ·1129:137↵  
:7261 ↵  
:7262 System ·ID: ·  
:7262 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:7262 /FFD35C795E2DFF87FFABEF1FFFCF3534.xml↵  
:7263 Main ·validation ·file: ·  
:7263 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:7263 /FFD35C795E2DFF87FFABEF1FFFCF3534.xml↵  
:7264 Scenario ·name: ·gg-sch↵  
:7265 Schema: ·  
:7265 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:7265 ent..sch↵  
:7266 Engine.name: ·ISO ·Schematron↵

:7267 Severity: ·error ↵  
:7268 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:7268 subSection ·or ·subSubSection. ↵  
:7269 Start ·location: ·1131:109 ↵  
:7270 ↵  
:7271 System ·ID: ·  
:7271 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:7271 /FFD35C795E2DFF87FFABEF1FFFCF3534.xml ↵  
:7272 Main ·validation ·file: ·  
:7272 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:7272 /FFD35C795E2DFF87FFABEF1FFFCF3534.xml ↵  
:7273 Scenario ·name: ·gg-sch ↵  
:7274 Schema: ·  
:7274 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:7274 ent..sch ↵  
:7275 Engine ·name: ·ISO ·Schematron ↵  
:7276 Severity: ·error ↵  
:7277 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:7277 subSection ·or ·subSubSection. ↵  
:7278 Start ·location: ·1132:143 ↵  
:7279 ↵  
:7280 System ·ID: ·  
:7280 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:7280 /FFD35C795E2DFF87FFABEF1FFFCF3534.xml ↵  
:7281 Main ·validation ·file: ·  
:7281 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:7281 /FFD35C795E2DFF87FFABEF1FFFCF3534.xml ↵  
:7282 Scenario ·name: ·gg-sch ↵  
:7283 Schema: ·  
:7283 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:7283 ent..sch ↵  
:7284 Engine ·name: ·ISO ·Schematron ↵  
:7285 Severity: ·error ↵  
:7286 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:7286 subSection ·or ·subSubSection. ↵

:7287 Start ·location: ·1138:108 ↵  
:7288 ↵  
:7289 System ·ID: ·  
:7289 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:7289 /FFD35C795E2DFF87FFABEF1FFFCF3534.xml ↵  
:7290 Main ·validation ·file: ·  
:7290 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:7290 /FFD35C795E2DFF87FFABEF1FFFCF3534.xml ↵  
:7291 Scenario ·name: ·gg-sch ↵  
:7292 Schema: ·  
:7292 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:7292 ent..sch ↵  
:7293 Engine ·name: ·ISO ·Schematron ↵  
:7294 Severity: ·error ↵  
:7295 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:7295 subSection ·or ·subSubSection. ↵  
:7296 Start ·location: ·1139:140 ↵  
:7297 ↵  
:7298 System ·ID: ·  
:7298 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:7298 /FFD35C795E2DFF87FFABEF1FFFCF3534.xml ↵  
:7299 Main ·validation ·file: ·  
:7299 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:7299 /FFD35C795E2DFF87FFABEF1FFFCF3534.xml ↵  
:7300 Scenario ·name: ·gg-sch ↵  
:7301 Schema: ·  
:7301 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:7301 ent..sch ↵  
:7302 Engine ·name: ·ISO ·Schematron ↵  
:7303 Severity: ·error ↵  
:7304 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:7304 subSection ·or ·subSubSection. ↵  
:7305 Start ·location: ·1144:111 ↵  
:7306 ↵  
:7307 System ·ID: ·

:7307 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:7307 /FFD35C795E2DFF87FFABEF1FFFCF3534.xml ↵  
:7308 Main-validation-file: ·  
:7308 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:7308 /FFD35C795E2DFF87FFABEF1FFFCF3534.xml ↵  
:7309 Scenario-name: ·gg-sch ↵  
:7310 Schema: ·  
:7310 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:7310 ent..sch ↵  
:7311 Engine-name: ·ISO ·Schematron ↵  
:7312 Severity: ·error ↵  
:7313 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:7313 subSection ·or ·subSubSection. ↵  
:7314 Start-location: ·1145:136 ↵  
:7315 ↵  
:7316 System-ID: ·  
:7316 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:7316 /FFD35C795E2DFF87FFABEF1FFFCF3534.xml ↵  
:7317 Main-validation-file: ·  
:7317 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:7317 /FFD35C795E2DFF87FFABEF1FFFCF3534.xml ↵  
:7318 Scenario-name: ·gg-sch ↵  
:7319 Schema: ·  
:7319 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:7319 ent..sch ↵  
:7320 Engine-name: ·ISO ·Schematron ↵  
:7321 Severity: ·error ↵  
:7322 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:7322 subSection ·or ·subSubSection. ↵  
:7323 Start-location: ·1146:111 ↵  
:7324 ↵  
:7325 System-ID: ·  
:7325 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:7325 /FFD35C795E2DFF87FFABEF1FFFCF3534.xml ↵  
:7326 Main-validation-file: ·

:7326 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:7326 /FFD35C795E2DFF87FFABEF1FFFCF3534.xml ↵  
:7327 Scenario.name: .gg-sch ↵  
:7328 Schema: .  
:7328 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:7328 ent..sch ↵  
:7329 Engine.name: .ISO .Schematron ↵  
:7330 Severity: .error ↵  
:7331 Description: .A .paragraph .must .have .an .ancestor .  
:7331 subSection .or .subSubSection. ↵  
:7332 Start.location: .1147:134 ↵  
:7333 ↵  
:7334 System.ID: .  
:7334 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:7334 /FFD35C795E2DFF87FFABEF1FFFCF3534.xml ↵  
:7335 Main.validation.file: .  
:7335 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:7335 /FFD35C795E2DFF87FFABEF1FFFCF3534.xml ↵  
:7336 Scenario.name: .gg-sch ↵  
:7337 Schema: .  
:7337 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:7337 ent..sch ↵  
:7338 Engine.name: .ISO .Schematron ↵  
:7339 Severity: .error ↵  
:7340 Description: .A .paragraph .must .have .an .ancestor .  
:7340 subSection .or .subSubSection. ↵  
:7341 Start.location: .1148:112 ↵  
:7342 ↵  
:7343 System.ID: .  
:7343 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:7343 /FFD35C795E2DFF87FFABEF1FFFCF3534.xml ↵  
:7344 Main.validation.file: .  
:7344 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:7344 /FFD35C795E2DFF87FFABEF1FFFCF3534.xml ↵  
:7345 Scenario.name: .gg-sch ↵

:7346 Schema: .  
:7346 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:7346 ent..sch↵  
:7347 Engine.name: .ISO .Schematron↵  
:7348 Severity: .error↵  
:7349 Description: .A .paragraph .must .have .an .ancestor .  
:7349 subSection .or .subSubSection.↵  
:7350 Start.location: .1167:112↵  
:7351 ↵  
:7352 System.ID: .  
:7352 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:7352 /FFD35C795E2DFF87FFABEF1FFFCF3534.xml↵  
:7353 Main.validation.file: .  
:7353 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:7353 /FFD35C795E2DFF87FFABEF1FFFCF3534.xml↵  
:7354 Scenario.name: .gg-sch↵  
:7355 Schema: .  
:7355 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:7355 ent..sch↵  
:7356 Engine.name: .ISO .Schematron↵  
:7357 Severity: .error↵  
:7358 Description: .A .paragraph .must .have .an .ancestor .  
:7358 subSection .or .subSubSection.↵  
:7359 Start.location: .1184:112↵  
:7360 ↵  
:7361 System.ID: .  
:7361 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:7361 /FFD35C795E2DFF87FFABEF1FFFCF3534.xml↵  
:7362 Main.validation.file: .  
:7362 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:7362 /FFD35C795E2DFF87FFABEF1FFFCF3534.xml↵  
:7363 Scenario.name: .gg-sch↵  
:7364 Schema: .  
:7364 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:7364 ent..sch↵

:7365 Engine·name: ·ISO ·Schematron↵  
:7366 Severity: ·error↵  
:7367 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:7367 subSection ·or ·subSubSection.↵  
:7368 Start ·location: ·1203:112↵  
:7369 ↵  
:7370 System ·ID: ·  
:7370 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:7370 /FFD35C795E2DFF87FFABEF1FFFCF3534.xml↵  
:7371 Main ·validation ·file: ·  
:7371 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:7371 /FFD35C795E2DFF87FFABEF1FFFCF3534.xml↵  
:7372 Scenario ·name: ·gg-sch↵  
:7373 Schema: ·  
:7373 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:7373 ent..sch↵  
:7374 Engine·name: ·ISO ·Schematron↵  
:7375 Severity: ·error↵  
:7376 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:7376 subSection ·or ·subSubSection.↵  
:7377 Start ·location: ·1227:112↵  
:7378 ↵  
:7379 System ·ID: ·  
:7379 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:7379 /FFD35C795E2DFF87FFABEF1FFFCF3534.xml↵  
:7380 Main ·validation ·file: ·  
:7380 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:7380 /FFD35C795E2DFF87FFABEF1FFFCF3534.xml↵  
:7381 Scenario ·name: ·gg-sch↵  
:7382 Schema: ·  
:7382 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:7382 ent..sch↵  
:7383 Engine·name: ·ISO ·Schematron↵  
:7384 Severity: ·error↵  
:7385 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·

:7385 subSection ·or ·subSubSection. ↵  
:7386 Start ·location: ·1251:112 ↵  
:7387 ↵  
:7388 System ·ID: ·  
:7388 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:7388 /FFD35C795E2DFF87FFABEF1FFFCF3534.xml ↵  
:7389 Main ·validation ·file: ·  
:7389 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:7389 /FFD35C795E2DFF87FFABEF1FFFCF3534.xml ↵  
:7390 Scenario ·name: ·gg-sch ↵  
:7391 Schema: ·  
:7391 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:7391 ent..sch ↵  
:7392 Engine ·name: ·ISO ·Schematron ↵  
:7393 Severity: ·error ↵  
:7394 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:7394 subSection ·or ·subSubSection. ↵  
:7395 Start ·location: ·1275:112 ↵  
:7396 ↵  
:7397 System ·ID: ·  
:7397 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:7397 /FFD35C795E2DFF87FFABEF1FFFCF3534.xml ↵  
:7398 Main ·validation ·file: ·  
:7398 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:7398 /FFD35C795E2DFF87FFABEF1FFFCF3534.xml ↵  
:7399 Scenario ·name: ·gg-sch ↵  
:7400 Schema: ·  
:7400 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:7400 ent..sch ↵  
:7401 Engine ·name: ·ISO ·Schematron ↵  
:7402 Severity: ·error ↵  
:7403 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:7403 subSection ·or ·subSubSection. ↵  
:7404 Start ·location: ·1299:112 ↵  
:7405 ↵

:7406 System·ID: ·  
:7406 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:7406 /FFD35C795E2DFF87FFABEF1FFFCF3534.xml↵  
:7407 Main·validation·file: ·  
:7407 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:7407 /FFD35C795E2DFF87FFABEF1FFFCF3534.xml↵  
:7408 Scenario·name: ·gg-sch↵  
:7409 Schema: ·  
:7409 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:7409 ent..sch↵  
:7410 Engine·name: ·ISO·Schematron↵  
:7411 Severity: ·error↵  
:7412 Description: ·A·paragraph·must·have·an·ancestor·  
:7412 subSection·or·subSubSection.↵  
:7413 Start·location: ·1323:112↵  
:7414 ↵  
:7415 System·ID: ·  
:7415 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:7415 /FFD35C795E2DFF87FFABEF1FFFCF3534.xml↵  
:7416 Main·validation·file: ·  
:7416 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:7416 /FFD35C795E2DFF87FFABEF1FFFCF3534.xml↵  
:7417 Scenario·name: ·gg-sch↵  
:7418 Schema: ·  
:7418 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:7418 ent..sch↵  
:7419 Engine·name: ·ISO·Schematron↵  
:7420 Severity: ·error↵  
:7421 Description: ·A·paragraph·must·have·an·ancestor·  
:7421 subSection·or·subSubSection.↵  
:7422 Start·location: ·1347:112↵  
:7423 ↵  
:7424 System·ID: ·  
:7424 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:7424 /FFD35C795E2DFF87FFABEF1FFFCF3534.xml↵

:7425 Main-validation-file: .  
:7425 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:7425 /FFD35C795E2DFF87FFABEF1FFFCF3534.xml↵  
:7426 Scenario-name: .gg-sch↵  
:7427 Schema: .  
:7427 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:7427 ent..sch↵  
:7428 Engine-name: .ISO-Schematron↵  
:7429 Severity: .error↵  
:7430 Description: .A .paragraph .must .have .an .ancestor .  
:7430 subSection .or .subSubSection.↵  
:7431 Start-location: .1366:112↵  
:7432 ↵  
:7433 System-ID: .  
:7433 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:7433 /FFD35C795E2DFF87FFABEF1FFFCF3534.xml↵  
:7434 Main-validation-file: .  
:7434 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:7434 /FFD35C795E2DFF87FFABEF1FFFCF3534.xml↵  
:7435 Scenario-name: .gg-sch↵  
:7436 Schema: .  
:7436 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:7436 ent..sch↵  
:7437 Engine-name: .ISO-Schematron↵  
:7438 Severity: .error↵  
:7439 Description: .A .paragraph .must .have .an .ancestor .  
:7439 subSection .or .subSubSection.↵  
:7440 Start-location: .1387:112↵  
:7441 ↵  
:7442 System-ID: .  
:7442 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:7442 /FFD35C795E2DFF87FFABEF1FFFCF3534.xml↵  
:7443 Main-validation-file: .  
:7443 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:7443 /FFD35C795E2DFF87FFABEF1FFFCF3534.xml↵

:7444 Scenario·name: ·gg-sch↵  
:7445 Schema: ·  
:7445 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:7445 ent..sch↵  
:7446 Engine·name: ·ISO·Schematron↵  
:7447 Severity: ·error↵  
:7448 Description: ·A·paragraph·must·have·an·ancestor·  
:7448 subSection·or·subSubSection.↵  
:7449 Start·location: ·1411:112↵  
:7450 ↵  
:7451 System·ID: ·  
:7451 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:7451 /FFD35C795E2DFF87FFABEF1FFFCF3534.xml↵  
:7452 Main·validation·file: ·  
:7452 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:7452 /FFD35C795E2DFF87FFABEF1FFFCF3534.xml↵  
:7453 Scenario·name: ·gg-sch↵  
:7454 Schema: ·  
:7454 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:7454 ent..sch↵  
:7455 Engine·name: ·ISO·Schematron↵  
:7456 Severity: ·error↵  
:7457 Description: ·A·paragraph·must·have·an·ancestor·  
:7457 subSection·or·subSubSection.↵  
:7458 Start·location: ·1433:112↵  
:7459 ↵  
:7460 System·ID: ·  
:7460 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:7460 /FFD35C795E2DFF87FFABEF1FFFCF3534.xml↵  
:7461 Main·validation·file: ·  
:7461 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:7461 /FFD35C795E2DFF87FFABEF1FFFCF3534.xml↵  
:7462 Scenario·name: ·gg-sch↵  
:7463 Schema: ·  
:7463 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm

:7463 ent..sch↵  
:7464 Engine.name: ·ISO ·Schematron↵  
:7465 Severity: ·error↵  
:7466 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:7466 subSection ·or ·subSubSection.↵  
:7467 Start ·location: ·1455:112↵  
:7468 ↵  
:7469 System ·ID: ·  
:7469 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:7469 /FFD35C795E2DFF87FFABEF1FFFCF3534.xml↵  
:7470 Main ·validation ·file: ·  
:7470 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:7470 /FFD35C795E2DFF87FFABEF1FFFCF3534.xml↵  
:7471 Scenario ·name: ·gg-sch↵  
:7472 Schema: ·  
:7472 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:7472 ent..sch↵  
:7473 Engine.name: ·ISO ·Schematron↵  
:7474 Severity: ·error↵  
:7475 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:7475 subSection ·or ·subSubSection.↵  
:7476 Start ·location: ·1477:112↵  
:7477 ↵  
:7478 System ·ID: ·  
:7478 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:7478 /FFD35C795E2DFF87FFABEF1FFFCF3534.xml↵  
:7479 Main ·validation ·file: ·  
:7479 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:7479 /FFD35C795E2DFF87FFABEF1FFFCF3534.xml↵  
:7480 Scenario ·name: ·gg-sch↵  
:7481 Schema: ·  
:7481 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:7481 ent..sch↵  
:7482 Engine.name: ·ISO ·Schematron↵  
:7483 Severity: ·error↵

:7484 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:7484 subSection ·or ·subSubSection. ↵  
:7485 Start ·location: ·1499:184 ↵  
:7486 ↵  
:7487 System ·ID: ·  
:7487 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:7487 /FFD35C795E2DFF87FFABEF1FFFCF3534.xml ↵  
:7488 Main ·validation ·file: ·  
:7488 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:7488 /FFD35C795E2DFF87FFABEF1FFFCF3534.xml ↵  
:7489 Scenario ·name: ·gg-sch ↵  
:7490 Schema: ·  
:7490 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:7490 ent..sch ↵  
:7491 Engine ·name: ·ISO ·Schematron ↵  
:7492 Severity: ·error ↵  
:7493 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:7493 subSection ·or ·subSubSection. ↵  
:7494 Start ·location: ·1523:110 ↵  
:7495 ↵  
:7496 System ·ID: ·  
:7496 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:7496 /FFD35C795E2DFF87FFABEF1FFFCF3534.xml ↵  
:7497 Main ·validation ·file: ·  
:7497 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:7497 /FFD35C795E2DFF87FFABEF1FFFCF3534.xml ↵  
:7498 Scenario ·name: ·gg-sch ↵  
:7499 Schema: ·  
:7499 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:7499 ent..sch ↵  
:7500 Engine ·name: ·ISO ·Schematron ↵  
:7501 Severity: ·error ↵  
:7502 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:7502 subSection ·or ·subSubSection. ↵  
:7503 Start ·location: ·1545:110 ↵

:7504 ↵  
:7505 System·ID: ·  
:7505 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:7505 /FFD35C795E2DFF87FFABEF1FFFCF3534.xml↵  
:7506 Main·validation·file: ·  
:7506 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:7506 /FFD35C795E2DFF87FFABEF1FFFCF3534.xml↵  
:7507 Scenario·name: ·gg-sch↵  
:7508 Schema: ·  
:7508 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:7508 ent..sch↵  
:7509 Engine·name: ·ISO·Schematron↵  
:7510 Severity: ·error↵  
:7511 Description: ·A·paragraph·must·have·an·ancestor·  
:7511 subSection·or·subSubSection.↵  
:7512 Start·location: ·1567:110↵  
:7513 ↵  
:7514 System·ID: ·  
:7514 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:7514 /FFD35C795E2DFF87FFABEF1FFFCF3534.xml↵  
:7515 Main·validation·file: ·  
:7515 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:7515 /FFD35C795E2DFF87FFABEF1FFFCF3534.xml↵  
:7516 Scenario·name: ·gg-sch↵  
:7517 Schema: ·  
:7517 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:7517 ent..sch↵  
:7518 Engine·name: ·ISO·Schematron↵  
:7519 Severity: ·error↵  
:7520 Description: ·A·paragraph·must·have·an·ancestor·  
:7520 subSection·or·subSubSection.↵  
:7521 Start·location: ·1589:110↵  
:7522 ↵  
:7523 System·ID: ·  
:7523 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax

:7523 /FFD35C795E2DFF87FFABEF1FFCF3534.xml ↵  
:7524 Main-validation-file: ·  
:7524 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:7524 /FFD35C795E2DFF87FFABEF1FFCF3534.xml ↵  
:7525 Scenario-name: ·gg-sch ↵  
:7526 Schema: ·  
:7526 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:7526 ent..sch ↵  
:7527 Engine-name: ·ISO-Schematron ↵  
:7528 Severity: ·error ↵  
:7529 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:7529 subSection ·or ·subSubSection. ↵  
:7530 Start-location: ·1610:110 ↵  
:7531 ↵  
:7532 System-ID: ·  
:7532 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:7532 /FFD35C795E2DFF87FFABEF1FFCF3534.xml ↵  
:7533 Main-validation-file: ·  
:7533 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:7533 /FFD35C795E2DFF87FFABEF1FFCF3534.xml ↵  
:7534 Scenario-name: ·gg-sch ↵  
:7535 Schema: ·  
:7535 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:7535 ent..sch ↵  
:7536 Engine-name: ·ISO-Schematron ↵  
:7537 Severity: ·error ↵  
:7538 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:7538 subSection ·or ·subSubSection. ↵  
:7539 Start-location: ·1632:110 ↵  
:7540 ↵  
:7541 System-ID: ·  
:7541 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:7541 /FFD35C795E2DFF87FFABEF1FFCF3534.xml ↵  
:7542 Main-validation-file: ·  
:7542 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax

:7542 /FFD35C795E2DFF87FFABEF1FFFCF3534.xml ↵  
:7543 Scenario.name: .gg-sch ↵  
:7544 Schema: .  
:7544 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:7544 ent..sch ↵  
:7545 Engine.name: .ISO.Schematron ↵  
:7546 Severity: .error ↵  
:7547 Description: .A.paragraph.must.have.an.ancestor.  
:7547 subSection.or.subSubSection. ↵  
:7548 Start.location: .1646:110 ↵  
:7549 ↵  
:7550 System.ID: .  
:7550 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:7550 /FFD35C795E2DFF87FFABEF1FFFCF3534.xml ↵  
:7551 Main.validation.file: .  
:7551 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:7551 /FFD35C795E2DFF87FFABEF1FFFCF3534.xml ↵  
:7552 Scenario.name: .gg-sch ↵  
:7553 Schema: .  
:7553 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:7553 ent..sch ↵  
:7554 Engine.name: .ISO.Schematron ↵  
:7555 Severity: .error ↵  
:7556 Description: .A.paragraph.must.have.an.ancestor.  
:7556 subSection.or.subSubSection. ↵  
:7557 Start.location: .1663:110 ↵  
:7558 ↵  
:7559 System.ID: .  
:7559 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:7559 /FFD35C795E2DFF87FFABEF1FFFCF3534.xml ↵  
:7560 Main.validation.file: .  
:7560 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:7560 /FFD35C795E2DFF87FFABEF1FFFCF3534.xml ↵  
:7561 Scenario.name: .gg-sch ↵  
:7562 Schema: .

:7562 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:7562 ent..sch↵  
:7563 Engine.name: ·ISO ·Schematron↵  
:7564 Severity: ·error↵  
:7565 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:7565 subSection ·or ·subSubSection.↵  
:7566 Start ·location: ·1682:110↵  
:7567 ↵  
:7568 System ·ID: ·  
:7568 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:7568 /FFD35C795E2DFF87FFABEF1FFFCF3534.xml↵  
:7569 Main ·validation ·file: ·  
:7569 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:7569 /FFD35C795E2DFF87FFABEF1FFFCF3534.xml↵  
:7570 Scenario ·name: ·gg-sch↵  
:7571 Schema: ·  
:7571 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:7571 ent..sch↵  
:7572 Engine.name: ·ISO ·Schematron↵  
:7573 Severity: ·error↵  
:7574 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:7574 subSection ·or ·subSubSection.↵  
:7575 Start ·location: ·1703:110↵  
:7576 ↵  
:7577 System ·ID: ·  
:7577 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:7577 /FFD35C795E2DFF87FFABEF1FFFCF3534.xml↵  
:7578 Main ·validation ·file: ·  
:7578 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:7578 /FFD35C795E2DFF87FFABEF1FFFCF3534.xml↵  
:7579 Scenario ·name: ·gg-sch↵  
:7580 Schema: ·  
:7580 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:7580 ent..sch↵  
:7581 Engine.name: ·ISO ·Schematron↵

:7582 Severity: ·error ↵  
:7583 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:7583 subSection ·or ·subSubSection. ↵  
:7584 Start ·location: ·1726:110 ↵  
:7585 ↵  
:7586 System ·ID: ·  
:7586 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:7586 /FFD35C795E2DFF87FFABEF1FFFCF3534.xml ↵  
:7587 Main ·validation ·file: ·  
:7587 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:7587 /FFD35C795E2DFF87FFABEF1FFFCF3534.xml ↵  
:7588 Scenario ·name: ·gg-sch ↵  
:7589 Schema: ·  
:7589 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:7589 ent..sch ↵  
:7590 Engine ·name: ·ISO ·Schematron ↵  
:7591 Severity: ·error ↵  
:7592 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:7592 subSection ·or ·subSubSection. ↵  
:7593 Start ·location: ·1745:110 ↵  
:7594 ↵  
:7595 System ·ID: ·  
:7595 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:7595 /FFD35C795E2DFF87FFABEF1FFFCF3534.xml ↵  
:7596 Main ·validation ·file: ·  
:7596 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:7596 /FFD35C795E2DFF87FFABEF1FFFCF3534.xml ↵  
:7597 Scenario ·name: ·gg-sch ↵  
:7598 Schema: ·  
:7598 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:7598 ent..sch ↵  
:7599 Engine ·name: ·ISO ·Schematron ↵  
:7600 Severity: ·error ↵  
:7601 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:7601 subSection ·or ·subSubSection. ↵

:7602 Start ·location: ·1764:110 ↵  
:7603 ↵  
:7604 System ·ID: ·  
:7604 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:7604 /FFD35C795E2DFF87FFABEF1FFFCF3534.xml ↵  
:7605 Main ·validation ·file: ·  
:7605 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:7605 /FFD35C795E2DFF87FFABEF1FFFCF3534.xml ↵  
:7606 Scenario ·name: ·gg-sch ↵  
:7607 Schema: ·  
:7607 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:7607 ent..sch ↵  
:7608 Engine ·name: ·ISO ·Schematron ↵  
:7609 Severity: ·error ↵  
:7610 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:7610 subSection ·or ·subSubSection. ↵  
:7611 Start ·location: ·1781:110 ↵  
:7612 ↵  
:7613 System ·ID: ·  
:7613 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:7613 /FFD35C795E2DFF87FFABEF1FFFCF3534.xml ↵  
:7614 Main ·validation ·file: ·  
:7614 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:7614 /FFD35C795E2DFF87FFABEF1FFFCF3534.xml ↵  
:7615 Scenario ·name: ·gg-sch ↵  
:7616 Schema: ·  
:7616 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:7616 ent..sch ↵  
:7617 Engine ·name: ·ISO ·Schematron ↵  
:7618 Severity: ·error ↵  
:7619 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:7619 subSection ·or ·subSubSection. ↵  
:7620 Start ·location: ·1804:110 ↵  
:7621 ↵  
:7622 System ·ID: ·

:7622 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:7622 /FFD35C795E2DFF87FFABEF1FFFCF3534.xml ↵  
:7623 Main-validation-file: ·  
:7623 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:7623 /FFD35C795E2DFF87FFABEF1FFFCF3534.xml ↵  
:7624 Scenario-name: ·gg-sch ↵  
:7625 Schema: ·  
:7625 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:7625 ent..sch ↵  
:7626 Engine-name: ·ISO ·Schematron ↵  
:7627 Severity: ·error ↵  
:7628 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:7628 subSection ·or ·subSubSection. ↵  
:7629 Start-location: ·1823:110 ↵  
:7630 ↵  
:7631 System-ID: ·  
:7631 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:7631 /FFD35C795E2DFF87FFABEF1FFFCF3534.xml ↵  
:7632 Main-validation-file: ·  
:7632 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:7632 /FFD35C795E2DFF87FFABEF1FFFCF3534.xml ↵  
:7633 Scenario-name: ·gg-sch ↵  
:7634 Schema: ·  
:7634 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:7634 ent..sch ↵  
:7635 Engine-name: ·ISO ·Schematron ↵  
:7636 Severity: ·error ↵  
:7637 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:7637 subSection ·or ·subSubSection. ↵  
:7638 Start-location: ·1847:110 ↵  
:7639 ↵  
:7640 System-ID: ·  
:7640 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:7640 /FFD35C795E2DFF87FFABEF1FFFCF3534.xml ↵  
:7641 Main-validation-file: ·

:7641 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:7641 /FFD35C795E2DFF87FFABEF1FFFCF3534.xml ↵  
:7642 Scenario.name: .gg-sch ↵  
:7643 Schema: .  
:7643 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:7643 ent..sch ↵  
:7644 Engine.name: .ISO .Schematron ↵  
:7645 Severity: .error ↵  
:7646 Description: .A .paragraph .must .have .an .ancestor .  
:7646 subSection .or .subSubSection. ↵  
:7647 Start.location: .1871:111 ↵  
:7648 ↵  
:7649 System.ID: .  
:7649 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:7649 /FFD35C795E2DFF87FFABEF1FFFCF3534.xml ↵  
:7650 Main.validation.file: .  
:7650 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:7650 /FFD35C795E2DFF87FFABEF1FFFCF3534.xml ↵  
:7651 Scenario.name: .gg-sch ↵  
:7652 Schema: .  
:7652 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:7652 ent..sch ↵  
:7653 Engine.name: .ISO .Schematron ↵  
:7654 Severity: .error ↵  
:7655 Description: .A .paragraph .must .have .an .ancestor .  
:7655 subSection .or .subSubSection. ↵  
:7656 Start.location: .1895:111 ↵  
:7657 ↵  
:7658 System.ID: .  
:7658 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:7658 /FFD35C795E2DFF87FFABEF1FFFCF3534.xml ↵  
:7659 Main.validation.file: .  
:7659 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:7659 /FFD35C795E2DFF87FFABEF1FFFCF3534.xml ↵  
:7660 Scenario.name: .gg-sch ↵

:7661 Schema: .  
:7661 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:7661 ent..sch↵  
:7662 Engine.name: .ISO .Schematron↵  
:7663 Severity: .error↵  
:7664 Description: .A .paragraph .must .have .an .ancestor .  
:7664 subSection .or .subSubSection.↵  
:7665 Start.location: .1919:111↵  
:7666 ↵  
:7667 System.ID: .  
:7667 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:7667 /FFD35C795E2DFF87FFABEF1FFFCF3534.xml↵  
:7668 Main.validation.file: .  
:7668 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:7668 /FFD35C795E2DFF87FFABEF1FFFCF3534.xml↵  
:7669 Scenario.name: .gg-sch↵  
:7670 Schema: .  
:7670 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:7670 ent..sch↵  
:7671 Engine.name: .ISO .Schematron↵  
:7672 Severity: .error↵  
:7673 Description: .A .paragraph .must .have .an .ancestor .  
:7673 subSection .or .subSubSection.↵  
:7674 Start.location: .1946:111↵  
:7675 ↵  
:7676 System.ID: .  
:7676 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:7676 /FFD35C795E2DFF87FFABEF1FFFCF3534.xml↵  
:7677 Main.validation.file: .  
:7677 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:7677 /FFD35C795E2DFF87FFABEF1FFFCF3534.xml↵  
:7678 Scenario.name: .gg-sch↵  
:7679 Schema: .  
:7679 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:7679 ent..sch↵

:7680 Engine.name: ·ISO ·Schematron↵  
:7681 Severity: ·error↵  
:7682 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:7682 subSection ·or ·subSubSection.↵  
:7683 Start.location: ·1967:111↵  
:7684 ↵  
:7685 System.ID: ·  
:7685 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:7685 /FFD35C795E2DFF87FFABEF1FFFCF3534.xml↵  
:7686 Main.validation.file: ·  
:7686 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:7686 /FFD35C795E2DFF87FFABEF1FFFCF3534.xml↵  
:7687 Scenario.name: ·gg-sch↵  
:7688 Schema: ·  
:7688 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:7688 ent..sch↵  
:7689 Engine.name: ·ISO ·Schematron↵  
:7690 Severity: ·error↵  
:7691 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:7691 subSection ·or ·subSubSection.↵  
:7692 Start.location: ·1991:111↵  
:7693 ↵  
:7694 System.ID: ·  
:7694 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:7694 /FFD35C795E2DFF87FFABEF1FFFCF3534.xml↵  
:7695 Main.validation.file: ·  
:7695 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:7695 /FFD35C795E2DFF87FFABEF1FFFCF3534.xml↵  
:7696 Scenario.name: ·gg-sch↵  
:7697 Schema: ·  
:7697 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:7697 ent..sch↵  
:7698 Engine.name: ·ISO ·Schematron↵  
:7699 Severity: ·error↵  
:7700 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·

:7700 subSection ·or ·subSubSection. ↵  
:7701 Start ·location: ·2018:111 ↵  
:7702 ↵  
:7703 System ·ID: ·  
:7703 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:7703 /FFD35C795E2DFF87FFABEF1FFFCF3534.xml ↵  
:7704 Main ·validation ·file: ·  
:7704 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:7704 /FFD35C795E2DFF87FFABEF1FFFCF3534.xml ↵  
:7705 Scenario ·name: ·gg-sch ↵  
:7706 Schema: ·  
:7706 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:7706 ent..sch ↵  
:7707 Engine ·name: ·ISO ·Schematron ↵  
:7708 Severity: ·error ↵  
:7709 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:7709 subSection ·or ·subSubSection. ↵  
:7710 Start ·location: ·2042:111 ↵  
:7711 ↵  
:7712 System ·ID: ·  
:7712 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:7712 /FFD35C795E2DFF87FFABEF1FFFCF3534.xml ↵  
:7713 Main ·validation ·file: ·  
:7713 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:7713 /FFD35C795E2DFF87FFABEF1FFFCF3534.xml ↵  
:7714 Scenario ·name: ·gg-sch ↵  
:7715 Schema: ·  
:7715 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:7715 ent..sch ↵  
:7716 Engine ·name: ·ISO ·Schematron ↵  
:7717 Severity: ·error ↵  
:7718 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:7718 subSection ·or ·subSubSection. ↵  
:7719 Start ·location: ·2061:111 ↵  
:7720 ↵

:7721 System·ID: ·  
:7721 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:7721 /FFD35C795E2DFF87FFABEF1FFFCF3534.xml↵  
:7722 Main·validation·file: ·  
:7722 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:7722 /FFD35C795E2DFF87FFABEF1FFFCF3534.xml↵  
:7723 Scenario·name: ·gg-sch↵  
:7724 Schema: ·  
:7724 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:7724 ent..sch↵  
:7725 Engine·name: ·ISO·Schematron↵  
:7726 Severity: ·error↵  
:7727 Description: ·A·paragraph·must·have·an·ancestor·  
:7727 subSection·or·subSubSection.↵  
:7728 Start·location: ·2083:111↵  
:7729 ↵  
:7730 System·ID: ·  
:7730 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:7730 /FFD35C795E2DFF87FFABEF1FFFCF3534.xml↵  
:7731 Main·validation·file: ·  
:7731 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:7731 /FFD35C795E2DFF87FFABEF1FFFCF3534.xml↵  
:7732 Scenario·name: ·gg-sch↵  
:7733 Schema: ·  
:7733 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:7733 ent..sch↵  
:7734 Engine·name: ·ISO·Schematron↵  
:7735 Severity: ·error↵  
:7736 Description: ·A·paragraph·must·have·an·ancestor·  
:7736 subSection·or·subSubSection.↵  
:7737 Start·location: ·2105:111↵  
:7738 ↵  
:7739 System·ID: ·  
:7739 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:7739 /FFD35C795E2DFF87FFABEF1FFFCF3534.xml↵

:7740 Main-validation-file: .  
:7740 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:7740 /FFD35C795E2DFF87FFABEF1FFFCF3534.xml↵  
:7741 Scenario-name: .gg-sch↵  
:7742 Schema: .  
:7742 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:7742 ent..sch↵  
:7743 Engine-name: .ISO-Schematron↵  
:7744 Severity: .error↵  
:7745 Description: .A .paragraph .must .have .an .ancestor .  
:7745 subSection .or .subSubSection.↵  
:7746 Start-location: .2127:111↵  
:7747 ↵  
:7748 System-ID: .  
:7748 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:7748 /FFD35C795E2DFF87FFABEF1FFFCF3534.xml↵  
:7749 Main-validation-file: .  
:7749 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:7749 /FFD35C795E2DFF87FFABEF1FFFCF3534.xml↵  
:7750 Scenario-name: .gg-sch↵  
:7751 Schema: .  
:7751 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:7751 ent..sch↵  
:7752 Engine-name: .ISO-Schematron↵  
:7753 Severity: .error↵  
:7754 Description: .A .paragraph .must .have .an .ancestor .  
:7754 subSection .or .subSubSection.↵  
:7755 Start-location: .2148:111↵  
:7756 ↵  
:7757 System-ID: .  
:7757 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:7757 /FFD35C795E2DFF87FFABEF1FFFCF3534.xml↵  
:7758 Main-validation-file: .  
:7758 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:7758 /FFD35C795E2DFF87FFABEF1FFFCF3534.xml↵

```
:7759 Scenario·name: ·gg-sch↵
:7760 Schema: ·
:7760 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
:7760 ent..sch↵
:7761 Engine·name: ·ISO ·Schematron↵
:7762 Severity: ·error↵
:7763 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
:7763 subSection ·or ·subSubSection.↵
:7764 Start ·location: ·2179:111↵
:7765 ↵
:7766 System ·ID: ·
:7766 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
:7766 /FFD35C795E2DFF87FFABEF1FFFCF3534.xml↵
:7767 Main ·validation ·file: ·
:7767 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
:7767 /FFD35C795E2DFF87FFABEF1FFFCF3534.xml↵
:7768 Scenario·name: ·gg-sch↵
:7769 Schema: ·
:7769 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
:7769 ent..sch↵
:7770 Engine·name: ·ISO ·Schematron↵
:7771 Severity: ·error↵
:7772 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
:7772 subSection ·or ·subSubSection.↵
:7773 Start ·location: ·2206:111↵
:7774 ↵
:7775 System ·ID: ·
:7775 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
:7775 /FFD35C795E2DFF87FFABEF1FFFCF3534.xml↵
:7776 Main ·validation ·file: ·
:7776 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
:7776 /FFD35C795E2DFF87FFABEF1FFFCF3534.xml↵
:7777 Scenario·name: ·gg-sch↵
:7778 Schema: ·
:7778 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
```

:7778 ent..sch↵  
:7779 Engine.name: ·ISO ·Schematron↵  
:7780 Severity: ·error↵  
:7781 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:7781 subSection ·or ·subSubSection.↵  
:7782 Start ·location: ·2223:111↵  
:7783 ↵  
:7784 System ·ID: ·  
:7784 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:7784 /FFD35C795E2DFF87FFABEF1FFFCF3534.xml↵  
:7785 Main ·validation ·file: ·  
:7785 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:7785 /FFD35C795E2DFF87FFABEF1FFFCF3534.xml↵  
:7786 Scenario ·name: ·gg-sch↵  
:7787 Schema: ·  
:7787 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:7787 ent..sch↵  
:7788 Engine.name: ·ISO ·Schematron↵  
:7789 Severity: ·error↵  
:7790 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:7790 subSection ·or ·subSubSection.↵  
:7791 Start ·location: ·2242:111↵  
:7792 ↵  
:7793 System ·ID: ·  
:7793 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:7793 /FFD35C795E2DFF87FFABEF1FFFCF3534.xml↵  
:7794 Main ·validation ·file: ·  
:7794 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:7794 /FFD35C795E2DFF87FFABEF1FFFCF3534.xml↵  
:7795 Scenario ·name: ·gg-sch↵  
:7796 Schema: ·  
:7796 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:7796 ent..sch↵  
:7797 Engine.name: ·ISO ·Schematron↵  
:7798 Severity: ·error↵

:7799 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:7799 subSection ·or ·subSubSection. ↵  
:7800 Start ·location: ·2266:109 ↵  
:7801 ↵  
:7802 System ·ID: ·  
:7802 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:7802 /FFE4FFFBDDE2B6C1FFFC1FFA1FFE1FF83.xml ↵  
:7803 Main ·validation ·file: ·  
:7803 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:7803 /FFE4FFFBDDE2B6C1FFFC1FFA1FFE1FF83.xml ↵  
:7804 Scenario ·name: ·gg-sch ↵  
:7805 Schema: ·  
:7805 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:7805 ent..sch ↵  
:7806 Engine ·name: ·ISO ·Schematron ↵  
:7807 Severity: ·error ↵  
:7808 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:7808 subSection ·or ·subSubSection. ↵  
:7809 Start ·location: ·135:92 ↵  
:7810 ↵  
:7811 System ·ID: ·  
:7811 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:7811 /FFE4FFFBDDE2B6C1FFFC1FFA1FFE1FF83.xml ↵  
:7812 Main ·validation ·file: ·  
:7812 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:7812 /FFE4FFFBDDE2B6C1FFFC1FFA1FFE1FF83.xml ↵  
:7813 Scenario ·name: ·gg-sch ↵  
:7814 Schema: ·  
:7814 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:7814 ent..sch ↵  
:7815 Engine ·name: ·ISO ·Schematron ↵  
:7816 Severity: ·error ↵  
:7817 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:7817 subSection ·or ·subSubSection. ↵  
:7818 Start ·location: ·164:94 ↵

```
:7819 <System>
:7820 System·ID: ·
:7820 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
:7820 /FFE4FFFFBDE2B6C1FFFC1FFA1FFE1FF83.xml<
:7821 Main·validation·file: ·
:7821 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
:7821 /FFE4FFFFBDE2B6C1FFFC1FFA1FFE1FF83.xml<
:7822 Scenario·name: ·gg-sch<
:7823 Schema: ·
:7823 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
:7823 ent..sch<
:7824 Engine·name: ·ISO·Schematron<
:7825 Severity: ·error<
:7826 Description: ·A·paragraph·must·have·an·ancestor·
:7826 subSection·or·subSubSection.<
:7827 Start·location: ·382:93<
:7828 <
:7829 System·ID: ·
:7829 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
:7829 /FFE4FFFFBDE2B6C1FFFC1FFA1FFE1FF83.xml<
:7830 Main·validation·file: ·
:7830 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
:7830 /FFE4FFFFBDE2B6C1FFFC1FFA1FFE1FF83.xml<
:7831 Scenario·name: ·gg-sch<
:7832 Schema: ·
:7832 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
:7832 ent..sch<
:7833 Engine·name: ·ISO·Schematron<
:7834 Severity: ·error<
:7835 Description: ·A·paragraph·must·have·an·ancestor·
:7835 subSection·or·subSubSection.<
:7836 Start·location: ·400:123<
:7837 <
:7838 System·ID: ·
:7838 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
```

:7838 /FFE4FFFBDDE2B6C1FFFC1FFA1FFE1FF83.xml ↵  
:7839 Main-validation-file: .  
:7839 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:7839 /FFE4FFFBDDE2B6C1FFFC1FFA1FFE1FF83.xml ↵  
:7840 Scenario-name: .gg-sch ↵  
:7841 Schema: .  
:7841 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:7841 ent..sch ↵  
:7842 Engine-name: .ISO-Schematron ↵  
:7843 Severity: .error ↵  
:7844 Description: .A.paragraph.must.have.an.ancestor.  
:7844 subSection.or.subSubSection. ↵  
:7845 Start-location: .401:123 ↵  
:7846 ↵  
:7847 System-ID: .  
:7847 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:7847 /FFE4FFFBDDE2B6C1FFFC1FFA1FFE1FF83.xml ↵  
:7848 Main-validation-file: .  
:7848 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:7848 /FFE4FFFBDDE2B6C1FFFC1FFA1FFE1FF83.xml ↵  
:7849 Scenario-name: .gg-sch ↵  
:7850 Schema: .  
:7850 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:7850 ent..sch ↵  
:7851 Engine-name: .ISO-Schematron ↵  
:7852 Severity: .error ↵  
:7853 Description: .A.paragraph.must.have.an.ancestor.  
:7853 subSection.or.subSubSection. ↵  
:7854 Start-location: .402:123 ↵  
:7855 ↵  
:7856 System-ID: .  
:7856 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:7856 /FFE4FFFBDDE2B6C1FFFC1FFA1FFE1FF83.xml ↵  
:7857 Main-validation-file: .  
:7857 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax

:7857 /FFE4FFFFBDE2B6C1FFFC1FFA1FFE1FF83.xml ↵  
:7858 Scenario.name: .gg-sch ↵  
:7859 Schema: .  
:7859 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:7859 ent..sch ↵  
:7860 Engine.name: .ISO.Schematron ↵  
:7861 Severity: .error ↵  
:7862 Description: .A.paragraph.must.have.an.ancestor.  
:7862 subSection.or.subSubSection. ↵  
:7863 Start.location: .403:123 ↵  
:7864 ↵  
:7865 System.ID: .  
:7865 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:7865 /FFE4FFFFBDE2B6C1FFFC1FFA1FFE1FF83.xml ↵  
:7866 Main.validation.file: .  
:7866 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:7866 /FFE4FFFFBDE2B6C1FFFC1FFA1FFE1FF83.xml ↵  
:7867 Scenario.name: .gg-sch ↵  
:7868 Schema: .  
:7868 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:7868 ent..sch ↵  
:7869 Engine.name: .ISO.Schematron ↵  
:7870 Severity: .error ↵  
:7871 Description: .A.paragraph.must.have.an.ancestor.  
:7871 subSection.or.subSubSection. ↵  
:7872 Start.location: .404:95 ↵  
:7873 ↵  
:7874 System.ID: .  
:7874 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:7874 /FFE4FFFFBDE2B6C1FFFC1FFA1FFE1FF83.xml ↵  
:7875 Main.validation.file: .  
:7875 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:7875 /FFE4FFFFBDE2B6C1FFFC1FFA1FFE1FF83.xml ↵  
:7876 Scenario.name: .gg-sch ↵  
:7877 Schema: .

:7877 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:7877 ent..sch↵  
:7878 Engine.name: ·ISO ·Schematron↵  
:7879 Severity: ·error↵  
:7880 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:7880 subSection ·or ·subSubSection.↵  
:7881 Start ·location: ·406:94↵  
:7882 ↵  
:7883 System ·ID: ·  
:7883 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:7883 /FFE4FFFFBDE2B6C1FFFC1FFA1FFE1FF83.xml↵  
:7884 Main ·validation ·file: ·  
:7884 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:7884 /FFE4FFFFBDE2B6C1FFFC1FFA1FFE1FF83.xml↵  
:7885 Scenario ·name: ·gg-sch↵  
:7886 Schema: ·  
:7886 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:7886 ent..sch↵  
:7887 Engine.name: ·ISO ·Schematron↵  
:7888 Severity: ·error↵  
:7889 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:7889 subSection ·or ·subSubSection.↵  
:7890 Start ·location: ·408:95↵  
:7891 ↵  
:7892 System ·ID: ·  
:7892 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:7892 /FFE7FF8D2B70FFB9174F6D006A09FFF8.xml↵  
:7893 Main ·validation ·file: ·  
:7893 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:7893 /FFE7FF8D2B70FFB9174F6D006A09FFF8.xml↵  
:7894 Scenario ·name: ·gg-sch↵  
:7895 Schema: ·  
:7895 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:7895 ent..sch↵  
:7896 Engine.name: ·ISO ·Schematron↵

:7897 Severity: ·error↵  
:7898 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:7898 subSection ·or ·subSubSection.↵  
:7899 Start ·location: ·68:78↵  
:7900 ↵  
:7901 System ·ID: ·  
:7901 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:7901 /FFE7FF8D2B70FFB9174F6D006A09FFF8.xml↵  
:7902 Main ·validation ·file: ·  
:7902 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:7902 /FFE7FF8D2B70FFB9174F6D006A09FFF8.xml↵  
:7903 Scenario ·name: ·gg-sch↵  
:7904 Schema: ·  
:7904 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:7904 ent..sch↵  
:7905 Engine ·name: ·ISO ·Schematron↵  
:7906 Severity: ·error↵  
:7907 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:7907 subSection ·or ·subSubSection.↵  
:7908 Start ·location: ·76:78↵  
:7909 ↵  
:7910 System ·ID: ·  
:7910 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:7910 /FFE7FF8D2B70FFB9174F6D006A09FFF8.xml↵  
:7911 Main ·validation ·file: ·  
:7911 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:7911 /FFE7FF8D2B70FFB9174F6D006A09FFF8.xml↵  
:7912 Scenario ·name: ·gg-sch↵  
:7913 Schema: ·  
:7913 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:7913 ent..sch↵  
:7914 Engine ·name: ·ISO ·Schematron↵  
:7915 Severity: ·error↵  
:7916 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:7916 subSection ·or ·subSubSection.↵

:7917 Start ·location: ·110:78 ↵  
:7918 ↵  
:7919 System ·ID: ·  
:7919 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:7919 /FFE7FF8D2B70FFB9174F6D006A09FFF8.xml ↵  
:7920 Main ·validation ·file: ·  
:7920 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:7920 /FFE7FF8D2B70FFB9174F6D006A09FFF8.xml ↵  
:7921 Scenario ·name: ·gg-sch ↵  
:7922 Schema: ·  
:7922 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:7922 ent..sch ↵  
:7923 Engine ·name: ·ISO ·Schematron ↵  
:7924 Severity: ·error ↵  
:7925 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:7925 subSection ·or ·subSubSection. ↵  
:7926 Start ·location: ·120:78 ↵  
:7927 ↵  
:7928 System ·ID: ·  
:7928 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:7928 /FFE7FF8D2B70FFB9174F6D006A09FFF8.xml ↵  
:7929 Main ·validation ·file: ·  
:7929 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:7929 /FFE7FF8D2B70FFB9174F6D006A09FFF8.xml ↵  
:7930 Scenario ·name: ·gg-sch ↵  
:7931 Schema: ·  
:7931 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:7931 ent..sch ↵  
:7932 Engine ·name: ·ISO ·Schematron ↵  
:7933 Severity: ·error ↵  
:7934 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:7934 subSection ·or ·subSubSection. ↵  
:7935 Start ·location: ·122:103 ↵  
:7936 ↵  
:7937 System ·ID: ·

:7937 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:7937 /FFE7FF8D2B70FFB9174F6D006A09FFF8.xml ↵  
:7938 Main-validation-file: ·  
:7938 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:7938 /FFE7FF8D2B70FFB9174F6D006A09FFF8.xml ↵  
:7939 Scenario-name: ·gg-sch ↵  
:7940 Schema: ·  
:7940 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:7940 ent..sch ↵  
:7941 Engine-name: ·ISO ·Schematron ↵  
:7942 Severity: ·error ↵  
:7943 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:7943 subSection ·or ·subSubSection. ↵  
:7944 Start-location: ·125:103 ↵  
:7945 ↵  
:7946 System-ID: ·  
:7946 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:7946 /FFE7FF8D2B70FFB9174F6D006A09FFF8.xml ↵  
:7947 Main-validation-file: ·  
:7947 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:7947 /FFE7FF8D2B70FFB9174F6D006A09FFF8.xml ↵  
:7948 Scenario-name: ·gg-sch ↵  
:7949 Schema: ·  
:7949 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:7949 ent..sch ↵  
:7950 Engine-name: ·ISO ·Schematron ↵  
:7951 Severity: ·error ↵  
:7952 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:7952 subSection ·or ·subSubSection. ↵  
:7953 Start-location: ·141:103 ↵  
:7954 ↵  
:7955 System-ID: ·  
:7955 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:7955 /FFE7FF8D2B70FFB9174F6D006A09FFF8.xml ↵  
:7956 Main-validation-file: ·

:7956 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:7956 /FFE7FF8D2B70FFB9174F6D006A09FFF8.xml ↵  
:7957 Scenario.name: .gg-sch ↵  
:7958 Schema: .  
:7958 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:7958 ent..sch ↵  
:7959 Engine.name: .ISO .Schematron ↵  
:7960 Severity: .error ↵  
:7961 Description: .A .paragraph .must .have .an .ancestor .  
:7961 subSection .or .subSubSection. ↵  
:7962 Start.location: .144:103 ↵  
:7963 ↵  
:7964 System.ID: .  
:7964 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:7964 /FFE7FF8D2B70FFB9174F6D006A09FFF8.xml ↵  
:7965 Main.validation.file: .  
:7965 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:7965 /FFE7FF8D2B70FFB9174F6D006A09FFF8.xml ↵  
:7966 Scenario.name: .gg-sch ↵  
:7967 Schema: .  
:7967 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:7967 ent..sch ↵  
:7968 Engine.name: .ISO .Schematron ↵  
:7969 Severity: .error ↵  
:7970 Description: .A .paragraph .must .have .an .ancestor .  
:7970 subSection .or .subSubSection. ↵  
:7971 Start.location: .147:78 ↵  
:7972 ↵  
:7973 System.ID: .  
:7973 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:7973 /FFE7FF8D2B70FFB9174F6D006A09FFF8.xml ↵  
:7974 Main.validation.file: .  
:7974 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:7974 /FFE7FF8D2B70FFB9174F6D006A09FFF8.xml ↵  
:7975 Scenario.name: .gg-sch ↵

:7976 Schema: .  
:7976 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:7976 ent..sch↵  
:7977 Engine.name: .ISO .Schematron↵  
:7978 Severity: .error↵  
:7979 Description: .A .paragraph .must .have .an .ancestor .  
:7979 subSection .or .subSubSection.↵  
:7980 Start.location: .166:78↵  
:7981 ↵  
:7982 System.ID: .  
:7982 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:7982 /FFE7FF8D2B70FFB9174F6D006A09FFF8.xml↵  
:7983 Main.validation.file: .  
:7983 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:7983 /FFE7FF8D2B70FFB9174F6D006A09FFF8.xml↵  
:7984 Scenario.name: .gg-sch↵  
:7985 Schema: .  
:7985 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:7985 ent..sch↵  
:7986 Engine.name: .ISO .Schematron↵  
:7987 Severity: .error↵  
:7988 Description: .A .paragraph .must .have .an .ancestor .  
:7988 subSection .or .subSubSection.↵  
:7989 Start.location: .175:104↵  
:7990 ↵  
:7991 System.ID: .  
:7991 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:7991 /FFE7FF8D2B70FFB9174F6D006A09FFF8.xml↵  
:7992 Main.validation.file: .  
:7992 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:7992 /FFE7FF8D2B70FFB9174F6D006A09FFF8.xml↵  
:7993 Scenario.name: .gg-sch↵  
:7994 Schema: .  
:7994 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:7994 ent..sch↵

:7995 Engine·name: ·ISO ·Schematron↵  
:7996 Severity: ·error↵  
:7997 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:7997 subSection ·or ·subSubSection.↵  
:7998 Start ·location: ·178:104↵  
:7999 ↵  
:8000 System ·ID: ·  
:8000 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:8000 /FFE7FF8D2B70FFB9174F6D006A09FFF8.xml↵  
:8001 Main ·validation ·file: ·  
:8001 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:8001 /FFE7FF8D2B70FFB9174F6D006A09FFF8.xml↵  
:8002 Scenario ·name: ·gg-sch↵  
:8003 Schema: ·  
:8003 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:8003 ent..sch↵  
:8004 Engine·name: ·ISO ·Schematron↵  
:8005 Severity: ·error↵  
:8006 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:8006 subSection ·or ·subSubSection.↵  
:8007 Start ·location: ·181:104↵  
:8008 ↵  
:8009 System ·ID: ·  
:8009 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:8009 /FFE7FF8D2B70FFB9174F6D006A09FFF8.xml↵  
:8010 Main ·validation ·file: ·  
:8010 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:8010 /FFE7FF8D2B70FFB9174F6D006A09FFF8.xml↵  
:8011 Scenario ·name: ·gg-sch↵  
:8012 Schema: ·  
:8012 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:8012 ent..sch↵  
:8013 Engine·name: ·ISO ·Schematron↵  
:8014 Severity: ·error↵  
:8015 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·

:8015 subSection ·or ·subSubSection. ↵  
:8016 Start ·location: ·184:78 ↵  
:8017 ↵  
:8018 System ·ID: ·  
:8018 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:8018 /FFE7FF8D2B70FFB9174F6D006A09FFF8.xml ↵  
:8019 Main ·validation ·file: ·  
:8019 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:8019 /FFE7FF8D2B70FFB9174F6D006A09FFF8.xml ↵  
:8020 Scenario ·name: ·gg-sch ↵  
:8021 Schema: ·  
:8021 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:8021 ent..sch ↵  
:8022 Engine ·name: ·ISO ·Schematron ↵  
:8023 Severity: ·error ↵  
:8024 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:8024 subSection ·or ·subSubSection. ↵  
:8025 Start ·location: ·185:78 ↵  
:8026 ↵  
:8027 System ·ID: ·  
:8027 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:8027 /FFE7FF8D2B70FFB9174F6D006A09FFF8.xml ↵  
:8028 Main ·validation ·file: ·  
:8028 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:8028 /FFE7FF8D2B70FFB9174F6D006A09FFF8.xml ↵  
:8029 Scenario ·name: ·gg-sch ↵  
:8030 Schema: ·  
:8030 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:8030 ent..sch ↵  
:8031 Engine ·name: ·ISO ·Schematron ↵  
:8032 Severity: ·error ↵  
:8033 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:8033 subSection ·or ·subSubSection. ↵  
:8034 Start ·location: ·205:78 ↵  
:8035 ↵

:8036 System·ID: ·  
:8036 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:8036 /FFE7FF8D2B70FFB9174F6D006A09FFF8.xml↵  
:8037 Main·validation·file: ·  
:8037 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:8037 /FFE7FF8D2B70FFB9174F6D006A09FFF8.xml↵  
:8038 Scenario·name: ·gg-sch↵  
:8039 Schema: ·  
:8039 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:8039 ent..sch↵  
:8040 Engine·name: ·ISO·Schematron↵  
:8041 Severity: ·error↵  
:8042 Description: ·A·paragraph·must·have·an·ancestor·  
:8042 subSection·or·subSubSection.↵  
:8043 Start·location: ·211:78↵  
:8044 ↵  
:8045 System·ID: ·  
:8045 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:8045 /FFE7FF8D2B70FFB9174F6D006A09FFF8.xml↵  
:8046 Main·validation·file: ·  
:8046 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:8046 /FFE7FF8D2B70FFB9174F6D006A09FFF8.xml↵  
:8047 Scenario·name: ·gg-sch↵  
:8048 Schema: ·  
:8048 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:8048 ent..sch↵  
:8049 Engine·name: ·ISO·Schematron↵  
:8050 Severity: ·error↵  
:8051 Description: ·A·paragraph·must·have·an·ancestor·  
:8051 subSection·or·subSubSection.↵  
:8052 Start·location: ·212:78↵  
:8053 ↵  
:8054 System·ID: ·  
:8054 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:8054 /FFE7FF8D2B70FFB9174F6D006A09FFF8.xml↵

:8055 Main-validation-file: .  
:8055 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:8055 /FFE7FF8D2B70FFB9174F6D006A09FFF8.xml↵  
:8056 Scenario-name: .gg-sch↵  
:8057 Schema: .  
:8057 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:8057 ent..sch↵  
:8058 Engine-name: .ISO-Schematron↵  
:8059 Severity: .error↵  
:8060 Description: .A .paragraph .must .have .an .ancestor .  
:8060 subSection .or .subSubSection.↵  
:8061 Start-location: .216:78↵  
:8062 ↵  
:8063 System-ID: .  
:8063 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:8063 /FFE7FF8D2B70FFB9174F6D006A09FFF8.xml↵  
:8064 Main-validation-file: .  
:8064 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:8064 /FFE7FF8D2B70FFB9174F6D006A09FFF8.xml↵  
:8065 Scenario-name: .gg-sch↵  
:8066 Schema: .  
:8066 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:8066 ent..sch↵  
:8067 Engine-name: .ISO-Schematron↵  
:8068 Severity: .error↵  
:8069 Description: .A .paragraph .must .have .an .ancestor .  
:8069 subSection .or .subSubSection.↵  
:8070 Start-location: .229:78↵  
:8071 ↵  
:8072 System-ID: .  
:8072 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:8072 /FFE7FF8D2B70FFB9174F6D006A09FFF8.xml↵  
:8073 Main-validation-file: .  
:8073 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:8073 /FFE7FF8D2B70FFB9174F6D006A09FFF8.xml↵

:8074 Scenario ·name: ·gg-sch ↵  
:8075 Schema: ·  
:8075 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:8075 ent..sch ↵  
:8076 Engine ·name: ·ISO ·Schematron ↵  
:8077 Severity: ·error ↵  
:8078 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:8078 subSection ·or ·subSubSection. ↵  
:8079 Start ·location: ·238:78 ↵  
:8080 ↵  
:8081 System ·ID: ·  
:8081 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:8081 /FFE7FF8D2B70FFB9174F6D006A09FFF8.xml ↵  
:8082 Main ·validation ·file: ·  
:8082 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:8082 /FFE7FF8D2B70FFB9174F6D006A09FFF8.xml ↵  
:8083 Scenario ·name: ·gg-sch ↵  
:8084 Schema: ·  
:8084 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:8084 ent..sch ↵  
:8085 Engine ·name: ·ISO ·Schematron ↵  
:8086 Severity: ·error ↵  
:8087 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:8087 subSection ·or ·subSubSection. ↵  
:8088 Start ·location: ·243:78 ↵  
:8089 ↵  
:8090 System ·ID: ·  
:8090 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:8090 /FFE7FF8D2B70FFB9174F6D006A09FFF8.xml ↵  
:8091 Main ·validation ·file: ·  
:8091 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:8091 /FFE7FF8D2B70FFB9174F6D006A09FFF8.xml ↵  
:8092 Scenario ·name: ·gg-sch ↵  
:8093 Schema: ·  
:8093 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm

:8093 ent..sch↵  
:8094 Engine.name: ·ISO ·Schematron↵  
:8095 Severity: ·error↵  
:8096 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:8096 subSection ·or ·subSubSection.↵  
:8097 Start ·location: ·258:78↵  
:8098 ↵  
:8099 System ·ID: ·  
:8099 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:8099 /FFE7FF8D2B70FFB9174F6D006A09FFF8.xml↵  
:8100 Main ·validation ·file: ·  
:8100 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:8100 /FFE7FF8D2B70FFB9174F6D006A09FFF8.xml↵  
:8101 Scenario ·name: ·gg-sch↵  
:8102 Schema: ·  
:8102 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:8102 ent..sch↵  
:8103 Engine.name: ·ISO ·Schematron↵  
:8104 Severity: ·error↵  
:8105 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:8105 subSection ·or ·subSubSection.↵  
:8106 Start ·location: ·276:78↵  
:8107 ↵  
:8108 System ·ID: ·  
:8108 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:8108 /FFE7FF8D2B70FFB9174F6D006A09FFF8.xml↵  
:8109 Main ·validation ·file: ·  
:8109 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:8109 /FFE7FF8D2B70FFB9174F6D006A09FFF8.xml↵  
:8110 Scenario ·name: ·gg-sch↵  
:8111 Schema: ·  
:8111 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:8111 ent..sch↵  
:8112 Engine.name: ·ISO ·Schematron↵  
:8113 Severity: ·error↵

:8114 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:8114 subSection ·or ·subSubSection. ↵  
:8115 Start ·location: ·294:78 ↵  
:8116 ↵  
:8117 System ·ID: ·  
:8117 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:8117 /FFE7FF8D2B70FFB9174F6D006A09FFF8.xml ↵  
:8118 Main ·validation ·file: ·  
:8118 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:8118 /FFE7FF8D2B70FFB9174F6D006A09FFF8.xml ↵  
:8119 Scenario ·name: ·gg-sch ↵  
:8120 Schema: ·  
:8120 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:8120 ent..sch ↵  
:8121 Engine ·name: ·ISO ·Schematron ↵  
:8122 Severity: ·error ↵  
:8123 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:8123 subSection ·or ·subSubSection. ↵  
:8124 Start ·location: ·307:78 ↵  
:8125 ↵  
:8126 System ·ID: ·  
:8126 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:8126 /FFE7FF8D2B70FFB9174F6D006A09FFF8.xml ↵  
:8127 Main ·validation ·file: ·  
:8127 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:8127 /FFE7FF8D2B70FFB9174F6D006A09FFF8.xml ↵  
:8128 Scenario ·name: ·gg-sch ↵  
:8129 Schema: ·  
:8129 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:8129 ent..sch ↵  
:8130 Engine ·name: ·ISO ·Schematron ↵  
:8131 Severity: ·error ↵  
:8132 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:8132 subSection ·or ·subSubSection. ↵  
:8133 Start ·location: ·324:78 ↵

```
'8134 <System>
'8135   System·ID: ·
'8135   /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
'8135   /FFE7FF8D2B70FFB9174F6D006A09FFF8.xml<
'8136   Main·validation·file: ·
'8136   /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
'8136   /FFE7FF8D2B70FFB9174F6D006A09FFF8.xml<
'8137   Scenario·name: ·gg-sch<
'8138   Schema: ·
'8138   /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
'8138   ent..sch<
'8139   Engine·name: ·ISO·Schematron<
'8140   Severity: ·error<
'8141   Description: ·A·paragraph·must·have·an·ancestor·
'8141   subSection·or·subSubSection.<
'8142   Start·location: ·329:78<
'8143 <
'8144   System·ID: ·
'8144   /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
'8144   /FFE7FF8D2B70FFB9174F6D006A09FFF8.xml<
'8145   Main·validation·file: ·
'8145   /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
'8145   /FFE7FF8D2B70FFB9174F6D006A09FFF8.xml<
'8146   Scenario·name: ·gg-sch<
'8147   Schema: ·
'8147   /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
'8147   ent..sch<
'8148   Engine·name: ·ISO·Schematron<
'8149   Severity: ·error<
'8150   Description: ·A·paragraph·must·have·an·ancestor·
'8150   subSection·or·subSubSection.<
'8151   Start·location: ·330:114<
'8152 <
'8153   System·ID: ·
'8153   /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
```

:8153 /FFE7FF8D2B70FFB9174F6D006A09FFF8.xml ↵  
:8154 Main-validation-file: ·  
:8154 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:8154 /FFE7FF8D2B70FFB9174F6D006A09FFF8.xml ↵  
:8155 Scenario-name: ·gg-sch ↵  
:8156 Schema: ·  
:8156 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:8156 ent..sch ↵  
:8157 Engine-name: ·ISO-Schematron ↵  
:8158 Severity: ·error ↵  
:8159 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:8159 subSection ·or ·subSubSection. ↵  
:8160 Start-location: ·345:78 ↵  
:8161 ↵  
:8162 System-ID: ·  
:8162 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:8162 /FFE7FF8D2B70FFB9174F6D006A09FFF8.xml ↵  
:8163 Main-validation-file: ·  
:8163 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:8163 /FFE7FF8D2B70FFB9174F6D006A09FFF8.xml ↵  
:8164 Scenario-name: ·gg-sch ↵  
:8165 Schema: ·  
:8165 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:8165 ent..sch ↵  
:8166 Engine-name: ·ISO-Schematron ↵  
:8167 Severity: ·error ↵  
:8168 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:8168 subSection ·or ·subSubSection. ↵  
:8169 Start-location: ·361:103 ↵  
:8170 ↵  
:8171 System-ID: ·  
:8171 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:8171 /FFE7FF8D2B70FFB9174F6D006A09FFF8.xml ↵  
:8172 Main-validation-file: ·  
:8172 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax

:8172 /FFE7FF8D2B70FFB9174F6D006A09FFF8.xml ↵  
:8173 Scenario.name: .gg-sch ↵  
:8174 Schema: .  
:8174 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:8174 ent..sch ↵  
:8175 Engine.name: .ISO.Schematron ↵  
:8176 Severity: .error ↵  
:8177 Description: .A.paragraph.must.have.an.ancestor.  
:8177 subSection.or.subSubSection. ↵  
:8178 Start.location: .366:78 ↵  
:8179 ↵  
:8180 System.ID: .  
:8180 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:8180 /FFE7FF8D2B70FFB9174F6D006A09FFF8.xml ↵  
:8181 Main.validation.file: .  
:8181 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:8181 /FFE7FF8D2B70FFB9174F6D006A09FFF8.xml ↵  
:8182 Scenario.name: .gg-sch ↵  
:8183 Schema: .  
:8183 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:8183 ent..sch ↵  
:8184 Engine.name: .ISO.Schematron ↵  
:8185 Severity: .error ↵  
:8186 Description: .A.paragraph.must.have.an.ancestor.  
:8186 subSection.or.subSubSection. ↵  
:8187 Start.location: .391:78 ↵  
:8188 ↵  
:8189 System.ID: .  
:8189 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:8189 /FFE7FF8D2B70FFB9174F6D006A09FFF8.xml ↵  
:8190 Main.validation.file: .  
:8190 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:8190 /FFE7FF8D2B70FFB9174F6D006A09FFF8.xml ↵  
:8191 Scenario.name: .gg-sch ↵  
:8192 Schema: .

```
:8192 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm  
:8192 ent..sch↵  
:8193 Engine.name: ·ISO ·Schematron↵  
:8194 Severity: ·error↵  
:8195 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:8195 subSection ·or ·subSubSection.↵  
:8196 Start ·location: ·403:78↵  
:8197 ↵  
:8198 System ·ID: ·  
:8198 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:8198 /FFE7FF8D2B70FFB9174F6D006A09FFF8.xml↵  
:8199 Main ·validation ·file: ·  
:8199 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:8199 /FFE7FF8D2B70FFB9174F6D006A09FFF8.xml↵  
:8200 Scenario ·name: ·gg-sch↵  
:8201 Schema: ·  
:8201 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm  
:8201 ent..sch↵  
:8202 Engine.name: ·ISO ·Schematron↵  
:8203 Severity: ·error↵  
:8204 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:8204 subSection ·or ·subSubSection.↵  
:8205 Start ·location: ·430:78↵  
:8206 ↵  
:8207 System ·ID: ·  
:8207 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:8207 /FFE7FF8D2B70FFB9174F6D006A09FFF8.xml↵  
:8208 Main ·validation ·file: ·  
:8208 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:8208 /FFE7FF8D2B70FFB9174F6D006A09FFF8.xml↵  
:8209 Scenario ·name: ·gg-sch↵  
:8210 Schema: ·  
:8210 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm  
:8210 ent..sch↵  
:8211 Engine.name: ·ISO ·Schematron↵
```

:8212 Severity: ·error ↵  
:8213 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:8213 subSection ·or ·subSubSection. ↵  
:8214 Start ·location: ·455:78 ↵  
:8215 ↵  
:8216 System ·ID: ·  
:8216 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:8216 /FFE7FF8D2B70FFB9174F6D006A09FFF8.xml ↵  
:8217 Main ·validation ·file: ·  
:8217 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:8217 /FFE7FF8D2B70FFB9174F6D006A09FFF8.xml ↵  
:8218 Scenario ·name: ·gg-sch ↵  
:8219 Schema: ·  
:8219 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
:8220 Engine ·name: ·ISO ·Schematron ↵  
:8221 Severity: ·error ↵  
:8222 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:8222 subSection ·or ·subSubSection. ↵  
:8223 Start ·location: ·470:78 ↵  
:8224 ↵  
:8225 System ·ID: ·  
:8225 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:8225 /FFE7FF8D2B70FFB9174F6D006A09FFF8.xml ↵  
:8226 Main ·validation ·file: ·  
:8226 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:8226 /FFE7FF8D2B70FFB9174F6D006A09FFF8.xml ↵  
:8227 Scenario ·name: ·gg-sch ↵  
:8228 Schema: ·  
:8228 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
:8229 Engine ·name: ·ISO ·Schematron ↵  
:8230 Severity: ·error ↵  
:8231 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:8231 subSection ·or ·subSubSection. ↵

:8232 Start ·location: -498:78 ↵  
:8233 ↵  
:8234 System ·ID: ·  
:8234 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:8234 /FFE7FF8D2B70FFB9174F6D006A09FFF8.xml ↵  
:8235 Main ·validation ·file: ·  
:8235 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:8235 /FFE7FF8D2B70FFB9174F6D006A09FFF8.xml ↵  
:8236 Scenario ·name: ·gg-sch ↵  
:8237 Schema: ·  
:8237 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:8237 ent..sch ↵  
:8238 Engine ·name: ·ISO ·Schematron ↵  
:8239 Severity: ·error ↵  
:8240 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:8240 subSection ·or ·subSubSection. ↵  
:8241 Start ·location: -527:78 ↵  
:8242 ↵  
:8243 System ·ID: ·  
:8243 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:8243 /FFE7FF8D2B70FFB9174F6D006A09FFF8.xml ↵  
:8244 Main ·validation ·file: ·  
:8244 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:8244 /FFE7FF8D2B70FFB9174F6D006A09FFF8.xml ↵  
:8245 Scenario ·name: ·gg-sch ↵  
:8246 Schema: ·  
:8246 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:8246 ent..sch ↵  
:8247 Engine ·name: ·ISO ·Schematron ↵  
:8248 Severity: ·error ↵  
:8249 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:8249 subSection ·or ·subSubSection. ↵  
:8250 Start ·location: -544:78 ↵  
:8251 ↵  
:8252 System ·ID: ·

```
:8252 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
:8252 /FFE7FF8D2B70FFB9174F6D006A09FFF8.xml↵
:8253 Main-validation-file: .
:8253 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
:8253 /FFE7FF8D2B70FFB9174F6D006A09FFF8.xml↵
:8254 Scenario-name: .gg-sch↵
:8255 Schema: .
:8255 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
:8255 ent..sch↵
:8256 Engine-name: .ISO-Schematron↵
:8257 Severity: .error↵
:8258 Description: .A .paragraph .must .have .an .ancestor .
:8258 subSection .or .subSubSection.↵
:8259 Start-location: .557:78↵
:8260 ↵
:8261 System-ID: .
:8261 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
:8261 /FFE7FF8D2B70FFB9174F6D006A09FFF8.xml↵
:8262 Main-validation-file: .
:8262 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
:8262 /FFE7FF8D2B70FFB9174F6D006A09FFF8.xml↵
:8263 Scenario-name: .gg-sch↵
:8264 Schema: .
:8264 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
:8264 ent..sch↵
:8265 Engine-name: .ISO-Schematron↵
:8266 Severity: .error↵
:8267 Description: .A .paragraph .must .have .an .ancestor .
:8267 subSection .or .subSubSection.↵
:8268 Start-location: .573:78↵
:8269 ↵
:8270 System-ID: .
:8270 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
:8270 /FFE7FF8D2B70FFB9174F6D006A09FFF8.xml↵
:8271 Main-validation-file: .
```

:8271 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:8271 /FFE7FF8D2B70FFB9174F6D006A09FFF8.xml ↵  
:8272 Scenario.name: .gg-sch ↵  
:8273 Schema: .  
:8273 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:8273 ent..sch ↵  
:8274 Engine.name: .ISO .Schematron ↵  
:8275 Severity: .error ↵  
:8276 Description: .A .paragraph .must .have .an .ancestor .  
:8276 subSection .or .subSubSection. ↵  
:8277 Start.location: .597:104 ↵  
:8278 ↵  
:8279 System.ID: .  
:8279 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:8279 /FFE7FF8D2B70FFB9174F6D006A09FFF8.xml ↵  
:8280 Main.validation.file: .  
:8280 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:8280 /FFE7FF8D2B70FFB9174F6D006A09FFF8.xml ↵  
:8281 Scenario.name: .gg-sch ↵  
:8282 Schema: .  
:8282 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:8282 ent..sch ↵  
:8283 Engine.name: .ISO .Schematron ↵  
:8284 Severity: .error ↵  
:8285 Description: .A .paragraph .must .have .an .ancestor .  
:8285 subSection .or .subSubSection. ↵  
:8286 Start.location: .607:104 ↵  
:8287 ↵  
:8288 System.ID: .  
:8288 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:8288 /FFE7FF8D2B70FFB9174F6D006A09FFF8.xml ↵  
:8289 Main.validation.file: .  
:8289 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:8289 /FFE7FF8D2B70FFB9174F6D006A09FFF8.xml ↵  
:8290 Scenario.name: .gg-sch ↵

:8291 Schema: .  
:8291 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:8291 ent..sch↵  
:8292 Engine.name: .ISO .Schematron↵  
:8293 Severity: .error↵  
:8294 Description: .A .paragraph .must .have .an .ancestor .  
:8294 subSection .or .subSubSection.↵  
:8295 Start.location: .632:78↵  
:8296 ↵  
:8297 System.ID: .  
:8297 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:8297 /FFE7FF8D2B70FFB9174F6D006A09FFF8.xml↵  
:8298 Main.validation.file: .  
:8298 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:8298 /FFE7FF8D2B70FFB9174F6D006A09FFF8.xml↵  
:8299 Scenario.name: .gg-sch↵  
:8300 Schema: .  
:8300 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:8300 ent..sch↵  
:8301 Engine.name: .ISO .Schematron↵  
:8302 Severity: .error↵  
:8303 Description: .A .paragraph .must .have .an .ancestor .  
:8303 subSection .or .subSubSection.↵  
:8304 Start.location: .657:104↵  
:8305 ↵  
:8306 System.ID: .  
:8306 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:8306 /FFE7FF8D2B70FFB9174F6D006A09FFF8.xml↵  
:8307 Main.validation.file: .  
:8307 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:8307 /FFE7FF8D2B70FFB9174F6D006A09FFF8.xml↵  
:8308 Scenario.name: .gg-sch↵  
:8309 Schema: .  
:8309 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:8309 ent..sch↵

:8310 Engine·name: ·ISO ·Schematron↵  
:8311 Severity: ·error↵  
:8312 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:8312 subSection ·or ·subSubSection.↵  
:8313 Start ·location: ·680:78↵  
:8314 ↵  
:8315 System ·ID: ·  
:8315 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:8315 /FFE7FF8D2B70FFB9174F6D006A09FFF8.xml↵  
:8316 Main ·validation ·file: ·  
:8316 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:8316 /FFE7FF8D2B70FFB9174F6D006A09FFF8.xml↵  
:8317 Scenario ·name: ·gg-sch↵  
:8318 Schema: ·  
:8318 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:8318 ent..sch↵  
:8319 Engine·name: ·ISO ·Schematron↵  
:8320 Severity: ·error↵  
:8321 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:8321 subSection ·or ·subSubSection.↵  
:8322 Start ·location: ·708:78↵  
:8323 ↵  
:8324 System ·ID: ·  
:8324 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:8324 /FFE7FF8D2B70FFB9174F6D006A09FFF8.xml↵  
:8325 Main ·validation ·file: ·  
:8325 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:8325 /FFE7FF8D2B70FFB9174F6D006A09FFF8.xml↵  
:8326 Scenario ·name: ·gg-sch↵  
:8327 Schema: ·  
:8327 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:8327 ent..sch↵  
:8328 Engine·name: ·ISO ·Schematron↵  
:8329 Severity: ·error↵  
:8330 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·

:8330 subSection ·or ·subSubSection. ↵  
:8331 Start ·location: ·739:105 ↵  
:8332 ↵  
:8333 System ·ID: ·  
:8333 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:8333 /FFE7FF8D2B70FFB9174F6D006A09FFF8.xml ↵  
:8334 Main ·validation ·file: ·  
:8334 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:8334 /FFE7FF8D2B70FFB9174F6D006A09FFF8.xml ↵  
:8335 Scenario ·name: ·gg-sch ↵  
:8336 Schema: ·  
:8336 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:8336 ent..sch ↵  
:8337 Engine ·name: ·ISO ·Schematron ↵  
:8338 Severity: ·error ↵  
:8339 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:8339 subSection ·or ·subSubSection. ↵  
:8340 Start ·location: ·762:106 ↵  
:8341 ↵  
:8342 System ·ID: ·  
:8342 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:8342 /FFE7FF8D2B70FFB9174F6D006A09FFF8.xml ↵  
:8343 Main ·validation ·file: ·  
:8343 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:8343 /FFE7FF8D2B70FFB9174F6D006A09FFF8.xml ↵  
:8344 Scenario ·name: ·gg-sch ↵  
:8345 Schema: ·  
:8345 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:8345 ent..sch ↵  
:8346 Engine ·name: ·ISO ·Schematron ↵  
:8347 Severity: ·error ↵  
:8348 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:8348 subSection ·or ·subSubSection. ↵  
:8349 Start ·location: ·767:78 ↵  
:8350 ↵

:8351 System·ID: ·  
:8351 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:8351 /FFE7FF8D2B70FFB9174F6D006A09FFF8.xml↵  
:8352 Main·validation·file: ·  
:8352 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:8352 /FFE7FF8D2B70FFB9174F6D006A09FFF8.xml↵  
:8353 Scenario·name: ·gg-sch↵  
:8354 Schema: ·  
:8354 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:8354 ent..sch↵  
:8355 Engine·name: ·ISO·Schematron↵  
:8356 Severity: ·error↵  
:8357 Description: ·A·paragraph·must·have·an·ancestor·  
:8357 subSection·or·subSubSection.↵  
:8358 Start·location: ·772:78↵  
:8359 ↵  
:8360 System·ID: ·  
:8360 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:8360 /FFE7FF8D2B70FFB9174F6D006A09FFF8.xml↵  
:8361 Main·validation·file: ·  
:8361 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:8361 /FFE7FF8D2B70FFB9174F6D006A09FFF8.xml↵  
:8362 Scenario·name: ·gg-sch↵  
:8363 Schema: ·  
:8363 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:8363 ent..sch↵  
:8364 Engine·name: ·ISO·Schematron↵  
:8365 Severity: ·error↵  
:8366 Description: ·A·paragraph·must·have·an·ancestor·  
:8366 subSection·or·subSubSection.↵  
:8367 Start·location: ·773:106↵  
:8368 ↵  
:8369 System·ID: ·  
:8369 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:8369 /FFE7FF8D2B70FFB9174F6D006A09FFF8.xml↵

:8370 Main-validation-file: .  
:8370 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:8370 /FFE7FF8D2B70FFB9174F6D006A09FFF8.xml↵  
:8371 Scenario-name: .gg-sch↵  
:8372 Schema: .  
:8372 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:8372 ent..sch↵  
:8373 Engine-name: .ISO-Schematron↵  
:8374 Severity: .error↵  
:8375 Description: .A .paragraph .must .have .an .ancestor .  
:8375 subSection .or .subSubSection.↵  
:8376 Start-location: .778:78↵  
:8377 ↵  
:8378 System-ID: .  
:8378 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:8378 /FFE7FF8D2B70FFB9174F6D006A09FFF8.xml↵  
:8379 Main-validation-file: .  
:8379 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:8379 /FFE7FF8D2B70FFB9174F6D006A09FFF8.xml↵  
:8380 Scenario-name: .gg-sch↵  
:8381 Schema: .  
:8381 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:8381 ent..sch↵  
:8382 Engine-name: .ISO-Schematron↵  
:8383 Severity: .error↵  
:8384 Description: .A .paragraph .must .have .an .ancestor .  
:8384 subSection .or .subSubSection.↵  
:8385 Start-location: .779:106↵  
:8386 ↵  
:8387 System-ID: .  
:8387 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:8387 /FFE7FF8D2B70FFB9174F6D006A09FFF8.xml↵  
:8388 Main-validation-file: .  
:8388 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:8388 /FFE7FF8D2B70FFB9174F6D006A09FFF8.xml↵

```
'8389 Scenario·name: ·gg-sch↵
'8390 Schema: ·
'8390 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
'8390 ent..sch↵
'8391 Engine·name: ·ISO·Schematron↵
'8392 Severity: ·error↵
'8393 Description: ·A·paragraph·must·have·an·ancestor·
'8393 subSection·or·subSubSection.↵
'8394 Start·location: ·780:106↵
'8395 ↵
'8396 System·ID: ·
'8396 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
'8396 /FFE7FF8D2B70FFB9174F6D006A09FFF8.xml↵
'8397 Main·validation·file: ·
'8397 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
'8397 /FFE7FF8D2B70FFB9174F6D006A09FFF8.xml↵
'8398 Scenario·name: ·gg-sch↵
'8399 Schema: ·
'8399 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
'8399 ent..sch↵
'8400 Engine·name: ·ISO·Schematron↵
'8401 Severity: ·error↵
'8402 Description: ·A·paragraph·must·have·an·ancestor·
'8402 subSection·or·subSubSection.↵
'8403 Start·location: ·784:106↵
'8404 ↵
'8405 System·ID: ·
'8405 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
'8405 /FFE7FF8D2B70FFB9174F6D006A09FFF8.xml↵
'8406 Main·validation·file: ·
'8406 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
'8406 /FFE7FF8D2B70FFB9174F6D006A09FFF8.xml↵
'8407 Scenario·name: ·gg-sch↵
'8408 Schema: ·
'8408 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
```

```
'8408  ent..sch↵
'8409  Engine·name: ·ISO ·Schematron↵
'8410  Severity: ·error↵
'8411  Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
'8411  subSection ·or ·subSubSection.↵
'8412  Start ·location: ·789:106↵
'8413  ↵
'8414  System ·ID: ·
'8414  /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
'8414  /FFE7FF8D2B70FFB9174F6D006A09FFF8.xml↵
'8415  Main ·validation ·file: ·
'8415  /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
'8415  /FFE7FF8D2B70FFB9174F6D006A09FFF8.xml↵
'8416  Scenario ·name: ·gg-sch↵
'8417  Schema: ·
'8417  /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
'8417  ent..sch↵
'8418  Engine·name: ·ISO ·Schematron↵
'8419  Severity: ·error↵
'8420  Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
'8420  subSection ·or ·subSubSection.↵
'8421  Start ·location: ·790:78↵
'8422  ↵
'8423  System ·ID: ·
'8423  /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
'8423  /FFE7FFB1A46DDB5AFF83967DDB04FFBD.xml↵
'8424  Main ·validation ·file: ·
'8424  /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
'8424  /FFE7FFB1A46DDB5AFF83967DDB04FFBD.xml↵
'8425  Scenario ·name: ·gg-sch↵
'8426  Schema: ·
'8426  /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
'8426  ent..sch↵
'8427  Engine·name: ·ISO ·Schematron↵
'8428  Severity: ·error↵
```

:8429 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:8429 subSection ·or ·subSubSection. ↵  
:8430 Start ·location: ·185:111 ↵  
:8431 ↵  
:8432 System ·ID: ·  
:8432 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:8432 /FFE7FFB1A46DDB5AFF83967DDB04FFBD.xml ↵  
:8433 Main ·validation ·file: ·  
:8433 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:8433 /FFE7FFB1A46DDB5AFF83967DDB04FFBD.xml ↵  
:8434 Scenario ·name: ·gg-sch ↵  
:8435 Schema: ·  
:8435 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:8435 ent..sch ↵  
:8436 Engine ·name: ·ISO ·Schematron ↵  
:8437 Severity: ·error ↵  
:8438 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:8438 subSection ·or ·subSubSection. ↵  
:8439 Start ·location: ·190:133 ↵  
:8440 ↵  
:8441 System ·ID: ·  
:8441 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:8441 /FFE7FFB1A46DDB5AFF83967DDB04FFBD.xml ↵  
:8442 Main ·validation ·file: ·  
:8442 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:8442 /FFE7FFB1A46DDB5AFF83967DDB04FFBD.xml ↵  
:8443 Scenario ·name: ·gg-sch ↵  
:8444 Schema: ·  
:8444 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:8444 ent..sch ↵  
:8445 Engine ·name: ·ISO ·Schematron ↵  
:8446 Severity: ·error ↵  
:8447 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:8447 subSection ·or ·subSubSection. ↵  
:8448 Start ·location: ·195:109 ↵

```
:8449 <System>
:8450 System·ID: ·
:8450 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
:8450 /FFE7FFB1A46DDB5AFF83967DDB04FFBD.xml<
:8451 Main·validation·file: ·
:8451 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
:8451 /FFE7FFB1A46DDB5AFF83967DDB04FFBD.xml<
:8452 Scenario·name: ·gg-sch<
:8453 Schema: ·
:8453 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
:8453 ent..sch<
:8454 Engine·name: ·ISO·Schematron<
:8455 Severity: ·error<
:8456 Description: ·A·paragraph·must·have·an·ancestor·
:8456 subSection·or·subSubSection.<
:8457 Start·location: ·207:109<
:8458 <
:8459 System·ID: ·
:8459 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
:8459 /FFE7FFB1A46DDB5AFF83967DDB04FFBD.xml<
:8460 Main·validation·file: ·
:8460 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
:8460 /FFE7FFB1A46DDB5AFF83967DDB04FFBD.xml<
:8461 Scenario·name: ·gg-sch<
:8462 Schema: ·
:8462 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
:8462 ent..sch<
:8463 Engine·name: ·ISO·Schematron<
:8464 Severity: ·error<
:8465 Description: ·A·paragraph·must·have·an·ancestor·
:8465 subSection·or·subSubSection.<
:8466 Start·location: ·228:109<
:8467 <
:8468 System·ID: ·
:8468 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
```

:8468 /FFE7FFB1A46DDB5AFF83967DDB04FFBD.xml ↵  
:8469 Main-validation-file: .  
:8469 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:8469 /FFE7FFB1A46DDB5AFF83967DDB04FFBD.xml ↵  
:8470 Scenario-name: .gg-sch ↵  
:8471 Schema: .  
:8471 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:8471 ent..sch ↵  
:8472 Engine-name: .ISO-Schematron ↵  
:8473 Severity: .error ↵  
:8474 Description: .A.paragraph.must.have.an.ancestor.  
:8474 subSection.or.subSubSection. ↵  
:8475 Start-location: .237:145 ↵  
:8476 ↵  
:8477 System-ID: .  
:8477 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:8477 /FFE7FFB1A46DDB5AFF83967DDB04FFBD.xml ↵  
:8478 Main-validation-file: .  
:8478 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:8478 /FFE7FFB1A46DDB5AFF83967DDB04FFBD.xml ↵  
:8479 Scenario-name: .gg-sch ↵  
:8480 Schema: .  
:8480 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:8480 ent..sch ↵  
:8481 Engine-name: .ISO-Schematron ↵  
:8482 Severity: .error ↵  
:8483 Description: .A.paragraph.must.have.an.ancestor.  
:8483 subSection.or.subSubSection. ↵  
:8484 Start-location: .265:110 ↵  
:8485 ↵  
:8486 System-ID: .  
:8486 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:8486 /FFE7FFB1A46DDB5AFF83967DDB04FFBD.xml ↵  
:8487 Main-validation-file: .  
:8487 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax

:8487 /FFE7FFB1A46DDB5AFF83967DDB04FFBD.xml ↵  
:8488 Scenario.name: .gg-sch ↵  
:8489 Schema: .  
:8489 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
:8490 Engine.name: .ISO.Schematron ↵  
:8491 Severity: .error ↵  
:8492 Description: .A.paragraph.must.have.an.ancestor.  
:8492 subSection.or.subSubSection. ↵  
:8493 Start.location: .296:137 ↵  
:8494 ↵  
:8495 System.ID: .  
:8495 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:8495 /FFE7FFB1A46DDB5AFF83967DDB04FFBD.xml ↵  
:8496 Main.validation.file: .  
:8496 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:8496 /FFE7FFB1A46DDB5AFF83967DDB04FFBD.xml ↵  
:8497 Scenario.name: .gg-sch ↵  
:8498 Schema: .  
:8498 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
:8499 Engine.name: .ISO.Schematron ↵  
:8500 Severity: .error ↵  
:8501 Description: .A.paragraph.must.have.an.ancestor.  
:8501 subSection.or.subSubSection. ↵  
:8502 Start.location: .299:110 ↵  
:8503 ↵  
:8504 System.ID: .  
:8504 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:8504 /FFE7FFB1A46DDB5AFF83967DDB04FFBD.xml ↵  
:8505 Main.validation.file: .  
:8505 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:8505 /FFE7FFB1A46DDB5AFF83967DDB04FFBD.xml ↵  
:8506 Scenario.name: .gg-sch ↵  
:8507 Schema: .

:8507 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:8507 ent..sch↵  
:8508 Engine.name: ·ISO ·Schematron↵  
:8509 Severity: ·error↵  
:8510 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:8510 subSection ·or ·subSubSection.↵  
:8511 Start ·location: ·301:135↵  
:8512 ↵  
:8513 System ·ID: ·  
:8513 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:8513 /FFE7FFB1A46DDB5AFF83967DDB04FFBD.xml↵  
:8514 Main ·validation ·file: ·  
:8514 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:8514 /FFE7FFB1A46DDB5AFF83967DDB04FFBD.xml↵  
:8515 Scenario ·name: ·gg-sch↵  
:8516 Schema: ·  
:8516 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:8516 ent..sch↵  
:8517 Engine.name: ·ISO ·Schematron↵  
:8518 Severity: ·error↵  
:8519 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:8519 subSection ·or ·subSubSection.↵  
:8520 Start ·location: ·305:78↵  
:8521 ↵  
:8522 System ·ID: ·  
:8522 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:8522 /FFE7FFB1A46DDB5AFF83967DDB04FFBD.xml↵  
:8523 Main ·validation ·file: ·  
:8523 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:8523 /FFE7FFB1A46DDB5AFF83967DDB04FFBD.xml↵  
:8524 Scenario ·name: ·gg-sch↵  
:8525 Schema: ·  
:8525 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:8525 ent..sch↵  
:8526 Engine.name: ·ISO ·Schematron↵

:8527 Severity: ·error ↵  
:8528 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:8528 subSection ·or ·subSubSection. ↵  
:8529 Start ·location: ·396:110 ↵  
:8530 ↵  
:8531 System ·ID: ·  
:8531 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:8531 /FFE7FFB1A46DDB5AFF83967DDB04FFBD.xml ↵  
:8532 Main ·validation ·file: ·  
:8532 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:8532 /FFE7FFB1A46DDB5AFF83967DDB04FFBD.xml ↵  
:8533 Scenario ·name: ·gg-sch ↵  
:8534 Schema: ·  
:8534 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:8534 ent..sch ↵  
:8535 Engine ·name: ·ISO ·Schematron ↵  
:8536 Severity: ·error ↵  
:8537 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:8537 subSection ·or ·subSubSection. ↵  
:8538 Start ·location: ·407:110 ↵  
:8539 ↵  
:8540 System ·ID: ·  
:8540 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:8540 /FFE7FFB1A46DDB5AFF83967DDB04FFBD.xml ↵  
:8541 Main ·validation ·file: ·  
:8541 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:8541 /FFE7FFB1A46DDB5AFF83967DDB04FFBD.xml ↵  
:8542 Scenario ·name: ·gg-sch ↵  
:8543 Schema: ·  
:8543 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:8543 ent..sch ↵  
:8544 Engine ·name: ·ISO ·Schematron ↵  
:8545 Severity: ·error ↵  
:8546 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:8546 subSection ·or ·subSubSection. ↵

:8547 Start ·location: ·410:181 ↵  
:8548 ↵  
:8549 System ·ID: ·  
:8549 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:8549 /FFE7FFB1A46DDB5AFF83967DDB04FFBD.xml ↵  
:8550 Main ·validation ·file: ·  
:8550 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:8550 /FFE7FFB1A46DDB5AFF83967DDB04FFBD.xml ↵  
:8551 Scenario ·name: ·gg-sch ↵  
:8552 Schema: ·  
:8552 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:8552 ent..sch ↵  
:8553 Engine ·name: ·ISO ·Schematron ↵  
:8554 Severity: ·error ↵  
:8555 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:8555 subSection ·or ·subSubSection. ↵  
:8556 Start ·location: ·417:109 ↵  
:8557 ↵  
:8558 System ·ID: ·  
:8558 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:8558 /FFE7FFB1A46DDB5AFF83967DDB04FFBD.xml ↵  
:8559 Main ·validation ·file: ·  
:8559 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:8559 /FFE7FFB1A46DDB5AFF83967DDB04FFBD.xml ↵  
:8560 Scenario ·name: ·gg-sch ↵  
:8561 Schema: ·  
:8561 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:8561 ent..sch ↵  
:8562 Engine ·name: ·ISO ·Schematron ↵  
:8563 Severity: ·error ↵  
:8564 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:8564 subSection ·or ·subSubSection. ↵  
:8565 Start ·location: ·422:109 ↵  
:8566 ↵  
:8567 System ·ID: ·

```
:8567 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
:8567 /FFE7FFB1A46DDB5AFF83967DDB04FFBD.xml↵
:8568 Main-validation-file: ·
:8568 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
:8568 /FFE7FFB1A46DDB5AFF83967DDB04FFBD.xml↵
:8569 Scenario-name: ·gg-sch↵
:8570 Schema: ·
:8570 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
:8570 ent..sch↵
:8571 Engine-name: ·ISO ·Schematron↵
:8572 Severity: ·error↵
:8573 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
:8573 subSection ·or ·subSubSection.↵
:8574 Start-location: ·433:133↵
:8575 ↵
:8576 System-ID: ·
:8576 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
:8576 /FFE7FFB1A46DDB5AFF83967DDB04FFBD.xml↵
:8577 Main-validation-file: ·
:8577 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
:8577 /FFE7FFB1A46DDB5AFF83967DDB04FFBD.xml↵
:8578 Scenario-name: ·gg-sch↵
:8579 Schema: ·
:8579 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
:8579 ent..sch↵
:8580 Engine-name: ·ISO ·Schematron↵
:8581 Severity: ·error↵
:8582 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
:8582 subSection ·or ·subSubSection.↵
:8583 Start-location: ·436:109↵
:8584 ↵
:8585 System-ID: ·
:8585 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
:8585 /FFE7FFB1A46DDB5AFF83967DDB04FFBD.xml↵
:8586 Main-validation-file: ·
```

```
:8586 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
:8586 /FFE7FFB1A46DDB5AFF83967DDB04FFBD.xml↵
:8587 Scenario·name: ·gg-sch↵
:8588 Schema: ·
:8588 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
:8588 ent..sch↵
:8589 Engine·name: ·ISO ·Schematron↵
:8590 Severity: ·error↵
:8591 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
:8591 subSection ·or ·subSubSection.↵
:8592 Start ·location: ·441:109↵
:8593 ↵
:8594 System ·ID: ·
:8594 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
:8594 /FFE7FFB1A46DDB5AFF83967DDB04FFBD.xml↵
:8595 Main ·validation ·file: ·
:8595 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
:8595 /FFE7FFB1A46DDB5AFF83967DDB04FFBD.xml↵
:8596 Scenario ·name: ·gg-sch↵
:8597 Schema: ·
:8597 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
:8597 ent..sch↵
:8598 Engine·name: ·ISO ·Schematron↵
:8599 Severity: ·error↵
:8600 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
:8600 subSection ·or ·subSubSection.↵
:8601 Start ·location: ·454:109↵
:8602 ↵
:8603 System ·ID: ·
:8603 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
:8603 /FFE7FFB1A46DDB5AFF83967DDB04FFBD.xml↵
:8604 Main ·validation ·file: ·
:8604 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
:8604 /FFE7FFB1A46DDB5AFF83967DDB04FFBD.xml↵
:8605 Scenario ·name: ·gg-sch↵
```

:8606 Schema: .  
:8606 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:8606 ent..sch↵  
:8607 Engine.name: .ISO .Schematron↵  
:8608 Severity: .error↵  
:8609 Description: .A .paragraph .must .have .an .ancestor .  
:8609 subSection .or .subSubSection.↵  
:8610 Start.location: .466:110↵  
:8611 ↵  
:8612 System.ID: .  
:8612 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:8612 /FFE7FFB1A46DDB5AFF83967DDB04FFBD.xml↵  
:8613 Main.validation.file: .  
:8613 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:8613 /FFE7FFB1A46DDB5AFF83967DDB04FFBD.xml↵  
:8614 Scenario.name: .gg-sch↵  
:8615 Schema: .  
:8615 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:8615 ent..sch↵  
:8616 Engine.name: .ISO .Schematron↵  
:8617 Severity: .error↵  
:8618 Description: .A .paragraph .must .have .an .ancestor .  
:8618 subSection .or .subSubSection.↵  
:8619 Start.location: .489:110↵  
:8620 ↵  
:8621 System.ID: .  
:8621 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:8621 /FFE7FFB1A46DDB5AFF83967DDB04FFBD.xml↵  
:8622 Main.validation.file: .  
:8622 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:8622 /FFE7FFB1A46DDB5AFF83967DDB04FFBD.xml↵  
:8623 Scenario.name: .gg-sch↵  
:8624 Schema: .  
:8624 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:8624 ent..sch↵

:8625 Engine·name: ·ISO ·Schematron↵  
:8626 Severity: ·error↵  
:8627 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:8627 subSection ·or ·subSubSection.↵  
:8628 Start ·location: ·503:110↵  
:8629 ↵  
:8630 System ·ID: ·  
:8630 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:8630 /FFE7FFB1A46DDB5AFF83967DDB04FFBD.xml↵  
:8631 Main ·validation ·file: ·  
:8631 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:8631 /FFE7FFB1A46DDB5AFF83967DDB04FFBD.xml↵  
:8632 Scenario ·name: ·gg-sch↵  
:8633 Schema: ·  
:8633 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:8633 ent..sch↵  
:8634 Engine·name: ·ISO ·Schematron↵  
:8635 Severity: ·error↵  
:8636 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:8636 subSection ·or ·subSubSection.↵  
:8637 Start ·location: ·512:110↵  
:8638 ↵  
:8639 System ·ID: ·  
:8639 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:8639 /FFE7FFB1A46DDB5AFF83967DDB04FFBD.xml↵  
:8640 Main ·validation ·file: ·  
:8640 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:8640 /FFE7FFB1A46DDB5AFF83967DDB04FFBD.xml↵  
:8641 Scenario ·name: ·gg-sch↵  
:8642 Schema: ·  
:8642 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:8642 ent..sch↵  
:8643 Engine·name: ·ISO ·Schematron↵  
:8644 Severity: ·error↵  
:8645 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·

:8645 subSection ·or ·subSubSection. ↵  
:8646 Start ·location: ·514:110 ↵  
:8647 ↵  
:8648 System ·ID: ·  
:8648 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:8648 /FFE7FFB1A46DDB5AFF83967DDB04FFBD.xml ↵  
:8649 Main ·validation ·file: ·  
:8649 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:8649 /FFE7FFB1A46DDB5AFF83967DDB04FFBD.xml ↵  
:8650 Scenario ·name: ·gg-sch ↵  
:8651 Schema: ·  
:8651 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:8651 ent..sch ↵  
:8652 Engine ·name: ·ISO ·Schematron ↵  
:8653 Severity: ·error ↵  
:8654 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:8654 subSection ·or ·subSubSection. ↵  
:8655 Start ·location: ·521:138 ↵  
:8656 ↵  
:8657 System ·ID: ·  
:8657 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:8657 /FFE7FFB1A46DDB5AFF83967DDB04FFBD.xml ↵  
:8658 Main ·validation ·file: ·  
:8658 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:8658 /FFE7FFB1A46DDB5AFF83967DDB04FFBD.xml ↵  
:8659 Scenario ·name: ·gg-sch ↵  
:8660 Schema: ·  
:8660 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:8660 ent..sch ↵  
:8661 Engine ·name: ·ISO ·Schematron ↵  
:8662 Severity: ·error ↵  
:8663 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:8663 subSection ·or ·subSubSection. ↵  
:8664 Start ·location: ·523:109 ↵  
:8665 ↵

:8666 System·ID: ·  
:8666 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:8666 /FFE7FFB1A46DDB5AFF83967DDB04FFBD.xml↵  
:8667 Main·validation·file: ·  
:8667 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:8667 /FFE7FFB1A46DDB5AFF83967DDB04FFBD.xml↵  
:8668 Scenario·name: ·gg-sch↵  
:8669 Schema: ·  
:8669 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:8669 ent..sch↵  
:8670 Engine·name: ·ISO·Schematron↵  
:8671 Severity: ·error↵  
:8672 Description: ·A·paragraph·must·have·an·ancestor·  
:8672 subSection·or·subSubSection.↵  
:8673 Start·location: ·528:110↵  
:8674 ↵  
:8675 System·ID: ·  
:8675 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:8675 /FFE7FFB1A46DDB5AFF83967DDB04FFBD.xml↵  
:8676 Main·validation·file: ·  
:8676 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:8676 /FFE7FFB1A46DDB5AFF83967DDB04FFBD.xml↵  
:8677 Scenario·name: ·gg-sch↵  
:8678 Schema: ·  
:8678 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:8678 ent..sch↵  
:8679 Engine·name: ·ISO·Schematron↵  
:8680 Severity: ·error↵  
:8681 Description: ·A·paragraph·must·have·an·ancestor·  
:8681 subSection·or·subSubSection.↵  
:8682 Start·location: ·537:109↵  
:8683 ↵  
:8684 System·ID: ·  
:8684 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:8684 /FFE7FFB1A46DDB5AFF83967DDB04FFBD.xml↵

:8685 Main-validation-file: .  
:8685 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:8685 /FFE7FFB1A46DDB5AFF83967DDB04FFBD.xml↵  
:8686 Scenario-name: .gg-sch↵  
:8687 Schema: .  
:8687 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:8687 ent..sch↵  
:8688 Engine-name: .ISO-Schematron↵  
:8689 Severity: .error↵  
:8690 Description: .A .paragraph .must .have .an .ancestor .  
:8690 subSection .or .subSubSection.↵  
:8691 Start-location: .548:109↵  
:8692 ↵  
:8693 System-ID: .  
:8693 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:8693 /FFE7FFB1A46DDB5AFF83967DDB04FFBD.xml↵  
:8694 Main-validation-file: .  
:8694 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:8694 /FFE7FFB1A46DDB5AFF83967DDB04FFBD.xml↵  
:8695 Scenario-name: .gg-sch↵  
:8696 Schema: .  
:8696 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:8696 ent..sch↵  
:8697 Engine-name: .ISO-Schematron↵  
:8698 Severity: .error↵  
:8699 Description: .A .paragraph .must .have .an .ancestor .  
:8699 subSection .or .subSubSection.↵  
:8700 Start-location: .561:110↵  
:8701 ↵  
:8702 System-ID: .  
:8702 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:8702 /FFE7FFB1A46DDB5AFF83967DDB04FFBD.xml↵  
:8703 Main-validation-file: .  
:8703 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:8703 /FFE7FFB1A46DDB5AFF83967DDB04FFBD.xml↵

```
:8704 Scenario·name: ·gg-sch↵
:8705 Schema: ·
:8705 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
:8705 ent..sch↵
:8706 Engine·name: ·ISO·Schematron↵
:8707 Severity: ·error↵
:8708 Description: ·A·paragraph·must·have·an·ancestor·
:8708 subSection·or·subSubSection.↵
:8709 Start·location: ·603:109↵
:8710 ↵
:8711 System·ID: ·
:8711 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
:8711 /FFE7FFB1A46DDB5AFF83967DDB04FFBD.xml↵
:8712 Main·validation·file: ·
:8712 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
:8712 /FFE7FFB1A46DDB5AFF83967DDB04FFBD.xml↵
:8713 Scenario·name: ·gg-sch↵
:8714 Schema: ·
:8714 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
:8714 ent..sch↵
:8715 Engine·name: ·ISO·Schematron↵
:8716 Severity: ·error↵
:8717 Description: ·A·paragraph·must·have·an·ancestor·
:8717 subSection·or·subSubSection.↵
:8718 Start·location: ·610:109↵
:8719 ↵
:8720 System·ID: ·
:8720 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
:8720 /FFE7FFB1A46DDB5AFF83967DDB04FFBD.xml↵
:8721 Main·validation·file: ·
:8721 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
:8721 /FFE7FFB1A46DDB5AFF83967DDB04FFBD.xml↵
:8722 Scenario·name: ·gg-sch↵
:8723 Schema: ·
:8723 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
```

:8723 ent..sch↵  
:8724 Engine.name: ·ISO ·Schematron↵  
:8725 Severity: ·error↵  
:8726 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:8726 subSection ·or ·subSubSection.↵  
:8727 Start ·location: ·615:110↵  
:8728 ↵  
:8729 System ·ID: ·  
:8729 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:8729 /FFE7FFB1A46DDB5AFF83967DDB04FFBD.xml↵  
:8730 Main ·validation ·file: ·  
:8730 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:8730 /FFE7FFB1A46DDB5AFF83967DDB04FFBD.xml↵  
:8731 Scenario ·name: ·gg-sch↵  
:8732 Schema: ·  
:8732 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:8732 ent..sch↵  
:8733 Engine.name: ·ISO ·Schematron↵  
:8734 Severity: ·error↵  
:8735 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:8735 subSection ·or ·subSubSection.↵  
:8736 Start ·location: ·623:78↵  
:8737 ↵  
:8738 System ·ID: ·  
:8738 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:8738 /FFE7FFB1A46DDB5AFF83967DDB04FFBD.xml↵  
:8739 Main ·validation ·file: ·  
:8739 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:8739 /FFE7FFB1A46DDB5AFF83967DDB04FFBD.xml↵  
:8740 Scenario ·name: ·gg-sch↵  
:8741 Schema: ·  
:8741 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:8741 ent..sch↵  
:8742 Engine.name: ·ISO ·Schematron↵  
:8743 Severity: ·error↵

:8744 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:8744 subSection ·or ·subSubSection. ↵  
:8745 Start ·location: ·778:109 ↵  
:8746 ↵  
:8747 System ·ID: ·  
:8747 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:8747 /FFE7FFB1A46DDB5AFF83967DDB04FFBD.xml ↵  
:8748 Main ·validation ·file: ·  
:8748 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:8748 /FFE7FFB1A46DDB5AFF83967DDB04FFBD.xml ↵  
:8749 Scenario ·name: ·gg-sch ↵  
:8750 Schema: ·  
:8750 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:8750 ent..sch ↵  
:8751 Engine ·name: ·ISO ·Schematron ↵  
:8752 Severity: ·error ↵  
:8753 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:8753 subSection ·or ·subSubSection. ↵  
:8754 Start ·location: ·783:111 ↵  
:8755 ↵  
:8756 System ·ID: ·  
:8756 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:8756 /FFE7FFB1A46DDB5AFF83967DDB04FFBD.xml ↵  
:8757 Main ·validation ·file: ·  
:8757 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:8757 /FFE7FFB1A46DDB5AFF83967DDB04FFBD.xml ↵  
:8758 Scenario ·name: ·gg-sch ↵  
:8759 Schema: ·  
:8759 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:8759 ent..sch ↵  
:8760 Engine ·name: ·ISO ·Schematron ↵  
:8761 Severity: ·error ↵  
:8762 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:8762 subSection ·or ·subSubSection. ↵  
:8763 Start ·location: ·786:109 ↵

:8764 ↵  
:8765 System·ID: ·  
:8765 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:8765 /FFE7FFB1A46DDB5AFF83967DDB04FFBD.xml↵  
:8766 Main·validation·file: ·  
:8766 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:8766 /FFE7FFB1A46DDB5AFF83967DDB04FFBD.xml↵  
:8767 Scenario·name: ·gg-sch↵  
:8768 Schema: ·  
:8768 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch↵  
:8769 Engine·name: ·ISO·Schematron↵  
:8770 Severity: ·error↵  
:8771 Description: ·A·paragraph·must·have·an·ancestor·  
:8771 subSection·or·subSubSection.↵  
:8772 Start·location: ·787:109↵  
:8773 ↵  
:8774 System·ID: ·  
:8774 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:8774 /FFE7FFB1A46DDB5AFF83967DDB04FFBD.xml↵  
:8775 Main·validation·file: ·  
:8775 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:8775 /FFE7FFB1A46DDB5AFF83967DDB04FFBD.xml↵  
:8776 Scenario·name: ·gg-sch↵  
:8777 Schema: ·  
:8777 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch↵  
:8778 Engine·name: ·ISO·Schematron↵  
:8779 Severity: ·error↵  
:8780 Description: ·A·paragraph·must·have·an·ancestor·  
:8780 subSection·or·subSubSection.↵  
:8781 Start·location: ·795:109↵  
:8782 ↵  
:8783 System·ID: ·  
:8783 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax

:8783 /FFE7FFB1A46DDB5AFF83967DDB04FFBD.xml ↵  
:8784 Main-validation-file: ·  
:8784 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:8784 /FFE7FFB1A46DDB5AFF83967DDB04FFBD.xml ↵  
:8785 Scenario-name: ·gg-sch↵  
:8786 Schema: ·  
:8786 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:8786 ent..sch↵  
:8787 Engine-name: ·ISO ·Schematron↵  
:8788 Severity: ·error↵  
:8789 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:8789 subSection ·or ·subSubSection.↵  
:8790 Start ·location: ·805:109↵  
:8791 ↵  
:8792 System ·ID: ·  
:8792 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:8792 /FFE7FFB1A46DDB5AFF83967DDB04FFBD.xml ↵  
:8793 Main-validation-file: ·  
:8793 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:8793 /FFE7FFB1A46DDB5AFF83967DDB04FFBD.xml ↵  
:8794 Scenario-name: ·gg-sch↵  
:8795 Schema: ·  
:8795 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:8795 ent..sch↵  
:8796 Engine-name: ·ISO ·Schematron↵  
:8797 Severity: ·error↵  
:8798 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:8798 subSection ·or ·subSubSection.↵  
:8799 Start ·location: ·818:135↵  
:8800 ↵  
:8801 System ·ID: ·  
:8801 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:8801 /FFE7FFB1A46DDB5AFF83967DDB04FFBD.xml ↵  
:8802 Main-validation-file: ·  
:8802 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax

:8802 /FFE7FFB1A46DDB5AFF83967DDB04FFBD.xml ↵  
:8803 Scenario.name: .gg-sch ↵  
:8804 Schema: .  
:8804 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
:8805 Engine.name: .ISO.Schematron ↵  
:8806 Severity: .error ↵  
:8807 Description: .A.paragraph.must.have.an.ancestor.  
subSection.or.subSubSection. ↵  
:8808 Start.location: .821:109 ↵  
:8809 ↵  
:8810 System.ID: .  
:8810 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:8810 /FFE7FFB1A46DDB5AFF83967DDB04FFBD.xml ↵  
:8811 Main.validation.file: .  
:8811 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:8811 /FFE7FFB1A46DDB5AFF83967DDB04FFBD.xml ↵  
:8812 Scenario.name: .gg-sch ↵  
:8813 Schema: .  
:8813 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
:8814 Engine.name: .ISO.Schematron ↵  
:8815 Severity: .error ↵  
:8816 Description: .A.paragraph.must.have.an.ancestor.  
subSection.or.subSubSection. ↵  
:8817 Start.location: .826:109 ↵  
:8818 ↵  
:8819 System.ID: .  
:8819 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:8819 /FFE7FFB1A46DDB5AFF83967DDB04FFBD.xml ↵  
:8820 Main.validation.file: .  
:8820 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:8820 /FFE7FFB1A46DDB5AFF83967DDB04FFBD.xml ↵  
:8821 Scenario.name: .gg-sch ↵  
:8822 Schema: .

```
:8822 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm  
:8822 ent..sch↵  
:8823 Engine.name: ·ISO ·Schematron↵  
:8824 Severity: ·error↵  
:8825 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:8825 subSection ·or ·subSubSection.↵  
:8826 Start ·location: ·839:109↵  
:8827 ↵  
:8828 System ·ID: ·  
:8828 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:8828 /FFE7FFB1A46DDB5AFF83967DDB04FFBD.xml↵  
:8829 Main ·validation ·file: ·  
:8829 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:8829 /FFE7FFB1A46DDB5AFF83967DDB04FFBD.xml↵  
:8830 Scenario ·name: ·gg-sch↵  
:8831 Schema: ·  
:8831 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm  
:8831 ent..sch↵  
:8832 Engine.name: ·ISO ·Schematron↵  
:8833 Severity: ·error↵  
:8834 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:8834 subSection ·or ·subSubSection.↵  
:8835 Start ·location: ·844:109↵  
:8836 ↵  
:8837 System ·ID: ·  
:8837 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:8837 /FFE7FFB1A46DDB5AFF83967DDB04FFBD.xml↵  
:8838 Main ·validation ·file: ·  
:8838 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:8838 /FFE7FFB1A46DDB5AFF83967DDB04FFBD.xml↵  
:8839 Scenario ·name: ·gg-sch↵  
:8840 Schema: ·  
:8840 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm  
:8840 ent..sch↵  
:8841 Engine.name: ·ISO ·Schematron↵
```

:8842 Severity: ·error ↵  
:8843 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:8843 subSection ·or ·subSubSection. ↵  
:8844 Start ·location: ·845:109 ↵  
:8845 ↵  
:8846 System ·ID: ·  
:8846 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:8846 /FFE7FFB1A46DDB5AFF83967DDB04FFBD.xml ↵  
:8847 Main ·validation ·file: ·  
:8847 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:8847 /FFE7FFB1A46DDB5AFF83967DDB04FFBD.xml ↵  
:8848 Scenario ·name: ·gg-sch ↵  
:8849 Schema: ·  
:8849 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
:8850 Engine ·name: ·ISO ·Schematron ↵  
:8851 Severity: ·error ↵  
:8852 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:8852 subSection ·or ·subSubSection. ↵  
:8853 Start ·location: ·852:135 ↵  
:8854 ↵  
:8855 System ·ID: ·  
:8855 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:8855 /FFE7FFB1A46DDB5AFF83967DDB04FFBD.xml ↵  
:8856 Main ·validation ·file: ·  
:8856 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:8856 /FFE7FFB1A46DDB5AFF83967DDB04FFBD.xml ↵  
:8857 Scenario ·name: ·gg-sch ↵  
:8858 Schema: ·  
:8858 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
:8859 Engine ·name: ·ISO ·Schematron ↵  
:8860 Severity: ·error ↵  
:8861 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:8861 subSection ·or ·subSubSection. ↵

:8862 Start ·location: ·855:110 ↵  
:8863 ↵  
:8864 System ·ID: ·  
:8864 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:8864 /FFE7FFB1A46DDB5AFF83967DDB04FFBD.xml ↵  
:8865 Main ·validation ·file: ·  
:8865 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:8865 /FFE7FFB1A46DDB5AFF83967DDB04FFBD.xml ↵  
:8866 Scenario ·name: ·gg-sch ↵  
:8867 Schema: ·  
:8867 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:8867 ent..sch ↵  
:8868 Engine ·name: ·ISO ·Schematron ↵  
:8869 Severity: ·error ↵  
:8870 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:8870 subSection ·or ·subSubSection. ↵  
:8871 Start ·location: ·883:110 ↵  
:8872 ↵  
:8873 System ·ID: ·  
:8873 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:8873 /FFE7FFB1A46DDB5AFF83967DDB04FFBD.xml ↵  
:8874 Main ·validation ·file: ·  
:8874 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:8874 /FFE7FFB1A46DDB5AFF83967DDB04FFBD.xml ↵  
:8875 Scenario ·name: ·gg-sch ↵  
:8876 Schema: ·  
:8876 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:8876 ent..sch ↵  
:8877 Engine ·name: ·ISO ·Schematron ↵  
:8878 Severity: ·error ↵  
:8879 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:8879 subSection ·or ·subSubSection. ↵  
:8880 Start ·location: ·917:110 ↵  
:8881 ↵  
:8882 System ·ID: ·

```
:8882 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
:8882 /FFE7FFB1A46DDB5AFF83967DDB04FFBD.xml↵
:8883 Main-validation-file: .
:8883 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
:8883 /FFE7FFB1A46DDB5AFF83967DDB04FFBD.xml↵
:8884 Scenario-name: .gg-sch↵
:8885 Schema: .
:8885 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
:8885 ent..sch↵
:8886 Engine-name: .ISO-Schematron↵
:8887 Severity: .error↵
:8888 Description: .A .paragraph .must .have .an .ancestor .
:8888 subSection .or .subSubSection.↵
:8889 Start-location: .932:138↵
:8890 ↵
:8891 System-ID: .
:8891 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
:8891 /FFE7FFB1A46DDB5AFF83967DDB04FFBD.xml↵
:8892 Main-validation-file: .
:8892 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
:8892 /FFE7FFB1A46DDB5AFF83967DDB04FFBD.xml↵
:8893 Scenario-name: .gg-sch↵
:8894 Schema: .
:8894 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
:8894 ent..sch↵
:8895 Engine-name: .ISO-Schematron↵
:8896 Severity: .error↵
:8897 Description: .A .paragraph .must .have .an .ancestor .
:8897 subSection .or .subSubSection.↵
:8898 Start-location: .951:111↵
:8899 ↵
:8900 System-ID: .
:8900 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
:8900 /FFE7FFB1A46DDB5AFF83967DDB04FFBD.xml↵
:8901 Main-validation-file: .
```

:8901 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:8901 /FFE7FFB1A46DDB5AFF83967DDB04FFBD.xml ↵  
:8902 Scenario.name: .gg-sch ↵  
:8903 Schema: .  
:8903 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:8903 ent..sch ↵  
:8904 Engine.name: .ISO .Schematron ↵  
:8905 Severity: .error ↵  
:8906 Description: .A .paragraph .must .have .an .ancestor .  
:8906 subSection .or .subSubSection. ↵  
:8907 Start.location: .976:182 ↵  
:8908 ↵  
:8909 System.ID: .  
:8909 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:8909 /FFE7FFB1A46DDB5AFF83967DDB04FFBD.xml ↵  
:8910 Main.validation.file: .  
:8910 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:8910 /FFE7FFB1A46DDB5AFF83967DDB04FFBD.xml ↵  
:8911 Scenario.name: .gg-sch ↵  
:8912 Schema: .  
:8912 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:8912 ent..sch ↵  
:8913 Engine.name: .ISO .Schematron ↵  
:8914 Severity: .error ↵  
:8915 Description: .A .paragraph .must .have .an .ancestor .  
:8915 subSection .or .subSubSection. ↵  
:8916 Start.location: .1044:109 ↵  
:8917 ↵  
:8918 System.ID: .  
:8918 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:8918 /FFE7FFB1A46DDB5AFF83967DDB04FFBD.xml ↵  
:8919 Main.validation.file: .  
:8919 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:8919 /FFE7FFB1A46DDB5AFF83967DDB04FFBD.xml ↵  
:8920 Scenario.name: .gg-sch ↵

:8921 Schema: .  
:8921 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:8921 ent..sch↵  
:8922 Engine.name: .ISO .Schematron↵  
:8923 Severity: .error↵  
:8924 Description: .A .paragraph .must .have .an .ancestor .  
:8924 subSection .or .subSubSection.↵  
:8925 Start.location: .1108:109↵  
:8926 ↵  
:8927 System.ID: .  
:8927 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:8927 /FFE7FFB1A46DDB5AFF83967DDB04FFBD.xml↵  
:8928 Main.validation.file: .  
:8928 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:8928 /FFE7FFB1A46DDB5AFF83967DDB04FFBD.xml↵  
:8929 Scenario.name: .gg-sch↵  
:8930 Schema: .  
:8930 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:8930 ent..sch↵  
:8931 Engine.name: .ISO .Schematron↵  
:8932 Severity: .error↵  
:8933 Description: .A .paragraph .must .have .an .ancestor .  
:8933 subSection .or .subSubSection.↵  
:8934 Start.location: .1131:109↵  
:8935 ↵  
:8936 System.ID: .  
:8936 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:8936 /FFE7FFB1A46DDB5AFF83967DDB04FFBD.xml↵  
:8937 Main.validation.file: .  
:8937 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:8937 /FFE7FFB1A46DDB5AFF83967DDB04FFBD.xml↵  
:8938 Scenario.name: .gg-sch↵  
:8939 Schema: .  
:8939 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:8939 ent..sch↵

:8940 Engine·name: ·ISO ·Schematron↵  
:8941 Severity: ·error↵  
:8942 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:8942 subSection ·or ·subSubSection.↵  
:8943 Start ·location: ·1158:109↵  
:8944 ↵  
:8945 System ·ID: ·  
:8945 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:8945 /FFE7FFB1A46DDB5AFF83967DDB04FFBD.xml↵  
:8946 Main ·validation ·file: ·  
:8946 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:8946 /FFE7FFB1A46DDB5AFF83967DDB04FFBD.xml↵  
:8947 Scenario ·name: ·gg-sch↵  
:8948 Schema: ·  
:8948 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:8948 ent..sch↵  
:8949 Engine·name: ·ISO ·Schematron↵  
:8950 Severity: ·error↵  
:8951 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:8951 subSection ·or ·subSubSection.↵  
:8952 Start ·location: ·1182:109↵  
:8953 ↵  
:8954 System ·ID: ·  
:8954 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:8954 /FFE7FFB1A46DDB5AFF83967DDB04FFBD.xml↵  
:8955 Main ·validation ·file: ·  
:8955 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:8955 /FFE7FFB1A46DDB5AFF83967DDB04FFBD.xml↵  
:8956 Scenario ·name: ·gg-sch↵  
:8957 Schema: ·  
:8957 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:8957 ent..sch↵  
:8958 Engine·name: ·ISO ·Schematron↵  
:8959 Severity: ·error↵  
:8960 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·

:8960 subSection ·or ·subSubSection. ↵  
:8961 Start ·location: ·1201:109 ↵  
:8962 ↵  
:8963 System ·ID: ·  
:8963 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:8963 /FFE7FFB1A46DDB5AFF83967DDB04FFBD.xml ↵  
:8964 Main ·validation ·file: ·  
:8964 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:8964 /FFE7FFB1A46DDB5AFF83967DDB04FFBD.xml ↵  
:8965 Scenario ·name: ·gg-sch ↵  
:8966 Schema: ·  
:8966 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:8966 ent..sch ↵  
:8967 Engine ·name: ·ISO ·Schematron ↵  
:8968 Severity: ·error ↵  
:8969 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:8969 subSection ·or ·subSubSection. ↵  
:8970 Start ·location: ·1225:133 ↵  
:8971 ↵  
:8972 System ·ID: ·  
:8972 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:8972 /FFE7FFB1A46DDB5AFF83967DDB04FFBD.xml ↵  
:8973 Main ·validation ·file: ·  
:8973 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:8973 /FFE7FFB1A46DDB5AFF83967DDB04FFBD.xml ↵  
:8974 Scenario ·name: ·gg-sch ↵  
:8975 Schema: ·  
:8975 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:8975 ent..sch ↵  
:8976 Engine ·name: ·ISO ·Schematron ↵  
:8977 Severity: ·error ↵  
:8978 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:8978 subSection ·or ·subSubSection. ↵  
:8979 Start ·location: ·1244:109 ↵  
:8980 ↵

:8981 System·ID: ·  
:8981 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:8981 /FFE7FFB1A46DDB5AFF83967DDB04FFBD.xml↵  
:8982 Main·validation·file: ·  
:8982 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:8982 /FFE7FFB1A46DDB5AFF83967DDB04FFBD.xml↵  
:8983 Scenario·name: ·gg-sch↵  
:8984 Schema: ·  
:8984 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:8984 ent..sch↵  
:8985 Engine·name: ·ISO·Schematron↵  
:8986 Severity: ·error↵  
:8987 Description: ·A·paragraph·must·have·an·ancestor·  
:8987 subSection·or·subSubSection.↵  
:8988 Start·location: ·1268:109↵  
:8989 ↵  
:8990 System·ID: ·  
:8990 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:8990 /FFE7FFB1A46DDB5AFF83967DDB04FFBD.xml↵  
:8991 Main·validation·file: ·  
:8991 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:8991 /FFE7FFB1A46DDB5AFF83967DDB04FFBD.xml↵  
:8992 Scenario·name: ·gg-sch↵  
:8993 Schema: ·  
:8993 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:8993 ent..sch↵  
:8994 Engine·name: ·ISO·Schematron↵  
:8995 Severity: ·error↵  
:8996 Description: ·A·paragraph·must·have·an·ancestor·  
:8996 subSection·or·subSubSection.↵  
:8997 Start·location: ·1286:109↵  
:8998 ↵  
:8999 System·ID: ·  
:8999 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:8999 /FFE7FFB1A46DDB5AFF83967DDB04FFBD.xml↵

'9000 Main-validation-file: .  
'9000 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
'9000 /FFE7FFB1A46DDB5AFF83967DDB04FFBD.xml↵  
'9001 Scenario-name: .gg-sch↵  
'9002 Schema: .  
'9002 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch↵  
'9003 Engine-name: .ISO-Schematron↵  
'9004 Severity: .error↵  
'9005 Description: .A .paragraph .must .have .an .ancestor .  
'9005 subSection .or .subSubSection.↵  
'9006 Start-location: .1309:109↵  
'9007 ↵  
'9008 System-ID: .  
'9008 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
'9008 /FFE7FFB1A46DDB5AFF83967DDB04FFBD.xml↵  
'9009 Main-validation-file: .  
'9009 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
'9009 /FFE7FFB1A46DDB5AFF83967DDB04FFBD.xml↵  
'9010 Scenario-name: .gg-sch↵  
'9011 Schema: .  
'9011 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch↵  
'9012 Engine-name: .ISO-Schematron↵  
'9013 Severity: .error↵  
'9014 Description: .A .paragraph .must .have .an .ancestor .  
'9014 subSection .or .subSubSection.↵  
'9015 Start-location: .1329:109↵  
'9016 ↵  
'9017 System-ID: .  
'9017 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
'9017 /FFE7FFB1A46DDB5AFF83967DDB04FFBD.xml↵  
'9018 Main-validation-file: .  
'9018 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
'9018 /FFE7FFB1A46DDB5AFF83967DDB04FFBD.xml↵

:9019 Scenario ·name: ·gg-sch ↵  
:9020 Schema: ·  
:9020 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
:9021 Engine ·name: ·ISO ·Schematron ↵  
:9022 Severity: ·error ↵  
:9023 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
subSection ·or ·subSubSection. ↵  
:9024 Start ·location: ·1350:109 ↵  
:9025 ↵  
:9026 System ·ID: ·  
:9026 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
/FFE7FFB1A46DDB5AFF83967DDB04FFBD.xml ↵  
:9027 Main ·validation ·file: ·  
:9027 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
/FFE7FFB1A46DDB5AFF83967DDB04FFBD.xml ↵  
:9028 Scenario ·name: ·gg-sch ↵  
:9029 Schema: ·  
:9029 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
:9030 Engine ·name: ·ISO ·Schematron ↵  
:9031 Severity: ·error ↵  
:9032 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
subSection ·or ·subSubSection. ↵  
:9033 Start ·location: ·1375:109 ↵  
:9034 ↵  
:9035 System ·ID: ·  
:9035 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
/FFE7FFB1A46DDB5AFF83967DDB04FFBD.xml ↵  
:9036 Main ·validation ·file: ·  
:9036 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
/FFE7FFB1A46DDB5AFF83967DDB04FFBD.xml ↵  
:9037 Scenario ·name: ·gg-sch ↵  
:9038 Schema: ·  
:9038 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm

:9038 ent..sch↵  
:9039 Engine.name: ·ISO ·Schematron↵  
:9040 Severity: ·error↵  
:9041 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:9041 subSection ·or ·subSubSection.↵  
:9042 Start ·location: ·1404:109↵  
:9043 ↵  
:9044 System ·ID: ·  
:9044 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:9044 /FFE7FFB1A46DDB5AFF83967DDB04FFBD.xml↵  
:9045 Main ·validation ·file: ·  
:9045 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:9045 /FFE7FFB1A46DDB5AFF83967DDB04FFBD.xml↵  
:9046 Scenario ·name: ·gg-sch↵  
:9047 Schema: ·  
:9047 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:9047 ent..sch↵  
:9048 Engine.name: ·ISO ·Schematron↵  
:9049 Severity: ·error↵  
:9050 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:9050 subSection ·or ·subSubSection.↵  
:9051 Start ·location: ·1427:109↵  
:9052 ↵  
:9053 System ·ID: ·  
:9053 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:9053 /FFE7FFB1A46DDB5AFF83967DDB04FFBD.xml↵  
:9054 Main ·validation ·file: ·  
:9054 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:9054 /FFE7FFB1A46DDB5AFF83967DDB04FFBD.xml↵  
:9055 Scenario ·name: ·gg-sch↵  
:9056 Schema: ·  
:9056 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:9056 ent..sch↵  
:9057 Engine.name: ·ISO ·Schematron↵  
:9058 Severity: ·error↵

'9059 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
'9059 subSection ·or ·subSubSection. ↵  
'9060 Start ·location: ·1455:109 ↵  
'9061 ↵  
'9062 System ·ID: ·  
'9062 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
'9062 /FFE7FFB1A46DDB5AFF83967DDB04FFBD.xml ↵  
'9063 Main ·validation ·file: ·  
'9063 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
'9063 /FFE7FFB1A46DDB5AFF83967DDB04FFBD.xml ↵  
'9064 Scenario ·name: ·gg-sch ↵  
'9065 Schema: ·  
'9065 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
'9065 ent..sch ↵  
'9066 Engine ·name: ·ISO ·Schematron ↵  
'9067 Severity: ·error ↵  
'9068 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
'9068 subSection ·or ·subSubSection. ↵  
'9069 Start ·location: ·1474:133 ↵  
'9070 ↵  
'9071 System ·ID: ·  
'9071 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
'9071 /FFE7FFB1A46DDB5AFF83967DDB04FFBD.xml ↵  
'9072 Main ·validation ·file: ·  
'9072 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
'9072 /FFE7FFB1A46DDB5AFF83967DDB04FFBD.xml ↵  
'9073 Scenario ·name: ·gg-sch ↵  
'9074 Schema: ·  
'9074 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
'9074 ent..sch ↵  
'9075 Engine ·name: ·ISO ·Schematron ↵  
'9076 Severity: ·error ↵  
'9077 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
'9077 subSection ·or ·subSubSection. ↵  
'9078 Start ·location: ·1494:109 ↵

'9079   ↳  
'9080   System·ID: ·  
'9080   /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
'9080   /FFE7FFB1A46DDB5AFF83967DDB04FFBD.xml↳  
'9081   Main·validation·file: ·  
'9081   /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
'9081   /FFE7FFB1A46DDB5AFF83967DDB04FFBD.xml↳  
'9082   Scenario·name: ·gg-sch↳  
'9083   Schema: ·  
'9083   /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch↳  
'9084   Engine·name: ·ISO·Schematron↳  
'9085   Severity: ·error↳  
'9086   Description: ·A·paragraph·must·have·an·ancestor·  
'9086   subSection·or·subSubSection.↳  
'9087   Start·location: ·1521:109↳  
'9088   ↳  
'9089   System·ID: ·  
'9089   /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
'9089   /FFE7FFB1A46DDB5AFF83967DDB04FFBD.xml↳  
'9090   Main·validation·file: ·  
'9090   /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
'9090   /FFE7FFB1A46DDB5AFF83967DDB04FFBD.xml↳  
'9091   Scenario·name: ·gg-sch↳  
'9092   Schema: ·  
'9092   /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch↳  
'9093   Engine·name: ·ISO·Schematron↳  
'9094   Severity: ·error↳  
'9095   Description: ·A·paragraph·must·have·an·ancestor·  
'9095   subSection·or·subSubSection.↳  
'9096   Start·location: ·1544:109↳  
'9097   ↳  
'9098   System·ID: ·  
'9098   /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax

:9098 /FFE7FFB1A46DDB5AFF83967DDB04FFBD.xml ↵  
:9099 Main-validation-file: .  
:9099 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:9099 /FFE7FFB1A46DDB5AFF83967DDB04FFBD.xml ↵  
:9100 Scenario-name: .gg-sch ↵  
:9101 Schema: .  
:9101 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
:9102 Engine-name: .ISO-Schematron ↵  
:9103 Severity: .error ↵  
:9104 Description: .A.paragraph.must.have.an.ancestor.  
subSection.or.subSubSection. ↵  
:9105 Start-location: .1569:109 ↵  
:9106 ↵  
:9107 System-ID: .  
:9107 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:9107 /FFE7FFB1A46DDB5AFF83967DDB04FFBD.xml ↵  
:9108 Main-validation-file: .  
:9108 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:9108 /FFE7FFB1A46DDB5AFF83967DDB04FFBD.xml ↵  
:9109 Scenario-name: .gg-sch ↵  
:9110 Schema: .  
:9110 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
:9111 Engine-name: .ISO-Schematron ↵  
:9112 Severity: .error ↵  
:9113 Description: .A.paragraph.must.have.an.ancestor.  
subSection.or.subSubSection. ↵  
:9114 Start-location: .1595:109 ↵  
:9115 ↵  
:9116 System-ID: .  
:9116 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:9116 /FFE7FFB1A46DDB5AFF83967DDB04FFBD.xml ↵  
:9117 Main-validation-file: .  
:9117 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax

:9117 /FFE7FFB1A46DDB5AFF83967DDB04FFBD.xml ↵  
:9118 Scenario.name: .gg-sch ↵  
:9119 Schema: .  
:9119 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
:9120 Engine.name: .ISO.Schematron ↵  
:9121 Severity: .error ↵  
:9122 Description: .A.paragraph.must.have.an.ancestor.  
subSection.or.subSubSection. ↵  
:9123 Start.location: .1623:109 ↵  
:9124 ↵  
:9125 System.ID: .  
:9125 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:9125 /FFE7FFB1A46DDB5AFF83967DDB04FFBD.xml ↵  
:9126 Main.validation.file: .  
:9126 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:9126 /FFE7FFB1A46DDB5AFF83967DDB04FFBD.xml ↵  
:9127 Scenario.name: .gg-sch ↵  
:9128 Schema: .  
:9128 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
:9129 Engine.name: .ISO.Schematron ↵  
:9130 Severity: .error ↵  
:9131 Description: .A.paragraph.must.have.an.ancestor.  
subSection.or.subSubSection. ↵  
:9132 Start.location: .1651:109 ↵  
:9133 ↵  
:9134 System.ID: .  
:9134 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:9134 /FFE7FFB1A46DDB5AFF83967DDB04FFBD.xml ↵  
:9135 Main.validation.file: .  
:9135 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:9135 /FFE7FFB1A46DDB5AFF83967DDB04FFBD.xml ↵  
:9136 Scenario.name: .gg-sch ↵  
:9137 Schema: .

:9137 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatment..sch↵  
:9138 Engine.name: ·ISO ·Schematron↵  
:9139 Severity: ·error↵  
:9140 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:9140 subSection ·or ·subSubSection.↵  
:9141 Start.location: ·1680:109↵  
:9142 ↵  
:9143 System.ID: ·  
:9143 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:9143 /FFE7FFB1A46DDB5AFF83967DDB04FFBD.xml↵  
:9144 Main.validation.file: ·  
:9144 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:9144 /FFE7FFB1A46DDB5AFF83967DDB04FFBD.xml↵  
:9145 Scenario.name: ·gg-sch↵  
:9146 Schema: ·  
:9146 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatment  
:9146 ent..sch↵  
:9147 Engine.name: ·ISO ·Schematron↵  
:9148 Severity: ·error↵  
:9149 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:9149 subSection ·or ·subSubSection.↵  
:9150 Start.location: ·1710:109↵  
:9151 ↵  
:9152 System.ID: ·  
:9152 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:9152 /FFE7FFB1A46DDB5AFF83967DDB04FFBD.xml↵  
:9153 Main.validation.file: ·  
:9153 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:9153 /FFE7FFB1A46DDB5AFF83967DDB04FFBD.xml↵  
:9154 Scenario.name: ·gg-sch↵  
:9155 Schema: ·  
:9155 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatment  
:9155 ent..sch↵  
:9156 Engine.name: ·ISO ·Schematron↵

'9157 Severity: ·error↵  
'9158 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
'9158 subSection ·or ·subSubSection.↵  
'9159 Start ·location: ·1737:109↵  
'9160 ↵  
'9161 System ·ID: ·  
/Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
/FFE7FFB1A46DDB5AFF83967DDB04FFBD.xml↵  
'9162 Main ·validation ·file: ·  
/Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
/FFE7FFB1A46DDB5AFF83967DDB04FFBD.xml↵  
'9163 Scenario ·name: ·gg-sch↵  
'9164 Schema: ·  
/Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch↵  
'9165 Engine ·name: ·ISO ·Schematron↵  
'9166 Severity: ·error↵  
'9167 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
'9167 subSection ·or ·subSubSection.↵  
'9168 Start ·location: ·1761:109↵  
'9169 ↵  
'9170 System ·ID: ·  
/Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
/FFE7FFB1A46DDB5AFF83967DDB04FFBD.xml↵  
'9171 Main ·validation ·file: ·  
/Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
/FFE7FFB1A46DDB5AFF83967DDB04FFBD.xml↵  
'9172 Scenario ·name: ·gg-sch↵  
'9173 Schema: ·  
/Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch↵  
'9174 Engine ·name: ·ISO ·Schematron↵  
'9175 Severity: ·error↵  
'9176 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
'9176 subSection ·or ·subSubSection.↵

'9177 Start ·location: ·1780:109 ↵  
'9178 ↵  
'9179 System ·ID: ·  
'9179 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
'9179 /FFE7FFB1A46DDB5AFF83967DDB04FFBD.xml ↵  
'9180 Main ·validation ·file: ·  
'9180 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
'9180 /FFE7FFB1A46DDB5AFF83967DDB04FFBD.xml ↵  
'9181 Scenario ·name: ·gg-sch ↵  
'9182 Schema: ·  
'9182 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
'9182 ent..sch ↵  
'9183 Engine ·name: ·ISO ·Schematron ↵  
'9184 Severity: ·error ↵  
'9185 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
'9185 subSection ·or ·subSubSection. ↵  
'9186 Start ·location: ·1799:109 ↵  
'9187 ↵  
'9188 System ·ID: ·  
'9188 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
'9188 /FFE7FFB1A46DDB5AFF83967DDB04FFBD.xml ↵  
'9189 Main ·validation ·file: ·  
'9189 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
'9189 /FFE7FFB1A46DDB5AFF83967DDB04FFBD.xml ↵  
'9190 Scenario ·name: ·gg-sch ↵  
'9191 Schema: ·  
'9191 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
'9191 ent..sch ↵  
'9192 Engine ·name: ·ISO ·Schematron ↵  
'9193 Severity: ·error ↵  
'9194 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
'9194 subSection ·or ·subSubSection. ↵  
'9195 Start ·location: ·1823:109 ↵  
'9196 ↵  
'9197 System ·ID: ·

'9197 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
'9197 /FFE7FFB1A46DDB5AFF83967DDB04FFBD.xml ↵  
'9198 Main-validation-file: ·  
'9198 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
'9198 /FFE7FFB1A46DDB5AFF83967DDB04FFBD.xml ↵  
'9199 Scenario-name: ·gg-sch ↵  
'9200 Schema: ·  
'9200 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
'9200 ent..sch ↵  
'9201 Engine-name: ·ISO ·Schematron ↵  
'9202 Severity: ·error ↵  
'9203 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
'9203 subSection ·or ·subSubSection. ↵  
'9204 Start-location: ·1851:109 ↵  
'9205 ↵  
'9206 System-ID: ·  
'9206 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
'9206 /FFE7FFB1A46DDB5AFF83967DDB04FFBD.xml ↵  
'9207 Main-validation-file: ·  
'9207 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
'9207 /FFE7FFB1A46DDB5AFF83967DDB04FFBD.xml ↵  
'9208 Scenario-name: ·gg-sch ↵  
'9209 Schema: ·  
'9209 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
'9209 ent..sch ↵  
'9210 Engine-name: ·ISO ·Schematron ↵  
'9211 Severity: ·error ↵  
'9212 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
'9212 subSection ·or ·subSubSection. ↵  
'9213 Start-location: ·1875:109 ↵  
'9214 ↵  
'9215 System-ID: ·  
'9215 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
'9215 /FFE7FFB1A46DDB5AFF83967DDB04FFBD.xml ↵  
'9216 Main-validation-file: ·

'9216 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
'9216 /FFE7FFB1A46DDB5AFF83967DDB04FFBD.xml ↵  
'9217 Scenario.name: .gg-sch ↵  
'9218 Schema: .  
'9218 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
'9219 Engine.name: .ISO .Schematron ↵  
'9220 Severity: .error ↵  
'9221 Description: .A .paragraph .must .have .an .ancestor .  
'9221 subSection .or .subSubSection. ↵  
'9222 Start.location: .1901:109 ↵  
'9223 ↵  
'9224 System.ID: .  
'9224 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
'9224 /FFE7FFB1A46DDB5AFF83967DDB04FFBD.xml ↵  
'9225 Main.validation.file: .  
'9225 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
'9225 /FFE7FFB1A46DDB5AFF83967DDB04FFBD.xml ↵  
'9226 Scenario.name: .gg-sch ↵  
'9227 Schema: .  
'9227 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
'9228 Engine.name: .ISO .Schematron ↵  
'9229 Severity: .error ↵  
'9230 Description: .A .paragraph .must .have .an .ancestor .  
'9230 subSection .or .subSubSection. ↵  
'9231 Start.location: .1931:109 ↵  
'9232 ↵  
'9233 System.ID: .  
'9233 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
'9233 /FFE7FFB1A46DDB5AFF83967DDB04FFBD.xml ↵  
'9234 Main.validation.file: .  
'9234 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
'9234 /FFE7FFB1A46DDB5AFF83967DDB04FFBD.xml ↵  
'9235 Scenario.name: .gg-sch ↵

'9236 Schema: .  
'9236 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
'9236 ent..sch↵  
'9237 Engine.name: .ISO .Schematron↵  
'9238 Severity: .error↵  
'9239 Description: .A .paragraph .must .have .an .ancestor .  
'9239 subSection .or .subSubSection.↵  
'9240 Start.location: .1956:135↵  
'9241 ↵  
'9242 System.ID: .  
'9242 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
'9242 /FFE7FFB1A46DDB5AFF83967DDB04FFBD.xml↵  
'9243 Main.validation.file: .  
'9243 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
'9243 /FFE7FFB1A46DDB5AFF83967DDB04FFBD.xml↵  
'9244 Scenario.name: .gg-sch↵  
'9245 Schema: .  
'9245 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
'9245 ent..sch↵  
'9246 Engine.name: .ISO .Schematron↵  
'9247 Severity: .error↵  
'9248 Description: .A .paragraph .must .have .an .ancestor .  
'9248 subSection .or .subSubSection.↵  
'9249 Start.location: .1975:109↵  
'9250 ↵  
'9251 System.ID: .  
'9251 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
'9251 /FFE7FFB1A46DDB5AFF83967DDB04FFBD.xml↵  
'9252 Main.validation.file: .  
'9252 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
'9252 /FFE7FFB1A46DDB5AFF83967DDB04FFBD.xml↵  
'9253 Scenario.name: .gg-sch↵  
'9254 Schema: .  
'9254 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
'9254 ent..sch↵

'9255 Engine ·name: ·ISO ·Schematron↵  
'9256 Severity: ·error↵  
'9257 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
subSection ·or ·subSubSection.↵  
'9258 Start ·location: ·2002:109↵  
'9259 ↵  
'9260 System ·ID: ·  
/Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
/FFE7FFB1A46DDB5AFF83967DDB04FFBD.xml↵  
'9261 Main ·validation ·file: ·  
/Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
/FFE7FFB1A46DDB5AFF83967DDB04FFBD.xml↵  
'9262 Scenario ·name: ·gg-sch↵  
'9263 Schema: ·  
/Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch↵  
'9264 Engine ·name: ·ISO ·Schematron↵  
'9265 Severity: ·error↵  
'9266 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
subSection ·or ·subSubSection.↵  
'9267 Start ·location: ·2025:109↵  
'9268 ↵  
'9269 System ·ID: ·  
/Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
/FFE7FFB1A46DDB5AFF83967DDB04FFBD.xml↵  
'9270 Main ·validation ·file: ·  
/Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
/FFE7FFB1A46DDB5AFF83967DDB04FFBD.xml↵  
'9271 Scenario ·name: ·gg-sch↵  
'9272 Schema: ·  
/Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch↵  
'9273 Engine ·name: ·ISO ·Schematron↵  
'9274 Severity: ·error↵  
'9275 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·

'9275 subSection ·or ·subSubSection. ↵  
'9276 Start ·location: ·2052:109 ↵  
'9277 ↵  
'9278 System ·ID: ·  
'9278 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
'9278 /FFE7FFB1A46DDB5AFF83967DDB04FFBD.xml ↵  
'9279 Main ·validation ·file: ·  
'9279 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
'9279 /FFE7FFB1A46DDB5AFF83967DDB04FFBD.xml ↵  
'9280 Scenario ·name: ·gg-sch ↵  
'9281 Schema: ·  
'9281 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
'9281 ent..sch ↵  
'9282 Engine ·name: ·ISO ·Schematron ↵  
'9283 Severity: ·error ↵  
'9284 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
'9284 subSection ·or ·subSubSection. ↵  
'9285 Start ·location: ·2083:110 ↵  
'9286 ↵  
'9287 System ·ID: ·  
'9287 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
'9287 /FFE7FFB1A46DDB5AFF83967DDB04FFBD.xml ↵  
'9288 Main ·validation ·file: ·  
'9288 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
'9288 /FFE7FFB1A46DDB5AFF83967DDB04FFBD.xml ↵  
'9289 Scenario ·name: ·gg-sch ↵  
'9290 Schema: ·  
'9290 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
'9290 ent..sch ↵  
'9291 Engine ·name: ·ISO ·Schematron ↵  
'9292 Severity: ·error ↵  
'9293 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
'9293 subSection ·or ·subSubSection. ↵  
'9294 Start ·location: ·2113:110 ↵  
'9295 ↵

:9296 System·ID: ·  
:9296 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:9296 /FFE7FFB1A46DDB5AFF83967DDB04FFBD.xml↵  
:9297 Main·validation·file: ·  
:9297 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:9297 /FFE7FFB1A46DDB5AFF83967DDB04FFBD.xml↵  
:9298 Scenario·name: ·gg-sch↵  
:9299 Schema: ·  
:9299 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:9299 ent..sch↵  
:9300 Engine·name: ·ISO·Schematron↵  
:9301 Severity: ·error↵  
:9302 Description: ·A·paragraph·must·have·an·ancestor·  
:9302 subSection·or·subSubSection.↵  
:9303 Start·location: ·2141:110↵  
:9304 ↵  
:9305 System·ID: ·  
:9305 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:9305 /FFE7FFB1A46DDB5AFF83967DDB04FFBD.xml↵  
:9306 Main·validation·file: ·  
:9306 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:9306 /FFE7FFB1A46DDB5AFF83967DDB04FFBD.xml↵  
:9307 Scenario·name: ·gg-sch↵  
:9308 Schema: ·  
:9308 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:9308 ent..sch↵  
:9309 Engine·name: ·ISO·Schematron↵  
:9310 Severity: ·error↵  
:9311 Description: ·A·paragraph·must·have·an·ancestor·  
:9311 subSection·or·subSubSection.↵  
:9312 Start·location: ·2166:110↵  
:9313 ↵  
:9314 System·ID: ·  
:9314 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:9314 /FFE7FFB1A46DDB5AFF83967DDB04FFBD.xml↵

'9315 Main-validation-file: ·  
'9315 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
'9315 /FFE7FFB1A46DDB5AFF83967DDB04FFBD.xml ↵  
'9316 Scenario-name: ·gg-sch ↵  
'9317 Schema: ·  
'9317 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
'9317 ent..sch ↵  
'9318 Engine-name: ·ISO ·Schematron ↵  
'9319 Severity: ·error ↵  
'9320 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
'9320 subSection ·or ·subSubSection. ↵  
'9321 Start-location: ·2193:110 ↵  
'9322 ↵  
'9323 System-ID: ·  
'9323 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
'9323 /FFE7FFB1A46DDB5AFF83967DDB04FFBD.xml ↵  
'9324 Main-validation-file: ·  
'9324 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
'9324 /FFE7FFB1A46DDB5AFF83967DDB04FFBD.xml ↵  
'9325 Scenario-name: ·gg-sch ↵  
'9326 Schema: ·  
'9326 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
'9326 ent..sch ↵  
'9327 Engine-name: ·ISO ·Schematron ↵  
'9328 Severity: ·error ↵  
'9329 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
'9329 subSection ·or ·subSubSection. ↵  
'9330 Start-location: ·2219:110 ↵  
'9331 ↵  
'9332 System-ID: ·  
'9332 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
'9332 /FFE7FFB1A46DDB5AFF83967DDB04FFBD.xml ↵  
'9333 Main-validation-file: ·  
'9333 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
'9333 /FFE7FFB1A46DDB5AFF83967DDB04FFBD.xml ↵

:9334 Scenario ·name: ·gg-sch ↵  
:9335 Schema: ·  
:9335 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
:9336 Engine ·name: ·ISO ·Schematron ↵  
:9337 Severity: ·error ↵  
:9338 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
subSection ·or ·subSubSection. ↵  
:9339 Start ·location: ·2241:110 ↵  
:9340 ↵  
:9341 System ·ID: ·  
:9341 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
/FFE7FFB1A46DDB5AFF83967DDB04FFBD.xml ↵  
:9342 Main ·validation ·file: ·  
:9342 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
/FFE7FFB1A46DDB5AFF83967DDB04FFBD.xml ↵  
:9343 Scenario ·name: ·gg-sch ↵  
:9344 Schema: ·  
:9344 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
:9345 Engine ·name: ·ISO ·Schematron ↵  
:9346 Severity: ·error ↵  
:9347 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
subSection ·or ·subSubSection. ↵  
:9348 Start ·location: ·2262:110 ↵  
:9349 ↵  
:9350 System ·ID: ·  
:9350 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
/FFE7FFB1A46DDB5AFF83967DDB04FFBD.xml ↵  
:9351 Main ·validation ·file: ·  
:9351 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
/FFE7FFB1A46DDB5AFF83967DDB04FFBD.xml ↵  
:9352 Scenario ·name: ·gg-sch ↵  
:9353 Schema: ·  
:9353 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm

```
'9353  ent..sch↵
'9354  Engine·name: ·ISO ·Schematron↵
'9355  Severity: ·error↵
'9356  Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
'9356  subSection ·or ·subSubSection.↵
'9357  Start ·location: ·2287:110↵
'9358  ↵
'9359  System ·ID: ·
'9359  /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
'9359  /FFE7FFB1A46DDB5AFF83967DDB04FFBD.xml↵
'9360  Main ·validation ·file: ·
'9360  /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
'9360  /FFE7FFB1A46DDB5AFF83967DDB04FFBD.xml↵
'9361  Scenario ·name: ·gg-sch↵
'9362  Schema: ·
'9362  /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
'9362  ent..sch↵
'9363  Engine·name: ·ISO ·Schematron↵
'9364  Severity: ·error↵
'9365  Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
'9365  subSection ·or ·subSubSection.↵
'9366  Start ·location: ·2312:110↵
'9367  ↵
'9368  System ·ID: ·
'9368  /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
'9368  /FFE7FFB1A46DDB5AFF83967DDB04FFBD.xml↵
'9369  Main ·validation ·file: ·
'9369  /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
'9369  /FFE7FFB1A46DDB5AFF83967DDB04FFBD.xml↵
'9370  Scenario ·name: ·gg-sch↵
'9371  Schema: ·
'9371  /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
'9371  ent..sch↵
'9372  Engine·name: ·ISO ·Schematron↵
'9373  Severity: ·error↵
```

'9374 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
'9374 subSection ·or ·subSubSection. ↵  
'9375 Start ·location: ·2332:110 ↵  
'9376 ↵  
'9377 System ·ID: ·  
'9377 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
'9377 /FFE7FFB1A46DDB5AFF83967DDB04FFBD.xml ↵  
'9378 Main ·validation ·file: ·  
'9378 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
'9378 /FFE7FFB1A46DDB5AFF83967DDB04FFBD.xml ↵  
'9379 Scenario ·name: ·gg-sch ↵  
'9380 Schema: ·  
'9380 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
'9380 ent..sch ↵  
'9381 Engine ·name: ·ISO ·Schematron ↵  
'9382 Severity: ·error ↵  
'9383 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
'9383 subSection ·or ·subSubSection. ↵  
'9384 Start ·location: ·2353:110 ↵  
'9385 ↵  
'9386 System ·ID: ·  
'9386 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
'9386 /FFE7FFB1A46DDB5AFF83967DDB04FFBD.xml ↵  
'9387 Main ·validation ·file: ·  
'9387 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
'9387 /FFE7FFB1A46DDB5AFF83967DDB04FFBD.xml ↵  
'9388 Scenario ·name: ·gg-sch ↵  
'9389 Schema: ·  
'9389 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
'9389 ent..sch ↵  
'9390 Engine ·name: ·ISO ·Schematron ↵  
'9391 Severity: ·error ↵  
'9392 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
'9392 subSection ·or ·subSubSection. ↵  
'9393 Start ·location: ·2378:110 ↵

'9394   ↳  
'9395   System·ID: ·  
'9395   /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
'9395   /FFE7FFB1A46DDB5AFF83967DDB04FFBD.xml↳  
'9396   Main·validation·file: ·  
'9396   /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
'9396   /FFE7FFB1A46DDB5AFF83967DDB04FFBD.xml↳  
'9397   Scenario·name: ·gg-sch↳  
'9398   Schema: ·  
'9398   /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
'9398   ent..sch↳  
'9399   Engine·name: ·ISO·Schematron↳  
'9400   Severity: ·error↳  
'9401   Description: ·A·paragraph·must·have·an·ancestor·  
'9401   subSection·or·subSubSection.↳  
'9402   Start·location: ·2406:110↳  
'9403   ↳  
'9404   System·ID: ·  
'9404   /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
'9404   /FFE7FFB1A46DDB5AFF83967DDB04FFBD.xml↳  
'9405   Main·validation·file: ·  
'9405   /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
'9405   /FFE7FFB1A46DDB5AFF83967DDB04FFBD.xml↳  
'9406   Scenario·name: ·gg-sch↳  
'9407   Schema: ·  
'9407   /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
'9407   ent..sch↳  
'9408   Engine·name: ·ISO·Schematron↳  
'9409   Severity: ·error↳  
'9410   Description: ·A·paragraph·must·have·an·ancestor·  
'9410   subSection·or·subSubSection.↳  
'9411   Start·location: ·2431:110↳  
'9412   ↳  
'9413   System·ID: ·  
'9413   /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax

'9413 /FFE7FFB1A46DDB5AFF83967DDB04FFBD.xml ↵  
'9414 Main-validation-file: ·  
  '/Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
'9414 /FFE7FFB1A46DDB5AFF83967DDB04FFBD.xml ↵  
'9415 Scenario-name: ·gg-sch ↵  
'9416 Schema: ·  
  '/Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
'9416 ent..sch ↵  
'9417 Engine-name: ·ISO-Schematron ↵  
'9418 Severity: ·error ↵  
'9419 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
  subSection ·or ·subSubSection. ↵  
'9420 Start-location: ·2459:110 ↵  
'9421 ↵  
'9422 System-ID: ·  
  '/Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
'9422 /FFE7FFB1A46DDB5AFF83967DDB04FFBD.xml ↵  
'9423 Main-validation-file: ·  
  '/Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
'9423 /FFE7FFB1A46DDB5AFF83967DDB04FFBD.xml ↵  
'9424 Scenario-name: ·gg-sch ↵  
'9425 Schema: ·  
  '/Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
'9425 ent..sch ↵  
'9426 Engine-name: ·ISO-Schematron ↵  
'9427 Severity: ·error ↵  
'9428 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
  subSection ·or ·subSubSection. ↵  
'9429 Start-location: ·2484:110 ↵  
'9430 ↵  
'9431 System-ID: ·  
  '/Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
'9431 /FFE7FFB1A46DDB5AFF83967DDB04FFBD.xml ↵  
'9432 Main-validation-file: ·  
  '/Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax

'9432 /FFE7FFB1A46DDB5AFF83967DDB04FFBD.xml ↵  
'9433 Scenario.name: .gg-sch ↵  
'9434 Schema: .  
'9434 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
'9435 Engine.name: .ISO.Schematron ↵  
'9436 Severity: .error ↵  
'9437 Description: .A.paragraph.must.have.an.ancestor.  
subSection.or.subSubSection. ↵  
'9438 Start.location: .2513:135 ↵  
'9439 ↵  
'9440 System.ID: .  
'9440 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
/FFE7FFB1A46DDB5AFF83967DDB04FFBD.xml ↵  
'9441 Main.validation.file: .  
'9441 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
/FFE7FFB1A46DDB5AFF83967DDB04FFBD.xml ↵  
'9442 Scenario.name: .gg-sch ↵  
'9443 Schema: .  
'9443 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
'9444 Engine.name: .ISO.Schematron ↵  
'9445 Severity: .error ↵  
'9446 Description: .A.paragraph.must.have.an.ancestor.  
subSection.or.subSubSection. ↵  
'9447 Start.location: .2533:110 ↵  
'9448 ↵  
'9449 System.ID: .  
'9449 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
/FFE7FFB1A46DDB5AFF83967DDB04FFBD.xml ↵  
'9450 Main.validation.file: .  
'9450 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
/FFE7FFB1A46DDB5AFF83967DDB04FFBD.xml ↵  
'9451 Scenario.name: .gg-sch ↵  
'9452 Schema: .

```
'9452 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm  
'9452 ent..sch↵  
'9453 Engine.name: ·ISO ·Schematron↵  
'9454 Severity: ·error↵  
'9455 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
'9455 subSection ·or ·subSubSection.↵  
'9456 Start ·location: ·2558:110↵  
'9457 ↵  
'9458 System ·ID: ·  
'9458 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
'9458 /FFE7FFB1A46DDB5AFF83967DDB04FFBD.xml↵  
'9459 Main ·validation ·file: ·  
'9459 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
'9459 /FFE7FFB1A46DDB5AFF83967DDB04FFBD.xml↵  
'9460 Scenario ·name: ·gg-sch↵  
'9461 Schema: ·  
'9461 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm  
'9461 ent..sch↵  
'9462 Engine.name: ·ISO ·Schematron↵  
'9463 Severity: ·error↵  
'9464 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
'9464 subSection ·or ·subSubSection.↵  
'9465 Start ·location: ·2583:110↵  
'9466 ↵  
'9467 System ·ID: ·  
'9467 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
'9467 /FFE7FFB1A46DDB5AFF83967DDB04FFBD.xml↵  
'9468 Main ·validation ·file: ·  
'9468 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
'9468 /FFE7FFB1A46DDB5AFF83967DDB04FFBD.xml↵  
'9469 Scenario ·name: ·gg-sch↵  
'9470 Schema: ·  
'9470 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm  
'9470 ent..sch↵  
'9471 Engine.name: ·ISO ·Schematron↵
```

'9472 Severity: ·error↵  
'9473 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
'9473 subSection ·or ·subSubSection.↵  
'9474 Start ·location: ·2614:110↵  
'9475 ↵  
'9476 System ·ID: ·  
'9476 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
'9476 /FFE7FFB1A46DDB5AFF83967DDB04FFBD.xml↵  
'9477 Main ·validation ·file: ·  
'9477 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
'9477 /FFE7FFB1A46DDB5AFF83967DDB04FFBD.xml↵  
'9478 Scenario ·name: ·gg-sch↵  
'9479 Schema: ·  
'9479 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch↵  
'9480 Engine ·name: ·ISO ·Schematron↵  
'9481 Severity: ·error↵  
'9482 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
'9482 subSection ·or ·subSubSection.↵  
'9483 Start ·location: ·2641:110↵  
'9484 ↵  
'9485 System ·ID: ·  
'9485 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
'9485 /FFE7FFB1A46DDB5AFF83967DDB04FFBD.xml↵  
'9486 Main ·validation ·file: ·  
'9486 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
'9486 /FFE7FFB1A46DDB5AFF83967DDB04FFBD.xml↵  
'9487 Scenario ·name: ·gg-sch↵  
'9488 Schema: ·  
'9488 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch↵  
'9489 Engine ·name: ·ISO ·Schematron↵  
'9490 Severity: ·error↵  
'9491 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
'9491 subSection ·or ·subSubSection.↵

'9492 Start ·location: ·2665:110↵  
'9493 ↵  
'9494 System ·ID: ·  
'9494 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
'9494 /FFE7FFB1A46DDB5AFF83967DDB04FFBD.xml↵  
'9495 Main ·validation ·file: ·  
'9495 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
'9495 /FFE7FFB1A46DDB5AFF83967DDB04FFBD.xml↵  
'9496 Scenario ·name: ·gg-sch↵  
'9497 Schema: ·  
'9497 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
'9497 ent..sch↵  
'9498 Engine ·name: ·ISO ·Schematron↵  
'9499 Severity: ·error↵  
'9500 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
'9500 subSection ·or ·subSubSection.↵  
'9501 Start ·location: ·2690:110↵  
'9502 ↵  
'9503 System ·ID: ·  
'9503 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
'9503 /FFE7FFB1A46DDB5AFF83967DDB04FFBD.xml↵  
'9504 Main ·validation ·file: ·  
'9504 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
'9504 /FFE7FFB1A46DDB5AFF83967DDB04FFBD.xml↵  
'9505 Scenario ·name: ·gg-sch↵  
'9506 Schema: ·  
'9506 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
'9506 ent..sch↵  
'9507 Engine ·name: ·ISO ·Schematron↵  
'9508 Severity: ·error↵  
'9509 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
'9509 subSection ·or ·subSubSection.↵  
'9510 Start ·location: ·2711:137↵  
'9511 ↵  
'9512 System ·ID: ·

:9512 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:9512 /FFE7FFB1A46DDB5AFF83967DDB04FFBD.xml ↵  
:9513 Main-validation-file: ·  
:9513 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:9513 /FFE7FFB1A46DDB5AFF83967DDB04FFBD.xml ↵  
:9514 Scenario-name: ·gg-sch ↵  
:9515 Schema: ·  
:9515 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:9515 ent..sch ↵  
:9516 Engine-name: ·ISO ·Schematron ↵  
:9517 Severity: ·error ↵  
:9518 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:9518 subSection ·or ·subSubSection. ↵  
:9519 Start-location: ·2733:110 ↵  
:9520 ↵  
:9521 System-ID: ·  
:9521 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:9521 /FFE7FFB1A46DDB5AFF83967DDB04FFBD.xml ↵  
:9522 Main-validation-file: ·  
:9522 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:9522 /FFE7FFB1A46DDB5AFF83967DDB04FFBD.xml ↵  
:9523 Scenario-name: ·gg-sch ↵  
:9524 Schema: ·  
:9524 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:9524 ent..sch ↵  
:9525 Engine-name: ·ISO ·Schematron ↵  
:9526 Severity: ·error ↵  
:9527 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:9527 subSection ·or ·subSubSection. ↵  
:9528 Start-location: ·2754:110 ↵  
:9529 ↵  
:9530 System-ID: ·  
:9530 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:9530 /FFE7FFB1A46DDB5AFF83967DDB04FFBD.xml ↵  
:9531 Main-validation-file: ·

:9531 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:9531 /FFE7FFB1A46DDB5AFF83967DDB04FFBD.xml ↵  
:9532 Scenario.name: .gg-sch ↵  
:9533 Schema: .  
:9533 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:9533 ent..sch ↵  
:9534 Engine.name: .ISO .Schematron ↵  
:9535 Severity: .error ↵  
:9536 Description: .A .paragraph .must .have .an .ancestor .  
:9536 subSection .or .subSubSection. ↵  
:9537 Start.location: .2781:137 ↵  
:9538 ↵  
:9539 System.ID: .  
:9539 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:9539 /FFE7FFB1A46DDB5AFF83967DDB04FFBD.xml ↵  
:9540 Main.validation.file: .  
:9540 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:9540 /FFE7FFB1A46DDB5AFF83967DDB04FFBD.xml ↵  
:9541 Scenario.name: .gg-sch ↵  
:9542 Schema: .  
:9542 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:9542 ent..sch ↵  
:9543 Engine.name: .ISO .Schematron ↵  
:9544 Severity: .error ↵  
:9545 Description: .A .paragraph .must .have .an .ancestor .  
:9545 subSection .or .subSubSection. ↵  
:9546 Start.location: .2800:137 ↵  
:9547 ↵  
:9548 System.ID: .  
:9548 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:9548 /FFE7FFB1A46DDB5AFF83967DDB04FFBD.xml ↵  
:9549 Main.validation.file: .  
:9549 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:9549 /FFE7FFB1A46DDB5AFF83967DDB04FFBD.xml ↵  
:9550 Scenario.name: .gg-sch ↵

:9551 Schema: .  
:9551 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:9551 ent..sch↵  
:9552 Engine.name: .ISO .Schematron↵  
:9553 Severity: .error↵  
:9554 Description: .A .paragraph .must .have .an .ancestor .  
:9554 subSection .or .subSubSection.↵  
:9555 Start.location: .2818:110↵  
:9556 ↵  
:9557 System.ID: .  
:9557 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:9557 /FFE7FFB1A46DDB5AFF83967DDB04FFBD.xml↵  
:9558 Main.validation.file: .  
:9558 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:9558 /FFE7FFB1A46DDB5AFF83967DDB04FFBD.xml↵  
:9559 Scenario.name: .gg-sch↵  
:9560 Schema: .  
:9560 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:9560 ent..sch↵  
:9561 Engine.name: .ISO .Schematron↵  
:9562 Severity: .error↵  
:9563 Description: .A .paragraph .must .have .an .ancestor .  
:9563 subSection .or .subSubSection.↵  
:9564 Start.location: .2846:110↵  
:9565 ↵  
:9566 System.ID: .  
:9566 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:9566 /FFE7FFB1A46DDB5AFF83967DDB04FFBD.xml↵  
:9567 Main.validation.file: .  
:9567 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:9567 /FFE7FFB1A46DDB5AFF83967DDB04FFBD.xml↵  
:9568 Scenario.name: .gg-sch↵  
:9569 Schema: .  
:9569 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:9569 ent..sch↵

:9570 Engine·name: ·ISO ·Schematron↵  
:9571 Severity: ·error↵  
:9572 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:9572 subSection ·or ·subSubSection.↵  
:9573 Start ·location: ·2875:110↵  
:9574 ↵  
:9575 System ·ID: ·  
:9575 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:9575 /FFE7FFB1A46DDB5AFF83967DDB04FFBD.xml↵  
:9576 Main ·validation ·file: ·  
:9576 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:9576 /FFE7FFB1A46DDB5AFF83967DDB04FFBD.xml↵  
:9577 Scenario ·name: ·gg-sch↵  
:9578 Schema: ·  
:9578 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:9578 ent..sch↵  
:9579 Engine·name: ·ISO ·Schematron↵  
:9580 Severity: ·error↵  
:9581 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:9581 subSection ·or ·subSubSection.↵  
:9582 Start ·location: ·2904:110↵  
:9583 ↵  
:9584 System ·ID: ·  
:9584 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:9584 /FFE7FFB1A46DDB5AFF83967DDB04FFBD.xml↵  
:9585 Main ·validation ·file: ·  
:9585 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:9585 /FFE7FFB1A46DDB5AFF83967DDB04FFBD.xml↵  
:9586 Scenario ·name: ·gg-sch↵  
:9587 Schema: ·  
:9587 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:9587 ent..sch↵  
:9588 Engine·name: ·ISO ·Schematron↵  
:9589 Severity: ·error↵  
:9590 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·

:9590 subSection ·or ·subSubSection. ↵  
:9591 Start ·location: ·2923:110 ↵  
:9592 ↵  
:9593 System ·ID: ·  
:9593 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:9593 /FFE7FFB1A46DDB5AFF83967DDB04FFBD.xml ↵  
:9594 Main ·validation ·file: ·  
:9594 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:9594 /FFE7FFB1A46DDB5AFF83967DDB04FFBD.xml ↵  
:9595 Scenario ·name: ·gg-sch ↵  
:9596 Schema: ·  
:9596 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:9596 ent..sch ↵  
:9597 Engine ·name: ·ISO ·Schematron ↵  
:9598 Severity: ·error ↵  
:9599 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:9599 subSection ·or ·subSubSection. ↵  
:9600 Start ·location: ·2951:110 ↵  
:9601 ↵  
:9602 System ·ID: ·  
:9602 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:9602 /FFE7FFB1A46DDB5AFF83967DDB04FFBD.xml ↵  
:9603 Main ·validation ·file: ·  
:9603 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:9603 /FFE7FFB1A46DDB5AFF83967DDB04FFBD.xml ↵  
:9604 Scenario ·name: ·gg-sch ↵  
:9605 Schema: ·  
:9605 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:9605 ent..sch ↵  
:9606 Engine ·name: ·ISO ·Schematron ↵  
:9607 Severity: ·error ↵  
:9608 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:9608 subSection ·or ·subSubSection. ↵  
:9609 Start ·location: ·2969:110 ↵  
:9610 ↵

:9611 System·ID: ·  
:9611 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:9611 /FFE7FFB1A46DDB5AFF83967DDB04FFBD.xml↵  
:9612 Main·validation·file: ·  
:9612 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:9612 /FFE7FFB1A46DDB5AFF83967DDB04FFBD.xml↵  
:9613 Scenario·name: ·gg-sch↵  
:9614 Schema: ·  
:9614 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:9614 ent..sch↵  
:9615 Engine·name: ·ISO·Schematron↵  
:9616 Severity: ·error↵  
:9617 Description: ·A·paragraph·must·have·an·ancestor·  
:9617 subSection·or·subSubSection.↵  
:9618 Start·location: ·2991:110↵  
:9619 ↵  
:9620 System·ID: ·  
:9620 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:9620 /FFE7FFB1A46DDB5AFF83967DDB04FFBD.xml↵  
:9621 Main·validation·file: ·  
:9621 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:9621 /FFE7FFB1A46DDB5AFF83967DDB04FFBD.xml↵  
:9622 Scenario·name: ·gg-sch↵  
:9623 Schema: ·  
:9623 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:9623 ent..sch↵  
:9624 Engine·name: ·ISO·Schematron↵  
:9625 Severity: ·error↵  
:9626 Description: ·A·paragraph·must·have·an·ancestor·  
:9626 subSection·or·subSubSection.↵  
:9627 Start·location: ·3020:137↵  
:9628 ↵  
:9629 System·ID: ·  
:9629 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:9629 /FFE7FFB1A46DDB5AFF83967DDB04FFBD.xml↵

:9630 Main-validation-file: .  
:9630 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:9630 /FFE7FFB1A46DDB5AFF83967DDB04FFBD.xml↵  
:9631 Scenario-name: .gg-sch↵  
:9632 Schema: .  
:9632 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:9632 ent..sch↵  
:9633 Engine-name: .ISO-Schematron↵  
:9634 Severity: .error↵  
:9635 Description: .A .paragraph .must .have .an .ancestor .  
:9635 subSection .or .subSubSection.↵  
:9636 Start-location: .3038:110↵  
:9637 ↵  
:9638 System-ID: .  
:9638 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:9638 /FFE7FFB1A46DDB5AFF83967DDB04FFBD.xml↵  
:9639 Main-validation-file: .  
:9639 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:9639 /FFE7FFB1A46DDB5AFF83967DDB04FFBD.xml↵  
:9640 Scenario-name: .gg-sch↵  
:9641 Schema: .  
:9641 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:9641 ent..sch↵  
:9642 Engine-name: .ISO-Schematron↵  
:9643 Severity: .error↵  
:9644 Description: .A .paragraph .must .have .an .ancestor .  
:9644 subSection .or .subSubSection.↵  
:9645 Start-location: .3065:110↵  
:9646 ↵  
:9647 System-ID: .  
:9647 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:9647 /FFE7FFB1A46DDB5AFF83967DDB04FFBD.xml↵  
:9648 Main-validation-file: .  
:9648 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:9648 /FFE7FFB1A46DDB5AFF83967DDB04FFBD.xml↵

```
'9649 Scenario·name: ·gg-sch↵
'9650 Schema: ·
'9650 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
'9650 ent..sch↵
'9651 Engine·name: ·ISO·Schematron↵
'9652 Severity: ·error↵
'9653 Description: ·A·paragraph·must·have·an·ancestor·
'9653 subSection·or·subSubSection.↵
'9654 Start·location: ·3092:137↵
'9655 ↵
'9656 System·ID: ·
'9656 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
'9656 /FFE7FFB1A46DDB5AFF83967DDB04FFBD.xml↵
'9657 Main·validation·file: ·
'9657 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
'9657 /FFE7FFB1A46DDB5AFF83967DDB04FFBD.xml↵
'9658 Scenario·name: ·gg-sch↵
'9659 Schema: ·
'9659 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
'9659 ent..sch↵
'9660 Engine·name: ·ISO·Schematron↵
'9661 Severity: ·error↵
'9662 Description: ·A·paragraph·must·have·an·ancestor·
'9662 subSection·or·subSubSection.↵
'9663 Start·location: ·3093:137↵
'9664 ↵
'9665 System·ID: ·
'9665 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
'9665 /FFE8EA274F658B706275C03FFF83FFE2.xml↵
'9666 Main·validation·file: ·
'9666 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
'9666 /FFE8EA274F658B706275C03FFF83FFE2.xml↵
'9667 Scenario·name: ·gg-sch↵
'9668 Schema: ·
'9668 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
```

:9668 ent..sch↵  
:9669 Engine.name: ·ISO ·Schematron↵  
:9670 Severity: ·error↵  
:9671 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:9671 subSection ·or ·subSubSection.↵  
:9672 Start ·location: ·58:129↵  
:9673 ↵  
:9674 System ·ID: ·  
:9674 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:9674 /FFE8EA274F658B706275C03FFF83FFE2.xml↵  
:9675 Main ·validation ·file: ·  
:9675 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:9675 /FFE8EA274F658B706275C03FFF83FFE2.xml↵  
:9676 Scenario ·name: ·gg-sch↵  
:9677 Schema: ·  
:9677 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:9677 ent..sch↵  
:9678 Engine.name: ·ISO ·Schematron↵  
:9679 Severity: ·error↵  
:9680 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:9680 subSection ·or ·subSubSection.↵  
:9681 Start ·location: ·63:132↵  
:9682 ↵  
:9683 System ·ID: ·  
:9683 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:9683 /FFE8EA274F658B706275C03FFF83FFE2.xml↵  
:9684 Main ·validation ·file: ·  
:9684 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:9684 /FFE8EA274F658B706275C03FFF83FFE2.xml↵  
:9685 Scenario ·name: ·gg-sch↵  
:9686 Schema: ·  
:9686 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:9686 ent..sch↵  
:9687 Engine.name: ·ISO ·Schematron↵  
:9688 Severity: ·error↵

'9689 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
'9689 subSection ·or ·subSubSection. ↵  
'9690 Start ·location: ·68:107 ↵  
'9691 ↵  
'9692 System ·ID: ·  
'9692 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
'9692 /FFE8EA274F658B706275C03FFF83FFE2.xml ↵  
'9693 Main ·validation ·file: ·  
'9693 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
'9693 /FFE8EA274F658B706275C03FFF83FFE2.xml ↵  
'9694 Scenario ·name: ·gg-sch ↵  
'9695 Schema: ·  
'9695 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
'9695 ent..sch ↵  
'9696 Engine ·name: ·ISO ·Schematron ↵  
'9697 Severity: ·error ↵  
'9698 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
'9698 subSection ·or ·subSubSection. ↵  
'9699 Start ·location: ·71:132 ↵  
'9700 ↵  
'9701 System ·ID: ·  
'9701 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
'9701 /FFE8EA274F658B706275C03FFF83FFE2.xml ↵  
'9702 Main ·validation ·file: ·  
'9702 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
'9702 /FFE8EA274F658B706275C03FFF83FFE2.xml ↵  
'9703 Scenario ·name: ·gg-sch ↵  
'9704 Schema: ·  
'9704 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
'9704 ent..sch ↵  
'9705 Engine ·name: ·ISO ·Schematron ↵  
'9706 Severity: ·error ↵  
'9707 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
'9707 subSection ·or ·subSubSection. ↵  
'9708 Start ·location: ·90:132 ↵

'9709   ↳  
'9710   System·ID: ·  
'9710   /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
'9710   /FFE8EA274F658B706275C03FFF83FFE2.xml↳  
'9711   Main·validation·file: ·  
'9711   /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
'9711   /FFE8EA274F658B706275C03FFF83FFE2.xml↳  
'9712   Scenario·name: ·gg-sch↳  
'9713   Schema: ·  
'9713   /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch↳  
'9714   Engine·name: ·ISO·Schematron↳  
'9715   Severity: ·error↳  
'9716   Description: ·A·paragraph·must·have·an·ancestor·  
'9716   subSection·or·subSubSection.↳  
'9717   Start·location: ·95:108↳  
'9718   ↳  
'9719   System·ID: ·  
'9719   /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
'9719   /FFE8EA274F658B706275C03FFF83FFE2.xml↳  
'9720   Main·validation·file: ·  
'9720   /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
'9720   /FFE8EA274F658B706275C03FFF83FFE2.xml↳  
'9721   Scenario·name: ·gg-sch↳  
'9722   Schema: ·  
'9722   /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch↳  
'9723   Engine·name: ·ISO·Schematron↳  
'9724   Severity: ·error↳  
'9725   Description: ·A·paragraph·must·have·an·ancestor·  
'9725   subSection·or·subSubSection.↳  
'9726   Start·location: ·99:108↳  
'9727   ↳  
'9728   System·ID: ·  
'9728   /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax

'9728 /FFE8EA274F658B706275C03FFF83FFE2.xml ↵  
'9729 Main-validation-file: ·  
'9729 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
'9729 /FFE8EA274F658B706275C03FFF83FFE2.xml ↵  
'9730 Scenario-name: ·gg-sch ↵  
'9731 Schema: ·  
'9731 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
'9731 ent..sch ↵  
'9732 Engine-name: ·ISO-Schematron ↵  
'9733 Severity: ·error ↵  
'9734 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
'9734 subSection ·or ·subSubSection. ↵  
'9735 Start-location: ·103:108 ↵  
'9736 ↵  
'9737 System-ID: ·  
'9737 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
'9737 /FFE8EA274F658B706275C03FFF83FFE2.xml ↵  
'9738 Main-validation-file: ·  
'9738 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
'9738 /FFE8EA274F658B706275C03FFF83FFE2.xml ↵  
'9739 Scenario-name: ·gg-sch ↵  
'9740 Schema: ·  
'9740 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
'9740 ent..sch ↵  
'9741 Engine-name: ·ISO-Schematron ↵  
'9742 Severity: ·error ↵  
'9743 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
'9743 subSection ·or ·subSubSection. ↵  
'9744 Start-location: ·107:135 ↵  
'9745 ↵  
'9746 System-ID: ·  
'9746 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
'9746 /FFE8EA274F658B706275C03FFF83FFE2.xml ↵  
'9747 Main-validation-file: ·  
'9747 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax

:9747 /FFE8EA274F658B706275C03FFF83FFE2.xml ↵  
:9748 Scenario.name: .gg-sch ↵  
:9749 Schema: .  
:9749 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
:9750 Engine.name: .ISO.Schematron ↵  
:9751 Severity: .error ↵  
:9752 Description: .A.paragraph.must.have.an.ancestor.  
subSection.or.subSubSection. ↵  
:9753 Start.location: .111:134 ↵  
:9754 ↵  
:9755 System.ID: .  
:9755 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:9755 /FFE8EA274F658B706275C03FFF83FFE2.xml ↵  
:9756 Main.validation.file: .  
:9756 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:9756 /FFE8EA274F658B706275C03FFF83FFE2.xml ↵  
:9757 Scenario.name: .gg-sch ↵  
:9758 Schema: .  
:9758 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
:9759 Engine.name: .ISO.Schematron ↵  
:9760 Severity: .error ↵  
:9761 Description: .A.paragraph.must.have.an.ancestor.  
subSection.or.subSubSection. ↵  
:9762 Start.location: .114:108 ↵  
:9763 ↵  
:9764 System.ID: .  
:9764 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:9764 /FFE8EA274F658B706275C03FFF83FFE2.xml ↵  
:9765 Main.validation.file: .  
:9765 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:9765 /FFE8EA274F658B706275C03FFF83FFE2.xml ↵  
:9766 Scenario.name: .gg-sch ↵  
:9767 Schema: .

:9767 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:9767 ent..sch↵  
:9768 Engine.name: ·ISO ·Schematron↵  
:9769 Severity: ·error↵  
:9770 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:9770 subSection ·or ·subSubSection.↵  
:9771 Start ·location: ·115:145↵  
:9772 ↵  
:9773 System ·ID: ·  
:9773 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:9773 /FFE8EA274F658B706275C03FFF83FFE2.xml↵  
:9774 Main ·validation ·file: ·  
:9774 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:9774 /FFE8EA274F658B706275C03FFF83FFE2.xml↵  
:9775 Scenario ·name: ·gg-sch↵  
:9776 Schema: ·  
:9776 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:9776 ent..sch↵  
:9777 Engine.name: ·ISO ·Schematron↵  
:9778 Severity: ·error↵  
:9779 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:9779 subSection ·or ·subSubSection.↵  
:9780 Start ·location: ·120:109↵  
:9781 ↵  
:9782 System ·ID: ·  
:9782 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:9782 /FFE8EA274F658B706275C03FFF83FFE2.xml↵  
:9783 Main ·validation ·file: ·  
:9783 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:9783 /FFE8EA274F658B706275C03FFF83FFE2.xml↵  
:9784 Scenario ·name: ·gg-sch↵  
:9785 Schema: ·  
:9785 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:9785 ent..sch↵  
:9786 Engine.name: ·ISO ·Schematron↵

'9787 Severity: ·error↵  
'9788 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
'9788 subSection ·or ·subSubSection.↵  
'9789 Start ·location: ·122:134↵  
'9790 ↵  
'9791 System ·ID: ·  
/Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
/FFE8EA274F658B706275C03FFF83FFE2.xml↵  
'9792 Main ·validation ·file: ·  
/Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
/FFE8EA274F658B706275C03FFF83FFE2.xml↵  
'9793 Scenario ·name: ·gg-sch↵  
'9794 Schema: ·  
/Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch↵  
'9795 Engine ·name: ·ISO ·Schematron↵  
'9796 Severity: ·error↵  
'9797 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
'9797 subSection ·or ·subSubSection.↵  
'9798 Start ·location: ·123:134↵  
'9799 ↵  
'9800 System ·ID: ·  
/Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
/FFE8EA274F658B706275C03FFF83FFE2.xml↵  
'9801 Main ·validation ·file: ·  
/Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
/FFE8EA274F658B706275C03FFF83FFE2.xml↵  
'9802 Scenario ·name: ·gg-sch↵  
'9803 Schema: ·  
/Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch↵  
'9804 Engine ·name: ·ISO ·Schematron↵  
'9805 Severity: ·error↵  
'9806 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
'9806 subSection ·or ·subSubSection.↵

'9807 Start ·location: ·127:108↵  
'9808 ↵  
'9809 System ·ID: ·  
'9809 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
/FFE8EA274F658B706275C03FFF83FFE2.xml↵  
'9810 Main ·validation ·file: ·  
'9810 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
/FFE8EA274F658B706275C03FFF83FFE2.xml↵  
'9811 Scenario ·name: ·gg-sch↵  
'9812 Schema: ·  
'9812 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch↵  
'9813 Engine ·name: ·ISO ·Schematron↵  
'9814 Severity: ·error↵  
'9815 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
subSection ·or ·subSubSection.↵  
'9816 Start ·location: ·128:134↵  
'9817 ↵  
'9818 System ·ID: ·  
'9818 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
/FFE8EA274F658B706275C03FFF83FFE2.xml↵  
'9819 Main ·validation ·file: ·  
'9819 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
/FFE8EA274F658B706275C03FFF83FFE2.xml↵  
'9820 Scenario ·name: ·gg-sch↵  
'9821 Schema: ·  
'9821 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch↵  
'9822 Engine ·name: ·ISO ·Schematron↵  
'9823 Severity: ·error↵  
'9824 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
subSection ·or ·subSubSection.↵  
'9825 Start ·location: ·131:109↵  
'9826 ↵  
'9827 System ·ID: ·

'9827 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
'9827 /FFE8EA274F658B706275C03FFF83FFE2.xml ↵  
'9828 Main-validation-file: ·  
'9828 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
'9828 /FFE8EA274F658B706275C03FFF83FFE2.xml ↵  
'9829 Scenario-name: ·gg-sch ↵  
'9830 Schema: ·  
'9830 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
'9830 ent..sch ↵  
'9831 Engine-name: ·ISO ·Schematron ↵  
'9832 Severity: ·error ↵  
'9833 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
'9833 subSection ·or ·subSubSection. ↵  
'9834 Start-location: ·137:107 ↵  
'9835 ↵  
'9836 System-ID: ·  
'9836 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
'9836 /FFE8EA274F658B706275C03FFF83FFE2.xml ↵  
'9837 Main-validation-file: ·  
'9837 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
'9837 /FFE8EA274F658B706275C03FFF83FFE2.xml ↵  
'9838 Scenario-name: ·gg-sch ↵  
'9839 Schema: ·  
'9839 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
'9839 ent..sch ↵  
'9840 Engine-name: ·ISO ·Schematron ↵  
'9841 Severity: ·error ↵  
'9842 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
'9842 subSection ·or ·subSubSection. ↵  
'9843 Start-location: ·138:107 ↵  
'9844 ↵  
'9845 System-ID: ·  
'9845 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
'9845 /FFE8EA274F658B706275C03FFF83FFE2.xml ↵  
'9846 Main-validation-file: ·

'9846 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
'9846 /FFE8EA274F658B706275C03FFF83FFE2.xml ↵  
'9847 Scenario.name: .gg-sch ↵  
'9848 Schema: .  
'9848 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
'9849 Engine.name: .ISO .Schematron ↵  
'9850 Severity: .error ↵  
'9851 Description: .A .paragraph .must .have .an .ancestor .  
'9851 subSection .or .subSubSection. ↵  
'9852 Start.location: .143:107 ↵  
'9853 ↵  
'9854 System.ID: .  
'9854 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
'9854 /FFE8EA274F658B706275C03FFF83FFE2.xml ↵  
'9855 Main.validation.file: .  
'9855 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
'9855 /FFE8EA274F658B706275C03FFF83FFE2.xml ↵  
'9856 Scenario.name: .gg-sch ↵  
'9857 Schema: .  
'9857 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
'9858 Engine.name: .ISO .Schematron ↵  
'9859 Severity: .error ↵  
'9860 Description: .A .paragraph .must .have .an .ancestor .  
'9860 subSection .or .subSubSection. ↵  
'9861 Start.location: .144:107 ↵  
'9862 ↵  
'9863 System.ID: .  
'9863 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
'9863 /FFE8EA274F658B706275C03FFF83FFE2.xml ↵  
'9864 Main.validation.file: .  
'9864 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
'9864 /FFE8EA274F658B706275C03FFF83FFE2.xml ↵  
'9865 Scenario.name: .gg-sch ↵

:9866 Schema: .  
:9866 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:9866 ent..sch↵  
:9867 Engine.name: .ISO .Schematron↵  
:9868 Severity: .error↵  
:9869 Description: .A .paragraph .must .have .an .ancestor .  
:9869 subSection .or .subSubSection.↵  
:9870 Start.location: .145:134↵  
:9871 ↵  
:9872 System.ID: .  
:9872 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:9872 /FFE8EA274F658B706275C03FFF83FFE2.xml↵  
:9873 Main.validation.file: .  
:9873 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:9873 /FFE8EA274F658B706275C03FFF83FFE2.xml↵  
:9874 Scenario.name: .gg-sch↵  
:9875 Schema: .  
:9875 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:9875 ent..sch↵  
:9876 Engine.name: .ISO .Schematron↵  
:9877 Severity: .error↵  
:9878 Description: .A .paragraph .must .have .an .ancestor .  
:9878 subSection .or .subSubSection.↵  
:9879 Start.location: .150:143↵  
:9880 ↵  
:9881 System.ID: .  
:9881 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:9881 /FFE8EA274F658B706275C03FFF83FFE2.xml↵  
:9882 Main.validation.file: .  
:9882 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:9882 /FFE8EA274F658B706275C03FFF83FFE2.xml↵  
:9883 Scenario.name: .gg-sch↵  
:9884 Schema: .  
:9884 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:9884 ent..sch↵

'9885 Engine ·name: ·ISO ·Schematron↵  
'9886 Severity: ·error↵  
'9887 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
'9887 subSection ·or ·subSubSection.↵  
'9888 Start ·location: ·155:132↵  
'9889 ↵  
'9890 System ·ID: ·  
'9890 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
'9890 /FFE8EA274F658B706275C03FFF83FFE2.xml↵  
'9891 Main ·validation ·file: ·  
'9891 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
'9891 /FFE8EA274F658B706275C03FFF83FFE2.xml↵  
'9892 Scenario ·name: ·gg-sch↵  
'9893 Schema: ·  
'9893 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
'9893 ent..sch↵  
'9894 Engine ·name: ·ISO ·Schematron↵  
'9895 Severity: ·error↵  
'9896 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
'9896 subSection ·or ·subSubSection.↵  
'9897 Start ·location: ·160:107↵  
'9898 ↵  
'9899 System ·ID: ·  
'9899 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
'9899 /FFE8EA274F658B706275C03FFF83FFE2.xml↵  
'9900 Main ·validation ·file: ·  
'9900 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
'9900 /FFE8EA274F658B706275C03FFF83FFE2.xml↵  
'9901 Scenario ·name: ·gg-sch↵  
'9902 Schema: ·  
'9902 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
'9902 ent..sch↵  
'9903 Engine ·name: ·ISO ·Schematron↵  
'9904 Severity: ·error↵  
'9905 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·

'9905 subSection ·or ·subSubSection. ↵  
'9906 Start ·location: ·167:108 ↵  
'9907 ↵  
'9908 System ·ID: ·  
'/Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
'9908 /FFE8EA274F658B706275C03FFF83FFE2.xml ↵  
'9909 Main ·validation ·file: ·  
'/Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
'9909 /FFE8EA274F658B706275C03FFF83FFE2.xml ↵  
'9910 Scenario ·name: ·gg-sch ↵  
'9911 Schema: ·  
'/Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
'9911 ent..sch ↵  
'9912 Engine ·name: ·ISO ·Schematron ↵  
'9913 Severity: ·error ↵  
'9914 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
subSection ·or ·subSubSection. ↵  
'9915 Start ·location: ·172:108 ↵  
'9916 ↵  
'9917 System ·ID: ·  
'/Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
'9917 /FFE8EA274F658B706275C03FFF83FFE2.xml ↵  
'9918 Main ·validation ·file: ·  
'/Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
'9918 /FFE8EA274F658B706275C03FFF83FFE2.xml ↵  
'9919 Scenario ·name: ·gg-sch ↵  
'9920 Schema: ·  
'/Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
'9920 ent..sch ↵  
'9921 Engine ·name: ·ISO ·Schematron ↵  
'9922 Severity: ·error ↵  
'9923 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
subSection ·or ·subSubSection. ↵  
'9924 Start ·location: ·173:135 ↵  
'9925 ↵

:9926 System·ID: ·  
:9926 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:9926 /FFE8EA274F658B706275C03FFF83FFE2.xml↵  
:9927 Main·validation·file: ·  
:9927 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:9927 /FFE8EA274F658B706275C03FFF83FFE2.xml↵  
:9928 Scenario·name: ·gg-sch↵  
:9929 Schema: ·  
:9929 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:9929 ent..sch↵  
:9930 Engine·name: ·ISO·Schematron↵  
:9931 Severity: ·error↵  
:9932 Description: ·A·paragraph·must·have·an·ancestor·  
:9932 subSection·or·subSubSection.↵  
:9933 Start·location: ·174:108↵  
:9934 ↵  
:9935 System·ID: ·  
:9935 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:9935 /FFE8EA274F658B706275C03FFF83FFE2.xml↵  
:9936 Main·validation·file: ·  
:9936 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:9936 /FFE8EA274F658B706275C03FFF83FFE2.xml↵  
:9937 Scenario·name: ·gg-sch↵  
:9938 Schema: ·  
:9938 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:9938 ent..sch↵  
:9939 Engine·name: ·ISO·Schematron↵  
:9940 Severity: ·error↵  
:9941 Description: ·A·paragraph·must·have·an·ancestor·  
:9941 subSection·or·subSubSection.↵  
:9942 Start·location: ·175:108↵  
:9943 ↵  
:9944 System·ID: ·  
:9944 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:9944 /FFE8EA274F658B706275C03FFF83FFE2.xml↵

'9945 Main-validation-file: ·  
'9945 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
'9945 /FFE8EA274F658B706275C03FFF83FFE2.xml ↵  
'9946 Scenario-name: ·gg-sch ↵  
'9947 Schema: ·  
'9947 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
'9948 Engine-name: ·ISO ·Schematron ↵  
'9949 Severity: ·error ↵  
'9950 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
'9950 subSection ·or ·subSubSection. ↵  
'9951 Start-location: ·181:135 ↵  
'9952 ↵  
'9953 System-ID: ·  
'9953 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
'9953 /FFE8EA274F658B706275C03FFF83FFE2.xml ↵  
'9954 Main-validation-file: ·  
'9954 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
'9954 /FFE8EA274F658B706275C03FFF83FFE2.xml ↵  
'9955 Scenario-name: ·gg-sch ↵  
'9956 Schema: ·  
'9956 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
'9957 Engine-name: ·ISO ·Schematron ↵  
'9958 Severity: ·error ↵  
'9959 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
'9959 subSection ·or ·subSubSection. ↵  
'9960 Start-location: ·182:108 ↵  
'9961 ↵  
'9962 System-ID: ·  
'9962 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
'9962 /FFE8EA274F658B706275C03FFF83FFE2.xml ↵  
'9963 Main-validation-file: ·  
'9963 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
'9963 /FFE8EA274F658B706275C03FFF83FFE2.xml ↵

```
'9964 Scenario ·name: ·gg-sch↵
'9965 Schema: ·
'9965 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
'9965 ent..sch↵
'9966 Engine ·name: ·ISO ·Schematron↵
'9967 Severity: ·error↵
'9968 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
'9968 subSection ·or ·subSubSection.↵
'9969 Start ·location: ·188:134↵
'9970 ↵
'9971 System ·ID: ·
'9971 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
'9971 /FFE8EA274F658B706275C03FFF83FFE2.xml↵
'9972 Main ·validation ·file: ·
'9972 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
'9972 /FFE8EA274F658B706275C03FFF83FFE2.xml↵
'9973 Scenario ·name: ·gg-sch↵
'9974 Schema: ·
'9974 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
'9974 ent..sch↵
'9975 Engine ·name: ·ISO ·Schematron↵
'9976 Severity: ·error↵
'9977 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
'9977 subSection ·or ·subSubSection.↵
'9978 Start ·location: ·190:76↵
'9979 ↵
'9980 System ·ID: ·
'9980 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
'9980 /FFE8EA274F658B706275C03FFF83FFE2.xml↵
'9981 Main ·validation ·file: ·
'9981 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
'9981 /FFE8EA274F658B706275C03FFF83FFE2.xml↵
'9982 Scenario ·name: ·gg-sch↵
'9983 Schema: ·
'9983 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
```

```
'9983 ent..sch↵
'9984 Engine·name: ·ISO ·Schematron↵
'9985 Severity: ·error↵
'9986 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
'9986 subSection ·or ·subSubSection.↵
'9987 Start ·location: ·249:136↵
'9988 ↵
'9989 System ·ID: ·
'9989 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
'9989 /FFE8EA274F658B706275C03FFF83FFE2.xml↵
'9990 Main ·validation ·file: ·
'9990 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
'9990 /FFE8EA274F658B706275C03FFF83FFE2.xml↵
'9991 Scenario ·name: ·gg-sch↵
'9992 Schema: ·
'9992 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
'9992 ent..sch↵
'9993 Engine·name: ·ISO ·Schematron↵
'9994 Severity: ·error↵
'9995 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
'9995 subSection ·or ·subSubSection.↵
'9996 Start ·location: ·250:141↵
'9997 ↵
'9998 System ·ID: ·
'9998 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
'9998 /FFE8EA274F658B706275C03FFF83FFE2.xml↵
'9999 Main ·validation ·file: ·
'9999 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
'9999 /FFE8EA274F658B706275C03FFF83FFE2.xml↵
'0000 Scenario ·name: ·gg-sch↵
'0001 Schema: ·
'0001 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
'0001 ent..sch↵
'0002 Engine·name: ·ISO ·Schematron↵
'0003 Severity: ·error↵
```

↳0004 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
↳0004 subSection ·or ·subSubSection. ↵  
↳0005 Start ·location: ·255:76 ↵  
↳0006 ↵  
↳0007 System ·ID: ·  
↳0007 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
↳0007 /FFE8EA274F658B706275C03FFF83FFE2.xml ↵  
↳0008 Main ·validation ·file: ·  
↳0008 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
↳0008 /FFE8EA274F658B706275C03FFF83FFE2.xml ↵  
↳0009 Scenario ·name: ·gg-sch ↵  
↳0010 Schema: ·  
↳0010 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
↳0011 Engine ·name: ·ISO ·Schematron ↵  
↳0012 Severity: ·error ↵  
↳0013 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
↳0013 subSection ·or ·subSubSection. ↵  
↳0014 Start ·location: ·264:176 ↵  
↳0015 ↵  
↳0016 System ·ID: ·  
↳0016 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
↳0016 /FFE8EA274F658B706275C03FFF83FFE2.xml ↵  
↳0017 Main ·validation ·file: ·  
↳0017 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
↳0017 /FFE8EA274F658B706275C03FFF83FFE2.xml ↵  
↳0018 Scenario ·name: ·gg-sch ↵  
↳0019 Schema: ·  
↳0019 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
↳0020 Engine ·name: ·ISO ·Schematron ↵  
↳0021 Severity: ·error ↵  
↳0022 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
↳0022 subSection ·or ·subSubSection. ↵  
↳0023 Start ·location: ·275:102 ↵

```
30024 <System·ID: ·  
30025 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
30025 /FFE8EA274F658B706275C03FFF83FFE2.xml<  
30026 Main·validation·file: ·  
30026 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
30026 /FFE8EA274F658B706275C03FFF83FFE2.xml<  
30027 Scenario·name: ·gg-sch<  
30028 Schema: ·  
30028 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm  
30028 ent..sch<  
30029 Engine·name: ·ISO·Schematron<  
30030 Severity: ·error<  
30031 Description: ·A·paragraph·must·have·an·ancestor·  
30031 subSection·or·subSubSection.<  
30032 Start·location: ·278:106<  
30033 <  
30034 System·ID: ·  
30034 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
30034 /FFE8EA274F658B706275C03FFF83FFE2.xml<  
30035 Main·validation·file: ·  
30035 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
30035 /FFE8EA274F658B706275C03FFF83FFE2.xml<  
30036 Scenario·name: ·gg-sch<  
30037 Schema: ·  
30037 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm  
30037 ent..sch<  
30038 Engine·name: ·ISO·Schematron<  
30039 Severity: ·error<  
30040 Description: ·A·paragraph·must·have·an·ancestor·  
30040 subSection·or·subSubSection.<  
30041 Start·location: ·280:106<  
30042 <  
30043 System·ID: ·  
30043 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
```

```
30043 /FFE8EA274F658B706275C03FFF83FFE2.xml↵
30044 Main-validation-file: ·
30044 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
30044 /FFE8EA274F658B706275C03FFF83FFE2.xml↵
30045 Scenario-name: ·gg-sch↵
30046 Schema: ·
30046 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
30046 ent..sch↵
30047 Engine-name: ·ISO ·Schematron↵
30048 Severity: ·error↵
30049 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
30049 subSection ·or ·subSubSection.↵
30050 Start ·location: ·298:106↵
30051 ↵
30052 System ·ID: ·
30052 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
30052 /FFE8EA274F658B706275C03FFF83FFE2.xml↵
30053 Main-validation-file: ·
30053 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
30053 /FFE8EA274F658B706275C03FFF83FFE2.xml↵
30054 Scenario-name: ·gg-sch↵
30055 Schema: ·
30055 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
30055 ent..sch↵
30056 Engine-name: ·ISO ·Schematron↵
30057 Severity: ·error↵
30058 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
30058 subSection ·or ·subSubSection.↵
30059 Start ·location: ·307:106↵
30060 ↵
30061 System ·ID: ·
30061 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
30061 /FFE8EA274F658B706275C03FFF83FFE2.xml↵
30062 Main-validation-file: ·
30062 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
```

:0062 /FFE8EA274F658B706275C03FFF83FFE2.xml ↵  
:0063 Scenario.name: .gg-sch ↵  
:0064 Schema: .  
:0064 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
:0065 Engine.name: .ISO.Schematron ↵  
:0066 Severity: .error ↵  
:0067 Description: .A.paragraph.must.have.an.ancestor.  
subSection.or.subSubSection. ↵  
:0068 Start.location: .314:131 ↵  
:0069 ↵  
:0070 System.ID: .  
:0070 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:0070 /FFE8EA274F658B706275C03FFF83FFE2.xml ↵  
:0071 Main.validation.file: .  
:0071 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:0071 /FFE8EA274F658B706275C03FFF83FFE2.xml ↵  
:0072 Scenario.name: .gg-sch ↵  
:0073 Schema: .  
:0073 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
:0074 Engine.name: .ISO.Schematron ↵  
:0075 Severity: .error ↵  
:0076 Description: .A.paragraph.must.have.an.ancestor.  
subSection.or.subSubSection. ↵  
:0077 Start.location: .319:142 ↵  
:0078 ↵  
:0079 System.ID: .  
:0079 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:0079 /FFE8EA274F658B706275C03FFF83FFE2.xml ↵  
:0080 Main.validation.file: .  
:0080 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:0080 /FFE8EA274F658B706275C03FFF83FFE2.xml ↵  
:0081 Scenario.name: .gg-sch ↵  
:0082 Schema: .

```
30082 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm  
30082 ent..sch↵  
30083 Engine.name: ·ISO ·Schematron↵  
30084 Severity: ·error↵  
30085 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
30085 subSection ·or ·subSubSection.↵  
30086 Start ·location: ·328:107↵  
30087 ↵  
30088 System ·ID: ·  
30088 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
30088 /FFE8EA274F658B706275C03FFF83FFE2.xml↵  
30089 Main ·validation ·file: ·  
30089 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
30089 /FFE8EA274F658B706275C03FFF83FFE2.xml↵  
30090 Scenario ·name: ·gg-sch↵  
30091 Schema: ·  
30091 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm  
30091 ent..sch↵  
30092 Engine.name: ·ISO ·Schematron↵  
30093 Severity: ·error↵  
30094 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
30094 subSection ·or ·subSubSection.↵  
30095 Start ·location: ·333:132↵  
30096 ↵  
30097 System ·ID: ·  
30097 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
30097 /FFE8EA274F658B706275C03FFF83FFE2.xml↵  
30098 Main ·validation ·file: ·  
30098 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
30098 /FFE8EA274F658B706275C03FFF83FFE2.xml↵  
30099 Scenario ·name: ·gg-sch↵  
30100 Schema: ·  
30100 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm  
30100 ent..sch↵  
30101 Engine.name: ·ISO ·Schematron↵
```

```
↳102 Severity: ·error↵
↳103 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
↳103 subSection ·or ·subSubSection.↵
↳104 Start ·location: ·338:133↵
↳105 ↵
↳106 System ·ID: ·
↳106 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
↳106 /FFE8EA274F658B706275C03FFF83FFE2.xml↵
↳107 Main ·validation ·file: ·
↳107 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
↳107 /FFE8EA274F658B706275C03FFF83FFE2.xml↵
↳108 Scenario ·name: ·gg-sch↵
↳109 Schema: ·
↳109 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
ent..sch↵
↳110 Engine ·name: ·ISO ·Schematron↵
↳111 Severity: ·error↵
↳112 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
↳112 subSection ·or ·subSubSection.↵
↳113 Start ·location: ·343:176↵
↳114 ↵
↳115 System ·ID: ·
↳115 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
↳115 /FFE8EA274F658B706275C03FFF83FFE2.xml↵
↳116 Main ·validation ·file: ·
↳116 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
↳116 /FFE8EA274F658B706275C03FFF83FFE2.xml↵
↳117 Scenario ·name: ·gg-sch↵
↳118 Schema: ·
↳118 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
ent..sch↵
↳119 Engine ·name: ·ISO ·Schematron↵
↳120 Severity: ·error↵
↳121 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
↳121 subSection ·or ·subSubSection.↵
```

```
30122 Start ·location: ·349:76↵
30123 ↵
30124 System ·ID: ·
30124 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
30124 /FFE8EA274F658B706275C03FFF83FFE2.xml↵
30125 Main ·validation ·file: ·
30125 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
30125 /FFE8EA274F658B706275C03FFF83FFE2.xml↵
30126 Scenario ·name: ·gg-sch↵
30127 Schema: ·
30127 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
30127 ent..sch↵
30128 Engine ·name: ·ISO ·Schematron↵
30129 Severity: ·error↵
30130 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
30130 subSection ·or ·subSubSection.↵
30131 Start ·location: ·355:132↵
30132 ↵
30133 System ·ID: ·
30133 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
30133 /FFE8EA274F658B706275C03FFF83FFE2.xml↵
30134 Main ·validation ·file: ·
30134 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
30134 /FFE8EA274F658B706275C03FFF83FFE2.xml↵
30135 Scenario ·name: ·gg-sch↵
30136 Schema: ·
30136 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
30136 ent..sch↵
30137 Engine ·name: ·ISO ·Schematron↵
30138 Severity: ·error↵
30139 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
30139 subSection ·or ·subSubSection.↵
30140 Start ·location: ·357:107↵
30141 ↵
30142 System ·ID: ·
```

```
30142 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
30142 /FFE8EA274F658B706275C03FFF83FFE2.xml↵
30143 Main-validation-file: ·
30143 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
30143 /FFE8EA274F658B706275C03FFF83FFE2.xml↵
30144 Scenario-name: ·gg-sch↵
30145 Schema: ·
30145 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
30145 ent..sch↵
30146 Engine-name: ·ISO ·Schematron↵
30147 Severity: ·error↵
30148 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
30148 subSection ·or ·subSubSection.↵
30149 Start-location: ·361:107↵
30150 ↵
30151 System-ID: ·
30151 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
30151 /FFE8EA274F658B706275C03FFF83FFE2.xml↵
30152 Main-validation-file: ·
30152 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
30152 /FFE8EA274F658B706275C03FFF83FFE2.xml↵
30153 Scenario-name: ·gg-sch↵
30154 Schema: ·
30154 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
30154 ent..sch↵
30155 Engine-name: ·ISO ·Schematron↵
30156 Severity: ·error↵
30157 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
30157 subSection ·or ·subSubSection.↵
30158 Start-location: ·373:107↵
30159 ↵
30160 System-ID: ·
30160 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
30160 /FFE8EA274F658B706275C03FFF83FFE2.xml↵
30161 Main-validation-file: ·
```

```
↳161 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
↳161 /FFE8EA274F658B706275C03FFF83FFE2.xml ↵
↳162 Scenario.name: ·gg-sch ↵
↳163 Schema: ·
↳163 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
↳163 ent..sch ↵
↳164 Engine.name: ·ISO ·Schematron ↵
↳165 Severity: ·error ↵
↳166 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
↳166 subSection ·or ·subSubSection. ↵
↳167 Start.location: ·382:136 ↵
↳168 ↵
↳169 System.ID: ·
↳169 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
↳169 /FFE8EA274F658B706275C03FFF83FFE2.xml ↵
↳170 Main.validation.file: ·
↳170 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
↳170 /FFE8EA274F658B706275C03FFF83FFE2.xml ↵
↳171 Scenario.name: ·gg-sch ↵
↳172 Schema: ·
↳172 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
↳172 ent..sch ↵
↳173 Engine.name: ·ISO ·Schematron ↵
↳174 Severity: ·error ↵
↳175 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
↳175 subSection ·or ·subSubSection. ↵
↳176 Start.location: ·384:142 ↵
↳177 ↵
↳178 System.ID: ·
↳178 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
↳178 /FFE8EA274F658B706275C03FFF83FFE2.xml ↵
↳179 Main.validation.file: ·
↳179 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
↳179 /FFE8EA274F658B706275C03FFF83FFE2.xml ↵
↳180 Scenario.name: ·gg-sch ↵
```

```
30181 Schema: .
30181 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
30181 ent..sch<
30182 Engine.name: .ISO .Schematron<
30183 Severity: .error<
30184 Description: .A .paragraph .must .have .an .ancestor .
30184 subSection .or .subSubSection.<
30185 Start.location: .434:107<
30186 <
30187 System.ID: .
30187 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
30187 /FFE8EA274F658B706275C03FFF83FFE2.xml<
30188 Main.validation.file: .
30188 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
30188 /FFE8EA274F658B706275C03FFF83FFE2.xml<
30189 Scenario.name: .gg-sch<
30190 Schema: .
30190 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
30190 ent..sch<
30191 Engine.name: .ISO .Schematron<
30192 Severity: .error<
30193 Description: .A .paragraph .must .have .an .ancestor .
30193 subSection .or .subSubSection.<
30194 Start.location: .439:107<
30195 <
30196 System.ID: .
30196 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
30196 /FFE8EA274F658B706275C03FFF83FFE2.xml<
30197 Main.validation.file: .
30197 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
30197 /FFE8EA274F658B706275C03FFF83FFE2.xml<
30198 Scenario.name: .gg-sch<
30199 Schema: .
30199 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
30199 ent..sch<
```

30200 Engine.name: ·ISO ·Schematron ↵  
30201 Severity: ·error ↵  
30202 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
30202 subSection ·or ·subSubSection. ↵  
30203 Start.location: ·440:107 ↵  
30204 ↵  
30205 System.ID: ·  
30205 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
30205 /FFE8EA274F658B706275C03FFF83FFE2.xml ↵  
30206 Main.validation-file: ·  
30206 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
30206 /FFE8EA274F658B706275C03FFF83FFE2.xml ↵  
30207 Scenario.name: ·gg-sch ↵  
30208 Schema: ·  
30208 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
30208 ent..sch ↵  
30209 Engine.name: ·ISO ·Schematron ↵  
30210 Severity: ·error ↵  
30211 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
30211 subSection ·or ·subSubSection. ↵  
30212 Start.location: ·445:133 ↵  
30213 ↵  
30214 System.ID: ·  
30214 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
30214 /FFE8EA274F658B706275C03FFF83FFE2.xml ↵  
30215 Main.validation-file: ·  
30215 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
30215 /FFE8EA274F658B706275C03FFF83FFE2.xml ↵  
30216 Scenario.name: ·gg-sch ↵  
30217 Schema: ·  
30217 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
30217 ent..sch ↵  
30218 Engine.name: ·ISO ·Schematron ↵  
30219 Severity: ·error ↵  
30220 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·

↳220 subSection ·or ·subSubSection. ↵  
↳221 Start ·location: ·448:108 ↵  
↳222 ↵  
↳223 System ·ID: ·  
↳223 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
↳223 /FFE8EA274F658B706275C03FFF83FFE2.xml ↵  
↳224 Main ·validation ·file: ·  
↳224 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
↳224 /FFE8EA274F658B706275C03FFF83FFE2.xml ↵  
↳225 Scenario ·name: ·gg-sch ↵  
↳226 Schema: ·  
↳226 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
↳227 Engine ·name: ·ISO ·Schematron ↵  
↳228 Severity: ·error ↵  
↳229 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
↳229 subSection ·or ·subSubSection. ↵  
↳230 Start ·location: ·453:108 ↵  
↳231 ↵  
↳232 System ·ID: ·  
↳232 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
↳232 /FFE8EA274F658B706275C03FFF83FFE2.xml ↵  
↳233 Main ·validation ·file: ·  
↳233 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
↳233 /FFE8EA274F658B706275C03FFF83FFE2.xml ↵  
↳234 Scenario ·name: ·gg-sch ↵  
↳235 Schema: ·  
↳235 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
↳236 Engine ·name: ·ISO ·Schematron ↵  
↳237 Severity: ·error ↵  
↳238 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
↳238 subSection ·or ·subSubSection. ↵  
↳239 Start ·location: ·458:136 ↵  
↳240 ↵

↳241 System·ID: ·  
↳241 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
↳241 /FFE8EA274F658B706275C03FFF83FFE2.xml ↵  
↳242 Main·validation·file: ·  
↳242 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
↳242 /FFE8EA274F658B706275C03FFF83FFE2.xml ↵  
↳243 Scenario·name: ·gg-sch ↵  
↳244 Schema: ·  
↳244 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
↳245 Engine·name: ·ISO·Schematron ↵  
↳246 Severity: ·error ↵  
↳247 Description: ·A·paragraph·must·have·an·ancestor·  
↳247 subSection·or·subSubSection. ↵  
↳248 Start·location: ·461:136 ↵  
↳249 ↵  
↳250 System·ID: ·  
↳250 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
↳250 /FFE8EA274F658B706275C03FFF83FFE2.xml ↵  
↳251 Main·validation·file: ·  
↳251 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
↳251 /FFE8EA274F658B706275C03FFF83FFE2.xml ↵  
↳252 Scenario·name: ·gg-sch ↵  
↳253 Schema: ·  
↳253 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
↳254 Engine·name: ·ISO·Schematron ↵  
↳255 Severity: ·error ↵  
↳256 Description: ·A·paragraph·must·have·an·ancestor·  
↳256 subSection·or·subSubSection. ↵  
↳257 Start·location: ·464:137 ↵  
↳258 ↵  
↳259 System·ID: ·  
↳259 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
↳259 /FFE8EA274F658B706275C03FFF83FFE2.xml ↵

```
30260 Main-validation-file: .
30260 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
30260 /FFE8EA274F658B706275C03FFF83FFE2.xml↵
30261 Scenario-name: .gg-sch↵
30262 Schema: .
30262 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
30262 ent..sch↵
30263 Engine-name: .ISO-Schematron↵
30264 Severity: .error↵
30265 Description: .A .paragraph .must .have .an .ancestor .
30265 subSection .or .subSubSection.↵
30266 Start-location: .465:109↵
30267 ↵
30268 System-ID: .
30268 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
30268 /FFE8EA274F658B706275C03FFF83FFE2.xml↵
30269 Main-validation-file: .
30269 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
30269 /FFE8EA274F658B706275C03FFF83FFE2.xml↵
30270 Scenario-name: .gg-sch↵
30271 Schema: .
30271 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
30271 ent..sch↵
30272 Engine-name: .ISO-Schematron↵
30273 Severity: .error↵
30274 Description: .A .paragraph .must .have .an .ancestor .
30274 subSection .or .subSubSection.↵
30275 Start-location: .467:108↵
30276 ↵
30277 System-ID: .
30277 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
30277 /FFE8EA274F658B706275C03FFF83FFE2.xml↵
30278 Main-validation-file: .
30278 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
30278 /FFE8EA274F658B706275C03FFF83FFE2.xml↵
```

```
30279 Scenario·name: ·gg-sch↵
30280 Schema: ·
30280 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
30280 ent..sch↵
30281 Engine·name: ·ISO ·Schematron↵
30282 Severity: ·error↵
30283 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
30283 subSection ·or ·subSubSection.↵
30284 Start ·location: ·469:109↵
30285 ↵
30286 System ·ID: ·
30286 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
30286 /FFE8EA274F658B706275C03FFF83FFE2.xml↵
30287 Main ·validation ·file: ·
30287 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
30287 /FFE8EA274F658B706275C03FFF83FFE2.xml↵
30288 Scenario·name: ·gg-sch↵
30289 Schema: ·
30289 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
30289 ent..sch↵
30290 Engine·name: ·ISO ·Schematron↵
30291 Severity: ·error↵
30292 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
30292 subSection ·or ·subSubSection.↵
30293 Start ·location: ·471:76↵
30294 ↵
30295 System ·ID: ·
30295 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
30295 /FFE8EA274F658B706275C03FFF83FFE2.xml↵
30296 Main ·validation ·file: ·
30296 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
30296 /FFE8EA274F658B706275C03FFF83FFE2.xml↵
30297 Scenario·name: ·gg-sch↵
30298 Schema: ·
30298 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
```

```
30298 ent..sch↵
30299 Engine.name: ·ISO ·Schematron↵
30300 Severity: ·error↵
30301 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
30301 subSection ·or ·subSubSection.↵
30302 Start ·location: ·482:131↵
30303 ↵
30304 System ·ID: ·
30304 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
30304 /FFE8EA274F658B706275C03FFF83FFE2.xml↵
30305 Main ·validation ·file: ·
30305 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
30305 /FFE8EA274F658B706275C03FFF83FFE2.xml↵
30306 Scenario ·name: ·gg-sch↵
30307 Schema: ·
30307 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
30307 ent..sch↵
30308 Engine.name: ·ISO ·Schematron↵
30309 Severity: ·error↵
30310 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
30310 subSection ·or ·subSubSection.↵
30311 Start ·location: ·485:107↵
30312 ↵
30313 System ·ID: ·
30313 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
30313 /FFE8EA274F658B706275C03FFF83FFE2.xml↵
30314 Main ·validation ·file: ·
30314 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
30314 /FFE8EA274F658B706275C03FFF83FFE2.xml↵
30315 Scenario ·name: ·gg-sch↵
30316 Schema: ·
30316 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
30316 ent..sch↵
30317 Engine.name: ·ISO ·Schematron↵
30318 Severity: ·error↵
```

↳0319 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
↳0319 subSection ·or ·subSubSection. ↵  
↳0320 Start ·location: ·492:107 ↵  
↳0321 ↵  
↳0322 System ·ID: ·  
↳0322 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
↳0322 /FFE8EA274F658B706275C03FFF83FFE2.xml ↵  
↳0323 Main ·validation ·file: ·  
↳0323 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
↳0323 /FFE8EA274F658B706275C03FFF83FFE2.xml ↵  
↳0324 Scenario ·name: ·gg-sch ↵  
↳0325 Schema: ·  
↳0325 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
↳0326 Engine ·name: ·ISO ·Schematron ↵  
↳0327 Severity: ·error ↵  
↳0328 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
↳0328 subSection ·or ·subSubSection. ↵  
↳0329 Start ·location: ·493:107 ↵  
↳0330 ↵  
↳0331 System ·ID: ·  
↳0331 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
↳0331 /FFE8EA274F658B706275C03FFF83FFE2.xml ↵  
↳0332 Main ·validation ·file: ·  
↳0332 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
↳0332 /FFE8EA274F658B706275C03FFF83FFE2.xml ↵  
↳0333 Scenario ·name: ·gg-sch ↵  
↳0334 Schema: ·  
↳0334 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
↳0335 Engine ·name: ·ISO ·Schematron ↵  
↳0336 Severity: ·error ↵  
↳0337 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
↳0337 subSection ·or ·subSubSection. ↵  
↳0338 Start ·location: ·494:107 ↵

```
↳339 ↵
↳340 System·ID: ·
↳340 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
↳340 /FFE8EA274F658B706275C03FFF83FFE2.xml↵
↳341 Main·validation·file: ·
↳341 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
↳341 /FFE8EA274F658B706275C03FFF83FFE2.xml↵
↳342 Scenario·name: ·gg-sch↵
↳343 Schema: ·
↳343 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
↳343 ent..sch↵
↳344 Engine·name: ·ISO·Schematron↵
↳345 Severity: ·error↵
↳346 Description: ·A·paragraph·must·have·an·ancestor·
↳346 subSection·or·subSubSection.↵
↳347 Start·location: ·495:143↵
↳348 ↵
↳349 System·ID: ·
↳349 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
↳349 /FFE8EA274F658B706275C03FFF83FFE2.xml↵
↳350 Main·validation·file: ·
↳350 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
↳350 /FFE8EA274F658B706275C03FFF83FFE2.xml↵
↳351 Scenario·name: ·gg-sch↵
↳352 Schema: ·
↳352 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
↳352 ent..sch↵
↳353 Engine·name: ·ISO·Schematron↵
↳354 Severity: ·error↵
↳355 Description: ·A·paragraph·must·have·an·ancestor·
↳355 subSection·or·subSubSection.↵
↳356 Start·location: ·496:135↵
↳357 ↵
↳358 System·ID: ·
↳358 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
```

```
30358 /FFE8EA274F658B706275C03FFF83FFE2.xml↵
30359 Main-validation-file: ·
30359 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
30359 /FFE8EA274F658B706275C03FFF83FFE2.xml↵
30360 Scenario-name: ·gg-sch↵
30361 Schema: ·
30361 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
30361 ent..sch↵
30362 Engine-name: ·ISO ·Schematron↵
30363 Severity: ·error↵
30364 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
30364 subSection ·or ·subSubSection.↵
30365 Start ·location: ·501:178↵
30366 ↵
30367 System ·ID: ·
30367 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
30367 /FFE8EA274F658B706275C03FFF83FFE2.xml↵
30368 Main-validation-file: ·
30368 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
30368 /FFE8EA274F658B706275C03FFF83FFE2.xml↵
30369 Scenario-name: ·gg-sch↵
30370 Schema: ·
30370 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
30370 ent..sch↵
30371 Engine-name: ·ISO ·Schematron↵
30372 Severity: ·error↵
30373 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
30373 subSection ·or ·subSubSection.↵
30374 Start ·location: ·508:107↵
30375 ↵
30376 System ·ID: ·
30376 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
30376 /FFE8EA274F658B706275C03FFF83FFE2.xml↵
30377 Main-validation-file: ·
30377 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
```

```
30377 /FFE8EA274F658B706275C03FFF83FFE2.xml↵
30378 Scenario·name: ·gg-sch↵
30379 Schema: ·
30379 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
30379 ent..sch↵
30380 Engine·name: ·ISO ·Schematron↵
30381 Severity: ·error↵
30382 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
30382 subSection ·or ·subSubSection.↵
30383 Start ·location: ·509:107↵
30384 ↵
30385 System ·ID: ·
30385 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
30385 /FFE8EA274F658B706275C03FFF83FFE2.xml↵
30386 Main ·validation ·file: ·
30386 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
30386 /FFE8EA274F658B706275C03FFF83FFE2.xml↵
30387 Scenario ·name: ·gg-sch↵
30388 Schema: ·
30388 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
30388 ent..sch↵
30389 Engine·name: ·ISO ·Schematron↵
30390 Severity: ·error↵
30391 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
30391 subSection ·or ·subSubSection.↵
30392 Start ·location: ·510:107↵
30393 ↵
30394 System ·ID: ·
30394 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
30394 /FFE8EA274F658B706275C03FFF83FFE2.xml↵
30395 Main ·validation ·file: ·
30395 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
30395 /FFE8EA274F658B706275C03FFF83FFE2.xml↵
30396 Scenario ·name: ·gg-sch↵
30397 Schema: ·
```

```
↳397 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm  
↳397 ent..sch↵  
↳398 Engine.name: ·ISO ·Schematron↵  
↳399 Severity: ·error↵  
↳400 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
↳400 subSection ·or ·subSubSection.↵  
↳401 Start ·location: ·519:107↵  
↳402 ↵  
↳403 System ·ID: ·  
↳403 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
↳403 /FFE8EA274F658B706275C03FFF83FFE2.xml↵  
↳404 Main ·validation ·file: ·  
↳404 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
↳404 /FFE8EA274F658B706275C03FFF83FFE2.xml↵  
↳405 Scenario ·name: ·gg-sch↵  
↳406 Schema: ·  
↳406 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm  
↳406 ent..sch↵  
↳407 Engine.name: ·ISO ·Schematron↵  
↳408 Severity: ·error↵  
↳409 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
↳409 subSection ·or ·subSubSection.↵  
↳410 Start ·location: ·524:108↵  
↳411 ↵  
↳412 System ·ID: ·  
↳412 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
↳412 /FFE8EA274F658B706275C03FFF83FFE2.xml↵  
↳413 Main ·validation ·file: ·  
↳413 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
↳413 /FFE8EA274F658B706275C03FFF83FFE2.xml↵  
↳414 Scenario ·name: ·gg-sch↵  
↳415 Schema: ·  
↳415 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm  
↳415 ent..sch↵  
↳416 Engine.name: ·ISO ·Schematron↵
```

30417 Severity: ·error ↵  
30418 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
30418 subSection ·or ·subSubSection. ↵  
30419 Start ·location: ·525:108 ↵  
30420 ↵  
30421 System ·ID: ·  
30421 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
30421 /FFE8EA274F658B706275C03FFF83FFE2.xml ↵  
30422 Main ·validation ·file: ·  
30422 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
30422 /FFE8EA274F658B706275C03FFF83FFE2.xml ↵  
30423 Scenario ·name: ·gg-sch ↵  
30424 Schema: ·  
30424 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
30424 ent..sch ↵  
30425 Engine ·name: ·ISO ·Schematron ↵  
30426 Severity: ·error ↵  
30427 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
30427 subSection ·or ·subSubSection. ↵  
30428 Start ·location: ·526:108 ↵  
30429 ↵  
30430 System ·ID: ·  
30430 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
30430 /FFE8EA274F658B706275C03FFF83FFE2.xml ↵  
30431 Main ·validation ·file: ·  
30431 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
30431 /FFE8EA274F658B706275C03FFF83FFE2.xml ↵  
30432 Scenario ·name: ·gg-sch ↵  
30433 Schema: ·  
30433 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
30433 ent..sch ↵  
30434 Engine ·name: ·ISO ·Schematron ↵  
30435 Severity: ·error ↵  
30436 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
30436 subSection ·or ·subSubSection. ↵

```
|0437 Start ·location: -527:108↵
|0438 ↵
|0439 System ·ID: ·
|0439 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
|0439 /FFE8EA274F658B706275C03FFF83FFE2.xml↵
|0440 Main ·validation ·file: ·
|0440 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
|0440 /FFE8EA274F658B706275C03FFF83FFE2.xml↵
|0441 Scenario ·name: ·gg-sch↵
|0442 Schema: ·
|0442 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
|0442 ent..sch↵
|0443 Engine ·name: ·ISO ·Schematron↵
|0444 Severity: ·error↵
|0445 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
|0445 subSection ·or ·subSubSection.↵
|0446 Start ·location: -528:135↵
|0447 ↵
|0448 System ·ID: ·
|0448 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
|0448 /FFE8EA274F658B706275C03FFF83FFE2.xml↵
|0449 Main ·validation ·file: ·
|0449 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
|0449 /FFE8EA274F658B706275C03FFF83FFE2.xml↵
|0450 Scenario ·name: ·gg-sch↵
|0451 Schema: ·
|0451 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
|0451 ent..sch↵
|0452 Engine ·name: ·ISO ·Schematron↵
|0453 Severity: ·error↵
|0454 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
|0454 subSection ·or ·subSubSection.↵
|0455 Start ·location: -533:109↵
|0456 ↵
|0457 System ·ID: ·
```

```
30457 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
30457 /FFE8EA274F658B706275C03FFF83FFE2.xml↵
30458 Main-validation-file: .
30458 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
30458 /FFE8EA274F658B706275C03FFF83FFE2.xml↵
30459 Scenario-name: .gg-sch↵
30460 Schema: .
30460 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
30460 ent..sch↵
30461 Engine-name: .ISO-Schematron↵
30462 Severity: .error↵
30463 Description: .A .paragraph .must .have .an .ancestor .
30463 subSection .or .subSubSection.↵
30464 Start-location: .534:135↵
30465 ↵
30466 System-ID: .
30466 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
30466 /FFE8EA274F658B706275C03FFF83FFE2.xml↵
30467 Main-validation-file: .
30467 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
30467 /FFE8EA274F658B706275C03FFF83FFE2.xml↵
30468 Scenario-name: .gg-sch↵
30469 Schema: .
30469 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
30469 ent..sch↵
30470 Engine-name: .ISO-Schematron↵
30471 Severity: .error↵
30472 Description: .A .paragraph .must .have .an .ancestor .
30472 subSection .or .subSubSection.↵
30473 Start-location: .539:136↵
30474 ↵
30475 System-ID: .
30475 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
30475 /FFE8EA274F658B706275C03FFF83FFE2.xml↵
30476 Main-validation-file: .
```

```
30476 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
30476 /FFE8EA274F658B706275C03FFF83FFE2.xml↵
30477 Scenario·name: ·gg-sch↵
30478 Schema: ·
30478 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
30478 ent..sch↵
30479 Engine·name: ·ISO ·Schematron↵
30480 Severity: ·error↵
30481 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
30481 subSection ·or ·subSubSection.↵
30482 Start ·location: ·540:136↵
30483 ↵
30484 System ·ID: ·
30484 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
30484 /FFE8EA274F658B706275C03FFF83FFE2.xml↵
30485 Main ·validation ·file: ·
30485 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
30485 /FFE8EA274F658B706275C03FFF83FFE2.xml↵
30486 Scenario ·name: ·gg-sch↵
30487 Schema: ·
30487 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
30487 ent..sch↵
30488 Engine·name: ·ISO ·Schematron↵
30489 Severity: ·error↵
30490 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
30490 subSection ·or ·subSubSection.↵
30491 Start ·location: ·549:109↵
30492 ↵
30493 System ·ID: ·
30493 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
30493 /FFE8EA274F658B706275C03FFF83FFE2.xml↵
30494 Main ·validation ·file: ·
30494 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
30494 /FFE8EA274F658B706275C03FFF83FFE2.xml↵
30495 Scenario ·name: ·gg-sch↵
```

```
30496 Schema: .
30496 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
30496 ent..sch<
30497 Engine.name: .ISO .Schematron<
30498 Severity: .error<
30499 Description: .A .paragraph .must .have .an .ancestor .
30499 subSection .or .subSubSection.<
30500 Start.location: .550:135<
30501 <
30502 System.ID: .
30502 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
30502 /FFE8EA274F658B706275C03FFF83FFE2.xml<
30503 Main.validation.file: .
30503 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
30503 /FFE8EA274F658B706275C03FFF83FFE2.xml<
30504 Scenario.name: .gg-sch<
30505 Schema: .
30505 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
30505 ent..sch<
30506 Engine.name: .ISO .Schematron<
30507 Severity: .error<
30508 Description: .A .paragraph .must .have .an .ancestor .
30508 subSection .or .subSubSection.<
30509 Start.location: .555:109<
30510 <
30511 System.ID: .
30511 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
30511 /FFE8EA274F658B706275C03FFF83FFE2.xml<
30512 Main.validation.file: .
30512 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
30512 /FFE8EA274F658B706275C03FFF83FFE2.xml<
30513 Scenario.name: .gg-sch<
30514 Schema: .
30514 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
30514 ent..sch<
```

30515 Engine.name: ·ISO ·Schematron↵  
30516 Severity: ·error↵  
30517 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
30517 subSection ·or ·subSubSection.↵  
30518 Start.location: ·556:135↵  
30519 ↵  
30520 System.ID: ·  
30520 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
30520 /FFE8EA274F658B706275C03FFF83FFE2.xml↵  
30521 Main.validation-file: ·  
30521 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
30521 /FFE8EA274F658B706275C03FFF83FFE2.xml↵  
30522 Scenario.name: ·gg-sch↵  
30523 Schema: ·  
30523 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
30523 ent..sch↵  
30524 Engine.name: ·ISO ·Schematron↵  
30525 Severity: ·error↵  
30526 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
30526 subSection ·or ·subSubSection.↵  
30527 Start.location: ·561:177↵  
30528 ↵  
30529 System.ID: ·  
30529 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
30529 /FFE8EA274F658B706275C03FFF83FFE2.xml↵  
30530 Main.validation-file: ·  
30530 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
30530 /FFE8EA274F658B706275C03FFF83FFE2.xml↵  
30531 Scenario.name: ·gg-sch↵  
30532 Schema: ·  
30532 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
30532 ent..sch↵  
30533 Engine.name: ·ISO ·Schematron↵  
30534 Severity: ·error↵  
30535 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·

↳0535 subSection ·or ·subSubSection. ↵  
↳0536 Start ·location: ·562:106 ↵  
↳0537 ↵  
↳0538 System ·ID: ·  
↳0538 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
↳0538 /FFE8EA274F658B706275C03FFF83FFE2.xml ↵  
↳0539 Main ·validation ·file: ·  
↳0539 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
↳0539 /FFE8EA274F658B706275C03FFF83FFE2.xml ↵  
↳0540 Scenario ·name: ·gg-sch ↵  
↳0541 Schema: ·  
↳0541 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
↳0542 Engine ·name: ·ISO ·Schematron ↵  
↳0543 Severity: ·error ↵  
↳0544 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
↳0544 subSection ·or ·subSubSection. ↵  
↳0545 Start ·location: ·563:131 ↵  
↳0546 ↵  
↳0547 System ·ID: ·  
↳0547 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
↳0547 /FFE8EA274F658B706275C03FFF83FFE2.xml ↵  
↳0548 Main ·validation ·file: ·  
↳0548 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
↳0548 /FFE8EA274F658B706275C03FFF83FFE2.xml ↵  
↳0549 Scenario ·name: ·gg-sch ↵  
↳0550 Schema: ·  
↳0550 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
↳0551 Engine ·name: ·ISO ·Schematron ↵  
↳0552 Severity: ·error ↵  
↳0553 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
↳0553 subSection ·or ·subSubSection. ↵  
↳0554 Start ·location: ·568:107 ↵  
↳0555 ↵

↳0556 System·ID: ·  
↳0556 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
↳0556 /FFE8EA274F658B706275C03FFF83FFE2.xml ↵  
↳0557 Main·validation·file: ·  
↳0557 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
↳0557 /FFE8EA274F658B706275C03FFF83FFE2.xml ↵  
↳0558 Scenario·name: ·gg-sch ↵  
↳0559 Schema: ·  
↳0559 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
↳0560 Engine·name: ·ISO·Schematron ↵  
↳0561 Severity: ·error ↵  
↳0562 Description: ·A·paragraph·must·have·an·ancestor·  
↳0562 subSection·or·subSubSection. ↵  
↳0563 Start·location: ·591:107 ↵  
↳0564 ↵  
↳0565 System·ID: ·  
↳0565 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
↳0565 /FFE8EA274F658B706275C03FFF83FFE2.xml ↵  
↳0566 Main·validation·file: ·  
↳0566 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
↳0566 /FFE8EA274F658B706275C03FFF83FFE2.xml ↵  
↳0567 Scenario·name: ·gg-sch ↵  
↳0568 Schema: ·  
↳0568 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
↳0569 Engine·name: ·ISO·Schematron ↵  
↳0570 Severity: ·error ↵  
↳0571 Description: ·A·paragraph·must·have·an·ancestor·  
↳0571 subSection·or·subSubSection. ↵  
↳0572 Start·location: ·612:107 ↵  
↳0573 ↵  
↳0574 System·ID: ·  
↳0574 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
↳0574 /FFE8EA274F658B706275C03FFF83FFE2.xml ↵

```
30575 Main-validation-file: .
30575 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
30575 /FFE8EA274F658B706275C03FFF83FFE2.xml↵
30576 Scenario-name: .gg-sch↵
30577 Schema: .
30577 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
30577 ent..sch↵
30578 Engine-name: .ISO-Schematron↵
30579 Severity: .error↵
30580 Description: .A .paragraph .must .have .an .ancestor .
30580 subSection .or .subSubSection.↵
30581 Start-location: .635:107↵
30582 ↵
30583 System-ID: .
30583 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
30583 /FFE8EA274F658B706275C03FFF83FFE2.xml↵
30584 Main-validation-file: .
30584 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
30584 /FFE8EA274F658B706275C03FFF83FFE2.xml↵
30585 Scenario-name: .gg-sch↵
30586 Schema: .
30586 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
30586 ent..sch↵
30587 Engine-name: .ISO-Schematron↵
30588 Severity: .error↵
30589 Description: .A .paragraph .must .have .an .ancestor .
30589 subSection .or .subSubSection.↵
30590 Start-location: .643:107↵
30591 ↵
30592 System-ID: .
30592 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
30592 /FFE8EA274F658B706275C03FFF83FFE2.xml↵
30593 Main-validation-file: .
30593 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
30593 /FFE8EA274F658B706275C03FFF83FFE2.xml↵
```

```
3054 Scenario·name: ·gg-sch↵
3055 Schema: ·
3055 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
3055 ent..sch↵
3056 Engine·name: ·ISO·Schematron↵
3057 Severity: ·error↵
3058 Description: ·A·paragraph·must·have·an·ancestor·
3058 subSection·or·subSubSection.↵
3059 Start·location: ·664:107↵
3060 ↵
3061 System·ID: ·
3061 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
3061 /FFE8EA274F658B706275C03FFF83FFE2.xml↵
3062 Main·validation·file: ·
3062 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
3062 /FFE8EA274F658B706275C03FFF83FFE2.xml↵
3063 Scenario·name: ·gg-sch↵
3064 Schema: ·
3064 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
3064 ent..sch↵
3065 Engine·name: ·ISO·Schematron↵
3066 Severity: ·error↵
3067 Description: ·A·paragraph·must·have·an·ancestor·
3067 subSection·or·subSubSection.↵
3068 Start·location: ·681:107↵
3069 ↵
3070 System·ID: ·
3070 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
3070 /FFE8EA274F658B706275C03FFF83FFE2.xml↵
3071 Main·validation·file: ·
3071 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
3071 /FFE8EA274F658B706275C03FFF83FFE2.xml↵
3072 Scenario·name: ·gg-sch↵
3073 Schema: ·
3073 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
```

```
30613 ent..sch↵
30614 Engine.name: ·ISO ·Schematron↵
30615 Severity: ·error↵
30616 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
30616 subSection ·or ·subSubSection.↵
30617 Start ·location: ·710:107↵
30618 ↵
30619 System ·ID: ·
30619 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
30619 /FFE8EA274F658B706275C03FFF83FFE2.xml↵
30620 Main ·validation ·file: ·
30620 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
30620 /FFE8EA274F658B706275C03FFF83FFE2.xml↵
30621 Scenario ·name: ·gg-sch↵
30622 Schema: ·
30622 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
30622 ent..sch↵
30623 Engine.name: ·ISO ·Schematron↵
30624 Severity: ·error↵
30625 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
30625 subSection ·or ·subSubSection.↵
30626 Start ·location: ·739:107↵
30627 ↵
30628 System ·ID: ·
30628 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
30628 /FFE8EA274F658B706275C03FFF83FFE2.xml↵
30629 Main ·validation ·file: ·
30629 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
30629 /FFE8EA274F658B706275C03FFF83FFE2.xml↵
30630 Scenario ·name: ·gg-sch↵
30631 Schema: ·
30631 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
30631 ent..sch↵
30632 Engine.name: ·ISO ·Schematron↵
30633 Severity: ·error↵
```

↳0634 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
↳0634 subSection ·or ·subSubSection. ↵  
↳0635 Start ·location: ·768:107 ↵  
↳0636 ↵  
↳0637 System ·ID: ·  
↳0637 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
↳0637 /FFE8EA274F658B706275C03FFF83FFE2.xml ↵  
↳0638 Main ·validation ·file: ·  
↳0638 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
↳0638 /FFE8EA274F658B706275C03FFF83FFE2.xml ↵  
↳0639 Scenario ·name: ·gg-sch ↵  
↳0640 Schema: ·  
↳0640 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
↳0641 Engine ·name: ·ISO ·Schematron ↵  
↳0642 Severity: ·error ↵  
↳0643 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
↳0643 subSection ·or ·subSubSection. ↵  
↳0644 Start ·location: ·791:107 ↵  
↳0645 ↵  
↳0646 System ·ID: ·  
↳0646 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
↳0646 /FFE8EA274F658B706275C03FFF83FFE2.xml ↵  
↳0647 Main ·validation ·file: ·  
↳0647 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
↳0647 /FFE8EA274F658B706275C03FFF83FFE2.xml ↵  
↳0648 Scenario ·name: ·gg-sch ↵  
↳0649 Schema: ·  
↳0649 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
↳0650 Engine ·name: ·ISO ·Schematron ↵  
↳0651 Severity: ·error ↵  
↳0652 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
↳0652 subSection ·or ·subSubSection. ↵  
↳0653 Start ·location: ·813:107 ↵

```
30654 <System·ID: ·  
30655 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
30655 /FFE8EA274F658B706275C03FFF83FFE2.xml<  
30656 Main·validation·file: ·  
30656 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
30656 /FFE8EA274F658B706275C03FFF83FFE2.xml<  
30657 Scenario·name: ·gg-sch<  
30658 Schema: ·  
30658 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm  
30658 ent..sch<  
30659 Engine·name: ·ISO·Schematron<  
30660 Severity: ·error<  
30661 Description: ·A·paragraph·must·have·an·ancestor·  
30661 subSection·or·subSubSection.<  
30662 Start·location: ·836:107<  
30663 <  
30664 System·ID: ·  
30664 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
30664 /FFE8EA274F658B706275C03FFF83FFE2.xml<  
30665 Main·validation·file: ·  
30665 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
30665 /FFE8EA274F658B706275C03FFF83FFE2.xml<  
30666 Scenario·name: ·gg-sch<  
30667 Schema: ·  
30667 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm  
30667 ent..sch<  
30668 Engine·name: ·ISO·Schematron<  
30669 Severity: ·error<  
30670 Description: ·A·paragraph·must·have·an·ancestor·  
30670 subSection·or·subSubSection.<  
30671 Start·location: ·859:107<  
30672 <  
30673 System·ID: ·  
30673 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
```

30673 /FFE8EA274F658B706275C03FFF83FFE2.xml ↵  
30674 Main-validation-file: ·  
30674 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
30674 /FFE8EA274F658B706275C03FFF83FFE2.xml ↵  
30675 Scenario-name: ·gg-sch ↵  
30676 Schema: ·  
30676 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
30676 ent..sch ↵  
30677 Engine-name: ·ISO-Schematron ↵  
30678 Severity: ·error ↵  
30679 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
30679 subSection ·or ·subSubSection. ↵  
30680 Start-location: ·884:107 ↵  
30681 ↵  
30682 System-ID: ·  
30682 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
30682 /FFE8EA274F658B706275C03FFF83FFE2.xml ↵  
30683 Main-validation-file: ·  
30683 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
30683 /FFE8EA274F658B706275C03FFF83FFE2.xml ↵  
30684 Scenario-name: ·gg-sch ↵  
30685 Schema: ·  
30685 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
30685 ent..sch ↵  
30686 Engine-name: ·ISO-Schematron ↵  
30687 Severity: ·error ↵  
30688 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
30688 subSection ·or ·subSubSection. ↵  
30689 Start-location: ·911:107 ↵  
30690 ↵  
30691 System-ID: ·  
30691 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
30691 /FFE8EA274F658B706275C03FFF83FFE2.xml ↵  
30692 Main-validation-file: ·  
30692 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax

:0692 /FFE8EA274F658B706275C03FFF83FFE2.xml ↵  
:0693 Scenario.name: .gg-sch ↵  
:0694 Schema: .  
:0694 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
:0695 Engine.name: .ISO.Schematron ↵  
:0696 Severity: .error ↵  
:0697 Description: .A.paragraph.must.have.an.ancestor.  
subSection.or.subSubSection. ↵  
:0698 Start.location: .940:107 ↵  
:0699 ↵  
:0700 System.ID: .  
:0700 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:0700 /FFE8EA274F658B706275C03FFF83FFE2.xml ↵  
:0701 Main.validation.file: .  
:0701 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:0701 /FFE8EA274F658B706275C03FFF83FFE2.xml ↵  
:0702 Scenario.name: .gg-sch ↵  
:0703 Schema: .  
:0703 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
:0704 Engine.name: .ISO.Schematron ↵  
:0705 Severity: .error ↵  
:0706 Description: .A.paragraph.must.have.an.ancestor.  
subSection.or.subSubSection. ↵  
:0707 Start.location: .959:133 ↵  
:0708 ↵  
:0709 System.ID: .  
:0709 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:0709 /FFE8EA274F658B706275C03FFF83FFE2.xml ↵  
:0710 Main.validation.file: .  
:0710 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:0710 /FFE8EA274F658B706275C03FFF83FFE2.xml ↵  
:0711 Scenario.name: .gg-sch ↵  
:0712 Schema: .

```
30712 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm  
30712 ent..sch↵  
30713 Engine.name: ·ISO ·Schematron↵  
30714 Severity: ·error↵  
30715 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
30715 subSection ·or ·subSubSection.↵  
30716 Start ·location: ·978:107↵  
30717 ↵  
30718 System ·ID: ·  
30718 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
30718 /FFE8EA274F658B706275C03FFF83FFE2.xml↵  
30719 Main ·validation ·file: ·  
30719 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
30719 /FFE8EA274F658B706275C03FFF83FFE2.xml↵  
30720 Scenario ·name: ·gg-sch↵  
30721 Schema: ·  
30721 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm  
30721 ent..sch↵  
30722 Engine.name: ·ISO ·Schematron↵  
30723 Severity: ·error↵  
30724 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
30724 subSection ·or ·subSubSection.↵  
30725 Start ·location: ·1003:107↵  
30726 ↵  
30727 System ·ID: ·  
30727 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
30727 /FFE8EA274F658B706275C03FFF83FFE2.xml↵  
30728 Main ·validation ·file: ·  
30728 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
30728 /FFE8EA274F658B706275C03FFF83FFE2.xml↵  
30729 Scenario ·name: ·gg-sch↵  
30730 Schema: ·  
30730 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm  
30730 ent..sch↵  
30731 Engine.name: ·ISO ·Schematron↵
```

↳732 Severity: ·error ↵  
↳733 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
↳733 subSection ·or ·subSubSection. ↵  
↳734 Start ·location: ·1026:107 ↵  
↳735 ↵  
↳736 System ·ID: ·  
↳736 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
↳736 /FFE8EA274F658B706275C03FFF83FFE2.xml ↵  
↳737 Main ·validation ·file: ·  
↳737 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
↳737 /FFE8EA274F658B706275C03FFF83FFE2.xml ↵  
↳738 Scenario ·name: ·gg-sch ↵  
↳739 Schema: ·  
↳739 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
↳740 Engine ·name: ·ISO ·Schematron ↵  
↳741 Severity: ·error ↵  
↳742 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
↳742 subSection ·or ·subSubSection. ↵  
↳743 Start ·location: ·1049:107 ↵  
↳744 ↵  
↳745 System ·ID: ·  
↳745 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
↳745 /FFE8EA274F658B706275C03FFF83FFE2.xml ↵  
↳746 Main ·validation ·file: ·  
↳746 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
↳746 /FFE8EA274F658B706275C03FFF83FFE2.xml ↵  
↳747 Scenario ·name: ·gg-sch ↵  
↳748 Schema: ·  
↳748 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
↳749 Engine ·name: ·ISO ·Schematron ↵  
↳750 Severity: ·error ↵  
↳751 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
↳751 subSection ·or ·subSubSection. ↵

30752 Start ·location: ·1074:107 ↵  
30753 ↵  
30754 System ·ID: ·  
30754 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
30754 /FFE8EA274F658B706275C03FFF83FFE2.xml ↵  
30755 Main ·validation ·file: ·  
30755 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
30755 /FFE8EA274F658B706275C03FFF83FFE2.xml ↵  
30756 Scenario ·name: ·gg-sch ↵  
30757 Schema: ·  
30757 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
30757 ent..sch ↵  
30758 Engine ·name: ·ISO ·Schematron ↵  
30759 Severity: ·error ↵  
30760 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
30760 subSection ·or ·subSubSection. ↵  
30761 Start ·location: ·1101:107 ↵  
30762 ↵  
30763 System ·ID: ·  
30763 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
30763 /FFE8EA274F658B706275C03FFF83FFE2.xml ↵  
30764 Main ·validation ·file: ·  
30764 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
30764 /FFE8EA274F658B706275C03FFF83FFE2.xml ↵  
30765 Scenario ·name: ·gg-sch ↵  
30766 Schema: ·  
30766 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
30766 ent..sch ↵  
30767 Engine ·name: ·ISO ·Schematron ↵  
30768 Severity: ·error ↵  
30769 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
30769 subSection ·or ·subSubSection. ↵  
30770 Start ·location: ·1124:107 ↵  
30771 ↵  
30772 System ·ID: ·

```
30772 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
30772 /FFE8EA274F658B706275C03FFF83FFE2.xml↵
30773 Main-validation-file: ·
30773 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
30773 /FFE8EA274F658B706275C03FFF83FFE2.xml↵
30774 Scenario-name: ·gg-sch↵
30775 Schema: ·
30775 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
30775 ent..sch↵
30776 Engine-name: ·ISO ·Schematron↵
30777 Severity: ·error↵
30778 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
30778 subSection ·or ·subSubSection.↵
30779 Start-location: ·1147:107↵
30780 ↵
30781 System-ID: ·
30781 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
30781 /FFE8EA274F658B706275C03FFF83FFE2.xml↵
30782 Main-validation-file: ·
30782 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
30782 /FFE8EA274F658B706275C03FFF83FFE2.xml↵
30783 Scenario-name: ·gg-sch↵
30784 Schema: ·
30784 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
30784 ent..sch↵
30785 Engine-name: ·ISO ·Schematron↵
30786 Severity: ·error↵
30787 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
30787 subSection ·or ·subSubSection.↵
30788 Start-location: ·1168:107↵
30789 ↵
30790 System-ID: ·
30790 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
30790 /FFE8EA274F658B706275C03FFF83FFE2.xml↵
30791 Main-validation-file: ·
```

```
↳791 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
↳791 /FFE8EA274F658B706275C03FFF83FFE2.xml ↵
↳792 Scenario.name: ·gg-sch ↵
↳793 Schema: ·
↳793 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
↳793 ent..sch ↵
↳794 Engine.name: ·ISO ·Schematron ↵
↳795 Severity: ·error ↵
↳796 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
↳796 subSection ·or ·subSubSection. ↵
↳797 Start.location: ·1189:107 ↵
↳798 ↵
↳799 System.ID: ·
↳799 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
↳799 /FFE8EA274F658B706275C03FFF83FFE2.xml ↵
↳800 Main.validation.file: ·
↳800 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
↳800 /FFE8EA274F658B706275C03FFF83FFE2.xml ↵
↳801 Scenario.name: ·gg-sch ↵
↳802 Schema: ·
↳802 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
↳802 ent..sch ↵
↳803 Engine.name: ·ISO ·Schematron ↵
↳804 Severity: ·error ↵
↳805 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
↳805 subSection ·or ·subSubSection. ↵
↳806 Start.location: ·1212:107 ↵
↳807 ↵
↳808 System.ID: ·
↳808 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
↳808 /FFE8EA274F658B706275C03FFF83FFE2.xml ↵
↳809 Main.validation.file: ·
↳809 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
↳809 /FFE8EA274F658B706275C03FFF83FFE2.xml ↵
↳810 Scenario.name: ·gg-sch ↵
```

```
↳0811 Schema: ·
↳0811 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
↳0811 ent..sch↵
↳0812 Engine·name: ·ISO ·Schematron↵
↳0813 Severity: ·error↵
↳0814 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
↳0814 subSection ·or ·subSubSection.↵
↳0815 Start ·location: ·1235:132↵
↳0816 ↵
↳0817 System ·ID: ·
↳0817 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
↳0817 /FFE8EA274F658B706275C03FFF83FFE2.xml↵
↳0818 Main ·validation ·file: ·
↳0818 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
↳0818 /FFE8EA274F658B706275C03FFF83FFE2.xml↵
↳0819 Scenario ·name: ·gg-sch↵
↳0820 Schema: ·
↳0820 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
↳0820 ent..sch↵
↳0821 Engine·name: ·ISO ·Schematron↵
↳0822 Severity: ·error↵
↳0823 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
↳0823 subSection ·or ·subSubSection.↵
↳0824 Start ·location: ·1236:107↵
↳0825 ↵
↳0826 System ·ID: ·
↳0826 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
↳0826 /FFEDFFCDFF85FA4FFFF60837FFB81863.xml↵
↳0827 Main ·validation ·file: ·
↳0827 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
↳0827 /FFEDFFCDFF85FA4FFFF60837FFB81863.xml↵
↳0828 Scenario ·name: ·gg-sch↵
↳0829 Schema: ·
↳0829 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
↳0829 ent..sch↵
```

30830 Engine.name: ·ISO ·Schematron ↵  
30831 Severity: ·error ↵  
30832 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
30832 subSection ·or ·subSubSection. ↵  
30833 Start.location: ·73:107 ↵  
30834 ↵  
30835 System.ID: ·  
30835 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
30835 /FFEDFFCDFF85FA4FFFF60837FFB81863.xml ↵  
30836 Main.validation.file: ·  
30836 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
30836 /FFEDFFCDFF85FA4FFFF60837FFB81863.xml ↵  
30837 Scenario.name: ·gg-sch ↵  
30838 Schema: ·  
30838 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
30838 ent..sch ↵  
30839 Engine.name: ·ISO ·Schematron ↵  
30840 Severity: ·error ↵  
30841 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
30841 subSection ·or ·subSubSection. ↵  
30842 Start.location: ·80:132 ↵  
30843 ↵  
30844 System.ID: ·  
30844 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
30844 /FFEDFFCDFF85FA4FFFF60837FFB81863.xml ↵  
30845 Main.validation.file: ·  
30845 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
30845 /FFEDFFCDFF85FA4FFFF60837FFB81863.xml ↵  
30846 Scenario.name: ·gg-sch ↵  
30847 Schema: ·  
30847 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
30847 ent..sch ↵  
30848 Engine.name: ·ISO ·Schematron ↵  
30849 Severity: ·error ↵  
30850 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·

30850 subSection ·or ·subSubSection. ↵  
30851 Start ·location: ·126:132 ↵  
30852 ↵  
30853 System ·ID: ·  
30853 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
30853 /FFEDFFCDFF85FA4FFFF60837FFB81863.xml ↵  
30854 Main ·validation ·file: ·  
30854 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
30854 /FFEDFFCDFF85FA4FFFF60837FFB81863.xml ↵  
30855 Scenario ·name: ·gg-sch ↵  
30856 Schema: ·  
30856 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
30856 ent..sch ↵  
30857 Engine ·name: ·ISO ·Schematron ↵  
30858 Severity: ·error ↵  
30859 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
30859 subSection ·or ·subSubSection. ↵  
30860 Start ·location: ·154:107 ↵  
30861 ↵  
30862 System ·ID: ·  
30862 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
30862 /FFEDFFCDFF85FA4FFFF60837FFB81863.xml ↵  
30863 Main ·validation ·file: ·  
30863 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
30863 /FFEDFFCDFF85FA4FFFF60837FFB81863.xml ↵  
30864 Scenario ·name: ·gg-sch ↵  
30865 Schema: ·  
30865 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
30865 ent..sch ↵  
30866 Engine ·name: ·ISO ·Schematron ↵  
30867 Severity: ·error ↵  
30868 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
30868 subSection ·or ·subSubSection. ↵  
30869 Start ·location: ·180:132 ↵  
30870 ↵

↳0871 System·ID: ·  
↳0871 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
↳0871 /FFEDFFCDFF85FA4FFFF60837FFB81863.xml ↵  
↳0872 Main·validation·file: ·  
↳0872 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
↳0872 /FFEDFFCDFF85FA4FFFF60837FFB81863.xml ↵  
↳0873 Scenario·name: ·gg-sch ↵  
↳0874 Schema: ·  
↳0874 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
↳0875 Engine·name: ·ISO·Schematron ↵  
↳0876 Severity: ·error ↵  
↳0877 Description: ·A·paragraph·must·have·an·ancestor·  
↳0877 subSection·or·subSubSection. ↵  
↳0878 Start·location: ·185:107 ↵  
↳0879 ↵  
↳0880 System·ID: ·  
↳0880 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
↳0880 /FFEDFFCDFF85FA4FFFF60837FFB81863.xml ↵  
↳0881 Main·validation·file: ·  
↳0881 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
↳0881 /FFEDFFCDFF85FA4FFFF60837FFB81863.xml ↵  
↳0882 Scenario·name: ·gg-sch ↵  
↳0883 Schema: ·  
↳0883 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
↳0884 Engine·name: ·ISO·Schematron ↵  
↳0885 Severity: ·error ↵  
↳0886 Description: ·A·paragraph·must·have·an·ancestor·  
↳0886 subSection·or·subSubSection. ↵  
↳0887 Start·location: ·201:76 ↵  
↳0888 ↵  
↳0889 System·ID: ·  
↳0889 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
↳0889 /FFEDFFCDFF85FA4FFFF60837FFB81863.xml ↵

```
30890 Main-validation-file: .
30890 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
30890 /FFEDFFCDFF85FA4FFFF60837FFB81863.xml<
30891 Scenario-name: .gg-sch<
30892 Schema: .
30892 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
30892 ent..sch<
30893 Engine-name: .ISO-Schematron<
30894 Severity: .error<
30895 Description: .A .paragraph .must .have .an .ancestor .
30895 subSection .or .subSubSection.<
30896 Start-location: .206:134<
30897 <
30898 System-ID: .
30898 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
30898 /FFEDFFCDFF85FA4FFFF60837FFB81863.xml<
30899 Main-validation-file: .
30899 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
30899 /FFEDFFCDFF85FA4FFFF60837FFB81863.xml<
30900 Scenario-name: .gg-sch<
30901 Schema: .
30901 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
30901 ent..sch<
30902 Engine-name: .ISO-Schematron<
30903 Severity: .error<
30904 Description: .A .paragraph .must .have .an .ancestor .
30904 subSection .or .subSubSection.<
30905 Start-location: .211:109<
30906 <
30907 System-ID: .
30907 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
30907 /FFEDFFCDFF85FA4FFFF60837FFB81863.xml<
30908 Main-validation-file: .
30908 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
30908 /FFEDFFCDFF85FA4FFFF60837FFB81863.xml<
```

```
30909 Scenario·name: ·gg-sch↵
30910 Schema: ·
30910 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
30910 ent..sch↵
30911 Engine·name: ·ISO ·Schematron↵
30912 Severity: ·error↵
30913 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
30913 subSection ·or ·subSubSection.↵
30914 Start ·location: ·222:134↵
30915 ↵
30916 System ·ID: ·
30916 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
30916 /FFEDFFCDFF85FA4FFFF60837FFB81863.xml↵
30917 Main ·validation ·file: ·
30917 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
30917 /FFEDFFCDFF85FA4FFFF60837FFB81863.xml↵
30918 Scenario·name: ·gg-sch↵
30919 Schema: ·
30919 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
30919 ent..sch↵
30920 Engine·name: ·ISO ·Schematron↵
30921 Severity: ·error↵
30922 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
30922 subSection ·or ·subSubSection.↵
30923 Start ·location: ·223:108↵
30924 ↵
30925 System ·ID: ·
30925 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
30925 /FFEDFFCDFF85FA4FFFF60837FFB81863.xml↵
30926 Main ·validation ·file: ·
30926 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
30926 /FFEDFFCDFF85FA4FFFF60837FFB81863.xml↵
30927 Scenario·name: ·gg-sch↵
30928 Schema: ·
30928 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
```

```
30928 ent..sch↵
30929 Engine.name: ·ISO ·Schematron↵
30930 Severity: ·error↵
30931 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
30931 subSection ·or ·subSubSection.↵
30932 Start ·location: ·249:108↵
30933 ↵
30934 System ·ID: ·
30934 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
30934 /FFEDFFCDFF85FA4FFFF60837FFB81863.xml↵
30935 Main ·validation ·file: ·
30935 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
30935 /FFEDFFCDFF85FA4FFFF60837FFB81863.xml↵
30936 Scenario ·name: ·gg-sch↵
30937 Schema: ·
30937 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
30937 ent..sch↵
30938 Engine.name: ·ISO ·Schematron↵
30939 Severity: ·error↵
30940 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
30940 subSection ·or ·subSubSection.↵
30941 Start ·location: ·250:109↵
30942 ↵
30943 System ·ID: ·
30943 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
30943 /FFEDFFCDFF85FA4FFFF60837FFB81863.xml↵
30944 Main ·validation ·file: ·
30944 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
30944 /FFEDFFCDFF85FA4FFFF60837FFB81863.xml↵
30945 Scenario ·name: ·gg-sch↵
30946 Schema: ·
30946 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
30946 ent..sch↵
30947 Engine.name: ·ISO ·Schematron↵
30948 Severity: ·error↵
```

30949 Description: -A ·paragraph ·must ·have ·an ·ancestor ·  
30949 subSection ·or ·subSubSection. ↵  
30950 Start ·location: ·251:136 ↵  
30951 ↵  
30952 System ·ID: ·  
30952 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
30952 /FFEDFFCDFF85FA4FFFF60837FFB81863.xml ↵  
30953 Main ·validation ·file: ·  
30953 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
30953 /FFEDFFCDFF85FA4FFFF60837FFB81863.xml ↵  
30954 Scenario ·name: ·gg-sch ↵  
30955 Schema: ·  
30955 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
30955 ent..sch ↵  
30956 Engine ·name: ·ISO ·Schematron ↵  
30957 Severity: ·error ↵  
30958 Description: -A ·paragraph ·must ·have ·an ·ancestor ·  
30958 subSection ·or ·subSubSection. ↵  
30959 Start ·location: ·252:136 ↵  
30960 ↵  
30961 System ·ID: ·  
30961 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
30961 /FFEDFFCDFF85FA4FFFF60837FFB81863.xml ↵  
30962 Main ·validation ·file: ·  
30962 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
30962 /FFEDFFCDFF85FA4FFFF60837FFB81863.xml ↵  
30963 Scenario ·name: ·gg-sch ↵  
30964 Schema: ·  
30964 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
30964 ent..sch ↵  
30965 Engine ·name: ·ISO ·Schematron ↵  
30966 Severity: ·error ↵  
30967 Description: -A ·paragraph ·must ·have ·an ·ancestor ·  
30967 subSection ·or ·subSubSection. ↵  
30968 Start ·location: ·253:109 ↵

```
↳
↳ System·ID: ·
↳ /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
↳ /FFEDFFCDFF85FA4FFFF60837FFB81863.xml↳
↳ Main·validation·file: ·
↳ /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
↳ /FFEDFFCDFF85FA4FFFF60837FFB81863.xml↳
↳ Scenario·name: ·gg-sch↳
↳ Schema: ·
↳ /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
↳ ent..sch↳
↳ Engine·name: ·ISO·Schematron↳
↳ Severity: ·error↳
↳ Description: ·A·paragraph·must·have·an·ancestor·
↳ subSection·or·subSubSection.↳
↳ Start·location: ·254:109↳
↳
↳ System·ID: ·
↳ /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
↳ /FFEDFFCDFF85FA4FFFF60837FFB81863.xml↳
↳ Main·validation·file: ·
↳ /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
↳ /FFEDFFCDFF85FA4FFFF60837FFB81863.xml↳
↳ Scenario·name: ·gg-sch↳
↳ Schema: ·
↳ /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
↳ ent..sch↳
↳ Engine·name: ·ISO·Schematron↳
↳ Severity: ·error↳
↳ Description: ·A·paragraph·must·have·an·ancestor·
↳ subSection·or·subSubSection.↳
↳ Start·location: ·258:109↳
↳
↳ System·ID: ·
↳ /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
```

```
30988 /FFEDFFCDFF85FA4FFFF60837FFB81863.xml↵
30989 Main-validation-file: ·
30989 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
30989 /FFEDFFCDFF85FA4FFFF60837FFB81863.xml↵
30990 Scenario-name: ·gg-sch↵
30991 Schema: ·
30991 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
30991 ent..sch↵
30992 Engine-name: ·ISO ·Schematron↵
30993 Severity: ·error↵
30994 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
30994 subSection ·or ·subSubSection.↵
30995 Start ·location: ·260:134↵
30996 ↵
30997 System ·ID: ·
30997 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
30997 /FFEDFFCDFF85FA4FFFF60837FFB81863.xml↵
30998 Main-validation-file: ·
30998 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
30998 /FFEDFFCDFF85FA4FFFF60837FFB81863.xml↵
30999 Scenario-name: ·gg-sch↵
31000 Schema: ·
31000 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
31000 ent..sch↵
31001 Engine-name: ·ISO ·Schematron↵
31002 Severity: ·error↵
31003 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
31003 subSection ·or ·subSubSection.↵
31004 Start ·location: ·266:108↵
31005 ↵
31006 System ·ID: ·
31006 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
31006 /FFEDFFCDFF85FA4FFFF60837FFB81863.xml↵
31007 Main-validation-file: ·
31007 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
```

```
|:1007 /FFEDFFCDFF85FA4FFFF60837FFB81863.xml↵
|:1008 Scenario·name: ·gg-sch↵
|:1009 Schema: ·
|:1009 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
|:1009 ent..sch↵
|:1010 Engine·name: ·ISO ·Schematron↵
|:1011 Severity: ·error↵
|:1012 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
|:1012 subSection ·or ·subSubSection.↵
|:1013 Start ·location: ·281:108↵
|:1014 ↵
|:1015 System ·ID: ·
|:1015 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
|:1015 /FFEDFFCDFF85FA4FFFF60837FFB81863.xml↵
|:1016 Main ·validation ·file: ·
|:1016 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
|:1016 /FFEDFFCDFF85FA4FFFF60837FFB81863.xml↵
|:1017 Scenario·name: ·gg-sch↵
|:1018 Schema: ·
|:1018 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
|:1018 ent..sch↵
|:1019 Engine·name: ·ISO ·Schematron↵
|:1020 Severity: ·error↵
|:1021 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
|:1021 subSection ·or ·subSubSection.↵
|:1022 Start ·location: ·282:134↵
|:1023 ↵
|:1024 System ·ID: ·
|:1024 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
|:1024 /FFEDFFCDFF85FA4FFFF60837FFB81863.xml↵
|:1025 Main ·validation ·file: ·
|:1025 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
|:1025 /FFEDFFCDFF85FA4FFFF60837FFB81863.xml↵
|:1026 Scenario·name: ·gg-sch↵
|:1027 Schema: ·
```

```
|1027 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm  
|1027 ent..sch↵  
|1028 Engine.name: ·ISO ·Schematron↵  
|1029 Severity: ·error↵  
|1030 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
|1030 subSection ·or ·subSubSection.↵  
|1031 Start ·location: ·287:145↵  
|1032 ↵  
|1033 System ·ID: ·  
|1033 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
|1033 /FFEDFFCDFF85FA4FFFF60837FFB81863.xml↵  
|1034 Main ·validation ·file: ·  
|1034 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
|1034 /FFEDFFCDFF85FA4FFFF60837FFB81863.xml↵  
|1035 Scenario ·name: ·gg-sch↵  
|1036 Schema: ·  
|1036 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm  
|1036 ent..sch↵  
|1037 Engine.name: ·ISO ·Schematron↵  
|1038 Severity: ·error↵  
|1039 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
|1039 subSection ·or ·subSubSection.↵  
|1040 Start ·location: ·308:177↵  
|1041 ↵  
|1042 System ·ID: ·  
|1042 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
|1042 /FFEDFFCDFF85FA4FFFF60837FFB81863.xml↵  
|1043 Main ·validation ·file: ·  
|1043 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
|1043 /FFEDFFCDFF85FA4FFFF60837FFB81863.xml↵  
|1044 Scenario ·name: ·gg-sch↵  
|1045 Schema: ·  
|1045 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm  
|1045 ent..sch↵  
|1046 Engine.name: ·ISO ·Schematron↵
```

:1047 Severity: ·error ↵  
:1048 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:1048 subSection ·or ·subSubSection. ↵  
:1049 Start ·location: ·327:131 ↵  
:1050 ↵  
:1051 System ·ID: ·  
:1051 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:1051 /FFEDFFCDFF85FA4FFFF60837FFB81863.xml ↵  
:1052 Main ·validation ·file: ·  
:1052 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:1052 /FFEDFFCDFF85FA4FFFF60837FFB81863.xml ↵  
:1053 Scenario ·name: ·gg-sch ↵  
:1054 Schema: ·  
:1054 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:1054 ent..sch ↵  
:1055 Engine ·name: ·ISO ·Schematron ↵  
:1056 Severity: ·error ↵  
:1057 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:1057 subSection ·or ·subSubSection. ↵  
:1058 Start ·location: ·332:107 ↵  
:1059 ↵  
:1060 System ·ID: ·  
:1060 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:1060 /FFEDFFCDFF85FA4FFFF60837FFB81863.xml ↵  
:1061 Main ·validation ·file: ·  
:1061 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
:1061 /FFEDFFCDFF85FA4FFFF60837FFB81863.xml ↵  
:1062 Scenario ·name: ·gg-sch ↵  
:1063 Schema: ·  
:1063 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
:1063 ent..sch ↵  
:1064 Engine ·name: ·ISO ·Schematron ↵  
:1065 Severity: ·error ↵  
:1066 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
:1066 subSection ·or ·subSubSection. ↵

```
|:1067 Start ·location: ·355:177↵
|:1068 ↵
|:1069 System ·ID: ·
|:1069 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
|:1069 /FFEDFFCDFF85FA4FFFF60837FFB81863.xml↵
|:1070 Main ·validation ·file: ·
|:1070 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
|:1070 /FFEDFFCDFF85FA4FFFF60837FFB81863.xml↵
|:1071 Scenario ·name: ·gg-sch↵
|:1072 Schema: ·
|:1072 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
|:1072 ent..sch↵
|:1073 Engine ·name: ·ISO ·Schematron↵
|:1074 Severity: ·error↵
|:1075 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
|:1075 subSection ·or ·subSubSection.↵
|:1076 Start ·location: ·377:109↵
|:1077 ↵
|:1078 System ·ID: ·
|:1078 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
|:1078 /FFEDFFCDFF85FA4FFFF60837FFB81863.xml↵
|:1079 Main ·validation ·file: ·
|:1079 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
|:1079 /FFEDFFCDFF85FA4FFFF60837FFB81863.xml↵
|:1080 Scenario ·name: ·gg-sch↵
|:1081 Schema: ·
|:1081 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
|:1081 ent..sch↵
|:1082 Engine ·name: ·ISO ·Schematron↵
|:1083 Severity: ·error↵
|:1084 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
|:1084 subSection ·or ·subSubSection.↵
|:1085 Start ·location: ·383:107↵
|:1086 ↵
|:1087 System ·ID: ·
```

```
|1087 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
|1087 /FFEDFFCDFF85FA4FFFF60837FFB81863.xml↵
|1088 Main-validation-file: .
|1088 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
|1088 /FFEDFFCDFF85FA4FFFF60837FFB81863.xml↵
|1089 Scenario-name: .gg-sch↵
|1090 Schema: .
|1090 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
|1090 ent..sch↵
|1091 Engine-name: .ISO-Schematron↵
|1092 Severity: .error↵
|1093 Description: .A paragraph must have an ancestor .
|1093 subSection.or subSubSection.↵
|1094 Start-location: .400:107↵
|1095 ↵
|1096 System-ID: .
|1096 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
|1096 /FFEDFFCDFF85FA4FFFF60837FFB81863.xml↵
|1097 Main-validation-file: .
|1097 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
|1097 /FFEDFFCDFF85FA4FFFF60837FFB81863.xml↵
|1098 Scenario-name: .gg-sch↵
|1099 Schema: .
|1099 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
|1099 ent..sch↵
|1100 Engine-name: .ISO-Schematron↵
|1101 Severity: .error↵
|1102 Description: .A paragraph must have an ancestor .
|1102 subSection.or subSubSection.↵
|1103 Start-location: .405:107↵
|1104 ↵
|1105 System-ID: .
|1105 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
|1105 /FFEDFFCDFF85FA4FFFF60837FFB81863.xml↵
|1106 Main-validation-file: .
```

```
|:1106 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
|:1106 /FFEDFFCDFF85FA4FFFF60837FFB81863.xml↵
|:1107 Scenario·name: ·gg-sch↵
|:1108 Schema: ·
|:1108 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
|:1108 ent..sch↵
|:1109 Engine·name: ·ISO ·Schematron↵
|:1110 Severity: ·error↵
|:1111 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
|:1111 subSection ·or ·subSubSection.↵
|:1112 Start ·location: ·412:143↵
|:1113 ↵
|:1114 System ·ID: ·
|:1114 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
|:1114 /FFEDFFCDFF85FA4FFFF60837FFB81863.xml↵
|:1115 Main ·validation ·file: ·
|:1115 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
|:1115 /FFEDFFCDFF85FA4FFFF60837FFB81863.xml↵
|:1116 Scenario ·name: ·gg-sch↵
|:1117 Schema: ·
|:1117 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
|:1117 ent..sch↵
|:1118 Engine·name: ·ISO ·Schematron↵
|:1119 Severity: ·error↵
|:1120 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
|:1120 subSection ·or ·subSubSection.↵
|:1121 Start ·location: ·456:109↵
|:1122 ↵
|:1123 System ·ID: ·
|:1123 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
|:1123 /FFEDFFCDFF85FA4FFFF60837FFB81863.xml↵
|:1124 Main ·validation ·file: ·
|:1124 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
|:1124 /FFEDFFCDFF85FA4FFFF60837FFB81863.xml↵
|:1125 Scenario ·name: ·gg-sch↵
```

```
|1126 Schema: .
|1126 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
|1126 ent..sch<
|1127 Engine.name: .ISO.Schematron<
|1128 Severity: .error<
|1129 Description: .A.paragraph.must.have.an.ancestor.
|1129 subSection.or.subSubSection.<
|1130 Start.location: .461:109<
|1131 <
|1132 System.ID: .
|1132 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
|1132 /FFEDFFCDFF85FA4FFFF60837FFB81863.xml<
|1133 Main.validation.file: .
|1133 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
|1133 /FFEDFFCDFF85FA4FFFF60837FFB81863.xml<
|1134 Scenario.name: .gg-sch<
|1135 Schema: .
|1135 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
|1135 ent..sch<
|1136 Engine.name: .ISO.Schematron<
|1137 Severity: .error<
|1138 Description: .A.paragraph.must.have.an.ancestor.
|1138 subSection.or.subSubSection.<
|1139 Start.location: .476:107<
|1140 <
|1141 System.ID: .
|1141 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
|1141 /FFEDFFCDFF85FA4FFFF60837FFB81863.xml<
|1142 Main.validation.file: .
|1142 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
|1142 /FFEDFFCDFF85FA4FFFF60837FFB81863.xml<
|1143 Scenario.name: .gg-sch<
|1144 Schema: .
|1144 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
|1144 ent..sch<
```

\1145 Engine.name: .ISO.Schematron  
\1146 Severity: .error  
\1147 Description: .A.paragraph.must.have.an.ancestor.  
subSection.or.subSubSection.  
\1148 Start.location: .477:107  
\1149  
\1150 System.ID: .  
\1150 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
/FFEDFFCDFF85FA4FFFF60837FFB81863.xml  
\1151 Main.validation.file: .  
\1151 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
/FFEDFFCDFF85FA4FFFF60837FFB81863.xml  
\1152 Scenario.name: .gg-sch  
\1153 Schema: .  
\1153 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch  
\1154 Engine.name: .ISO.Schematron  
\1155 Severity: .error  
\1156 Description: .A.paragraph.must.have.an.ancestor.  
subSection.or.subSubSection.  
\1157 Start.location: .490:142  
\1158  
\1159 System.ID: .  
\1159 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
/FFEDFFCDFF85FA4FFFF60837FFB81863.xml  
\1160 Main.validation.file: .  
\1160 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
/FFEDFFCDFF85FA4FFFF60837FFB81863.xml  
\1161 Scenario.name: .gg-sch  
\1162 Schema: .  
\1162 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch  
\1163 Engine.name: .ISO.Schematron  
\1164 Severity: .error  
\1165 Description: .A.paragraph.must.have.an.ancestor.

```
|1165 subSection ·or ·subSubSection.↵
|1166 Start ·location: ·498:107↵
|1167 ↵
|1168 System ·ID: ·
|1168 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
|1168 /FFEDFFCDFF85FA4FFFF60837FFB81863.xml↵
|1169 Main ·validation ·file: ·
|1169 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
|1169 /FFEDFFCDFF85FA4FFFF60837FFB81863.xml↵
|1170 Scenario ·name: ·gg-sch↵
|1171 Schema: ·
|1171 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
|1171 ent..sch↵
|1172 Engine ·name: ·ISO ·Schematron↵
|1173 Severity: ·error↵
|1174 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
|1174 subSection ·or ·subSubSection.↵
|1175 Start ·location: ·512:143↵
|1176 ↵
|1177 System ·ID: ·
|1177 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
|1177 /FFEDFFCDFF85FA4FFFF60837FFB81863.xml↵
|1178 Main ·validation ·file: ·
|1178 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
|1178 /FFEDFFCDFF85FA4FFFF60837FFB81863.xml↵
|1179 Scenario ·name: ·gg-sch↵
|1180 Schema: ·
|1180 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
|1180 ent..sch↵
|1181 Engine ·name: ·ISO ·Schematron↵
|1182 Severity: ·error↵
|1183 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
|1183 subSection ·or ·subSubSection.↵
|1184 Start ·location: ·539:109↵
|1185 ↵
```

```
|1186 System·ID: ·  
|1186 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
|1186 /FFEDFFCDFF85FA4FFFF60837FFB81863.xml↵  
|1187 Main·validation·file: ·  
|1187 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
|1187 /FFEDFFCDFF85FA4FFFF60837FFB81863.xml↵  
|1188 Scenario·name: ·gg-sch↵  
|1189 Schema: ·  
|1189 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm  
|1189 ent..sch↵  
|1190 Engine·name: ·ISO·Schematron↵  
|1191 Severity: ·error↵  
|1192 Description: ·A·paragraph·must·have·an·ancestor·  
|1192 subSection·or·subSubSection.↵  
|1193 Start·location: ·561:107↵  
|1194 ↵  
|1195 System·ID: ·  
|1195 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
|1195 /FFEDFFCDFF85FA4FFFF60837FFB81863.xml↵  
|1196 Main·validation·file: ·  
|1196 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
|1196 /FFEDFFCDFF85FA4FFFF60837FFB81863.xml↵  
|1197 Scenario·name: ·gg-sch↵  
|1198 Schema: ·  
|1198 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm  
|1198 ent..sch↵  
|1199 Engine·name: ·ISO·Schematron↵  
|1200 Severity: ·error↵  
|1201 Description: ·A·paragraph·must·have·an·ancestor·  
|1201 subSection·or·subSubSection.↵  
|1202 Start·location: ·574:107↵  
|1203 ↵  
|1204 System·ID: ·  
|1204 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
|1204 /FFEDFFCDFF85FA4FFFF60837FFB81863.xml↵
```

```
|1205 Main-validation-file: ·  
|1205 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
|1205 /FFEDFFCDFF85FA4FFFF60837FFB81863.xml↵  
|1206 Scenario-name: ·gg-sch↵  
|1207 Schema: ·  
|1207 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm  
|1207 ent..sch↵  
|1208 Engine-name: ·ISO ·Schematron↵  
|1209 Severity: ·error↵  
|1210 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
|1210 subSection ·or ·subSubSection.↵  
|1211 Start ·location: ·600:175↵  
|1212 ↵  
|1213 System ·ID: ·  
|1213 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
|1213 /FFEDFFCDFF85FA4FFFF60837FFB81863.xml↵  
|1214 Main-validation-file: ·  
|1214 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
|1214 /FFEDFFCDFF85FA4FFFF60837FFB81863.xml↵  
|1215 Scenario-name: ·gg-sch↵  
|1216 Schema: ·  
|1216 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm  
|1216 ent..sch↵  
|1217 Engine-name: ·ISO ·Schematron↵  
|1218 Severity: ·error↵  
|1219 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
|1219 subSection ·or ·subSubSection.↵  
|1220 Start ·location: ·628:109↵  
|1221 ↵  
|1222 System ·ID: ·  
|1222 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
|1222 /FFEDFFCDFF85FA4FFFF60837FFB81863.xml↵  
|1223 Main-validation-file: ·  
|1223 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
|1223 /FFEDFFCDFF85FA4FFFF60837FFB81863.xml↵
```

```
|1224 Scenario·name: ·gg-sch↵
|1225 Schema: ·
|1225 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
|1225 ent..sch↵
|1226 Engine·name: ·ISO·Schematron↵
|1227 Severity: ·error↵
|1228 Description: ·A·paragraph·must·have·an·ancestor·
|1228 subSection·or·subSubSection.↵
|1229 Start·location: ·643:131↵
|1230 ↵
|1231 System·ID: ·
|1231 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
|1231 /FFEDFFCDFF85FA4FFFF60837FFB81863.xml↵
|1232 Main·validation·file: ·
|1232 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
|1232 /FFEDFFCDFF85FA4FFFF60837FFB81863.xml↵
|1233 Scenario·name: ·gg-sch↵
|1234 Schema: ·
|1234 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
|1234 ent..sch↵
|1235 Engine·name: ·ISO·Schematron↵
|1236 Severity: ·error↵
|1237 Description: ·A·paragraph·must·have·an·ancestor·
|1237 subSection·or·subSubSection.↵
|1238 Start·location: ·648:107↵
|1239 ↵
|1240 System·ID: ·
|1240 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
|1240 /FFEDFFCDFF85FA4FFFF60837FFB81863.xml↵
|1241 Main·validation·file: ·
|1241 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
|1241 /FFEDFFCDFF85FA4FFFF60837FFB81863.xml↵
|1242 Scenario·name: ·gg-sch↵
|1243 Schema: ·
|1243 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
```

```
|1243 ent..sch↵
|1244 Engine.name: ·ISO ·Schematron↵
|1245 Severity: ·error↵
|1246 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
|1246 subsection ·or ·subSubSection.↵
|1247 Start ·location: ·657:142↵
|1248 ↵
|1249 System ·ID: ·
|1249 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
|1249 /FFEDFFCDFF85FA4FFFF60837FFB81863.xml↵
|1250 Main ·validation ·file: ·
|1250 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
|1250 /FFEDFFCDFF85FA4FFFF60837FFB81863.xml↵
|1251 Scenario ·name: ·gg-sch↵
|1252 Schema: ·
|1252 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
|1252 ent..sch↵
|1253 Engine.name: ·ISO ·Schematron↵
|1254 Severity: ·error↵
|1255 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
|1255 subsection ·or ·subSubSection.↵
|1256 Start ·location: ·674:107↵
|1257 ↵
|1258 System ·ID: ·
|1258 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
|1258 /FFEDFFCDFF85FA4FFFF60837FFB81863.xml↵
|1259 Main ·validation ·file: ·
|1259 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
|1259 /FFEDFFCDFF85FA4FFFF60837FFB81863.xml↵
|1260 Scenario ·name: ·gg-sch↵
|1261 Schema: ·
|1261 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
|1261 ent..sch↵
|1262 Engine.name: ·ISO ·Schematron↵
|1263 Severity: ·error↵
```

\1264 Description: -A -paragraph -must -have -an -ancestor -  
\1264 subSection -or -subSubSection. ↵  
\1265 Start -location: -704:132 ↵  
\1266 ↵  
\1267 System -ID: -  
/Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
/FFEDFFCDFF85FA4FFFF60837FFB81863.xml ↵  
\1268 Main -validation -file: -  
/Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
/FFEDFFCDFF85FA4FFFF60837FFB81863.xml ↵  
\1269 Scenario -name: -gg-sch ↵  
\1270 Schema: -  
/Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
\1271 Engine -name: -ISO -Schematron ↵  
\1272 Severity: -error ↵  
\1273 Description: -A -paragraph -must -have -an -ancestor -  
\1273 subSection -or -subSubSection. ↵  
\1274 Start -location: -709:177 ↵  
\1275 ↵  
\1276 System -ID: -  
/Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
/FFEDFFCDFF85FA4FFFF60837FFB81863.xml ↵  
\1277 Main -validation -file: -  
/Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
/FFEDFFCDFF85FA4FFFF60837FFB81863.xml ↵  
\1278 Scenario -name: -gg-sch ↵  
\1279 Schema: -  
/Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
\1280 Engine -name: -ISO -Schematron ↵  
\1281 Severity: -error ↵  
\1282 Description: -A -paragraph -must -have -an -ancestor -  
\1282 subSection -or -subSubSection. ↵  
\1283 Start -location: -727:109 ↵

```
|1284 <System·ID: ·  
|1285 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
|1285 /FFEDFFCDFF85FA4FFFF60837FFB81863.xml<  
|1286 Main·validation·file: ·  
|1286 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
|1286 /FFEDFFCDFF85FA4FFFF60837FFB81863.xml<  
|1287 Scenario·name: ·gg-sch<  
|1288 Schema: ·  
|1288 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm  
|1288 ent..sch<  
|1289 Engine·name: ·ISO·Schematron<  
|1290 Severity: ·error<  
|1291 Description: ·A·paragraph·must·have·an·ancestor·  
|1291 subSection·or·subSubSection.<  
|1292 Start·location: ·742:107<  
|1293 <  
|1294 System·ID: ·  
|1294 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
|1294 /FFEDFFCDFF85FA4FFFF60837FFB81863.xml<  
|1295 Main·validation·file: ·  
|1295 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
|1295 /FFEDFFCDFF85FA4FFFF60837FFB81863.xml<  
|1296 Scenario·name: ·gg-sch<  
|1297 Schema: ·  
|1297 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm  
|1297 ent..sch<  
|1298 Engine·name: ·ISO·Schematron<  
|1299 Severity: ·error<  
|1300 Description: ·A·paragraph·must·have·an·ancestor·  
|1300 subSection·or·subSubSection.<  
|1301 Start·location: ·773:134<  
|1302 <  
|1303 System·ID: ·  
|1303 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
```

```
|1303 /FFEDFFCDFF85FA4FFFF60837FFB81863.xml↵
|1304 Main-validation-file: ·
|1304 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
|1304 /FFEDFFCDFF85FA4FFFF60837FFB81863.xml↵
|1305 Scenario-name: ·gg-sch↵
|1306 Schema: ·
|1306 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
|1306 ent..sch↵
|1307 Engine-name: ·ISO-Schematron↵
|1308 Severity: ·error↵
|1309 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
|1309 subSection ·or ·subSubSection.↵
|1310 Start-location: ·778:108↵
|1311 ↵
|1312 System-ID: ·
|1312 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
|1312 /FFEDFFCDFF85FA4FFFF60837FFB81863.xml↵
|1313 Main-validation-file: ·
|1313 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
|1313 /FFEDFFCDFF85FA4FFFF60837FFB81863.xml↵
|1314 Scenario-name: ·gg-sch↵
|1315 Schema: ·
|1315 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
|1315 ent..sch↵
|1316 Engine-name: ·ISO-Schematron↵
|1317 Severity: ·error↵
|1318 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
|1318 subSection ·or ·subSubSection.↵
|1319 Start-location: ·789:144↵
|1320 ↵
|1321 System-ID: ·
|1321 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
|1321 /FFEDFFCDFF85FA4FFFF60837FFB81863.xml↵
|1322 Main-validation-file: ·
|1322 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
```

↳1322 /FFEDFFCDFF85FA4FFFF60837FFB81863.xml ↵  
↳1323 Scenario·name: ·gg-sch↵  
↳1324 Schema: ·  
↳1324 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch↵  
↳1325 Engine·name: ·ISO ·Schematron↵  
↳1326 Severity: ·error↵  
↳1327 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
↳1327 subSection ·or ·subSubSection.↵  
↳1328 Start ·location: ·808:108↵  
↳1329 ↵  
↳1330 System ·ID: ·  
↳1330 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
↳1330 /FFEDFFCDFF85FA4FFFF60837FFB81863.xml↵  
↳1331 Main ·validation ·file: ·  
↳1331 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
↳1331 /FFEDFFCDFF85FA4FFFF60837FFB81863.xml↵  
↳1332 Scenario·name: ·gg-sch↵  
↳1333 Schema: ·  
↳1333 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch↵  
↳1334 Engine·name: ·ISO ·Schematron↵  
↳1335 Severity: ·error↵  
↳1336 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
↳1336 subSection ·or ·subSubSection.↵  
↳1337 Start ·location: ·829:108↵  
↳1338 ↵  
↳1339 System ·ID: ·  
↳1339 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
↳1339 /FFEDFFCDFF85FA4FFFF60837FFB81863.xml↵  
↳1340 Main ·validation ·file: ·  
↳1340 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
↳1340 /FFEDFFCDFF85FA4FFFF60837FFB81863.xml↵  
↳1341 Scenario·name: ·gg-sch↵  
↳1342 Schema: ·

```
|1342 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm  
|1342 ent..sch↵  
|1343 Engine.name: ·ISO ·Schematron↵  
|1344 Severity: ·error↵  
|1345 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
|1345 subSection ·or ·subSubSection.↵  
|1346 Start ·location: ·841:108↵  
|1347 ↵  
|1348 System ·ID: ·  
|1348 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
|1348 /FFEDFFCDFF85FA4FFFF60837FFB81863.xml↵  
|1349 Main ·validation ·file: ·  
|1349 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
|1349 /FFEDFFCDFF85FA4FFFF60837FFB81863.xml↵  
|1350 Scenario ·name: ·gg-sch↵  
|1351 Schema: ·  
|1351 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm  
|1351 ent..sch↵  
|1352 Engine.name: ·ISO ·Schematron↵  
|1353 Severity: ·error↵  
|1354 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
|1354 subSection ·or ·subSubSection.↵  
|1355 Start ·location: ·848:136↵  
|1356 ↵  
|1357 System ·ID: ·  
|1357 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
|1357 /FFEDFFCDFF85FA4FFFF60837FFB81863.xml↵  
|1358 Main ·validation ·file: ·  
|1358 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
|1358 /FFEDFFCDFF85FA4FFFF60837FFB81863.xml↵  
|1359 Scenario ·name: ·gg-sch↵  
|1360 Schema: ·  
|1360 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm  
|1360 ent..sch↵  
|1361 Engine.name: ·ISO ·Schematron↵
```

↳1362 Severity: ·error ↵  
↳1363 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
↳1363 subSection ·or ·subSubSection. ↵  
↳1364 Start ·location: ·853:177 ↵  
↳1365 ↵  
↳1366 System ·ID: ·  
↳1366 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
↳1366 /FFEDFFCDFF85FA4FFFF60837FFB81863.xml ↵  
↳1367 Main ·validation ·file: ·  
↳1367 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
↳1367 /FFEDFFCDFF85FA4FFFF60837FFB81863.xml ↵  
↳1368 Scenario ·name: ·gg-sch ↵  
↳1369 Schema: ·  
↳1369 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
↳1370 Engine ·name: ·ISO ·Schematron ↵  
↳1371 Severity: ·error ↵  
↳1372 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
↳1372 subSection ·or ·subSubSection. ↵  
↳1373 Start ·location: ·861:106 ↵  
↳1374 ↵  
↳1375 System ·ID: ·  
↳1375 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
↳1375 /FFEDFFCDFF85FA4FFFF60837FFB81863.xml ↵  
↳1376 Main ·validation ·file: ·  
↳1376 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
↳1376 /FFEDFFCDFF85FA4FFFF60837FFB81863.xml ↵  
↳1377 Scenario ·name: ·gg-sch ↵  
↳1378 Schema: ·  
↳1378 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
↳1379 Engine ·name: ·ISO ·Schematron ↵  
↳1380 Severity: ·error ↵  
↳1381 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
↳1381 subSection ·or ·subSubSection. ↵

```
|1382 Start ·location: ·865:106↵
|1383 ↵
|1384 System ·ID: ·
|1384 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
|1384 /FFEDFFCDFF85FA4FFFF60837FFB81863.xml↵
|1385 Main ·validation ·file: ·
|1385 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
|1385 /FFEDFFCDFF85FA4FFFF60837FFB81863.xml↵
|1386 Scenario ·name: ·gg-sch↵
|1387 Schema: ·
|1387 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
|1387 ent..sch↵
|1388 Engine ·name: ·ISO ·Schematron↵
|1389 Severity: ·error↵
|1390 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
|1390 subSection ·or ·subSubSection.↵
|1391 Start ·location: ·869:106↵
|1392 ↵
|1393 System ·ID: ·
|1393 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
|1393 /FFEDFFCDFF85FA4FFFF60837FFB81863.xml↵
|1394 Main ·validation ·file: ·
|1394 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
|1394 /FFEDFFCDFF85FA4FFFF60837FFB81863.xml↵
|1395 Scenario ·name: ·gg-sch↵
|1396 Schema: ·
|1396 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
|1396 ent..sch↵
|1397 Engine ·name: ·ISO ·Schematron↵
|1398 Severity: ·error↵
|1399 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
|1399 subSection ·or ·subSubSection.↵
|1400 Start ·location: ·873:107↵
|1401 ↵
|1402 System ·ID: ·
```

```
|1402 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
|1402 /FFEDFFCDFF85FA4FFFF60837FFB81863.xml↵
|1403 Main-validation-file: .
|1403 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
|1403 /FFEDFFCDFF85FA4FFFF60837FFB81863.xml↵
|1404 Scenario-name: .gg-sch↵
|1405 Schema: .
|1405 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
|1405 ent..sch↵
|1406 Engine-name: .ISO-Schematron↵
|1407 Severity: .error↵
|1408 Description: .A .paragraph .must .have .an .ancestor .
|1408 subSection .or .subSubSection.↵
|1409 Start-location: .986:108↵
|1410 ↵
|1411 System-ID: .
|1411 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
|1411 /FFEDFFCDFF85FA4FFFF60837FFB81863.xml↵
|1412 Main-validation-file: .
|1412 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
|1412 /FFEDFFCDFF85FA4FFFF60837FFB81863.xml↵
|1413 Scenario-name: .gg-sch↵
|1414 Schema: .
|1414 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
|1414 ent..sch↵
|1415 Engine-name: .ISO-Schematron↵
|1416 Severity: .error↵
|1417 Description: .A .paragraph .must .have .an .ancestor .
|1417 subSection .or .subSubSection.↵
|1418 Start-location: .990:108↵
|1419 ↵
|1420 System-ID: .
|1420 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
|1420 /FFEDFFCDFF85FA4FFFF60837FFB81863.xml↵
|1421 Main-validation-file: .
```

```
|1421 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
|1421 /FFEDFFCDFF85FA4FFFF60837FFB81863.xml↵
|1422 Scenario.name: .gg-sch↵
|1423 Schema: .
|1423 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
|1423 ent..sch↵
|1424 Engine.name: .ISO .Schematron↵
|1425 Severity: .error↵
|1426 Description: .A .paragraph .must .have .an .ancestor .
|1426 subSection .or .subSubSection.↵
|1427 Start.location: .994:107↵
|1428 ↵
|1429 System.ID: .
|1429 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
|1429 /FFEDFFCDFF85FA4FFFF60837FFB81863.xml↵
|1430 Main.validation.file: .
|1430 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
|1430 /FFEDFFCDFF85FA4FFFF60837FFB81863.xml↵
|1431 Scenario.name: .gg-sch↵
|1432 Schema: .
|1432 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
|1432 ent..sch↵
|1433 Engine.name: .ISO .Schematron↵
|1434 Severity: .error↵
|1435 Description: .A .paragraph .must .have .an .ancestor .
|1435 subSection .or .subSubSection.↵
|1436 Start.location: .1009:107↵
|1437 ↵
|1438 System.ID: .
|1438 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
|1438 /FFEDFFCDFF85FA4FFFF60837FFB81863.xml↵
|1439 Main.validation.file: .
|1439 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
|1439 /FFEDFFCDFF85FA4FFFF60837FFB81863.xml↵
|1440 Scenario.name: .gg-sch↵
```

\1441 Schema: .  
\1441 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
\1441 ent..sch↵  
\1442 Engine.name: .ISO .Schematron↵  
\1443 Severity: .error↵  
\1444 Description: .A .paragraph .must .have .an .ancestor .  
\1444 subSection .or .subSubSection.↵  
\1445 Start.location: .1017:108↵  
\1446 ↵  
\1447 System.ID: .  
\1447 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
\1447 /FFEDFFCDFF85FA4FFFF60837FFB81863.xml↵  
\1448 Main.validation.file: .  
\1448 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
\1448 /FFEDFFCDFF85FA4FFFF60837FFB81863.xml↵  
\1449 Scenario.name: .gg-sch↵  
\1450 Schema: .  
\1450 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
\1450 ent..sch↵  
\1451 Engine.name: .ISO .Schematron↵  
\1452 Severity: .error↵  
\1453 Description: .A .paragraph .must .have .an .ancestor .  
\1453 subSection .or .subSubSection.↵  
\1454 Start.location: .1021:109↵  
\1455 ↵  
\1456 System.ID: .  
\1456 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
\1456 /FFEDFFCDFF85FA4FFFF60837FFB81863.xml↵  
\1457 Main.validation.file: .  
\1457 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
\1457 /FFEDFFCDFF85FA4FFFF60837FFB81863.xml↵  
\1458 Scenario.name: .gg-sch↵  
\1459 Schema: .  
\1459 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
\1459 ent..sch↵

\1460 Engine.name: .ISO.Schematron↵  
\1461 Severity: .error↵  
\1462 Description: .A.paragraph.must.have.an.ancestor.  
subSection.or.subSubSection.↵  
\1463 Start.location: .1063:108↵  
\1464 ↵  
\1465 System.ID: .  
\1465 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
/FFEDFFCDFF85FA4FFFF60837FFB81863.xml↵  
\1466 Main.validation.file: .  
\1466 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
/FFEDFFCDFF85FA4FFFF60837FFB81863.xml↵  
\1467 Scenario.name: .gg-sch↵  
\1468 Schema: .  
\1468 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch↵  
\1469 Engine.name: .ISO.Schematron↵  
\1470 Severity: .error↵  
\1471 Description: .A.paragraph.must.have.an.ancestor.  
subSection.or.subSubSection.↵  
\1472 Start.location: .1091:108↵  
\1473 ↵  
\1474 System.ID: .  
\1474 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
/FFEDFFCDFF85FA4FFFF60837FFB81863.xml↵  
\1475 Main.validation.file: .  
\1475 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
/FFEDFFCDFF85FA4FFFF60837FFB81863.xml↵  
\1476 Scenario.name: .gg-sch↵  
\1477 Schema: .  
\1477 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch↵  
\1478 Engine.name: .ISO.Schematron↵  
\1479 Severity: .error↵  
\1480 Description: .A.paragraph.must.have.an.ancestor.

```
|1480 subSection ·or ·subSubSection.↵
|1481 Start ·location: ·1113:108↵
|1482 ↵
|1483 System ·ID: ·
|1483 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
|1483 /FFEDFFCDFF85FA4FFFF60837FFB81863.xml↵
|1484 Main ·validation ·file: ·
|1484 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
|1484 /FFEDFFCDFF85FA4FFFF60837FFB81863.xml↵
|1485 Scenario ·name: ·gg-sch↵
|1486 Schema: ·
|1486 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
|1486 ent..sch↵
|1487 Engine ·name: ·ISO ·Schematron↵
|1488 Severity: ·error↵
|1489 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
|1489 subSection ·or ·subSubSection.↵
|1490 Start ·location: ·1139:108↵
|1491 ↵
|1492 System ·ID: ·
|1492 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
|1492 /FFEDFFCDFF85FA4FFFF60837FFB81863.xml↵
|1493 Main ·validation ·file: ·
|1493 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
|1493 /FFEDFFCDFF85FA4FFFF60837FFB81863.xml↵
|1494 Scenario ·name: ·gg-sch↵
|1495 Schema: ·
|1495 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
|1495 ent..sch↵
|1496 Engine ·name: ·ISO ·Schematron↵
|1497 Severity: ·error↵
|1498 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
|1498 subSection ·or ·subSubSection.↵
|1499 Start ·location: ·1158:108↵
|1500 ↵
```

```
|:1501 System·ID: ·  
|:1501 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
|:1501 /FFEDFFCDFF85FA4FFFF60837FFB81863.xml↵  
|:1502 Main·validation·file: ·  
|:1502 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
|:1502 /FFEDFFCDFF85FA4FFFF60837FFB81863.xml↵  
|:1503 Scenario·name: ·gg-sch↵  
|:1504 Schema: ·  
|:1504 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm  
|:1504 ent..sch↵  
|:1505 Engine·name: ·ISO·Schematron↵  
|:1506 Severity: ·error↵  
|:1507 Description: ·A·paragraph·must·have·an·ancestor·  
|:1507 subSection·or·subSubSection.↵  
|:1508 Start·location: ·1182:108↵  
|:1509 ↵  
|:1510 System·ID: ·  
|:1510 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
|:1510 /FFEDFFCDFF85FA4FFFF60837FFB81863.xml↵  
|:1511 Main·validation·file: ·  
|:1511 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
|:1511 /FFEDFFCDFF85FA4FFFF60837FFB81863.xml↵  
|:1512 Scenario·name: ·gg-sch↵  
|:1513 Schema: ·  
|:1513 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm  
|:1513 ent..sch↵  
|:1514 Engine·name: ·ISO·Schematron↵  
|:1515 Severity: ·error↵  
|:1516 Description: ·A·paragraph·must·have·an·ancestor·  
|:1516 subSection·or·subSubSection.↵  
|:1517 Start·location: ·1204:109↵  
|:1518 ↵  
|:1519 System·ID: ·  
|:1519 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
|:1519 /FFEDFFCDFF85FA4FFFF60837FFB81863.xml↵
```

```
|1520 Main-validation-file: .
|1520 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
|1520 /FFEDFFCDFF85FA4FFFF60837FFB81863.xml<
|1521 Scenario-name: .gg-sch<
|1522 Schema: .
|1522 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
|1522 ent..sch<
|1523 Engine-name: .ISO-Schematron<
|1524 Severity: .error<
|1525 Description: .A .paragraph .must .have .an .ancestor .
|1525 subSection .or .subSubSection.<
|1526 Start-location: .1226:109<
|1527 <
|1528 System-ID: .
|1528 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
|1528 /FFEDFFCDFF85FA4FFFF60837FFB81863.xml<
|1529 Main-validation-file: .
|1529 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
|1529 /FFEDFFCDFF85FA4FFFF60837FFB81863.xml<
|1530 Scenario-name: .gg-sch<
|1531 Schema: .
|1531 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
|1531 ent..sch<
|1532 Engine-name: .ISO-Schematron<
|1533 Severity: .error<
|1534 Description: .A .paragraph .must .have .an .ancestor .
|1534 subSection .or .subSubSection.<
|1535 Start-location: .1250:109<
|1536 <
|1537 System-ID: .
|1537 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
|1537 /FFEDFFCDFF85FA4FFFF60837FFB81863.xml<
|1538 Main-validation-file: .
|1538 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
|1538 /FFEDFFCDFF85FA4FFFF60837FFB81863.xml<
```

```
|1539 Scenario·name: ·gg-sch↵
|1540 Schema: ·
|1540 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
|1540 ent..sch↵
|1541 Engine·name: ·ISO·Schematron↵
|1542 Severity: ·error↵
|1543 Description: ·A·paragraph·must·have·an·ancestor·
|1543 subSection·or·subSubSection.↵
|1544 Start·location: ·1272:109↵
|1545 ↵
|1546 System·ID: ·
|1546 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
|1546 /FFEDFFCDFF85FA4FFFF60837FFB81863.xml↵
|1547 Main·validation·file: ·
|1547 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
|1547 /FFEDFFCDFF85FA4FFFF60837FFB81863.xml↵
|1548 Scenario·name: ·gg-sch↵
|1549 Schema: ·
|1549 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
|1549 ent..sch↵
|1550 Engine·name: ·ISO·Schematron↵
|1551 Severity: ·error↵
|1552 Description: ·A·paragraph·must·have·an·ancestor·
|1552 subSection·or·subSubSection.↵
|1553 Start·location: ·1295:109↵
|1554 ↵
|1555 System·ID: ·
|1555 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
|1555 /FFEDFFCDFF85FA4FFFF60837FFB81863.xml↵
|1556 Main·validation·file: ·
|1556 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
|1556 /FFEDFFCDFF85FA4FFFF60837FFB81863.xml↵
|1557 Scenario·name: ·gg-sch↵
|1558 Schema: ·
|1558 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
```

```
|1558 ent..sch↵
|1559 Engine·name: ·ISO ·Schematron↵
|1560 Severity: ·error↵
|1561 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
|1561 subsection ·or ·subSubSection.↵
|1562 Start ·location: ·1322:108↵
|1563 ↵
|1564 System ·ID: ·
|1564 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
|1564 /FFEDFFCDFF85FA4FFFF60837FFB81863.xml↵
|1565 Main ·validation ·file: ·
|1565 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
|1565 /FFEDFFCDFF85FA4FFFF60837FFB81863.xml↵
|1566 Scenario ·name: ·gg-sch↵
|1567 Schema: ·
|1567 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
|1567 ent..sch↵
|1568 Engine·name: ·ISO ·Schematron↵
|1569 Severity: ·error↵
|1570 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
|1570 subsection ·or ·subSubSection.↵
|1571 Start ·location: ·1344:108↵
|1572 ↵
|1573 System ·ID: ·
|1573 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
|1573 /FFEDFFCDFF85FA4FFFF60837FFB81863.xml↵
|1574 Main ·validation ·file: ·
|1574 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
|1574 /FFEDFFCDFF85FA4FFFF60837FFB81863.xml↵
|1575 Scenario ·name: ·gg-sch↵
|1576 Schema: ·
|1576 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
|1576 ent..sch↵
|1577 Engine·name: ·ISO ·Schematron↵
|1578 Severity: ·error↵
```

\1579 Description: -A -paragraph -must -have -an -ancestor -  
\1579 subSection -or -subSubSection. ↵  
\1580 Start -location: -1379:108 ↵  
\1581 ↵  
\1582 System -ID: -  
\1582 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
\1582 /FFEDFFCDFF85FA4FFFF60837FFB81863.xml ↵  
\1583 Main -validation -file: -  
\1583 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
\1583 /FFEDFFCDFF85FA4FFFF60837FFB81863.xml ↵  
\1584 Scenario -name: -gg-sch ↵  
\1585 Schema: -  
\1585 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
\1585 ent..sch ↵  
\1586 Engine -name: -ISO -Schematron ↵  
\1587 Severity: -error ↵  
\1588 Description: -A -paragraph -must -have -an -ancestor -  
\1588 subSection -or -subSubSection. ↵  
\1589 Start -location: -1409:108 ↵  
\1590 ↵  
\1591 System -ID: -  
\1591 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
\1591 /FFEDFFCDFF85FA4FFFF60837FFB81863.xml ↵  
\1592 Main -validation -file: -  
\1592 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
\1592 /FFEDFFCDFF85FA4FFFF60837FFB81863.xml ↵  
\1593 Scenario -name: -gg-sch ↵  
\1594 Schema: -  
\1594 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
\1594 ent..sch ↵  
\1595 Engine -name: -ISO -Schematron ↵  
\1596 Severity: -error ↵  
\1597 Description: -A -paragraph -must -have -an -ancestor -  
\1597 subSection -or -subSubSection. ↵  
\1598 Start -location: -1435:108 ↵

```
|1599 ←
|1600 System·ID: ·
|1600 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
|1600 /FFEDFFCDFF85FA4FFFF60837FFB81863.xml←
|1601 Main·validation·file: ·
|1601 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
|1601 /FFEDFFCDFF85FA4FFFF60837FFB81863.xml←
|1602 Scenario·name: ·gg-sch←
|1603 Schema: ·
|1603 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
|1603 ent..sch←
|1604 Engine·name: ·ISO·Schematron←
|1605 Severity: ·error←
|1606 Description: ·A·paragraph·must·have·an·ancestor·
|1606 subSection·or·subSubSection.←
|1607 Start·location: ·1452:108←
|1608 ←
|1609 System·ID: ·
|1609 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
|1609 /FFEDFFCDFF85FA4FFFF60837FFB81863.xml←
|1610 Main·validation·file: ·
|1610 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
|1610 /FFEDFFCDFF85FA4FFFF60837FFB81863.xml←
|1611 Scenario·name: ·gg-sch←
|1612 Schema: ·
|1612 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
|1612 ent..sch←
|1613 Engine·name: ·ISO·Schematron←
|1614 Severity: ·error←
|1615 Description: ·A·paragraph·must·have·an·ancestor·
|1615 subSection·or·subSubSection.←
|1616 Start·location: ·1480:108←
|1617 ←
|1618 System·ID: ·
|1618 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
```

```
|1618 /FFEDFFCDFF85FA4FFFF60837FFB81863.xml↵
|1619 Main-validation-file: ·
|1619 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
|1619 /FFEDFFCDFF85FA4FFFF60837FFB81863.xml↵
|1620 Scenario-name: ·gg-sch↵
|1621 Schema: ·
|1621 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
|1621 ent..sch↵
|1622 Engine-name: ·ISO ·Schematron↵
|1623 Severity: ·error↵
|1624 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
|1624 subSection ·or ·subSubSection.↵
|1625 Start ·location: ·1505:108↵
|1626 ↵
|1627 System ·ID: ·
|1627 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
|1627 /FFEDFFCDFF85FA4FFFF60837FFB81863.xml↵
|1628 Main-validation-file: ·
|1628 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
|1628 /FFEDFFCDFF85FA4FFFF60837FFB81863.xml↵
|1629 Scenario-name: ·gg-sch↵
|1630 Schema: ·
|1630 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
|1630 ent..sch↵
|1631 Engine-name: ·ISO ·Schematron↵
|1632 Severity: ·error↵
|1633 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
|1633 subSection ·or ·subSubSection.↵
|1634 Start ·location: ·1530:108↵
|1635 ↵
|1636 System ·ID: ·
|1636 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
|1636 /FFEDFFCDFF85FA4FFFF60837FFB81863.xml↵
|1637 Main-validation-file: ·
|1637 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
```

```
|:1637 /FFEDFFCDFF85FA4FFFF60837FFB81863.xml↵
|:1638 Scenario·name: ·gg-sch↵
|:1639 Schema: ·
|:1639 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
|:1639 ent..sch↵
|:1640 Engine·name: ·ISO ·Schematron↵
|:1641 Severity: ·error↵
|:1642 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
|:1642 subSection ·or ·subSubSection.↵
|:1643 Start ·location: ·1551:108↵
|:1644 ↵
|:1645 System ·ID: ·
|:1645 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
|:1645 /FFEDFFCDFF85FA4FFFF60837FFB81863.xml↵
|:1646 Main ·validation ·file: ·
|:1646 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
|:1646 /FFEDFFCDFF85FA4FFFF60837FFB81863.xml↵
|:1647 Scenario·name: ·gg-sch↵
|:1648 Schema: ·
|:1648 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
|:1648 ent..sch↵
|:1649 Engine·name: ·ISO ·Schematron↵
|:1650 Severity: ·error↵
|:1651 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
|:1651 subSection ·or ·subSubSection.↵
|:1652 Start ·location: ·1579:108↵
|:1653 ↵
|:1654 System ·ID: ·
|:1654 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
|:1654 /FFEDFFCDFF85FA4FFFF60837FFB81863.xml↵
|:1655 Main ·validation ·file: ·
|:1655 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
|:1655 /FFEDFFCDFF85FA4FFFF60837FFB81863.xml↵
|:1656 Scenario·name: ·gg-sch↵
|:1657 Schema: ·
```

```
|1657 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm  
|1657 ent..sch↵  
|1658 Engine.name: ·ISO ·Schematron↵  
|1659 Severity: ·error↵  
|1660 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
|1660 subSection ·or ·subSubSection.↵  
|1661 Start ·location: ·1608:108↵  
|1662 ↵  
|1663 System ·ID: ·  
|1663 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
|1663 /FFEDFFCDFF85FA4FFFF60837FFB81863.xml↵  
|1664 Main ·validation ·file: ·  
|1664 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
|1664 /FFEDFFCDFF85FA4FFFF60837FFB81863.xml↵  
|1665 Scenario ·name: ·gg-sch↵  
|1666 Schema: ·  
|1666 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm  
|1666 ent..sch↵  
|1667 Engine.name: ·ISO ·Schematron↵  
|1668 Severity: ·error↵  
|1669 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
|1669 subSection ·or ·subSubSection.↵  
|1670 Start ·location: ·1636:108↵  
|1671 ↵  
|1672 System ·ID: ·  
|1672 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
|1672 /FFEDFFCDFF85FA4FFFF60837FFB81863.xml↵  
|1673 Main ·validation ·file: ·  
|1673 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
|1673 /FFEDFFCDFF85FA4FFFF60837FFB81863.xml↵  
|1674 Scenario ·name: ·gg-sch↵  
|1675 Schema: ·  
|1675 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm  
|1675 ent..sch↵  
|1676 Engine.name: ·ISO ·Schematron↵
```

```
|1677 Severity: ·error↵
|1678 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
|1678 subSection ·or ·subSubSection.↵
|1679 Start ·location: ·1659:108↵
|1680 ↵
|1681 System ·ID: ·
|1681 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
|1681 /FFEDFFCDFF85FA4FFFF60837FFB81863.xml↵
|1682 Main ·validation ·file: ·
|1682 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
|1682 /FFEDFFCDFF85FA4FFFF60837FFB81863.xml↵
|1683 Scenario ·name: ·gg-sch↵
|1684 Schema: ·
|1684 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
|1684 ent..sch↵
|1685 Engine ·name: ·ISO ·Schematron↵
|1686 Severity: ·error↵
|1687 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
|1687 subSection ·or ·subSubSection.↵
|1688 Start ·location: ·1685:108↵
|1689 ↵
|1690 System ·ID: ·
|1690 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
|1690 /FFEDFFCDFF85FA4FFFF60837FFB81863.xml↵
|1691 Main ·validation ·file: ·
|1691 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
|1691 /FFEDFFCDFF85FA4FFFF60837FFB81863.xml↵
|1692 Scenario ·name: ·gg-sch↵
|1693 Schema: ·
|1693 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
|1693 ent..sch↵
|1694 Engine ·name: ·ISO ·Schematron↵
|1695 Severity: ·error↵
|1696 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
|1696 subSection ·or ·subSubSection.↵
```

```
|1697 Start ·location: ·1711:108↵
|1698 ↵
|1699 System ·ID: ·
|1699 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
|1699 /FFEDFFCDFF85FA4FFFF60837FFB81863.xml↵
|1700 Main ·validation ·file: ·
|1700 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
|1700 /FFEDFFCDFF85FA4FFFF60837FFB81863.xml↵
|1701 Scenario ·name: ·gg-sch↵
|1702 Schema: ·
|1702 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
|1702 ent..sch↵
|1703 Engine ·name: ·ISO ·Schematron↵
|1704 Severity: ·error↵
|1705 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
|1705 subSection ·or ·subSubSection.↵
|1706 Start ·location: ·1733:108↵
|1707 ↵
|1708 System ·ID: ·
|1708 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
|1708 /FFEDFFCDFF85FA4FFFF60837FFB81863.xml↵
|1709 Main ·validation ·file: ·
|1709 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
|1709 /FFEDFFCDFF85FA4FFFF60837FFB81863.xml↵
|1710 Scenario ·name: ·gg-sch↵
|1711 Schema: ·
|1711 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
|1711 ent..sch↵
|1712 Engine ·name: ·ISO ·Schematron↵
|1713 Severity: ·error↵
|1714 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
|1714 subSection ·or ·subSubSection.↵
|1715 Start ·location: ·1755:108↵
|1716 ↵
|1717 System ·ID: ·
```

```
|1717 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
|1717 /FFEDFFCDFF85FA4FFFF60837FFB81863.xml↵
|1718 Main-validation-file: ·
|1718 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
|1718 /FFEDFFCDFF85FA4FFFF60837FFB81863.xml↵
|1719 Scenario-name: ·gg-sch↵
|1720 Schema: ·
|1720 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
|1720 ent..sch↵
|1721 Engine-name: ·ISO ·Schematron↵
|1722 Severity: ·error↵
|1723 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
|1723 subSection ·or ·subSubSection.↵
|1724 Start-location: ·1779:108↵
|1725 ↵
|1726 System-ID: ·
|1726 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
|1726 /FFEDFFCDFF85FA4FFFF60837FFB81863.xml↵
|1727 Main-validation-file: ·
|1727 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
|1727 /FFEDFFCDFF85FA4FFFF60837FFB81863.xml↵
|1728 Scenario-name: ·gg-sch↵
|1729 Schema: ·
|1729 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
|1729 ent..sch↵
|1730 Engine-name: ·ISO ·Schematron↵
|1731 Severity: ·error↵
|1732 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
|1732 subSection ·or ·subSubSection.↵
|1733 Start-location: ·1809:109↵
|1734 ↵
|1735 System-ID: ·
|1735 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
|1735 /FFEDFFCDFF85FA4FFFF60837FFB81863.xml↵
|1736 Main-validation-file: ·
```

```
|1736 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
|1736 /FFEDFFCDFF85FA4FFFF60837FFB81863.xml↵
|1737 Scenario·name: ·gg-sch↵
|1738 Schema: ·
|1738 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
|1738 ent..sch↵
|1739 Engine·name: ·ISO ·Schematron↵
|1740 Severity: ·error↵
|1741 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
|1741 subSection ·or ·subSubSection.↵
|1742 Start ·location: ·1831:109↵
|1743 ↵
|1744 System ·ID: ·
|1744 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
|1744 /FFEDFFCDFF85FA4FFFF60837FFB81863.xml↵
|1745 Main ·validation ·file: ·
|1745 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
|1745 /FFEDFFCDFF85FA4FFFF60837FFB81863.xml↵
|1746 Scenario ·name: ·gg-sch↵
|1747 Schema: ·
|1747 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
|1747 ent..sch↵
|1748 Engine·name: ·ISO ·Schematron↵
|1749 Severity: ·error↵
|1750 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
|1750 subSection ·or ·subSubSection.↵
|1751 Start ·location: ·1859:109↵
|1752 ↵
|1753 System ·ID: ·
|1753 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
|1753 /FFEDFFCDFF85FA4FFFF60837FFB81863.xml↵
|1754 Main ·validation ·file: ·
|1754 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
|1754 /FFEDFFCDFF85FA4FFFF60837FFB81863.xml↵
|1755 Scenario ·name: ·gg-sch↵
```

```
|1756 Schema: .
|1756 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
|1756 ent..sch<
|1757 Engine.name: .ISO .Schematron<
|1758 Severity: .error<
|1759 Description: .A .paragraph .must .have .an .ancestor .
|1759 subSection .or .subSubSection.<
|1760 Start.location: .1885:109<
|1761 <
|1762 System.ID: .
|1762 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
|1762 /FFEDFFCDFF85FA4FFFF60837FFB81863.xml<
|1763 Main.validation.file: .
|1763 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
|1763 /FFEDFFCDFF85FA4FFFF60837FFB81863.xml<
|1764 Scenario.name: .gg-sch<
|1765 Schema: .
|1765 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
|1765 ent..sch<
|1766 Engine.name: .ISO .Schematron<
|1767 Severity: .error<
|1768 Description: .A .paragraph .must .have .an .ancestor .
|1768 subSection .or .subSubSection.<
|1769 Start.location: .1907:109<
|1770 <
|1771 System.ID: .
|1771 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
|1771 /FFEDFFCDFF85FA4FFFF60837FFB81863.xml<
|1772 Main.validation.file: .
|1772 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
|1772 /FFEDFFCDFF85FA4FFFF60837FFB81863.xml<
|1773 Scenario.name: .gg-sch<
|1774 Schema: .
|1774 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
|1774 ent..sch<
```

\1775 Engine.name: ·ISO ·Schematron↵  
\1776 Severity: ·error↵  
\1777 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
subSection ·or ·subSubSection.↵  
\1778 Start.location: ·1928:109↵  
\1779 ↵  
\1780 System.ID: ·  
/Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
/FFEDFFCDFF85FA4FFFF60837FFB81863.xml↵  
\1781 Main.validation-file: ·  
/Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
/FFEDFFCDFF85FA4FFFF60837FFB81863.xml↵  
\1782 Scenario.name: ·gg-sch↵  
\1783 Schema: ·  
/Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch↵  
\1784 Engine.name: ·ISO ·Schematron↵  
\1785 Severity: ·error↵  
\1786 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
subSection ·or ·subSubSection.↵  
\1787 Start.location: ·1951:109↵  
\1788 ↵  
\1789 System.ID: ·  
/Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
/FFEDFFCDFF85FA4FFFF60837FFB81863.xml↵  
\1790 Main.validation-file: ·  
/Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
/FFEDFFCDFF85FA4FFFF60837FFB81863.xml↵  
\1791 Scenario.name: ·gg-sch↵  
\1792 Schema: ·  
/Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch↵  
\1793 Engine.name: ·ISO ·Schematron↵  
\1794 Severity: ·error↵  
\1795 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·

```
|1795 subSection ·or ·subSubSection.↵
|1796 Start ·location: ·1977:109↵
|1797 ↵
|1798 System ·ID: ·
|1798 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
|1798 /FFEDFFCDFF85FA4FFFF60837FFB81863.xml↵
|1799 Main ·validation ·file: ·
|1799 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
|1799 /FFEDFFCDFF85FA4FFFF60837FFB81863.xml↵
|1800 Scenario ·name: ·gg-sch↵
|1801 Schema: ·
|1801 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
|1801 ent..sch↵
|1802 Engine ·name: ·ISO ·Schematron↵
|1803 Severity: ·error↵
|1804 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
|1804 subSection ·or ·subSubSection.↵
|1805 Start ·location: ·2005:109↵
|1806 ↵
|1807 System ·ID: ·
|1807 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
|1807 /FFEDFFCDFF85FA4FFFF60837FFB81863.xml↵
|1808 Main ·validation ·file: ·
|1808 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
|1808 /FFEDFFCDFF85FA4FFFF60837FFB81863.xml↵
|1809 Scenario ·name: ·gg-sch↵
|1810 Schema: ·
|1810 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
|1810 ent..sch↵
|1811 Engine ·name: ·ISO ·Schematron↵
|1812 Severity: ·error↵
|1813 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
|1813 subSection ·or ·subSubSection.↵
|1814 Start ·location: ·2029:109↵
|1815 ↵
```

```
|1816 System·ID: ·  
|1816 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
|1816 /FFEDFFCDFF85FA4FFFF60837FFB81863.xml↵  
|1817 Main·validation·file: ·  
|1817 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
|1817 /FFEDFFCDFF85FA4FFFF60837FFB81863.xml↵  
|1818 Scenario·name: ·gg-sch↵  
|1819 Schema: ·  
|1819 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm  
|1819 ent..sch↵  
|1820 Engine·name: ·ISO·Schematron↵  
|1821 Severity: ·error↵  
|1822 Description: ·A·paragraph·must·have·an·ancestor·  
|1822 subSection·or·subSubSection.↵  
|1823 Start·location: ·2045:109↵  
|1824 ↵  
|1825 System·ID: ·  
|1825 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
|1825 /FFEDFFCDFF85FA4FFFF60837FFB81863.xml↵  
|1826 Main·validation·file: ·  
|1826 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
|1826 /FFEDFFCDFF85FA4FFFF60837FFB81863.xml↵  
|1827 Scenario·name: ·gg-sch↵  
|1828 Schema: ·  
|1828 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm  
|1828 ent..sch↵  
|1829 Engine·name: ·ISO·Schematron↵  
|1830 Severity: ·error↵  
|1831 Description: ·A·paragraph·must·have·an·ancestor·  
|1831 subSection·or·subSubSection.↵  
|1832 Start·location: ·2067:109↵  
|1833 ↵  
|1834 System·ID: ·  
|1834 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
|1834 /FFEDFFCDFF85FA4FFFF60837FFB81863.xml↵
```

```
|1835 Main-validation-file: ·
|1835 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
|1835 /FFEDFFCDFF85FA4FFFF60837FFB81863.xml↵
|1836 Scenario-name: ·gg-sch↵
|1837 Schema: ·
|1837 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
|1837 ent..sch↵
|1838 Engine-name: ·ISO ·Schematron↵
|1839 Severity: ·error↵
|1840 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
|1840 subSection ·or ·subSubSection.↵
|1841 Start ·location: ·2089:109↵
|1842 ↵
|1843 System ·ID: ·
|1843 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
|1843 /FFEDFFCDFF85FA4FFFF60837FFB81863.xml↵
|1844 Main-validation-file: ·
|1844 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
|1844 /FFEDFFCDFF85FA4FFFF60837FFB81863.xml↵
|1845 Scenario-name: ·gg-sch↵
|1846 Schema: ·
|1846 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
|1846 ent..sch↵
|1847 Engine-name: ·ISO ·Schematron↵
|1848 Severity: ·error↵
|1849 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
|1849 subSection ·or ·subSubSection.↵
|1850 Start ·location: ·2115:109↵
|1851 ↵
|1852 System ·ID: ·
|1852 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
|1852 /FFEDFFCDFF85FA4FFFF60837FFB81863.xml↵
|1853 Main-validation-file: ·
|1853 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
|1853 /FFEDFFCDFF85FA4FFFF60837FFB81863.xml↵
```

```
|1854 Scenario·name: ·gg-sch↵
|1855 Schema: ·
|1855 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
|1855 ent..sch↵
|1856 Engine·name: ·ISO·Schematron↵
|1857 Severity: ·error↵
|1858 Description: ·A·paragraph·must·have·an·ancestor·
|1858 subSection·or·subSubSection.↵
|1859 Start·location: ·2139:109↵
|1860 ↵
|1861 System·ID: ·
|1861 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
|1861 /FFEDFFCDFF85FA4FFFF60837FFB81863.xml↵
|1862 Main·validation·file: ·
|1862 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
|1862 /FFEDFFCDFF85FA4FFFF60837FFB81863.xml↵
|1863 Scenario·name: ·gg-sch↵
|1864 Schema: ·
|1864 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
|1864 ent..sch↵
|1865 Engine·name: ·ISO·Schematron↵
|1866 Severity: ·error↵
|1867 Description: ·A·paragraph·must·have·an·ancestor·
|1867 subSection·or·subSubSection.↵
|1868 Start·location: ·2164:109↵
|1869 ↵
|1870 System·ID: ·
|1870 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
|1870 /FFEDFFCDFF85FA4FFFF60837FFB81863.xml↵
|1871 Main·validation·file: ·
|1871 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
|1871 /FFEDFFCDFF85FA4FFFF60837FFB81863.xml↵
|1872 Scenario·name: ·gg-sch↵
|1873 Schema: ·
|1873 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
```

```
|1873 ent..sch↵
|1874 Engine.name: ·ISO ·Schematron↵
|1875 Severity: ·error↵
|1876 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
|1876 subSection ·or ·subSubSection.↵
|1877 Start ·location: ·2186:109↵
|1878 ↵
|1879 System ·ID: ·
|1879 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
|1879 /FFEDFFCDFF85FA4FFFF60837FFB81863.xml↵
|1880 Main ·validation ·file: ·
|1880 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
|1880 /FFEDFFCDFF85FA4FFFF60837FFB81863.xml↵
|1881 Scenario ·name: ·gg-sch↵
|1882 Schema: ·
|1882 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
|1882 ent..sch↵
|1883 Engine.name: ·ISO ·Schematron↵
|1884 Severity: ·error↵
|1885 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
|1885 subSection ·or ·subSubSection.↵
|1886 Start ·location: ·2206:109↵
|1887 ↵
|1888 System ·ID: ·
|1888 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
|1888 /FFEDFFCDFF85FA4FFFF60837FFB81863.xml↵
|1889 Main ·validation ·file: ·
|1889 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
|1889 /FFEDFFCDFF85FA4FFFF60837FFB81863.xml↵
|1890 Scenario ·name: ·gg-sch↵
|1891 Schema: ·
|1891 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
|1891 ent..sch↵
|1892 Engine.name: ·ISO ·Schematron↵
|1893 Severity: ·error↵
```

\1894 Description: -A -paragraph -must -have -an -ancestor -  
\1894 subSection -or -subSubSection. ↵  
\1895 Start -location: -2232:109 ↵  
\1896 ↵  
\1897 System -ID: -  
\1897 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
\1897 /FFEDFFCDFF85FA4FFFF60837FFB81863.xml ↵  
\1898 Main -validation -file: -  
\1898 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
\1898 /FFEDFFCDFF85FA4FFFF60837FFB81863.xml ↵  
\1899 Scenario -name: -gg-sch ↵  
\1900 Schema: -  
\1900 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
\1900 ent..sch ↵  
\1901 Engine -name: -ISO -Schematron ↵  
\1902 Severity: -error ↵  
\1903 Description: -A -paragraph -must -have -an -ancestor -  
\1903 subSection -or -subSubSection. ↵  
\1904 Start -location: -2254:109 ↵  
\1905 ↵  
\1906 System -ID: -  
\1906 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
\1906 /FFEDFFCDFF85FA4FFFF60837FFB81863.xml ↵  
\1907 Main -validation -file: -  
\1907 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
\1907 /FFEDFFCDFF85FA4FFFF60837FFB81863.xml ↵  
\1908 Scenario -name: -gg-sch ↵  
\1909 Schema: -  
\1909 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
\1909 ent..sch ↵  
\1910 Engine -name: -ISO -Schematron ↵  
\1911 Severity: -error ↵  
\1912 Description: -A -paragraph -must -have -an -ancestor -  
\1912 subSection -or -subSubSection. ↵  
\1913 Start -location: -2300:109 ↵

```
|>1914 <-
|>1915 System·ID: ·
|>1915 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
|>1915 /FFEDFFCDFF85FA4FFFF60837FFB81863.xml<
|>1916 Main·validation·file: ·
|>1916 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
|>1916 /FFEDFFCDFF85FA4FFFF60837FFB81863.xml<
|>1917 Scenario·name: ·gg-sch<
|>1918 Schema: ·
|>1918 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
|>1918 ent..sch<
|>1919 Engine·name: ·ISO·Schematron<
|>1920 Severity: ·error<
|>1921 Description: ·A·paragraph·must·have·an·ancestor·
|>1921 subSection·or·subSubSection.<
|>1922 Start·location: ·2342:109<
|>1923 <
|>1924 System·ID: ·
|>1924 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
|>1924 /FFEDFFCDFF85FA4FFFF60837FFB81863.xml<
|>1925 Main·validation·file: ·
|>1925 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
|>1925 /FFEDFFCDFF85FA4FFFF60837FFB81863.xml<
|>1926 Scenario·name: ·gg-sch<
|>1927 Schema: ·
|>1927 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
|>1927 ent..sch<
|>1928 Engine·name: ·ISO·Schematron<
|>1929 Severity: ·error<
|>1930 Description: ·A·paragraph·must·have·an·ancestor·
|>1930 subSection·or·subSubSection.<
|>1931 Start·location: ·2364:109<
|>1932 <
|>1933 System·ID: ·
|>1933 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
```

```
|1933 /FFEE902BFFAA106D6C78792AFFFB960B.xml↵
|1934 Main-validation-file: ·
|1934 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
|1934 /FFEE902BFFAA106D6C78792AFFFB960B.xml↵
|1935 Scenario-name: ·gg-sch↵
|1936 Schema: ·
|1936 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
|1936 ent..sch↵
|1937 Engine-name: ·ISO-Schematron↵
|1938 Severity: ·error↵
|1939 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
|1939 subSection ·or ·subSubSection.↵
|1940 Start-location: ·139:130↵
|1941 ↵
|1942 System-ID: ·
|1942 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
|1942 /FFEE902BFFAA106D6C78792AFFFB960B.xml↵
|1943 Main-validation-file: ·
|1943 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
|1943 /FFEE902BFFAA106D6C78792AFFFB960B.xml↵
|1944 Scenario-name: ·gg-sch↵
|1945 Schema: ·
|1945 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
|1945 ent..sch↵
|1946 Engine-name: ·ISO-Schematron↵
|1947 Severity: ·error↵
|1948 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
|1948 subSection ·or ·subSubSection.↵
|1949 Start-location: ·142:107↵
|1950 ↵
|1951 System-ID: ·
|1951 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
|1951 /FFEE902BFFAA106D6C78792AFFFB960B.xml↵
|1952 Main-validation-file: ·
|1952 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
```

```
|1952 /FFEE902BFFAA106D6C78792AFFFB960B.xml↵
|1953 Scenario·name: ·gg-sch↵
|1954 Schema: ·
|1954 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
|1954 ent..sch↵
|1955 Engine·name: ·ISO ·Schematron↵
|1956 Severity: ·error↵
|1957 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
|1957 subSection ·or ·subSubSection.↵
|1958 Start ·location: ·149:107↵
|1959 ↵
|1960 System ·ID: ·
|1960 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
|1960 /FFEE902BFFAA106D6C78792AFFFB960B.xml↵
|1961 Main ·validation ·file: ·
|1961 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
|1961 /FFEE902BFFAA106D6C78792AFFFB960B.xml↵
|1962 Scenario ·name: ·gg-sch↵
|1963 Schema: ·
|1963 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
|1963 ent..sch↵
|1964 Engine·name: ·ISO ·Schematron↵
|1965 Severity: ·error↵
|1966 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
|1966 subSection ·or ·subSubSection.↵
|1967 Start ·location: ·186:131↵
|1968 ↵
|1969 System ·ID: ·
|1969 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
|1969 /FFEE902BFFAA106D6C78792AFFFB960B.xml↵
|1970 Main ·validation ·file: ·
|1970 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
|1970 /FFEE902BFFAA106D6C78792AFFFB960B.xml↵
|1971 Scenario ·name: ·gg-sch↵
|1972 Schema: ·
```

```
|1972 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm  
|1972 ent..sch↵  
|1973 Engine.name: ·ISO ·Schematron↵  
|1974 Severity: ·error↵  
|1975 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
|1975 subSection ·or ·subSubSection.↵  
|1976 Start ·location: ·195:108↵  
|1977 ↵  
|1978 System ·ID: ·  
|1978 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
|1978 /FFEE902BFFAA106D6C78792AFFFB960B.xml↵  
|1979 Main ·validation ·file: ·  
|1979 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
|1979 /FFEE902BFFAA106D6C78792AFFFB960B.xml↵  
|1980 Scenario ·name: ·gg-sch↵  
|1981 Schema: ·  
|1981 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm  
|1981 ent..sch↵  
|1982 Engine.name: ·ISO ·Schematron↵  
|1983 Severity: ·error↵  
|1984 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
|1984 subSection ·or ·subSubSection.↵  
|1985 Start ·location: ·196:136↵  
|1986 ↵  
|1987 System ·ID: ·  
|1987 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
|1987 /FFEE902BFFAA106D6C78792AFFFB960B.xml↵  
|1988 Main ·validation ·file: ·  
|1988 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
|1988 /FFEE902BFFAA106D6C78792AFFFB960B.xml↵  
|1989 Scenario ·name: ·gg-sch↵  
|1990 Schema: ·  
|1990 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm  
|1990 ent..sch↵  
|1991 Engine.name: ·ISO ·Schematron↵
```

```
|1992 Severity: ·error↵
|1993 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
|1993 subSection ·or ·subSubSection.↵
|1994 Start ·location: ·201:109↵
|1995 ↵
|1996 System ·ID: ·
|1996 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
|1996 /FFEE902BFFAA106D6C78792AFFFB960B.xml↵
|1997 Main ·validation ·file: ·
|1997 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
|1997 /FFEE902BFFAA106D6C78792AFFFB960B.xml↵
|1998 Scenario ·name: ·gg-sch↵
|1999 Schema: ·
|1999 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
|1999 ent..sch↵
|2000 Engine ·name: ·ISO ·Schematron↵
|2001 Severity: ·error↵
|2002 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
|2002 subSection ·or ·subSubSection.↵
|2003 Start ·location: ·217:134↵
|2004 ↵
|2005 System ·ID: ·
|2005 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
|2005 /FFEE902BFFAA106D6C78792AFFFB960B.xml↵
|2006 Main ·validation ·file: ·
|2006 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
|2006 /FFEE902BFFAA106D6C78792AFFFB960B.xml↵
|2007 Scenario ·name: ·gg-sch↵
|2008 Schema: ·
|2008 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
|2008 ent..sch↵
|2009 Engine ·name: ·ISO ·Schematron↵
|2010 Severity: ·error↵
|2011 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
|2011 subSection ·or ·subSubSection.↵
```

2012 Start ·location: ·218:134 ↵  
2013 ↵  
2014 System ·ID: ·  
2014 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
2014 /FFEE902BFFAA106D6C78792AFFFB960B.xml ↵  
2015 Main ·validation ·file: ·  
2015 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
2015 /FFEE902BFFAA106D6C78792AFFFB960B.xml ↵  
2016 Scenario ·name: ·gg-sch ↵  
2017 Schema: ·  
2017 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
2017 ent..sch ↵  
2018 Engine ·name: ·ISO ·Schematron ↵  
2019 Severity: ·error ↵  
2020 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
2020 subSection ·or ·subSubSection. ↵  
2021 Start ·location: ·223:109 ↵  
2022 ↵  
2023 System ·ID: ·  
2023 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
2023 /FFEE902BFFAA106D6C78792AFFFB960B.xml ↵  
2024 Main ·validation ·file: ·  
2024 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
2024 /FFEE902BFFAA106D6C78792AFFFB960B.xml ↵  
2025 Scenario ·name: ·gg-sch ↵  
2026 Schema: ·  
2026 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
2026 ent..sch ↵  
2027 Engine ·name: ·ISO ·Schematron ↵  
2028 Severity: ·error ↵  
2029 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
2029 subSection ·or ·subSubSection. ↵  
2030 Start ·location: ·225:107 ↵  
2031 ↵  
2032 System ·ID: ·

```
|2032 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
|2032 /FFEE902BFFAA106D6C78792AFFFB960B.xml↵
|2033 Main-validation-file: ·
|2033 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
|2033 /FFEE902BFFAA106D6C78792AFFFB960B.xml↵
|2034 Scenario-name: ·gg-sch↵
|2035 Schema: ·
|2035 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
|2035 ent..sch↵
|2036 Engine-name: ·ISO ·Schematron↵
|2037 Severity: ·error↵
|2038 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
|2038 subSection ·or ·subSubSection.↵
|2039 Start-location: ·231:130↵
|2040 ↵
|2041 System-ID: ·
|2041 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
|2041 /FFEE902BFFAA106D6C78792AFFFB960B.xml↵
|2042 Main-validation-file: ·
|2042 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
|2042 /FFEE902BFFAA106D6C78792AFFFB960B.xml↵
|2043 Scenario-name: ·gg-sch↵
|2044 Schema: ·
|2044 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
|2044 ent..sch↵
|2045 Engine-name: ·ISO ·Schematron↵
|2046 Severity: ·error↵
|2047 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
|2047 subSection ·or ·subSubSection.↵
|2048 Start-location: ·235:130↵
|2049 ↵
|2050 System-ID: ·
|2050 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
|2050 /FFEE902BFFAA106D6C78792AFFFB960B.xml↵
|2051 Main-validation-file: ·
```

```
|2051 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
|2051 /FFEE902BFFAA106D6C78792AFFFB960B.xml↵
|2052 Scenario·name: ·gg-sch↵
|2053 Schema: ·
|2053 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
|2053 ent..sch↵
|2054 Engine·name: ·ISO ·Schematron↵
|2055 Severity: ·error↵
|2056 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
|2056 subSection ·or ·subSubSection.↵
|2057 Start·location: ·240:107↵
|2058 ↵
|2059 System·ID: ·
|2059 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
|2059 /FFEE902BFFAA106D6C78792AFFFB960B.xml↵
|2060 Main·validation·file: ·
|2060 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
|2060 /FFEE902BFFAA106D6C78792AFFFB960B.xml↵
|2061 Scenario·name: ·gg-sch↵
|2062 Schema: ·
|2062 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
|2062 ent..sch↵
|2063 Engine·name: ·ISO ·Schematron↵
|2064 Severity: ·error↵
|2065 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
|2065 subSection ·or ·subSubSection.↵
|2066 Start·location: ·249:107↵
|2067 ↵
|2068 System·ID: ·
|2068 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
|2068 /FFEE902BFFAA106D6C78792AFFFB960B.xml↵
|2069 Main·validation·file: ·
|2069 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
|2069 /FFEE902BFFAA106D6C78792AFFFB960B.xml↵
|2070 Scenario·name: ·gg-sch↵
```

```
|2071 Schema: .
|2071 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
|2071 ent..sch↵
|2072 Engine.name: .ISO .Schematron↵
|2073 Severity: .error↵
|2074 Description: .A .paragraph .must .have .an .ancestor .
|2074 subSection .or .subSubSection.↵
|2075 Start.location: .264:107↵
|2076 ↵
|2077 System.ID: .
|2077 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
|2077 /FFEE902BFFAA106D6C78792AFFFB960B.xml↵
|2078 Main.validation.file: .
|2078 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
|2078 /FFEE902BFFAA106D6C78792AFFFB960B.xml↵
|2079 Scenario.name: .gg-sch↵
|2080 Schema: .
|2080 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
|2080 ent..sch↵
|2081 Engine.name: .ISO .Schematron↵
|2082 Severity: .error↵
|2083 Description: .A .paragraph .must .have .an .ancestor .
|2083 subSection .or .subSubSection.↵
|2084 Start.location: .271:143↵
|2085 ↵
|2086 System.ID: .
|2086 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
|2086 /FFEE902BFFAA106D6C78792AFFFB960B.xml↵
|2087 Main.validation.file: .
|2087 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
|2087 /FFEE902BFFAA106D6C78792AFFFB960B.xml↵
|2088 Scenario.name: .gg-sch↵
|2089 Schema: .
|2089 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
|2089 ent..sch↵
```

\2090 Engine.name: .ISO.Schematron  
\2091 Severity: .error  
\2092 Description: .A.paragraph.must.have.an.ancestor.  
\2092 subSection.or.subSubSection.  
\2093 Start.location: .278:108  
\2094  
\2095 System.ID: .  
\2095 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
\2095 /FFEE902BFFAA106D6C78792AFFFB960B.xml  
\2096 Main.validation.file: .  
\2096 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
\2096 /FFEE902BFFAA106D6C78792AFFFB960B.xml  
\2097 Scenario.name: .gg-sch  
\2098 Schema: .  
\2098 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
\2098 ent..sch  
\2099 Engine.name: .ISO.Schematron  
\2100 Severity: .error  
\2101 Description: .A.paragraph.must.have.an.ancestor.  
\2101 subSection.or.subSubSection.  
\2102 Start.location: .283:108  
\2103  
\2104 System.ID: .  
\2104 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
\2104 /FFEE902BFFAA106D6C78792AFFFB960B.xml  
\2105 Main.validation.file: .  
\2105 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
\2105 /FFEE902BFFAA106D6C78792AFFFB960B.xml  
\2106 Scenario.name: .gg-sch  
\2107 Schema: .  
\2107 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
\2107 ent..sch  
\2108 Engine.name: .ISO.Schematron  
\2109 Severity: .error  
\2110 Description: .A.paragraph.must.have.an.ancestor.

```
|2110 subSection ·or ·subSubSection. ↵
|2111 Start ·location: ·288:134 ↵
|2112 ↵
|2113 System ·ID: ·
|2113 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
|2113 /FFEE902BFFAA106D6C78792AFFFB960B.xml ↵
|2114 Main ·validation ·file: ·
|2114 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
|2114 /FFEE902BFFAA106D6C78792AFFFB960B.xml ↵
|2115 Scenario ·name: ·gg-sch ↵
|2116 Schema: ·
|2116 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
|2116 ent..sch ↵
|2117 Engine ·name: ·ISO ·Schematron ↵
|2118 Severity: ·error ↵
|2119 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
|2119 subSection ·or ·subSubSection. ↵
|2120 Start ·location: ·293:136 ↵
|2121 ↵
|2122 System ·ID: ·
|2122 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
|2122 /FFEE902BFFAA106D6C78792AFFFB960B.xml ↵
|2123 Main ·validation ·file: ·
|2123 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
|2123 /FFEE902BFFAA106D6C78792AFFFB960B.xml ↵
|2124 Scenario ·name: ·gg-sch ↵
|2125 Schema: ·
|2125 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
|2125 ent..sch ↵
|2126 Engine ·name: ·ISO ·Schematron ↵
|2127 Severity: ·error ↵
|2128 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
|2128 subSection ·or ·subSubSection. ↵
|2129 Start ·location: ·294:109 ↵
|2130 ↵
```

↳2131 System·ID: ·  
↳2131 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
↳2131 /FFEE902BFFAA106D6C78792AFFFB960B.xml ↵  
↳2132 Main·validation·file: ·  
↳2132 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
↳2132 /FFEE902BFFAA106D6C78792AFFFB960B.xml ↵  
↳2133 Scenario·name: ·gg-sch ↵  
↳2134 Schema: ·  
↳2134 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
↳2135 Engine·name: ·ISO·Schematron ↵  
↳2136 Severity: ·error ↵  
↳2137 Description: ·A·paragraph·must·have·an·ancestor·  
↳2137 subSection·or·subSubSection. ↵  
↳2138 Start·location: ·299:178 ↵  
↳2139 ↵  
↳2140 System·ID: ·  
↳2140 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
↳2140 /FFEE902BFFAA106D6C78792AFFFB960B.xml ↵  
↳2141 Main·validation·file: ·  
↳2141 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
↳2141 /FFEE902BFFAA106D6C78792AFFFB960B.xml ↵  
↳2142 Scenario·name: ·gg-sch ↵  
↳2143 Schema: ·  
↳2143 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
↳2144 Engine·name: ·ISO·Schematron ↵  
↳2145 Severity: ·error ↵  
↳2146 Description: ·A·paragraph·must·have·an·ancestor·  
↳2146 subSection·or·subSubSection. ↵  
↳2147 Start·location: ·309:107 ↵  
↳2148 ↵  
↳2149 System·ID: ·  
↳2149 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
↳2149 /FFEE902BFFAA106D6C78792AFFFB960B.xml ↵

```
b2150 Main-validation-file: ·  
b2150 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
b2150 /FFEE902BFFAA106D6C78792AFFFB960B.xml↵  
b2151 Scenario-name: ·gg-sch↵  
b2152 Schema: ·  
b2152 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm  
b2152 ent..sch↵  
b2153 Engine-name: ·ISO ·Schematron↵  
b2154 Severity: ·error↵  
b2155 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
b2155 subSection ·or ·subSubSection.↵  
b2156 Start ·location: ·311:109↵  
b2157 ↵  
b2158 System ·ID: ·  
b2158 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
b2158 /FFEE902BFFAA106D6C78792AFFFB960B.xml↵  
b2159 Main-validation-file: ·  
b2159 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
b2159 /FFEE902BFFAA106D6C78792AFFFB960B.xml↵  
b2160 Scenario-name: ·gg-sch↵  
b2161 Schema: ·  
b2161 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm  
b2161 ent..sch↵  
b2162 Engine-name: ·ISO ·Schematron↵  
b2163 Severity: ·error↵  
b2164 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
b2164 subSection ·or ·subSubSection.↵  
b2165 Start ·location: ·316:134↵  
b2166 ↵  
b2167 System ·ID: ·  
b2167 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
b2167 /FFEE902BFFAA106D6C78792AFFFB960B.xml↵  
b2168 Main-validation-file: ·  
b2168 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
b2168 /FFEE902BFFAA106D6C78792AFFFB960B.xml↵
```

```
|2169 Scenario·name: ·gg-sch↵
|2170 Schema: ·
|2170 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
|2170 ent..sch↵
|2171 Engine·name: ·ISO·Schematron↵
|2172 Severity: ·error↵
|2173 Description: ·A·paragraph·must·have·an·ancestor·
|2173 subSection·or·subSubSection.↵
|2174 Start·location: ·317:108↵
|2175 ↵
|2176 System·ID: ·
|2176 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
|2176 /FFEE902BFFAA106D6C78792AFFFB960B.xml↵
|2177 Main·validation·file: ·
|2177 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
|2177 /FFEE902BFFAA106D6C78792AFFFB960B.xml↵
|2178 Scenario·name: ·gg-sch↵
|2179 Schema: ·
|2179 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
|2179 ent..sch↵
|2180 Engine·name: ·ISO·Schematron↵
|2181 Severity: ·error↵
|2182 Description: ·A·paragraph·must·have·an·ancestor·
|2182 subSection·or·subSubSection.↵
|2183 Start·location: ·325:109↵
|2184 ↵
|2185 System·ID: ·
|2185 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
|2185 /FFEE902BFFAA106D6C78792AFFFB960B.xml↵
|2186 Main·validation·file: ·
|2186 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
|2186 /FFEE902BFFAA106D6C78792AFFFB960B.xml↵
|2187 Scenario·name: ·gg-sch↵
|2188 Schema: ·
|2188 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
```

```
|2188 ent..sch↵
|2189 Engine.name: ·ISO ·Schematron↵
|2190 Severity: ·error↵
|2191 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
|2191 subSection ·or ·subSubSection.↵
|2192 Start ·location: ·326:136↵
|2193 ↵
|2194 System ·ID: ·
|2194 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
|2194 /FFEE902BFFAA106D6C78792AFFFB960B.xml↵
|2195 Main ·validation ·file: ·
|2195 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
|2195 /FFEE902BFFAA106D6C78792AFFFB960B.xml↵
|2196 Scenario ·name: ·gg-sch↵
|2197 Schema: ·
|2197 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
|2197 ent..sch↵
|2198 Engine.name: ·ISO ·Schematron↵
|2199 Severity: ·error↵
|2200 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
|2200 subSection ·or ·subSubSection.↵
|2201 Start ·location: ·329:177↵
|2202 ↵
|2203 System ·ID: ·
|2203 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
|2203 /FFEE902BFFAA106D6C78792AFFFB960B.xml↵
|2204 Main ·validation ·file: ·
|2204 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
|2204 /FFEE902BFFAA106D6C78792AFFFB960B.xml↵
|2205 Scenario ·name: ·gg-sch↵
|2206 Schema: ·
|2206 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
|2206 ent..sch↵
|2207 Engine.name: ·ISO ·Schematron↵
|2208 Severity: ·error↵
```

\2209 Description: -A -paragraph -must -have -an -ancestor -  
\2209 subSection -or -subSubSection. ↵  
\2210 Start -location: -331:107 ↵  
\2211 ↵  
\2212 System -ID: -  
\2212 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
\2212 /FFEE902BFFAA106D6C78792AFFFB960B.xml ↵  
\2213 Main -validation -file: -  
\2213 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
\2213 /FFEE902BFFAA106D6C78792AFFFB960B.xml ↵  
\2214 Scenario -name: -gg-sch ↵  
\2215 Schema: -  
\2215 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
\2215 ent..sch ↵  
\2216 Engine -name: -ISO -Schematron ↵  
\2217 Severity: -error ↵  
\2218 Description: -A -paragraph -must -have -an -ancestor -  
\2218 subSection -or -subSubSection. ↵  
\2219 Start -location: -336:130 ↵  
\2220 ↵  
\2221 System -ID: -  
\2221 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
\2221 /FFEE902BFFAA106D6C78792AFFFB960B.xml ↵  
\2222 Main -validation -file: -  
\2222 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
\2222 /FFEE902BFFAA106D6C78792AFFFB960B.xml ↵  
\2223 Scenario -name: -gg-sch ↵  
\2224 Schema: -  
\2224 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
\2224 ent..sch ↵  
\2225 Engine -name: -ISO -Schematron ↵  
\2226 Severity: -error ↵  
\2227 Description: -A -paragraph -must -have -an -ancestor -  
\2227 subSection -or -subSubSection. ↵  
\2228 Start -location: -341:107 ↵

↳  
↳ System ·ID: ·  
↳ /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
↳ /FFEE902BFFAA106D6C78792AFFFB960B.xml ↳  
↳ Main ·validation ·file: ·  
↳ /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
↳ /FFEE902BFFAA106D6C78792AFFFB960B.xml ↳  
↳ Scenario ·name: ·gg-sch ↳  
↳ Schema: ·  
↳ /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↳  
↳ Engine ·name: ·ISO ·Schematron ↳  
↳ Severity: ·error ↳  
↳ Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
↳ subSection ·or ·subSubSection. ↳  
↳ Start ·location: ·342:134 ↳  
↳ ↳  
↳ System ·ID: ·  
↳ /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
↳ /FFEE902BFFAA106D6C78792AFFFB960B.xml ↳  
↳ Main ·validation ·file: ·  
↳ /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
↳ /FFEE902BFFAA106D6C78792AFFFB960B.xml ↳  
↳ Scenario ·name: ·gg-sch ↳  
↳ Schema: ·  
↳ /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↳  
↳ Engine ·name: ·ISO ·Schematron ↳  
↳ Severity: ·error ↳  
↳ Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
↳ subSection ·or ·subSubSection. ↳  
↳ Start ·location: ·346:134 ↳  
↳ ↳  
↳ System ·ID: ·  
↳ /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax

```
|2248 /FFEE902BFFAA106D6C78792AFFFB960B.xml↵
|2249 Main-validation-file: ·
|2249 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
|2249 /FFEE902BFFAA106D6C78792AFFFB960B.xml↵
|2250 Scenario-name: ·gg-sch↵
|2251 Schema: ·
|2251 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
|2251 ent..sch↵
|2252 Engine-name: ·ISO-Schematron↵
|2253 Severity: ·error↵
|2254 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
|2254 subSection ·or ·subSubSection.↵
|2255 Start-location: ·350:108↵
|2256 ↵
|2257 System-ID: ·
|2257 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
|2257 /FFEE902BFFAA106D6C78792AFFFB960B.xml↵
|2258 Main-validation-file: ·
|2258 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
|2258 /FFEE902BFFAA106D6C78792AFFFB960B.xml↵
|2259 Scenario-name: ·gg-sch↵
|2260 Schema: ·
|2260 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
|2260 ent..sch↵
|2261 Engine-name: ·ISO-Schematron↵
|2262 Severity: ·error↵
|2263 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
|2263 subSection ·or ·subSubSection.↵
|2264 Start-location: ·354:134↵
|2265 ↵
|2266 System-ID: ·
|2266 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
|2266 /FFEE902BFFAA106D6C78792AFFFB960B.xml↵
|2267 Main-validation-file: ·
|2267 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
```

```
32267 /FFEE902BFFAA106D6C78792AFFFB960B.xml↵
32268 Scenario.name: .gg-sch↵
32269 Schema: .
32269 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
32269 ent..sch↵
32270 Engine.name: .ISO.Schematron↵
32271 Severity: .error↵
32272 Description: .A.paragraph.must.have.an.ancestor.
32272 subSection.or.subSubSection.↵
32273 Start.location: .358:134↵
32274 ↵
32275 System.ID: .
32275 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
32275 /FFEE902BFFAA106D6C78792AFFFB960B.xml↵
32276 Main.validation.file: .
32276 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
32276 /FFEE902BFFAA106D6C78792AFFFB960B.xml↵
32277 Scenario.name: .gg-sch↵
32278 Schema: .
32278 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
32278 ent..sch↵
32279 Engine.name: .ISO.Schematron↵
32280 Severity: .error↵
32281 Description: .A.paragraph.must.have.an.ancestor.
32281 subSection.or.subSubSection.↵
32282 Start.location: .362:134↵
32283 ↵
32284 System.ID: .
32284 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
32284 /FFEE902BFFAA106D6C78792AFFFB960B.xml↵
32285 Main.validation.file: .
32285 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
32285 /FFEE902BFFAA106D6C78792AFFFB960B.xml↵
32286 Scenario.name: .gg-sch↵
32287 Schema: .
```

```
|2287 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm  
|2287 ent..sch↵  
|2288 Engine.name: ·ISO ·Schematron↵  
|2289 Severity: ·error↵  
|2290 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
|2290 subSection ·or ·subSubSection.↵  
|2291 Start ·location: ·366:134↵  
|2292 ↵  
|2293 System ·ID: ·  
|2293 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
|2293 /FFEE902BFFAA106D6C78792AFFFB960B.xml↵  
|2294 Main ·validation ·file: ·  
|2294 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
|2294 /FFEE902BFFAA106D6C78792AFFFB960B.xml↵  
|2295 Scenario ·name: ·gg-sch↵  
|2296 Schema: ·  
|2296 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm  
|2296 ent..sch↵  
|2297 Engine.name: ·ISO ·Schematron↵  
|2298 Severity: ·error↵  
|2299 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
|2299 subSection ·or ·subSubSection.↵  
|2300 Start ·location: ·370:134↵  
|2301 ↵  
|2302 System ·ID: ·  
|2302 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
|2302 /FFEE902BFFAA106D6C78792AFFFB960B.xml↵  
|2303 Main ·validation ·file: ·  
|2303 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
|2303 /FFEE902BFFAA106D6C78792AFFFB960B.xml↵  
|2304 Scenario ·name: ·gg-sch↵  
|2305 Schema: ·  
|2305 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm  
|2305 ent..sch↵  
|2306 Engine.name: ·ISO ·Schematron↵
```

↳2307 Severity: ·error ↵  
↳2308 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
↳2308 subSection ·or ·subSubSection. ↵  
↳2309 Start ·location: ·374:134 ↵  
↳2310 ↵  
↳2311 System ·ID: ·  
↳2311 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
↳2311 /FFEE902BFFAA106D6C78792AFFFB960B.xml ↵  
↳2312 Main ·validation ·file: ·  
↳2312 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
↳2312 /FFEE902BFFAA106D6C78792AFFFB960B.xml ↵  
↳2313 Scenario ·name: ·gg-sch ↵  
↳2314 Schema: ·  
↳2314 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
↳2315 Engine ·name: ·ISO ·Schematron ↵  
↳2316 Severity: ·error ↵  
↳2317 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
↳2317 subSection ·or ·subSubSection. ↵  
↳2318 Start ·location: ·378:134 ↵  
↳2319 ↵  
↳2320 System ·ID: ·  
↳2320 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
↳2320 /FFEE902BFFAA106D6C78792AFFFB960B.xml ↵  
↳2321 Main ·validation ·file: ·  
↳2321 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
↳2321 /FFEE902BFFAA106D6C78792AFFFB960B.xml ↵  
↳2322 Scenario ·name: ·gg-sch ↵  
↳2323 Schema: ·  
↳2323 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
↳2324 Engine ·name: ·ISO ·Schematron ↵  
↳2325 Severity: ·error ↵  
↳2326 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
↳2326 subSection ·or ·subSubSection. ↵

```
|2327 Start ·location: ·382:134↵
|2328 ↵
|2329 System ·ID: ·
|2329 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
|2329 /FFEE902BFFAA106D6C78792AFFFB960B.xml↵
|2330 Main ·validation ·file: ·
|2330 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
|2330 /FFEE902BFFAA106D6C78792AFFFB960B.xml↵
|2331 Scenario ·name: ·gg-sch↵
|2332 Schema: ·
|2332 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
|2332 ent..sch↵
|2333 Engine ·name: ·ISO ·Schematron↵
|2334 Severity: ·error↵
|2335 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
|2335 subSection ·or ·subSubSection.↵
|2336 Start ·location: ·386:134↵
|2337 ↵
|2338 System ·ID: ·
|2338 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
|2338 /FFEE902BFFAA106D6C78792AFFFB960B.xml↵
|2339 Main ·validation ·file: ·
|2339 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
|2339 /FFEE902BFFAA106D6C78792AFFFB960B.xml↵
|2340 Scenario ·name: ·gg-sch↵
|2341 Schema: ·
|2341 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
|2341 ent..sch↵
|2342 Engine ·name: ·ISO ·Schematron↵
|2343 Severity: ·error↵
|2344 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
|2344 subSection ·or ·subSubSection.↵
|2345 Start ·location: ·390:134↵
|2346 ↵
|2347 System ·ID: ·
```

```
|2347 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
|2347 /FFEE902BFFAA106D6C78792AFFFB960B.xml↵
|2348 Main-validation-file: ·
|2348 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
|2348 /FFEE902BFFAA106D6C78792AFFFB960B.xml↵
|2349 Scenario-name: ·gg-sch↵
|2350 Schema: ·
|2350 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
|2350 ent..sch↵
|2351 Engine-name: ·ISO ·Schematron↵
|2352 Severity: ·error↵
|2353 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
|2353 subSection ·or ·subSubSection.↵
|2354 Start-location: ·394:108↵
|2355 ↵
|2356 System-ID: ·
|2356 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
|2356 /FFEE902BFFAA106D6C78792AFFFB960B.xml↵
|2357 Main-validation-file: ·
|2357 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
|2357 /FFEE902BFFAA106D6C78792AFFFB960B.xml↵
|2358 Scenario-name: ·gg-sch↵
|2359 Schema: ·
|2359 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
|2359 ent..sch↵
|2360 Engine-name: ·ISO ·Schematron↵
|2361 Severity: ·error↵
|2362 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
|2362 subSection ·or ·subSubSection.↵
|2363 Start-location: ·404:108↵
|2364 ↵
|2365 System-ID: ·
|2365 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
|2365 /FFEE902BFFAA106D6C78792AFFFB960B.xml↵
|2366 Main-validation-file: ·
```

```
|2366 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
|2366 /FFEE902BFFAA106D6C78792AFFFB960B.xml↵
|2367 Scenario·name: ·gg-sch↵
|2368 Schema: ·
|2368 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
|2368 ent..sch↵
|2369 Engine·name: ·ISO ·Schematron↵
|2370 Severity: ·error↵
|2371 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
|2371 subSection ·or ·subSubSection.↵
|2372 Start ·location: ·412:133↵
|2373 ↵
|2374 System ·ID: ·
|2374 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
|2374 /FFEE902BFFAA106D6C78792AFFFB960B.xml↵
|2375 Main ·validation ·file: ·
|2375 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
|2375 /FFEE902BFFAA106D6C78792AFFFB960B.xml↵
|2376 Scenario ·name: ·gg-sch↵
|2377 Schema: ·
|2377 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
|2377 ent..sch↵
|2378 Engine·name: ·ISO ·Schematron↵
|2379 Severity: ·error↵
|2380 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
|2380 subSection ·or ·subSubSection.↵
|2381 Start ·location: ·416:133↵
|2382 ↵
|2383 System ·ID: ·
|2383 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
|2383 /FFEE902BFFAA106D6C78792AFFFB960B.xml↵
|2384 Main ·validation ·file: ·
|2384 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
|2384 /FFEE902BFFAA106D6C78792AFFFB960B.xml↵
|2385 Scenario ·name: ·gg-sch↵
```

```
|2386 Schema: .
|2386 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
|2386 ent..sch<
|2387 Engine.name: .ISO .Schematron<
|2388 Severity: .error<
|2389 Description: .A .paragraph .must .have .an .ancestor .
|2389 subSection .or .subSubSection.<
|2390 Start.location: .420:133<
|2391 <
|2392 System.ID: .
|2392 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
|2392 /FFEE902BFFAA106D6C78792AFFFB960B.xml<
|2393 Main.validation.file: .
|2393 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
|2393 /FFEE902BFFAA106D6C78792AFFFB960B.xml<
|2394 Scenario.name: .gg-sch<
|2395 Schema: .
|2395 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
|2395 ent..sch<
|2396 Engine.name: .ISO .Schematron<
|2397 Severity: .error<
|2398 Description: .A .paragraph .must .have .an .ancestor .
|2398 subSection .or .subSubSection.<
|2399 Start.location: .424:108<
|2400 <
|2401 System.ID: .
|2401 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
|2401 /FFEE902BFFAA106D6C78792AFFFB960B.xml<
|2402 Main.validation.file: .
|2402 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
|2402 /FFEE902BFFAA106D6C78792AFFFB960B.xml<
|2403 Scenario.name: .gg-sch<
|2404 Schema: .
|2404 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
|2404 ent..sch<
```

\2405 Engine.name: .ISO.Schematron↵  
\2406 Severity: .error↵  
\2407 Description: .A.paragraph.must.have.an.ancestor.  
subSection.or.subSubSection.↵  
\2408 Start.location: .430:132↵  
\2409 ↵  
\2410 System.ID: .  
/Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
/FFEE902BFFAA106D6C78792AFFFB960B.xml↵  
\2411 Main.validation.file: .  
/Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
/FFEE902BFFAA106D6C78792AFFFB960B.xml↵  
\2412 Scenario.name: .gg-sch↵  
\2413 Schema: .  
/Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch↵  
\2414 Engine.name: .ISO.Schematron↵  
\2415 Severity: .error↵  
\2416 Description: .A.paragraph.must.have.an.ancestor.  
subSection.or.subSubSection.↵  
\2417 Start.location: .431:133↵  
\2418 ↵  
\2419 System.ID: .  
/Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
/FFEE902BFFAA106D6C78792AFFFB960B.xml↵  
\2420 Main.validation.file: .  
/Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
/FFEE902BFFAA106D6C78792AFFFB960B.xml↵  
\2421 Scenario.name: .gg-sch↵  
\2422 Schema: .  
/Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch↵  
\2423 Engine.name: .ISO.Schematron↵  
\2424 Severity: .error↵  
\2425 Description: .A.paragraph.must.have.an.ancestor.

↳2425 subSection ·or ·subSubSection. ↵  
↳2426 Start ·location: ·435:108 ↵  
↳2427 ↵  
↳2428 System ·ID: ·  
↳2428 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
↳2428 /FFEE902BFFAA106D6C78792AFFFB960B.xml ↵  
↳2429 Main ·validation ·file: ·  
↳2429 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
↳2429 /FFEE902BFFAA106D6C78792AFFFB960B.xml ↵  
↳2430 Scenario ·name: ·gg-sch ↵  
↳2431 Schema: ·  
↳2431 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
↳2432 Engine ·name: ·ISO ·Schematron ↵  
↳2433 Severity: ·error ↵  
↳2434 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
↳2434 subSection ·or ·subSubSection. ↵  
↳2435 Start ·location: ·436:108 ↵  
↳2436 ↵  
↳2437 System ·ID: ·  
↳2437 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
↳2437 /FFEE902BFFAA106D6C78792AFFFB960B.xml ↵  
↳2438 Main ·validation ·file: ·  
↳2438 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
↳2438 /FFEE902BFFAA106D6C78792AFFFB960B.xml ↵  
↳2439 Scenario ·name: ·gg-sch ↵  
↳2440 Schema: ·  
↳2440 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
↳2441 Engine ·name: ·ISO ·Schematron ↵  
↳2442 Severity: ·error ↵  
↳2443 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
↳2443 subSection ·or ·subSubSection. ↵  
↳2444 Start ·location: ·437:108 ↵  
↳2445 ↵

|2446 System·ID: ·  
|2446 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
|2446 /FFEE902BFFAA106D6C78792AFFFB960B.xml↵  
|2447 Main·validation·file: ·  
|2447 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
|2447 /FFEE902BFFAA106D6C78792AFFFB960B.xml↵  
|2448 Scenario·name: ·gg-sch↵  
|2449 Schema: ·  
|2449 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
|2449 ent..sch↵  
|2450 Engine·name: ·ISO·Schematron↵  
|2451 Severity: ·error↵  
|2452 Description: ·A·paragraph·must·have·an·ancestor·  
|2452 subSection·or·subSubSection.↵  
|2453 Start·location: ·442:179↵  
|2454 ↵  
|2455 System·ID: ·  
|2455 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
|2455 /FFEE902BFFAA106D6C78792AFFFB960B.xml↵  
|2456 Main·validation·file: ·  
|2456 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
|2456 /FFEE902BFFAA106D6C78792AFFFB960B.xml↵  
|2457 Scenario·name: ·gg-sch↵  
|2458 Schema: ·  
|2458 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
|2458 ent..sch↵  
|2459 Engine·name: ·ISO·Schematron↵  
|2460 Severity: ·error↵  
|2461 Description: ·A·paragraph·must·have·an·ancestor·  
|2461 subSection·or·subSubSection.↵  
|2462 Start·location: ·451:109↵  
|2463 ↵  
|2464 System·ID: ·  
|2464 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
|2464 /FFEE902BFFAA106D6C78792AFFFB960B.xml↵

```
|2465 Main-validation-file: ·  
|2465 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
|2465 /FFEE902BFFAA106D6C78792AFFFB960B.xml↵  
|2466 Scenario-name: ·gg-sch↵  
|2467 Schema: ·  
|2467 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm  
|2467 ent..sch↵  
|2468 Engine-name: ·ISO ·Schematron↵  
|2469 Severity: ·error↵  
|2470 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
|2470 subSection ·or ·subSubSection.↵  
|2471 Start ·location: ·456:136↵  
|2472 ↵  
|2473 System ·ID: ·  
|2473 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
|2473 /FFEE902BFFAA106D6C78792AFFFB960B.xml↵  
|2474 Main-validation-file: ·  
|2474 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
|2474 /FFEE902BFFAA106D6C78792AFFFB960B.xml↵  
|2475 Scenario-name: ·gg-sch↵  
|2476 Schema: ·  
|2476 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm  
|2476 ent..sch↵  
|2477 Engine-name: ·ISO ·Schematron↵  
|2478 Severity: ·error↵  
|2479 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
|2479 subSection ·or ·subSubSection.↵  
|2480 Start ·location: ·461:109↵  
|2481 ↵  
|2482 System ·ID: ·  
|2482 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
|2482 /FFEE902BFFAA106D6C78792AFFFB960B.xml↵  
|2483 Main-validation-file: ·  
|2483 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
|2483 /FFEE902BFFAA106D6C78792AFFFB960B.xml↵
```

```
|2484 Scenario·name: ·gg-sch↵
|2485 Schema: ·
|2485 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
|2485 ent..sch↵
|2486 Engine·name: ·ISO·Schematron↵
|2487 Severity: ·error↵
|2488 Description: ·A·paragraph·must·have·an·ancestor·
|2488 subSection·or·subSubSection.↵
|2489 Start·location: ·463:109↵
|2490 ↵
|2491 System·ID: ·
|2491 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
|2491 /FFEE902BFFAA106D6C78792AFFFB960B.xml↵
|2492 Main·validation·file: ·
|2492 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
|2492 /FFEE902BFFAA106D6C78792AFFFB960B.xml↵
|2493 Scenario·name: ·gg-sch↵
|2494 Schema: ·
|2494 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
|2494 ent..sch↵
|2495 Engine·name: ·ISO·Schematron↵
|2496 Severity: ·error↵
|2497 Description: ·A·paragraph·must·have·an·ancestor·
|2497 subSection·or·subSubSection.↵
|2498 Start·location: ·468:145↵
|2499 ↵
|2500 System·ID: ·
|2500 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
|2500 /FFEE902BFFAA106D6C78792AFFFB960B.xml↵
|2501 Main·validation·file: ·
|2501 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
|2501 /FFEE902BFFAA106D6C78792AFFFB960B.xml↵
|2502 Scenario·name: ·gg-sch↵
|2503 Schema: ·
|2503 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
```

```
|2503 ent..sch↵
|2504 Engine.name: ·ISO ·Schematron↵
|2505 Severity: ·error↵
|2506 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
|2506 subSection ·or ·subSubSection.↵
|2507 Start ·location: ·469:109↵
|2508 ↵
|2509 System ·ID: ·
|2509 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
|2509 /FFEE902BFFAA106D6C78792AFFFB960B.xml↵
|2510 Main ·validation ·file: ·
|2510 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
|2510 /FFEE902BFFAA106D6C78792AFFFB960B.xml↵
|2511 Scenario ·name: ·gg-sch↵
|2512 Schema: ·
|2512 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
|2512 ent..sch↵
|2513 Engine.name: ·ISO ·Schematron↵
|2514 Severity: ·error↵
|2515 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
|2515 subSection ·or ·subSubSection.↵
|2516 Start ·location: ·470:179↵
|2517 ↵
|2518 System ·ID: ·
|2518 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
|2518 /FFEE902BFFAA106D6C78792AFFFB960B.xml↵
|2519 Main ·validation ·file: ·
|2519 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
|2519 /FFEE902BFFAA106D6C78792AFFFB960B.xml↵
|2520 Scenario ·name: ·gg-sch↵
|2521 Schema: ·
|2521 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
|2521 ent..sch↵
|2522 Engine.name: ·ISO ·Schematron↵
|2523 Severity: ·error↵
```

32524 Description: -A -paragraph -must -have -an -ancestor -  
32524 subSection -or -subSubSection. ↵  
32525 Start -location: -482:107 ↵  
32526 ↵  
32527 System -ID: -  
32527 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
32527 /FFEE902BFFAA106D6C78792AFFFB960B.xml ↵  
32528 Main -validation -file: -  
32528 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
32528 /FFEE902BFFAA106D6C78792AFFFB960B.xml ↵  
32529 Scenario -name: -gg-sch ↵  
32530 Schema: -  
32530 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
32530 ent..sch ↵  
32531 Engine -name: -ISO -Schematron ↵  
32532 Severity: -error ↵  
32533 Description: -A -paragraph -must -have -an -ancestor -  
32533 subSection -or -subSubSection. ↵  
32534 Start -location: -487:108 ↵  
32535 ↵  
32536 System -ID: -  
32536 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
32536 /FFEE902BFFAA106D6C78792AFFFB960B.xml ↵  
32537 Main -validation -file: -  
32537 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
32537 /FFEE902BFFAA106D6C78792AFFFB960B.xml ↵  
32538 Scenario -name: -gg-sch ↵  
32539 Schema: -  
32539 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
32539 ent..sch ↵  
32540 Engine -name: -ISO -Schematron ↵  
32541 Severity: -error ↵  
32542 Description: -A -paragraph -must -have -an -ancestor -  
32542 subSection -or -subSubSection. ↵  
32543 Start -location: -488:145 ↵

```
|2544 <System·ID: ·  
|2545 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
|2545 /FFEE902BFFAA106D6C78792AFFFB960B.xml<  
|2546 Main·validation·file: ·  
|2546 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
|2546 /FFEE902BFFAA106D6C78792AFFFB960B.xml<  
|2547 Scenario·name: ·gg-sch<  
|2548 Schema: ·  
|2548 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm  
ent..sch<  
|2549 Engine·name: ·ISO·Schematron<  
|2550 Severity: ·error<  
|2551 Description: ·A·paragraph·must·have·an·ancestor·  
|2551 subSection·or·subSubSection.<  
|2552 Start·location: ·489:109<  
|2553 <  
|2554 System·ID: ·  
|2554 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
|2554 /FFEE902BFFAA106D6C78792AFFFB960B.xml<  
|2555 Main·validation·file: ·  
|2555 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
|2555 /FFEE902BFFAA106D6C78792AFFFB960B.xml<  
|2556 Scenario·name: ·gg-sch<  
|2557 Schema: ·  
|2557 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm  
ent..sch<  
|2558 Engine·name: ·ISO·Schematron<  
|2559 Severity: ·error<  
|2560 Description: ·A·paragraph·must·have·an·ancestor·  
|2560 subSection·or·subSubSection.<  
|2561 Start·location: ·494:178<  
|2562 <  
|2563 System·ID: ·  
|2563 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
```

32563 /FFEE902BFFAA106D6C78792AFFFB960B.xml ↵  
32564 Main-validation-file: .  
32564 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
32564 /FFEE902BFFAA106D6C78792AFFFB960B.xml ↵  
32565 Scenario-name: .gg-sch ↵  
32566 Schema: .  
32566 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
32566 ent..sch ↵  
32567 Engine-name: .ISO-Schematron ↵  
32568 Severity: .error ↵  
32569 Description: .A.paragraph.must.have.an.ancestor.  
32569 subSection.or.subSubSection. ↵  
32570 Start-location: .495:107 ↵  
32571 ↵  
32572 System-ID: .  
32572 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
32572 /FFEE902BFFAA106D6C78792AFFFB960B.xml ↵  
32573 Main-validation-file: .  
32573 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
32573 /FFEE902BFFAA106D6C78792AFFFB960B.xml ↵  
32574 Scenario-name: .gg-sch ↵  
32575 Schema: .  
32575 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
32575 ent..sch ↵  
32576 Engine-name: .ISO-Schematron ↵  
32577 Severity: .error ↵  
32578 Description: .A.paragraph.must.have.an.ancestor.  
32578 subSection.or.subSubSection. ↵  
32579 Start-location: .496:107 ↵  
32580 ↵  
32581 System-ID: .  
32581 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
32581 /FFEE902BFFAA106D6C78792AFFFB960B.xml ↵  
32582 Main-validation-file: .  
32582 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax

```
|2582 /FFEE902BFFAA106D6C78792AFFFB960B.xml↵
|2583 Scenario·name: ·gg-sch↵
|2584 Schema: ·
|2584 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
|2584 ent..sch↵
|2585 Engine·name: ·ISO ·Schematron↵
|2586 Severity: ·error↵
|2587 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
|2587 subSection ·or ·subSubSection.↵
|2588 Start ·location: ·497:107↵
|2589 ↵
|2590 System ·ID: ·
|2590 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
|2590 /FFEE902BFFAA106D6C78792AFFFB960B.xml↵
|2591 Main ·validation ·file: ·
|2591 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
|2591 /FFEE902BFFAA106D6C78792AFFFB960B.xml↵
|2592 Scenario ·name: ·gg-sch↵
|2593 Schema: ·
|2593 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
|2593 ent..sch↵
|2594 Engine·name: ·ISO ·Schematron↵
|2595 Severity: ·error↵
|2596 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
|2596 subSection ·or ·subSubSection.↵
|2597 Start ·location: ·498:134↵
|2598 ↵
|2599 System ·ID: ·
|2599 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
|2599 /FFEE902BFFAA106D6C78792AFFFB960B.xml↵
|2600 Main ·validation ·file: ·
|2600 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
|2600 /FFEE902BFFAA106D6C78792AFFFB960B.xml↵
|2601 Scenario ·name: ·gg-sch↵
|2602 Schema: ·
```

```
|2602 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm  
|2602 ent..sch↵  
|2603 Engine.name: ·ISO ·Schematron↵  
|2604 Severity: ·error↵  
|2605 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
|2605 subSection ·or ·subSubSection.↵  
|2606 Start ·location: ·503:108↵  
|2607 ↵  
|2608 System ·ID: ·  
|2608 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
|2608 /FFEE902BFFAA106D6C78792AFFFB960B.xml↵  
|2609 Main ·validation ·file: ·  
|2609 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
|2609 /FFEE902BFFAA106D6C78792AFFFB960B.xml↵  
|2610 Scenario ·name: ·gg-sch↵  
|2611 Schema: ·  
|2611 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm  
|2611 ent..sch↵  
|2612 Engine.name: ·ISO ·Schematron↵  
|2613 Severity: ·error↵  
|2614 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
|2614 subSection ·or ·subSubSection.↵  
|2615 Start ·location: ·504:134↵  
|2616 ↵  
|2617 System ·ID: ·  
|2617 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
|2617 /FFEE902BFFAA106D6C78792AFFFB960B.xml↵  
|2618 Main ·validation ·file: ·  
|2618 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
|2618 /FFEE902BFFAA106D6C78792AFFFB960B.xml↵  
|2619 Scenario ·name: ·gg-sch↵  
|2620 Schema: ·  
|2620 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm  
|2620 ent..sch↵  
|2621 Engine.name: ·ISO ·Schematron↵
```

↳2622 Severity: ·error ↵  
↳2623 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
↳2623 subSection ·or ·subSubSection. ↵  
↳2624 Start ·location: ·509:108 ↵  
↳2625 ↵  
↳2626 System ·ID: ·  
↳2626 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
↳2626 /FFEE902BFFAA106D6C78792AFFFB960B.xml ↵  
↳2627 Main ·validation ·file: ·  
↳2627 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
↳2627 /FFEE902BFFAA106D6C78792AFFFB960B.xml ↵  
↳2628 Scenario ·name: ·gg-sch ↵  
↳2629 Schema: ·  
↳2629 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
↳2630 Engine ·name: ·ISO ·Schematron ↵  
↳2631 Severity: ·error ↵  
↳2632 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
↳2632 subSection ·or ·subSubSection. ↵  
↳2633 Start ·location: ·510:132 ↵  
↳2634 ↵  
↳2635 System ·ID: ·  
↳2635 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
↳2635 /FFEE902BFFAA106D6C78792AFFFB960B.xml ↵  
↳2636 Main ·validation ·file: ·  
↳2636 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
↳2636 /FFEE902BFFAA106D6C78792AFFFB960B.xml ↵  
↳2637 Scenario ·name: ·gg-sch ↵  
↳2638 Schema: ·  
↳2638 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
ent..sch ↵  
↳2639 Engine ·name: ·ISO ·Schematron ↵  
↳2640 Severity: ·error ↵  
↳2641 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
↳2641 subSection ·or ·subSubSection. ↵

\2642 Start ·location: ·514:130 ↵  
\2643 ↵  
\2644 System ·ID: ·  
\2644 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
\2644 /FFEE902BFFAA106D6C78792AFFFB960B.xml ↵  
\2645 Main ·validation ·file: ·  
\2645 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
\2645 /FFEE902BFFAA106D6C78792AFFFB960B.xml ↵  
\2646 Scenario ·name: ·gg-sch ↵  
\2647 Schema: ·  
\2647 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
\2647 ent..sch ↵  
\2648 Engine ·name: ·ISO ·Schematron ↵  
\2649 Severity: ·error ↵  
\2650 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
\2650 subSection ·or ·subSubSection. ↵  
\2651 Start ·location: ·519:108 ↵  
\2652 ↵  
\2653 System ·ID: ·  
\2653 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
\2653 /FFEE902BFFAA106D6C78792AFFFB960B.xml ↵  
\2654 Main ·validation ·file: ·  
\2654 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
\2654 /FFEE902BFFAA106D6C78792AFFFB960B.xml ↵  
\2655 Scenario ·name: ·gg-sch ↵  
\2656 Schema: ·  
\2656 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
\2656 ent..sch ↵  
\2657 Engine ·name: ·ISO ·Schematron ↵  
\2658 Severity: ·error ↵  
\2659 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
\2659 subSection ·or ·subSubSection. ↵  
\2660 Start ·location: ·539:108 ↵  
\2661 ↵  
\2662 System ·ID: ·

```
|2662 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
|2662 /FFEE902BFFAA106D6C78792AFFFB960B.xml↵
|2663 Main-validation-file: ·
|2663 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
|2663 /FFEE902BFFAA106D6C78792AFFFB960B.xml↵
|2664 Scenario-name: ·gg-sch↵
|2665 Schema: ·
|2665 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
|2665 ent..sch↵
|2666 Engine-name: ·ISO ·Schematron↵
|2667 Severity: ·error↵
|2668 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
|2668 subSection ·or ·subSubSection.↵
|2669 Start-location: ·552:108↵
|2670 ↵
|2671 System-ID: ·
|2671 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
|2671 /FFEE902BFFAA106D6C78792AFFFB960B.xml↵
|2672 Main-validation-file: ·
|2672 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
|2672 /FFEE902BFFAA106D6C78792AFFFB960B.xml↵
|2673 Scenario-name: ·gg-sch↵
|2674 Schema: ·
|2674 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
|2674 ent..sch↵
|2675 Engine-name: ·ISO ·Schematron↵
|2676 Severity: ·error↵
|2677 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
|2677 subSection ·or ·subSubSection.↵
|2678 Start-location: ·572:108↵
|2679 ↵
|2680 System-ID: ·
|2680 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
|2680 /FFEE902BFFAA106D6C78792AFFFB960B.xml↵
|2681 Main-validation-file: ·
```

```
|2681 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
|2681 /FFEE902BFFAA106D6C78792AFFFB960B.xml↵
|2682 Scenario·name: ·gg-sch↵
|2683 Schema: ·
|2683 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
|2683 ent..sch↵
|2684 Engine·name: ·ISO ·Schematron↵
|2685 Severity: ·error↵
|2686 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
|2686 subSection ·or ·subSubSection.↵
|2687 Start ·location: ·595:108↵
|2688 ↵
|2689 System ·ID: ·
|2689 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
|2689 /FFEE902BFFAA106D6C78792AFFFB960B.xml↵
|2690 Main ·validation ·file: ·
|2690 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
|2690 /FFEE902BFFAA106D6C78792AFFFB960B.xml↵
|2691 Scenario ·name: ·gg-sch↵
|2692 Schema: ·
|2692 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
|2692 ent..sch↵
|2693 Engine·name: ·ISO ·Schematron↵
|2694 Severity: ·error↵
|2695 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
|2695 subSection ·or ·subSubSection.↵
|2696 Start ·location: ·629:108↵
|2697 ↵
|2698 System ·ID: ·
|2698 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
|2698 /FFEE902BFFAA106D6C78792AFFFB960B.xml↵
|2699 Main ·validation ·file: ·
|2699 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
|2699 /FFEE902BFFAA106D6C78792AFFFB960B.xml↵
|2700 Scenario ·name: ·gg-sch↵
```

```
|2701 Schema: .
|2701 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
|2701 ent..sch<
|2702 Engine.name: .ISO .Schematron<
|2703 Severity: .error<
|2704 Description: .A .paragraph .must .have .an .ancestor .
|2704 subSection .or .subSubSection.<
|2705 Start.location: .649:108<
|2706 <
|2707 System.ID: .
|2707 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
|2707 /FFEE902BFFAA106D6C78792AFFFB960B.xml<
|2708 Main.validation.file: .
|2708 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
|2708 /FFEE902BFFAA106D6C78792AFFFB960B.xml<
|2709 Scenario.name: .gg-sch<
|2710 Schema: .
|2710 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
|2710 ent..sch<
|2711 Engine.name: .ISO .Schematron<
|2712 Severity: .error<
|2713 Description: .A .paragraph .must .have .an .ancestor .
|2713 subSection .or .subSubSection.<
|2714 Start.location: .675:108<
|2715 <
|2716 System.ID: .
|2716 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
|2716 /FFEE902BFFAA106D6C78792AFFFB960B.xml<
|2717 Main.validation.file: .
|2717 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
|2717 /FFEE902BFFAA106D6C78792AFFFB960B.xml<
|2718 Scenario.name: .gg-sch<
|2719 Schema: .
|2719 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
|2719 ent..sch<
```

32720 Engine.name: ·ISO ·Schematron ↵  
32721 Severity: ·error ↵  
32722 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
32722 subSection ·or ·subSubSection. ↵  
32723 Start.location: ·702:108 ↵  
32724 ↵  
32725 System.ID: ·  
32725 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
32725 /FFEE902BFFAA106D6C78792AFFFB960B.xml ↵  
32726 Main.validation.file: ·  
32726 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
32726 /FFEE902BFFAA106D6C78792AFFFB960B.xml ↵  
32727 Scenario.name: ·gg-sch ↵  
32728 Schema: ·  
32728 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
32728 ent..sch ↵  
32729 Engine.name: ·ISO ·Schematron ↵  
32730 Severity: ·error ↵  
32731 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
32731 subSection ·or ·subSubSection. ↵  
32732 Start.location: ·729:108 ↵  
32733 ↵  
32734 System.ID: ·  
32734 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
32734 /FFEE902BFFAA106D6C78792AFFFB960B.xml ↵  
32735 Main.validation.file: ·  
32735 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
32735 /FFEE902BFFAA106D6C78792AFFFB960B.xml ↵  
32736 Scenario.name: ·gg-sch ↵  
32737 Schema: ·  
32737 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
32737 ent..sch ↵  
32738 Engine.name: ·ISO ·Schematron ↵  
32739 Severity: ·error ↵  
32740 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·

32740 subSection ·or ·subSubSection . ↵  
32741 Start ·location: ·753:108 ↵  
32742 ↵  
32743 System ·ID: ·  
32743 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
32743 /FFEE902BFFAA106D6C78792AFFFB960B.xml ↵  
32744 Main ·validation ·file: ·  
32744 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
32744 /FFEE902BFFAA106D6C78792AFFFB960B.xml ↵  
32745 Scenario ·name: ·gg-sch ↵  
32746 Schema: ·  
32746 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
32746 ent..sch ↵  
32747 Engine ·name: ·ISO ·Schematron ↵  
32748 Severity: ·error ↵  
32749 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
32749 subSection ·or ·subSubSection . ↵  
32750 Start ·location: ·768:108 ↵  
32751 ↵  
32752 System ·ID: ·  
32752 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
32752 /FFEE902BFFAA106D6C78792AFFFB960B.xml ↵  
32753 Main ·validation ·file: ·  
32753 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
32753 /FFEE902BFFAA106D6C78792AFFFB960B.xml ↵  
32754 Scenario ·name: ·gg-sch ↵  
32755 Schema: ·  
32755 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
32755 ent..sch ↵  
32756 Engine ·name: ·ISO ·Schematron ↵  
32757 Severity: ·error ↵  
32758 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·  
32758 subSection ·or ·subSubSection . ↵  
32759 Start ·location: ·795:108 ↵  
32760 ↵

b2761 System·ID: ·  
b2761 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
b2761 /FFEE902BFFAA106D6C78792AFFFB960B.xml↵  
b2762 Main·validation·file: ·  
b2762 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
b2762 /FFEE902BFFAA106D6C78792AFFFB960B.xml↵  
b2763 Scenario·name: ·gg-sch↵  
b2764 Schema: ·  
b2764 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
b2764 ent..sch↵  
b2765 Engine·name: ·ISO·Schematron↵  
b2766 Severity: ·error↵  
b2767 Description: ·A·paragraph·must·have·an·ancestor·  
b2767 subSection·or·subSubSection.↵  
b2768 Start·location: ·817:108↵  
b2769 ↵  
b2770 System·ID: ·  
b2770 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
b2770 /FFEE902BFFAA106D6C78792AFFFB960B.xml↵  
b2771 Main·validation·file: ·  
b2771 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
b2771 /FFEE902BFFAA106D6C78792AFFFB960B.xml↵  
b2772 Scenario·name: ·gg-sch↵  
b2773 Schema: ·  
b2773 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
b2773 ent..sch↵  
b2774 Engine·name: ·ISO·Schematron↵  
b2775 Severity: ·error↵  
b2776 Description: ·A·paragraph·must·have·an·ancestor·  
b2776 subSection·or·subSubSection.↵  
b2777 Start·location: ·830:108↵  
b2778 ↵  
b2779 System·ID: ·  
b2779 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
b2779 /FFEE902BFFAA106D6C78792AFFFB960B.xml↵

```
|2780 Main-validation-file: ·
|2780 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
|2780 /FFEE902BFFAA106D6C78792AFFFB960B.xml↵
|2781 Scenario-name: ·gg-sch↵
|2782 Schema: ·
|2782 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
|2782 ent..sch↵
|2783 Engine-name: ·ISO ·Schematron↵
|2784 Severity: ·error↵
|2785 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
|2785 subSection ·or ·subSubSection.↵
|2786 Start ·location: ·847:108↵
|2787 ↵
|2788 System ·ID: ·
|2788 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
|2788 /FFEE902BFFAA106D6C78792AFFFB960B.xml↵
|2789 Main-validation-file: ·
|2789 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
|2789 /FFEE902BFFAA106D6C78792AFFFB960B.xml↵
|2790 Scenario-name: ·gg-sch↵
|2791 Schema: ·
|2791 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
|2791 ent..sch↵
|2792 Engine-name: ·ISO ·Schematron↵
|2793 Severity: ·error↵
|2794 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
|2794 subSection ·or ·subSubSection.↵
|2795 Start ·location: ·865:106↵
|2796 ↵
|2797 System ·ID: ·
|2797 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
|2797 /FFEE902BFFAA106D6C78792AFFFB960B.xml↵
|2798 Main-validation-file: ·
|2798 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
|2798 /FFEE902BFFAA106D6C78792AFFFB960B.xml↵
```

```
|2799 Scenario·name: ·gg-sch↵
|2800 Schema: ·
|2800 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
|2800 ent..sch↵
|2801 Engine·name: ·ISO·Schematron↵
|2802 Severity: ·error↵
|2803 Description: ·A·paragraph·must·have·an·ancestor·
|2803 subSection·or·subSubSection.↵
|2804 Start·location: ·878:106↵
|2805 ↵
|2806 System·ID: ·
|2806 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
|2806 /FFEE902BFFAA106D6C78792AFFFB960B.xml↵
|2807 Main·validation·file: ·
|2807 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
|2807 /FFEE902BFFAA106D6C78792AFFFB960B.xml↵
|2808 Scenario·name: ·gg-sch↵
|2809 Schema: ·
|2809 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
|2809 ent..sch↵
|2810 Engine·name: ·ISO·Schematron↵
|2811 Severity: ·error↵
|2812 Description: ·A·paragraph·must·have·an·ancestor·
|2812 subSection·or·subSubSection.↵
|2813 Start·location: ·905:106↵
|2814 ↵
|2815 System·ID: ·
|2815 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
|2815 /FFEE902BFFAA106D6C78792AFFFB960B.xml↵
|2816 Main·validation·file: ·
|2816 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
|2816 /FFEE902BFFAA106D6C78792AFFFB960B.xml↵
|2817 Scenario·name: ·gg-sch↵
|2818 Schema: ·
|2818 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
```

```
|2818 ent..sch↵
|2819 Engine·name: ·ISO ·Schematron↵
|2820 Severity: ·error↵
|2821 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
|2821 subSection ·or ·subSubSection.↵
|2822 Start ·location: ·918:106↵
|2823 ↵
|2824 System ·ID: ·
|2824 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
|2824 /FFEE902BFFAA106D6C78792AFFFB960B.xml↵
|2825 Main ·validation ·file: ·
|2825 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
|2825 /FFEE902BFFAA106D6C78792AFFFB960B.xml↵
|2826 Scenario ·name: ·gg-sch↵
|2827 Schema: ·
|2827 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
|2827 ent..sch↵
|2828 Engine·name: ·ISO ·Schematron↵
|2829 Severity: ·error↵
|2830 Description: ·A ·paragraph ·must ·have ·an ·ancestor ·
|2830 subSection ·or ·subSubSection.↵
|2831 Start ·location: ·938:141↵
|2832 ↵
|2833 System ·ID: ·
|2833 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
|2833 /FFEE902BFFAA106D6C78792AFFFB960B.xml↵
|2834 Main ·validation ·file: ·
|2834 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax
|2834 /FFEE902BFFAA106D6C78792AFFFB960B.xml↵
|2835 Scenario ·name: ·gg-sch↵
|2836 Schema: ·
|2836 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml_treatm
|2836 ent..sch↵
|2837 Engine·name: ·ISO ·Schematron↵
|2838 Severity: ·error↵
```

32839 Description: -A ·paragraph ·must ·have ·an ·ancestor ·  
32839 subSection ·or ·subSubSection. ↵  
32840 Start ·location: ·959:107 ↵  
32841 ↵  
32842 System ·ID: ·  
32842 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
32842 /FFEE902BFFAA106D6C78792AFFFB960B.xml ↵  
32843 Main ·validation ·file: ·  
32843 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
32843 /FFEE902BFFAA106D6C78792AFFFB960B.xml ↵  
32844 Scenario ·name: ·gg-sch ↵  
32845 Schema: ·  
32845 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
32845 ent..sch ↵  
32846 Engine ·name: ·ISO ·Schematron ↵  
32847 Severity: ·error ↵  
32848 Description: -A ·paragraph ·must ·have ·an ·ancestor ·  
32848 subSection ·or ·subSubSection. ↵  
32849 Start ·location: ·986:107 ↵  
32850 ↵  
32851 System ·ID: ·  
32851 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
32851 /FFEE902BFFAA106D6C78792AFFFB960B.xml ↵  
32852 Main ·validation ·file: ·  
32852 /Users/thc4/Github/ggxml2taxpub/ggxml/articles/non-tax  
32852 /FFEE902BFFAA106D6C78792AFFFB960B.xml ↵  
32853 Scenario ·name: ·gg-sch ↵  
32854 Schema: ·  
32854 /Users/thc4/Github/ggxml2taxpub/profiling/ggxml\_treatm  
32854 ent..sch ↵  
32855 Engine ·name: ·ISO ·Schematron ↵  
32856 Severity: ·error ↵  
32857 Description: -A ·paragraph ·must ·have ·an ·ancestor ·  
32857 subSection ·or ·subSubSection. ↵  
32858 Start ·location: ·1009:107 ↵

32859 ←

32860 ♦