

**AP Calculus AB
PRACTICE Sheet 6**

DR. PAUL BAILEY
WEDNESDAY, OCTOBER 4, 2017

Write all subsets of \mathbb{R} as the union of disjoint intervals or finite sets.

Problem 1. (Domain) Let $f(x) = \sqrt{9 - x^2}$. Find the domain and range of f .

Problem 2. (Limits) Let $f(x) = \frac{x^3 - 7x^2 - x - 56}{x^2 - 9x + 8}$. Find $\lim_{x \rightarrow 8} f(x)$.

Problem 3. (Polynomials) Consider the polynomial function

$$g(x) = 12x - x^3.$$

Find the zeros and intercepts of g , and sketch its graph.

Problem 4. (Domain of Composition) Let $f(x) = \sqrt{x + 3}$ and $g(x) = \frac{1}{x - 5}$. Find $\text{dom}(g \circ f)$ and $\text{dom}(f \circ g)$.

Problem 5. (Derivatives) Let $f(x) = x^5 - 2x^4 + 3x^3 - 5x^2 + 7x - 11$. Find $f'(x)$.

Problem 6. (Derivatives) Let $f(x) = \frac{3}{x} + 5\sqrt{x} + 7\sin x + 11e^x$. Find $f'(x)$.

Problem 7. (Domain) Let $f(x) = \sqrt{x^2 - 2x - 15}$. Find $\text{dom}(f)$.

Problem 8. (Range) Let $g(x) = x^2 - 14x + 100$. Find $\text{range}(g)$.

Problem 9. (Limits) Let $f(x) = \frac{x^3 - 16x^2 + 57x - 22}{x^2 - 4x - 77}$. Find $\lim_{x \rightarrow 11} f(x)$.

Problem 10. (Continuity) Let

$$f(x) = \begin{cases} 25 - x^2 & \text{for } x \leq 3 \\ (x - c)^2 & \text{for } x > 3 \end{cases}$$

Suppose f is continuous. Find all possible values for c .

Problem 11. (Tangents) Let $g(x) = x^3 - 7x + 3$. Find the equation of the line tangent to the graph of g at $x = 2$.

Problem 12. (Domain) Let $f(x) = \sqrt{9 - x^2}$. Find the domain and range of f .

Problem 13. (Limits) Let $f(x) = \frac{x^3 - 7x^2 - x - 56}{x^2 - 9x + 8}$. Find $\lim_{x \rightarrow 8} f(x)$.

Problem 14. (Polynomials) Consider the polynomial function

$$g(x) = 12x - x^3.$$

Find the zeros and intercepts of g , and sketch its graph.

Problem 15. (Domain of Composition) Let $f(x) = \sqrt{x + 3}$ and $g(x) = \frac{1}{x - 5}$. Find $\text{dom}(g \circ f)$ and $\text{dom}(f \circ g)$.

Problem 16. (Derivatives) Let $f(x) = x^5 - 2x^4 + 3x^3 - 5x^2 + 7x - 11$. Find $f'(x)$.

Problem 17. (Derivatives) Let $f(x) = \frac{3}{x} + 5\sqrt{x} + 7\sin x + 11e^x$. Find $f'(x)$.

Problem 18. (Domain) Let $f(x) = \sqrt{x^2 - 2x - 15}$. Find $\text{dom}(f)$.

Problem 19. (Range) Let $g(x) = x^2 - 14x + 100$. Find $\text{range}(g)$.

Problem 20. (Limits) Let $f(x) = \frac{x^3 - 16x^2 + 57x - 22}{x^2 - 4x - 77}$. Find $\lim_{x \rightarrow 11} f(x)$.

Problem 21. (Continuity) Let

$$f(x) = \begin{cases} 25 - x^2 & \text{for } x \leq 3 \\ (x - c)^2 & \text{for } x > 3 \end{cases}$$

Suppose f is continuous. Find all possible values for c .

Problem 22. (Tangents) Let $g(x) = x^3 - 7x + 3$. Find the equation of the line tangent to the graph of g at $x = 2$.

Problem 23. (Piecewise Limits) Let

$$f(x) = \begin{cases} \sqrt{x+3} & \text{for } x < 6 \\ 0 & \text{for } x = 6 \\ 25 - x^2 & \text{for } x > 6 \end{cases}$$

Find $\lim_{x \rightarrow 6^-} f(x)$ and $\lim_{x \rightarrow 6^+} f(x)$.

Problem 24. (Piecewise Continuity) Let

$$f(x) = \begin{cases} x^2 + k & \text{for } x < 2 \\ x + 5 & \text{for } x \geq 2 \end{cases}$$

Find the value for k such that $\lim_{x \rightarrow 2} f(x)$ exists.

Problem 25. (Theory)

Let $f : \mathbb{R} \rightarrow \mathbb{R}$ be a differentiable function. We have discussed why $\lim_{h \rightarrow 0} \frac{f(x+h) - f(x)}{h} = \lim_{h \rightarrow 0} \frac{f(x-h) - f(x)}{-h}$. Use this fact, and the definitions of even and odd functions, to show that if f is an odd function, then f' is an even function.

Problem 26. (Wrapping Function) Let $W : \mathbb{R} \rightarrow \mathbb{R}^2$ be the wrapping function.

(a) Find $W\left(\frac{79\pi}{6}\right)$.

(b) Let $F(t) = W(2\pi t)$. Find $F\left(\frac{51}{12}\right)$.

(c) Find all $t \in \mathbb{R}$ such that $W(t) = (x, y)$ and $x = y$.

Problem 27. (Rational Limits) Compute the limit.

(a) $\lim_{x \rightarrow 2} x^2 - 3x - 40$

(b) $\lim_{x \rightarrow 2} \frac{x^2 - 3x - 40}{x - 5}$

(c) $\lim_{x \rightarrow 5} \frac{x^2 - 3x - 40}{x - 5}$

(d) $\lim_{x \rightarrow 8} \frac{x^2 - 3x - 40}{x - 8}$

(e) $\lim_{x \rightarrow \infty} \frac{x^2 - 3x - 40}{x^2 - 8}$

Problem 28. (Math Facts)

Let a and C be constants, and let u and v be functions of x .

(1) $\frac{d}{dx} C = \underline{\hspace{2cm}}$ (constant rule)

(2) $\frac{d}{dx} (u + v) = \underline{\hspace{2cm}}$ (sum rule)

(3) $\frac{d}{dx} (au) = \underline{\hspace{2cm}}$ (constant multiple rule)

(4) $\frac{d}{dx} x^n = \underline{\hspace{2cm}}$ (power rule)

(5) $\frac{d}{dx} \sqrt{x} = \underline{\hspace{2cm}}$

(6) $\frac{d}{dx} \frac{1}{x} = \underline{\hspace{2cm}}$


(7) $\frac{d}{dx} \sin(x) = \underline{\hspace{2cm}}$

(8) $\frac{d}{dx} \cos(x) = \underline{\hspace{2cm}}$

(9) $\frac{d}{dx} e^x = \underline{\hspace{2cm}}$

(10) $\frac{d}{dx} \ln x = \underline{\hspace{2cm}}$

Problem 29. (Graphing Polynomials) Consider the polynomial function $f(x) = x^4 - 8x^2 + 7$. Find its degree, leading coefficient, constant coefficient, zeros, and end behavior. Find the y -intercept and x -intercepts. Graph the function and label these points.



Polynomial: $f(x) = x^4 - 8x^2 + 7$

Degree:

Leading Coefficient:

Constant Coefficient:


Zeros:

y -intercept:

x -intercepts:

End Behavior:

Problem 30. (Graphing Rational Functions) Consider the rational function $f(x) = \frac{3x^2 - 12}{x^2 - 25}$. Find its degree, zeros, and poles. Find its intercepts and asymptotes. Graph the function and label these features.



Rational Function: $f(x) = \frac{3x^2 - 12}{x^2 - 25}$

Degree:

Zeros:

Poles:

y -intercept:

x -intercepts:

Vertical Asymptotes:

Polynomial Asymptote: