

container-writer — demo

Block containers (Div)

Epigraph

The world is a book, and those who do not travel read only one page.

— *Saint Augustine*

Dedication

For all who write in the margins.

Abstract

This document demonstrates the container-writer filter, which translates generic Div and Span elements into format-native environments for LaTeX, ConTeXt, Typst and HTML.

Inline containers (Span)

A paragraph with a marginal note inserted inline.

Another paragraph with a second note further along.

Per-block override

The **env=** attribute overrides the environment name for a specific block:

This block uses a custom environment name via **env=**.

Nested styles (parent.child)

A container can have a titled child — both whitelisted independently. The `note.title` entry wraps the title in its own environment:

Note

The title above is wrapped in its own environment via the `note.title` whitelist entry — useful for applying distinct formatting to the label.

Remapping (LaTeX only)

The `note.title: notetitle` entry in the `latex: whitelist` remaps the `note.title` class to a different environment name in LaTeX output only. Other formats use the default `title` name:

Note

In LaTeX this title renders as `\begin{notetitle}` instead of `\begin{title}` — useful when your preamble defines format-specific environment names.

Whitelist — unknown containers pass through

This block is **not** in the whitelist and passes through unchanged:

This div has no matching whitelist entry.

Editorial margin notes

Margin notes are inline annotations for authors and editors. They are visible in review builds and stripped in production by removing the classes from the whitelist — no changes to the source files are needed.

Inline (Span)

A short open note sits right next to the text it refers to.

A resolved note looks different so you can see at a glance what still needs attention.

Block (Div)

For longer annotations a fenced Div works better: