Factory sampling pack

Owner: Shane Cooper | 27 October owner revision | Written instructions control



What the factory is being asked to make

Style ID	Product	Status
PS-H01 + PS-J01	Signature oversized hoodie + tapered joggers	Silhouette retained; rear branding revised; physical sample pending
PS-M01	Integrated modular hood mask for PS-H01	Prototype required; no safety or visibility certification claimed
PS-L01 + PS-B01	High-waist leggings + racerback longline bra	Black / charcoal sampling direction
PS-Z01 + PS-J02	Hooded full-zip alternative + matching joggers	Option; do not combine with signature back print
PS-Q01 + PS-J02	Quarter-zip funnel-neck set	Existing silhouette option; keep separate from full zip
PS-T01 / PS-T02	Half-brain / electric-brain graphic tee backs	Separate graphic capsule; original print masters required

Release boundary: This pack is ready for a factory quotation and first prototype discussion. It is not a graded pattern, print separation or approved bulk-production specification. Do not manufacture from a photorealistic image alone.

Priority: written style/placement instructions > owner-approved artwork and sample > campaign image. Report contradictions before cutting. All left/right references mean the wearer's left/right.

Signature set

PS-H01 hoodie + PS-J01 joggers | Core: black; approved colourway development: charcoal / sand



Component	Sampling specification / factory action
Main cloth - route A	420-450 gsm soft cotton French terry. Quote actual composition, weight tolerance, shrinkage and finishing. Do not claim organic without evidence.
Main cloth - route B	320-360 gsm four-way stretch double-knit with brushed inner. Quote separately; do not substitute route B without owner approval.
Hoodie construction	Oversized boxy drop shoulder; double-layer hood; kangaroo pocket with bar-tacks; nominal 63.5 mm finished cuff/hem rib. Metal-tip cords, no decorative side stripes.
Jogger construction	Matching cloth; relaxed seat/upper thigh, tapered leg, rib ankle; waistband elastic and internal cord. Match dye lot. Pocket construction to confirm on prototype.
Prints / trim	Restrained reflective silver transfer or matte silver silicone; name product, supplier and process. Branded 3M/YKK only if genuine and documented. No assumed protective visibility rating.

Factory to propose: main/rib composition, elastane content, seam type and allowance per panel, stitch density, elastic width, hood/mask pattern and pocket reinforcement. Submit swatches with sample. Do not invent finished measurements from the model image.

Placement map

One P.S. per jogger, LEFT THIGH ONLY | Width limits below control final logo scale

Style / zone	Final artwork size (mm)	Placement instruction
PS-H01 left chest	P.S. 40-50 wide	Wearer left chest. Scale proportionally; subtle matte silver fill or thin silver outline.
PS-H01 upper-mid back	Crying Brain 220-240 wide; no P.S. below	Retain the existing brain artwork and size; remove the P.S. beneath. Lower back is otherwise clear.
PS-H01 rear hem	PLEADING SANITY; size to approve	Black-on-black at the very bottom rear ribbed hem. No silver wordmark here.
PS-J01 / PS-J02 left thigh	P.S. 50-65 wide	One mark only, centred vertically on upper thigh. Right thigh, calves and rear blank.
PS-M01 side edge	P.S. 25-35 wide	Tiny side signature. Lower mouth graphic is grillz/drips only; no Crying Brain.
PS-L01 left hip / upper thigh	P.S. 60-70 wide	Follow the natural upper-thigh curve. Front waistband completely clean.
PS-L01 rear waistband	Wordmark 120-150 wide; existing text height 6	Centred below top seam; clean, subtle sans-serif.
PS-B01 left chest	P.S. 30-40 wide	Tiny mark; this style-specific size takes priority over the general chest range.
PS-B01 upper back	Crying Brain 18 high	Centred on racerback, clear of seams. Existing height unchanged.
PS-Z01 / PS-Q01 left chest	P.S. 40-50 wide	Same restrained chest scale as hoodie. Plain back.
PS-Z01 front hem	Wordmark text height 8	Existing front-hem wordmark retained; no new width assigned.

Sizing priority: Shane's latest width limits above supersede earlier P.S. height targets (hoodie 35; zip chest 25; hip/thigh 22; bra 14 mm). Those are superseded references, not simultaneous constraints. Preserve the approved artwork ratio; never stretch letters to force both width and old height. Fabric weights, garment dimensions, non-P.S. heights and FOB targets remain unchanged.

Artwork setup: factory returns a 1:1 placement proof, actual width/derived height, seam/HPS offsets, silver swatch and transfer process settings. Confirm offsets, grading and print performance on the approved sample.

Artwork register

Six required print families | Original artwork must be supplied and approved

This register identifies the artwork the factory needs. Campaign images are visual references only; they are not print masters. Confirm file delivery separately before print setup.

Required artwork	Use in the existing range	Factory handoff
P.S. Monogram	Signature set, mask side, activewear and zip options	Approved SVG / AI / print-ready PDF; preserve the supplied proportions and type.
Crying Brain	Signature hoodie back and bra upper back	Approved SVG / AI / print-ready PDF; retain exact brain and droplets. PS-H01 revision removes the separate P.S. beneath.
Wordmark	PLEADING SANITY: new tonal PS-H01 rear hem; existing waistband / front-hem zones	Approved SVG / AI / print-ready PDF; use the supplied type, spacing and text.
Grillz Mask	PS-M01 lower-face printed grillz and drips	Approved SVG / AI / print-ready PDF, sized to the fitted mask pattern. Flexible print only.
Half-Brain Tee	PS-T01 back artwork	Original tee print master, including all wording and graphic elements.
Electric-Brain Tee	PS-T02 back artwork	Original tee print master, including original cyan artwork and wording.

Proof and file checks

Preserve all proportions. Do not trace campaign images, replace fonts or substitute marks. The factory returns a 1:1 placement proof, print dimensions, silver swatch, transfer thickness and stretch/wash settings for approval.

Delivery status: required files listed; receipt of the original approved print masters has not been confirmed in this pack. File names, revisions and approvals must be recorded before printing.

Style boundaries: PS-Q01 is the existing quarter-zip option. PS-H02 remains a historical clean-front hoodie reference only. Neither introduces a new style or overrides the PS-H01 signature specification.

The modular hood mask

PS-M01 original modular build | Full-head alternative is a separate prototype concept



How it works

1 / LOWER PANEL - PERMANENT. Soft four-way stretch performance mesh is sewn inside the hood opening along the chin-to-ear line. The lower panel stays attached to the garment. Pattern the seam for comfort without pulling the hood or pressing on the nose.

2 / UPPER EYE PANEL - REMOVABLE. Fine breathable vision mesh attaches through four soft, fabric-covered neodymium magnetic snaps: two to the lower panel and two inside the hood lining. Keep hardware low-profile, enclosed and free of sharp contact edges.

3 / STOWED POSITION. Fold/roll the attached lower panel into the concealed hood channel; detach the upper eye panel and secure it in the same hidden tunnel inside the hood brim. Nothing should dangle. Eyes, nose, mouth and chin remain completely clear. Size the tunnel from the rolled physical sample.

4 / DESIGN. Dripping diamond-silver grillz are a flexible flat print centred on the mouth panel. Tiny side-edge P.S.: 25-35 mm wide. No Crying Brain on the mask. No attached gems, metal teeth or loose drip pieces.

5 / FABRIC. Soft four-way stretch performance mesh with a fine breathable eye panel. Inner hood lining: brushed moisture-wicking jersey, as requested in the final design direction. Confirm comfort and material performance on the sample.


6 / MAGNETS. Fabric-covered, low-profile neodymium. Aim for secure, quiet retention, hair-friendly edges and easy one-handed use. Validate attachment/removal, retention and comfort on the prototype; these are design goals, not proven results.

Sample acceptance: assess breathing/speaking, condensation, skin contact, mesh visibility, snagging, wash retention, magnet encapsulation and stow comfort. Zero visible bulk and year-round breathability are targets to verify. No PPE, clear-vision or sport/driving/machinery suitability claim is established.

Mask construction / detail

PS-M01 | Vector construction schematic - not to scale; no pattern dimensions implied

Read with steps 1-4 on the preceding page; fabric and magnet notes follow as steps 5-6. This line drawing clarifies the existing components and attachments; it does not replace the fitted hood/mask pattern.



Component	Existing construction instruction
A / B	Fine eye mesh with soft stretch binding; four covered magnetic points: two to the lower panel and two inside the hood.
C / D	Lower panel remains permanently sewn chin-to-ear inside the front hood opening.
E	Lower panel folds/rolls away while attached; eye mesh detaches and stows securely with it. Entire face must be clear when stowed.

Print position: flexible dripping diamond silver grillz on the lower panel, tiny side P.S.; no Crying Brain on the mask. Final print area and channel dimensions come from the fitted physical sample. The grey rim line denotes an internal channel, not an external pocket.

Women's sculpting leggings

PS-L01 + PS-B01 | Clean lines. Considered support. Confidence first.



Element	Final sampling instruction
Fabric	260-280 gsm matte nylon/spandex interlock; proposed 75/25 composition unchanged. Soft handfeel, four-way stretch and matching dye lots. Assess quick drying and shape recovery.
Fit / construction	High-waisted contour fit; proposed 120 mm double-layer waistband; diamond gusset; subtle curved rear contour seams; flat structural seams. Aim for secure, true-to-size comfort without restrictive compression; validate fit across the agreed sizes.
Left hip / upper thigh	P.S. 60-70 mm wide, reflective silver; refined proportions following the natural body line. Only one hip mark.
Rear waistband centre	PLEADING SANITY 120-150 mm wide; existing 6 mm text-height target retained. Clean sans-serif, restrained finish.
FRONT WAISTBAND	COMPLETELY CLEAN. No branding, no text, no additional pattern.
Matching sports bra	Same matte fabric; scoop neck and racerback; lined front, optional removable cups pending fit sample; full-coverage intent and supportive plain underbust band.
Bra branding	Left-chest P.S. 30-40 mm wide. Upper-back centred Crying Brain 18 mm high. Underbust band stays completely unbranded.

Performance targets, not certification: non-see-through / squat-proof opacity, non-digging waistband, comfortable support, quick drying and lasting shape recovery must be demonstrated by physical samples. Check bright-light stretch opacity, waistband roll, seam chafe, stretch recovery and sweat/wash colourfastness. No impact rating or compression rating is established.

Other collection options

Keep these style variants separate; do not mix their branding instructions



PS-Z01 full zip + PS-J02: use supplied hooded, raglan full-zip silhouette; propose 360 gsm performance double-knit, concealed reverse-coil zip and split front pockets. P.S. left chest, centred hem wordmark, plain back. Joggers one left-thigh P.S. only. Earlier funnel-neck / chest-brain / calf-logo draft is superseded for this option. No mask added to this style without a new prototype instruction.



PS-T01 / PS-T02 tees: oversized drop-shoulder black tee, proposed 280 gsm cotton jersey and substantial neck rib. Left image = silver half-brain back; right = original cyan electric-brain back. These are the supplied graphic capsule exception to the core muted palette. Front design is not supplied: quote blank front pending owner approval. Proposed back print width 280-300 mm to approve on sample. Quote screen print vs DTG, hand-feel and setup separately; retain original wording/artwork.

Other references: PS-Q01 quarter-zip is a separate funnel-neck sampling option with left-chest P.S., front hem wordmark and plain back; pair with PS-J02. It is not the default full zip. The earlier clean-front core hoodie is a separate historical variant (PS-H02); do not erase the signature PS-H01 left-chest P.S. or silently put its back print on PS-Z01.

Measurements to confirm

Factory completes finished-garment spec in mm before first size set; owner signs off fit

Proposed base sizes: men/unisex M; women M. Size range, body chart, fit model and intended ease remain to be agreed. No numeric body/finished dimensions are invented from campaign models. The factory supplies a marked point-of-measure diagram and all values below.

Style	Point of measure (POM)	Base / tolerance / grade
PS-H01 / PS-Z01	Half chest 25 mm below armhole; body length HPS to hem; shoulder width; sleeve length by chosen construction; bicep; cuff opening; hem opening; hood depth/height	Factory: ____ / ____ / ____
PS-J01 / PS-J02	Waist relaxed and stretched; hip at defined distance below waist; front/back rise; thigh at defined crotch offset; knee at defined inseam offset; inseam/outseam; leg opening; cuff height	Factory: ____ / ____ / ____
PS-L01	Waist relaxed/stretched; waistband height; hip; front/back rise; thigh; knee; inseam/outseam; hem; gusset length/width	Factory: ____ / ____ / ____
PS-B01	Half bust; underbust relaxed/stretched; body length HPS; neck depth; armhole curve; strap width; racerback width; band height	Factory: ____ / ____ / ____
PS-M01	Lower panel flat width/height and stretch; eye mesh width/height; attachment curve; snap offsets; channel length/width; stored panel thickness	Factory: ____ / ____ / ____
PS-T01 / PS-T02	Half chest; HPS body length; shoulder width; sleeve length; sleeve opening; neck width/depth; rib height	Factory: ____ / ____ / ____

Factory must return: measurement table for every size, measurement method, tolerances by POM, grading increments, seam allowances, shrinkage compensation, finished garment weight and updated pattern revision. Owner reviews a washed sample and confirms fit; do not treat model proportions as a size chart.

Colour: physical lab dips for black, charcoal and sand; women black/charcoal. Deep olive is reserved, not instructed for this run. Screen colours and generated silver highlights are not dye/ink standards.

Sampling & quotation

No purchase order, payment commitment or bulk approval is issued by this pack

The approval sequence

1. Return itemised quote and questions; confirm style IDs, construction and artwork availability.

2. Submit fabric/rib/elastic swatches, lab dips, reflective print strike-offs and named hardware options.

3. Make first fit prototype in base size; return annotated measurements and mask construction photographs.

4. Owner reviews fit, branding, mask modes and wash checks; record revisions in writing.

5. Produce revised fit sample, then full size set and pre-production sample with final labels/packaging.

6. Obtain Shane Cooper's written sample sign-off and separate purchase order before any bulk cutting or production.

Factory quote - break out every cost

Requested field	Factory response
Factory / contact / location	_____
Style, quantity, size split and MOQ per colour	_____
Sample, pattern and revision fees	_____
Main fabric, rib, trims and print setup / per unit	_____
Mask module / magnetic hardware surcharge	_____
Unit price and named Incoterm / currency	_____
Packaging, freight, duties / taxes and exclusions	_____
Prototype / size set / bulk lead time	_____
Wash / opacity / print / hardware checks + evidence	_____
Payment terms / quote validity	_____

Target FOB / quotation

Founder targets only | Factory confirms achievable specification and price

Product	Target FOB
Hoodie	**GBP 8-12**
Joggers	**GBP 7-10**
Leggings	**GBP 5-7**

These are founder price targets, not supplier quotations. They may exclude the mask, print, small-order costs and shipping. The factory must confirm the achievable specification and price; no target is guaranteed.

Keep the quotation itemised

Retain the MOQ guidance on the preceding page: request style, quantity, size split and MOQ per colour. No new MOQ or order quantity is set by this document. Ask the factory to identify every inclusion and exclusion, the named Incoterm, currency, quote validity and payment terms.

Document release check

Presentation, style references, the active monogram widths and six required artwork families have been checked. The new tonal rear-hem wordmark and edition-label sizes need owner-approved proofs. The existing garment measurement worksheet remains pending factory completion; the 25 mm chest-POM offset is the exact conversion of the original 2.5 cm. PS-Q01 requires its own factory measurement/POM sheet; no additional finished dimensions are supplied or inferred here.

Ready to send for quotation and sampling. Approved artwork, completed measurements and grading, physical testing and Shane Cooper's signed pre-production sample are still required before bulk production.

Contact: Shane Cooper / Pleading Sanity - pleadingsanity1@gmail.com
Bulk approval: Owner signature _____ Date _____ Approved sample revision _____

Owner revision / finish

Preserve the supplied tracksuit | New rear signature and full-head concept



PS-H01 / PS-J01: preserve the supplied thick, boxy hoodie, substantial double-layer hood, kangaroo pocket, rib and tapered joggers. Keep the chest P.S. and one wearer-left thigh P.S. within their existing limits. Do not add a second leg mark seen in an older render.

Authorised rear change: retain the Crying Brain artwork and 220-240 mm width. Delete the P.S. beneath it. Place the full PLEADING SANITY wordmark in tonal matte black at the very bottom of the rear ribbed hem; visible mainly at close range. No additional wordmark directly under the brain. Factory returns proposed width, letter height and seam offset in mm on a 1:1 proof; no dimensions are invented here.



Finish reference: substantial cloth, soft binding and discreet encapsulated hardware. Grillz are a flexible printed illusion, never attached teeth, gems or loose drip pieces. Preserve the original PS-M01 build on pages 5-6.

Full-head concept: the separate visual above explores close-fitting scalp/ear/neck coverage and an open eye aperture, with no eye screen. It is not an approved replacement for PS-M01. Factory must develop its own fit, attachment and storage proposal; do not assume it fits the original tunnel or assign a production style code yet.

Fit across bodies

Women's and men's sampling review | Beautiful fit must be demonstrated



Women: retain PS-L01 / PS-B01 materials, branding and construction. Test the agreed size range on petite, tall, muscular, curvy and fuller bodies. The campaign shows visual intent; it does not prove a fit or support rating.

Review area	Factory returns evidence / proposal
Waist and hip	Assess waistband roll, gaping, digging and ease through hip/thigh. Propose any alternate blocks for approval, without silently changing the pattern.
Rise and length	Check crotch/gusset comfort and rear coverage in squat, bend and lunge. Propose petite/regular/tall inseams only if requested and quoted.
Bra fit	Check underbust retention, cup coverage, neckline and strap comfort across bust sizes. Do not assume one bra block supports every bust proportion.
Men's silhouette	Check shoulders, upper arms, belly/seat ease, jogger rise and leg taper on multiple figures while preserving the approved design.
Material / wash	Record stretch opacity, recovery, pilling, colourfastness, shrinkage, seam comfort and print adhesion before and after the agreed wash protocol.

Release: return measured samples and a fit report by size. Any revised pattern, inseam or support construction requires Shane's written approval. No universal-fit, guaranteed opacity or competitor-superiority claim is established by these images.

Numbered editions

Every design, colour and size has its own series | Discreet internal identification

Owner instruction: individually identify every saleable garment with its unit number and total edition quantity for that exact design revision, colour and size. Keep exterior branding minimal. Use a soft internal identity label, placed beside the existing identity/care labels without obscuring them; exact label size and attachment need a sample proof.

Field	Required content
Series key	Style code + design revision + colour + size + edition ID. Each combination is a distinct series.
Visible label text	PLEADING SANITY / style and revision / colour / size / edition / No. nnn / NNN. Use the same serial on the matching swing tag if supplied.
Garment position	Hoodie/jacket: inside neck or side identity zone. Joggers/leggings: inside waistband. Bra: soft internal side/band position. Tee: inside neck/side. Sample for comfort.
Integrated / separate mask	Integrated PS-M01 belongs to its hoodie serial; no second contradictory count. A separately sold full-head accessory needs an approved style/size and its own series before sale.
Pairing	Hoodie and joggers remain separate component serials and totals. If sold as a set, record both against a set ID; do not imply identical size totals.
Quantities	Owner approves NNN per series before labels are printed. No edition sizes, MOQs or stock quantities are assigned by this pack.

Illustrative label - not an issued number

PLEADING SANITY

PS-H01 | REV B | BLACK | SIZE M | EDITION E01

No. 007 / 050

EXAMPLE ONLY

Example only: 007 / 050 means unit 7 of an owner-approved 50 saleable pieces in that exact series. It does not mean 50 across the whole collection. REV B, E01 and the quantities above illustrate the format; they are not released design revisions or allocations.

Collectibility: honest numbering documents provenance and edition size. It does not establish authenticity by itself or promise demand, resale value or profit. Keep the actual issue register accurate.

Edition release worksheet

Factory fills one row per design / colour / size / edition | Owner approves before printing

Series field	To complete
Style / design name	_____
Approved artwork revision / edition ID	_____
Colour / size / approved label proof	_____
Approved saleable total NNN	_____
Serial range reserved / issued	_____
Factory / production batch / date	_____
QC passed / rejected / sample quantities	_____
Set ID / component serial mapping, if used	_____
Owner approval signature / date	_____

Issue and reconciliation controls

1. Freeze the series definition and total before labels are printed. Maintain separate rows for every listed style, colour and size; use N/A for a size only where that product genuinely has no size.

2. Reserve each serial once. Match the sewn label, packing list and any swing tag. Check that the physical garment size equals the series size.

3. Mark development samples SAMPLE - NOT FOR SALE. Do not mix them into the saleable edition count. Record rejected or destroyed serial labels; never silently reuse numbers.

4. Reconcile issued pieces, unused labels, rejects and final saleable total before dispatch. If actual output differs from the approved total, hold release and resolve the count and labels with the owner.

5. Record returns and replacements in the same register. An altered design or reissue receives a new edition identity; never expand an already-issued edition denominator without disclosure.

Additional quotation line: itemise variable serial label/tag setup, per-piece numbering, register preparation and QC reconciliation. Original garment FOB targets remain unchanged; no numbering surcharge is assumed to fit inside them.

Release gate: approved masters, garment measurements and grading, tested samples, owner-approved edition totals/label proofs, signed pre-production sample and a separate purchase order. No order is placed by this worksheet.

Branding reference / final

Small. Sleek. Subtle. | Written widths control; campaign photographs are not to scale.

Mark / zone	Width range (mm)	Execution
P.S. / hoodie chest	40-50	Thin silver outline or subtle matte silver fill.
P.S. / full-zip & quarter-zip chest	40-50	Specific chest range within the general 40-60 rule.
P.S. / left jogger thigh	50-65	Left only; upper-thigh vertical centre. Never duplicate.
P.S. / left leggings hip	60-70	Specific hip range within the general 50-70 rule.
P.S. / mask side edge	25-35	Discreet side signature; no Crying Brain.
P.S. / bra left chest	30-40	Specific tiny bra exception to the general chest range.
PLEADING SANITY / hoodie rear hem	To approve	Tonal black at very bottom rear only. Replaces the former back P.S.; not a silver mark.

The other marks

CRYING BRAIN: signature hoodie back and tiny women's bra upper back only within the minimal core range. Preserve the 220-240 mm hoodie-back width and 18 mm bra-back height. Supplied graphic tee artwork remains a separate capsule exception.

WORDMARK: PS-H01 now has a tonal-black full PLEADING SANITY wordmark at the very bottom rear hem, replacing the P.S. below the brain. Final size and seam offset require a 1:1 proof. Retain the rear leggings waistband wordmark. Women's front waistband and bra underbust stay clear. Existing full-/quarter-zip front-hem wordmarks are retained as style-specific exceptions; the shorthand "waistbands only" must not erase them.

MASK: flexible dripping diamond-silver grillz plus tiny side P.S. No brain, actual gems, metal teeth or attached drip pieces. Entire face is clear in stowed mode.

Final artwork rule: maintain the approved mark's proportions and kerning. Derive height from width; never distort to match superseded height targets. Use the specified silver finish for silver marks; PS-H01 rear-hem wordmark is the new tonal-black exception. Confirm exact final size within each range using the 1:1 owner-approved print proof.

Release status: final design presentation, ready for factory quotation and prototype development. Only owner-authorised rear branding and edition identification are revised. Fabric weights, FOB targets, MOQ guidance, garment-size worksheet and signature process remain unchanged. Approved masters, factory measurements/grading and signed physical samples still gate bulk production.