P.S.

Full-head mask / parts

Read with factory pack v1.1, pages 5-6, 12 and 14-16. This addendum explains manufacture; it does not release a new pattern or change existing specifications.



Visual target: close-fitting black coverage over scalp, ears and neck, with an open eye aperture and printed silver grillz. The hoodie remains a separate outer layer. The image shows appearance only; it is not a cutting pattern.

Status: full-head development concept. It is not PS-M01 and has no released production style code. Its attachment to the hoodie, removability and storage arrangement must be proposed by the factory and approved by Shane.

Part / function	Factory development requirement
Head and neck shell	Propose pattern pieces for crown, sides/back and neck. Shape for a close fit without face compression; submit seam layout and size proposal. Panel count is not fixed.
Lower-face area	Provide a smooth, comfortable print zone for mouth/grillz. Propose integrated or separately seamed construction; neither option is pre-approved.
Eye opening	Open aperture; no eye screen. Propose finished shape, binding and stretch recovery. Check clearance around eyes and fit over nose bridge.
Finish and artwork	Soft edges and skin-contact seams; flat flexible grillz/drips, tiny side P.S., no brain. Factory to return material swatches and artwork proof.

P.S.

Full-head mask / build

Proposed prototype workflow for factory review. All construction choices below require approval; they do not supersede the existing PS-M01 sequence.

01 / Develop the fitted pattern

Use the intended head-size range and a physical fit model. Return head circumference, crown depth, eye-aperture width/height, nose clearance, face/neck coverage, lower opening, stretch direction, seam allowances and grading. No numerical pattern dimensions are released by the reference image.

02 / Submit fabric and seam trials

Propose soft four-way stretch black fabric suitable for scalp, ear, neck and face contact. Quote actual composition, gsm, stretch/recovery and shrinkage. The full-head fabric weight, layer count and seam method are not yet specified. Do not automatically use the heavy hoodie cloth. Submit soft binding and seam samples before selection.

03 / Make a plain fitting prototype

Factory to propose a workable order for joining the chosen shell panels, shaping the lower face, finishing the open eye aperture and finishing the neck opening. Trial on-body before final artwork sizing. Check head movement, speaking, removal and use beneath the unchanged double-layer hoodie hood.

04 / Engineer the flat print

Use the original approved Grillz Mask master. Return a 1:1 proof mapped to the fitted pattern, with print width/height, seam offsets, process and supplier. Trial printing on a flat panel before final assembly if compatible with the chosen method. Verify stretch and wash behaviour. Teeth, diamonds and drips are printed effects, never separate hardware.

05 / Resolve attachment and storage

Return a drawing showing whether the proposed full-head module is separate or attached, how it is put on/removed and how it stores. Do not transfer the PS-M01 magnets or hood tunnel to this concept without approval. Check actual bulk beneath the hood; do not claim it fits the existing tunnel.

06 / Submit the finished development sample

Provide front, side, back, inside and hood-on photographs; material/trim list; measured sample; seam map; wash results; and itemised development/unit costs. Submit the side P.S. size for approval: the existing 25-35 mm rule belongs to PS-M01 and is not automatically released for a new accessory.

Approval gate: Shane approves the fit, material, aperture, print, attachment/storage and final dimensions in writing before a revised sample or size set is released. No bulk cutting or production is authorised.

P.S.

PS-M01 / existing build

Existing integrated modular hood mask: retain the source pack sequence, materials and attachment arrangement. This is a separate route from the open-eye full-head concept.

Sequence	Existing instruction retained
1 / Lower panel - permanent	Soft four-way stretch performance mesh sewn inside the hood opening along the chin-to-ear line. Keep attached to the garment; pattern for comfort without hood pull or nose pressure.
2 / Upper eye panel - removable	Fine breathable vision mesh with soft stretch binding. Four soft, fabric-covered neodymium magnetic snaps: two to the lower panel and two inside the hood lining. Hardware is low profile, enclosed and clear of skin-contact edges.
3 / Stowed position	Fold/roll the attached lower panel into the concealed hood channel. Detach the eye mesh and secure it in the same hidden hood-brim tunnel. Nothing dangles; eyes, nose, mouth and chin remain completely clear. Size the tunnel from the rolled physical sample.
4 / Design	Flexible flat dripping diamond-silver grillz print centred on the mouth panel. Side-edge P.S. 25-35 mm wide. No Crying Brain; no attached gems, metal teeth or loose drip pieces.
5 / Fabric	Soft four-way stretch performance mesh and fine breathable eye panel. Inner hood lining: brushed moisture-wicking jersey. Confirm comfort and performance on the sample.
6 / Magnets	Fabric-covered low-profile neodymium. Target secure, quiet retention, hair-friendly edges and easy one-handed use; validate on the prototype.

Factory returns before pattern approval

Lower-panel flat width/height and stretch; eye-mesh width/height; attachment curve; snap offsets; channel length/width; stored-panel thickness; seam allowances; hardware specification and encapsulation method. These remain factory-development fields, not dimensions inferred from the render.

Sample checks

Check breathing/speaking, condensation, skin contact, mesh visibility, snagging, wash retention, magnet encapsulation and stow comfort. Report failures and proposed corrections. No PPE, clear-vision, sport, driving or machinery suitability claim is established by this pack.

P.S.

Factory return / sign-off

Return a separate proposal and quotation for each mask route. Keep the hoodie, rear branding and edition controls aligned with factory pack v1.1.

Preserve the signature hoodie

PS-H01: boxy drop shoulder, double-layer hood, kangaroo pocket with bar-tacks, nominal 63.5 mm finished cuff/hem rib and metal-tip cords. Route A: 420-450 gsm soft cotton French terry. Route B: 320-360 gsm four-way stretch double-knit with brushed inner, quoted separately and used only with approval.

Branding: chest P.S. 40-50 mm wide; Crying Brain back 220-240 mm wide. Remove the P.S. beneath the brain. Full PLEADING SANITY wordmark in tonal matte black at the very bottom rear ribbed hem; factory proposes width, letter height and seam offset on a 1:1 proof. Do not add a wordmark directly under the brain.

Return item	Required factory response
Pattern / measurements	Annotated drawings, POM sheet, base size, size range, grading, allowances, stretch direction and shrinkage compensation. Full-head concept gets its own sheet.
Materials / artwork	Fabric and binding swatches; composition/gsm; seam trials; hardware options where applicable; approved master revision; 1:1 placement proof and print strike-off. Do not trace the campaign image.
Fit / performance	Measured prototype, inside/outside photographs, fit comments and agreed wash-check evidence. Resolve aperture, breathing/speaking, print recovery and hood/stow interaction.
Commercial	Pattern/sample/revision fees; fabric, print and hardware costs; mask surcharge; unit price and MOQ by style/colour; currency, named Incoterm, lead times, freight/taxes and exclusions.
Edition identity	Integrated PS-M01 shares its hoodie serial. A separately sold full-head accessory needs an approved style, size and its own edition series. Owner approves totals/label proof; do not invent allocations.

Targets unchanged: hoodie GBP 8-12 FOB; joggers GBP 7-10; leggings GBP 5-7. These are founder targets, not supplier quotes. Mask, print, low-quantity and numbering surcharges must be identified separately; do not assume inclusion.

Release: final masters, completed dimensions/grading, tested samples, approved label/edition totals, Shane Cooper's signed pre-production sample and a separate purchase order are required before bulk production. Return concerns before proceeding. No substitutions without written approval.