Ex2: Play Goft

Cho dữ liệu play golf trong tập tin playgoft_data.xlsx.

Yêu cầu: Hãy đọc dữ liệu từ tập tin này, áp dụng Naive Bayes để thực hiện việc xác định có đi chơi golf hay không dựa trên các thông tin như: 'Outlook', 'Temperature', 'Humidity', 'Wind', 'Play Golf'

Yêu cầu:

1. Hãy chuẩn hóa dữ liệu cho phù hợp
2. Áp dụng Naive Bayes. Tìm kết quả
3. Kiểm tra độ chính xác
4. Xuất/ghi model
5. Đọc model
6. Cho dữ liệu Test: X_test = [["Overcast", "Cool", "High", "Strong"], ["Sunny", "Cool", "High", "Weak"]] => Y_test

In [1]:
```
import pandas as pd
import numpy as np
```

In [2]:
```
df = pd.read_excel('playgolf_data.xlsx', index_col = 0)
df.head()
```

Out[2]:

Day	Outlook	Temperature	Humidity	Wind	Play Golf
1	Sunny	Hot	High	Weak	No
2	Sunny	Hot	High	Strong	No
3	Overcast	Hot	High	Weak	Yes
4	Rain	Mild	High	Weak	Yes
5	Rain	Cool	Normal	Weak	Yes

In [3]:
```
features = df.drop("Play Golf", axis=1)
target = df[["Play Golf"]]
```

In [4]:
```
from sklearn.preprocessing import LabelEncoder
```

In [5]:
```
features = pd.get_dummies(features)
features
```

Out[5]:

Day	Outlook_Overcast	Outlook_Rain	Outlook_Sunny	Temperature_Cool	Temperature_Hot	Temperature_Mild	Humidity_High	Humidity_Normal	Wir
1	0	0	1	0	1	0	1	0	
2	0	0	1	0	1	0	1	0	
3	1	0	0	0	1	0	1	0	
4	0	1	0	0	0	1	1	0	
5	0	1	0	1	0	0	0	1	
6	0	1	0	1	0	0	0	1	
7	1	0	0	1	0	0	0	1	
8	0	0	1	0	0	1	1	0	
9	0	0	1	1	0	0	0	1	
10	0	1	0	0	0	1	0	1	
11	0	0	1	0	0	1	0	1	
12	1	0	0	0	0	1	1	0	
13	1	0	0	0	1	0	0	1	
14	0	1	0	0	0	1	1	0	

In [6]:
```
from sklearn.utils.validation import column_or_1d
le = LabelEncoder()
target = le.fit_transform(column_or_1d(target))
```

In [7]:
```
# Sử dụng BernoulliNB
from sklearn.naive_bayes import BernoulliNB
```

In [8]:
```
model1 = BernoulliNB()
model1.fit(features, target)
```

Out[8]:
```
BernoulliNB(alpha=1.0, binarize=0.0, class_prior=None, fit_prior=True)
```

In [9]:
```
# Kiểm tra độ chính xác
print("The prediction accuracy is: ",
      model1.score(features,target)*100,"%")
```

```
The prediction accuracy is:  92.85714285714286 %
```

In [10]:
```
class_names = model1.classes_
class_names
```

Out[10]:
```
array([0, 1])
```

In [11]:
```
# Từ kết quả trên => chọn model1
```

In [12]:
```
# Xuất model
import pickle
# Save to file in the current working directory
pkl_filename = "playgoft_model.pkl"
with open(pkl_filename, 'wb') as file:
    pickle.dump(model1, file)
```

In [13]:
```
with open(pkl_filename, 'rb') as file:
    playgoft_model = pickle.load(file)
```

In [14]:
```
# Outlook_Overcast      Outlook_Rain    Outlook_Sunny
# Temperature_Cool      Temperature_Hot Temperature_Mild
# Humidity_High Humidity_Normal
# Wind_Strong   Wind_Weak
# _________
# X_test = [["Overcast", "Cool", "High", "Strong"],
# ["Sunny", "Cool", "High", "Weak"]]
X_test = [[1, 0, 0, 1, 0, 0, 1, 0, 1, 0], [0, 0, 1, 1, 0, 0, 1, 0, 0, 1]]
y_pred = playgoft_model.predict(X_test)
y_pred
```

Out[14]:
```
array([1, 0])
```

In [ ]: