

Methods and Determination of Quadrupole β_2 Deformation Parameters Across Experimental Techniques

Parker Lewis

December 2, 2025

Abstract

Contents

Abstract	1
1 Introduction and Theory	4
1.1 Motivation	4
1.2 Quadrupole Deformation Overview	4
1.3 Intrinsic Quadrupole Moment	4
1.4 Reduced Transition Probability $B(E2)$	4
1.5 Key Relations for Extracting β_2	4
1.6 Context from Literature	4
2 Experimental Methods	4
2.1 Principle of Coulomb Excitation	4
2.2 Inverse Kinematics	4
2.3 Target Considerations	4
2.4 Experimental Observables	4
2.5 Detector Systems	4

3	Methodology for Extracting $B(E2)$ and β_2	4
3.1	Gamma-Ray Identification	4
3.2	Efficiency Corrections	4
3.3	Angular Analysis	4
3.4	Normalization Procedures	4
3.5	GOSIA Analysis	4
3.6	Extraction of E2 Matrix Elements	4
3.7	Calculation of $B(E2)$	4
3.8	Calculation of β_2	4
4	Selected Results from Literature	4
4.1	^{30}Mg	4
4.2	^{32}Mg	4
4.3	^{74}Zn	4
4.4	^{76}Zn	4
4.5	^{130}Xe	4
4.6	Comparative Trends	4
5	Conclusion	4
5.1	Summary of Method	4
5.2	Connection Between $B(E2)$ and β_2	4
5.3	Application to Nuclear Chart	4
5.4	Broader Implications	4

1 Introduction and Theory

1.1 Motivation

1.2 Quadrupole Deformation Overview

1.3 Intrinsic Quadrupole Moment

1.4 Reduced Transition Probability $B(E2)$

1.5 Key Relations for Extracting β_2

1.6 Context from Literature

2 Experimental Methods

2.1 Principle of Coulomb Excitation

2.2 Inverse Kinematics

2.3 Target Considerations

2.4 Experimental Observables

2.5 Detector Systems

3 Methodology for Extracting $B(E2)$ and β_2

3.1 Gamma-Ray Identification

3.2 Efficiency Corrections

3.3 Angular Analysis

3.4 Normalization Procedures

3.5 GOSIA Analysis

3.6 Extraction of E2 Matrix Elements

3.7 Calculation of $B(E2)$

3.8 Calculation of β_2