HAH 1.3 Cheatsheet

Special DOCTYPE commands
<!html
<!html5
<!html4strict
<!html4
<!html4transitional
<!xhtmlstrict
<!xhtml
<!xhtmltransitional
<?xml

GLOBAL DEFINES
HAH_CACHE = "path/to/cache"
HAH_DEBUG = false|true
HAH_ASSETS = "path/to/assets"

```
//USAGE
require('hah.php');
$mydoc = new HahDocument( 'mydoc.hah' );
$mydoc->set('somevar1', '123');
$mydoc->set('somevar2', 'abc');
$mydoc->merge( $assoc_array_of_vars );
echo $mydoc;
```

SPECIAL INCLUDES
!mydoc.hah - standard inclusion for HAH sub-documents
!somephp.php = <?php include('somephp.php'); ?>
!somehtml.html = <?php include('somehtml.html'); ?>
!myimage.png =
!functions.js = <script type="text/javascript" src="functions.js"></script>
!styles.css = <link rel="stylesheet" type="text/css" href="styles.css" />
!$var_with_hah_filename = variable inclusion for HAH sub-documents

Flowchart nodes:

[space|tab]*
[a-zA-Z0-9]*

:
?
$
//
^
@
-
!
.
#

php-if-condition
variable-to-echo
Document comment, ignored by parser
tag-name
?php
attribute-name
line-of-php-code
path/filename.ext-or-variable
css-class
id-attribute

raw-html-or-php-code

(date="format" money="true" list="ul|ol|dl" table="id")

name="value"
[space]
(
)
=
[space]
[space]
(single-parameter-function)
"date_spec"
$
?
#
Element Contents
php-code-to-echo