#### Carnegie Mellon University















• Human multimodal language has seen a surge of interest in fine-grained modeling.



Wouldn't account for changes or temporal co-occurrences.

■ New approaches rely on word-level alignments to build a co-occurrence model (Gu et al. ACL 2018, Zadeh et al. AAAI 2018, Chen et al. ICMI 2017)

■ New approaches rely on word-level alignments to build a co-occurrence model (Gu et al. ACL 2018, Zadeh et al. AAAI 2018, Chen et al. ICMI 2017)

night

Frown

■ These can account for changes in each modality.



- New approaches rely on word-level alignments to build a co-occurrence model (Gu et al. ACL 2018, Zadeh et al. AAAI 2018, Chen et al. ICMI 2017)
- These can account for changes in each modality.




These approaches complicate datasets and data processing.

#### CMU Multimodal SDK

- Publicly available SDK for loading and training multimodal temporal data.
- Call Sequence:





Multimodal Scientist





**SDK Server** 





f(0,4)

f(1,4)

f(2,4)

f(T,4)

Suitable for temporal data from multiple modalities.

Compatible with hdf5 (hierarchical data format) protocol.

 Stored using binary values and validated using trust server using sha256 hash – allowing for feature sharing among community.

Storage using lossless floating point and string compression.

Community can share their extracted features across network.



Multimodal Scientist

Deploy Request Set Private Key

Acknowledgment Using UUID and SHA256



**SDK Server** 

- CMU-MOSEI 23453 samples, sentence level sentiment and emotions
- CMU-MOSI 2199 samples, sentence level sentiment

- CMU-MOSEI 23453 samples, sentence level sentiment and emotions
- CMU-MOSI 2199 samples, sentence level sentiment
- ICT-MMMO 340 samples, video level sentiment

- CMU-MOSEI 23453 samples, sentence level sentiment and emotions
- CMU-MOSI 2199 samples, sentence level sentiment
- ICT-MMMO 340 samples, video level sentiment
- MOUD 386 samples, videos in Spanish, sentence level sentiment

- CMU-MOSEI 23453 samples, sentence level sentiment and emotions
- CMU-MOSI 2199 samples, sentence level sentiment
- ICT-MMMO 340 samples, video level sentiment
- MOUD 386 samples, videos in Spanish, sentence level sentiment
- POM 903 samples, video level personality traits


# **Current Computational Sequences**

- Language
  - Glove word embeddings
- Vision
  - FACET descriptors
  - OpenFace descriptors
- Acoustic
  - Covarep
  - OpenSmile


# Future Computational Sequences

- Vision
  - Face Embeddings
  - VGG-Face
- Acoustic
  - Low-level features
  - Phoneme Embeddings


Expected cross-sequence Alignment




Expected cross-sequence Alignment




#### Cross-sequence Alignment



#### Cross-sequence Alignment



#### Cross-sequence Alignment



#### Future Work

- Automated evaluation of submitted models
- Public leaderboard on the CMU-MultimodalSDK

# The End!

Data: https://github.com/A2Zadeh/CMU-MultimodalSDK

Website: www.cs.cmu.edu/~pliang, www.amir-zadeh.com

Email: pliang@cs.cmu.edu, abagherz@cs.cmu.edu

Twitter: @pliang279