

The contest is in progress. It ends about 16 hours from now.

Contests > IEEEExtreme Programming Competition 7.0 >

## Problem\_AB

Problem

☰ Submissions



Leaderboard



Discussions

IBM ponder this puzzle master needs your help to check solutions for March 2013 challenge

[http://domino.research.ibm.com/Comm/wwwr\\_ponder.nsf/Challenges/March2013.html](http://domino.research.ibm.com/Comm/wwwr_ponder.nsf/Challenges/March2013.html)

### Input format

The input is at most 31 lines of the upper case letters: A,B,C,D,E

### Output format:

The output is either:

- Ok (if the input is a valid solution)
- Too long (if there are more than 31 lines)
- Err (if there exists an example of two values for the products B,C,D,E which gives the same integrity of the points; though one of them has exactly two different values and the other does not.)

### Sample Input 1:

```
BCDDDEEEEE
BCCCCDEEEE
BCCCCDDDE
BCDEE
BCDDE
BCCDE
BBCDE
```

### Sample Output 1:

```
Ok
```

### Sample Input 2:

```
BBBB
BBBC
BBCC
```

BCCC  
CCCC  
A  
B  
C  
D  
E  
AA  
BB  
CC  
DD  
EE  
ABCD  
ABCE  
ABDE  
ACDE  
BCDE  
AB  
AAB  
AAAB  
AAAAB  
ABC  
ABD  
ABE  
ACD  
ACE  
ADE  
BCCD

## Sample Output 2:

Too long

Problem Author: IEEE

Suggest Edits

EmacsNormalVim

Select Language: C++

save code

```
1 #include <cmath>
2 #include <cstdio>
3 #include <vector>
4 #include <iostream>
5 #include <algorithm>
6 using namespace std;
7
8
9 int main() {
10     /* Enter your code here. Read input from STDIN. Print output to STDOUT */
11     return 0;
12 }
13
```

Line: 1 Col: 1 Count: 227

☐ Use a custom test case

 Upload Code as File

Compile & Test

Submit Code

---

This is a beta version. Join us on IRC at [#hackerrank](#) on freenode for hugs or bugs.  
[Contest Calendar](#) | [Blog](#) | [Scoring](#) | [Environment](#) | [FAQ](#) | [About Us](#) | [Careers](#) | [Privacy Policy](#) | [Request a Feature](#)