Title:

Certificate of Analysis (CoA)

Date: 2/24/2026
Date Tested: 2/23/2026
Customer: ALCHEM
Testing material: Tirzepatide
Lot Number: TZP-60-LYO-B260115
BT Sample ID: 005000038970536
Labeled Peptide Content/Potency: 60 mg
Storage: R.T.
Visual Description: medium clear vial: white sample, no label, silver crimp, blue plastic cap.
Labeled as: Tirzepatide
Manufacturer: N/A
Testing Purpose: FTIR and HPLC analysis for the identification, purity, potency and composition of a peptide product. It does not provide information on particulate matter, microbial contamination or presence of endotoxins.

Test	Method	Specification	Result
General Appearance	USP <630>	white powder	white powder
Mass	USP <41>	As recorded	147.2 mg
FTIR Identification and Composition Analysis	USP <197A>	Sample spectrum should confirm the content of peptide via characteristic bands	FTIR sample spectrum confirms the presence of Tirzepatide with addition of excipient(s)/fillers.
HPLC Purity of Peptide Assay	USP <621>	Specifications: ≥ 98 %	99.8 %
HPLC Potency Assay	USP <621>	Specifications: 95 – 105% of 60 mg	63.8 mg (106.4 %)
Peptide-to-Excipients Ratio	USP <1151>	Recommended ratios of (1:2) to (1:10) for (peptide: excipients)	63.8 : 83.4 mg (1:1.3)

The results of the CoA relate only to the item(s) tested and applied to the sample as received.

Andrea Castro, AS
Scientist-I
BTLabs

Verna Zheng, AS
Scientist-I
BTLabs

5730 Corporate Way | Suite 220 | West Palm Beach, FL 33407
Phone: (561) 625-0133
E-mail: info@btlabtesting.com | Website: https://btlabtesting.com

Title:

Certificate of Analysis (CoA)

FTIR ID and Composition Analysis: Tirzepatide Lot TZP-60-LYO-B260115



HPLC Purity and Potency Assay @ 280 nm: Tirzepatide Lot TZP-60-LYO-B260115



Tirzepatide Lot TZP-60-LYO-B260115 @ 280 nm		
Peak #:	Retention Time (min)	Area (mAU*s)
1	7.993	4529.4