

A study on the use of deep reinforcement learning
in games development and its role in in-game
character behavior and decision-making.

Prajwol Devkota

December 10, 2023

Abstract

The abstract section provides a summary of the topic, which is **how
can deep reinforcement learning be used in game development,
and its role in in-game character behavior and decision-making.**

Keywords— The keywords are the important words found in the research papers,
which help other researchers find your paper when researching the relevant topic.

Contents

1	INTRODUCTION	3
1.1	A BRIEF HISTORY OF AI AND GAMES	3
2	ARTIFICIAL INTELLIGENCE	4
2.1	Goals of AI	4
2.2	Programming Without and With AI	4
2.3	MACHINE LEARNING	4
2.4	Machine Learning vs Traditional Programming	4
2.5	Types of Machine Learning	5
3	REINFORCEMENT LEARNING	6
3.1	Components of Reinforcement learning	7
4	DEEP LEARNING	7
5	DEEP REINFORCEMENT LEARNING	9
5.1	Applications	10
6	PLATFORMS FOR GAMING RESEARCH	10
6.1	Atari	11
6.2	ViZDoom	11
6.3	TORCS	11
6.4	DeepMind	11
6.5	MOBA and Dota2	12
7	DRL CHALLENGES IN VIDEO GAMES	12
8	CONCLUSION	12

1 INTRODUCTION

Artificial Intelligence (AI) has seen immense progress in recent years. It is both a thriving research field featuring an increasing number of important research areas and a core technology for an increasing number of application areas. In addition to algorithmic innovations, the rapid progress in AI is often attributed to increasing computational power due to hardware advancements. The success stories of AI can be experienced in our daily lives through its many practical applications. AI advances have enabled a better understanding of images and speech, emotion detection, self-driving cars, web searching, AI-assisted creative design, and game-playing, among many other tasks; for some of these tasks, machines have reached human-level status or beyond.

There is, however, a difference between what machines can do well and what humans are good at. In the early days of AI, researchers envisaged computational systems that would exhibit aspects of human intelligence and achieve human-level problem-solving or decision-making skills. These problems were presented to the machines as a set of formal mathematical notions within rather narrow and controlled spaces, which could be solved by some form of symbol manipulation or search in symbolic space. The highly formalized, symbolic representation allowed AI to succeed in many cases.

Over the years the focus of much AI research has shifted to tasks that are relatively simple for humans to do but are hard for us to describe how to do, such as remembering a face or recognizing our friend's voice over the phone. As a result, AI researchers began to ask questions such as: How can AI detect and express emotion? How can AI educate people, and be creative or artistically novel? How can AI play a game it has not seen before? How can AI learn from a minimal number of trials? How can AI feel guilt? All these questions pose serious challenges to AI and correspond to tasks that are not easy for us to formalize or define objectively. Perhaps surprisingly (or unsurprisingly after the fact), tasks that require relatively low cognitive effort from us often turn out to be much harder for machines to tackle. Again, games have provided a popular domain to investigate such abilities as they feature aspects of a subjective nature that cannot be formalized easily. These include, for instance, the experience of play or the creative process of game design [Schell, 2008].

1.1 A BRIEF HISTORY OF AI AND GAMES

Artificial intelligence (AI) and games have a long history, with early pioneers of computer science developing game-playing programs to test the capabilities of computers. The focus of early research was on classic board games like Chess and Checkers. Significant milestones include the development of the Minimax algorithm by Alan Turing, the first software to master a game (Tic-Tac-Toe) by A. S. Douglas, and the invention of reinforcement learning by Arthur Samuel for playing Checkers. The successes of AI in classic board games, such as Deep Blue's victory over Garry Kasparov in Chess and AlphaGo's triumph in the game of Go, marked important milestones in game-playing AI. In recent years, there has been a growing research community applying AI to a variety of games, including video games. This has led to achievements such as Google DeepMind's algorithms learning to play Atari 2600 games at a super-human level and the use of AI for procedural content generation in games like *Diablo III* and *No Man's Sky*. AI has also been used to analyze games and model players, and there has been a focus on developing believable agents in games. The application of AI in games continues to evolve, with ongoing research and development in this

field[Yannakakis and Togelius, 2018].

2 ARTIFICIAL INTELLIGENCE

To understand the use of deep reinforcement learning in game development, one must first know about Deep Learning and Reinforcement Learning, which comes under Machine Learning, which is an approach to achieving Artificial Intelligence. In this paper, a brief description is given about all these fields is given before describing Deep Reinforcement Learning.

According to the father of Artificial Intelligence, John McCarthy, it is “*The science and engineering of making intelligent machines, especially intelligent computer programs*”.

Artificial Intelligence (AI) is the ability of a machine or a computer program to think and learn. The concept of AI is based on the idea of building machines capable of thinking, acting, and learning like humans.

AI is accomplished by studying how the human brain thinks, and how humans learn, decide, and work while trying to solve a problem, and then using the outcomes of this study as a basis for developing intelligent software and systems.

2.1 Goals of AI

- To Create Expert Systems - The systems that exhibit intelligent behavior, learn, demonstrate, explain, and advise its users.
- To Implement Human Intelligence in Machines - Creating systems that understand, think, learn, and behave like humans.

2.2 Programming Without and With AI

The difference between programming with AI and without AI is given below in Fig. 1

2.3 MACHINE LEARNING

Machine Learning is a large sub-field of AI dealing with the field of study that gives computers the ability to learn without being explicitly programmed. This means a single program, once created, will be able to learn how to do some intelligent activities outside the notion of programming. This contrasts with purpose-built programs whose behavior is defined by hand-crafted heuristics that explicitly and statically define their behavior. So, Machine Learning is an approach to achieve Artificial Intelligence.

Machine learning combines data with statistical tools to predict an output. This output is then used by corporations to make actionable insights. Machine learning is closely related to data mining and Bayesian predictive modeling. The machine receives data as input, and uses an algorithm to formulate answers.

2.4 Machine Learning vs Traditional Programming

Traditional programming differs significantly from machine learning. In traditional programming, a programmer codes all the rules in consultation with an expert in the industry for which the software is being developed. Each rule is based on a logical foundation; the machine will execute an output following the logical statement. When




Figure 1: The difference between the programming without AI and with AI[Deshai, 2017].

the system grows complex, more rules need to be written. It can quickly become unsustainable to maintain.

Machine learning is supposed to overcome this issue. The machine learns how the input and output data are correlated and it writes a rule. The programmers do not need to write new rules each time there is new data. The algorithms adapt in response to new data and experiences to improve efficacy over time.

2.5 Types of Machine Learning

Machine learning involves showing a large volume of data to a machine so that it can learn and make predictions, find patterns, or classify data. The three machine learning types are supervised, unsupervised, and reinforcement learning.

- **Supervised learning** is typically the task of machine learning to learn a function that maps an input to an output based on sample input-output pairs [Han et al., 2022]. It uses labeled training data and a collection of training examples to infer a function. Supervised learning is carried out when certain goals are identified to be accomplished from a certain set of inputs [Sarker et al., 2020], i.e., a task-driven approach. The most common supervised tasks are “classification” that separates the data, and “regression” that fits the data. For instance, predicting the class label or sentiment of a piece of text, like a tweet or a product review, i.e., text classification, is an example of supervised learning.
- **Unsupervised learning** analyzes unlabeled datasets without the need for human interference, i.e., a data-driven process [Han et al., 2022]. This is widely used for extracting generative features, identifying meaningful trends and structures, groupings in results, and exploratory purposes. The most common unsupervised learning tasks are clustering, density estimation, feature learning,




Figure 2: The traditional programming manual process whereas in machine learning the input data and output are fed to an algorithm to create a program.

dimensionality reduction, finding association rules, anomaly detection, etc.

- **Reinforcement learning** is a type of machine learning algorithm that enables software agents and machines to automatically evaluate the optimal behavior in a particular context or environment to improve its efficiency, i.e., an environment-driven approach[Kaelbling et al., 1996]. This type of learning is based on reward or penalty, and its ultimate goal is to use insights obtained from environmental activists to take action to increase the reward or minimize the risk [Mohammed et al., 2016]. It is a powerful tool for training AI models that can help increase automation or optimize the operational efficiency of sophisticated systems such as robotics, autonomous driving tasks, manufacturing, and supply chain logistics, however, not preferable to use it for solving basic or straightforward problems.

3 REINFORCEMENT LEARNING

Reinforcement learning (RL) is learning what to do, given a situation and a set of possible actions to choose from, in order to maximize a reward. The learner, which we will call agent, is not told what to do, he must discover this by himself through interacting with the environment. The goal is to choose its actions in such a way that the cumulative reward is maximized. So, choosing the best reward now, might not be the best decision, in the long run. That is greedy approaches might not be optimal.

Reinforcement Learning is an approach where an agent learns how to behave in a environment by performing actions and seeing the results. Reinforcement learning is connected to applications for which the algorithm must make decisions and the decisions bear consequences. The goal is defined by maximisation of expected cumulative reward.

The algorithm presents a state, depending on the input data in which a user rewards or punishes the algorithm for the action the algorithm took. The algorithm

learns from the reward/punishment and updates itself, this continues.

3.1 Components of Reinforcement learning

- **Agent** Agent (A) takes actions that affect the environment. Citing an example, the machine learning to play chess is the agent.
- **Action** It is the set of all possible operations/moves the agent can make. The agent makes a decision on which action to take from a set of discrete actions (a).
- **Environment** All actions that the reinforcement learning agent makes directly affect the environment. Here, the board of chess is the environment. The environment takes the agent's present state and action as information and returns the reward to the agent with a new state. For example, the move made by the bot will either have a negative/positive effect on the whole game and the arrangement of the board. This will decide the next action and state of the board.
- **State** A state (S) is a particular situation in which the agent finds itself.
- **Reward** (R) The environment gives feedback by which we determine the validity of the agent's actions in each state. It is crucial in the scenario of Reinforcement Learning where we want the machine to learn all by itself and the only critic that would help it in learning is the feedback/reward it receives.
For example, in a chess game scenario it happens when the bot takes the place of an opponent's piece and later captures it.
- **Discount factor** Over time, the discount factor modifies the importance of incentives. Given the uncertainty of the future it's better to add variance to the value estimates. Discount factor helps in reducing the degree to which future rewards affect our value function estimates.
- **Policy** (π) It decides what action to take in a certain state to maximize the reward.
- **Value** (V) It measures the optimality of a specific state. It is the expected discounted rewards that the agent collects following the specific policy.
- **Q-value or action-value** Q Value is a measure of the overall expected reward if the agent (A) is in state (s) and takes action (a), and then plays until the end of the episode according to some policy (π).

There is an agent and an environment. The environment gives the agent a state. The agent chooses an action and receives a reward from the environment along with the new state. This learning process continues until the goal is achieved or some other condition is met.

4 DEEP LEARNING

Deep Learning comes in the area of Neural Networks. Within the machine learning fields, there is an area often referred to as brain-inspired computation. Human brain is one of the best 'machines' we know for learning and solving problems. The brain-inspired technique is indeed inspired by how our human brain works. It is believed that the main computational element of our brain is neuron. The complex connected




Figure 3: Agent-environment interaction where the agent receives the rewards upon actions that lead to desired states [Sutton and Barto, 2018].

network of neurons forms the basis of all the decisions made based on the various information gathered. This is exactly what Artificial Neural Network technique does.

Within the domain of neural networks, there is an area called Deep Learning (DL), in which neural networks have more than three layers, i.e. more than one hidden layer. These neural networks used in Deep learning are called Deep Neural Networks (DNNs). DL algorithms are similar to how nervous system structured where each neuron connected each other and passing information. DL models work in layers and a typical model at least have three layers and each layer accepts the information from previous and pass it on to the next one.

Deep learning models tend to perform well with amount of data whereas old machine learning models stops improving after a saturation point.




Figure 4: Machine learning and deep learning algorithms strategies overview [Thakur and Konde, 2021].

5 DEEP REINFORCEMENT LEARNING

Deep Reinforcement Learning is a new research track within the field of Machine Learning. While neural networks are responsible for recent breakthroughs in problems like computer vision, machine translation and time series prediction — they can also combine with reinforcement learning algorithms to create something astounding like AlphaGo [Silver et al., 2016]. Reinforcement algorithms that incorporate deep learning can beat world champions at the game of Go as well as human experts playing numerous Atari video games [Mnih et al., 2015]. While that may sound trivial, it's a vast improvement over their previous accomplishments, and the state of the art is progressing rapidly.

Like a human, our agents learn for themselves to achieve successful strategies that lead to the greatest long-term rewards. This paradigm of learning by trial-and-error, solely from rewards or punishments, is known as Reinforcement Learning (RL). Also like a human, agents construct and learn their own knowledge directly from raw

Domains	Application
Computer systems	Resources management, security
Education	Educational games, recommendation, estimation
Transportation	Traffic control
Games Development	Board games, card games, video games
Robotics	Sim-to-real, control
Science, Engineering, Art	Math, Physics, music, animation
Business management	Recommendation, customer management
Computer vision	Recognition, detection, perception
NLP	Sequence generation, translation, dialogue

Table 1: DRL applications across various domains [Li, 2017].

inputs, such as vision, without any hand-engineered features or domain heuristics. This is achieved by Deep Learning of neural networks. Many of the successes in DRL have been based on scaling up prior work in RL to high-dimensional problems. This is due to the learning of low-dimensional feature representations and the powerful function approximation properties of neural networks. By means of representation learning, DRL can deal efficiently with the curse of dimensionality, unlike tabular and traditional nonparametric methods [Bengio et al., 2013]. For instance, convolutional neural networks (CNNs) can be used as components of RL agents, allowing them to learn directly from raw, high-dimensional visual inputs. The use of deep learning is most useful in problems with high-dimensional state space. This means that with deep learning, Reinforcement Learning is able to solve more complicated tasks with lower prior knowledge because of its ability to learn different levels of abstractions from data.

To use reinforcement learning successfully in situations approaching real-world complexity, however, agents are confronted with a difficult task: they must derive efficient representations of the environment from high-dimensional sensory inputs, and use these to generalize past experience to new situations. This makes it possible for machines to mimic some human problem-solving capabilities, even in high-dimensional space, which only a few years ago was difficult to conceive.

5.1 Applications

DRL has gained significant traction in recent years due to its remarkable ability to solve complex problems, particularly those involving sequential decision-making and high-dimensional continuous action spaces. Its applications have expanded across various domains, as shown in Table 1

6 PLATFORMS FOR GAMING RESEARCH

Platforms and contests provide major contributions to the evolution of gaming AI and assist in the assessment of agents’ intelligence. The Arcade Learning Environment (ALE) is the first DRL algorithm evaluation platform with an interface to a library of Atari 2600 games. Because it shows both game frames and signals such as player scores, ALE is a great framework. To aid DRL research, OpenAI has included a diverse set of reinforcement learning problems onto a platform called Gym [Brockman et al., 2016],

Atari, Classical Control, Algorithmic, Board games, and robots in both 2D and 3D are commonly seen in OpenAI Gym. Then there’s OpenAI Universe, a game-based framework for testing and training general intelligent agents using the required tools. Gym Retro is a video game emulator wrapper with the same unified interface as Gym that enables Gym to be easily extended with a vast number of video games for RL study, including not just Atari but also Nintendo, Sega, and NEC.

The objective of General Video Game Playing is to construct an agent capable of playing a variety of video games without requiring human intervention. The General Video Game AI (GVGAI) competition [Torrado et al., 2018] is being presented as a simple and open-source platform for assessing AI technologies, including DRL.

Malmö [Johnson et al., 2016], a research platform for AI studies built on top of Minecraft, is a platform for AI research. It is a first-person 3D environment for multi-agent research in the Microsoft Malmö collaborative AI challenge 2017 and multi-agent RL in the Malmö competition 2018. TORCS [Espié et al., 2005] is a self-driving automobile racing simulator using DRL that incorporates both low-level and visual components.

6.1 Atari

ALE is a development environment for constructing general intelligence agents for hundreds of Atari 2600 games. As the most extensively used DRL research testbed, a wide range of DRL techniques have consistently performed well. Machado et al. investigate the ALE in the DRL research community, presenting a number of assessment methodologies as well as some main issues. Varghese et al experimented with a proposed DRL approach on Atari games in OpenAI Gym [Varghese and Mahmoud, 2021].

6.2 ViZDoom

First-person shooter (FPS) games are critical in game AI research. Khan et al investigated DQN in FPS. Doom is a classic first-person shooter game, and ViZDoom is available as a one-of-a-kind DRL testbed. Agents learn from visual inputs and interact with the ViZDoom world in first-person mode [Kempka et al., 2016].

6.3 TORCS

TORCS is a racing game in which you may steer, brake, and accelerate. This game has more realistic graphics than Atari games, but agents must learn the mechanics of the automobile. FIGAR-DDPG may accomplish the racing task and 20 laps of the circuit, with a total reward ten times that of DDPG and significantly smoother policies. Normalized Actor-Critic (NAC) effectively normalizes the Q-function and learns an initial policy network from demonstration before improving it in a real-world environment [Gao et al., 2018].

6.4 DeepMind

DeepMind Lab is a Quake3-based 3D first-person gaming platform that has been extended from OpenArena. DeepMind Lab has substantially superior visuals and more realistic physics than other first-person gaming platforms, making it a lot more complex platform. On a rigorous series of DeepMind lab tests, the UNREAL agent exceeds A3C by a factor of 10, averaging 87 percent expert human performance. Continuous

players battle against one another. A team of learning has recently made 9 fast progress as learning agents get more powerful. In the DeepMind lab, Mankowitz et al. investigate an implicit sequence of tasks with sparse rewards at the DeepMind lab to test continuous learning skills [Mankowitz et al., 2018].

6.5 MOBA and Dota2

Multiplayer Online Battle Arena (MOBA) games are based on real-time strategy in which two teams of five players must work together to beat the opponent by defeating adversaries, upgrading heroes, and eventually destroying the opponent’s base. Because MOBA research is still in its early stages, there are less works available than for typical RTS games. King of Glory is the most popular mobile-end MOBA game in China (a simplified mobile version of Dota). In this game, Jiang et al. use Monte-Carlo Tree Search and deep neural networks [Jiang et al., 2018].

7 DRL CHALLENGES IN VIDEO GAMES

8 CONCLUSION

Game AI with deep reinforcement learning is a challenging and promising direction. Recent progress in this domain has promote the development of artificial intelligence research. In this paper, we review the achievements of deep reinforcement learning in video games. Different DRL methods and their successful applications are introduced. These DRL agents achieve human-level or super-human performances in various games, from 2D perfect information to 3D imperfect information, and from single-agent to multi-agent. In addition to these achievements, there are still some major problems when applying DRL methods to this field, especially in 3D imperfect information multi-agent video game. A high-level game AI requires to explore more efficient and robust DRL techniques, and needs novel frameworks to be implemented in complex environment. These challenges have not been fully investigated and could be opened for further study in the future.

ACKNOWLEDGMENT

I would like to extend my heartfelt appreciation to Clein Alexander Sarmiento Castrillon for his exceptional guidance, and invaluable support throughout the entire process of writing this paper.

References

- [Bengio et al., 2013] Bengio, Y., Courville, A., and Vincent, P. (2013). Representation learning: A review and new perspectives. *IEEE transactions on pattern analysis and machine intelligence*, 35(8):1798–1828.
- [Brockman et al., 2016] Brockman, G., Cheung, V., Pettersson, L., Schneider, J., Schulman, J., Tang, J., and Zaremba, W. (2016). Openai gym. *arXiv preprint arXiv:1606.01540*.
- [Deshai, 2017] Deshai, R. (2017). Artificial intelligence (ai).
- [Espíe et al., 2005] Espíe, E., Guionneau, C., Wymann, B., Dimitrakakis, C., Coulom, R., and Sumner, A. (2005). Torcs, the open racing car simulator. Technical report.
- [Gao et al., 2018] Gao, Y., Xu, H., Lin, J., Yu, F., Levine, S., and Darrell, T. (2018). Reinforcement learning from imperfect demonstrations. *arXiv preprint arXiv:1802.05313*.
- [Han et al., 2022] Han, J., Pei, J., and Tong, H. (2022). *Data mining: concepts and techniques*. Morgan kaufmann.
- [Jiang et al., 2018] Jiang, D., Ekwedike, E., and Liu, H. (2018). Feedback-based tree search for reinforcement learning. In *International conference on machine learning*, pages 2284–2293. PMLR.
- [Johnson et al., 2016] Johnson, M., Hofmann, K., Hutton, T., and Bignell, D. (2016). The malmo platform for artificial intelligence experimentation. In *Ijcai*, pages 4246–4247.
- [Kaelbling et al., 1996] Kaelbling, L. P., Littman, M. L., and Moore, A. W. (1996). Reinforcement learning: A survey. *Journal of artificial intelligence research*, 4:237–285.
- [Kempka et al., 2016] Kempka, M., Wydmuch, M., Runc, G., Toczec, J., and Jaśkowski, W. (2016). Vizdoom: A doom-based ai research platform for visual reinforcement learning. In *2016 IEEE conference on computational intelligence and games (CIG)*, pages 1–8. IEEE.
- [Li, 2017] Li, Y. (2017). Deep reinforcement learning: An overview. *arXiv preprint arXiv:1701.07274*.
- [Mankowitz et al., 2018] Mankowitz, D. J., Žídek, A., Barreto, A., Horgan, D., Hessel, M., Quan, J., Oh, J., van Hasselt, H., Silver, D., and Schaul, T. (2018). Unicorn: Continual learning with a universal, off-policy agent. *arXiv preprint arXiv:1802.08294*.
- [Mnih et al., 2015] Mnih, V., Kavukcuoglu, K., Silver, D., Rusu, A. A., Veness, J., Bellemare, M. G., Graves, A., Riedmiller, M., Fidjeland, A. K., Ostrovski, G., et al. (2015). Human-level control through deep reinforcement learning. *nature*, 518(7540):529–533.
- [Mohammed et al., 2016] Mohammed, M., Khan, M. B., and Bashier, E. B. M. (2016). *Machine learning: algorithms and applications*. Crc Press.
- [Sarker et al., 2020] Sarker, I. H., Kayes, A., Badsha, S., Alqahtani, H., Watters, P., and Ng, A. (2020). Cybersecurity data science: an overview from machine learning perspective. *Journal of Big data*, 7:1–29.
- [Schell, 2008] Schell, J. (2008). *The Art of Game Design: A book of lenses*. CRC press.

- [Silver et al., 2016] Silver, D., Huang, A., Maddison, C. J., Guez, A., Sifre, L., Van Den Driessche, G., Schrittwieser, J., Antonoglou, I., Panneershelvam, V., Lanctot, M., et al. (2016). Mastering the game of go with deep neural networks and tree search. *nature*, 529(7587):484–489.
- [Sutton and Barto, 2018] Sutton, R. S. and Barto, A. G. (2018). *Reinforcement learning: An introduction*. MIT press.
- [Thakur and Konde, 2021] Thakur, A. and Konde, A. (2021). Fundamentals of neural networks. *International Journal for Research in Applied Science and Engineering Technology*, 9:407–26.
- [Torrado et al., 2018] Torrado, R. R., Bontrager, P., Togelius, J., Liu, J., and Perez-Liebana, D. (2018). Deep reinforcement learning for general video game ai. In *2018 IEEE Conference on Computational Intelligence and Games (CIG)*, pages 1–8. IEEE.
- [Varghese and Mahmoud, 2021] Varghese, N. V. and Mahmoud, Q. H. (2021). A hybrid multi-task learning approach for optimizing deep reinforcement learning agents. *IEEE Access*, 9:44681–44703.
- [Yannakakis and Togelius, 2018] Yannakakis, G. N. and Togelius, J. (2018). *Artificial intelligence and games*, volume 2. Springer.