
Parking/Arcess ourside of Park Boundaries Field ournals completed Size sketch made on 1,3000 map? Check cover nace Anata Beacine of plot recorded North direction recorded and property North direction recorded and property North direction recorded and recorde	Project Label:	PCAP	Plot No	: <u>///67</u>
Parking/Access outside of Park Boundaries: Field journals completed Find Access made on 1,3000 map? Check cover page K-axis Bearins of plot recorded N GPS counts. Recorded Not thin direction recorded N Not thin direction recorded N Photographs taken? Photographs taken? Photographs taken? N Plot No. Date agreement on all pages? Down classes recorded in all pages? N Plot No. Date agreement on all pages? N Plot No. Date agreement on all pages? N Source of the By Species Woody stem quality control check N N N N N N N N N N N N N			.	
Field journals completed Find sketch made on J. 3000 map? Check cover prace Avairs Beneine of plot recorded Protographs taken? Plot No. Date agraciment on all papes? Cover classes recorded in all intensive modules Browner level By Species Wounds stan quality control check Nouth recompleted all jagues? Cover classes recorded in all intensive modules Browner level By Species Wounds stan quality control check Nouth recompleted clief all jagues? Cover classes recorded in all intensive modules Browner level By Species Nouth was plant quality control check Nouth and paped Cover by Strata? (confirm cover type) Not be an intensive plant a cover type) Not be an intensive plant a confirm cover type) Not be a control of distributed with installs and number Vouchers inhelted on collection lag Price days transcent of the bottom of the control of the control of the bottom of the control of the control of the bottom of the control of the bottom of the control of the control of the control of the bottom of the control of the contr				Comment required if item answer is NO
Site, skatch made on 1 3000 map? Check cover page: GPS courds, Recorded Not the direction recorded Photographs taken? Plot No., Date agreement on all pages? Disade data complicted all pages? Cover classes monded in all Intensive modules Provided the state of the state o	Parking/Access outsid	de of Park Boundaries:		If yes, write details in Comments section below
Search S	rield journals comple	eted		
GPS coords. Recorded North direction need to the North direction and pages? Plot No. Date agreement on all pages? Prover classes recorded in all timenance modules North North direction and timenance modules North	Site sketch made on 1	:3000 map?	N W	
North direction recorded Photographs taken? N N Photographs taken quality control check N N Photographs taken quality check taken quality check taken quality check taken quality check N N Photographs taken quality check taken quality check taken quality check taken quality check N N Photographs taken quality check quality check taken quality check tak	Check cover page	X-axis Bearing of plot recorded	N (S)	
Photographic taken? Plot No. Date agreement on all pages? Now I leader data completed all pages? Now I seem under your dead of the leader of the		GPS coords. Recorded	_ <u> </u>	
Plot No. Date agreement on all pages? Cover elsses recorded mall intensive modules N Reduced data completed all pages? N Reduced ever Bry Spoces N Nondy atem quality control check N Nondy atem quality control check		North direction recorded	N N	
icader data completed all pages? Cover classes recorded in all intensive modules Rower classes recorded in all intensive modules Rower classes recorded in all intensive modules Rower classes recorded in all intensive modules Note of the class of t		Photographs taken?	N CS	
Browse Level By Species Woody stem quality control check Woody stem quality control check Ash trees mapped Cover by Strata? (confirm cover type) Soil samples collected with matching plot # N Vouchers labeled on datasheet with initials and number Vouchers labeled on datasheet with initials and number Vouchers labeled on collection bag Pink Baps removed Data sheet OA before leaving site? Common equipment returned to tub Data sheets scanned? Final data sheets related to left Data sheets related to left Finer date to	Plot No., Date agreen	nent on all pages?	S N	
Browse Level By Species Woody stem quality control check Nath these mapped Adh these mapped Nover by Strata? (confirm cover type) Soil samples collected with matching plot # Nover by Strata? Vouchers labeled on datasheed with matching plot # Nover by Strata? Vouchers labeled on datasheed with matching plot # Nover by Strata? Vouchers labeled on datasheed with initials and number Nover by Strata? Vouchers labeled on datasheed with initials and number Nover by Strata? Vouchers labeled on datasheed with initials and number Nover by Strata? Vouchers labeled on datasheed with initials and number Nover by Strata? Vouchers labeled on callection bag Prink flags removed Nover by	Header data complete	ed all pages?	Ø N	
Browse Level By Species Woody stein quality control check Nath trees inapped Cover by Strata? (confirm cover type) Noil samples collected with matching plot # N Vouchers labeled on datasheet with initials and number Nouchers labeled on collection bag Pink Baps removed Data sheet Ab before leaving site? Common equipment returned to tith Data sheets scanned? Finited data sheets reasoned? Briffed Widths incessined? Work Soil Survey Wouchers collected) Press (#) Finite data to left Enter date to left Driver Youchers collected) Press (#) Finite data Sheets removed? Driver Youchers Location Refrirectator Press (#) Driver Youchers collected by Press (#) GRTS point verification: Is plot sampleable? Original GRTS point lands in a non-sampleable area (fill in category below) Driver Driver in point falls in a water 6 in over labe) Driver in Point falls in a water 6 in over labe) Draved area (i.e. performer, prime area, right of way) Draved area (i.e. performer, made) Draved area (i.e. performer, prime area, right of way) Draved area (i.e. performer, prime area, right of way) Draved area (i.e. performer, prime area, right of way) Draved area (i.e. performer, prime area, right of way) Draved area (i.e. performer, prime area, right of way) Draved area (i.e. performer, prime area, right of way) Draved area (i.e. performer, prime area, right of way) Draved area (i.e. performer, prime area, right of way) Draved area (i.e. performer, prime area, right of way)	Cover classes recorde	ed in all Intensive modules	N (R	
Woody stem quality control check Ash trees mapped Cover by Strata? (confitur cover type) Not samples collected with matching plot #. Nouchers labeled on dataslect with initials and number Nouchers labeled on collection bag Pink flags removed Data sheet OA before leaving site? Common equipment returned to tuth Data sheets scanned? Final data slicets scanned? Final data slicets scanned? Buffer Widths necessured? Wouchers Location Refrigerator Y Wouchers Collected Press (#) Driet Admittied Y N GRIS point verification: Is plot sampleable? Drig original GRIS point is sampleable No Original GRIS point is sampleable No Original GRIS point falls in a water (i.e. over, lisks) Managed mowed and (i.e. golf cause, none area, noth of waty) Paved area (i.e. parkned), nond Total Comments: Additional Comments:			$ \bigcirc \rangle$ N	
Ash noes mapped Cover by Strata? (confirm cover type) Soil samples collected with matching plot #. Vouchers labeled on datasheet with initials and number Vouchers labeled on datasheet with initials and number Vouchers labeled on collection bag Pink flars removed Data sheet OA before leaving site? Common equipment returned to tuth Data sheet Seanned? Final data sheets scanned? Final data sheets scanned? Final data sheets scanned? Final data sheets scanned? Web Soil Survey Voucher Location Refrigerator V N Refrigerator V N Refrigerator Fried Identified V N N Identified V N N GRIS point verification: Is plot sampleable? Original GRIS point lands in a non-sampleable area (fill in category below) Proving falls in a water 6 e fover, lake) Managed mowed area (i.e. golf course, menc area, neble of way) Paved area (i.e. parkinder, road) Other Additional Comments:	-		W CD	
Ash trees mapped Cover by Strata? (confirm cover type) Soil samples collected with matching plot #. Nouchers labeled on datasheet with initials and number Nouchers labeled on datasheet with initials and number Nouchers labeled on collection bag Nouchers collected with matching plot #. Nouchers Location equipment returned to tub Nouchers scanned? Nouchers scanned? Nouchers location Nouchers Location Nouchers collected Press (#) Drier Y N N Enter date to left Nouchers collected Nething and Nouchers Collected Nouchers collected Y N N Identified Y N N Iden			O _N	
Cover by Strata? (confirm cover type) Soil samples collected with matching plot #			>>>	
Soil samples collected with matching plot #. Youchers labeled on datasheet with initials and number Vouchers labeled on collection bag Pink flags removed Data sheet OA before leaving site? Common equipment returned to tain Data sheets scanned? Final data sheets scanned? Buffer Widths measured? Web Soil Survey Woucher Location Refrigerator Press (#) Drier Y N All in a al distance of the flattified Wounted Y N CRIS point verification: Is plot sampleable? Original GRIS point is sampleable Original GRIS point lands in a non-sampleable area (fill in category below) 1 Point falls in a water 6 e over, lished Managed mowed area (i.e. golf course, mome ones, nobit of way) Press others Other Additional Comments:		nfirm cover type)	777	
Vouchers labeled on datasticet with initials and number Vouchers labeled on collection bag Pink flaps removed Data sheet OA before leaving site? Common equipment returned to tub Data sheet Scanned? Final data sheets scanned? Final data sheets scanned? Buffer Widths measured? Web Soil Survey Voucher Location Refrigerator Press (#) Drier Y N Identified Wounted Y N Identified Wounted Y N Inform away Y N CRIS point verification: Is plot sampleable? Original GRIS point is sampleable Original GRIS point lands in a more sampleable area (fill in category below) In Point falls in a water (a nove, take) Additional Comments: Additional Comments:			1	
Vouchers labeled on collection bag Pink flags removed Data sheet OA before leaving site? Common equipment returned to tab Data sheets scanned? Common equipment returned to tab N Data sheets scanned? Finter date to left Finter date to left Finter date to left Web Soil Survey Woucher Location Refrigerator Y N Coll 'D D and discarde Finter number to left Drier Y N Identified Y N Innown away Y N Thrown away Y N Thrown away Thrown away Thrown away And angred mowed area (i.e. golf emise, preme area, nebt of way) Paved area (i.e. parkingles) Dier Unsafe to sample 6 e steep slone) Differ Collier Colli			6	
Pink flaps removed Data sheet QA before leaving site? Common equipment returned to taih Data sheets scanned? Finter date to left Finter date to left Finter date to left Buffer Widths measured? Web Soil Survey Voucher Location Refrigerator Press (#) Drier Y N Identified Y N Identified Y N Inform away Y N GRIS point verification: Is plot sampleable Original GRIS point is sampleable Original GRIS point lands in a non-sampleable area (fill in category below) Paved area (e parkington could Paved area (e parkington could Turnse to sample (e a steep slone) Other Other Additional Comments:			7	
Data sheet QA before leaving site? Common equipment returned to tith Data sheets scanned? Finter date to left		concentrate,		
Common equipment returned to tub Data sheets scanned? Pinal data sheets scanned? Buffer Widths measured? Web Soil Survey Woucher Location Refrigerator Press (#) Identified Mounted Y N Identified V N Mounted Y N Thrown away Y N Thrown away Y N CRIS point verification: Is plot sampleable? Original GRIS point is sampleable No Original GRIS point is a non-sampleable area (fill in category below) Paved area (i.e. parkingtor, road) Paved area (i.e. parkingtor, road) Paved area (i.e. parkingtor, road) Unsafe to sample (e.e. steep stone) Unsafe to sample (e.e. steep stone) Other Additional Comments:		A continuo mitro d	7	/
Anta sheets scanned? Final data sheets scanned? Buffer Widths measured? Web Soil Survey Voucher Location Refrigerator V N Refrigerat				
Enter date to left Buffer Widths neasured? Web Soil Survey Woucher Location Refrigerator Y N CLL ID D and distance of the survey of the sur		returned to tun		T and date to 1.0
Buffer Widths measured? Web Soil Survey Voucher Location Refrigerator Y N all in a mal discarde # vouchers collected) Press (#) Identified Y N N Identified Y N N Mounted Y N N Thrown away Y N Thrown away Y N CRIS point verification: Is plot sampleable? Original GRIS point is sampleable Original GRIS point lands in a non-sampleable area (fill in category below) 11 Point falls in a water 6 e river, lake) 12 Managed mowed area (i.e. golf course, piene area, right-of-way) 13 Paved area (i.e. parkingtor, road) 14 Onsafe to sample 6 e steep stone) 15 Other Additional Comments:			1119	
Web Soil Survey Joucher Location Refrigerator Y N Refrigerator # yourchers collected) # ress (#) Drier Y N Enter number to left Drier Y N Identified Y N Mounted Y N Thrown away Y N Thrown away Y N Original GRIS point is sampleable Original GRIS point lands in a non-sampleable area (fill in category below) Depart alls in a water (i.e. golf course, preme area, right of way) Depart and original GRIS point is sampleable One of the parkingled, roadd One of the parkingled, roadd Other widditional Comments:			A	Enter date to text
Voucher Location Refrigerator Y N All IN and discards # vouchers collected) Press (#) Drier Y N Identified Y N Mounted Y N Thrown away Y N FRIS point verification: Is plot sampleable? Original GR1S point lands in a non-sampleable area (fill in category below) In Point falls in a water 6 e river, lake) Managed mowed area (i.e. golf course, preme area, nebt of away) Paved area (i.e. parkinglot, road) Unsafe to sample 6 e steep slone) Golfer Additional Comments:		red/		
# wouchers collected) Press (#) Drier Y N Identified Y N Mounted Y N Thrown away Y N RES point verification: Is plot sampleable? Original GRES point lands in a non-sampleable area (fill in category below) Point falls in a water (e river, lake) Managed mowed area (i e golf course, preme area, nebt of way) Paved area (i e parkinglot, road) Unsafe to sample (i e steep slone) Other Additional Comments:				20.22
Drier Y N Identified Y N Mounted Y N Thrown away Y N Thrown away Y N GRIS point verification: Is plot sampleable? Original GRIS point is sampleable Original GRIS point lands in a non-sampleable area (fill in category below) 1 Point falls in a water (e river, lake) Managed mowed area (i e golf course, picture area, trebt of way) Paved area (i e parkinglot, road) O Unsafe to sample (i e steep slone) Ofther Additional Comments:	Voucher Location	Refrigerator	A (N)	:
Identified Y N Mounted Y N Thrown away Y N GRIS point verification: Is plot sampleable? Original GRIS point is sampleable Original GRIS point lands in a non-sampleable area (fill in category below) 1) Point falls in a water 6 e over, lake) 1) Managed mowed area (i e. golf course, piene area, nebt-of-way) Paved area (i e. parkinglot, road) 1) Unsafe to sample (i e. steep slone) 3) Other Additional Comments:	# vouchers collected)	Press (#)		Enter number to left
Mounted Y N Thrown away Y N GRTS point verification: Is plot sampleable? Original GRTS point is sampleable Original GRTS point lands in a non-sampleable area (fill in category below) 11 Point falls in a water 6 e diver, take) 12 Managed mowed area (i.e. golf course, prome area, nebt-of-way) 13 Paved area (i.e. parkinglot, road) 14 Unsafe to sample (i.e. steep slone) 15 Other Additional Comments:		Drier	Y N	
Thrown away Y N GRIS point verification: Is plot sampleable? Original GRIS point is sampleable Original GRIS point ands in a non-sampleable area (fill in category below) 1) Point falls in a water (i e river, lake) Managed mowed area (i e golf course, prome area, nebt-of-way) Paved area (i e parkinglot, road) O Unsafe to sample (i e steep slone) G Other Additional Comments:		Identified	Y N	
GRTS point verification: Is plot sampleable? Original GRTS point is sampleable Original GRTS point lands in a non-sampleable area (fill in category below) Point falls in a water (e over, lake) Managed mowed area (i e golf course, piene area, nebt of way) Paved area (e e parkinglot, road) Unsafe to sample (e steep slone) Other Additional Comments:		Mounted	Y N	
Original GRTS point is sampleable Original GRTS point lands in a non-sampleable area (fill in category below) Point falls in a water (i.e. golf course, piene area, nebt-of-way) Managed mowed area (i.e. golf course, piene area, nebt-of-way) Paved area (i.e. parkinglor, road) Unsafe to sample (i.e. steep slope) Other Additional Comments:		Thrown away	Y N	
GRIS point verification: Is plot sampleable? Original GRIS point is sampleable Original GRIS point lands in a non-sampleable area (fill in category below) Point falls in a water (i.e. over, lake) Managed mowed area (i.e. golf course, piene area, night of way) Paved area (i.e. parkinglot, road) Unsafe to sample (i.e. steep slone) Other Additional Comments:		Identified Mounted	Y N	
Original GR1S point is sampleable Original GR1S point lands in a non-sampleable area (fill in category below) Point falls in a water (i.e. golf course, piene area, night of way) Managed mowed area (i.e. golf course, piene area, night of way) Paved area (i.e. parkinglor, road) Oursafe to sample (i.e. steep slone) Other Additional Comments:		1 nrown away	. Y N	
Original GR1S point is sampleable Original GR1S point lands in a non-sampleable area (fill in category below) Point falls in a water (i.e. rover, lake) Managed mowed area (i.e. golf course, picture area, nebrof way) Paved area (i.e. parkinglor, road) Unsafe to sample (i.e. steep slone) Other diditional Comments:				
Original GRTS point lands in a non-sampleable area (fill in category below) 1) Point falls in a water (i.e. diver, lake) 2) Managed mowed area (i.e. golf course, piene area, nebt of way) 2) Paved area (i.e. parkinglor, road) 3) Unsafe to sample (i.e. steep slone) 3) Other				
ii Point falls in a water (i.e. river, lake) Managed mowed area (i.e. golf course, prome area, nebt of way) Paved area (i.e. parkinglor, road) Unsafe to sample (i.e. steep slone) Other	Yes			
Managed mowed area (i.e. golf course, picnic area, nebt-of-way) Paved area (i.e. parkinglor, road) Unsafe to sample (i.e. steep slope) Other Additional Comments:	□ No	Original GRTS point lands in a non-	sampicable area (l	ill in category below)
Paved area (i.e. parkinglor, road) Unsafe to sample (i.e. steep slone) Other Additional Comments:				
Additional Comments:		☐ Paved area (i e parkinglot, road)		nr-of-way)
Additional Comments:				
	Additional Comme	1820		
				, 2
PARK @ DRAKE RESIDENKE (see plot folder. (14174 Drake Rd.)	PARK C	DRAKE RES	DENKE	(see plot folder 1

(_{__},

CTransest component C Systematic (grid) = Capture specific feature = Other NOTES: Include Layout (any unusual shape details), Location (directions and landscape content), Rationale (why here), and Vig Characterization (description of community, dominants, strata, BROWSE). Additional notes in space on back. LOCATION - Cr. 470 m New of intersection of Community, dominants, strata, BROWSE). Additional notes in space on back. LOCATION - Cr. 470 m New of intersection of Community, dominants, strata, BROWSE). Additional notes in space on back. LOCATION - Cr. 470 m New of intersection of Community, dominants, strata, BROWSE). Additional notes in space on back. LOCATION - Cr. 470 m New of intersection of Interse	Source of coordinates © MAP	A MACK SCANGES OF TAXONOMIC STANDARD A MACK SCANGES OF TAXONOMIC STANDARD Authority: G&C Pub Date: 1998 Minimum required fields in Bold and Underlined
Plot placement: Proposition of Expresentative of RTS Random Stratified Random Transect component Systemano (grid) Capture specific feature Other	INDICATION State: OH County: C.J.A.H.C.G. Quadrangle: BEPEA Local Place Names: DRAKE & & E Local Place Names: DRAKE & & E Landowner: CLE METRSECTION Landowner: CLE METRO PARKS X-axis Bearing of plot: [2] #] o Data Confidentiality: Check one: A Public data D Private Data Druzz 100m D Fuzz 250m D Fuzz 500m Reason: If data not public why? Source of coordinates DMAP GPS	CLEVELAND METROPARKS Plant Con GENERAL INFORMATION Project Label: PCAP Project Name: O/ NS 206// Plot Name: THE MENNEST PLOT ON EARTH Plot No: 1/67 □ Level 4 (no nested corners sampled) □ Level 5 (nested corners sampled) □ Level 7 (nested corners sampled) □ Level 8 (nested corners sampled) □ Level 9 (nested corners sampled)


O,	7	^}	7,	2	W	77		4	246		6 1	2/3	(s	+	72	2	4	ণ	6	N	4	2	42	4	2	T S H (F)	Cleveland Necochands	Visual est. % op	Total modules:	CLEVELAND
Pea trivialis	10		1 to 1 to 1	Carex blamela	tences tencis	3 Vibunum dentatum	Spilobium coloratum	stendil	dendron and	4	tule	3 Francis alnus	x Swan!	era lad	s spedlings	ÿ,	502	iceria	to fe	Danthonia saisata	Doctalis glomerata	aestral	9, Pornes Clorida	2 20	Tures cormania	(F)(A) Br Species	Br = Browse Level. Use cover classes to describe amount of browse per species over entire plot	water entire site:	les:	METROPARKS Plan
	90 /00	Z 2,2,0	<u>t</u>						/ CAR 1-5									841 58			-84 NB					c Voucher#	Estimate for each intensive module: to %open water %unvegetated open water %unveg. ground (bere soil) %onveg. litter (bare litter)	Visual est. %unveg.o.w. entire site:	Intensive modules:	essment Program Sp
7 5 7	\$ 6	>	<u></u>	2 82	1 2+	3)	3	w w w	374	N N	3 4 4	<i>y y y y y y y y y y</i>	7 2	4 70	4 2 3	4	424	262	7 2 7	4 2	4 8 4	26	704	(2)	4 2	depth cay depth	mod comer mod co	0	4	ecies Cover Data
1	l	_	12		CS	2		+ 3 +	4 6 4		2	4 4 13	2 2 14	3 4 7	2		4 2 4	2 6 2	+	/ 2	14	6		13		cov depth cov depth		Visual est. %invasives entire site:	Plot configuration:	Sheet
12			3 3		2 4 2 2	1,		# 3			6	4 4 12	222	W		ů.	02	12	7 7 7		S 5 1 52		2 2			cay depth cay depth	Corner mad corner mod	entire site: 50	1 × 4	11.67
1	э		2 2	2	2 3 7	8 2 3 3		334	<u>L'</u>		5	4 5 7	(C)	2		1 2 1	4 4 3 4	7 3 3 7	4		(3)	4 7 14	3			oov depth cov depth			Plot area (ha):	Page /
7	_ _													2					3		(V)	1				in cov depin cov	comer mod o 2 R cov depth		40.0	£ 5

			7	7	-L	1			f \		V ~~			\ 		7		10			w		2	2	8	ilraia - Cov						Br:8! 681	fotal m	Project
	· >) 		1		<u>'</u>	12	 			ند()			<u>ار</u> 		~		10		60	33		1	6	H (F) (A)	ov entre plot		The state of the s	y v	6	e ³	sua est. % open water entire	fotal modules:	LAND I
	-					-							7	1		(%)		W		-			9		Br	001					,	water er	1	
Hipporicum ainst	Scirpus Atovirens	Corex Sceparia	France Cerasus	Rapuneulus acris	Carya ovata	traxinus americana	N .	Juneus effusus	Heleus lanatus	Carex vulpinoiden	Algrastis gigantes	Polygonom ragittata	Germ considerse	Cratacques co.	Vibunum opiles	Rosa multiflora	Fragana wasca	Cornus racemosa	Erechtites hierarity	position prepared	anthum	MAKNOWN ASTELLICERY	Aster 1	and com langines in	Species			describe entonik of blooms par species over	Br = Browse Level. Use cover classes to			office site:	4	Project Label: PCAP Project Label: PCAP Project name: 0/ms 2 e//
+ x 1	PAS.	this		L			lia			_	<i>"</i>	tate m	162		-,		165		Flo		cdorestum	(Conymon	(Sterl)	plicatur				rhacian over	r classes to			Visual est.		Ity Asses
		X	X								X											5.		X	0	· é	 #					est %u	l Int	sment
		DS/51	75150								55149													DS 147	Voucher#	Sunveg, litter (bare liner	Kunveg, graund (pere soil)	Jajaw Gade batalabawung.	Stonen were:	Estimate for each		%unveg.o.w. entire sits	Intensive modules:	Program Speci
_					<u> </u>	-				_				2	10	N	n	N	13	12	N	n	Ŋ	17	decil:	(5) 	<u>≘</u> 	Т	ار مار الراب مار الراب	- Const	тод		1	sies Cove
	12	1/2	4			Ŋ	ļ	-1	- 4-	ω +	+-	1	2	7		12	12	17	-	(N)	<u> </u>			12	Ş -				- 5		e e		İ	22 5 Vover [
			<u> </u>				3 /	ļ	7		12			+				2		<u>.</u>	6				cepllin o		_	-		1.1	nied cor		Plot configuration:	Data S
				12	12	3 (m)			12	L2		75.eq	42	(, >)	13	14	F.	w	(S)	1/2	10				cov degla	en e		1	CUC CHE		comer Julia	Visual est. %invasive	ngilad	Sheet
Ua le	- 50 Pa	lar ti		L 2	F.					Ŋ			11	-1	100	N	14	۲		ونر	W				-9 CD				1000	777		et. %in	ation:	PIO
				Ø		4	4		12	(Z	*	2	(s)	-\$		డు	1	4			(A		W	N	Je Silli				Pap	Ņ	perf			Plot no
			64 - 6	on said.		υŢ			13	447949	υ 7										W		\mathcal{L}_2	10	ç				10 PE		4224	s antire site	2 x 2	1167
				2		4			2 2		<i>₽</i>	2	10	6		7	ļ	72			7		2	ļ	depli: o	<i>→</i> .		- -	7 SECTION 1	\neg	fi.oc 50	i i i	b	7
						00	_		2 12				Ľ-	4		 	1	ţ.	X	-	2.		12	12	ody depth		-	- 🕂	Cep.n		comer mod			
					 								-				17		7					12	(i) cav			+	200	-	+		Pict	
		1 3 1 3		1		7.	L2			b		h	CA	1,		1,		دى)	1 / 1 / 1 / 1 / 1 / 1 / 1 / 1 / 1 / 1 /	ħ		depla) in		Tiga	'	Plot area (ha):	יסר
						3	13			2.1		7,		Ø2		n		L					6) 146A				9	4	a 1135			Page
						12							7)	.		Barl Mac Prov	٧	2		2		in fil			deplin				depin	N.Y	S Scul		40.04	12
			1.57							jaši, vii Lijoha i Mes ili		r Y					2			h	. 10 KG R. 108		42		C57 Ce				20 / You		(a) (Sulc)		$ \mathcal{T} $	of
			-																						veo index				C#2.11 COV	+	neciner comer			#



. (

				-					-				1										 C	-		- C/3	Strate	2 7 0 20 10		g e Filler		Visual	
	<u> </u>	_	'		_		100	人	ر د	-	- }	26)	٠, د	> 1	7	28	3 0	RL	1/2	16) R	ار		2) I	- Cov.	10 10 10 10 10 10 10 10 10 10 10 10 10 1					
F			-					-	-		-									-			-			(F) (A) B r	Strate - Cov. entire plot	E 5		Negali-		Visual est. % open water entire	
				\mathcal{O}	اط		M	N							<u> </u>											n D	2					\valer	
De	H	7 [C	36	2/6			l.,	1	5.7.2	5	1/5	The same	Um	200	3	7	De	J.	Rosa	7/2	12	1		1	100	>			(i e g	Ē.		entire	
Desmodium	varraho o d	Circaea	KUEVEUS	O lidage		\$ 5 \$ 5	Rubus pu	xalis	. [amps,5	484	yeven Hemin	mus	arya	XPIX		Aster	19 ama	8,	Leven	rune/la	250	vercus	661310	in it				describe amount of prowse per species over	Br = Browse Level. Use cover diasses to		6	
divi	M	b	S	10		ξ, Σ	0	43	par	is	y Street a	ther	ame	60	0	Ginn	10	a .		6		400	202	10 6	8				Ticunt	ம் ம ம	!		
		lute	- 5 F	0.00		<u> </u>	25.5	stricto	27.0	rad	G	\ \ \ \ \	americana	St. P.	1101			par	1	prox	Jan Jan		al	Ž.	up page	Species		eniire plot	of crox	<u>.</u> C			
50-	\$	ctetiana	sergins	: Corner	,	10 m	Densylvanicus	à		tican.	segive	j		cad Homes	ristatella	phalos		TK.		tense.	garis	volgare		1301des	planate	les		D O	vse pe	Vo≎ es			
		<i>à</i> `	10	Considensis	.	VIND A CARON	645			202	ž	muticum		,	à	e	(5	1000				3		TV S	H				speci	막 42. 68			
												3			4000		121100000		nective		į		-	1					ės ove	8 8 8		Visus	
			+					ļ	-	-		X	1	-	X	,	12.5		100	رم		<u> </u> 		X	•	0	-				\dashv	8	
	-	-	+		+					-	-	\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	-	+-		-	+-	-	1	-		-	+	20	+	+	Sunveg, litter (bare litter)	Sunvegelated open water		Estimate for each intensive module:		Visual est. %unveg.c.w. entire site:	
												5/5			45159											Voucher#	Sunveg, litter (bare litter)	geleted	¥0.	Estimate for each Intensive module:		W.O.K	
												(V)			7									153		ner#	(barel	cpen n	%open water	r each odule		entire s	
	-	-		-	+	-		-	-	-	-			-	-		-	-	-	-	ļ	 				2	iller)	<u> </u>	ii e	· · · · · ·	_	site:	1
_		-	-	+	-			-	-	-	-	-	-	<u> </u>	-	12	-	-		-	-	-	4	2		Septit o		-		1 1	mod car		
-	-	-	-	-	+	-				-	-	-	-	-	-	- '				 	-	-	ļ.	<u> </u>		oby Jaepin		-	ļ - ļ	— r	comer mod		
				+	+	-		<u> </u>		-			-	ļ	<u> </u>	 	-	-	+		<u> </u> 			ļ	+-	ole cov					ed conten	سبه	
							in reg	i de la composition della comp			100			-	1		K					12				depit			1		.er	Visual est. %Invasives entire	(
	200 Mg.	. I see											t.	K	10	67	10	17				4				220			200		d comer	st. %1	c
																			N	72	t.					dealh			1	no.	er mod	ivasiv	
														1 db.cs	e Chorri				p	ky	va					100					150155	es enti	
~	_	-		1) [2	2	12	67	CO	W	W	(v)		31/4/10	Lings av	Markeya.	10		+	7					gapin		, _		- 1 - 1	30.05	6 6.76	
			 	-	-	7	W		-	_	1/2	N						13		17	1/2					700					Corney.		
			13			- +											<u> </u>	12		1	_				_	lligen I					med		
			-	-												İ										OAA.				8 13	200060		- (
			-	10				1\3			ieros. Živo	1	1×2	iyaa Laas	a.				М							depi :				g 1	704		1
				-				۲۷											-							, vea			555) 		2
									7 (1944) 1 (1944)													7.5	4		h	riger F)))		
					4	10 5			1.1 (97.1 3.1 (1.5)														(S)			1,000 m				7	3		
																										aepih				70 2			
						T																				50.				ධි න <u>ඩ</u>			



8.64 8.75 8.75			2aOM PCAP Species Cover Dalaisnest Page 1 of x_ver 1 5.xts (ast revised 8/9/2011) hm
\$ 2 A			
V			
elle wall residence Symptomic Parker S			
	Assessed to the second		
			Hieracium sp.
	2		Taxaxacum officiale
cey depth cov	depin ccv	Cov. gesth cov	Species Species
			alia - Cov
		Kuniveg graded (per water)	
			() Managamagamagamagamagamagamagamagamagamag
deplin	Hide Alikeba Badeb	depti	
	3 / 2 4 4		
Comes mod Comes	mod comen office series and	mod comer mad comer ැඩමුණු (pojner mod comer	
		t Bunveglow entre site. Visual est Binvesives entre site.	Visual est. 75 citeri Water em 78 site.
	Plot area (ha):	Intensive modules: Plot configuration:	
		Project name: 8/105204 Plot no 1(67	Trojaci napat
of 4	Page 4	nent Flogram species Cover Data Sheet	
		sont Browning Danking Danie 5 - L. Allen	LEVELAND METROPARKS Plant Community Asses

8

r

203

Im base ne

9

(I)

ထ


CLEVELAND METROPARKS Plant Community Assessment Program Natural Woody Stem Data Sheet	Assessment Pro	gram Natural V	loody Sten	Data Shee	if				O olemen	Oleveland Regradates
Project Label: PCAP Explain subsample (additional room on back):	Project	Project Name: 0\M\$201	2011	Plot No.	Plot No.: 167		Page:	DF DF	۶.	
	# stems % sub	# size class	size class (cm) woody stems >	3 — 1 m	<i>σ</i> 1	D)	7. Se	ro o	ว่	=
mod # species c voucher#	sample	0	2.5	.გ. ლ	တ်	15 - <20 20 -	<25 25 -	<30 30 - <35	35	>40 (record each tree
Fraxinus emericana			•	*	Χ¢					
1 Cretaeaus sp.			• 6 • 6 • 6		•					
1 Cornus Divida			9	•						
$_{\smallfrown}$ \mid			000							
<u>خ</u> ا			•	to 44	9 9		-			
1 Toxicaclendian Fadicans			0							
1 Promus Gerrasus			4 0	•	34					
) I										
1 Franquia alnus		()								
2 Acer rubrum						×	•			
2 Frexinus americana				××	•	6				
2 Cretaeaus sp.			N							
à Carua cuerta					•					
2 Toxicodendron redicans		S	69							
 '		30								
Stadios			00	20	49	×				
2 Rooms (2054))X X						
2 Ulmus Americana										
2 Prune's Serotina				er S						
V175			• • •							
Cornes			ŝ						· · ·	
Bosa w		Ч								1 14
3 Cretaesus sp.			Image: second control of the control of	v						
5 Traxinus americana			× ×	* :	X * X	47				


Woody Stem Deer Browse

tall that exhibit evidence of this years deer browse. Record the number of stems/plants between 0 5-1 0 meters

Record using the tally system from 1 to







ASH CANOPY CONDITION

- 2. Thinning canopy: There aren't as many leaves as there ought to be, but all top branches exposed to sunlight have leaves. 💤 Healthy, full canopy: A healthy ash canopy is normally thinner than many other trees such as maple
- 3. Dieback: Canopy is thinning and some top branches exposed to sunlight are dead (have no leaves). Lower branches, not exposed to
- 2 Desg csnopy: No leaves remain in the canopy portion of the tree. It still counts as a 5 even if there are epicormic sprouts below the canopy 4" >20% Dieback: The canopy has less than half of the leaves that should be there sind/or half of the top branches are dead sunlight, die naturally and are not considered.

3

(if an ash receives a score of 5 (dead) under canopy condition it must also receive a breakup condition ASH CANOPY BREAKUP CONDITION (for dead trees):

(lowest branch) on the trunk.

rank as described below)

- A: All main branches contain fine twigs (newly dead)
- B: Over 50% of main branches have fine twigs.
- C: Less than 50% of main branches have fine twigs
- D: Stem still standing and tertiary main branches present
- E: Central stem still standing.

r بر کر 1 سكس _ W ئرى V CLEVELAND INSTROPARKS Plant Community Assessment Program Natural Woody Stem Data Sheet S Standing Dead Visurnum clentati Fraxinus americans Explain subsair ple (additional foom on back) Vites aestructis Toxicodendran redicans Viburnum clentatum Cretcegus sp. Brown Carenosa Franzula alnus Fransula alnus cleatatur Project Label: PCAP voucher# # stems ©.€√in or super gns % Project Name: O(N) 201) 23 shrub W D #1 size class (cm) woody stems >1m Ø • :1 4 *****0 ***** I € Plot No. 1167 7 9 % (e X tı. V 10 - 415 t F E) Page: Q. Φ Delevational Retributes 5 >40 (record each use)

3

- E: Central stem still standing.
- D: Stem still standing and tertiary main branches present.
 - C: Less than 50% of main branches have fine twigs
 - B: Over 50% of main branches have fine builds
 - A: All main branches contain fine twigs (newly dead).

tank as descriped below)

(if an ash receives a score of 5 (dead) under canopy condition it must also receive a breakup condition

VSH CANOPY BREAKUP CONDITION (for dead trees):



O


(lowest branch) on the trunk.


- 5. Dead canopy: No leaves remain in the canopy portion of the tree. It still counts as a 5 even if there are epicormic sprouts below the canopy 4" >**50% Dieback:** The canopy has less than half of the leaves that should be there-and/or half of the lop branches are dead
 - sunlight, die naturally and are not considered.
 - 3. Dieback: Canopy is thinning and some top branches exposed to sunlight are dead (have no leaves). Lower branches not exposed to
 - 2. Thinning canopy: There aren't as many leaves as there ought to be, but all top branches exposed to sunlight have leaves.
 - t. Healthy, full canopy: A healthy ash canopy is normally thinner than many other trees such as maple


ASH CANOPY CONDITION











woulde duppings almit & DBH Measurement Rules

Record using the tally system from 1 to

tall that exhibit evidence of this years deer browse. Record the number of stems/plants between 0.1-3.0 meters

Woody Stem Deer Browse

Rosa multiflora (qnuqs) Multiflora Rose (qnuqs) Glossy Buckthorn Frangula alnus Polygonum cuspidatum Japanese Knotweed Phragmites australis sətimgendq (wetland) Reed Canarygrass Phalaris arundinacea L. morrowii, L. tatarica (gnuys) Bush Honeysuckles Common Privet Ligustrum vulgare X (qnuqs) Alliaria petiolata Garlic Mustard sək :x Presence MN MS JS ЭN Tier 4: Widespread and abundant sauauuuoo Presence muteoilq munnudiV Doublefile Viburnum (qnuqs) European Cranberry Viburnum opulus var, opulus (qnays) mutellodmu mulegoritienO Star of Bethlehem (wetland) striopebuosq sint Yellow Hag Iris Wineberry suiselooinaodq suduA (G-cover) Lungwort elicnicitto cinenomlu9 (apuqs) Mock Orange Philadelphus coronarius >1,000 Pachysandra terminalis G-cover) lapanese Pachysandra 4: 101-1,000 Ejentherococcus pentaphyllus 3: 21-100 (qn.iųs) Five-leaf Aralia Crown Vetch (G-cover) Coronilla varia TJ-20' :7 Lily of the Valley (G-cover) Convallaria majalis :T OI-I stnaid to # MM MS 3S 3N Tier 3: Presence is of interest comments stnal9 to # Wintercreeper Euonymus fortunei (apiųs) Amur Honeysuckle Lonicera maackii (qnuqs) **9vilO nmutuA** Elaeagnus umbellata Dipsacus laciniatus Cut-leaf Teasel ezonitulg zunlA European Alder (qn.iųs) Jabanese Barberry Berberis thunbergii Соттоп Висктроги (qnuqs) Rhamnus cathartica Conium maculatum Poison Hemlock Hedgeparsley Torilis sp. fersweet Celastrus orbiculatus (auiv) Bishop's Goutweed (G-cover) Aegopodium podagraria 000'T< :5 Purple Loosestrife Lythrum salicaria (wetland) 000'T-TOT:1 Lonicera Japonica 3: 21-100 Japanese Honeysuckle Tree of Heaven smissitls suttneliA 11.50. :7 Acer platanoides Norway Maple J-TO stnal9 to # MM WZ NE antely to # bebeen as Reeded comments Giant Hogweed munsizzegətnem muələciəH (wetland) Flowering Rush sntelledmu sumotud Cynanchum louiseae (vine) Black Swallow-wort Lesser Celandine Ranunculus ficaria ssergalits eseneget Microstegium vimineum səń :x Presence NE MN MS Tier 1: Early detection/ Rapid response Sd9 Presence Chevelani Meiroparta CLEVELAUD METROPARKS Plant Community Assessment Program: Invasive Species Survey

(wetland)

 ∇

(G-cover)

Periwinkle

Cattails

Dame's Rocket

Common Teasel

Sanada thistle

vonim saniV

Dipsacus fullonum Hesperis matronalis

Typha angustifolia, T. x.glauca

Cirsium arvense

If Ash Condition scores 5 (dead) provide breakup score (A-E)
 Count EAB exit holes 1.25m² x ≥1.5m
 Woodpecker and epicormic marked present (1) or absent (0)

25	24	23	22			1	1		ł				Ţ.	£,	4	دب	Ç	وبا	3	Ÿ					Module	1
		·	1,0	21	20	19		17	16	<u>2</u>	44	13	12	<u> </u>	10	ဖ	တ	7	ග	Si	4	3	2	_	Tree ID:	
												The state of the s		Frexious amprices-	Traxinas americana	Trayinus an ericann	Fraxions andreson	Frexious constitues	Fraxinas americans	Fraxing smericing	Fraxinus americana	Fraxions ancrigans	Frexious andicent	Frazious americans	Suecies	
				-			<u> </u>				-													X	Dead	
																									Voucner#	
													16.6	11,0	6.7	ار ارد	16.4	16.3	22.2	558	Ţ S	10.6	13.7	11.6	(cm)	1
							ļ. <u></u>	ļ					3	1.57	É	13	1.33	1.37	37	(.37	1,37	.37	131	1.57	18G 17	<u> </u>
													87	Ŵ	7	2		エ	دو	دو	工	V	۲	Ŋ	Ash condition	
																								6	Dead.	
													0	\mathcal{O}	C	G	0	G	G	3	Ġ	O	G	0	holes	ASH
	- :												0	0	o	0	0	0	0	_	سي	0	G	О	hales present	Only
													e	0	0	0	C	0	0	þ	O	0	G	0	Woodpacker hotes	

*** Change intensive module numbers when necessary

如

ō

οÛ

(T)

五叉

ان کلو

Map all ash frees ≥10cm in each module using Tree ID number

435

1

N Ki

Page: 1 of 1

SOIL PIT DESCRIPTION: Excavate 20 cm plug wih shovel. Describe using Munsell chart,

Soil pit module # (one per entire plot) visual exam, texture, and odor

20 cm 5 cm matrix color matrix color oxid roots redox features** hydr. cond.*** lexture* oxid roots edox features** exture* nottle color 6mottle nottle color ydro, cond.*** mottle 104R 4/3 10485/3 S р (§) р В 0

refer to texture classes on reverse side

🏁 e.g. hydrogen sulfide odor, gleying, etc. ** Circle one:

DRAINAGE

□ Excessively drained

Somewhat excessively

* Use Web Soil Survey for #3 Restrictive layer dept.

I=indundated S=saturated M=moist D=dry
Notes: include evidence of earthworms (worms, castings, middens)

No worms present

SOIL SAMPLES Standard procedure: collect a soil sample of the top 10 cm of soil from center of each intensive module and composite the sample

collected in 0.1m clip plots (32x32 cm) from corners 1 and 3 m STANDING BIOMASS (required for emergent wetlands): each intensive module. Required for VIBI-E score calculation ?≃check when collected

		Module #
		C?
		Corner
		Corner

SOIL DEPTH MEASUREMENT INSTRUCTIONS: Measure to the nearest 0.1 cm in center of intensive modules. If >30.5 cm, record as >30

readraction	minhanin ethanin	Hater		
		**************************************	Top ()	\ e
Ein samplva	1. litter + organic	furest	The State of Control of State of Control of Control of State of Control of State of Control of State o	Depth Measurements

□ Impermeable surface

Very poorly dr. ≡ Poorly dr. ★Somewhat poorly dr

 ⊆ Moderately well dr.
 ≡ Well dramed

6aCM PCAP Soils_Crown cover_Landform_Standing Biomass_Data Sheet_Ver 2xts.xts last revised 6/23/2011 ceh

Side View

DNKNOWN: The hydrologic regime cannot be determined from the available information "beboolt PERMANENTLY FLOODED: Water covers the land surface at all times of the year in all years Equivalent to Cowardin's "permanently

developed for use in the arid West for water regimes of Playa lakes , intermittent streams, and dry washes but can be used in other parts of seasonal periodicity. Inundation is not predictable to a given season and is dependent upon highly localized rain slorms. This modifier was INTERMITTENTLY FLOODED: Substrate is usually exposed, but surface water can be present for variable periods without detectable

TEMPORARILY FLOODED: Surface water present for brief periods during growing season, but water table usually lies well below soil


PERMANENTLY/SEMIPERMANENTLY SATURATED: Dry less than once per year. Surface water is seldom present, but substrate is


INTERMITTENTLY/SEASONALLY SATURATED. Dry at least once per year. Surface water is seidom present, but substrate is saturated


OCCASIONALLY FLOODED: Surface water can be present for brief periods during season, but not in most years. Often


soil does form a ball, squeeze the sample between your fingers a grainy texture, the texture is either sandy or coarse sandy. If the sent bas lied in in yets for lift the soil will not stay in a ball and has ш Many = 50does not freely flow from the sample when squeezed. Attempt to Common $5.40 \le 50$ I enough that all of the particles are saturated but excess water FeWof modeling clay/wet newspaper; the sample should be wet Sufface Area Covered SISVN COUNT the appropriate layer and moisten it with water to the consistency Cilieria: % of COG6 Cf922 and 20 cm layers. To estimate texture, collect a soil sample from SOIL TEXTURE: Record the code for the soil texture of the 5 cm

3= SandyS= Clayey 1= Loamy oinsgnO **≈0** which form a ball but not a ribbon should be coded as loamy. both a ball and a ribbon should be coded as clayey; samples and attempt to form a self-supporting ribbon. Samples which form











SM to adole seen (still tot) i g s

BS: This is best applied to transects or politic, not areas stond a francect that tuns up down the stope; e.g., backstope or finalismy equis : a i) arrientlyse end to energine storgines beneficial -owT - (909 ni nottico9 oquistit) notitico9 otito19 - oquisitit

sul sul sul sul sul sul sul sul sul sul	27 27 4 1) 1 1 1 1 1 1 1 1 1	B
	SU SB FS FS TS	pesjobc pecksjobe stroutet soninit
	Code	nomeog





to surface for extended periods during the growing season.

UPLAND: Not a welland. Very rarely flooded.

9= Not measured - make plot note 4= Coarse Sand

ЯĪ

COUG

Jəsii

gonaces.

descriptors are available for Hills. Terraces, Mountains, and Flat Plains:

Geomorphic Component - Three dimensional descriptors of parts of

Stratterms or microfeatures that are best applied to areas. Unique

PERCENT MOTTLES (USE CLASS CODES):

Intermittently Flooded modifier

characterizes flood-plain upper terraces.

the U.S. where appropriate. This modifier can be applied to both wetland and non-wetland situations. Equivalent to Cowardin's

surface. Often characterizes flood-plain levees and lower terraces. Equivalent to Cowardin's Temporary modifier

saturated to surface for extended periods during the growing season. Equivalent to Cowardin's Saturated modifier

HADBOFOCIC BECIME Wodilied from Grossman et al 1998 (Fredneucy and duration of flooding)

TRAIL INFORMATION: If trail falls in plot record type and cover for each

Туре All Prapose Bridle Hiking sunctioned Bootleg unsunononed

%Cover

COVER BY STRATA(): estimate using indicates own is, it, 14, 163) Strata Halphit Range Total Cover(53) Tipe 5 - 4 5 5 Shrub 6.5 - 5 9 5 Herb 0 0.5 5 9 Herb 0 0.5 5 9 Acqualibit 0 0 0.5 Acqualibit 0 0 0.5 Acqualibit 0 0 0 0 Acqualibit 0 0 0 Acqualibit 0 0 0 0 0 Acqualibit 0 0 0 0 0 0 Acqualibit 0 0 0 0 0 0 Acqualibit 0 0 0 0	OAN VARY 6	STRATA DES	SEE BACK O	T supprienced, r	rooted and for	(Aquatie)**	(Floating)	Herb	Short	Tree	Strata	COVER BY STRATA(s)	
Intel Covertible Solution Colorate using Solution Colorate Co	Y COVER TY	CRIPTIONS.	FPAGE FOR	nost plant mass	ating or slightly s				6.5. 5	から	Haight Range (m)	STRATA(% a x: 3, 8, 13, 18%)	
	ŗŭ	STRATA	TYPICAL	below surface	mercoc	0	a	98	93	88	Total Cover(%)	stimate using	

EARTH SURFACE & GROUND COVER	ACE & GRO	UND COVER	
Underlying Earth Surface	th Surface*	Ground Cover	
$iS_{int} = Init(j)$	percent	(<u>Eact: ≤</u> 100%)	percent
Historol	0	Coarse Woody Depris***	. دی
Mineral Soil	00	Fine Woody Debris****	3
Gravel-Cubble*	o	Lines	W
BenlJer**	0	Duff (Fern Burus)	C
Bedrock	o,	Bryophyte-Lichen	فرئ
* @ravel+Copble = 1/16 to 10 in	1/16 to 10 in	Witer	0
Boulder = > 10 b	=	Bare Scil	Q
>5 cm in diameter	ğ.	ReadTrail	W
*** <5 cm in diameter	meter	Other	0

Remember: in a standard 2x5 plot each module = 10% cover

MICROTOPOGRAPHIC FEATURE COUNTS - Intensive modules only	ansive modules only	
Ranks for microhabitat features. Selections of selections and average the social NOTE: I find fails on a slope automatically gets ranked based on steephases (1-3)	srage the score. NOTE: If mod fails on a stope	s artiforcationally development has seen on attendings (4-3)
Description of the property of		

10 feature is present in moderate or greater amounts and of highest qualty. feature is present in moderate amounts, but not of highest quelly, on it small amounts of highest quelly. feature is present in very small amounts of $\mathcal T$ more common, of low quality redure is absent or functionally absent (Goff Course Fig.)

				c.w.d count	for pleces with I	c.w.d count for pieces with minimum 1m length		
1111	no of	no. of	no mesto.	c.w.d	e.w.d	e.w.ó	microheb.	microhab.
	nissocks	hunmeeks	depressions	(2-12 om)	(1240cm)	>46 cm	interspers.	-
	depth 3	մշրդի 2	depth 1	depth 1	dqpth 1	depth I	depth 1	SLOPE
	:xls	3.16x5.16m	1000000	10x10m	10x10m	(0x10m	10x10m	ut01x01
med# corner	(count)	(count)	(count)	(count)	(count)	(count)	(rank)	(dash)
	0	0	と	ζJ		G	نلا	0
<i>ک</i> ر	3	0		دو		0	_	O
G	0	0	— .	b	0	0		O
r	0	0	o.	J	0	0	<i></i>	0
				0				
				-				
NOTE: Lescok and hurmooks are counted in 80Th nested quadrat comers but counts are aggregated, madro depressions e madrotopographic depressions with module. These may extend into other modules and be counted again, ow die counter wooty deprissions.	s are counted in BOT pographic depression	hi nested quacrat com s with modulo. These	iers but counts are a may extend into othe	ggregated. Impoules and be count	පෙ කලක්ය.			
m ord 186Helebels = overlat. I salving or ip of this ordpograph of riterspects on domplexity using scale below	r renking of block that	erederatur o uderspere	on complexity using	scala balow				

* Laceform index (cosition within landscape)

CROWN COVER (DENSIONETER), Make 4 readings per medule ficing N, S, E, W. Place det count in corresonding space.

[4 dots per grid square)


£	رب ئ	‡ X	·	Mednile
h	-	\$	1	Z
W	C	1	0	s
႘	3	0	نو	[7]
ຍ	0	3	اس	×

IFILLED OUT USING GIS PROGRAM - DO NOT FILL OUT IN FIELD	McNAB INDICES (degrees) + for up - for down
--	---

Cleveland Member* Chagain Member*	Onlo Shalle	UPPER DEVONIAN
*elekt Shabe	•	
Вогод \$алибэрлэг		
Summing Shale"		
reducite the many to the most of the most selected and a second s	Cuyahoga Formation Logan Fermation	Neglesierin
reduced east-base actail		
"quon⊇ qlisveho9	w Theological Control	LOWER PENNSYLVANIAN

menggracial animare tregal is not seeks facilitared — 62-6 HRIDH interpretable in the notice shall animare the seeks as a seek that is a seek that it is not the seeks are a seek that is the seeks and it is not the seeks are a seek that is the seeks of the seeks and it is not the seeks as a seek that the seeks and the seeks are a seek in the seeks as a seek of the seeks are a seek of the seeks as the seeks and the seeks are a seek of the seeks are seeks as a seek of the seeks are a seeks as a seek of the seeks as a seek of the seeks are a seeks as a seek of the seeks are a seeks as a seek

1	
shrubs are sometimes included in the tree stratun include seedlings of shrubs, i e. all shrubs <0 5r edlings are often defined as up to 1,4 m height or i they would span the herb and shrub layers.	oals nsD** es eerT***
npwerged) Submerged	ıs) əiteupA
Flosting	Floating
d) Herb, dwarf-shrub**,	lerb (Field
dunds, (sapling), shrub	teg) dund2
arally >5 m) Tree (overstory), very epiphyte)	Tree (gene
STRATUM GENERA	
ATARTS Y	CONER B.



				FO	RM B-1: BUFFER SA	MPI	LE F	LO	TS (F	ront) Reviewed I	y (Initia	d): <u></u>		•
Site ID: PCAF	> W	15	11	67					DAT	E:67/13/2	0	 l	ι.	
Location:					Fill in bub	ole(s	s) if p	oloti		ould not be sampled and			<u> </u>	
O AA Center O N	2	s	0	E (Plot			Plot 3			1	(
- millioning control of the control					Buffer Natural	_								<u>.</u>
Fill in bubbles for all that apply: C Strate Section: Fill in appropriate	anopy cover	/ Type : class	: D ÷ bubb	Deciduo le for eac	us; E = Evergreen Leaf Type: B = Bi ch strata type for each plot 0 = Abse	roadle nt; 1	at; N = Spars	Need e(⊴10	lle Leaf. 9%); 2=N	Absent: No tree canopy. //doderate(10-40%); 3 = Heavy (40-75%	6); 4 =	Very I	leavy	(>75%)
Buffer Canopy Type:	•	(a)	bsei	1t: (Buffer Canopy Type: (() _A	.bser	ıt:	Buffer Canopy Type: () (i) A	bsen	ıt:
Plot 1 Leaf Type:		5		Flag	Plot 2 Leaf Type: (<u> </u>	5		Flag	Plot 3	(Flag
Big Trees (>0.3m DBH)	0	0	0	,	Big Trees (>0.3m DBI I)	0		0		Big Trees (>0.3m DBH)			0	<u>-</u> -
Small Trees (<0.3m DBH)	(1)	0	0		Small Trees (10 3m DRH)	0	0	0	1	Small Trees (<0.3m DRH)	0	Ō	0	
Woody Shrubs, Saplings (0.5m-5m HIGH)	0	(3)	0		Woody Shrubs, Saplings (0.5m 5m HIGH)	0	0	0		Woody Shrubs, Saplings (0.5m-5m HIGH)	0	Ō	0	
Woody Shrubs, Saplings (<0.5m HIGH)	(2)	0			Weedy Shrubs, Saplings (<0.5m HtGH)	0	0	0		Woody Shrubs, Saplings (<0.5m HIGH)	Ō	0	Ŏ	· · · · · -
Herbs, Forbs and Grasses	0	0	0	· · · · · · · · · · · · · · · · · · ·	Herbs Forbs and Grasses O	0	0	0		Herbs Forbs and Grasses O	Ō	Ō	0	<u> </u>
Bare ground ()	0	0	(·	Bare ground ① ①	0	0	0		Bare ground (1)	0	0	0	
Litter. duff 💿 🌑	0	0	0		Litter duff ()	0	(1)	\odot		Lifter. duff 💿 🕦	0	0	0	
Rock 🚱 🕦	0	0	0		Rock 🕢 🕕	0	0	<u>()</u>		Rack (a) (1)	0	0	0	
Water 🚱 🕦	0	0	0		Water 💿 🕦	0	0	0	†	Water 🕜 🛈	0	0	0	
Submerged	0	0	0		Submerged O O	0	0	0		Submerged O O	0	0	0	
Stressor Presence/Ab	sen	ce -	Conf	irm that		reser	ice an	id an	unfilled	I bubble indicates absonce by fil	ling th	is bul	bble.	@
Residential and Urb	an S	tres	sors		Hydrology Stres	sors				Agricultural & R	ıral S	Stres	sors	5
Fill bubble if present - Plot	1	2	3	Flag	Fill bubble if present - Plot	1	2	3	Flag	Fill bubble if present - Plot	1	2	3	Flag
Road - gravel	0	О	0		Ditches, Channelization	0	0	0		Pasture/Hay	0	0	0	
Road - two lane	0	0	0		Dike/Dam/Road/RR Bed (IMPEDE FLOW)	0	0	0		Range	0	0	O	
Road four lane	0	0	О		Water Level Control Structure	О	0	О		Row Crops	0	0	0	
Parking Lot/Pavement	О	0	0		Excavation, Dredging	О	0	О		Fallow:Field (RECENT-RESTING: ROWGROPFIELD)	0	0	0	
Golf Course	0	0	О		Fill/Spoil Banks	0	0	0]	Fallow Field (OLD GRASS, SHRUES TREES)	0	О	0	
Lawn/Park	0	0	0		Freshly Deposited Sediment (UNIVEGETATED)	0	0	0		Nursery	0	0	0	
Suburban Residential	0	0	0		Søil Loss/Root Exposure	О	0	О		Dairy	0	0	0	
Urban/Multifamily	0	O	0		Wall/Riprap	0	- 	0		Orchard	0	Ο	0	
Landfill	0	O	0		Inlets, Outlets Point Source/Pipe	0		0		Confined Animal Feeding Rural Residential	0	9	0	
Dumping Trash	0	0	0		(EFFLUENT OR STORMWATER) Impervious surface input	0	0	0		Gravel Pit	0	0	0	
Other	0	0	0		(SHEETFLOW)	0	0	0	<u> </u>	- Urrigation	0	0	0	
Other:	$\frac{\circ}{\circ}$	0	0		Other:	0	0	0		Other:	0	0	0	
Industrial Developme	200		17	-, -		l	· · · · · · · · · · · · · · · · · · ·					O I	<u> </u>	
 	r <u>:</u>									tion Stressors	•	· · · · · · · · · · · · · · · · · · ·		
Fill bubble if present - Plot	1		3	Flag	Fill bubble if present - Plot	1	2	3	Flag	Fill bubble if present - Plot	1	2		Flag
Oil Drilling	0	0	O		Forest Clear Cut	0	0	0		Herbicide Use	0	0	<u>O</u>	
Gas Wells	0	0	0	· · · · · · · · · · · · · · · · · · ·	Forest Selective Cut	0	0	Ο		Mowing/Shrub Cutting	0	0	0	
Mine (surface)	0	0	0		Tree Plantation Tree Canopy Herbivory	0	0	О		Trails Soil Compaction	0	0	0	
Mine (underground)	Ο	0	0		(INSECT)	0	0	0		(ANIMAL OR HUMAN)		0	0	
Military	0	0	0		Shrub Layer Browsed: (WILD OR DOMESTIC)	0	О	0	<u></u>	Offroad vehicle damage	0	0	O	
Other:	0	0	0		Highly Grazed Grasses (OVERALL <\$# HIGH)	О	0	0		Soil crosion (FROM WIND) WATER, OR OVERUSE)	0	0	0	
Other:	Ο	0	0		Recently Burned Forest Canopy	O	Ο	О		Other:	.0	0	0	
Other:	О	0	0		Recently Burned Grassland (BLACKENED)	0	0	0		Other:	0	0	0	

Flag codes: K = No measurement made, U = Suspect measurement, F1,F2, etc. = misc. flags assigned by each field crew.

Explain all flags in comment section on the back of this form

Buffer Sample Plots 05/27/2011

2428168304



	. 8	E.C.C.	2000	The state of the s	utrilisa k			2 Species05/27/2011	ic paga	gisT -	striio	Buffer Sample P	
<u> </u>		V D C		61							E.		
										ş: <u></u>	<u> </u>		
													_
												···	
-													
				()	\								
				· 14 00	yd 5	\$1.5.s	4cop	M shirtus 112	7,	રે. ≱	E	Stold	ļ
												Comments	[Hag
	i.	: <u>[</u>				BOAN	(səə	Use Decimal Degr					
; (2)		! ':	9	2. P. 8. T. J. S.	1≳9W €	phulig	roυ	9,9,2,6,5	, <u>*</u>	h	hinol	1 abutua 1	
		7								rie (Y	London originary	ENTER ON	
		ile əsi	HE:DEC		out Ana	നച്ച്	o none. Stiotr o	COORDINGES WILLINGICATE THE LOC	our pue s	เขอรนะ	ц це	a gescups where instead on the Brit is ean nor ne sec	का गाः योगद्यो
) ejk	puqics			AHT ƏMO	JA goi	tspol e	dinates at the nearest practicable on solestically interest practically	idde adt i noes adt adt bue a	illing ii 1, take 1, seeci	ìγd a ossa: πΓ19	e plot coordinate cos ed for nso & t ingled aft no berein	it to nouscol old tellustit economics and the
) =)k	puqic			AHT ƏMO	enetiti JA noi	Buffer	epitale bubble dinales af the nearest practicable condinales will indicate the loc	idde adt i noes adt adt bue a	illing ii 1, take 1, seeci	ìγd a ossa: πΓ19	e plot coordinate cos ed for nso & t ingled aft no berein	it to nouscol old tellustit economics and the
			'Aau		AHT ƏMO	enetiti JA noi	Buffer	r Plot (\$\psi\) at the fat end of each blod is frigor each blodge blodge and the saison of the saison but is saison of the saiso	idde adt i noes adt adt bue a	illing ii 1, take 1, seeci	ìγd a ossa: πΓ19	e plot coordinate cos ed for nso & t ingled aft no berein	it to nouscol old tellustit economics and the
	O	0	O A=1	or the Buffer Plot at the AA CEN	AHT ƏMO	LES	Buffer	r Plot (\$\psi\) at the fat end of each blod is frigor each blodge blodge and the saison of the saison but is saison of the saiso	idde adt i noes adt adt bue a	nter oj illing ii take	ìγd a ossa: πΓ19	general services of the solutions of the solutions of the solutions of the solution of the sol	it to nouscol old tellustit economics and the
	0	0	'Aau	Officer. In Buffer Plot at the AA CEN	oî brîs foed	O (ranic Buffel	PLOT COORI ir Plet (#3) at the far end of each dinales at the nearest practicable	əfficial ədi oqqa ədi oqqa ədi	Ther of	igo at 1 yd s 1 yd s	sille coordinates at the plot coordinate get the plot coordinate act the plot coordinate act the plot of the poordinate act the plot of t	945 abword If io noteaol Old taffic 11
	0 0 0	0	O Sal	Other: Othe Buffer Plot at the AA CEN	of bris 1998	O (O F ANI C Buffet	Leafy Spurge PLOT COORT Thot (#3) at the far and of each ropriate bubble PLOT COORT	Calling and a state of the soul of the sou	O O The street of the street o	O No Second	sile sile coordinates at the plot coordinate plot coordinate secondinate secon	int spanson
	0000	O O O	O O A31	Other: Other: Other: Other Buffer Plot at the AA CEN	C C	O (C	O F AMI (Common Reed Leafy Spurge PLOT COORI r Plot (#3) at the far end of each fropriate bubble dinates at the nearest practicable	Call but a call but a	O (O (Illing in illing i	O	etoil.	Tirdsfoot Tri
	0 0 0	0 0 0	о О О	Officer. Officer. Officer.	C C C	O (0 (0 (0 (0 (0 (0 (0 (0 (0 (0 (0 (0 (0	O O FAMIC	Reed Canary Grass Common Reed PLOT COORI replot (#3) at the far end of each replot (#3) at the far end of each replot (#3) at the far end of each replot (#3) at the far end of each replot (#3) at the far end of each replot (#3) at the far end of each replot (#3) at the far end of each replot (#3) at the far end of each replot (#3) at the far end replot (#3) at the far	C C The Buffe on the app	O (O	O	riock etoit selet selet coordinates at the plot coordinate e plot coordinate e plot coordinate	Mile A-Minu. Tandefool, It. Tande GP. Provide GP. Provide GP. Tander Off. Tander Off.
	0000	0 0 0 0 0	9 О О	Tamarisk Other: Other: Other:	C C C	LES O (O (O (O (O (O (O (O (O (O	O O C D FAMIC Elimpi	Cheatgrass Road Canary Grass Common Reed Leafy Spurge PLOT COORI ropriste bubble annales at the nearest practicable condinates at the nearest practicable inclusives at the nearest practicable condinates at the nearest practicable	C C C C C C C C C C C C C C C C C C C	O (O	O O O	ard cloil cloil cloil cloil coordinates at the glot coordinates a	Tight nosioff Time A-Mirrit Tight specified of the second
	00000	0 0 0 0	9Э. О О О	Himalayan Blackbeny Tamansk Other: Other: Other:	C C C C C C C C C C C C C C C C C C C	iau VI LES O (O (O (O (O (O O O O O DIMA DIMA	Giant Reed Cheatgrass Common Reed Common Reed PLOT COORI really Spurge replot (#3) at the far end of each replot (#3) at the far end of each replot (#3) at the far end of each replot (#3) at the far end of each replot (#3) at the far end of each replot (#3) at the far end of each replot (#3) at the far end of each replot (#3) at the far end of each replot (#3) at the far end of each replot (#3) at the far end of each replot (#3) at the far end of each replot (#3) at the far end of each replot (#3) at the far end of each replot (#4) at the far end of each replot (#5) at	C C C C C C C C C C C C C C C C C C C	O (O) O	O O	nia pidek niock eloil sele secondinates at the plot coordinate plot coordinate	tanlik Mins Viell in Poloci in Poloci in Mile A sulf in Joolsbrid in Tebens Q Provide GP (Provide GP) in Provide in Provi
	00000	0 0 0 0 0	0 0 0 0 0	Common Buckfinom Tamarisk Other: Other:	C C C C C C C C C C C C C C C C C C C	O (CO) (CO) (CO) (CO) (CO) (CO) (CO) (CO	O O O O O O O O O O O O O O O O O O O	Perennial Pepperweed Glant Reed Common Reed Common Reed Leafy Spurge Plot (#3) at the far end of each rippiste bubble oppiste bubble topitiste bubble continuies at the nearest practicable	C C C C C C C C C C C C C C C C C C C	O (O	O O O O O O O O O O O O O O O O O O O	fing Heart ard brid cloil cloil sile coordinates at the plot coordinate p plot coordinate 1.3 can not be acc	TRUM SINES TRUM SINES TRUM SINES TRUM A SIM
	000000	000000000000000000000000000000000000000	83 000000000000000000000000000000000000	Multiflora Rose Common Buckfilom Tamansk Other: Other:	C C C C C C C C C C C C C C C C C C C	O (C (C (C (C (C (C (C (C (C (C (C (C (C	O O O O O O O O O O O O O O O O O O O	Japanesc Knotweed Giant Reed Common Reed	C C C C C C C C C C C C C C C C C C C	O (O	1 1 1 1 1 1 1 1 1 1	infth programmer Heart programmer at the Weed coordinates at the grammer at the secondinates at the grammer	Yellow Flozi Gant Salvir Ganic Musel Polson Hen Birdsfoot 13 Canada Tri Provide GPS Josephon Of 1
	0000000	000000000000000000000000000000000000000	0 0 0 0 0 0	Kudzu Gonmon Buckfhom Himalayan Blackbeny Other: Other:	C C C C C C C C C C C C C C C C C C C		O O O O O O O O O O O O O O O O O O O	Knotweed Japanesc Knotweed Glant Reed Common Reed Common Reed Common Reed Common Reed Common Reed PLOT COORI P	C C C C C C C C C C C C C C C C C C C	O (() () () () () () () () ()	1 1 1 1 1 1 1 1 1 1	infth programmer Heart programmer and coordinates at the selection of th	Eurasian W Water hyac Yellow Floa Giant Salvir Polson Hen Polson Hen Hirdsfool 14 Canada Jin Provide GPS Provide GPS Provide GPS
11.1	000000000000000000000000000000000000000	000000000000000000000000000000000000000	1 0 0 0 0 0 0 0 0 0 0 0 0 0	Fili bubble if present - Plot Johnson Grass Kudzu Wultiflora Rose Gommon Buckfilom Tamansk Other: Other:	C C C C C C C C C C C C C C C C C C C	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	C	Fill bubble if present: Plot Purple Loosestrie Japanese Knotweed Japanese Knotweed Cheatgrass Common Reed Common Reed Common Reed Tealy Spurge Tealy Spurge	Fizage Figure 11.00 Figure 1	2 (O) (O) (O) (O) (O) (O) (O) (O) (O) (O)		if present - Plot inth heart - Plot find Heart find Heart back by the Weed by the Weed by the Plot coordinates at the plot coordinate at the plot coordinate at the plot coordinate at the plot coordinate by the Plot coordinate by	Eurasian W Water hyac Yellow Floa Giant Salvir Polson Hen Polson Hen Hirdsfool 14 Canada Jin Provide GPS Provide GPS Provide GPS
	000000000000000000000000000000000000000	000000000000000000000000000000000000000	1 0 0 0 0 0 0 0 0 0 0 0 0 0	absence by filling in this buble his buble if present - Plot Johnson Grass Multiflora Rose Himalayan Blackberry Other: Other: Other: Other:	eastsolbrii C C C C C C C C C C C C C C C C C C	Trans Trans Trans O (0 (0 (0 (0 (0 (0 (0 (0 (0 (0 (0 (0 (0		ndicates presence and an unfi Fill bubble if present: Plot Purple Loosestrate Knotweed Japanesc Knotweed Clant Reed Common Reed Common Reed Common Reed Common Reed Common Reed Common Reed Common Reed Common Reed Common Reed Common Reed Common Reed Common Reed Common Reed Common Reed Common Reed Common Reed Common Reed	bubble i Flag The Bulle The Bulle The Bulle The Bulle The Shpl	2 () () () () () () () () () (if present - Plot inth heart - Plot find Heart find Heart back by the Weed by the Weed by the Plot coordinates at the plot coordinate at the plot coordinate at the plot coordinate at the plot coordinate by the Plot coordinate by	Eurasian W Water hyac Yellow Floa Giant Salvir Polson Hen Polson Hen Hirdsfool 14 Canada Jin Provide GPS Provide GPS Provide GPS
	000000000000000000000000000000000000000	000000000000000000000000000000000000000	1 0 0 0 0 0 0 0 0 0 0 0 0 0	Fili bubble if present - Plot Johnson Grass Kudzu Wultiflora Rose Gommon Buckfilom Tamansk Other: Other:	eastsolbrii C C C C C C C C C C C C C C C C C C	Trans Trans Trans O (0 (0 (0 (0 (0 (0 (0 (0 (0 (0 (0 (0 (0		ndicates presence and an unfi Fill bubble if present: Plot Purple Loosestrate Knotweed Japanesc Knotweed Clant Reed Common Reed Common Reed Common Reed Common Reed Common Reed Common Reed Common Reed Common Reed Common Reed Common Reed Common Reed Common Reed Common Reed Common Reed Common Reed Common Reed Common Reed	bubble i Flag The Bulle The Bulle The Bulle The Bulle The Shpl	2 () () () () () () () () () (if present - Plot inth heart - Plot find Heart find Heart back by the Weed by the Weed by the Plot coordinates at the plot coordinate at the plot coordinate at the plot coordinate at the plot coordinate by the Plot coordinate by	Eurasian W Water hyac Yellow Floa Giant Salvir Polson Hen Polson Hen Hirdsfool 14 Canada Jin Provide GPS Provide GPS Provide GPS
E14	000000000000000000000000000000000000000	0 0 0 0 0 0 0 v	1 0 0 0 0 0 0 0 0	absence by filling in this buble absence by filling in this buble. Fill bubble if present. Plot Lohnson Grass Multiflora Rose Goimmon Buckfilom Tamarisk Other: Other: Other:	eastsolbrii C C C C C C C C C C C C C C C C C C	Trans Trans Trans O (0 (0 (0 (0 (0 (0 (0 (0 (0 (0 (0 (0 (0		ndicates presence and an unfi Fill bubble if present: Plot Purple Loosestrate Knotweed Japanesc Knotweed Clant Reed Common Reed Common Reed Common Reed Common Reed Common Reed Common Reed Common Reed Common Reed Common Reed Common Reed Common Reed Common Reed Common Reed Common Reed Common Reed Common Reed Common Reed	Fizage Figure 11.00 Figure 1	2 () () () () () () () () () (Continn a sternishoil bresent - Plot inth sing Heart ine Weed sing Scoordinates at the sternishoil sing Weed sing Scoordinates at the secondinate sternishoops and sing sing sing sing sing sing sing sing	Eurasian W Water hyac Yellow Floa Giant Salvir Polson Hen Polson Hen Hirdsfool 14 Canada Jin Provide GPS Provide GPS Provide GPS
Flace	000000000000000000000000000000000000000	0 0 0 0 0 0 0 v	1 0 0 0 0 0 0 0 0	Mevrewed by Education of the Buffer. Other: Other: Other:	Self Segon C	(1) (C) (C) (C) (C) (C) (C) (C) (C) (C) (C	1	ndicates presence and an unfi Fill bubble if present: Plot Purple Loosestrate Knotweed Japanesc Knotweed Clant Reed Common Reed Common Reed Common Reed Common Reed Common Reed Common Reed Common Reed Common Reed Common Reed Common Reed Common Reed Common Reed Common Reed Common Reed Common Reed Common Reed Common Reed	bubble i file soon file so	2 2 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3		Site ID: Continu a at the Plot inth inth inth inth inth inth inth int	Eurasian W Water hyac Yellow Floa Giant Salvir Polson Hen Polson Hen Hirdsfool 14 Canada Jin Provide GPS Provide GPS Provide GPS

				FC	RM B-1: BUFFER SA	MPI	E F	LO.	TS (F	ront) Reviewed I	y (initi);		
Site ID: PCA	Ā	M	i	16	7				DAT	E 07/13/3	Σ Ø	í	(
Location:	***			-		ole(s) if _[olot		uld not be sampled and			T :	
	C	S	O	E C	W O Plot 1		Plot	100		Plot 3	· · - ·			
Eill in hubbles for all that apply C		. T		D Lat.	Buffer Natural							- 111 Walter Comm		1
Strata Section: Fill in appropriate	cover	y Type riclass	bubb	beciano le for ea	us; E - Evergreen Leaf Type: B = Br ch strata type for each plot: 0 = Abser	oadle: nt; 1 =	at; N = Spars	Need e(<10	lle Leaf. 0%); 2=1\	Absent: No tree carropy. #oderate(10-40%); 3 = Heavy (40-75%	6); 4 =	Very F	łeavy	(~75%)
Buffer Canopy Type:	b) (bse	nt:	Buffer Canopy Type:) () A	bser	ıt:	Buffer Canopy Type: () () [A	bsen	t: ()
Plot 1 Leaf Type: () (Flag	Plot 2 Leaf Type: () () [Flag	Plot 3 Leaf Type: () (Flag
Big Trees (= 0.3m DBH)	0	0	0		Big Trees (>0 3m DBH)	0	0	\odot		Big Trees (: 0.3m DBH)	0	0	0	
Small Trees (<0.3m DBH)	0		6		Small Trees (<0.3m DBH)	0	0	0		Small Trees (=0.3m DBH)	0	0	0	
Woody Shrubs, Saplings (0.5m-5m HIGH)	$ \bigcirc$	0	(2))	Woody Shrubs, Saplings (0.5m-5m HIGH)	0	0	\odot		Woody Shruhs, Saplings (0.5m-5m-fflGH)	0	0	0	
Woody Shruhs, Saplings (<0.5m HIGH)	•	0	Œ)	Woody Shrubs, Saplings (<0.5m HIGH)	\bigcirc	0	0		Woody Shrubs, Saptings (<0.5m HICH)	0	0	0	
Herbs Forbs and Grasses 0	0	(\odot)	Herbs Forbs and Grasses	0	\bigcirc	\odot		Herbs Forbs and Grasses O	0	0	0	
Bare ground ()	0	0	0)	Bare ground 🕥 🕕	\odot	0	\odot		Bare ground 🕟 🕦	0	0	0	
Litter. duff 🕢 🚱	0		0		Litter. duff 🕙 🕠	0	0	\odot		Litter, duff	0	0	0	F
Rock 🕝 🚱	0	О	0)	Rock ① ①	0	\circ	0		Rock 🗿 🛈	0	0	0	
Water 🕢 🕦	0	10	0)	Water 💿 🕠	0	0	0		Water 🕡 🕦	0	0	0	
Submerged Vegetation	0	0	\odot		Submerged Vegetation	0	\odot	\odot		Submerged Vogetation	0	0	0	
Stressor Presence/Ab	sen	ce -	Conf	irm thai	a filled data bubble indicates pr	esen	се ап	d an	unfilled	d bubble indicates absence by til	ing th	is bu	ble.	(4)
Residential and Urb	an S	itres	sors		Hydrology Stres:	sors				Agricultural & R	ural	Stres	sors	• 1
Fill bubble if present - Plot	1	2	3	Flag	Fill bubble if present - Plot	1	2	3	Flag	Fill bubble if present - Plot	1	2	3	Flag
Road - gravel	0	О	0		Ditches, Channelization	0	0	0		Pasture/Hay	0	0	0	
Road two lane	0	0	0		Dike/Dam/Road/RR Bed (IMPEDE FLOW)	0	0	0		Range	0	0	0	
Road - four fane	О	О	0	ļ	Water Level Control Structure	0	0	0	<u> </u>	Row Grops	0	0	O	
Parking Lot/Pavement	О	0	0	ļ	Excavation, Dredging	0	0	О		Fallow Field (RECENT-RESTING ROWGROP FIELD)	0	0	0	
Golf Course	0	0	0		Fill/Spoil Banks Freshly Deposited Sediment	0	0	0		Fallow Field (OLD" GRASS, STRUBS: TREES):"	0	0	0	
Lawn/Park	O	0	0	- 	(UNVEGETATED) Soil Loss/Root Exposure	0	0	O	ļ	Nursery	0	0	0	
Suburban Residential	0	0	0			0	0	0		Dairy	0	0	0	
Urban/Multifamily Landfill	0	0	0		Wall/Riprap Inlets, Outlets	0	0	0		Orchard Animal Fanding	0		O	
Dumping	0	0	0		Point Source/Pipo	0	00	0	-	Confined Animal Feeding Rural Residential	0	0	0	
Trash	0	0	0		(EFFLUENT OR STORMWATER) Impervious surface input	0	0	0		Gravel Pit	0	0	0	
Other:	0	0	0		(SHEETFLOW) Other:	0	Ó	0		Irrigation	0	0	0	
Other.	Ō	0	O		Other:	0	0	Ō		Other:	0	0		
Industrial Developm	ent S	Stres	SOF	S			-	L	egeta	tion Stressors	<u> </u>	Ľ <u>Ý</u> J		
Fill bubble if present - Plot	· · · · · ·	2	3		Fill bubble if present - Plot	1	2	3	Flag	Fill bubble if present - Plot	1	2	3	Flag
Oil Drilling	0	0	0		Forest Clear Cut	О	0	0		Herbicide Use	0	0	0	9
Gas Wells	Õ	O	0	·	Forest Selective Cut	0	0	0		Mowing/Shrub Cutting		0	0	
Minc (surface)	0	0	0		Tree Plantation	0	0	0		Trails	⊚	0	0	····
Mine (underground)	0	0	0	·	Tree Canopy Herbivory	0	0	0		Soil Compaction	0	0	0	- B
Military	O	0	0		Shrub Layer Browsed	<u> </u>	0	0		(ANIMAL OR HUMAN) Offroad vehicle damage	0	0	0	
Other:	0	0	0		(WILD OR DOMESTIC) Highly Grazed Grasses	0	0	0		Soil erosion (FROM WIND, WATER,	0	· '	0	
Other:	0	0	0		(OVERALL 30" (IIIGH) Recently Burned Forest	0	0	0	···- · ·	OR OVERUSE):		0		
Øther:					Canopy Recently Burned Grassland						0	0	0	
Outer.	0	0	О		(BLACKENED)	0	0	0		Other:	$[O_{\mu}]$	0	0	

Flag codes: K = No measurement made, U = Suspect measurement., F1,F2, etc. = misc. flags assigned by each field crew.

Explain all flags in comment section on the back of this form

Buffer Sample Plots 05/27/2011

--2428168304



1															
-															
-															
															
			_												
															
	Bec to														
\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \						 									
gel	Comments		64 <u>.</u>						,				- 13 <u>- 13</u> - 13		
					Пае Весіта	'รออเดิ	con	 						<u> </u>	1.11. 1.11. 1.11.
eoslq 18 oitsoo.	CENTER ON:	euter of	9 o o	O E3	of the or at the center of the O W3 O Neare	ractical	ung əi	želi)	suq cor		(Wole				
tion of t tion of the sare sand over the sare place	The plot coordinate on 3 can not be scoordinate on the Bug on the Bug on of describe where on of coordinate on of coordinate	by filling by filling by filling coord by coord by coord by coord by coord by coord by coord by coord by coord by coord by coord by coord by coord by coord by coord by coord by coord by coord by filling by coord by co	se o sets inste ke ti liu ti	O E3 ue): a se bos a were a were te coou	r Plot (#3) at the far and copriate bubble, continates at the nearest pray taken and why in the consolute or at the center of the confidence or at the confidence or at the center of the confidence or at the center of the confidence or at the center of the confidence or at the center of the confidence or at the center of the center of the confidence or at the center of the cente	ch Buffe soel old acelion aceses secose secoses secosos secosos	ansect	i HE	TRANSE	sicst programment per the mean	alow) est pr refical	ortant ble loc actical	pėcai ation pal elic	is əsi İqna	l Bu Lalo Sec
tion of t tion of the sare sand over the sare place	The plot coordinate on 3 can not be scoordinate on the Bug on the Bug on of describe where on of coordinate on of coordinate	by filling by filling by filling coord by coord by coord by coord by coord by coord by coord by coord by coord by coord by coord by coord by coord by coord by coord by coord by coord by coord by filling by coord by co	se o sets inste ke ti liu ti	O E3 ue): a se bos a were a were te coou	opnate bubble. Goordinates at the nearest pratisete and why in the contaction at the center of the saible or at the saible or at the saible o	ch Buffe soel old acelion aceses secose secoses secosos secosos	ansect	i HE	The Buff TRANSE orinates o	sicst programment per the mean	alow) est pr refical	ortant ble loc actical	pėcai ation pal elic	oibal s esi	l Bu Lalo Sec
Page GP. To other of the control of	PS coordinates at the plot coordinate for the plot coordinate for the But and describe where set as close to the on of coordinate.	te center a by filling espect, the coordinate coordinate coordinate of the coordinat	of the thing of th	O E3 ue): a se bos a were a were te coou	PLOT CC T Plot (#5) at the far end of parale bubble, contrinates will indicate taken and why in the consciple or at the center of the sample or at the center of the constitution of the constitution of the constitution of the center of the center of the constitution of the center of	ADINA chille hors to be local to colloo at the colloo at t	locatic le Buff re trans ALON ansect	i HE	Office: TRANSE office Buffe office Buffe office Buffe	sicst programment per the mean	alow) est pr refical	ortant ble loc actical	ole elec ugue gecer EB	O Indic s asi	O ate ble, i
tit aber The Cath The roll of the Cather Poly Cather Aced The Aced	Distle- Distle- District Coordinates at 1 the plot coordinate had be accepted on the Buf and describe where as a close to the coordinate as close to the coo	O O Secretary to the center of the coordine coordine coordine coordine coordine coordine coordine of the coord	of the of the of the orbidistricts of the orbidistricts of the orbidistricts of \$3.	O E3 ue): a se bos a were a were te coou	Leafy Spurge PLOT CC phiate bubble, contrinates wit the nearest practionate and why in the contrinate or at the center of the contrinate or at the center of the contrinate or at the center of the contrinate or at the center of the contrinate or at the center of the contrinate or at the center of the contrinate or at the center of the contrinate or at the center of the contrinate or at the center of the ce	Q SDINA TO THE GOOD OF THE COLOR OF THE COLO	S V V V V V V V V V V V V V V V V V V V	i HE	Offier: Offier: TRANSE Office Buff Office Buff Office Buff Office Buff Office Buff Office Buff Office Offic	sicst programment per the mean	alow) est pr refical	ortant ble loc actical	O O	O O Jundi O	O site:
off reper	Distle- Distle- District Coordinates at 1 the plot coordinate had be accepted on the Buf and describe where as a close to the coordinate as close to the coo	O O O O O O O O O O O O O O O O O O O	O O	O E3 ue): a se bos a were a were te coou	Common Reed Leafy Spurge PLOT (#3) at the far and copriste bubble continues at the nearest practionation and my in the conscious taken and why in the conscibite or at the center of the constitution of a solution of the content of t	O ANIOR ch Buffe ocsion of socion of	locsific slow I so I so I so I so I so I so I so I	i HE	Other: Other: TRANSE: TRANSE:	sicst programment per the mean	alow) est pr refical	ortant ble loc actical	O O Decrete Pool of the Pool o	O O O	O Safe (1) Bule, 1) (1) Bule, 1)
off reper	Trefoil Trefoil Trefoil Trefoil The plot coordinate at 1 and describe where act and the But and the But and as close to the But as a coordinate at 1 and as close to the But and as close to the B	O O Secretary to the center of the coordine coordine coordine coordine coordine coordine coordine of the coord	of the of the of the orbidistricts of the orbidistricts of the orbidistricts of \$3.	O E3 ue): a se bos a were a were te coou	Leafy Spurge PLOT CC phiate bubble, contrinates wit the nearest practionate and why in the contrinate or at the center of the contrinate or at the center of the contrinate or at the center of the contrinate or at the center of the contrinate or at the center of the contrinate or at the center of the contrinate or at the center of the contrinate or at the center of the contrinate or at the center of the ce	O O O O O O O O O O O O O O O O O O O	locstic	i HE	Other: Other: Other: TRANSE: Other:	sicst programment per the mean	alow) est pr refical	ortant ble loc actical	O O O O O O O O O O O O O O O O O O O	O O O Dudio Indio	O O sale
Information (1) Administration (1) Septimes (2) Administration (2) Administration (3) Adm	nutic Weed Trefoil Trefoil Trefoil To coordinates at 1 The plot coordinate The plot co	O O O O O O O O O O O O O O O O O O O	O O the first of the the the the the code of the the code of the the code of the the the the the the the the the the	O E3 use bor a work and the cook	Reed Canaiy Grass Common Reed Leafy Spurge Thot (#3) at the far end of taken and why in the contacte of the senter of the senter of the senter of the senter of the contact of the contact of the contact of the contact of the senter of the se	O O O SAINA Ch Buffe ch Buffe ch Buffe ch Buffe ch Buffe sacion of sacion of sacion of sacion of sacion of sacion of sacion of	O COSTIC	i HE	Tamansk Other: Other: Other: TRANSE TRANSE dinates o	te told t sint J.: sint J.: sint sint sint sent sint sint sint sint	sec bu	ortant ble loc actical	O O O Secari Ston'	O O O Dipplied in the public of the same of the public of the same of the public of th	O O O O O O O O O O O O O O O O O O O
national reprintment of the control	stard Trefoil Trefoil Trefoil To a scontinates at the plot coordinate but the But the But the But the But the But the plot coordinate at the plot coordinate at the plot coordinate at the plot coordinate at the plot coordinate at the plot coordinate at the plot coordinate at the plot coordinate at the plot coordinate at the plot of the p	O O O O O O O O O O O O O O O O O O O	O O the time of the time of the time of the time of the time of the time of the time of the time of the time of the time of the time of the time of the time of the time of the time of time o	O E3 use bor a work and the cook	Cheatgrass Roed Canary Grass Common Reed Plot (#3) at the far end continues at the nearest practionale and why in the continues at the center of the secondinates will indicate that the continues or at the center of the continues or at the center of the continues or at the center of the continues or at the center of the continues or at the center of the continues or at the center of the continues or at the center of the continues or at the center of the continues or at the center of th	O O O O O O O O O O O O O O O O O O O	locstic	i HE	Himalaya Tamansk Other: Other: I in the Buth i in the Buth	Bisckberg in Plot at a fort Transfer to at the real present of the	Yny ering Av	ortant ble loc actical	OOOOOOOOOOOOOOOOOOOOOOOOOOOOOOOOOOOOOO	oipul	O O O O O O O O O O O O O O O O O O O
in Salviii Silviii Silviii Silviiii Silviiii Silviiii Silviiii Silviiii Silviiiii Silviiiii Silviiiiii Silviiiiiii Silviiiiiii Silviiiiiiiiii	stard Trefoil Trefoil Trefoil To a scontinates at the plot coordinate but the But the But the But the But the But the plot coordinate at the plot coordinate at the plot coordinate at the plot coordinate at the plot coordinate at the plot coordinate at the plot coordinate at the plot coordinate at the plot coordinate at the plot of the p	O O O O O O O O O O O O O O O O O O O	O O O I III III III III III III III III	O E3 use bor a work and the cook	Giant Reod Cheatgrass Common Reed Leafy Spurge Opriate bubble containates will indicate taken and why in the containates to taken and why in the containates at the center of the saible or at the center of the containates or at the center of the containates or at the center of the containates or at the center of the containates or at the center of the containates or at the center of the containates or at the center of the containates or at the center of the containates or at the center of the center of the containates or at the center of the c	O O O O O O O O O O O O O O O O O O O	O O O O O O O O O O O O O O O O O O O	i HE	Tamansk Other: Other: Other: TRANSE TRANSE dinates o	Skekthor Blacktoe Plot at Sicst pre Sicst pre Sicst pre The near	Yny ering Av	ortant ble loc actical	O O O O O O O O O O O O O O O O O O O	O O O O O O O O O O O O O O O O O O O	O O O O O O O O O O O O O O O O O O O
in Salviii Silviii Silviii Silviiii Silviiii Silviiii Silviiii Silviiii Silviiiii Silviiiii Silviiiiii Silviiiiiii Silviiiiiii Silviiiiiiiiii	siting Heart stard and Secondinate by coordinate the plot coordinate by coordinates at 1 the plot coordinate by coordinates at 1 the plot coordinate by coordinates at 1 the plot coordinate on of coordinate by coo	O O O O O O O O O O O O O O O O O O O	O O O I I I I I I I I I I I I I I I I I	O E3 use bor a work and the cook	Perennial Pepperweed Giant Reod Common Reed Common Reed Leafy Spurge Thot (#3) at the far end of the far end why in the compared and why in the compar	OOOOOOOOOOOOOOOOOOOOOOOOOOOOOOOOOOOOOO	O O O O O O O O O O O O O O O O O O O	i HE	Common Himalaya Tamanak Other Other Other TRANSE The Buth dinates o	Skekthor Blacktoe Plot at Sicst pre Sicst pre Sicst pre The near	Yny ering Av	ortant ble loc actical	OOOOOOOOOOOOOOOOOOOOOOOOOOOOOOOOOOOOOO	oipul	O O O O O O O O O O O O O O O O O O O
ter hyac was Float with Salvin	siting Heart stard and Secondinate by coordinate the plot coordinate by coordinates at 1 the plot coordinate by coordinates at 1 the plot coordinate by coordinates at 1 the plot coordinate on of coordinate by coo	O O O O O O O O O O O O O O O O O O O	O O O In the III of th	O E3 use bor a work and the cook	Japanesc Knotweed Ciant Recd Ciant Recd Common Reed Common Reed Continge at the recent of the forth Spurge Continges will indicate taken and why in the continges will indicate taken and why in the continges of the continges of the contingent of the formation of the contingent of the formation of the contingent of the formation of the contingent of the formation	OOOOOOOOOOOOOOOOOOOOOOOOOOOOOOOOOOOOOO	O O O O O O O O O O O O O O O O O O O	i HE	Multiflora Common Tamanak Other: Other: Other: Other: Other:	Zose Blackfrer Plof at This near	Yny ering Av	ortant ble loc actical	OOOOOOOOOOOOOOOOOOOOOOOOOOOOOOOOOOOOOO	O O O O O O O O O O O O O O O O O O O	O O O O O O O O O O O O O O O O O O O
Masses Wasses Mayac Ter hyac Ter Salvii of Salvii os Masses March	nointh pating Heart stand mulock for 3 can not be accepted on the But for 3 can not be accepted at 1 for 3 can not be accepted at 2 for 3 can not be accepted at 3 for 3 can not be accepted at 4 for 3 can not be accepted at 5 for 3 can not be accepted at 6 for 3 can not be accepted at 6 for 4 can not be accepted at 6 for 5 can not be accepted at 6 for 6 can not 6 for 6 can not 6 for 7 can not 6 for 6 can not 6 for 7 can not 6 for 8 can not 6	O O O O O O O O O O O O O O O O O O O	O O O O O O O O O O O O O O O O O O O	O E3 use bor a work and the cook	Knolweed Japanesc Knolweed Giant Reed Cheatgrass Common Reed Common Reed Telot (#3) at the far end opniate bubble continates at the nearest practontinates will indicate taken and why in the consistent of the saible or at the center of the consistence of the co	OOOOOOOOOOOOOOOOOOOOOOOOOOOOOOOOOOOOOO	locatic	of br	Kudzu Multiflora Common Tamalaya Other: Other: Other: Other: Other: Other:	sassical description of the proof of the pro	n volical ser pro ise imp in Av	Schest	O O O O O O O O O O O O O O O O O O O	opipul	O O O O O O O O O O O O O O O O O O O
Masses Wasses Mayac Ter hyac Ter Salvii of Salvii os Masses March	on of coordinate pating describe where at 1 percent coordinates at 1 p	1 2 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	3 O O O In the II of the I	CE3 Courselves the coordinate of the coordinate	Purple Loosestrite Knotweed Japanesc Knotweed Giant Reod Common Reed Common Reed Common Reed Plot (#3) at the far end of the factor at the nearest practice will indicate taken and why in the containable.	COOOOOOOOOOOOOOOOOOOOOOOOOOOOOOOOOOOOO	location in the properties of	Dell)	Fill bubb Lonnson Kudzu Multiflora Common Multiflora Common Himalaya Other Other Other Other	e if pres 20se 3uckthor 1 Plot at 1 Plot at 1 The near	ent-	schoat pie pe outsur	1 ○ ○ ○ ○ ○ ○ ○ ○ ○ ○ ○ ○ ○ ○ ○ ○ ○ ○ ○	O O O O O O	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0

	- 15			FO	RM B-1: BUFFER SA	MP	LE F	PLC	TS (F	ront)	Re	viewed by	(Initial):		<u> </u>
Site ID: PCA	9 1	MS	I I	67		12.15			DAT	E: 67	1 13	1 2	G (
Location:				<u> </u>	Fill in bub	hlet	:) if	nint	(s) co	uld not be	sampled	nd fl	30	<u> </u>	4
O AA Center O N	 C	s	. 0	E (8		. 0	1.00			Plot 3	Sampled	and n	ay -		
<u></u>			·		Buffer Natura					1 1000	<u> </u>	<u> </u>	**	f	
Fill in bubbles for all that apply: C Strata Section: Fill in appropriate	cover	y Typo relass	: D = bubb	Deciduo de for ea	us; E – Evergreen It.eaf Type; B in E ch strata type for each plot, 0 – Abso	troadle	af: N ⇒	: Nooi	dle Leaf	Absent: No trea loderate(10-40	e canopy. %); 3 = Heavy	(40-75%);	4 · Ve	ery Heav	ry (>75"
Buffer Canopy Type:		<u> </u>	bse		Buffer Canopy Type: (- -	<u>-</u>	bse	nt: (Buffer Plot 3	Canopy T		≅	Abse	nt: (
Lear Type: 4				Flag	Leaf Type.			F.	Flag	.1		/pe: 🚳	<u>(a)</u>		Flag
Big Trees (>0.3m DBH)	(1)		()		Big Trees (>0 3m DBH) ()	+-	0	Ю		Big Trees	(>0 3m DBH)			$\bigcirc C $	——
Small Trees (:0.3m DBI I)	0	0	C		Small Trees (<0.3m DBH)		0			Small Trees			\odot	$\bigcirc \mathscr{Q} $	9
Woody Shrubs, Saplings (0.5m-Sm1lfGH)	0		\mathbb{C}		Woody Shrubs, Saplings (0.5m 5m HCH)		0	0			bs, Saplings m-5m HIGH)			$\Im C$	
Woody Shrubs, Saplings (<0.5m FIIGH)	(3)	Ю	C)	Woody Shrubs, Saplings (<0.5in HIGH)	0	0	0	.	Woody Shru	os, Saplings 0.5m HIGH)) 🚱	\bigcirc	$\Im C$	
Herbs, Forbs and Grasses O	0	0		•	Herbs Forbs and Grasses	0	0	0		Herbs	Forbs and Grasses		0		>
Bare ground 🕙 🌑	0	0	0)	Bare ground ① ①	®	0	0		Ban	ground (\sim	Ōlē	
Litter. duff 🙆 🀠	0	O	0)	Litter, duff 🕥 🕦	0		0		I	iter duft) 🗑	_		
Rock 🕝 🕕	0	0	C)	Rock 🕦 🏈	Ō	Ō	Ö		<u> </u>	Rock 🚱			30	
Water 🚱 🕠	(1)	0	C)	Water 🕼 🛈	+=	Ŏ	0	+		Water (50	
Submerged Vegetation	\odot	$\overline{\odot}$			Submerged (A)	$\overline{0}$	0	0			ubmerged /		O(
			Coni	irm that	Vegetation Vegetation values partitled data bubble indicates p	1			untillad		/egetation		\sim 1	~ ~	1
Residential and Urba	7			7.7				ia an	Ginned	[
Fill bubble if present - Plot	1	1	7	r-	Hydrology Stres	T.:	1	,		 	\gricultura				- <u></u>
	1	2	3	Flag	Fill bubble if present - Plot	1	2	3	Flag	Fill bubble	if present -	Piot	1	2 3	
Road gravel	0	O	O		Ditches, Channelization Dike/Dam/Road/RR Bed.	10	О			Pasture/Ha	/		\circ	$\circ \mid \circ$	
Road - two lane	O	0	0		(IMPEDE FLOW)	0	0	0		Range	<u> </u>			0 0).
Road four lane	O	0	0	ļ	Water Level Control Structure	10	0	0		Row Crops			0 (0 0	<u> </u>
Parking Lot/Pavement	0	0	0	<u> </u>	Excavation, Dredging	0	0	0		Fallow Field)		O[$0 \mid 0$	<u>) </u>
Golf Course	0	0	0	ļ	Fill/Spoil Banks Freshly Deposited Sediment	0	0	0		Fallow Field STRUBS, TREE	(OLD - GRASS			O C	<u>.</u>
Lawn/Park	0	0	0		(UNVEGETATED)	0	0	0		Nursery	<u> </u>		0 (0 0	
Suburban Residential	0	0	0	ļ	Soil Loss/Root Exposure	0	0	0		Dairy			\bigcirc	0 C	<u> </u>
Urban/Multifamily	O	\circ	0		Wall/Riprap	0	0	0		Orchard			0 (\circ	1
Landfill	0	0	Ο		Inlets, Outlets Point Source/Pipe	0	0	0			imal Feedin	9	$0 \mid 0$	<u> </u>	
Dumping	0	0	0		(EFFLUENT OR STORMWATER) Impervious surface input	0	0	О		Rural Resid	ential		0 0	O (C	
Trash	0	0	0		(SHEETFLOW)	0	0	0		Gravel Pit			0 (0 0	
Offier:	0	0	0		Other:	О	О	0]	Irrigation			$\circ \circ$	$O \mid O$	
Other:	0	О	0	<u> </u>	Other:	0	0	О		Other:			O	ΟQ	
Industrial Developme	nt S	Stres	sor	s		1	labit	at/V	egetat	ion Stresso	ors				
ill bubble if present - Plot	1	2	3	Flag	Fill bubble if present - Plot	1	2	3	Flag	Fill bubble	if present	Plot	1 :	2 3	Flag
Oil Drilling	0	0	0		orest Clear Cut	0	О	0		Herbicido Us	e		5 0	0 0	† •
Gas Wells	0	0	0		Forest Selective Out	Ō	0	0		Mowing/Shru	T			0 0	
Wine (surface)	0	0	O		Free Plantation	0	0	0		Trails	- × × × × × × × × × × × × × × × × × × ×				
Mine (underground)	0		0		Tree Canopy Herbivory		. "; 			Soil Compac	tion	70			<u> </u>
		0			insEct) Shrub Layer Browsed	0	0	0	-	(ANIMAL OR HUI	MAN)		- - -	0	1
Military	9	0	0	<u></u> [WILD OR DOMESTIC) Highly Grazed Grasses	0	0	0	<u> </u>	Offroad vehic Soil erosion () (
Other:	0	0	0	- 1	OVERALL 33" HIGH) Recently Burned Forest	0	0	0		OR OVERUSION (CKOM VVIND, W). () C) O	
		~	\sim 1	[1	zorenink primeri Latest 💎	0	0	O	(Other:			~ I .	10	
Other: .	0	0	0		Canopy		\square	\mathbf{v}					$C \mid C$	$O \mid C$	
Other:	0	0	0		Canopy Recently Burned Grassland BLACKENED)	0	0	0		Other:					:

		4. J. T. P.											
				Larr Phyl			<u> </u>					<u> </u>	
								1,0					
									-^· ·				
		·							<i>></i>				
			VID		- 								
	-												
								Like His William Control of the Cont					
							# 1 E			i de la compa		Somments	ુકલે
<u> </u>											,		
					580	JAN	isoa:	Decimal Deg					
	່າງ	9 0	b L = 12	}	soW əb	เสนา	цоη	7 d 3 7 d	$z \in V$	h^{ι}	hoM	Latitude	
mea noth	for more	scheab	മഹദാലർ (ഉഷ്ട്രണട്ട	oordinate	S ƏUL MO	ijad u or tue	section section	esiple or at the center of the last secondinates will indicate be loc secondinates will indicate the loc	ant bris eta aren ester aren ester aren eta aren eta a eta aren eta aren eta aren eta aren eta aren eta aren eta aren eta aren eta a eta aren eta aren eta aren eta aren eta aren eta aren eta aren eta aren eta aren eta aren eta aren eta aren eta aren eta aren eta aren eta aren eta aren eta aren eta aren eta a eta aren eta aren eta aren eta aren eta aren eta aren eta aren eta a eta aren eta a eta aren eta a eta eta eta eta eta eta eta eta eta eta	eane nbroo 9 je n	il neñ cente aineo	describe where liered on the But	s are cer box, and er placed
a all Buff Abble, fit then can	uou soesne	l leste ple loca acticab	1SECT This is imp o'inearest practica se of the nearest pr	THE TRAN coordinate slot	Tonc J	A noit or the Man	sool a olise olises	rophale bybble, dingtes at the nearest practicable s coordinates will indicate the loc staken and why in the comment scalple or at the center of the last	ggs edf ni et the coor stas were oo 3 as po	gallfl anse soordii oordii oordi	se pà cesse the c cente	e plot coordinate 3 can not be acr deced on the But as close to the	ation of the cortice and cortice and cortice and cortice and and cortice and c
e all Buff Abble, fit fion can	uou soesne	l leste ple loca acticab	1SECT This is imp o'inearest practica se of the nearest pr	THE TRAN coordinate slot	ow. The c transect LONCS T	erTre A noith Antito Macin	Bulle o loca olos olos	er Piot (#3) at the facend of each	ggs edf ni et the coor stas were oo 3 as po	gallfl anse soordii oordii oordi	se pà cesse the c cente	e plot coordinate 3 can not be acr deced on the But as close to the	ation of the cortice and cortice and cortice and cortice and and cortice and c
d) alsoibe Nuë lle a In, aldduc	gou, t	l leste ple loca acticab	A sift is fold ratified A. A. Sift is the similar of the second is soft and the second in the second	antrot b ASTEHI Affaith 11 기 Manake Manake Manake	ow. The c transect LONCS T	erTre A noith Antito Macin	Bulle o loca olos olos	rophale bybble, dingtes at the nearest practicable s coordinates will indicate the loc staken and why in the comment scalple or at the center of the last	ggs edf ni et the coor stas were oo 3 as po	gallfl anse soordii oordii oordi	se pà cesse the c cente	e plot coordinate 3 can not be acr deced on the But as close to the	ation of the ciffer Plot box, and er placed
O O on adjective the pubble, fi	(iou, i	l leste ple loca acticab	A ant to holy rathus am ar ain I. T.O.B.b sottoerg teensen" o	Officer of for the B off at fit 1.3 def	ow. The right sursect an	SST.	Bulle o loca olos olos	er Piot (#3) at the facend of each	ggs edf ni et the coor stas were oo 3 as po	gallfl anse soordii oordii oordi	se pà cesse the c cente	ths eathnice at the section of a section of a section of a section of a section and the section and a section and a section a section as a section as a section as a section as a section as a section as a section as a sec	Vide GPS filon of th Offer Plot sare, set base, sod base to base to base to
O O O value (Forth Carlor)	gou, t	l leste ple loca acticab	Suffer Plot at the A. 4SECT. This is implied from the practics of the nearest pr	antrot b ASTEHI Affaith 11 기 Manake Manake Manake	ow. The c transect LONCS T	erTre A noith Antito Macin	ANIC shird (sool a nolle nolle obces	PLOT COORI staken and why in the continent. s coordinates will indicate the loc reprises at the nearest practicable ar Plet (#3) at the far and of each Plet (#3).	t the Buffe and and an and the cool as were and se sere	nter of filling d, tak d, tak dordie oordie	the ce center cesse frenti	ile coordinates at t e plot coordinate coord	eiff sher SPD abiv rij to notif 1904 asitu 190 aug sl bng xod bagalid ta
O O O O O O O O O O O O O O O O O O O	iou, i	l leste ple loca acticab	A add ta fold raffut ami ar aidT. TOBSv soliosig Isansan" o rg Isansan adf to as	Cuther: Other: A for the B	O Liber	O TES	Anic alhua i aoile noile noile noile aose	really Spurge. Peally Spurge. Peally Spurge. Peally Spurge. PLOT COOR! Plate or at the careat practicable. Plot (#3) at the far and of each are the factor of the fa	O se Suffer the Buffer oop end the coor and the coor were the food and the coor were the food as the poor of the food as the f	O Inter of d, tak anse anse oordii oordii r of P	Cente	fioli alianti coordinates at t e plot coordinate bened for nra to the ed to the ed to close to the	pill footet entr sben special special properties of the properties
O O O O O O O O O O O O O O O O O O O	ecsne ecsne EB 11 O O	l leste ple loca acticab	Suffer Plot at the A. JECT. This is implication of the preatical practical practical precipitation of the preatient president	Other: Other: Other: A for the B A for the B A for the B Joseph	O Use of the O	O SET Tea of the of the	O ANIC Bluts to loca to loca socition section section	Common Reed Leafy Spurge Teafy Spurge The far and of each dinates at the nearest practicable public (#3) at the far and of each dinates at the nearest practicable proof (#3) at the center of the loc assiste or at the center of the last	O the Buffy of the Suffy of the Suffy of the Cool strains the Cool strains were the Cool so but the Suffy of	O men or brilling brilling as ne eviding P P	O the center of the center of	e Weed Jini	turiM-A-e Til Jeotet Sirl Eber Sirl Eber Sirl Eber Sirl Fold Til To noth Til
O O O O O O O O O O O O O O O O O O O	EB II	l leste ple loca acticab	Suffer Plot at the A. JECT. This is implication of the preatical practical practical precipitation of the preatient president	Cother: Cot	O Lee Clarke	O STLES TES OI (1966)	O O AMIC AMIC AMIC AMIC AMIC AMIC AMIC AMIC	Seed Canary Grass Common Reed Tearly Spurge PLOT COOR! PLOI (#3) at the far end of each ar Piot (#3) at the far end of each ar Piot (#3) at the comment PLOT COOR!	O O O O O O O O O O O O O O O O O O O	O O O O O O O O O O O O O O O O O O O	O O Control	e Weed finil file coordinates at t e plot coordinates Coordinates at t coordinates at t e plot coordinate accoordinates accoordi	minM-A e brinional fright frigh frigh fright fright fright frigh
O O O O O O O O O O O O O O O O O O O	CO O O O O O O O O O O O O O O O O O O	l leste ple loca acticab	nsk Suffer Plot at the A. Userest practica es of the nearest pr	Ismail Other Other Other Other Other Other Other Other Other In It of the B	O O	O O Sal Tes Tes Tes Tion Melon Tion Melon Tion Melon Tion Melon	O O O ANIC	Cheatgrass Common-Reed Common-Reed Common-Reed PLOT COORI Topriate bubble, oroginate at the far and of each condinate bubble, staken and why in the comment staken and why in the comment	O O O O O O O O O O O O O O O O O O O	O O O O O O O O O O O O O O O O O O O	ceuter ceuter ceuter control control ceuter ceute ceuter ceuter ceuter ceuter ceuter ceuter ceuter ceuter ceuter c	rd ock Secupe where Jered on the But coordinates at t coordinates at t blot coordinate coordinates at t coordinates at t describe where	ine Mississi Main Main Main Main Main Main Main Mai
O O O O O O O O O O O O O O O O O O O	O O O	l leste ple loca acticab	ayan Blackberry isk Thotal at the A buffer Plot at	Commit Tamai Other: Other: Other: Other: Other: Other: Condinate: TRAM THE	O O O O O O O O O O O O O O O O O O O	O O O O O O O O O O O O O O O O O O O	O O O O Anic solo solo solo solo solo solo solo sol	Chant Reed Chant Reed Cheatgrass Common Reed Common Reed PLOT COORI PLOS (#3) at the far end of each Plot (#3) at the far end of each Plot (#3) at the far end of each PLOT COORI PLOT COORI PLOT COORI PLOT COORI PLOT COORI	O O O O O O O O O O O O O O O O O O O	O O O O O O O O O O O O O O O O O O O	O O O O O O O O O O O O O O O O O O O	rd ock Secupe where Jered on the But coordinates at t coordinates at t blot coordinate coordinates at t coordinates at t describe where	inivis2 trii stauM oin mell nos tuniM-A e trii teotab sirit sbar di to noite tri to noite tri to noite tri to noite tri to noite tri to noite tri to noite
O O O O O O O O O O O O O O O O O O O	CO CO CO CO CO CO CO CO CO CO CO CO CO C	l leste ple loca acticab	ona Rose ayan Blackberry ayan Blackberry Suffer Plot at the A. Suffer Plot at the A.	Commit Tamai Other: Other: Other: Other: Other: Other: Condinate: TRAM THE	COOCO	O O O O O O O O O O O O O O O O O O O	O O O O O O O O O O O O O O O O O O O	Perennial Pepperweed Perennial Pepperweed Perennial Pepperweed Perent Spurge Peod Canary Grass Peod Canary Grass Peod Canary Grass Common Reed Common Reed Common Reed Peod Canary Grass	O O O O O O O O O O O O O O O O O O O	O O O O O O O O O O O O O O O O O O O	O O O O O O O O O O O O O O O O O O O	ng Heart ock which are actions and coordinates at the plot coordinates at the plot coordinate at the coordinate at the actions and coordinate at the coord	thsolf wol inivise inivini the Minus inivinion of the the control of the side control of the control of the control of the control of the control of the control of the control of the control of control of the control of the control of control
O O O O O O O O O O O O O O O O O O O	(Poly of the control	l leste ple loca acticab	ona Rose ayan Blackberry ayan Blackberry Suffer Plot at the A. Suffer Plot at the A.	Kudzu Mulfiff Comm Himali Tamai Other Other Other Other Other	O O O O O O O O O O O O O O O O O O O	O O O O O O O O O O O O O O O O O O O	O O O O O O O O O O O O O O O O O O O	Japanese Knotweed Ciant Reed Ciant Reed Common Reed Common Reed Common Reed Plot (#3) at the far end of each repriste bubble.	O O O O O O O O O O O O O O O O O O O	O O O O O O O O O O O O O O O O O O O	O O O O O O O O O O O O O O O O O O O	niji. rg Heart ock e Weed coordinates at t e plot coordinate coordinates at t coordinates at t coordinates at t and	iner hyaciner invacinition (Invacinity) fraginal and a constant of the consta
O O O O O O O O O O O O O O O O O O O	EB II	Scheab Die loca Mariant (na Rose of the nestest prominak syan Blackberry ayan Blackberry ayan Blackberry ayan Rose na Rose	Subtraction of the control of the co	O O O O O O O O O O O O O O O O O O O	O O O O O O O O O O O O O O O O O O O	O O O O O O O O O O O O O O O O O O O	Purple Loosestrite Aspanese Knotweed Aspanese Knotweed Ciant Reed Common-Reed Common-Reed Plot (#3) at the far end of each Teaty Spurge PLOT COORI Conmon-Reed Connor-Reed PLOT COORI PLOT COORI Taken and why in the connorment or Plot (#3) at the far end of each are Plot (#3) at the connorment staken and why in the connorment poordinates at the connorment at the connorment at the connorment or at the connorment	O O O O O O O O O O O O O O O O O O O	O O O O O O O O O O O O O O O O O O O	O O O O O O O O O O O O O O O O O O O	niji. rg Heart ock e Weed coordinates at t e plot coordinate coordinates at t coordinates at t coordinates at t and	Sesion Weiser from Floatin Moles on Heart from Memoral fr
O O O O O O O O O O O O O O O O O O O	(Polynet in the control of the contr	schesp ple locs outsuf the A CENT	ubble if present - on Grass ona Rose non Buckhorn syan Blackberry risk trick iner Prof at the A inerest practics of the nearest pr	39 Fill bi Mulfill Comm Himal Coffee Office	S FEE	5 O O O O O O O O O O O O O O O O O O O	O O O O O O O O O O O O O O O O O O O	Full bubble if present - Plot Purple Loosestrile Coordinates will indicate the loc ropriates at the nearest practicable Plot (#3) at the far and of each Plot (#3) at the far and of each Common-Reed Ceant Reed Ceant Reed Ceant Reed Ceant Reed Ceant Reed Common-Reed Ceant Reed Ceant Reed	S Flag O O O O O O O O O O O O O O O O O O O	2 O O O O O O O O O O O O O O O O O O O	the control of the co	present - Plot infinitioil inf	EW natas with the control of the con
O O O O O O O O O O O O O O O O O O O	(Polynet in the control of the contr	scheab ple loca portant i Plot	ubble if present - on Grass ona Rose non Buckhorn syan Blackberry risk trick iner Prof at the A inerest practics of the nearest pr	ies absen Johns Mulfill Mulfill Comm Comm Tamad Other Other Other Other Other Other Other Other Other Other Other Other Other	pa Lie Lie Lie Lie Lie Lie Lie Lie Lie Lie	s O O O O O O O O O O O O O O O O O O O	Illed b	rindicates presence and an unfindicates presence and an unfindicates problem. Purple Loosestrife Perentiale Pubble. Common Reed Canary Grass Cheatgrass Cannon Reed Canary Reed Canary Crass Cannon Reed Lapence Knotweed Lapence Knotweed Lapence Canary Grass Cheatgrass Canary Spurge Canary Grass Lapence	a bubble of Flag OOOOOOOOOOOOOOOOOOOOOOOOOOOOOOOOOOOO	2 () () () () () () () () () (the cerember of the cerember o	present - Plot infinitioil inf	EW natas with the control of the con

	, 	· ·		FC	RM B-1:	BUFF	ER S/	MPI	LE	PLO	TS (I	Front)	Re	viewed	hv (Inili	nD-	<u> </u>	
Site ID: PCA	D k	~ <	11		! "							**************************************						
Location:	7 1		1,	<u> </u>		Eill	in bub	blo/c	.\ :Æ	nlat		ould not be					<u> </u>	
OAA Center ON		۱ ج		E C) W	er [Control of the	lot 1		Plo	1.15			sampied	ı and	пад		•	
O AR Gentler . Big		, ,			/ ** ,	Buffer	· · · · · ·	ب أو و في المحاصصة				Plot 3		<u> </u>			1	
Fill in bubbles for all that apply: C Strata Section: Fill in appropriate	cover	y Type r class	e: D = bubb	Deciduo de for ca	us; E = Evergr ch strata type f	een 1 oaf T	vne: B = F	Broadle	aft N -	- Neer	de Leof	Absent: No tree Moderate(10-40	e canopy. %); 3 Heavy	(40-75)	%); 4 ·	Very I	leavy	(>75%
Buffer Canopy Type: () (Abse	nt: 🔘	Buffer	Canopy	/ Type: ((Absei	nt:	Buffer	Canopy T	ype: (9) A	bsen	it:
Plot 1 Leaf Type: () (Flag	Plot 2	Lear	f Type: (9 ($\supset \Gamma$		Flag	Plot 3	Leaf T	ype: ()			Flag
Big Trees (= 0 3m DBFI)	0)	Big Trees (>0.3m DBH)	\odot	(0	0		Big Trees	(:-0 3m DBH)	$\mathbb{O}[\mathbb{C}]$		®	0	
Small Trees (<0.3m DBH)	(2)	0	()	Small Trees (o ≎m DBH)	① @	0	0	0		Small Trees	(=0 3m DBH)) (C	0	(3)	0	
Weedy Shrubs, Saplings (0.5m-5m HIGH)	0	0	10)	Woody Shrub (0.5n	s, Saplings 1-5m HIGH)	00	0	(0			tbs, Saplings rn-5m Lt(GH)) C) @	0	0	
Woody Shrubs, Saptings (<0.5m HIGH)		0)	Woody Shrub	s, Saptings).5m HIGH)	0 @	0	0	0		Woody Shru	bo Continue) C		0	Ŏ	· · · · - · -
Herbs, Forbs and Grasses O	0	6	10)		Forbs and Grasses	00		Ō	(Forbs and) C		Ŏ	3	j
Bare ground 💿 🍘	0				Bare	ground	0 0		Ō	0		Ban				Ŏ	0	
Litter, duff 🔘 🕦	(2)	0	Ō)	Li	ller, duff	00	<u>-</u> -	Ŏ	Ŏ		·- 			-	6	0	<u> </u>
Rock 🚱 🛈	Ö	O	0	_	ļ				O	0							0	
Water 🙆 🕕	0	0	0						O	0		-			1 =	0		
Submerged 🙈 🕡	\odot					ibmerged	40	+	0		·	<u> </u>	ubmerged	a	+	$ 0\rangle$	0	
Vegetation V	-			J				1 -	\sim		60-		Vegetation			$ \mathcal{Q} $		
Residential and Urb	,				1 1 1 1 1 1 1 1 1					10 201	umniec	7					1	
	F	i	.P	,		Hydrolog		- <u> </u>	771	. · 			Agricultura		ural (,		·
Fill bubble if present - Plot	1	2	3	Flag	Fill bubble	if presei	nt - Plot	1	2	3	Flag	Fill bubble	if present	- Piot	1	2	3	Flag
Road - gravel	0	O	0	ļ	Ditches, Cl Dike/Dam/			0	++	0	ļ	Pasture/Ha	y	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	0	0	0	
Road two lane	0	0	0		(IMPEDE FLO	/V)	·	0	, O	0	:	Range			0	0	0	
Road - four lane	0		0		Water Leve				0	0		Row Grops			0	0		
Parking Lol/Pavement	0	0	0		Excavation	1.2.	g 	0	O	0	<u> </u>	Fallow Field Rowckop Figure Fallow Field))		0	0	0	
Golf Course	0	0	0	<u> </u>	Fill/Spoil B Freshly De		orliment	0	0	0		SHRUBS: TREE		≥ ₁ .	0	0	0	
Lawn/Park	0	0	0		UNVEGETAT	ED)	141 by -	0	0	0		Nursery			0	0	0	
Suburban Residential	0	0	0		Soil Loss/F		sure.	0	0	О		Dairy	· · · · · · · · · · · · · · · · · · ·		0		0	
Urban/Multifamily	0	O	_		Wall/Ripra			0.0	0	O		Orchard	<u> </u>		0	0	0	·
Landfill	0	0	0		Inlets, Outl	26.0		0	O	0		Confined Ar)g	0	O	0	
Dumping	0	0	0	ļ	(EFFLUENT O	R:STORMW	ATER)	0	0	О		Rural Resid	ential	- 2	0	0	0	
Trash	O		0		(SHEETH,OW)		0	0	0		Gravel Pit	-		0	0	0	
Other:	0	0	0		Other:			0	0	0		Irrigation		<u> </u>	0	0	0	
Other:	O	0	0	. :: >	Other:			0	Ю	0		Other.			0	0	0	
Industrial Developme	ent S	Stres	sor	S				· . · ł	labi	tat/V	egeta	tion Stress	ors		S			
ill bubble if present - Plot	1	2	3	Flag	Fill bubble	if present	t - Plot	1	2	3	Flag	Fill bubble	e if present	- Plot	1	2	3	Flag
Oil Drilfing	0	0	0		Forest Clear	Cut		О	0	0		Herbicide Us	se		0	0	0	
Gas Wells	0	0	0		Forest Selec	tive Cut		0	0	О		Mowing/Shru	1000		0	0	0	
Mine (surface)	0	0	0		Tree Plantat	on .	. : .}	0	0	О		Trails	* 1		O	0	0	
Mine (underground)	0	0	O		Tree Canopy		у	0	0	0	L	Soil Compac			0	0	6	
Military	0	0	0		(INSECT): Shrub Layer			0				(ANIMA), CR HU		2 - 2 - 2 - 2 - 2 - 2 - 2 - 2 - 2 - 2 -	,		-	1
					(WILD OR DOME Highly Graze		5	12 22 22 2	0	(2)		Offroad vehic Soil erosion		VATER	0	0	(3)	<u> </u>
Other:	0	0	0	1	(OVERALL <3" F Recently Bur	IIGH)		0	0	0		OR OVERUSE).			0	0	0	
Other:	0	0	0		Canopy Recently Bur			0	0	О		Other:			0	0	0	
Other:	0	0	O		necently BUI	neu Gras	ыапа 🏢		\sim	-		Other:			$\dot{\sim}$		O	
Flag codes: K = No mea	T I				(BLACKENED) "	<u> </u>			О	O		- The state of the			- O		$\mathcal{L}_{\mathbf{I}}$	

															1
	-														
									·						
												<u> </u>			
													-,		
				·					· .						-
			· · · · · · · · · · · · · · · · · · ·	t Osym	ab	\sim	V	<u> ३५</u> ५	though,	SUNJ	113	. J. K.	٠.٠	- Mhzele	+
					1	1					- 			Comments	
<u> </u>		<u> </u>						<u></u>							
						ε	SCIAN	ksea:	DeClamice Decl		7 (1) 7 (1)		Tyrini. Paljeje		
- i					 ,	4.7554	ภาษาก	HOT	10 h E	78	1	<u>h</u> ,	thoM	Paninde	
		L	٤ ١ 8 ١	. 18		tsəVV :	.thu i thìm				<u> </u>				
od ne	unintu	soal eji	(Mojec geogoad jsaar	publication of the metric of t	්ශ ශ් වරුණය ම්පූර් ම්පූර්	s eat 7 17 e c 17 reflu 19 rolle	t belov sible E	anon osces section sec	nates will indicate the loc or at the conter of the last W3 O Mearest pra	E3 Or before the coordinate of the coordinat	otes and sates we sate one sat	esns alton alton soori	filer Ti	antered on the Burdese describe where as stocket to the coordinate.	ots are or g box, ar ner place Locatio
office UT : d ns	ile ət Ağdırı	oecsans	s is important i medicablo loca mest practicab	d comment the "nearest! ANSECT Th	FTT3H Fill in Footdins footdins	TONC Joasne Saft Jo Plasitu Plasitu Plasitu Jour	i on At t an tr t belov sible f	e locat ation c acces acces	at the nearest practicable for pates will indicate the locand why in the comment it at the conter of the last was the conter of the last the conter of the last was the conter of the last the conter of the last conter of the last conter of the last conter of the last content the last content to the last co	E3 O sabubustes obtobustes obtobu	of the cone and a fine cone and a fine cone a fine con	Drillii Asi bu Asinsi Asinoo Asinoo Asinoo	ee (c the c the c the c the c the c	the plot coordinate plot coordinate but as close to the But as close to the But as close to the But as close to the But as close to the But as close to the But as close to the But as close to the But as close to the But as close to the But as close to the But as coordinate but as c	To noise guffer Plo ar are or g box, ar ner place
office i III ; od ns	ile ət Ağdırı	oecsans	s is important i medicablo loca mest practicab	d comment the "nearest! ANSECT Th	FTT3H Fill in Footdins footdins	IT ONC Joann Saft J Plasitu Plasitu Plasitu J	crist) I A not I shirti I sidis I sidis I	fluffe flocat ation c section acces acces	bubble, at the nearest practicable after will indicate the loc and why in the comment, at the center of the last at the center of the last at the center of the last at the center of the last at the center of the last at the center of the last at the center of the last at the center of the last at the center of the last at the center of	E3 O sabubustes obtobustes obtobu	of the cone and a fine cone and a fine cone a fine con	Drillii Asi bu Asinsi Asinoo Asinoo Asinoo	ee (c the c the c the c the c the c	the plot coordinate plot coordinate but as close to the But as close to the But as close to the But as close to the But as close to the But as close to the But as close to the But as close to the But as close to the But as close to the But as close to the But as coordinate but as c	ation of strong of the color of
e the	udical	ije locs	s is important i medicablo loca mest practicab	s Buffer Pfot s ANSECT Thi fine "nearcst.t ares of the ne of comment	FTT3H Fill in Soordins Joi	IT ONC Joann Saft J Plasitu Plasitu Plasitu J	crist) I A not I shirti I sidis I sidis I	fluffe flocat ation c section acces acces	#3) at the far end of each bubble. at the nearest practicable of the local practicable on the comment of the last at the conter of the last at the conter of the last last last last last last last last	E3 O sabubustes obtobustes obtobu	of the cone and a fine cone and a fine cone a fine con	Drillii Asi bu Asinsi Asinoo Asinoo Asinoo	ee (c the c the c the c the c the c	the plot coordinate plot coordinate but as close to the But as close to the But as close to the But as close to the But as close to the But as close to the But as close to the But as close to the But as close to the But as close to the But as close to the But as coordinate but as c	ation of strong of the color of
eoffice i III ; an ba	O O	oecsans	s is important i medicablo loca mest practicab	cn Libuffer Pfot a ANSECT Thi Anserosit ates of the ne di comment	Torthe Fill Fr Fill in Footdina Joi	IT ONC Joann Saft J Plasitu Plasitu Plasitu J	TES Trans Ton Al The trans	fluffe flocat ation c section acces acces	#3) at the far end of each bubble. at the nearest practicable of the local practicable on the comment of the last at the conter of the last at the conter of the last last last last last last last last	unffer Plot (appropriate to coordinate to the co	of the cone and a fine cone and a fine cone a fine con	Drillii Asi bu Asinsi Asinoo Asinoo Asinoo	ee (c the c the c the c the c the c	S coordinates at the plot coordinate as the plot coordinate and as close to the sot as	ovide GP Suffer Pla Suffer Pla Stranger Place Suffer Place Tocaling
ed ne	O (O	O LER I	s is important i medicablo loca mest practicab	er: Gromment G	Outside the condition of the conditions of the c	ons toe IT SWC Johan Sant Joh IS Isitu	C TES Transition At the transition of the transi	ANIC efficient froof e ordical section section section	PLOT COORI	Leary iuffer Plot (* appropriate appropri	ont ine E	Onto the control of t	the center construction of center construction (construction)	istle Scoordinates at the plot coordinates at the plot coordinate at an each of the But as close to the as cl	Focetic d pox' su gruet ble sation of ovide GP ovide GP anada TB
oth e		O O	s is important i medicablo loca mest practicab	er. er. Buffer Pfot a file "nearest. AusECT. Thi ates of the ne ates of the ne	Colfordians (for the TTA TACK The TTACK The	ect and Charles Conce To Song	O (O (Transition All transition All transition All transition All transition All transition British F	Onner (applicable of the section of section of section of section of section of the section of t	Spurge PLOT COORI #3) at the far end of each neares will indicate the loc and why in the comment at the conter of the last	Committee Plot (1) Special Plot (1) Special Plot (1) Special Plot (1) Coordinates Special Plot (1) Coordinates Special Plot (1)	Control of the Control of the contro	O O Drillin Brillin Service Se	O Central O	istle Scoordinates at the plot coordinates at the plot coordinate at an each of the But as close to the as cl	rdstoof 1 Focation of grands of the cape
C C C Suppose		O O	s is important i medicablo loca mest practicab	er. er. Buffer Pfot a file "nearest. AusECT. Thi ates of the ne ates of the ne	Lag and Collection (Collection)	Construction of the constr	O O O O O O O O O O O O O O O O O O O	O ANIC ethoral production offices section section section	Canary Grass Spurge Spurge #3) at the far end of each bubble. at the nearest practicable and why in the comment. In at the conter of the last at the local comment.	Committee Plot (1) Special Plot (1) Special Plot (1) Special Plot (1) Coordinates Special Plot (1) Coordinates Special Plot (1)	O O O O O O O O O O O O O O O O O O O	O O O O O O O O O O O O O O O O O O O	O O O O O O O O O O O O O O O O O O O	nie Weed refoil Scoordinates at a describe where at describe where at a describe where a describe where a set of the Butter of	ison Hei de A-Min anada Tr avide GR avide GR avide GR avide GR avide GR avide GR avide GR avide GR avide GR avide GR
C C Soft 9 Soft		O O O O O O O O O O O O O O O O O O O	t the AA CEN is important the practicable to areat practicable to areat practicable to a seek to a construction to a seek to a construction to a constructio	er. Gr. Gr. Gr. Gr. Gr. Gr. Gr.	Outh Outh Outh Outh Outh Outh Outh Outh	Cect and Construction (1) Construction (O (O (O (O (O (O (O (O (O (O (O (O (O (O	O ANIC section of notes of notes of notes of notes of notes	grass Canary Grass Spurge Spurge At the nearest practicable at the conter of the last mat the conter of the last	Committeed Leafy Leafy Luffer Plot (4 appropriate appropriate fifte coordinates possible o possible o possible o	O O O O O O O O O O O O O O O O O O O	O O O O O O O O O O O O O O O O O O O	OOOOOOOOOOOOOOOOOOOOOOOOOOOOOOOOOOOOOO	niock refoil refoil refoil selve blot coordinate at the plot coordinate at the plot coordinate at a describe where as as close to the But as close	antic Musaince Musaince Mina Marana Jie A-Mina anada Tie ang ovide GP Asian of the place ovide GP Asian of the place ovide GP Asian of the place ovide GP Asian of the place ovide GP Asian ovide GP Asia
C C C C C C C C C C C C C C C C C C C) O) O) O) O) O) O	O O	peny the AA CEN recticable located break practicable located breaked becaused becaused becaused breaked narisk er. er. flutter Plot attes of the ne	Him Colfne Colfn	Control of the contro	O ((O ((O ((O ((O ((O ((O ((O ((O ((O (O O O Number O Section	grass Canary Grass Spurge Spurge At the nearest practicable at the conter of the last mat the conter of the last	Cheat Commonte the coordinates Commonte the coordinates Operated the co	O O O O O O O O O O O O O O O O O O O	O O O O O O O O O O O O O O O O O O O	OOOOOOOOOOOOOOOOOOOOOOOOOOOOOOOOOOOOOO	his paid by the paid by the plack to the place at a coordinate at a describe where at a science on the But describe where at a science on the But as close to the place of the	antic Salvi antic Musa Michael Min Michael Min Michael Michael Michael br>Michael Michael	
C C C C C C C C C C C C C C C C C C C) O) O) O) O) O) O) O) O) O) O	O O O	peny the AA CEN recticable located break practicable located breaked becaused becaused becaused breaked naigyan Blackl narisk er. AusEct Thi finfer Pot e er. er.	Con Him Course Outse Ou	C C C C C C C C C C C C C C C C C C C	O (O (O (O (O (O (O (O (O (O (O (O (O (O	OOOOOOOOOOOOOOOOOOOOOOOOOOOOOOOOOOOOOO	Reed Canary Grass ron Reed Spurge #3) at the far end of each at the nearest practicable and why in the comment in at the center of the last	Perent Cheat Reed Comm Learly Plot (4 appropriate portinates the coordinates possible of the coordinates the c	O O O	O O O O O O O O O O O O O O O O O O O	O O O O O O O O O O O O O O O O O O O	ing Heart ing ing ing ing ing ing ing in	allow Floa iant Salvi anto Mus ile: A-Min ile: A-Min ile: A-Min anada Tis anada Tis an	
C C C C C C C C C C C C C C C C C C C	(a) (b) (c) (c) (d) (d) (d) (d) (d) (d) (d) (d) (d) (d	O O O O O O O O O O O O O O O O O O O	peny the AA CEN recticable located break practicable located breaked becaused becaused becaused breaked iiflora Rose nanon Buckflh narisk er. er. fluffer Plot a fire "negrest f ates of the ne	Con Him Course Outse Ou	CONG LI	O (O (O (O (O (O (O (O (O (O (O O O O O O O O O O O O O O O O O O O	ese Knotweed nial-Pepperweed Canary Grass The nearest practicable at the nearest practicable at the conter of the last mat the conter of the last	Knotw Japan Peren Cheat Reed Comm Luffer Plot (4 appropriate coordinates If the coordinates for the coordi	O O O O O O O O O O O O O O O O O O O	O O O O O O O O O O O O O O O O O O O	OOOOOOOOOOOOOOOOOOOOOOOOOOOOOOOOOOOOOO	anith ping Heart ping	Aster hyan Elow Flosion Salvi	
Section 2	(C) (C) (C) (C) (C) (C) (C) (C) (C) (C)	O O O O O O O O O O O O O O O O O O O	peny the AA CEN recticable located break practicable located breaked becaused becaused becaused breaked iiflora Rose nanon Buckflh narisk er. er. fluffer Plot a fire "negrest f ates of the ne	Kud Wull Mull Otho O	C C C C C C C C C C C C C C C C C C C	O (O (O (O (O (O (O (O (O (O (O (O (O (O	OOOOOOOOOOOOOOOOOOOOOOOOOOOOOOOOOOOOOO	ced cee Knotweed nial Pepperweed nial Pepperweed non Reed st the nearest practicable bubble All indicate the loc non Reed st the center of the last nr at the center of the last	Huper Perent Per	O O O O O O O O O O O O O O O O O O O	O O O O O O O O O O O O O O O O O O O	O O O O O O O O O O O O O O O O O O O	Vatermilloil initicant initican	rastan V variation V valer hyar valer hyar sahr Salvi sahr Salvi bile A-Min vovide GF sanada Transon of sanada Transon of son of	
C C C C C C C C C C C C C C C C C C C	O (O (O (O (O (O (O (O (O (O (O (O (O (O	O O O O O O O O O O O O O O O O O O O	onny the AA CEN sis impertant the AA CEN sis impertant the area's practicals.	inflora Rose ales of the ne ales of the ne cr. cr. cr. cr. cr. cr. cr. cr. cr. cr.	Lohi Kudi Con Tan Olin Olin Olin Olin Olin Olin Olin Oli	C C C C C C C C C C C C C C C C C C C	O (O (O (O (O (O (O (O (O (O (O (O (O (O	O O O O O O O O O O O O O O O O O O O	ese Knotweed nial-Pepperweed Canary Grass The nearest practicable at the nearest practicable at the conter of the last mat the conter of the last	Huper Perent Per	O O O O O O O O O O O O O O O O O O O	O O O O O O O O O O O O O O O O O O O	O O O O O O O O O O O O O O O O O O O	anith ping Heart ping	rastan V get hyar allow Floz ant Salvi Mus antic Mus allo
e dine	O (O (O (O (O (O (O (O (O (O (O (O (O (O		sent - Plot yra t the AA CEN t the AA CEN tracticable becireable becaut the practicable becaute the practicable becaute the practicable becaute the practicable becaute the practicable becaute the practicable becaute the practicable becaute the process of the process of the practical practica	bubble if pre neon Grass Rose Rose Rose Rose Rose Rose Rose Ro	John Mulh	Sin E	2 (O) (O) (O) (O) (O) (O) (O) (O) (O) (O)	OOOOOOOOOOOOOOOOOOOOOOOOOOOOOOOOOOOOOO	ced cee Knotweed nial Pepperweed nial Pepperweed non Reed st the nearest practicable bubble All indicate the loc non Reed st the center of the last nr at the center of the last	lag Fill but the been been been been been been been be	3 te content of the c	\$ 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	1 O O O O O O O O O O O O O O O O O O O	if present - Plot Valeinaliol fing Heart find	rastan V get hyar allow Floz ant Salvi Mus antic Mus allo

				:			FC	PRM B-1:	BUF	FER	SAN	//PL	E F	PLO	TS (I	Front)	Reviewed	by (init	al):		
Site	ID: 12	A-	P,	MS		//	67		Pari						DA1	TE: 07	1/31:	ි 2_ ඵ	i	1	
Locati				-					Fil	l in b	ubb	le(s) if 1	olot	(s) co	ould not be	sampled and	l flag		$\frac{1}{1}$	i
OAA	Center	r () N	С	s	•	E (w	1.	Plot 1	176		Ploi			Plot 3		. nag			
			· · ·					·	Buffer	Natu	ıral (Cov	er S	Strat	ta		<u></u>				I
Fill in bubble Strata Section	es for all : on: Fill in	that ap appro	ply: C priate	алору cover	/ Lype class	e: D = s bubb	Decidud le for ea	us: E = Evergre ch strata type (d	een Loaf orleach pi	Type: B lot 0 = /	t = Bro: Absent	adles I; 1	f; N = Spars	Need e(<10	lle Leaf.)%); 2=f	. Absent: No tree Moderate(10-40	e ca <mark>nopy.</mark> %); 3 = Fleavy (40-75	%): 4 =	Verv I	Heavy	(≈75%°
Buffer	Canor			•••	~1	Absei		Buffer	Canor			·	, i ⁻	bser			r i				
Plot 1		af Tyr			5		Flag	Plot 2		af Type		∵	(-	DSCI	Flag) Buffer Plot 3	Canopy Type: (Leaf Type: (<u> </u>	5) A 5)	bsen	
Big Trees (≥	L	-1	$\overline{\mathbb{O}}$	Ō			ī	Big Trees (>		11-1-		<u></u>		0	Flag		(>0 3m DBH)			0	Flag
small Trees (<		1	0	$\overline{\mathbb{O}}$	IC	+-		Small Trees ($\frac{\circ}{\circ}$	$\overset{\smile}{\circ}$	$\overline{0}$	Ø	!	Small Trees		. H-=	$+$ $\bar{-}$		
Voody Shrubs		Š	Ō	0	C	+-		Woody Shrub	s, Saplings			$\frac{\circ}{\circ}$	0	0		Woody Shru			$\dagger \sim$		
Noody Shrubs		6	Ø	O	$\overline{\mathbb{O}}$)	Woody Shrub		1	-	·- <u>-</u>		1	 	Woody Shru	m-5m HtGH) 6			0	
Herbs, F		6	Ø	0			-		.5m HIGH) orbs and		$\overline{}$	0		0			bs, Saplings :0.5m HIGH)			0	
	Grasses ground	0		0				Baro	Grasses ground			$\frac{\odot}{\odot}$		0			Grasses (
	er duff	+=	0	Ø			`-			+		\bigcirc	0	0			e ground 💿 🍪			0	
	Rock	Ø	 _	+=-	·			Ut	ler, duff		= $+$	\bigcirc	0	0			itter. duff 🕝 🏈	+=	$ \bigcirc$	0	
	Water		0	0			<u>'</u>	 	Rock		_	\bigcirc	\bigcirc	0	<u> </u>	ļ	Rock	+ =	$ \bigcirc$	0	
Sul	bmerged	(2)	0	0	0		'	l Su	Water bmerged			9	\bigcirc	\bigcirc			Water Water		10	0	
Vc	egetation	(6)	$ \bigcirc $	\odot	0	\Box	<u> </u>	V	egetation			\bigcirc	\bigcirc	<u>()</u>	<u> </u>	,	Vegetation 🥮 🖰			$ \Theta $	
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1				200			-	t a filled data	bubble i	indicate	es pre	seno	e an	d an	unfille	d bubble indic	ales absence by t	fling th	nis bu	bble.	•
	dential			an S	tres	sors	(. ·	<u> </u>	lydrolo	ogy St	ress	ors		: :		,	Agricultural & R	ural	Stres	sors	,
ill bubble	if pres	ent - 1	Plot	1	2	3	Flag	Fill bubble	if prese	ent - P	lot	ា	2	3	Flag	Fill bubble	if present - Plot	1	2	3	Flag
Road - gra	7	1		0	0	О		Ditches, Ch				0	0	0		Pasture/Ha	y	0	0	0	
Road - two	lane		· · · · · ·	0	0	О		Dike/Dam/f		₹.Bed		0	0	О		Range		0	0	0	
Road - four		: i ::::::::::::::::::::::::::::::::::	<u> </u>	0	О	0	ļ	Water Leve	l Contro	l Struc	ture	0	O	0	L	Row Grops		0	0	0	
Parking Lo		ient		0	0	0		Excavation	Dredgir	ng		0	0	0		ROW CROP FILLE		0	0	0	
Golf Cours		·		0	0	0		Fill/Spoil Ba	5777	Padina		0	0	О		Fallow Field SHRUBS; TREE	I (OLD - GRASS, ES)	Ο	0	0	
Lawn/Park	<u> </u>			0	0	0		Freshly Der	D)		#1H	0	0	0		Nursery		0	0	0	
Suburban I				0	0	0		Soil Loss/R				\circ	0	0		Dairy		0	0	0	
Jrban/Mult	itamiiy		- :	0	0	0	! ·	Wall/Riprag				Ο	Ο	0		Orchard		0	0	0	
andfilf	<u> </u>			0	0	0		Inlets, Outle Point Source				0	0	0			nimal Feeding	0	0	0	
Dumping		<u></u>	<u></u> 	0	0	0		(EFFILUENT OF Impervious	ESTORMV	VATER)		0	0	0		Rural Resid	ential" ————————————————————————————————————	0	0	0	
Trash Other:	***************************************			0	0	0		(SHEETFLOW)		1011		0	0	0		Gravel Pit		0	0	0	
Other:			1	0	0	0		Other:				\circ	0	0		Irrigation	<u></u>	0	0		
	4-5-1-			0	U.	0		Othor:				U	0	0	-,	Other:		0	0	<u> </u>	
Indus				ent S		1				٠ . <u>٠</u>	· · ·	H	abit	at/V	egeta	tion Stress	ors	<u> </u>	· .		
iil bubble	if presc	nt - F	lot	1	2	3	Flag	Fill bubble i	f preser	nt-Pl	ot :	1	2	3	Flag	Fill bubble	e if present - Plot	1	2	3	Flag
Dil Drilling		<u> </u>	, 1 	0	0			Forest Clear	Gut		1	0	0	0		Herbicide Us	e = 11, 14, 14, 14, 14, 14, 14, 14, 14, 14,	0	0	0	
as Wells				0	0	0	: •=====	Forest Selec	ive Cut		(0	0	0		Mowing/Shr.	ib Cutting	0	0	0	
Aine (surfa	ce)			0	0	0		Tree Plantati			(0	0	О		Trails		0	0	0	
line (under	rground)		0	0	0		Tree Canopy (INSECT)		<u> </u>	(0	0	0		Soil Compac (ANIMAL OR FILI		0	0	0	
Aililary				0	0	0		Shrub Layer (WILD OR DOME		1	((20)	Ø	•		Offroad vehic		0	0	0	
Other;	i da '			0	0	0		Highly Graze (OVERALL <3" H	d Grass	es		\circ^{\dagger}	0	0		Soil erosion (TROM WIND, WATER,	0	0	0	
ther:				0	0	O		Recently Bur Canopy		est	·	О	o	0		Or OVERUSE) Other:		0	0	O	
other:			7	0	0	Ō		Recently Burn	ned Gra	ssland	1		0	0		Other:		0	0	0	
	codes:	K = N	o mea	1.	nent	made	, U = Sı	BLACKENED) ispect measur	ement,	F1,F2, c	etc. ≕ r	misc.	flags	assi		each field cre	w.	L			
	fer Sam					Expla	oin äll fi	ags in comme	nt section	n on the	e back	of th	is for	m			. 242	8169	304 	(9

	Ω1	 7988	 7999	6 <i>I</i> — — — — — — — — — — — — — — — — — — —	FR (1)				Species 05/27/2011	ж. рэтэв	nsT			
											ina) Paga			
	n													
										<u></u>				
											-			
				<u> </u>							0		/	
							172	24.	12/00/07-17 8	0000	4	+V	onteryof	
		7)	j~~\	2 Lonnaholds	:1P	F7/9	7	P	15017 (F.7)	#0 J	\overline{V}	w	05-9/1	
									·					
				7140	02/10)	Χs	 :20	20 4130 Bols	15-51	T	27	Correction.	7.1
					yiu	13/	J	ray	Sindow Aisis Col	7 50 C	1/2	 	prinit	11
· · <u></u>		1,1 .											Comments	6el4
- 11. - 12.						11111	<u> </u>				<u> </u>			
			9 9			E80	ΑN	รออม	Use Decimal Deg					
			<u> </u>	5184.18	ja∋W ⊸	. : : .	1	1.5	E0 E b	7-1	4,	inol/	Latitude 1	
	ii,		1 -		7.3.7	y, 1141	. 5 5.			<u></u>	<u> </u>			
ed i pe	Service .	uoge	၁၀၊ ခု၊	ntilgice of the treetest bidening	iona auti	"MOI	ad u	วทวอร	sippe or at the center of the last	ed es e loi	nbnoo	center center	enangap pu	6 Xnd nsft
ffer Al in th	i Ba Je, I	juna Ise si	apou Secan	r the Buffer Plot at the AA CEN' Hin the "nearest practicable loci formates of the nearest practical	The cool needt Fil NG THE	nsec	st Tra	Buffe ation sections	r Piot (#3) at the far end of each opiate bubble. In a sees on the continues of the factor of the factor and why in the comment taken and why in the comment.	nggs aftin ane coor ant bns sic anew satsr eog as 6 fol	filling a, tak ansei	t by a sesse It Tel the co tenter	the plot coordinate tot 3 can not be acc sortered on the But and as close to the o	location of Plots are c Plots are c
ffer Al in th	i Ba Je, I	juna Ise si	apou Secan	TRANSECT. This is important in the control of the c	The cool needt Fil NG THE	nsec	st Tra	Buffe ation sections	obusie propie: coordinates will indicate the lectionactinates at the nestest practicable.	nggs aftin ane coor ant bns sic anew satsr eog as 6 fol	filling a, tak ansei	t by a sesse It Tel the co tenter	the plot coordinate tot 3 can not be acc sortered on the But and as close to the o	location of Plots are c Plots are c
fler Al in th	i Ba Je, I	juna Ise si	apou Secan	TRANSECT. This is important in the control of the c	The cool	All Ol	TES	ANIC shua i sool a arioas	PLOT COORI r Piot (#3) at the far end of each coordinates will indicate the loc coordinates will indicate the loc coordinates will indicate the loc casen and why in the comment	offlue Soff to nggs off or noco off one off off off off off off off off off off	nter c litting d, tak ansec	he ce sesse fer Tr The c	the satentines of the satentines of the satentines of the transform of the satential of the	ID ablyor9 To notice of the profile
fler ill in tl	ate i il Bu ile, i	Indic	O WEDSO	The Buffer Plot at the AA CEM TAANSECT This is important if in the "nearest practicable localisates practical contacts and	ct and to	O ansection of the contraction o	TES	O Suffe Socie Storie Trains	Leafy Spurge PLOT COORI Plot (#3) at the far end of each coordinates will indicate the loc coordinates will indicate the loc coordinates will indicate the loc coordinates will indicate the loc taken and why in the comment	O the Buffer appropriates were soften appropriates were soften appropriates and the soften appropriates as posten appropriates appropriate appropriate appropriates	O nter d tak	O ine ce ine ce ine ce ine ce ine ce	hiafle coordinates at the plot coordinates at the plot coordinates at the plot ned be accounted where the plot of the coordinates at the plot of the coordinates at the plot of the coordinates at the coor	T sbansO
fler ill in tl	(O) (S) (s) (s) (s) (c)	O Indic se as	agiou, Secsin V	Other: The Buffer Plot at the AA CEN TRANSECT. This is important TRANSECT. This is important Otherwises practicable bec	The cool	O Parish	O TES	O Surfection Surfectio	Common Reed Leafy Spurge Plot (#3) at the far end of each opriate bubble coordinates will indicate the loc coordinates will indicate the loc taken and why in the comment	O ht the Buffer in the appr in the appr the appr sales were	O Unforced	O he ce fer Tr fre cr fre cr fre cr	histle history	TebensO especially appropriate the special sp
fler ill in tl	O stell But I But	O Indic	O	Other: Other: The Buffer Plot at the AA CEN TRANSECT. This is important If in the "nearest practicable locations are practicable locations and the meanest practicable locations are the practicable and the meanest practicable locations are the practical and the meanest practical	The cool	low ALOI ALOI S	O C	O O DINA DINA Buffe aften aften	Reed Canary Crass Common Reed PLOT COORI	O O D D D D D D D D D D D D D D D D D D	O nter o filling d, tak	Ceurer fine ce seese re ph p ye ce ye ce	fiolential for the following properties of the following p	Trick A-Military Markette Mark
fler ill in tl	(O) (S) (s) (s) (s) (c)	O O Dubit	agiou, Secsin V	Other: Other: Other: The Buffer Plot at the AA CEN If the "nearest practicable locations the practicable locations the practical locations the practical locations the practical locations the practical locations that the practical locations the practical locations that the practical locations the practical locations that the practical locations that the practical locations that the practical locations that the practical locations that the practical locations that the practical locations that the practical locations that the practical locations that the practical locations that the practical locations that the practical locations that the practical locations that the practical locations that the practical locations that the practical	The cool	O O O O O O O O O O O O O O O O O O O	O TES	O Surfection Surfectio	Chealgrass Cammon Reed Cammon Reed Leafy Spurge Plot (#3) at the far end of each opriate bubble coordinates will indicate the loc coordinates will indicate the loc taken and why in the comment	O O O O O O O O O O O O O O O O O O O	O O O O O O Her c Hilling A starset	O O O O O O O O O O O O O O O O O O O	milock Trefoil histle to 3 can not be 3c. to describe where act the guilt coordinates at the guilt coordinate at the grange of the guilt coordinate at the guilt coordinate at the guilt coordinate at the guilt coordinate at the guilt coordinate ac	Poison Floration Pluckerion Ministerion Tabens Tabe
fler ill in tl	O O O O O O O O O O O O O O O O O O O	O O O Indic	O O O O O O O	Other: Other: Other: The Buffer Plot at the AA CEN If the fluffer Plot at the AA CEN TRANSECT. This is important to the fluffer practical to the content of the mearest practical to the mearest practical to the mearest practical to the mearest practical to the mearest practical to the mearest practical to the mearest practical to the mearest practical to the mearest practical to the mearest practical to the mearest practical to the mearest practical to the mearest practical to the mearest practical to the mearest practical to the mearest practical to the mearest practical to the meanest practical to the mearest practical to the meanest pra	The cool	O O	O C	OOOOOOOOOOOOOOOOOOOOOOOOOOOOOOOOOOOOOO	Chant Reed Chant Reed Common Reed Common Reed PLOT COORI Pleafy Spurge PLOT COORI Pleafy Spurge PLOT COORI Pleafy Spurge PLOT COORI Pleafy Spurge PLOT COORI Pleafy Spurge PLOT COORI PLEAFY Spurge PLOT COORI PLEAFY Spurge PLOT COORI PLEAFY Spurge PLOT COORI PLEAFY Spurge PLOT COORI PLEAFY Spurge PLOT COORI PLEAFY Spurge PLOT COORI PLEAFY Spurge PLOT COMMENT PLEAFY SPURGE PLEAFY	O O O O O O O O O O O O O O O O O O O	O O O O O O O O O O O O O O O O O O O	O O O O O O O O O O O O O O O O O O O	rigick rute Weed Trefoil histle PS coordinates at the plot coordinates at the plot coordinates at the plot coordinate to accordinate to accor	Poison I-li M-A-bilM Bridafion Tanada
ffer Al in th	O O O O O O O O O O O O O O O O O O O	O O O O O O O	○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○<	Tamarisk Other: Other: Other: The Buffer Plot at the AA CEN The Buffer Plot at the AA CEN The Buffer Plot at the AA CEN The Buffer Plot at the AA CEN The Buffer Plot at the AA CEN This is important.	The cool	O O O O O O O O O O O O O O O O O O O	O O O O O O O O O O O O O O O O O O O	O O O O O O O O O O O O O O O O O O O	Perennial Pepperweed Clant Reed Cheatgrass Common Reed Common Reed PLOT COORI Plinates at the far end of each opriale bubble PLOT COORI Opticle Har end of each opticle bubble The far end of e	O O O O O O O O O O O O O O O O O O O	O O O O O O O O O O O O O O O O O O O	O O O O O O O O O O O O O O O O O O O	sinia siard milock rinte plot coordinate the plot coordinate to coordinates at the plot coordinates at the mile plot coordinate the plot coordinate the plot coordinate the plot coordinate the plot coordinate the plot coordinate	Giant Salvi Poison He Mile-A Mir Bridsfoot Brovide Gi Provide Gi Provide Gi Provide Gi Provide Gi Provide Gi
li in the	O O O O O O O O O O O O O O O O O O O	O O O O O O O O O O O O O O O O O O O	(a) (b) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c	Himalayan Blackbenry Tamarisk Other: Other: Other:	The cool	O O O O O O O O O O O O O O O O O O O	O O O O O O O O O O O O O O O O O O O	O O O O O O O O O O O O O O O O O O O	Japanèse Knotweed Geornial Pepperweed Cheatgrass Common Reed Common Reed Leafy Spurge Piot (#3) at the far end of each opriale bubble Piot (#3) at the far end of each opriale bubble Thick (#3) at the far end of each opriale bubble	O O O O O O O O O O O O O O O O O O O	O O O O O O O O O O O O O O O O O O O	O O O O O O O O O O O O O O O O O O O	ining. Heart ining. iniock. Tretoil Tretoil hiafle coordinates at the plot coordinates at the plot coordinates at the plot coordinate at the plot coordinate at the plot coordinate	Yeilow Flo Giant Salv Garlic Mis Pricen Flo Bridston Canada Teovide Gl Provide Gl Drovide Gl Hendrer Pl Teovide Gl
li in the	(O) (O) (O) (O) (O) (O) (O) (O) (O) (O)	pripripripripripripripripripripripriprip	●○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○<	Common Buckthorn Tamatayan Blackberry Other: Other: Other: TAMSECT This is important the Buffer Plot at the AA CEM Other:	The cool	O O O O O O O O O O O O O O O O O O O	O O O O O O O O O O O O O O O O O O O	O O O O O O O O O O O O O O O O O O O	Knotweed Lepennial Pepperweed Clant Reed Common Reed Common Reed Poor Spurge Poor Spurge Poor Spurge Poor Spurge Plot (#3) at the far end of eact Poor Spurge Plot (#3) at the far end of eact Poor Spurge Plot (#3) at the far end of eact part Reed Plot (#3) at the far end of eact part Reed Plot (#3) at the far end of eact part Reed Plot (#3) at the far end of eact part Reed	O O O O O O O O O O O O O O O O O O O	O O O O O O O O O O O O O O O O O O O	OOOOOOOOOOOOOOOOOOOOOOOOOOOOOOOOOOOOOO	initional desirt signal signa	Water hya Yeilow Flo Giant Salv Gartic Mite Poison Flo Mile-A Mir Bridsfoot Bridsfoot Toovide Gi Provide Gi
li in the	(a) (b) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c	D O O O O O O O O O O O O O O O O O O O	(a) (b) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c	Johnson Grass Kudzu Common Buckthorn Tamarisk Other:	The cool	O O O O O O O O O O O O O O O O O O O	O O O O O O O O O O O O O O O O O O O	O O O O O O O O O O O O O O O O O O O	Purple Looscafnite Anotweed Japanese Knotweed Gennial Pepperweed Cheatgrass Cheatgrass Common Reed Leafy Spurge Leafy Spurge Plot (#3) at the far end of each opriale bubble Poor (#3) at the far end of each poor (#3) at the far end of each opriale bubble The far end of each and why in the comment coordinates will indicate the loc	O O O O O O O O O O O O O O O O O O O	O O O O O O O O O O O O O O O O O O O	O O O O O O O O O O O O O O O O O O O	Matermilloil cinith saling Heart ing Meed Trefoil fresortinates at the plot coordinates at the plot coordinates at the plot coordinates at the plot coordinate a	Fursaian / Water hya Yellow Flo Giant Salv Giant Salv Poison Flo Mile-A Mir Bridston Canada T Canada T Provide Gil
il pe	(a) (b) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c	D O O O O O O O O O O O O O O O O O O O	●○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○<	Kudzu, Multiflora, Rose Common Buckthorn Tamansk Other: Other: Other: TRANSECT. This is important TRANSECT. The Buffer Plot at the AA CEM Other: TRANSECT. The Buffer Plot at the AA CEM TRANSECT.	The cool	O O O O O O O O O O O O O O O O O O O	O O O O O O O O O O O O O O O O O O O	O O O O O O O O O O O O O O O O O O O	Knotweed Lepennial Pepperweed Clant Reed Common Reed Common Reed Poor Spurge Poor Spurge Poor Spurge Poor Spurge Poor Spurge Plot (#3) at the far end of eact Poor Spurge Plot (#3) at the far end of eact Poor Spurge Plot (#3) at the far end of eact passes at the nearest practicable passes at the nearest practica	O O O O O O O O O O O O O O O O O O O	O O O O O O O O O O O O O O O O O O O	OOOOOOOOOOOOOOOOOOOOOOOOOOOOOOOOOOOOOO	initional desirt signal signa	Fursaian / Water hya Yellow Flo Giant Salv Giant Salv Poison Flo Mile-A Mir Bridston Canada T Canada T Provide Gil
The file in the fi	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	DO O O O O O O O O O O O O O O O O O O		Johnson Grass Kudzu Common Buckthorn Tamarisk Other:	Flag	MOI MOI MOI MOI MOI MOI MOI MOI MOI MOI	2 O O O O O O O O O O O O O O O O O O O	1 O O O O O O O O O O	Fill bubble if present - Plot Purple Loosestrite Japanese Knotweed Japanese Knotweed Gennial Pepperweed Common Reed Common Reed Leafy Spurge Leafy Spurge Plot (#3) at the far end of each opriale bubble Plot (#3) at the far end of each opriale bubble The far end of each opriale bubble The far end of each opriale bubble The far end of each opriale bubble The far end of each opriale bubble	Eriag O O O O O O O O O O O O O O O O O O	2 COOO	L L L L L L L L L L L L L L L L L L L	Matermilloll India Matermilloll India Matermilloll Mains Mand Mand Mand Mand Mand Mand Mand Mand	Fursaian / Water hya Yellow Flo Giant Salv Giant Salv Poison Flo Mile-A Mir Bridston Canada T Canada T Provide Gil
The filter in the in the	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	DO O O O O O O O O O O O O O O O O O O		Fill bubble if present - Plot Johnson Grass Kudzu Multiflera Rose Himalayan Blackbern Other: Other: Other: Other: Other: Other: Other: Other: Other: Other: Other: Other: Other: Other: Other: Other: Other: Other: Other:	Flag	MOI MOI MOI MOI MOI MOI MOI MOI MOI MOI	2 S O O O O O O O O O O O O O O O O O O	1 ball 1 ball 0 O O O O O O O O O O O O O O O O O O O	Fill bubble if present - Plot Purple Loosestrite Japanese Knotweed Japanese Knotweed Gennial Pepperweed Common Reed Common Reed Leafy Spurge Leafy Spurge Plot (#3) at the far end of each opriale bubble Plot (#3) at the far end of each opriale bubble The far end of each opriale bubble The far end of each opriale bubble	Eriag O O O O O O O O O O O O O O O O O O	2 COOO	L L L L L L L L L L L L L L L L L L L	Confirm: Matermilloil Matermilloil Matermilloil Milia	Fursaian / Water hya Yellow Flo Giant Salv Giant Salv Poison Flo Mile-A Mir Bridston Canada T Canada T Provide Gil
ar Ties Ties Ties Ties	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	DO O O O O O O O O O O O O O O O O O O		Fill bubble if present - Plot Johnson Grass Kudzu Multiflera Rose Common Buckflorn Tamarisk Other: Other	Flag	MOI MOI MOI MOI MOI MOI MOI MOI MOI MOI	2 S O O O O O O O O O O O O O O O O O O	1 O O O O O O O O O O	Fill bubble if present - Plot Purple Loosestrite Japanese Knotweed Japanese Knotweed Gennial Pepperweed Common Reed Common Reed Leafy Spurge Leafy Spurge Plot (#3) at the far end of each opriale bubble Plot (#3) at the far end of each opriale bubble The far end of each opriale bubble The far end of each opriale bubble	Eriag O O O O O O O O O O O O O O O O O O	2 COOO	L L L L L L L L L L L L L L L L L L L	Matermilloll India Matermilloll India Matermilloll Mains Mand Mand Mand Mand Mand Mand Mand Mand	Fursaian / Water hya Yellow Flo Giant Salv Giant Salv Poison Flo Mile-A Mir Bridston Canada T Canada T Provide Gil

GENERAL INFORMATION CLEVELAND METROPARKS Plant Community Assessment Program - Background Data Sheet Project Label: SAMPLING QUALITY* PLOT NOT SAMPLED: Plot No : Plot Name: bryo vascui b Very thorough Effort Level: TAXONOMIC ACCURACY n Accurate roject Name: Authority: TAXONOMIC STANDARD Hurried * Rales. Co-leader, Asse. Guide, Owner, Taxonomist etc. late (mm/dd/yyyy): nd date (if > 1 day): Level 4 (no nested corners sampled) Level 5 (nested corners sampled) high □ Paved □ Slope □ Safety PCAP modera. subjective evaluation of may still provide good sampling. Hurried plots how much effort put into Pub Date: Plot leader $Role^{i\epsilon \frac{\pi}{2}}$ low □ Other not smpl n/a 1998 State: ж П GPS location in plot x=0 to 5, y=-1,0,+1): □ Fuzz 100m □ Fuzz 250m □ Fuzz 500m Data Confidentiality: Reason: Check one: DPublic data DPrivate Data Landowner Plot size for cover data: O. CH Source of coordinates If data not public why? Local Place Names: Photo Nos.: Camera No.: <u> Depth: (1-5)</u> Stems present Plot size stems: 0.0 (ha) GPS File Name: Datum: NAD83/VGS84 = NAD27 ■ Lat/Long ⊂ UTM ⊃ StatePiane Coordinate system: Quadrangle: LOCATION atitude: 41.291196 ntensive modules: 2, 3, Stems not sampled on this plot I Stems absent loord. Accuracy: ongitude: *Definitions and values in CM PCAP FOM v. 1.0 and CVS Field Guide Other (specify) X-axis Bearing of plot: НО ((674 m of ⊏ MAP 2 th 21 County: 🖪 deg 🖸 deg min an of o Coord, Units ■ GPS 7.0 EDIT IF MODIFIED (hectares) ţ-↓famos. 2-19 module plot: content), Rationale (why here), and Veg Characterization (description of community □ Transect component = Systematic (grid) = Capture specific feature = Other NOTES: Include Layout (any unusual shape details). Location (directions and landscape GPS only Avec has lots of charps, very diverse. Point Retional - Point us difficult to find - No topo fectives Plot placement: Shrubs, S する エcリナトウィスタ dominants, strata, BROWSE). Additional notes in space on back Diagram © Plet engin \bigotimes GPS to ration \bigoplus photo taken. しりつびきょ もなみ 犬をひまながず ti. Ì o Representative o GRTS o Random o Stratified Random NR 15 of Plat is 1000 even of piles, West 3 score piet 3 tyssid aucombissing サイバス 大ないなのひ Ö ğ Page 1 of 2 Cloveland Metroparks Steament posts location of OVER ð



Minimum required fields in Bold and Underlined

CLEVELAND METROPARKS Plant Community Ass	Assessment Progra	essment Program - Background Data Shoot	Shoot			
Decree I show	O Y O O	יייי ביייה פוסיים על ביי	10000		Clareta Clareta	oparks
Trofect Laber.		Project Name:		Plot No.:		Page 2 of 2
CLASSIFICATION		STAND SIZE	DISTURBANCES	/5		
(FIT = excellent, good, fair, poor, CONF = high, med, low)	Fit and Confidence	□ >1,000 x plot size	type" severity**	vrs ago % of plot	ot description	
Hydrogeomorphic class (WETLANDS ONLY):		□ > 100 x plot size				
c DEPRESSION	Fit=Conf=	n 10-100 x plot size	Natural			
c IMPOUNDMENT c Beaver a Human	Fit= Conf=	□ 3-10 x plot size	Fire			
□ RIVERINE □ Headwater □ Mainstem □ Channel.	Fite Confe	o 1-3 x plot size	Cut			
C SLOPE (ground water hydrology or on a physical slope)	Fir Conf	□ < plot size	Anımal			
□ FRINGING □ Reservoir □ Natural Lake	FireConf=	DRAINAGE*	Other			
n COASTAL (specify subclass)	Fit— Conf	□ Excessively drained	**L=low, ML=med lov	v, M=med, MH=me	**L=low, ML=med low, M=ned, MH=med high, H=high, VH=very high	
g BOG (strongly, moderately, weekly ombrotrophic)	Fit= Conf=	□ Somewhat excessively	Current Land Use:			T
Ohio EPA VIBI Plant Community Class (WETLANDS ONLY)	\overline{NLY} :	□ Well drained	Former Land Use:			
□ FOREST □ swamp forest □ bog forest □ forest seep	Fit— Conf=	□ Moderately well dr.	HYDROLOGIC REGIME*	REGIME*		
⊏ EMERGENT ⊑ marsh □ wet meadow ⊆ open bog	FirConf	п Somewhat poorly dr.	□ Upland (seldom flooded)	led)	n Intermittently flooded	
o SARUB o shrub swamp o tall sh. bog o tall sh. fen	Fir Conf	ם Very poorly dr.	□ Intermittentily/seasonally saturated	ally saturated	⊐ Seminermanend∨ flooded	
MODIFIED NATURESERVE CLASS*		🖸 Impermeable surface	(seldom flooded)		G Permanently flooded	
CODE (on separate form):	Fit=Conf=	SALINITY*	© Permanently/Semipermanent, saturated	manent. saturated	☐ Tidal/Seiche flooded daily	
COMMUNITY NAME:		□ Saltwater	(dry <1/yr, seldom flooded)	ooded)	Tidal/Seiche flooded monthly	
7.00 - 1.0		□ Brackish	☐ Occasionally flooded (<1/yr)	(<1/yr)	∵ Tidal/Seiche flooded irregular	
LANDFORM TYPE*;		a Fresh	☐ Temporarily flooded		(e.g. wind, storms)	
		⊂ Upland (n/a)			п Unknown	
HOMOGENEITY	Additional notes & diag	Additional notes & diagrams: (Representativeness of plot to the stand, successional status, maturity, etc.)	of plot to the stand, succ	essional status, man	urity, etc.)	
E Homogeneous						·
a Compositional trend across the plot						•
ជា Conspicuous inclusions	<u></u>					
= Irregular/pattern mosato			٠			
				•		
						·





SEE ARUT MRKING

Grand ma - Write in Notes

No casy way to this one Polks. Park at Royal view and follow the GPS.

Might be able to ask a Drake Rd Restrent to cross ...

Nosty post tell of Houston and Grass
Recieves = 7,3 on the Brendon Plot Unpleasenthess scale

