


GENERAL INFORMATION				LOCATION	
Project Label:	PCAP			State:	OH
Project Name:	01/3/2012			County:	Cuy
Plot Name:	Steepness			Quadrangle:	North Field
Plot No.:	1285			Local Place Names:	
<input type="checkbox"/> Level 4 (no nested corners sampled) <input checked="" type="checkbox"/> Level 5 (nested corners sampled)				Landowner:	
Date (mm/dd/yyyy): 8/30/2012 End date (if > 1 day): / /				Data Confidentiality:	<input type="checkbox"/> Public data <input type="checkbox"/> Private Data
Party: Z. Burton Role: Plot leader S. Catolla				Check one:	<input type="checkbox"/> Fuzz 100m <input type="checkbox"/> Fuzz 250m <input type="checkbox"/> Fuzz 500m
Reason:					
If data not public why?					
Source of coordinates:				<input type="checkbox"/> MAP <input checked="" type="checkbox"/> GPS	
Coordinate system:				<input checked="" type="checkbox"/> Lat/Long UTM <input type="checkbox"/> StatePlane <input type="checkbox"/> Other (specify):	
Datum:				<input checked="" type="checkbox"/> NAD83/WGS84 <input type="checkbox"/> NAD27	
GPS location in plot x=0 to 5, y=-1, 0, +1:					
x = y = (base of plot x=0, y=0)					
Latitude: 41.2927265					
Longitude: 81.5848691					
Coord. Accuracy: m ft				+ -	
GPS File Name:					
Plot size for cover data: 0.1 (hectares)					
X-axis Bearing of plot: 0°					
Depth: (1-5):					
Intensive modules: 2, 3, 8, 9				(EDIT IF MODIFIED)	
Camera No.: 4					
Photo Nos.: 0267					
Plot placement:				<input type="checkbox"/> GRTS <input type="checkbox"/> Representative <input type="checkbox"/> Random <input type="checkbox"/> Stratified Random <input type="checkbox"/> Transect component <input type="checkbox"/> Systematic (grid) <input type="checkbox"/> Capture specific feature <input type="checkbox"/> Other	

TAXONOMIC ACCURACY	
high	modera.
low	not simpl
vascul.	n/a
bryo	
lichen	

TAXONOMIC STANDARD	
Authority:	G&C Pub Date: 1998

Minimum required fields in Bold and Underlined



NOTES: Include Layout (any unusual shape details), Location (directions and landscape content), Rationale (why here), and Veg Characterization (description of community, dominants, strata, BROWSE). Additional notes in space on back.

Plot could not be sampled because of slope

Veg. char: Quercus alba, Quercus rubra, Sassafras albidum, Fraxinus sp., Hamamelis virginiana, Cornus canadensis, Fagus grandifolia, Carex sp.

OVER

Project Label: PCAPProject Name: 1085 01B62012Plot No.: 1285

Page 2 of 2

MODIFIED NATURERESERVE CLASS*

CODE (on separate form):

Fit= G Conf= HD

COMMUNITY NAME:

Mixed

HOMOGENEITY

☒ Homogeneous☐ Compositional trend across the plot☐ Conspicuous inclusions ☐ Irregular/pattern mosaic

HYDROLOGIC REGIME*

☒ Upland (seldom flooded)

SALINITY*

☐ Saltwater☐ Brackish☐ Fresh☐ Upland (n/a)☐ Intermittently/seasonally saturated (seldom flooded)☐ Permanently/Semipermanent, saturated (dry <1/yr, seldom flooded)☐ Occasionally flooded (<1/yr)☐ Temporarily flooded☐ Intermittently flooded☐ Semipermanently flooded☐ Permanently flooded☐ Tidal/Seiche flooded daily☐ Tidal/Seiche flooded monthly☐ Tidal/Seiche flooded irregular (e.g. wind, storms)☐ Unknown☐ Unknown☐ Unknown☐ Unknown☐ Unknown☐ Unknown☐ Unknown☐ Unknown

Additional notes & diagrams: (Representativeness of plot to the stand, successional status, maturity, etc.)

Stand SRZ - 1060 700landform: end moraineDrainage: moderately well drained

DISTURBANCES

type*	severity**	yrs ago	% of plot	description
Human				
Natural				
Fire				
Cut				
Animal				
Other				


**L=low, ML=med low, M=med, MH=med high, H=high, VH=very high

Current Land Use:

Former Land Use:


EXAMPLES OF PERCENT OF AREA COVERED

The following graphic can be used for various data elements to convey "Amount" or "Quantity". **NOTE:** Within any given box, each quadrant contains the same total area covered, just different sized objects.



cover class	% cover	midpoint
1	solitary or few	0.0001
2	0-1%	0.005
3	1-2%	0.015
4	2-5%	0.035
5	5-10%	0.075
6	10-25%	0.175
7	25-50%	0.375
8	50-75%	0.625
9	75-95%	0.850
10	95-100%	0.975

Nested Corners



BROWSE RATING NARRATIVE DESCRIPTION

LOW OR NONE: there is no measurable browse line AND there are very few or no plants 1-m nested quadrat and intensive module. In general, low values relate to less than 10 percent, by numbers of stems browsed.


MEDIUM LOW: values include evidence of browse at about 10 percent of the stems with no significant impact to plant reproduction evident. In this rating, plants are browsed but preferential species are observed to be reproducing in numbers that appear normal or near-normal in comparison to low browse areas. For example, trilliums may flower and fruit, but jewelweed and arrowwood viburnum exhibit browse.

MEDIUM: browse affects greater than 10 percent and less than 25 percent of stems in the 1 m2 nested quadrat and intensive module. A browse line is usually not evident or obvious for all classes and species of vegetation, but careful examination may show preferential browse and/or browse lines for some species of plants.

MEDIUM HIGH: values include evidence of a browse line and 25 percent of stems browsed with very little vegetation regeneration evident. In this rating, for some species of plants, reproduction does not appear to occur or it is very severely limited.

HIGH: greater than 25 percent of the stems of plants in the 1 m2 nested quadrat and intensive module AND a browse line is evident.

VERY HIGH: values include extensive browse conditions, where the browse line is very evident AND almost all seedlings and herbs are severely browsed or missing. Browse line may be 5 to 6 feet in height with no or little green growth beneath.



KEY:	Plot Origin	Module Number	Corner Number	Tape
●	Post	2	Intensive Corner	—