

CLEVELAND METROPARKS Plant Community Assessment Program: Quality Control Form



Project Label:

PCAP

Plot No:

1368

Date Sampled:

7-22-13

Lead:

Lance

Parking/Access outside of Park Boundaries:		Y	N	Comment required if item answer is NO
Field journals completed		<input checked="" type="radio"/>	<input type="radio"/>	
Site sketch made on 1:3000 map?		<input checked="" type="radio"/>	<input type="radio"/>	
Check cover page	X-axis Bearing of plot recorded	<input checked="" type="radio"/>	<input type="radio"/>	
	GPS coords Recorded	<input checked="" type="radio"/>	<input type="radio"/>	
	North direction recorded	<input checked="" type="radio"/>	<input type="radio"/>	
	Photographs taken?	<input checked="" type="radio"/>	<input type="radio"/>	
Plot No., Date agreement on all pages?		<input checked="" type="radio"/>	<input type="radio"/>	
Header data completed all pages?		<input checked="" type="radio"/>	<input type="radio"/>	
Cover classes recorded in all Intensive modules		<input checked="" type="radio"/>	<input type="radio"/>	
Browse Level By Species		<input checked="" type="radio"/>	<input type="radio"/>	
Woody stem quality control check		<input checked="" type="radio"/>	<input type="radio"/>	
Invasive plant quality control check		<input checked="" type="radio"/>	<input type="radio"/>	
Ash trees mapped		<input type="radio"/>	<input type="radio"/>	NONE IN INTENSIVES
Cover by Strata? (confirm cover type)		<input checked="" type="radio"/>	<input type="radio"/>	
Soil samples collected with matching plot #.		<input checked="" type="radio"/>	<input type="radio"/>	
Vouchers labeled on datasheet with initials and number		<input checked="" type="radio"/>	<input type="radio"/>	
Vouchers labeled on collection bag		<input checked="" type="radio"/>	<input type="radio"/>	
Pink flags removed		<input type="radio"/>	<input checked="" type="radio"/>	Do Not Remove Flags
Data sheet QA before leaving site?		<input checked="" type="radio"/>	<input type="radio"/>	
Common equipment returned to tub.		<input checked="" type="radio"/>	<input type="radio"/>	
Data sheets scanned?				9-3-13 Enter date to left CL
Final data sheets scanned?				Enter date to left
Buffer Widths measured?		<input checked="" type="radio"/>	<input type="radio"/>	B3 6-28-13
Web Soil Survey		<input checked="" type="radio"/>	<input type="radio"/>	CL 8-30
Voucher Location	Refrigerator	<input checked="" type="radio"/>	<input type="radio"/>	
(# vouchers collected)	Press (#)			Enter number to left
	Drier	<input type="radio"/>	<input type="radio"/>	
	Identified	<input type="radio"/>	<input type="radio"/>	
	Mounted	<input type="radio"/>	<input type="radio"/>	
	Thrown away	<input type="radio"/>	<input type="radio"/>	

**GRTS point verification: Is plot sampleable?**


<input checked="" type="checkbox"/> Yes	Original GRTS point is sampleable
<input type="checkbox"/> No	Original GRTS point lands in a non-sampleable area (fill in category below)
	<input type="checkbox"/> Point falls in a water (i.e. river, lake)
	<input type="checkbox"/> Managed mowed area (i.e. golf course, picnic area, right-of-way)
	<input type="checkbox"/> Paved area (i.e. parkinglot, road)
	<input type="checkbox"/> Unsafe to sample (i.e. steep slope)
	<input type="checkbox"/> Other

Additional Comments:



# CLEVELAND METROPARKS Plant Community Assessment Program - Background Data Sheet

SW & SE



Page 1 of 2

## GENERAL INFORMATION

Project Label: PCAP

Project Name: 01 SC 2013

Plot Name:

Like the Lycopodium

Plot No.: 1368

☐ Level 4 (no nested corners sampled)

☒ Level 5 (nested corners sampled)

Date (mm/dd/yyyy): 07/22/2013

End date (if > 1 day): / /

Party

A. Lance

Role\*\*

T. Lacerda

Plot leader

C. DeLone

Woody Crew

R. Chesla

Woody Crew

\*\* Roles: Co-leader, Asst. Guide, Owner, Taxonomist, etc.

PLOT NOT SAMPLED:

☐ Other

☐ Perm. water ☐ Paved ☐ Slope ☐ Safety

## SAMPLING QUALITY\*

Effort Level:

☒ Very thorough

☐ Accurate

☐ Hurried

subjective evaluation of how much effort put into sampling. Hurried plots may still provide good data

## TAXONOMIC ACCURACY

☒ high

☐ modera

☐ low

☐ not snpl

☐ bryo

☐ lichen

## TAXONOMIC STANDARD

Authority:

G&C

Pub Date:

1998

Minimum required fields in Bold and Underlined

## LOCATION

State: OH

County: Cuyahoga

Quadrangle:

Local Place Names:

Squaw Rock Picnic Area

Landowner: CMP

Data Confidentiality:

Check one: ☒ Public data ☐ Private Data

☐ Fuzz 100m ☐ Fuzz 250m ☐ Fuzz 500m

Reason:

If data not public why?

Source of coordinates: ☐ MAP ☒ GPS

Coordinate system:

☒ Lat/Long ☐ UTM ☐ StatePlane

☐ Other (specify)

Datum: ☒ NAD83/WGS84 ☐ NAD27

GPS location in plot x=0 to 5, y=-1.0,+1):

x = 0 y = 0 (base of plot x=0, y=0)

Latitude: 41.41461

Longitude: 81.41781

Coord. Accuracy: ☐ m ☐ ft

GPS File Name: 1368A

Plot size for cover data: 0.1 (hectares)

X-axis Bearing of plot: 184°

Depth: (1-5): 4

Intensive modules: 2, 3, 8, 9 (EDIT IF MODIFIED)

Camera No.: 4


Photo Nos.: 485, 486

Plot placement: ☒ GRTS ☐ Representative

☐ Random ☐ Stratified Random ☐ Transect component

☐ Systematic (grid) ☐ Capture specific feature ☐ Other

\* Definitions and values in CM PCAP FOM v. 1.0 and CVS Field Guide



NOTES: include Layout (any unusual shape details), Location (directions and landscape content), Rationale (why here), and Veg Characterization (description of community, dominants, strata, BROWSE). Additional notes in space on back.

Layout - 2x5

Location - Park at Squaw Rock Picnic Area. Walk approx. 250 m SW, cross a small creek, up a small slope.

Rationale - GRTS point

Veg. Characteristics - A diverse plot.

Dominant canopy trees include red maple, red oak, sweet birch, and white oak. Beech is very abundant in the shrub layer. Herbaceous layer included 7 different sedge species, *Parnassia* sp., *Partridgeberry*, common.

OVER



CLEVELAND METROPARKS Plant Community Assessment Program - Background Data Sheet

Plot No.: 1368 Project Name: 01 SC 2013

Project Label: PCAP

MODIFIED NATURESERVE CLASS\*

CODE (on separate form): D Fit= Conf=

COMMUNITY NAME: Mixed Forest

HOMOGENEITY

☒ Homogeneous ☐ Compositional trend across the plot

☒ Conspicuous inclusions ☐ Irregular/pattern mosaic

DISTURBANCES

type*	severity**	yrs ago	% of plot	description
Human	ML	0	100%	trash, camp fire remnant
Natural				
Fire				
Cut				
Animal	M	0	100%	house
Other				

\*\*L=low, ML=med low, M=med, MH=med high, H=high, VH=very high

Current Land Use: Park

Former Land Use: Unknown

HYDROLOGIC REGIME\*

☒ Upland (seldom flooded) ☐ Intermittently flooded

☐ Intermittently/seasonally saturated ☐ Semipermanently flooded

(seldom flooded) ☐ Permanently flooded

☐ Permanently/Semipermanent, saturated ☐ Tidal/Seiche flooded daily

(dry <1/yr, seldom flooded) ☐ Tidal/Seiche flooded monthly

☐ Occasionally flooded (<1/yr) ☐ Tidal/Seiche flooded irregular

☐ Temporarily flooded (e.g. wind, storms)

☐ Unknown

SALINITY\*

☐ Saltwater

☐ Brackish

☐ Fresh

☒ Upland (n/a)

(by default unless plot is a wetland)

Additional notes & diagrams: (Representativeness of plot to the stand, successional status, maturity, etc.)


speedwell, Canada mayflower, and a large clump of New York fern. Remnants of buildings can be found near the plot baseline. A campfire was evident in module 6. \*Lycopodium sp. was also present in module 3.






# EXAMPLES OF PERCENT OF AREA COVERED

The following graphic can be used for various data elements to convey "Amount" or "Quantity". NOTE: Within any given box, each quadrant contains the same total area covered, just different sized objects.



cover class	% cover	midpoint
1	solitary or few	0.0001
2	0-1%	0.005
3	1-2%	0.015
4	2-5%	0.035
5	5-10%	0.075
6	10-25%	0.175
7	25-50%	0.375
8	50-75%	0.625
9	75-95%	0.850
10	95-100%	0.975

## Nested Corners



## BROWSE RATING NARRATIVE DESCRIPTION



**LOW OR NONE:** there is no measurable browse line AND there are very few or no plants 1-m nested quadrat and intensive module. In general, low values relate to less than 10 percent, by numbers of stems browsed at **MEDIUM LOW** values include evidence of browse at about 10 percent of the stems with no significant impact to plant reproduction evident. In this rating, plants are browsed but preferential species are observed to be reproducing in numbers that appear normal or near-normal in comparison to low browse areas. For example, trilliums may flower and fruit, but jewelweed and arrowwood viburnum exhibit browse.

**MEDIUM:** browse affects greater than 10 percent and less than 25 percent of stems in the 1 m2 nested quadrat and intensive module. A browse line is usually not evident or obvious for all classes and species of vegetation, but careful examination may show preferential browse and/or browse lines for some species of plants.

**MEDIUM HIGH** values include evidence of a browse line and 25 percent of stems browsed with very little vegetation regeneration evident. In this rating, for some species of plants, reproduction does not appear to occur or it is very severely limited.

**HIGH:** greater than 25 percent of the stems of plants in the 1 m2 nested quadrat and intensive module AND a browse line is evident.

**VERY HIGH** values include extensive browse conditions, where the browse line is very evident AND almost all seedlings and herbs are severely browsed or missing. Browse line may be 5 to 6 feet in height with no or little green growth beneath.










# EXAMPLES OF PERCENT OF AREA COVERED

The following graphic can be used for various data elements to convey "Amount" or "Quantity". NOTE: Within any given box, each quadrant contains the same total area covered, just different sized objects.



cover class	% cover	midpoint
1	solitary or few	0.0001
2	0-1%	0.005
3	1-2%	0.015
4	2-5%	0.035
5	5-10%	0.075
6	10-25%	0.175
7	25-50%	0.375
8	50-75%	0.625
9	75-95%	0.850
10	95-100%	0.975

## Nested Corners



**BROWSE RATING NARRATIVE DESCRIPTION**

**LOW OR NONE:** there is no measurable browse line AND there are very few or no plants 1-m nested quadrat and intensive module. In general, low values relate to less than 10 percent, by numbers of stems browsed. **MEDIUM LOW** values include evidence of browse at about 10 percent of the stems with no significant impact to plant reproduction evident. In this rating, plants are browsed but preferential species are observed to be reproducing in numbers that appear normal or near-normal in comparison to low browse areas. For example, trilliums may flower and fruit, but jewelweed and arrowwood viburnum exhibit browse.

**MEDIUM:** browse affects greater than 10 percent and less than 25 percent of stems in the 1 m2 nested quadrat and intensive module. A browse line is usually not evident or obvious for all classes and species of vegetation, but careful examination may show preferential browse and/or browse lines for some species of plants.

**MEDIUM HIGH** values include evidence of a browse line and 25 percent of stems browsed with very little vegetation regeneration evident. In this rating, for some species of plants, reproduction does not appear to occur or it is very severely limited.

**HIGH:** greater than 25 percent of the stems of plants in the 1 m2 nested quadrat and intensive module AND a browse line is evident

**VERY HIGH** values include extensive browse conditions, where the browse line is very evident AND almost all seedlings and herbs are severely browsed or missing. Browse line may be 5 to 6 feet in height with no or little green growth beneath.



## Page 3 of 3

Plot no.: 1368

Plot area (ha): 1.1



## Cleveland Metroparks


**Br = Browse Level. Use cover classes to describe amount of browse per species over entire plot**

Strata - Cov. entire plot

[illegible]


# EXAMPLES OF PERCENT OF AREA COVERED

The following graphic can be used for various data elements to convey "Amount" or "Quantity". NOTE: Within any given box, each quadrant contains the same total area covered, just different sized objects.



cover class	% cover	mid point
1	solitary or few	0.0001
2	0-1%	0.005
3	1-2%	0.015
4	2-5%	0.035
5	5-10%	0.075
6	10-25%	0.175
7	25-50%	0.375
8	50-75%	0.625
9	75-95%	0.850
10	95-100%	0.975

## Nested Corners



## BROWSE RATING NARRATIVE DESCRIPTION

**LOW OR NONE:** there is no measurable browse line AND there are very few or no plants 1-m nested quadrat and intensive module. In general, low values relate to less than 10 percent, by numbers of stems browsed.



**MEDIUM LOW** values include evidence of browse at about 10 percent of the stems with no significant impact to plant reproduction evident. In this rating, plants are browsed but preferential species are observed to be reproducing in numbers that appear normal or near-normal in comparison to low browse areas. For example, trilliums may flower and fruit, but jewelweed and arrowwood viburnum exhibit browse.

**MEDIUM:** browse affects greater than 10 percent and less than 25 percent of stems in the 1 m2 nested quadrat and intensive module. A browse line is usually not evident or obvious for all classes and species of vegetation, but careful examination may show preferential browse and/or browse lines for some species of plants.

**MEDIUM HIGH** values include evidence of a browse line and 25 percent of stems browsed with very little vegetation regeneration evident. In this rating, for some species of plants, reproduction does not appear to occur or it is very severely limited.

**HIGH:** greater than 25 percent of the stems of plants in the 1 m2 nested quadrat and intensive module AND a browse line is evident.

**VERY HIGH** values include extensive browse conditions, where the browse line is very evident AND almost all seedlings and herbs are severely browsed or missing. Browse line may be 5 to 6 feet in height with no or little green growth beneath.



# CLEVELAND METROPARKS Plant Community Assessment Program Natural Woody Stem Data Sheet

Project Label: PCAP

Project Name: OSC2013

Plot No.: 138

Page: 1

of

3 Cleveland Metro. Parks

Explain subsample (additional room on back):

mod #	species	c	voucher#	# stems 0-1.4m or super sample	% sub shrubs clumps	size class (cm) woody stems >1.4m										
						1	2	3	4	5	6	7	8	9	10	11
						0-1	1-2.5	2.5-5	5-10	10-15	15-20	20-25	25-30	30-35	35-40	>40 (record each tree)
1	Standing dead															
1	Betula penta															
1	Hamamelis virginiana															
1	Fagus grandifolia															
1	Lindera benzoin															
1	Acer saccharum															
2	Acer saccharum															
2	Fagus grandifolia															
2	Acer rubrum															
2	Pinus															
2	Ostrya virginiana															
2	Quercus rubra															
2	Standing dead															
2	Lindera benzoin															
3	Carpinus caroliniana															
3	Fagus grandifolia															
3	Standing dead															
3	Quercus rubra															
3	Betula lenta															
3	Citrus sp															
3	Carya ovata															
3	Acer rubrum															
4	Standing dead															

3aCM PCAP Natural Woody Stem Data Sheet ver 2.0.xls last revised 5/29/2012 jlm

Natural Resources Management FORM NR/2010-03a


56.5  
40.5  
52.8  
52.2

back then  
browse

Plot 138



### DBH Measurement Rules



### Woody Stem Deer Browse

Record the number of stems/plants between 0.5-1.0 meters tall that exhibit evidence of this years deer browse.

Record using the tally system from 1 to 10



1



2



3



4



5

### ASH CANOPY CONDITION

1. **Healthy, full canopy:** A healthy ash canopy is normally thinner than many other trees such as maple.
2. **Thinning canopy:** There aren't as many leaves as there ought to be, but all top branches exposed to sunlight have leaves.
3. **Dieback:** Canopy is thinning and some top branches exposed to sunlight are dead (have no leaves). Lower branches, not exposed to sunlight, die naturally and are not considered.
4. **>50% Dieback:** The canopy has less than half of the leaves that should be there and/or half of the top branches are dead.
5. **Dead canopy:** No leaves remain in the canopy portion of the tree. It still counts as a 5 even if there are epicormic sprouts below the canopy (lowest branch) on the trunk.



A

B

C

D

E

### ASH CANOPY BREAKUP CONDITION (for dead trees):

(if an ash receives a score of 5 (dead) under canopy condition it must also receive a breakup condition rank as described below)

- A: All main branches contain fine twigs (newly dead).
- B: Over 50% of main branches have fine twigs.
- C: Less than 50% of main branches have fine twigs.
- D: Stem still standing and tertiary main branches present.
- E: Central stem still standing.

# CLEVELAND METROPARKS Plant Community Assessment Program Natural Woody Stem Data Sheet

Project Label: PCAP

Project Name: 01SC2013

Plot No.: 1368

Page: 2

of



Explain subsample (additional room on back):


mod #	species	c	voucher#	# stems 0-1.4m browsed	% sub or super sample	# shrub clumps	size class (cm) woody stems > 1.4m												
							1	2	3	4	5	6	7	8	9	10	11		
							0-1	1-2.5	2.5-5	5-10	10-15	15-20	20-25	25-30	30-35	35-40	>40 (record each tree)		
4	Fagus grandifolia						..												
5	Fragaria sp.																		
5	Fagus grandifolia						..												
5	Acer rubrum																		
5	Quercus rubra																		
5	Pinus strobus																		
5	Carpinus caroliniana																		
6	Standing dead																		
6	Quercus rubra																		
6	Carpinus caroliniana																		
6	Fagus grandifolia						..												
6	Pinus strobus																		
6	Acer rubrum																		
6	Rosa multiflora																		
6	Bartholomaeus quinquefolia																		
7	Fagus grandifolia						..												
7	Acer rubrum																		
7	Acer saccharum																		
7	Standing dead																		
7	Carya alata																		
7	Carpinus caroliniana																		
7	Ulmus acerifolius																		
8	Fagus grandifolia						..												
8	Standing dead																		

57.8

64.6

59.4

### DBH Measurement Rules



### Woody Stem Deer Browse

Record the number of stems/plants between 0.5-1.0 meters tall that exhibit evidence of this years deer browse.

Record using the tally system from 1 to 10



1



2



3



4



5

### ASH CANOPY CONDITION

- 1. Healthy, full canopy:** A healthy ash canopy is normally thinner than many other trees such as maple.
- 2. Thinning canopy:** There aren't as many leaves as there ought to be, but all top branches exposed to sunlight have leaves.
- 3. Dieback:** Canopy is thinning and some top branches exposed to sunlight are dead (have no leaves). Lower branches, not exposed to sunlight, die naturally and are not considered.
- 4. >50% Dieback:** The canopy has less than half of the leaves that should be there and/or half of the top branches are dead.
- 5. Dead canopy:** No leaves remain in the canopy portion of the tree. It still counts as a 5 even if there are epicormic sprouts below the canopy (lowest branch) on the trunk.



A

B

C

D

E

### ASH CANOPY BREAKUP CONDITION (for dead trees):

(If an ash receives a score of 5 (dead) under canopy condition it must also receive a breakup condition rank as described below)

- All main branches contain fine twigs (newly dead).
- Over 50% of main branches have fine twigs.
- Less than 50% of main branches have fine twigs.
- Stem still standing and tertiary main branches present.
- Central stem still standing.




**Glennland Motors**

Page: 3 of

⑤ Glenelg Meadows

**Natural Resources Management FORM NR/2010-03a**


## DBH Measurement Rules



## Woody Stem Deer Browse

Record the number of stems/plants between 0.5-1.0 meters tall that exhibit evidence of this years deer browse.

Record using the tally system from 1 to 10



1



2



3



4



5

## ASH CANOPY CONDITION

- Healthy, full canopy:** A healthy ash canopy is normally thinner than many other trees such as maple.
- Thinning canopy:** There aren't as many leaves as there ought to be, but all top branches exposed to sunlight have leaves.
- Dieback:** Canopy is thinning and some top branches exposed to sunlight are dead (have no leaves). Lower branches, not exposed to sunlight, die naturally and are not considered.
- >50% Dieback:** The canopy has less than half of the leaves that should be there and/or half of the top branches are dead.
- Dead canopy:** No leaves remain in the canopy portion of the tree. It still counts as a 5 even if there are epicormic sprouts below the canopy (lowest branch) on the trunk.



A

B

C

D

E

## ASH CANOPY BREAKUP CONDITION (for dead trees):

(If an ash receives a score of 5 (dead) under canopy condition it must also receive a breakup condition rank as described below)

- All main branches contain fine twigs (newly dead).
- Over 50% of main branches have fine twigs.
- Less than 50% of main branches have fine twigs.
- Stem still standing and tertiary main branches present.
- Central stem still standing.

Project Label: PCAP

Project Name: DISC2013

INTENSIVE MODULES ONLY

TREES ≥ 10CM ONLY

Page: 1 of 2


Plot No.: 1368

Date: 7/22/13

Tree ID	Species	Dead	c	Voucher #	DBH (cm)	Ht @ DBH	Ash condition	Dead condition	# Exit holes	Epilcomic present	Woodpecker holes
1	WASTE										
2											
3											
4											
5											
6											
7											
8											
9											
10											
11											
12											
13											
14											
15											
16											
17											
18											
19											
20											
21											
22											
23											
24											
25											

\* If Ash Condition scores 5 (dead) provide breakup score (A-E)  
Count EAB exit holes 1.25m<sup>2</sup> x 21.5m  
Woodpecker and epicornic marked present (1) or absent (0)

Baseline



\*\*\* Change intensive module numbers when necessary

Map all ash trees ≥ 10cm in each module using Tree ID number



CLEVELAND METROPARKS Plant Community Assessment Program: Invasive Species Survey



Tier 1: Early detection/ Rapid response		Presence				GPS	Presence X: yes
		NE	SE	SW	NW		
Microstegium vimineum	Japanese stiltgrass						
Ranunculus ficaria	Lesser Celandine						
Cynanchum louiseae (vine)	Black Swallow-wort						
Butomus umbellatus (wetland)	Flowering Rush						
Heracleum mantegazzianum	Giant Hogweed						
Tier 2: Assess as Needed		# of Plants				comments	# of Plants 1: 1-10 2: 11-50. 3: 51-100 4: 101-1,000 5: >1,000
		NE	SE	SW	NW		
Acer platanoides	Norway Maple						
Ailanthus altissima	Tree of Heaven						
Lonicera japonica (vine)	Japanese Honeysuckle						
Lythrum salicaria (wetland)	Purple Loosestrife						
Aegopodium podagraria (G-cover)	Bishop's Goutweed						
Celastrus orbiculatus (vine)	Asian Bittersweet						
Torilis sp.	Hedgeparsley						
Conium maculatum	Poison Hemlock						
Rhamnus cathartica	Common Buckthorn (shrub)						
Berberis thunbergii	Japanese Barberry (shrub)	2			2		
Alnus glutinosa	European Alder						
Dipsacus laciniatus	Cut-leaf Teasel						
Elaeagnus umbellata	Autumn Olive (shrub)						
Lonicera maackii	Amur Honeysuckle (shrub)						
Euonymus fortunei	Wintercreeper						
Tier 3: Presence is of Interest		# of Plants				comments	# of Plants 1: 1-10 2: 11-50. 3: 51-100 4: 101-1,000 5: >1,000
		NE	SE	SW	NW		
Convallaria majalis (G-cover)	Lily of the Valley						
Coronilla varia (G-cover)	Crown Vetch						
Eleutherococcus pentaphyllus	Five-leaf Aralia (shrub)						
Pachysandra terminalis (G-cover)	Japanese Pachysandra						
Philadelphus coronarius	Mock Orange (shrub)						
Pulmonaria officinalis (G-cover)	Lungwort						
Rubus phoenicolasius	Wineberry						
Iris pseudacorus (wetland)	Yellow Flag Iris						
Ornithogalum umbellatum	Star of Bethlehem						
Viburnum opulus var. opulus	European Cranberry (shrub)						
Viburnum plicatum	Doublefile Viburnum (shrub)						
Tier 4: Widespread and abundant		Presence				comments	# of Plants 1: 1-10 2: 11-50. 3: 51-100 4: 101-1,000 5: >1,000
		NE	SE	SW	NW		
Alliaria petiolata	Garlic Mustard						
Ligustrum vulgare	Common Privet (shrub)				2		
L. morrowii, L. tatarica	Bush Honeysuckles (shrub)						
Phalaris arundinacea	Reed Canarygrass						
Phragmites australis (wetland)	Phragmites						
Polygonum cuspidatum	Japanese Knotweed						
Frangula alnus	Glossy Buckthorn (shrub)		1	1			
Rosa multiflora	Multiflora Rose (shrub)	1	3	1	1		
Typha angustifolia, T. x.glauca	Cattails (wetland)						
Cirsium arvense	Canada thistle						
Dipsacus fullonum	Common Teasel						
Hesperis matronalis	Dame's Rocket						
Vinca minor (G-cover)	Periwinkle						

Note: For Ground-cover plants record "stem #" but in comment field describe # of colonies and patch size (S,M, L)

Project Label: PCAP

Project Name: OISC 2013

Plot No.: 1368

STANDING BIOMASS (required for emergent wetlands) collected in 0.1m clip plots (32x32 cm) from corners 1 and 3 in each intensive module. Required for VIBI-E score calculation. C' = check when collected

Module #	C7	Corner	Corner

# CLASSIFICATION

(ILL = excellent, g Fit and Confidence)

## Hydrogeomorphic class (WETLANDS ONLY):

- ☐ DEPRESSION  
☐ IMPONDMENT ☐ Beaver ☐ Human  
☐ RIVERINE ☐ Headwater ☐ Mainstem ☐ Channel  
☐ SLOPE (ground water discharge or on a physical slope)  
☐ FRINGING ☐ Reservoir ☐ Natural Lake  
☐ COASTAL (specify subclass)  
☐ BOG (strongly, moderately, weakly ombrotrophic)

## Ohio EPA VIBI Plant Community Class (WETLANDS ONLY):

- ☐ FOREST ☐ Swamp forest ☐ bog forest ☐ forest seep  
☐ EMERGENT ☐ marsh ☐ wet meadow ☐ open bog  
☐ SHRUB ☐ shrub swamp ☐ tall sh. bog ☐ tall sh. fen

## MICROTOPOGRAPHIC FEATURE COUNTS - Intensive modules only

Ranks for microhabitat features. Select one or select two and average the score. NOTE: If mod falls on a slope automatically gets ranked based on steepness (1-3) to begin + any features present

- Slope 1 = slight elevational grade across module (ft)  
 Slope 2 = falls on slope -20°  
 Slope 3 = maximum steepness that can be safely sampled -45°  
 0 feature is absent or functionally absent from the wetland  
 3 feature is present in the wetland in very small amounts or if more common, of low quality  
 7 feature is present in moderate amounts, but not of highest quality, or in small amounts of highest quality  
 10 feature is present in moderate or greater amounts and of highest quality

C.W.D. - count for pieces with minimum 1m length									
mod#	corner	no. of tussocks	no. of hummocks	no. macro. depressions	C.W.D. (2-12 cm)	C.W.D. (12-40cm)	C.W.D. >40 cm	microhab. interspers.	microhab.
		depth 3 1x1m (count)	uplands (TTP-Lps) depth 2 3.16x3.16m (count)	depth 1 10x10m (count)	depth 1 10x10m (count)	depth 1 10x10m (count)	depth 1 10x10m (count)	depth 1 10x10m (rank)	SL OPE 10x10m (rank)
2		0	0	1	<del>40</del> 41	2	0	2	1
3		0	0	2	34 <del>4</del> <del>30</del>	4	0	4	0
8		0	0	1	15	3	0	3	1
9		0	0	2	22	1	0	3	1
					</				

NOTE: tussock and hummocks are counted in BOTH nested quadrat corners but counts are aggregated.

## MCNAB INDICES (degrees) + for up - for down (FILLED OUT USING GIS PROGRAM - DO NOT FILL OUT IN FIELD)

At aspect	N	NE	E	SE	S	SW	W	NW
+45 degrees								
+90 degrees								
+135 degrees								
+180 degrees								
+225 degrees								
+270 degrees								
+315 degrees								

Landform Index (position within landscape)  
Terrain Shape Index (slope microtopographic shape)

CROWN COVER (DENSIMETER) Make 4 readings per module facing N, S, E, W. Place dot count in corresponding space. (4 dots per grid square)

Module	N	S	E	W
2	5	20	12	17
3	24	12	7	23
8	24	10	3	22
9	5	18	23	12

# COVER BY STRATA

STRATUM	GENERAL FORM
Tree (generally >5 m)	Tree (overstory), very tall shrubs*, liana, epiphyte
Shrub (generally 0.5 to 5 m)	Tree (sapling), shrub, liana, epiphyte
Herb (Field)	Herb, dwarf-shrub**, tree (seedling***)
Floating	Floating
Aquatic (submerged)	Submerged

\*Very tall shrubs are sometimes included in the tree stratum

\*\*Can also include seedlings of shrubs, i.e. all shrubs <0.5m

\*\*\*Tree seedlings are often defined as up to 1.4 m height or as <2.5 cm DBH in which case they would span the herb and shrub layers.





FIGURE 3-20.—Generalized section of Upper Devonian, Mississippian, and Lower Pennsylvanian formations in northeastern Ohio. Asterisks indicate units that are fossiliferous. This composite section represents about 400 meters of rock exposed across the area. The section is not to scale, but the thicknesses indicated are proportional. The term "Waverly" is used in the older literature to refer to Mississippian rocks in Ohio. Some geologists use the European term "Carboniferous" which encompasses the Mississippian and Pennsylvanian Periods of the U.S. Many units have been named within the Cuyahoga Formation, but most units are local and cannot be traced over great distances. The Black Hand Member is a spectacular massive sandstone that is fairly widespread but discontinuous. See Hyde (1953), Hoover (1960), and Collins (1979) for more information on Mississippian rocks in Ohio. See figure 3-18 for explanation of rock types.





**SOIL PIT DESCRIPTION:** Excavate 20 cm plug with shovel. Describe using Munsell chart, visual exam, texture, and odor.

Soil pit module # 3 (one per entire plot)

5 cm	matrix color	<u>2.5y 3/2</u>
	mottle color	<u>Φ</u>
	%mottle	<u>Φ</u>
	oxid roots	<u>Y</u> <u>N</u>
	texture*	<u>1</u>
	redox features**	<u>Y</u> <u>N</u>
	hydr. cond.***	<u>1</u> <u>S</u> <u>M</u> <u>D</u>
20 cm	matrix color	<u>2.5y 4/4</u>
	mottle color	<u>Φ</u>
	%mottle	<u>Φ</u>
	oxid roots	<u>2</u> <u>X</u> <u>N</u>
	texture*	<u>2</u>
	redox features**	<u>Y</u> <u>N</u>
	hydr. cond.***	<u>1</u> <u>S</u> <u>M</u> <u>D</u>

\* refer to texture classes on reverse side  
 \*\* e.g. hydrogen sulfide odor, gleying, etc.  
 \*\*\* Circle one:  
 I=undisturbed S=saturated M=moist D=dry  
 Notes: include evidence of earthworms (worms, castings, midrins)

1 worm present

**SOIL SAMPLES** Standard procedure: collect a soil sample of the top 10 cm of soil from center of each intensive module and composite the sample

Soil Collection Module	Horizon (A, B, C)	A
2.3, 8.9 cm postited		
Web Soil Survey Information:		
Soil Series Type:	<u>Wadsworth S-H loam</u>	
Soil Series Source:	<u>Ohio Soil Survey</u>	
Landform type:	<u>Knell</u>	
Depth to rest. Layer:	<u>&gt; 80 m.</u>	
Parent Material:	<u>T:1</u>	
<b>DRAINAGE*</b>		
<input type="checkbox"/> Excessively dr.	<input type="checkbox"/> Somewhat excessively	
<input type="checkbox"/> Well drained	<input type="checkbox"/> Moderately well dr.	
<input checked="" type="checkbox"/> Somewhat poorly dr.	<input type="checkbox"/> Very poorly dr.	
<input type="checkbox"/> Impermeable surface		

**SOIL DEPTH MEASUREMENT.** Measure to the nearest 0.1 cm in center of intensive modules. If >30.5 cm, record as >30

mode	1 liter: organic depth (cm)	2 liter depth (cm)	water depth (cm)	depth sat soil (cm)
2	0.8	0.8	Φ	730
3	2.8	2.8	Φ	730
8	2.3	2.3	Φ	730
9	2.7	2.7	Φ	730

Q1-S-3-13

**EARTH SURFACE & GROUND COVER**

Underlying Earth Surface*	Ground Cover	percent
Open = 100%	percent	percent
Histosol	Coarse Woody Debris***	13%
Mineral Soil	Fine Woody Debris***	10%
Gravel-Cobble*	Litter	80%
Boulder**	Duff (Ferm + Humus)	0%
Bedrock	Bryophyte-Lichen	2%
* Gravel-Cobble = 1/16-10"	Water	0%
** Boulder = > 10 in	Bare Soil	2%
*** > 5 cm in diameter	Rock/Trail	0%
**** < 5 cm in diameter	Other	0%

**COVER BY STRATA**

estimate using midpoints of 5, ex: 3, 8, 13

Strata	Height Range (m)	Total Cover (%)
Tree	5	93%
Shrub	0.5-5	33%
Herb	0-1.5	38%
(floating)*		
(Aquatic)*		

\* rooted and floating or slightly emerged  
 \*\* submerged, most plant mass below surface

SEE BACK OF PAGE FOR TYPICAL STRATA DESCRIPTIONS. STRATA CAN VARY BY COVER TYPE.


**STAND SIZE**

- ☐ > 600 x plot size
- ☐ > 100 x plot size
- ☒ 10-100 x plot size
- ☐ 3-10 x plot size
- ☐ 1-3 x plot size
- ☐ < plot size


<b>TRAIL INFORMATION:</b>	
record type and cover for each	
Type <u>None</u>	%Cover
<input type="checkbox"/> All Purpose	
<input type="checkbox"/> Bridle	
<input type="checkbox"/> Hiking sanctioned	
<input type="checkbox"/> Baiting unsanctioned	
<input type="checkbox"/> Gravel	
<input type="checkbox"/> Deer	

**PERCENT MOTTLES (USE CLASS CODES):**

Class	Conv.	Code NASIS	Criteria: % of Surface Area Covered
Few	f	#	< 2
Common	c	#	2 to < 20
Many	m	#	≥ 20




2%




20%

**Geomorphic Component** - Three-dimensional descriptors of parts of landforms or microfeatures that are best applied to areas. Unique descriptors are available for Hills, Terraces, Mountains, and Flat Plains; e.g., (for Hills) *nose slope* or *NS*.

Hills	PDP	Code NASIS
interfluvium	IF	IF
head slope	HS	HS
nose slope	NS	NS
side slope	SS	SS
base slope	---	BS



(P.J.S. 1996; adapted from Ruhe, 1975)




(S&W, 1996)

**SOIL TEXTURE:** Record the code for the soil texture of the 5 cm and 20 cm layers. To estimate texture, collect a soil sample from the appropriate layer and moisten it with water to the consistency of modeling clay/wet newspaper; the sample should be wet enough that all of the particles are saturated but excess water does not freely flow from the sample when squeezed. Attempt to roll the sample into a ball. If the soil will not stay in a ball and has a grainy texture, the texture is either sandy or coarse sandy. If the soil does form a ball, squeeze the sample between your fingers and attempt to form a self-supporting ribbon. Samples which form both a ball and a ribbon should be coded as clayey; samples which form a ball but not a ribbon should be coded as loamy.

- 0= Organic
- 1= Loamy
- 2= Clayey
- 3= Sandy
- 4= Coarse Sand
- 9= Not measured - make plot note

**Hillslope - Profile Position (Hillslope Position in PDP)** - Two-dimensional descriptors of parts of line segments (i.e., slope position) along a transect that runs up and down the slope; e.g., *backslope* or *BS*. This is best applied to transects or points, not areas.

Position	Code
summit	SU
shoulder	SH
backslope	BS
footslope	FS
toeslope	TS



(P.J.S. 1996; adapted from Ruhe, 1975)

**HYDROLOGIC REGIME** Modified from Grossman et al 1998. (Frequency and duration of flooding.)

**UPLAND:** Not a wetland. Very rarely flooded.

**INTERMITTENTLY/SEASONALLY SATURATED:** Dry at least once per year. Surface water is seldom present, but substrate is saturated to surface for extended periods during the growing season.

**PERMANENTLY/SEMIPERMANENTLY SATURATED:** Dry less than once per year. Surface water is seldom present, but substrate is saturated to surface for extended periods during the growing season. Equivalent to Cowardin's Saturated modifier.

**OCCASIONALLY FLOODED:** Surface water can be present for brief periods during growing season, but not in most years. Often characterizes flood-plain upper terraces.

**TEMPORARILY FLOODED:** Surface water present for brief periods during growing season, but water table usually lies well below soil surface. Often characterizes flood-plain levees and lower terraces. Equivalent to Cowardin's Temporary modifier.

**INTERMITTENTLY FLOODED:** Substrate is usually exposed, but surface water can be present for variable periods without detectable seasonal periodicity. Inundation is not predictable to a given season and is dependent upon highly localized rain storms. This modifier was developed for use in the arid West for water regimes of Playa lakes, intermittent streams, and dry washes but can be used in other parts of the U.S. where appropriate. This modifier can be applied to both wetland and non-wetland situations. Equivalent to Cowardin's Intermittently Flooded modifier.

**SEMIPERMANENTLY FLOODED** (exposed <1/year): Surface water persists throughout the growing season in most years. Land surface is normally saturated when water level drops below soil surface. Includes Cowardin's Intermittently Exposed and Semipermanently Flooded modifiers.

**PERMANENTLY FLOODED:** Water covers the land surface at all times of the year in all years. Equivalent to Cowardin's "permanently flooded".

**UNKNOWN:** The hydrologic regime cannot be determined from the available information.

# FORM B-1: BUFFER SAMPLE PLOTS (Front)

Site ID: PCAPSC1368

Reviewed by (Initial): \_\_\_\_\_

DATE: 07/22/2013

Location:

● AA Center ○ N ○ S ○ E ○ W

Fill in bubble(s) if plot(s) could not be sampled and flag →

○ Plot 1 ○ Plot 2 ○ Plot 3

## Buffer Natural Cover Strata

Fill in bubbles for all that apply: Canopy Type: D = Deciduous; E = Evergreen. Leaf Type: B = Broadleaf; N = Needle Leaf. Absent: No tree canopy.  
Strata Section: Fill in appropriate cover class bubble for each strata type for each plot. 0 = Absent; 1 = Sparse (<10%); 2 = Moderate (10-40%); 3 = Heavy (40-75%); 4 = Very Heavy (>75%)

Buffer Plot 1	Canopy Type: ○ (D) ○ (E)	Absent: ○	Leaf Type: ○ (B) ○ (N)	Flag	Buffer Plot 2	Canopy Type: ○ (D) ○ (E)	Absent: ○	Leaf Type: ○ (B) ○ (N)	Flag	Buffer Plot 3	Canopy Type: ○ (D) ○ (E)	Absent: ○	Leaf Type: ○ (B) ○ (N)	Flag
Big Trees (>0.3m DBH)	○	○	○	○	○	○	○	○	○	○	○	○	○	○
Small Trees (<0.3m DBH)	○	○	○	○	○	○	○	○	○	○	○	○	○	○
Woody Shrubs, Saplings (0.5m-5m HIGH)	○	○	○	○	○	○	○	○	○	○	○	○	○	○
Woody Shrubs, Saplings (<0.5m HIGH)	○	○	○	○	○	○	○	○	○	○	○	○	○	○
Herbs, Forbs and Grasses	○	○	○	○	○	○	○	○	○	○	○	○	○	○
Bare ground	○	○	○	○	○	○	○	○	○	○	○	○	○	○
Litter, duff	○	○	○	○	○	○	○	○	○	○	○	○	○	○
Rock	○	○	○	○	○	○	○	○	○	○	○	○	○	○
Water	○	○	○	○	○	○	○	○	○	○	○	○	○	○
Submerged Vegetation	○	○	○	○	○	○	○	○	○	○	○	○	○	○

**Stressor Presence/Absence** - Confirm that a filled data bubble indicates presence and an unfilled bubble indicates absence by filling this bubble. ●

Residential and Urban Stressors					Hydrology Stressors					Agricultural & Rural Stressors				
Fill bubble if present - Plot	1	2	3	Flag	Fill bubble if present - Plot	1	2	3	Flag	Fill bubble if present - Plot	1	2	3	Flag
Road - gravel	○	○	○		Ditches, Channelization	○	○	○		Pasture/Hay	○	○	○	
Road - two lane	○	○	○		Dike/Dam/Road/RR Bed (IMPEDE FLOW)	○	○	○		Range	○	○	○	
Road - four lane	○	○	○		Water Level Control Structure	○	○	○		Row Crops	○	○	○	
Parking Lot/Pavement	○	○	○		Excavation, Dredging	○	○	○		Fallow Field (RECENT-RESTING ROW CROP FIELD)	○	○	○	
Golf Course	○	○	○		Fill/Spoil Banks	○	○	○		Fallow Field (OLD - GRASS, SHRUBS, TREES)	○	○	○	
Lawn/Park	○	○	○		Freshly Deposited Sediment (UNVEGETATED)	○	○	○		Nursery	○	○	○	
Suburban Residential	○	○	○		Soil Loss/Root Exposure	○	○	○		Dairy	○	○	○	
Urban/Multifamily	○	○	○		Wall/Riprap	○	○	○		Orchard	○	○	○	
Landfill	○	○	○		Inlets, Outlets	○	○	○		Confined Animal Feeding	○	○	○	
Dumping	○	○	○		Point Source/Pipe (EFFLUENT OR STORMWATER)	○	○	○		Rural Residential	○	○	○	
Trash	○	○	○		Impervious surface input (SHEETFLOW)	○	○	○		Gravel Pit	○	○	○	
Other: _____	○	○	○		Other: _____	○	○	○		Irrigation	○	○	○	
Other: _____	○	○	○		Other: _____	○	○	○		Other: _____	○	○	○	

Industrial Development Stressors					Habitat/Vegetation Stressors				
Fill bubble if present - Plot	1	2	3	Flag	Fill bubble if present - Plot	1	2	3	Flag
Oil Drilling	○	○	○		Forest Clear Cut	○	○	○	
Gas Wells	○	○	○		Forest Selective Cut	○	○	○	
Mine (surface)	○	○	○		Tree Plantation	○	○	○	
Mine (underground)	○	○	○		Tree Canopy Herbivory (INSECT)	○	○	○	
Military	○	○	○		Shrub Layer Browsed (WILD OR DOMESTIC)	○	○	○	
Other: _____	○	○	○		Highly Grazed Grasses (OVERALL <3' HIGH)	○	○	○	
Other: _____	○	○	○		Recently Burned Forest Canopy	○	○	○	
Other: _____	○	○	○		Recently Burned Grassland (BLACKENED)	○	○	○	

Flag codes: K = No measurement made, U = Suspect measurement, F1, F2, etc. = misc. flags assigned by each field crew.  
Explain all flags in comment section on the back of this form

Buffer Sample Plots 05/27/2011

2428168304



## Reviewed by (Initial): \_\_\_\_\_

DATE: 07/22/2013

☑ Confirm a filled data bubble indicates presence and an unfilled bubble indicates absence by filling in this bubble

Confirm a filled data bubble indicates presence and an empty bubble indicates absence																
Fill bubble if present - Plot	1	2	3	Flag	Fill bubble if present - Plot	1	2	3	Flag	Fill bubble if present - Plot	1	2	3	Flag		
Eurasian Watermilfoil	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Purple Loosestrife	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Johnson Grass	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>			
Water hyacinth	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Knotweed	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Kudzu	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>			
Yellow Floating Heart	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Japanese Knotweed	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Multiflora Rose	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>			
Giant Salvinia	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Perennial Pepperweed	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Common Buckthorn	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>			
Garlic Mustard	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Giant Reed	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Himalayan Blackberry	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>			
Poison Hemlock	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Cheatgrass	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Tamarisk	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>			
Mile-A-Minute Weed	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Reed Canary Grass	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Other: _____	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>			
Birdsfoot Trefoil	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Common Reed	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Other: _____	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>			
Canada Thistle	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Leafy Spurge	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Other: _____	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>			
										Other: _____	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>			

### PLOT COORDINATES

Provide GPS coordinates at the center of the Buffer Plot (#3) at the far end of each Buffer Transect and for the Buffer Plot at the AA CENTER. Indicate the location of the plot coordinates by filling in the appropriate bubble.

If Buffer Plot 3 can not be accessed, take the coordinates at the nearest practicable location ALONG THE TRANSECT. This is important because all Buffer Plots are centered on the Buffer Transects and the coordinates will indicate the location of the transect. Fill in the "nearest practicable location" bubble, fill in the flag box, and describe where the coordinates were taken and why in the comment section below. The coordinates of the nearest practicable location can be either placed as close to the center of Plot 3 as possible or at the center of the last accessible Buffer Plot.

**Location of coordinates (choose one):**

Location of coordinates (choose one):  
☒ AA CENTER    ☐ N3    ☐ S3    ☐ E3    ☐ W3    ☐ Nearest practicable location (flag and comment below)

### Flag

Latitude North 41.442

Longitude West 0. 81 . 41 7. 52

**Use Decimal Degrees; NAD83**

[illegible]

7966623548

# FORM B-1: BUFFER SAMPLE PLOTS (Front)

Site ID: PCAPSC1368

Reviewed by (initial): \_\_\_\_\_

DATE: 07/22/2013

Location:

☐ AA Center ☒ N ☐ S ☐ E ☐ W

Fill in bubble(s) if plot(s) could not be sampled and flag →

☐ Plot 1 ☐ Plot 2 ☐ Plot 3

## Buffer Natural Cover Strata

Fill in bubbles for all that apply: Canopy Type: D = Deciduous, E = Evergreen. Leaf Type: B = Broadleaf, N = Needle Leaf. Absent: No tree canopy.  
Strata Section: Fill in appropriate cover class bubble for each strata type for each plot. 0 = Absent; 1 = Sparse (<10%); 2 = Moderate (10-40%); 3 = Heavy (40-75%); 4 = Very Heavy (>75%)

Buffer Plot 1	Canopy Type: <input type="radio"/> D <input type="radio"/> E	Absent: <input type="radio"/>	Leaf Type: <input type="radio"/> B <input type="radio"/> N	Flag	Buffer Plot 2	Canopy Type: <input type="radio"/> D <input type="radio"/> E	Absent: <input type="radio"/>	Leaf Type: <input type="radio"/> B <input type="radio"/> N	Flag	Buffer Plot 3	Canopy Type: <input type="radio"/> D <input type="radio"/> E	Absent: <input type="radio"/>	Leaf Type: <input type="radio"/> B <input type="radio"/> N	Flag
Big Trees (>0.3m DBH)	<input type="radio"/> 0 <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4	<input type="radio"/>	<input type="radio"/>		Big Trees (>0.3m DBH)	<input type="radio"/> 0 <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4	<input type="radio"/>	<input type="radio"/>		Big Trees (>0.3m DBH)	<input type="radio"/> 0 <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4	<input type="radio"/>	<input type="radio"/>	
Small Trees (<0.3m DBH)	<input type="radio"/> 0 <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4	<input type="radio"/>	<input type="radio"/>		Small Trees (<0.3m DBH)	<input type="radio"/> 0 <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4	<input type="radio"/>	<input type="radio"/>		Small Trees (<0.3m DBH)	<input type="radio"/> 0 <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4	<input type="radio"/>	<input type="radio"/>	
Woody Shrubs, Saplings (0.5m-5m HIGH)	<input type="radio"/> 0 <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4	<input type="radio"/>	<input type="radio"/>		Woody Shrubs, Saplings (0.5m-5m HIGH)	<input type="radio"/> 0 <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4	<input type="radio"/>	<input type="radio"/>		Woody Shrubs, Saplings (0.5m-5m HIGH)	<input type="radio"/> 0 <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4	<input type="radio"/>	<input type="radio"/>	
Woody Shrubs, Saplings (<0.5m HIGH)	<input type="radio"/> 0 <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4	<input type="radio"/>	<input type="radio"/>		Woody Shrubs, Saplings (<0.5m HIGH)	<input type="radio"/> 0 <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4	<input type="radio"/>	<input type="radio"/>		Woody Shrubs, Saplings (<0.5m HIGH)	<input type="radio"/> 0 <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4	<input type="radio"/>	<input type="radio"/>	
Herbs, Forbs and Grasses	<input type="radio"/> 0 <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4	<input type="radio"/>	<input type="radio"/>		Herbs, Forbs and Grasses	<input type="radio"/> 0 <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4	<input type="radio"/>	<input type="radio"/>		Herbs, Forbs and Grasses	<input type="radio"/> 0 <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4	<input type="radio"/>	<input type="radio"/>	
Bare ground	<input type="radio"/> 0 <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4	<input type="radio"/>	<input type="radio"/>		Bare ground	<input type="radio"/> 0 <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4	<input type="radio"/>	<input type="radio"/>		Bare ground	<input type="radio"/> 0 <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4	<input type="radio"/>	<input type="radio"/>	
Litter, duff	<input type="radio"/> 0 <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4	<input type="radio"/>	<input type="radio"/>		Litter, duff	<input type="radio"/> 0 <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4	<input type="radio"/>	<input type="radio"/>		Litter, duff	<input type="radio"/> 0 <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4	<input type="radio"/>	<input type="radio"/>	
Rock	<input type="radio"/> 0 <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4	<input type="radio"/>	<input type="radio"/>		Rock	<input type="radio"/> 0 <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4	<input type="radio"/>	<input type="radio"/>		Rock	<input type="radio"/> 0 <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4	<input type="radio"/>	<input type="radio"/>	
Water	<input type="radio"/> 0 <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4	<input type="radio"/>	<input type="radio"/>		Water	<input type="radio"/> 0 <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4	<input type="radio"/>	<input type="radio"/>		Water	<input type="radio"/> 0 <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4	<input type="radio"/>	<input type="radio"/>	
Submerged Vegetation	<input type="radio"/> 0 <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4	<input type="radio"/>	<input type="radio"/>		Submerged Vegetation	<input type="radio"/> 0 <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4	<input type="radio"/>	<input type="radio"/>		Submerged Vegetation	<input type="radio"/> 0 <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4	<input type="radio"/>	<input type="radio"/>	

**Stressor Presence/Absence** - Confirm that a filled data bubble indicates presence and an unfilled bubble indicates absence by filling this bubble. ●

Residential and Urban Stressors					Hydrology Stressors					Agricultural & Rural Stressors				
Fill bubble if present - Plot	1	2	3	Flag	Fill bubble if present - Plot	1	2	3	Flag	Fill bubble if present - Plot	1	2	3	Flag
Road - gravel	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Ditches, Channelization	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Pasture/Hay	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Road - two lane	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Dike/Dam/Road/RR Bed (IMPEDE FLOW)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Range	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Road - four lane	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Water Level Control Structure	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Row Crops	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Parking Lot/Pavement	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Excavation, Dredging	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Fallow Field (RECENT-RESTING ROW CROP FIELD)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Golf Course	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Fill/Spoil Banks	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Fallow Field (OLD - GRASS, SHRUBS, TREES)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Lawn/Park	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Freshly Deposited Sediment (UNVEGETATED)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Nursery	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Suburban Residential	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Soil Loss/Root Exposure	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Dairy	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Urban/Multifamily	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Wall/Riprap	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Orchard	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Landfill	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Inlets, Outlets	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Confined Animal Feeding	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Dumping	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Point Source/Pipe (EFFLUENT OR STORMWATER)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Rural Residential	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Trash	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Impervious surface input (SHEETFLOW)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Gravel Pit	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Other: _____	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Other: _____	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Irrigation	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Other: _____	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Other: _____	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Other: _____	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	

Industrial Development Stressors					Habitat/Vegetation Stressors				
Fill bubble if present - Plot	1	2	3	Flag	Fill bubble if present - Plot	1	2	3	Flag
Oil Drilling	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Forest Clear Cut	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Gas Wells	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Forest Selective Cut	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Mine (surface)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Tree Plantation	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Mine (underground)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Tree Canopy Herbivory (INSECT)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Military	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Shrub Layer Browsed (WILD OR DOMESTIC)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Other: _____	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Highly Grazed Grasses (OVERALL <3" HIGH)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Other: _____	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Recently Burned Forest Canopy	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Other: _____	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Recently Burned Grassland (BLACKENED)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	

Flag codes: K = No measurement made, U = Suspect measurement, F1, F2, etc. = misc. flags assigned by each field crew.  
Explain all flags in comment section on the back of this form

Buffer Sample Plots 05/27/2011

2428168304

## Reviewed by (Initial): \_\_\_\_\_

DATE: 07/22/2013

Fill bubble if present - Plot	1	2	3	Flag	Fill bubble if present - Plot	1	2	3	Flag	Fill bubble if present - Plot	1	2	3	Flag
Eurasian Watermilfoil	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Purple Loosestrife	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Johnson Grass	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Water hyacinth	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Knotweed	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Kudzu	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Yellow Floating Heart	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Japanese Knotweed	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Multiflora Rose	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Giant Salvinia	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Perennial Pepperweed	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Common Buckthorn	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Garlic Mustard	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Giant Reed	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Himalayan Blackberry	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Poison Hemlock	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Cheatgrass	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Tamarisk	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Mile-A-Minute Weed	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Reed Canary Grass	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Other: _____	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Birdsfoot Trefoil	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Common Reed	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Other: _____	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Canada Thistle	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Leafy Spurge	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Other: _____	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
										Other: _____	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	

## PLOT COORDINATES

Provide GPS coordinates at the center of the Buffer Plot (#3) at the far end of each Buffer Transect and for the Buffer Plot at the AA CENTER. Indicate the location of the plot coordinates by filling in the appropriate bubble.

If Buffer Plot 3 can not be accessed, take the coordinates at the nearest practicable location **ALONG THE TRANSECT**. This is important because all Buffer Plots are centered on the Buffer Transects and the coordinates will indicate the location of the transect. Fill in the "nearest practicable location" bubble, fill in the flag box, and describe where the coordinates were taken and why in the comment section below. The coordinates of the nearest practicable location can be either placed as close to the center of Plot 3 as possible or at the center of the last accessible Buffer Plot.

**Location of coordinates (choose one):**

☐ AA CENTER   ☒ N3   ☐ S3   ☐ E3   ☐ W3   ☐ Nearest practicable location (flag and comment below)

Latitude North 41.41556.

Longitude West 081.41776

**Use Decimal Degrees; NAD83**

[illegible]

**Buffer Sample Points - Targeted Alien Species**      **05/27/2011**

7966623548



# FORM B-1: BUFFER SAMPLE PLOTS (Front)

Site ID: PCAPSC 1368

Reviewed by (initial): \_\_\_\_\_

DATE: 07/22/2013

Location: \_\_\_\_\_

☐ AA Center ☐ N ☐ S ☒ E ☐ W

Fill in bubble(s) if plot(s) could not be sampled and flag →

☐ Plot 1 ☐ Plot 2 ☐ Plot 3

## Buffer Natural Cover Strata

Fill in bubbles for all that apply: Canopy Type: D = Deciduous; E = Evergreen. Leaf Type: B = Broadleaf; N = Needle Leaf. Absent: No tree canopy.  
Strata Section: Fill in appropriate cover class bubble for each strata type for each plot. 0 = Absent; 1 = Sparse (<10%); 2 = Moderate (10-40%); 3 = Heavy (40-75%); 4 = Very Heavy (>75%)

Buffer Plot 1	Canopy Type: <input type="radio"/> D <input type="radio"/> E	Absent: <input type="radio"/>	Leaf Type: <input type="radio"/> B <input type="radio"/> N	Flag	Buffer Plot 2	Canopy Type: <input type="radio"/> D <input type="radio"/> E	Absent: <input type="radio"/>	Leaf Type: <input type="radio"/> B <input type="radio"/> N	Flag	Buffer Plot 3	Canopy Type: <input type="radio"/> D <input type="radio"/> E	Absent: <input type="radio"/>	Leaf Type: <input type="radio"/> B <input type="radio"/> N	Flag
Big Trees (>0.3m DBH)	<input type="radio"/> 0 <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4	<input type="radio"/>	<input type="radio"/>		Big Trees (>0.3m DBH)	<input type="radio"/> 0 <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4	<input type="radio"/>	<input type="radio"/>		Big Trees (>0.3m DBH)	<input type="radio"/> 0 <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4	<input type="radio"/>	<input type="radio"/>	
Small Trees (<0.3m DBH)	<input type="radio"/> 0 <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4	<input type="radio"/>	<input type="radio"/>		Small Trees (<0.3m DBH)	<input type="radio"/> 0 <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4	<input type="radio"/>	<input type="radio"/>		Small Trees (<0.3m DBH)	<input type="radio"/> 0 <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4	<input type="radio"/>	<input type="radio"/>	
Woody Shrubs, Saplings (0.5m-5m HIGH)	<input type="radio"/> 0 <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4	<input type="radio"/>	<input type="radio"/>		Woody Shrubs, Saplings (0.5m-5m HIGH)	<input type="radio"/> 0 <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4	<input type="radio"/>	<input type="radio"/>		Woody Shrubs, Saplings (0.5m-5m HIGH)	<input type="radio"/> 0 <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4	<input type="radio"/>	<input type="radio"/>	
Woody Shrubs, Saplings (<0.5m HIGH)	<input type="radio"/> 0 <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4	<input type="radio"/>	<input type="radio"/>		Woody Shrubs, Saplings (<0.5m HIGH)	<input type="radio"/> 0 <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4	<input type="radio"/>	<input type="radio"/>		Woody Shrubs, Saplings (<0.5m HIGH)	<input type="radio"/> 0 <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4	<input type="radio"/>	<input type="radio"/>	
Herbs, Forbs and Grasses	<input type="radio"/> 0 <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4	<input type="radio"/>	<input type="radio"/>		Herbs, Forbs and Grasses	<input type="radio"/> 0 <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4	<input type="radio"/>	<input type="radio"/>		Herbs, Forbs and Grasses	<input type="radio"/> 0 <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4	<input type="radio"/>	<input type="radio"/>	
Bare ground	<input type="radio"/> 0 <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4	<input type="radio"/>	<input type="radio"/>		Bare ground	<input type="radio"/> 0 <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4	<input type="radio"/>	<input type="radio"/>		Bare ground	<input type="radio"/> 0 <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4	<input type="radio"/>	<input type="radio"/>	
Litter, duff	<input type="radio"/> 0 <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4	<input type="radio"/>	<input type="radio"/>		Litter, duff	<input type="radio"/> 0 <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4	<input type="radio"/>	<input type="radio"/>		Litter, duff	<input type="radio"/> 0 <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4	<input type="radio"/>	<input type="radio"/>	
Rock	<input type="radio"/> 0 <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4	<input type="radio"/>	<input type="radio"/>		Rock	<input type="radio"/> 0 <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4	<input type="radio"/>	<input type="radio"/>		Rock	<input type="radio"/> 0 <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4	<input type="radio"/>	<input type="radio"/>	
Water	<input type="radio"/> 0 <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4	<input type="radio"/>	<input type="radio"/>		Water	<input type="radio"/> 0 <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4	<input type="radio"/>	<input type="radio"/>		Water	<input type="radio"/> 0 <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4	<input type="radio"/>	<input type="radio"/>	
Submerged Vegetation	<input type="radio"/> 0 <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4	<input type="radio"/>	<input type="radio"/>		Submerged Vegetation	<input type="radio"/> 0 <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4	<input type="radio"/>	<input type="radio"/>		Submerged Vegetation	<input type="radio"/> 0 <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4	<input type="radio"/>	<input type="radio"/>	

**Stressor Presence/Absence** - Confirm that a filled data bubble indicates presence and an unfilled bubble indicates absence by filling this bubble ☒

Residential and Urban Stressors					Hydrology Stressors					Agricultural & Rural Stressors				
Fill bubble if present - Plot	1	2	3	Flag	Fill bubble if present - Plot	1	2	3	Flag	Fill bubble if present - Plot	1	2	3	Flag
Road - gravel	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Ditches, Channelization	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Pasture/Hay	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Road - two lane	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Dike/Dam/Road/RR Bed (IMPEDE FLOW)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Range	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Road - four lane	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Water Level Control Structure	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Row Crops	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Parking Lot/Pavement	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Excavation, Dredging	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Fallow Field (RECENT-RESTING ROW CROP FIELD)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Golf Course	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Fill/Spoil Banks	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Fallow Field (OLD - GRASS, SHRUBS, TREES)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Lawn/Park	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Freshly Deposited Sediment (UNVEGETATED)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Nursery	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Suburban Residential	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Soil Loss/Root Exposure	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Dairy	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Urban/Multifamily	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Wall/Riprap	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Orchard	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Landfill	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Inlets, Outlets	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Confined Animal Feeding	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Dumping	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Point Source/Pipe (EFFLUENT OR STORMWATER)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Rural Residential	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Trash	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Impervious surface input (SHEETFLOW)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Gravel Pit	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Other: _____	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Other: _____	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Irrigation	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Other: _____	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Other: _____	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Other: _____	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	

Industrial Development Stressors					Habitat/Vegetation Stressors									
Fill bubble if present - Plot	1	2	3	Flag	Fill bubble if present - Plot	1	2	3	Flag	Fill bubble if present - Plot	1	2	3	Flag
Oil Drilling	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Forest Clear Cut	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Herbicide Use	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Gas Wells	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Forest Selective Cut	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Mowing/Shrub Cutting	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Mine (surface)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Tree Plantation	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Trails	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Mine (underground)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Tree Canopy Herbivory (INSECT)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Soil Compaction (ANIMAL OR HUMAN)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Military	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Shrub Layer Browsed (WILD OR DOMESTIC)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Offroad vehicle damage	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Other: _____	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Highly Grazed Grasses (OVERALL <3' HIGH)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Soil erosion (FROM WIND, WATER, OR OVERUSE)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Other: _____	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Recently Burned Forest Canopy	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Other: _____	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Other: _____	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Recently Burned Grassland (BLACKENED)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Other: _____	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	

Flag codes: K = No measurement made, U = Suspect measurement, F1, F2, etc. = misc. flags assigned by each field crew.  
Explain all flags in comment section on the back of this form

Buffer Sample Plots 05/27/2011

2428168304

## Reviewed by (Initial): \_\_\_\_\_

PCAP 5C 1368

0.712212013

☐ Confirm a filled data bubble indicates presence and an unfilled bubble indicates absence by filling in this bubble

Fill bubble if present - Plot	1	2	3	Flag	Fill bubble if present - Plot	1	2	3	Flag	Fill bubble if present - Plot	1	2	3	Flag
Eurasian Watermilfoil	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Purple Loosestrife	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Johnson Grass	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Water hyacinth	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Knotweed	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Kudzu	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Yellow Floating Heart	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Japanese Knotweed	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Multiflora Rose	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Giant Salvinia	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Perennial Pepperweed	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Common Buckthorn	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Garlic Mustard	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Giant Reed	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Himalayan Blackberry	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Poison Hemlock	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Cheatgrass	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Tamarisk	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Mile-A-Minute Weed	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Reed Canary Grass	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Other: _____	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Birdsfoot Trefoil	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Common Reed	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Other: _____	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Canada Thistle	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Leafy Spurge	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Other: _____	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Other: _____										<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		

### PLOT COORDINATES

Provide GPS coordinates at the center of the Buffer Plot (#3) at the far end of each Buffer Transect and for the Buffer Plot at the AA CENTER. Indicate the location of the plot coordinates by filling in the appropriate bubble.

If Buffer Plot 3 can not be accessed, take the coordinates at the nearest practicable location ALONG THE TRANSECT. This is important because all Buffer Plots are centered on the Buffer Transects and the coordinates will indicate the location of the transect. Fill in the "nearest practicable location" bubble, fill in the flag box, and describe where the coordinates were taken and why in the comment section below. The coordinates of the nearest practicable location can be either placed as close to the center of Plot 3 as possible or at the center of the last accessible Buffer Plot.

**Location of coordinates (choose one):**

☐ AA CENTER   ☐ N3   ☐ S3   ☐ E3   ☐ W3   ☐ Nearest practicable location (flag and comment below)

110

41.41459

0.8141768

**Use Decimal Degrees; NAD83**

[illegible]

7966623548

# FORM B-1: BUFFER SAMPLE PLOTS (Front)

Site ID: PCAPSC 1368

Reviewed by (Initial): \_\_\_\_\_

DATE: 02/22/2013

Location:

☐ AA Center ☐ N ☐ S ☐ E ☐ W

Fill in bubble(s) if plot(s) could not be sampled and flag →

☐ Plot 1 ☐ Plot 2 ☐ Plot 3

## Buffer Natural Cover Strata

Fill in bubbles for all that apply: Canopy Type: D = Deciduous; E = Evergreen. Leaf Type: B = Broadleaf; N = Needle Leaf. Absent: No tree canopy.  
Strata Section: Fill in appropriate cover class bubble for each strata type for each plot. 0 = Absent; 1 = Sparse (<10%); 2 = Moderate (10-40%); 3 = Heavy (40-75%); 4 = Very Heavy (>75%)

Buffer Plot 1	Canopy Type: <input type="radio"/> D <input type="radio"/> E	Absent: <input type="radio"/>	Leaf Type: <input type="radio"/> B <input type="radio"/> N	Flag	Buffer Plot 2	Canopy Type: <input type="radio"/> D <input type="radio"/> E	Absent: <input type="radio"/>	Leaf Type: <input type="radio"/> B <input type="radio"/> N	Flag	Buffer Plot 3	Canopy Type: <input type="radio"/> D <input type="radio"/> E	Absent: <input type="radio"/>	Leaf Type: <input type="radio"/> B <input type="radio"/> N	Flag
Big Trees (>0.3m DBH)	<input type="radio"/> 0 <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4	<input type="radio"/>	<input type="radio"/>		Big Trees (>0.3m DBH)	<input type="radio"/> 0 <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4	<input type="radio"/>	<input type="radio"/>		Big Trees (>0.3m DBH)	<input type="radio"/> 0 <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4	<input type="radio"/>	<input type="radio"/>	
Small Trees (<0.3m DBH)	<input type="radio"/> 0 <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4	<input type="radio"/>	<input type="radio"/>		Small Trees (<0.3m DBH)	<input type="radio"/> 0 <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4	<input type="radio"/>	<input type="radio"/>		Small Trees (<0.3m DBH)	<input type="radio"/> 0 <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4	<input type="radio"/>	<input type="radio"/>	
Woody Shrubs, Saplings (0.5m-5m HIGH)	<input type="radio"/> 0 <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4	<input type="radio"/>	<input type="radio"/>		Woody Shrubs, Saplings (0.5m-5m HIGH)	<input type="radio"/> 0 <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4	<input type="radio"/>	<input type="radio"/>		Woody Shrubs, Saplings (0.5m-5m HIGH)	<input type="radio"/> 0 <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4	<input type="radio"/>	<input type="radio"/>	
Woody Shrubs, Saplings (<0.5m HIGH)	<input type="radio"/> 0 <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4	<input type="radio"/>	<input type="radio"/>		Woody Shrubs, Saplings (<0.5m HIGH)	<input type="radio"/> 0 <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4	<input type="radio"/>	<input type="radio"/>		Woody Shrubs, Saplings (<0.5m HIGH)	<input type="radio"/> 0 <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4	<input type="radio"/>	<input type="radio"/>	
Herbs, Forbs and Grasses	<input type="radio"/> 0 <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4	<input type="radio"/>	<input type="radio"/>		Herbs, Forbs and Grasses	<input type="radio"/> 0 <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4	<input type="radio"/>	<input type="radio"/>		Herbs, Forbs and Grasses	<input type="radio"/> 0 <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4	<input type="radio"/>	<input type="radio"/>	
Bare ground	<input type="radio"/> 0 <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4	<input type="radio"/>	<input type="radio"/>		Bare ground	<input type="radio"/> 0 <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4	<input type="radio"/>	<input type="radio"/>		Bare ground	<input type="radio"/> 0 <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4	<input type="radio"/>	<input type="radio"/>	
Litter, duff	<input type="radio"/> 0 <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4	<input type="radio"/>	<input type="radio"/>		Litter, duff	<input type="radio"/> 0 <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4	<input type="radio"/>	<input type="radio"/>		Litter, duff	<input type="radio"/> 0 <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4	<input type="radio"/>	<input type="radio"/>	
Rock	<input type="radio"/> 0 <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4	<input type="radio"/>	<input type="radio"/>		Rock	<input type="radio"/> 0 <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4	<input type="radio"/>	<input type="radio"/>		Rock	<input type="radio"/> 0 <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4	<input type="radio"/>	<input type="radio"/>	
Water	<input type="radio"/> 0 <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4	<input type="radio"/>	<input type="radio"/>		Water	<input type="radio"/> 0 <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4	<input type="radio"/>	<input type="radio"/>		Water	<input type="radio"/> 0 <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4	<input type="radio"/>	<input type="radio"/>	
Submerged Vegetation	<input type="radio"/> 0 <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4	<input type="radio"/>	<input type="radio"/>		Submerged Vegetation	<input type="radio"/> 0 <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4	<input type="radio"/>	<input type="radio"/>		Submerged Vegetation	<input type="radio"/> 0 <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4	<input type="radio"/>	<input type="radio"/>	

**Stressor Presence/Absence** - Confirm that a filled data bubble indicates presence and an unfilled bubble indicates absence by filling this bubble.

Residential and Urban Stressors					Hydrology Stressors					Agricultural & Rural Stressors				
Fill bubble if present - Plot	1	2	3	Flag	Fill bubble if present - Plot	1	2	3	Flag	Fill bubble if present - Plot	1	2	3	Flag
Road - gravel	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Ditches, Channelization	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Pasture/Hay	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Road - two lane	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Dike/Dam/Road/RR Bed (IMPEDE FLOW)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Range	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Road - four lane	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Water Level Control Structure	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Row Crops	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Parking Lot/Pavement	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Excavation, Dredging	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Fallow Field (RECENT-RESTING ROW CROP FIELD)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Golf Course	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Fill/Spoil Banks	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Fallow Field (OLD - GRASS, SHRUBS, TREES)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Lawn/Park	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Freshly Deposited Sediment (UNVEGETATED)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Nursery	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Suburban Residential	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Soil Loss/Root Exposure	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Dairy	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Urban/Multifamily	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Wall/Riprap	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Orchard	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Landfill	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Inlets, Outlets	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Confined Animal Feeding	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Dumping	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Point Source/Pipe (EFFLUENT OR STORMWATER)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Rural Residential	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Trash	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Impervious surface input (SHEETFLOW)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Gravel Pit	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Other: _____	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Other: _____	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Irrigation	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Other: _____	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Other: _____	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Other: _____	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	

Industrial Development Stressors					Habitat/Vegetation Stressors				
Fill bubble if present - Plot	1	2	3	Flag	Fill bubble if present - Plot	1	2	3	Flag
Oil Drilling	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Forest Clear Cut	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Gas Wells	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Forest Selective Cut	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Mine (surface)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Tree Plantation	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Mine (underground)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Tree Canopy Herbivory (INSECT)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Military	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Shrub Layer Browsed (WILD OR DOMESTIC)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Other: _____	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Highly Grazed Grasses (OVERALL <3" HIGH)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Other: _____	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Recently Burned Forest Canopy	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Other: _____	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Recently Burned Grassland (BLACKENED)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	

Flag codes: K = No measurement made, U = Suspect measurement, F1, F2, etc. = misc. flags assigned by each field crew.  
Explain all flags in comment section on the back of this form

Buffer Sample Plots 05/27/2011

2428168304



# FORM B-1: BUFFER SAMPLE PLOTS - TARGETED ALIEN SPECIES (Back)

Reviewed by (Initial): \_\_\_\_\_

Site ID:

PCAPSC1368

DATE:

07/22/2013

Confirm a filled data bubble indicates presence and an unfilled bubble indicates absence by filling in this bubble

Fill bubble if present - Plot	1	2	3	Flag	Fill bubble if present - Plot	1	2	3	Flag	Fill bubble if present - Plot	1	2	3	Flag
Eurasian Watermilfoil	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Purple Loosestrife	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Johnson Grass	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Water hyacinth	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Knotweed	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Kudzu	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Yellow Floating Heart	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Japanese Knotweed	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Multiflora Rose	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Giant Salvinia	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Perennial Pepperweed	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Common Buckthorn	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Garlic Mustard	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Giant Reed	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Himalayan Blackberry	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Poison Hemlock	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Cheatgrass	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Tamarisk	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Mile-A-Minute Weed	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Reed Canary Grass	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Other: _____	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Birdsfoot Trefoil	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Common Reed	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Other: _____	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Canada Thistle	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Leafy Spurge	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Other: _____	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
										Other: _____	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	

## PLOT COORDINATES

Provide GPS coordinates at the center of the Buffer Plot (#3) at the far end of each Buffer Transect and for the Buffer Plot at the AA CENTER. Indicate the location of the plot coordinates by filling in the appropriate bubble.

If Buffer Plot 3 can not be accessed, take the coordinates at the nearest practicable location ALONG THE TRANSECT. This is important because all Buffer Plots are centered on the Buffer Transects and the coordinates will indicate the location of the transect. Fill in the "nearest practicable location" bubble, fill in the flag box, and describe where the coordinates were taken and why in the comment section below. The coordinates of the nearest practicable location can be either placed as close to the center of Plot 3 as possible or at the center of the last accessible Buffer Plot.

Location of coordinates (choose one):

☐ AA CENTER ☐ N3 ☒ S3 ☐ E3 ☐ W3 ☐ Nearest practicable location (flag and comment below)

Flag

Latitude North

41.41334

Longitude West

081.41739

Use Decimal Degrees; NAD83

Flag

Comments

7966623548

# FORM B-1: BUFFER SAMPLE PLOTS (Front)

Site ID: PCAP SC1368

Reviewed by (Initial): \_\_\_\_\_

DATE: 07/22/2013

Location:

☐ AA Center ☐ N ☐ S ☐ E ☒ W

Fill in bubble(s) if plot(s) could not be sampled and flag →

☐ Plot 1 ☐ Plot 2 ☐ Plot 3

## Buffer Natural Cover Strata

Fill in bubbles for all that apply: Canopy Type: D = Deciduous; E = Evergreen. Leaf Type: B = Broadleaf; N = Needle Leaf. Absent: No tree canopy.

Strata Section: Fill in appropriate cover class bubble for each strata type for each plot. 0 = Absent; 1 = Sparse (<10%); 2 = Moderate (10-40%); 3 = Heavy (40-75%); 4 = Very Heavy (>75%)

Buffer Plot 1	Canopy Type: <input type="radio"/> D <input type="radio"/> E	Absent: <input type="radio"/>	Leaf Type: <input type="radio"/> B <input type="radio"/> N	Flag	Buffer Plot 2	Canopy Type: <input type="radio"/> D <input type="radio"/> E	Absent: <input type="radio"/>	Leaf Type: <input type="radio"/> B <input type="radio"/> N	Flag	Buffer Plot 3	Canopy Type: <input type="radio"/> D <input type="radio"/> E	Absent: <input type="radio"/>	Leaf Type: <input type="radio"/> B <input type="radio"/> N	Flag
Big Trees (>0.3m DBH)	<input type="radio"/> 0 <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4	<input type="radio"/>	<input type="radio"/> 0 <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4		Big Trees (>0.3m DBH)	<input type="radio"/> 0 <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4	<input type="radio"/>	<input type="radio"/> 0 <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4		Big Trees (>0.3m DBH)	<input type="radio"/> 0 <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4	<input type="radio"/>	<input type="radio"/> 0 <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4	
Small Trees (<0.3m DBH)	<input type="radio"/> 0 <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4	<input type="radio"/>	<input type="radio"/> 0 <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4		Small Trees (<0.3m DBH)	<input type="radio"/> 0 <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4	<input type="radio"/>	<input type="radio"/> 0 <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4		Small Trees (<0.3m DBH)	<input type="radio"/> 0 <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4	<input type="radio"/>	<input type="radio"/> 0 <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4	
Woody Shrubs, Saplings (0.5m-5m HIGH)	<input type="radio"/> 0 <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4	<input type="radio"/>	<input type="radio"/> 0 <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4		Woody Shrubs, Saplings (0.5m-5m HIGH)	<input type="radio"/> 0 <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4	<input type="radio"/>	<input type="radio"/> 0 <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4		Woody Shrubs, Saplings (0.5m-5m HIGH)	<input type="radio"/> 0 <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4	<input type="radio"/>	<input type="radio"/> 0 <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4	
Woody Shrubs, Saplings (<0.5m HIGH)	<input type="radio"/> 0 <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4	<input type="radio"/>	<input type="radio"/> 0 <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4		Woody Shrubs, Saplings (<0.5m HIGH)	<input type="radio"/> 0 <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4	<input type="radio"/>	<input type="radio"/> 0 <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4		Woody Shrubs, Saplings (<0.5m HIGH)	<input type="radio"/> 0 <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4	<input type="radio"/>	<input type="radio"/> 0 <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4	
Herbs, Forbs and Grasses	<input type="radio"/> 0 <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4	<input type="radio"/>	<input type="radio"/> 0 <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4		Herbs, Forbs and Grasses	<input type="radio"/> 0 <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4	<input type="radio"/>	<input type="radio"/> 0 <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4		Herbs, Forbs and Grasses	<input type="radio"/> 0 <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4	<input type="radio"/>	<input type="radio"/> 0 <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4	
Bare ground	<input type="radio"/> 0 <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4	<input type="radio"/>	<input type="radio"/> 0 <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4		Bare ground	<input type="radio"/> 0 <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4	<input type="radio"/>	<input type="radio"/> 0 <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4		Bare ground	<input type="radio"/> 0 <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4	<input type="radio"/>	<input type="radio"/> 0 <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4	
Litter, duff	<input type="radio"/> 0 <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4	<input type="radio"/>	<input type="radio"/> 0 <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4		Litter, duff	<input type="radio"/> 0 <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4	<input type="radio"/>	<input type="radio"/> 0 <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4		Litter, duff	<input type="radio"/> 0 <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4	<input type="radio"/>	<input type="radio"/> 0 <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4	
Rock	<input type="radio"/> 0 <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4	<input type="radio"/>	<input type="radio"/> 0 <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4		Rock	<input type="radio"/> 0 <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4	<input type="radio"/>	<input type="radio"/> 0 <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4		Rock	<input type="radio"/> 0 <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4	<input type="radio"/>	<input type="radio"/> 0 <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4	
Water	<input type="radio"/> 0 <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4	<input type="radio"/>	<input type="radio"/> 0 <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4		Water	<input type="radio"/> 0 <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4	<input type="radio"/>	<input type="radio"/> 0 <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4		Water	<input type="radio"/> 0 <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4	<input type="radio"/>	<input type="radio"/> 0 <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4	
Submerged Vegetation	<input type="radio"/> 0 <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4	<input type="radio"/>	<input type="radio"/> 0 <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4		Submerged Vegetation	<input type="radio"/> 0 <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4	<input type="radio"/>	<input type="radio"/> 0 <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4		Submerged Vegetation	<input type="radio"/> 0 <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4	<input type="radio"/>	<input type="radio"/> 0 <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4	

**Stressor Presence/Absence** - Confirm that a filled data bubble indicates presence and an unfilled bubble indicates absence by filling this bubble. ☒

Residential and Urban Stressors					Hydrology Stressors					Agricultural & Rural Stressors				
Fill bubble if present - Plot	1	2	3	Flag	Fill bubble if present - Plot	1	2	3	Flag	Fill bubble if present - Plot	1	2	3	Flag
Road - gravel	<input type="radio"/> 0 <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4				Ditches, Channelization	<input type="radio"/> 0 <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4				Pasture/Hay	<input type="radio"/> 0 <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4			
Road - two lane	<input type="radio"/> 0 <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4				Dike/Dam/Road/RR Bed (IMPEDE FLOW)	<input type="radio"/> 0 <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4				Range	<input type="radio"/> 0 <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4			
Road - four lane	<input type="radio"/> 0 <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4				Water Level Control Structure	<input type="radio"/> 0 <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4				Row Crops	<input type="radio"/> 0 <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4			
Parking Lot/Pavement	<input type="radio"/> 0 <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4				Excavation, Dredging	<input type="radio"/> 0 <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4				Fallow Field (RECENT-RESTING ROW CROP FIELD)	<input type="radio"/> 0 <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4			
Golf Course	<input type="radio"/> 0 <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4				Fill/Spoil Banks	<input type="radio"/> 0 <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4				Fallow Field (OLD - GRASS, SHRUBS, TREES)	<input type="radio"/> 0 <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4			
Lawn/Park	<input type="radio"/> 0 <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4				Freshly Deposited Sediment (UNVEGETATED)	<input type="radio"/> 0 <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4				Nursery	<input type="radio"/> 0 <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4			
Suburban Residential	<input type="radio"/> 0 <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4				Soil Loss/Root Exposure	<input type="radio"/> 0 <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4				Dairy	<input type="radio"/> 0 <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4			
Urban/Multifamily	<input type="radio"/> 0 <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4				Wall/Riprap	<input type="radio"/> 0 <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4				Orchard	<input type="radio"/> 0 <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4			
Landfill	<input type="radio"/> 0 <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4				Inlets, Outlets	<input type="radio"/> 0 <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4				Confined Animal Feeding	<input type="radio"/> 0 <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4			
Dumping	<input type="radio"/> 0 <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4				Point Source/Pipe (EFFLUENT OR STORMWATER)	<input type="radio"/> 0 <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4				Rural Residential	<input type="radio"/> 0 <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4			
Trash	<input type="radio"/> 0 <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4				Impervious surface Input (SHEETFLOW)	<input type="radio"/> 0 <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4				Gravel Pit	<input type="radio"/> 0 <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4			
Other: _____	<input type="radio"/> 0 <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4				Other: _____	<input type="radio"/> 0 <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4				Irrigation	<input type="radio"/> 0 <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4			
Other: _____	<input type="radio"/> 0 <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4				Other: _____	<input type="radio"/> 0 <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4				Other: _____	<input type="radio"/> 0 <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4			

Industrial Development Stressors					Habitat/Vegetation Stressors									
Fill bubble if present - Plot	1	2	3	Flag	Fill bubble if present - Plot	1	2	3	Flag	Fill bubble if present - Plot	1	2	3	Flag
Oil Drilling	<input type="radio"/> 0 <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4				Forest Clear Cut	<input type="radio"/> 0 <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4				Herbicide Use	<input type="radio"/> 0 <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4			
Gas Wells	<input type="radio"/> 0 <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4				Forest Selective Cut	<input type="radio"/> 0 <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4				Mowing/Shrub Cutting	<input type="radio"/> 0 <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4			
Mine (surface)	<input type="radio"/> 0 <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4				Tree Plantation	<input type="radio"/> 0 <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4				Trails	<input type="radio"/> 0 <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4			
Mine (underground)	<input type="radio"/> 0 <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4				Tree Canopy Herbivory (INSECT)	<input type="radio"/> 0 <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4				Soil Compaction (ANIMAL OR HUMAN)	<input type="radio"/> 0 <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4			
Military	<input type="radio"/> 0 <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4				Shrub Layer Browsed (WILD OR DOMESTIC)	<input type="radio"/> 0 <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4				Offroad vehicle damage	<input type="radio"/> 0 <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4			
Other: _____	<input type="radio"/> 0 <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4				Highly Grazed Grasses (OVERALL <3" HIGH)	<input type="radio"/> 0 <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4				Soil erosion (FROM WIND, WATER, OR OVERUSE)	<input type="radio"/> 0 <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4			
Other: _____	<input type="radio"/> 0 <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4				Recently Burned Forest Canopy	<input type="radio"/> 0 <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4				Other: _____	<input type="radio"/> 0 <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4			
Other: _____	<input type="radio"/> 0 <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4				Recently Burned Grassland (BLACKENED)	<input type="radio"/> 0 <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4				Other: _____	<input type="radio"/> 0 <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4			

Flag codes: K = No measurement made, U = Suspect measurement, F1, F2, etc. = misc. flags assigned by each field crew.

Explain all flags in comment section on the back of this form

Buffer Sample Plots 05/27/2011

2428168304

## Reviewed by (Initial): \_\_\_\_\_

PCAP SC1368

DATE: \_\_\_\_\_

07/22/2013

Fill bubble if present - Plot	1	2	3	Flag	Fill bubble if present - Plot	1	2	3	Flag	Fill bubble if present - Plot	1	2	3	Flag
Eurasian Watermilfoil	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Purple Loosestrife	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Johnson Grass	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Water hyacinth	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Knotweed	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Kudzu	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Yellow Floating Heart	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Japanese Knotweed	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Multiflora Rose	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Giant Salvinia	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Perennial Pepperweed	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Common Buckthorn	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Garlic Mustard	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Giant Reed	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Himalayan Blackberry	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Poison Hemlock	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Cheatgrass	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Tamarisk	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Mile-A-Minute Weed	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Reed Canary Grass	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Other: _____	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Birdsfoot Trefoil	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Common Reed	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Other: _____	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Canada Thistle	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Leafy Spurge	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Other: _____	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
										Other: _____	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	

Provide GPS coordinates at the center of the Buffer Plot (#3) at the far end of each Buffer Transect and for the Buffer Plot at the AA CENTER. Indicate the location of the plot coordinates by filling in the appropriate bubble.

If Buffer Plot 3 can not be accessed, take the coordinates at the nearest practicable location ALONG THE TRANSECT. This is important because all Buffer Plots are centered on the Buffer Transects and the coordinates will indicate the location of the transect. Fill in the "nearest practicable location" bubble, fill in the flag box, and describe where the coordinates were taken and why in the comment section below. The coordinates of the nearest practicable location can be either placed as close to the center of Plot 3 as possible or at the center of the last accessible Buffer Plot.

**Location of coordinates (choose one):**

☐ AA CENTER  
 ☐ N3  
 ☐ S3  
 ☐ E3  
 ☒ W3  
 ☐ Nearest practicable location (flag and comment below)

Flag

Latitude North

41. 41. 43.8.

### Longitude West

081.41940

**Use Decimal Degrees; NAD83**

[illegible]

7966623548