

CLEVELAND METROPARKS Plant Community Assessment Program: Quality Control Form



Project Label:

PCAP

Plot No:

3596

Date Sampled:

8-13-15

Lead:

Eperhard

Comment required if item answer is NO

Parking/Access outside of Park Boundaries:	Y <input checked="" type="radio"/> N <input type="radio"/>	If yes, write details in Comments section below
Field journals completed	Y <input type="radio"/> N <input checked="" type="radio"/>	
Site sketch made on 1:3000 map?	Y <input type="radio"/> N <input checked="" type="radio"/>	
Check cover page	X-axis Bearing of plot recorded	Y <input type="radio"/> N <input checked="" type="radio"/>
	GPS coords. Recorded	Y <input type="radio"/> N <input checked="" type="radio"/>
	North direction recorded	Y <input type="radio"/> N <input checked="" type="radio"/>
	Photographs taken?	Y <input type="radio"/> N <input checked="" type="radio"/>
	Relocated Pins Mapped	Y <input type="radio"/> N <input checked="" type="radio"/>
Plot No., Date agreement on all pages?	Y <input type="radio"/> N <input checked="" type="radio"/>	
Header data completed all pages?	Y <input type="radio"/> N <input checked="" type="radio"/>	
Cover classes recorded in all Intensive modules	Y <input type="radio"/> N <input checked="" type="radio"/>	
Browse Level By Species	Y <input type="radio"/> N <input checked="" type="radio"/>	
Woody stem quality control check	Y <input type="radio"/> N <input checked="" type="radio"/>	Check every line and cross check with the Tree Cover Sheet
Invasive plant quality control check	Y <input type="radio"/> N <input checked="" type="radio"/>	
Ash trees mapped	Y <input type="radio"/> N <input checked="" type="radio"/>	None
Completed Forest Pest/Pathogen Datasheet	Y <input type="radio"/> N <input checked="" type="radio"/>	
Cover by Strata? (confirm cover type)	Y <input type="radio"/> N <input checked="" type="radio"/>	
Soil samples collected with matching plot #.	Y <input type="radio"/> N <input checked="" type="radio"/>	
Cross check 2010 information	Y <input type="radio"/> N <input checked="" type="radio"/>	Highlight any changes from 2010 information
Vouchers labeled on datasheet with initials and number	Y <input type="radio"/> N <input checked="" type="radio"/>	
Vouchers labeled on collection bag	Y <input type="radio"/> N <input checked="" type="radio"/>	
Pink flags removed	Y <input type="radio"/> N <input checked="" type="radio"/>	
Data sheet QA before leaving site?	Y <input type="radio"/> N <input checked="" type="radio"/>	
Common equipment returned to tub.	Y <input type="radio"/> N <input checked="" type="radio"/>	
Data sheets scanned?		Enter date to left
Final data sheets scanned?		Enter date to left
Buffer Widths measured?	Y <input type="radio"/> N <input checked="" type="radio"/>	
Web Soil Survey	Y <input type="radio"/> N <input checked="" type="radio"/>	
Voucher Location	Refrigerator	Y <input type="radio"/> N <input checked="" type="radio"/>
(# vouchers collected)	Press (#)	Enter number to left
	Drier	Y <input type="radio"/> N <input checked="" type="radio"/>
	Identified	Y <input type="radio"/> N <input checked="" type="radio"/>
	Mounted	Y <input type="radio"/> N <input checked="" type="radio"/>
	Thrown away	Y <input type="radio"/> N <input checked="" type="radio"/>

GRTS point verification: Is plot sampleable?

<input checked="" type="checkbox"/> Yes	Original GRTS point is sampleable
<input type="checkbox"/> No	Original GRTS point lands in a non-sampleable area (fill in category below)
	<input type="checkbox"/> Point falls in a water (i.e. river, lake)
	<input type="checkbox"/> Managed mowed area (i.e. golf course, picnic area, right-of-way)
	<input type="checkbox"/> Paved area (i.e. parking lot, road)
	<input type="checkbox"/> Unsafe to sample (i.e. steep slope)
	<input type="checkbox"/> Other

Additional Comments:

--


CLEVELAND METROPARKS Plant Community Assessment Program - Background Data Sheet

GENERAL INFORMATION																					
Project Label:	PCAP																				
Project Name:	02Wet9015																				
Plot Name:	The Rusty Fence																				
Plot No.:	3596																				
<input type="checkbox"/> Level 4 (no nested corners sampled) <input checked="" type="checkbox"/> Level 5 (nested corners sampled)																					
Date (mm/dd/yyyy):	8/13/2015																				
End date (if > 1 day):	1/1																				
Party:	Role**																				
S. F. Subbach	Plot leader																				
T. Cochran	Woody																				
O. Sweet	Woody																				
Plot NOT SAMPLED: <input type="checkbox"/> Other <input type="checkbox"/> Fern, water <input type="checkbox"/> Paved <input type="checkbox"/> Slope <input type="checkbox"/> Safety																					
SAMPLING QUALITY* Effort Level: <input checked="" type="checkbox"/> Very thorough <input type="checkbox"/> Accurate <input type="checkbox"/> Hurried subjective evaluation of how much effort put into sampling. Hurried plots may still provide good data																					
TAXONOMIC ACCURACY <table border="1"> <tr> <td>highly</td> <td>modera.</td> <td>low</td> <td>not simpl</td> </tr> <tr> <td><input checked="" type="checkbox"/></td> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> </tr> <tr> <td>vascular</td> <td><input type="checkbox"/></td> <td><input checked="" type="checkbox"/></td> <td>n/a</td> </tr> <tr> <td>bryo</td> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> </tr> <tr> <td>lichen</td> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> <td><input checked="" type="checkbox"/></td> </tr> </table>		highly	modera.	low	not simpl	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	vascular	<input type="checkbox"/>	<input checked="" type="checkbox"/>	n/a	bryo	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	lichen	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
highly	modera.	low	not simpl																		
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>																		
vascular	<input type="checkbox"/>	<input checked="" type="checkbox"/>	n/a																		
bryo	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>																		
lichen	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>																		
TAXONOMIC STANDARD Authority: G&C Pub Date: 1998																					

Minimum required fields in Bold and Underlined

LOCATION	
State:	OH County: Cuyahoga
Quadrangle:	Clov South
Local Place Names:	IV Tower Road
Landowner:	CM
Data Confidentiality:	<input checked="" type="checkbox"/> Public data <input type="checkbox"/> Private Data <input type="checkbox"/> Fuzz 100m <input type="checkbox"/> Fuzz 250m <input type="checkbox"/> Fuzz 500m
Reason:	
If data not public why?	
Source of coordinates:	<input type="checkbox"/> MAP <input checked="" type="checkbox"/> GPS
Coordinate system:	Coord. Units
<input checked="" type="checkbox"/> Lat/Long <input type="checkbox"/> UTM <input type="checkbox"/> StatePlane <input type="checkbox"/> Other (specify)	<input type="checkbox"/> deg <input type="checkbox"/> deg min <input type="checkbox"/> m <input type="checkbox"/> ft
Datum:	<input checked="" type="checkbox"/> NAD83/WGS84 <input type="checkbox"/> NAD27
GPS location in plot x=0 to 5, y=-1.0 to 1.0:	
x = 0 y = 0 (base of plot x=0, y=0)	
Latitude:	41.38441
Longitude:	81.69223
Coord. Accuracy:	m <input type="checkbox"/> ft <input checked="" type="checkbox"/> +/- 2
GPS File Name:	11635A 3596A
Plot size for cover data:	0.1 (hectares)
X-axis Bearing of plot:	[12]°
Depth: (1-5):	4
Intensive modules: 2, 3, 8, 9	(EDIT IF MODIFIED)
Camera No.:	12 C2-41661
Photo No.:	
Plot placement:	<input checked="" type="checkbox"/> GRTS <input type="checkbox"/> Representative <input type="checkbox"/> Random <input type="checkbox"/> Stratified Random <input type="checkbox"/> Transect component <input type="checkbox"/> Systematic (grid) <input type="checkbox"/> Capture specific feature <input type="checkbox"/> Other

*Definitions and values in CM PCAP FOM v. 1.0 and CVS Field Guide



NOTES: Include Layout (any unusual shape details), Location (directions and landscape context), Rationale (why here), and Veg Characterization (description of community, dominants, strata, BROWSE). Additional notes in space on back.

Layout: 2x5 centerline 30, 40, 50 Not Found

Location: Walk south from the tent on APT
Cross West Creek to where trail gets washed out. Walk past NW building up paved road plot is to the north

Rationale: GRTS pt

Veg Char:

Canopy: Red, White & Black Oak w/ Red Maple & Tulip

Shrub: Red maple & Sassafras

Herb: Very depauperate.

OVER

CLEVELAND METROPARKS

Plant Community Assessment Program - Background Data Sheet

Project Label:

PCAP

Project Name:

02WC2015

Plot No.:

3596

Cleveland Metropolitan

Page 2 of 2

MODIFIED NATURESERVE CLASS*

CODE (on separate form):

Fit= Conf=

COMMUNITY NAME:

A02

Dry-Mesic Oak

HOMOGENEITY

☒ Homogeneous
 ☐ Compositional trend across the plot

☐ Conspicuous inclusions
 ☐ Irregular/pattern mosaic

DISTURBANCES

type*	severity**	yrs ago	% of plot	description
Human				
Natural				
Fire				
Cut				
Animal	VH	0	100	Browse/Trails
Other				

**L=low, ML=med low, M=med, MH=med high, H=high, VH=very high

Current Land Use: Park

Former Land Use:

HYDROLOGIC REGIME*

☒ Upland (seldom flooded)
 ☐ Intermittently flooded

☐ Intermittently/seasonally saturated (seldom flooded)
 ☐ Semipermanently flooded

☐ Permanently/Semipermanent, saturated (dry <1/yr, seldom flooded)
 ☐ Permanently flooded

☐ Occasionally flooded (<1/yr)
 ☐ Tidal/Seiche flooded daily

☐ Temporarily flooded
 ☐ Tidal/Seiche flooded monthly

☐ (e.g. wind, storms)
 ☐ Tidal/Seiche flooded irregular

☐ Unknown

SALINITY*

☐ Saltwater
 ☐ Brackish
 ☐ Fresh
 ☒ Upland (n/a)

(by default unless plot is a wetland)

Additional notes & diagrams: (Representativeness of plot to the stand, successional status, maturity, etc.)

- Large oak fell around 30m mark in plot.


- Chain metal fence is falling apart.

- Browse was very heavy on smilax and any other woody plants trying to grow. Several deer trails run through the plot.


- Red Maple will be poised to take over as these oaks age out.

EXAMPLES OF PERCENT OF AREA COVERED



The following graphic can be used for various data elements to convey "Amount" or "Quantity". NOTE: Within any given box, each quadrant contains the same solid area covered, but different visual objects.



cover class	% cover	midpoint
1	solitary or few	0.0001
2	0-1%	0.005
3	1-2%	0.015
4	2-5%	0.035
5	5-10%	0.075
6	10-25%	0.175
7	25-50%	0.375
8	50-75%	0.625
9	75-95%	0.850
10	95-100%	0.975



Nested Corners



BROWSE RATING NARRATIVE DESCRIPTION

LOW OR NONE: there is no measurable browse line AND there are very few or no plants 1-m nested quadrat and intensive module. In general, low values relate to less than 10 percent, by numbers of stems browsed.


MEDIUM LOW values include evidence of browse at about 10 percent of the stems with no significant impact to plant reproduction evident. In this rating, plants are browsed but preferential species are observed to be reproducing in numbers that appear normal or near-normal in comparison to low browse areas. For example, trilliums may flower and fruit, but jewelweed and arrowwood viburnum exhibit browse.

MEDIUM: browse affects greater than 10 percent and less than 25 percent of stems in the 1 m2 nested quadrat and intensive module. A browse line is usually not evident or obvious for all classes and species of vegetation, but careful examination may show preferential browse and/or browse lines for some species of plants.

MEDIUM HIGH values include evidence of a browse line and 25 percent of stems browsed with very little vegetation regeneration evident. In this rating, for some species of plants, reproduction does not appear to occur or it is very severely limited.

HIGH: greater than 25 percent of the stems of plants in the 1 m2 nested quadrat and intensive module AND a browse line is evident.

VERY HIGH values include extensive browse conditions, where the browse line is very evident AND almost all seedlings and herbs are severely browsed or missing. Browse line may be 5 to 6 feet in height with no or little green growth beneath.




KEY:




- Plot Origin
- Module Number
- Corner Number
- Intensive Corner

EXAMPLES OF PERCENT OF AREA COVERED

The following graphic can be used for various data elements to convey "Amount" or "Cover". NOTE: Within any given box, each quadrant contains the same kind area covered, just different sized objects.



cover class	% cover	midpoint
1	solitary or few	0.0001
2	0-1%	0.005
3	1-2%	0.015
4	2-5%	0.035
5	5-10%	0.075
6	10-25%	0.175
7	25-50%	0.375
8	50-75%	0.625
9	75-95%	0.850
10	95-100%	0.975



BROWSE RATING NARRATIVE DESCRIPTION

LOW OR NONE: there is no measurable browse line AND there are very few or no plants 1-m nested quadrat and intensive module. In general, low values relate to less than 10 percent, by numbers of stems browsed.

MEDIUM LOW values include evidence of browse at about 10 percent of the stems with no significant impact to plant reproduction evident. In this rating, plants are browsed but preferential species are observed to be reproducing in numbers that appear normal or near-normal in comparison to low browse areas. For example, trilliums may flower and fruit, but jewelweed and arrowwood viburnum exhibit browse.

MEDIUM: browse affects greater than 10 percent and less than 25 percent of stems in the 1 m2 nested quadrat and intensive module. A browse line is usually not evident or obvious for all classes and species of vegetation, but careful examination may show preferential browse and/or browse lines for some species of plants.

MEDIUM HIGH values include evidence of a browse line and 25 percent of stems browsed with very little vegetation regeneration evident. In this rating, for some species of plants, reproduction does not appear to occur or it is very severely limited.

HIGH: greater than 25 percent of the stems of plants in the 1 m2 nested quadrat and intensive module AND a browse line is evident.

VERY HIGH values include extensive browse conditions, where the browse line is very evident AND almost all seedlings and herbs are severely browsed or missing. Browse line may be 5 to 6 feet in height with no or little green growth beneath.

Page 1 of 1

Natural Resource Management FORM NR/2010-02a

Page 10 of 11

Plot no.:

[illegible]

on the

Explain subsample (additional room on back):

Project Label: PCAP

Project Name: 62WC2015

Plot No.: 359C


Page: 1 of 3



CLEVELAND METROPARKS Plant Community Assessment Program Natural Woody Stem Data Sheet

mod #	species	c	voucher#	# stems 0-1.4m browsed	% sub or super sample	# shrub clumps	size class (cm) woody stems > 1.4m	1 0-1	2 1-2.5	3 2.5-5	4 5-10	5 10-15	6 15-20	7 20-25	8 25-30	9 30-35	10 35-40	11 >40 (record each tree)
1	Acer rubrum																	76.9
1	Quercus rubra																	76.9
1	Quercus rubra ^{Quercus} alba ^{alba}																	
1	Smilax rotundifolia																	
2	Acer rubrum																	
2	Sassafras albidum																	
2	Magnolia acuminata																	
2	Standing dead																	
2	Smilax rotundifolia																	
2	Vitis sp (seedling)																	
2	Lindera benzoin																	
3	Standing dead																	
3	Acer rubrum																	
3	Lindera benzoin ^{Lindera} benzoin ^{benzoin}																	
3	Sassafras albidum																	
3	Lindera benzoin																	
3	Smilax rotundifolia																	
4	Sassafras albidum																	
4	Prunus pennsylvanica																	
4	Lindera benzoin																	
4	Quercus alba																	70.5
4	Acer rubrum																	
4	Quercus rubra																	
4	Standing dead																	

DBH Measurement Rules



Woody Stem Deer Browse

Record the number of stems/plants between 0.5-1.0 meters tall that exhibit evidence of this years deer browse.


Record using the tally system from 1 to 10




1



2



3




4



5

ASH CANOPY CONDITION

- 1. Healthy, full canopy:** A healthy ash canopy is normally thinner than many other trees such as maple.
- 2. Thinning canopy:** There aren't as many leaves as there ought to be, but all top branches exposed to sunlight have leaves.
- 3. Dieback:** Canopy is thinning and some top branches exposed to sunlight are dead (have no leaves). Lower branches, not exposed to sunlight, die naturally and are not considered.
- 4. >50% Dieback:** The canopy has less than half of the leaves that should be there and/or half of the top branches are dead.
- 5. Dead canopy:** No leaves remain in the canopy portion of the tree. It still counts as a 5 even if there are epicormic sprouts below the canopy (lowest branch) on the trunk.



A

B

C

D

E

ASH CANOPY BREAKUP CONDITION (for dead trees):

(If an ash receives a score of 5 (dead) under canopy condition it must also receive a breakup condition rank as described below)

- A:** All main branches contain fine twigs (newly dead).
- B:** Over 50% of main branches have fine twigs.
- C:** Less than 50% of main branches have fine twigs.
- D:** Stem still standing and tertiary main branches present.
- E:** Central stem still standing.

CLEVELAND METROPARKS Plant Community Assessment Program Natural Woody Stem Data Sheet

Project Label: PCAP

Project Name: Q2WC2015

Plot No.: 3596


Page: 2 of 3



Explain subsample (additional room on back):

mod #	species	c	voucher#	# stems 0-1.4m browed	% sub or super sample	# shrub clumps	size class (cm) woody stems >1.4m										
							1	2	3	4	5	6	7	8	9	10	11
							0-1	1-2.5	2.5-5	5-10	10-15	15-20	20-25	25-30	30-35	35-40	>40 (record each tree)
4	Linnaea borealis			2	100												
4	Sassafras albidum (seedling)			3	100												
4	Smilax rotundifolia			2	100												
3	Sassafras albidum (seedling)			3	100												
2	Sassafras albidum (seedling)			1	100												
5	Carya cordiformis																
5	Sassafras albidum			2													
5	Prunus serotina																
5	Carya ovata																
5	Standing dead																
5	Sassafras albidum (seedling)			2	100												
6	Sassafras albidum			2													
6	Acer saccharum																
6	Standing dead																
6	Prunus serotina																
6	Linodendron tulipifera																91.0
6	Vitis aestivalis			1													
6	Carya cordiformis																
6	Sassafras albidum (seedling)			1	100												
6	Vitis sp.			1	100												
7	Cornus florida																
8	Sassafras albidum			10													
8	Vitis aestivalis																
8	Acer rubrum																

DBH Measurement Rules



Woody Stem Deer Browse

Record the number of stems/plants between 0.5-1.0 meters tall that exhibit evidence of this years deer browse.


Record using the tally system from 1 to 10



1



2



3



4



5

ASH CANOPY CONDITION

1. **Healthy, full canopy:** A healthy ash canopy is normally thinner than many other trees such as maple.
2. **Thinning canopy:** There aren't as many leaves as there ought to be, but all top branches exposed to sunlight have leaves.
3. **Dieback:** Canopy is thinning and some top branches exposed to sunlight are dead (have no leaves). Lower branches, not exposed to sunlight, die naturally and are not considered.
4. **>50% Dieback:** The canopy has less than half of the leaves that should be there and/or half of the top branches are dead.
5. **Dead canopy:** No leaves remain in the canopy portion of the tree. It still counts as a 5 even if there are epicormic sprouts below the canopy (lowest branch) on the trunk.



A

B

C

D

E

ASH CANOPY BREAKUP CONDITION (for dead trees):

(If an ash receives a score of 5 (dead) under canopy condition it must also receive a breakup condition rank as described below)

- A: All main branches contain fine twigs (newly dead).
- B: Over 50% of main branches have fine twigs.
- C: Less than 50% of main branches have fine twigs.
- D: Stem still standing and tertiary main branches present.
- E: Central stem still standing.

CLEVELAND METROPARKS Plant Community Assessment Program Natural Woody Stem Data Sheet



Project Label: PCAP

Project Name: 02W2015


Plot No.: 3596

Page: 3 of 3

Explain subsample (additional room on back):

plot #	species	c	voucher#	# stems 0-1.4m broward	% sub or super sample	# shrub clumps	size class (cm) woody stems > 1.4m													
							1 0-1	2 1-2.5	3 2.5-4.5	4 5-10	5 10 - <15	6 15 - <20	7 20 - <25	8 25 - <30	9 30 - <35	10 35 - <40	11 >40 (record each tree)			
8	Standing dead																			
8	Liriodendron tulipifera																			
8	Vitis sp.			3																
7	Sassafras albidum (seedling)			6																
7	Rubus sp.			1																
8	Pinus Serotina																			
8	Standing dead																			
8	Acer rubrum																			
8	Liriodendron tulipifera																			
8	Sassafras albidum			10																
8	Smilax latifolia			2																
8	Sassafras albidum (seedling)			8																
9	Liriodendron tulipifera																			
9	Standing dead																			
9	Acer rubrum																			
9	Quercus alba																			
9	Vitis aestivalis			1																
9	Sassafras albidum (seedling)			4																
9	Smilax latifolia			2																
10	Acer rubrum																			
10	Quercus rubra																			
10	Standing dead																			
10	Quercus velutina																			
10	Sassafras albidum (seedling)			4																

DBH Measurement Rules



Woody Stem Deer Browse

Record the number of stems/plants between 0.5-1.0 meters tall that exhibit evidence of this years deer browse.

Record using the tally system from 1 to 10



1



2



3



4



5

ASH CANOPY CONDITION

- 1. Healthy, full canopy:** A healthy ash canopy is normally thinner than many other trees such as maple.
- 2. Thinning canopy:** There aren't as many leaves as there ought to be, but all top branches exposed to sunlight have leaves.
- 3. Dieback:** Canopy is thinning and some top branches exposed to sunlight are dead (have no leaves). Lower branches, not exposed to sunlight, die naturally and are not considered.
- 4. >50% Dieback:** The canopy has less than half of the leaves that should be there and/or half of the top branches are dead.
- 5. Dead canopy:** No leaves remain in the canopy portion of the tree. It still counts as a 5 even if there are epicormic sprouts below the canopy (lowest branch) on the trunk.



A

B

C

D

E

ASH CANOPY BREAKUP CONDITION (for dead trees):

(If an ash receives a score of 5 (dead) under canopy condition it must also receive a breakup condition rank as described below)

- A:** All main branches contain fine twigs (newly dead).
- B:** Over 50% of main branches have fine twigs.
- C:** Less than 50% of main branches have fine twigs.
- D:** Stem still standing and tertiary main branches present.
- E:** Central stem still standing.

Tree ID	Species	Dead	c	Voucher #	DBH (cm)	HT (m)	Ash condition	Dead condition	# Exit holes	Epicormic present	Woodpecker holes
1											
2											
3											
4											
5											
6											
7											
8											
9											
10											
11											
12											
13											
14											
15											
16											
17											
18											
19											
20											
21											
22											
23											
24											
25											

ASH Only

Baseline

9	8
2	3

*** Change intensive module numbers when necessary

Map all ash trees ≥ 10cm in each module using Tree ID number

* If Ash Condition scores 5 (dead) provide breakup score (A-E)
Count EAB exit holes 1.25m x 21.5m
Woodpecker and epicormic marked present (1) or absent (0)

CLEVELAND METROPARKS Plant Community Assessment Program: Invasive Species Survey



Tier 1: Early detection/ Rapid response		Presence				GPS	Presence X: yes
		NE	SE	SW	NW		
Microstegium vimineum	Japanese stiltgrass		1			42.38771, 081.6961	
Ranunculus ficaria	Lesser Celandine						
Cynanchum louiseae (vine)	Black Swallow-wort						
Butomus umbellatus (wetland)	Flowering Rush						
Heracleum mantegazzianum	Giant Hogweed						
Tier 2: Assess as Needed		# of Plants				comments	# of Plants
		NE	SE	SW	NW		
Acer platanoides	Norway Maple						1: 1-10
Ailanthus altissima	Tree of Heaven						2: 11-50.
Lonicera japonica (vine)	Japanese Honeysuckle						3: 51-100
Lythrum salicaria (wetland)	Purple Loosestrife						4: 101-1,000
Aegopodium podagraria (G-cover)	Bishop's Goutweed						5: >1,000
Celastrus orbiculatus (vine)	Asian Bittersweet						
Torilis sp.	Hedgeparsley						
Conium maculatum	Poison Hemlock						
Rhamnus cathartica	Common Buckthorn (shrub)						
Berberis thunbergii	Japanese Barberry (shrub)		1				
Alnus glutinosa	European Alder						
Dipsacus laciniatus	Cut-leaf Teasel						
Elaeagnus umbellata	Autumn Olive (shrub)						
Lonicera maackii	Amur Honeysuckle (shrub)						
Euonymus fortunei	Wintercreeper						
Tier 3: Presence is of Interest		# of Plants				comments	# of Plants
		NE	SE	SW	NW		
Convallaria majalis (G-cover)	Lily of the Valley						1: 1-10
Coronilla varia (G-cover)	Crown Vetch						2: 11-50.
Eleutherococcus pentaphyllus	Five-leaf Aralia (shrub)						3: 51-100
Pachysandra terminalis (G-cover)	Japanese Pachysandra						4: 101-1,000
Philadelphus coronarius	Mock Orange (shrub)						5: >1,000
Pulmonaria officinalis (G-cover)	Lungwort						
Rubus phoenicolasius	Wineberry						
Iris pseudacorus (wetland)	Yellow Flag Iris						
Ornithogalum umbellatum	Star of Bethlehem						
Viburnum opulus var. opulus	European Cranberry (shrub)						
Viburnum plicatum	Doublefile Viburnum (shrub)						
Tier 4: Widespread and abundant		Presence				comments	# of Plants
		NE	SE	SW	NW		
Alliaria petiolata	Garlic Mustard						1: 1-10
Ligustrum vulgare	Common Privet (shrub)						2: 11-50.
L. morrowii, L. tatarica	Bush Honeysuckles (shrub)						3: 51-100
Phalaris arundinacea	Reed Canarygrass						4: 101-1,000
Phragmites australis (wetland)	Phragmites						5: >1,000
Polygonum cuspidatum	Japanese Knotweed						
Frangula alnus	Glossy Buckthorn (shrub)	/	/	/	/		
Rosa multiflora	Multiflora Rose (shrub)						
Typha angustifolia, T. x.glauca	Cattails (wetland)						
Cirsium arvense	Canada thistle						
Dipsacus fullonum	Common Teasel						
Hesperis matronalis	Dame's Rocket						
Vinca minor (G-cover)	Periwinkle						

Note: For Ground-cover plants record "stem #" but in comment field describe # of colonies and patch size (S,M, L)

CLEVELAND METROPARKS Plant Community Assessment Program Forest Pest and Pathogens Data Sheet



Project Label: PCAP

Project Name: ORAC 2015

Plot No.: 3594

Page: 1 of 1

mod #	species	voucher#	# shrub clumps	size class (cm) woody stems > 1m										
				1 0-1	2 1-2.5	3 2.5-4.5	4 5-10	5 10-15	6 15-20	7 20-25	8 25-30	9 30-35	10 35-40	11 >40 (record each tree)
1														
2														
3														
4														
5														
6														
7														
8														
9														
10														

* IF EVIDENCE OF PEST OR PATHOGEN RECORD TOTAL SPECIES POPULATION IN THE PLOT EVEN THE NOT INFECTED

Strata	# of stem infected	Severity (H, M, or L)
Tree (size class 3 or above)		
Shrub (size class 2 or below including shrub clumps)		

* Write None Present if no evidence:

Beech (Fungus)	<u>None</u>	Asian Longhorned Beetle
Hemlock (HWA)		Other Pest or Pathogen
Walnut (Thousand Canker)		

Severity

High = more than 50% of leaf/needle cover exhibiting symptoms

Medium = Less than 50% of leaf/needle cover exhibiting symptoms

Low = Only a few leaves or branches are exhibiting symptoms

STANDING BIOMASS (required for emergent wetland) collected in 0.1m clip plot (2x32 cm) from corners 1 and 3 in each intensive module. Required for VIBR-E score calculation. CT=check when collected

Module #	C7	Corner	Corner

CLASSIFICATION

ERT - excellent, FFI and Confidence

Hydrogeomorphic class (WETLANDS ONLY)

<input type="checkbox"/> DEPRESSION	Fit=	Conf=
<input type="checkbox"/> IMPOUNDMENT <input type="checkbox"/> Beaver <input type="checkbox"/> Human	Fit=	Conf=
<input type="checkbox"/> RIVERINE <input type="checkbox"/> Headwater <input type="checkbox"/> Midstream <input type="checkbox"/> Channel	Fit=	Conf=
<input type="checkbox"/> SLOPE (ground water hydrology or on a physical slope)	Fit=	Conf=
<input type="checkbox"/> FRINGING <input type="checkbox"/> Reservoir <input type="checkbox"/> Natural Lake	Fit=	Conf=
<input type="checkbox"/> COASTAL (specify subclass)	Fit=	Conf=
<input type="checkbox"/> BOC (strongly, moderately, weakly ombrotrophic)	Fit=	Conf=

Ohio EPA VIBR Plant Community Class (WETLANDS ONLY)

<input type="checkbox"/> FOREST <input type="checkbox"/> swamp forest <input type="checkbox"/> bog forest <input type="checkbox"/> forest seep	Fit=	Conf=
<input type="checkbox"/> EMERGENT <input type="checkbox"/> marsh <input type="checkbox"/> wet meadow <input type="checkbox"/> open bog	Fit=	Conf=
<input type="checkbox"/> SHRUB <input type="checkbox"/> shrub swamp <input type="checkbox"/> tall sh. bog <input type="checkbox"/> tall sh. fen	Fit=	Conf=

MICROTOPOGRAPHIC FEATURE COUNTS - intensive modules only

Grades for microhabitat features. Select one or select two and average the score. NOTE: If mod falls on a slope automatically gets ranked based on steepness (1=) to begin + any features present
Slope 1 = slight elevational grade across module (sh) Slope 2 = falls on slope -20° Slope 3 = maximum steepness that can be safely sampled ~45°

- 0 feature is absent or functionally absent from the wetland
- 3 feature is present in the wetland in very small amounts or if more common, of low quality
- 7 feature is present in moderate amounts, but not of highest quality, or in small amounts of highest quality
- 10 feature is present in moderate or greater amounts and of highest quality

C.W.D. - COUNT for pieces with minimum 1m length

mod#	corner	no. of tussocks		no. of hummocks (T1p-Upr)		no. macro depressions		c.w.d (2-12 cm)		c.w.d (12-40cm)		c.w.d >40 cm		microhab. interspers.		microhab. SLOPE	
		depth 3 1x1m (count)	depth 2 3 locs 16m (count)	depth 1 10x10m (count)	depth 1 10x10m (count)	depth 1 10x10m (count)	depth 1 10x10m (count)	depth 1 10x10m (count)	depth 1 10x10m (count)	depth 1 10x10m (count)	depth 1 10x10m (count)	depth 1 10x10m (count)					
2		0	0	0	1	0	14	1	0	2	2						
3		0	1	1	0	17	1	0	2	2	2						
8		0	0	0	0	16	1	0	0	2	2						
9		0	0	0	0	13	2	0	0	2	2						

NOTE: tussock and hummocks are counted in BOTH nested quadrat corners but counts are aggregated.

NOTE: tussock and hummocks are counted in BOTH nested quadrat corners but counts are aggregated.

MCNAB INDICES (degrees) + for up - for down FILLED OUT USING THE PROGRAM - DO NOT FILL OUT IN FIELD

Alt aspect	N	NE	E	SE	S	SW	W	NW
+45 degrees								
+90 degrees								
+135 degrees								
+180 degrees								
+225 degrees								
+270 degrees								
+315 degrees								

1. FT is angle of plot to the horizon. TSI is angle formed by local slopes. For TSI measure angle from recorder eye to 6° of person standing ~10 m away.

* Landform Index (Location within landscape)
** Terrain Slope Index (aka microtopographic shape)

CROWN COVER (DIMENSIONLESS) Make 4 readings per module facing N, S, E, W. Place dot count in corresponding space. (4 dots per grid square)

Module	N	S	E	W
1	1	1	0	0
2	3	2	2	1
3	8	1	12	1
9	5	1	3	2

COVER BY STRATA

STRATUM	GENERAL FORM
Tree (generally >5 m)	Tree (overstory), very tall shrubs*, liana, epiphyte)
Shrub (generally 0.5 to 5 m)	Tree (sapling), shrub, liana, epiphyte)
Herb (Field)	Herb, dwarf-shrub**, tree (seedling***)
Floating	Floating
Aquatic (submerged)	Submerged

*Very tall shrubs are sometimes included in the tree stratum
 **Can also include seedlings of shrubs, i.e. all shrubs <0.5m
 ***Tree seedlings are often defined as up to 1.4 m height or as <2.5 cm DBH in which case they would span the herb and shrub layers.





FIGURE 3-20.—Generalized section of Upper Devonian, Mississippian, and Lower Pennsylvanian formations in northeastern Ohio. Asterisks indicate units that are fossiliferous. This composite section represents about 400 meters of rock exposed across the area. The section is not to scale, but the thicknesses indicated are proportional. The term "Waverly" is used in the older literature to refer to Mississippian rocks in Ohio. Some geologists use the European term "Carboniferous," which encompasses the Mississippian and Pennsylvanian Periods of the U.S. Many units have been named within the Cuyahoga Formation, but most units are local and cannot be traced over great distances. The Black Hand Member is a spectacular massive sandstone that is fairly widespread but discontinuous. See Hyde (1953), Hoover (1960), and Collins (1979) for more information on Mississippian rocks in Ohio. See figure 3-18 for explanation of rock types.

SOIL PIT DESCRIPTION: Excavate 20 cm plug with shovel. Describe using Munsell chart, visual exam, texture, and odor.

SOIL SAMPLES Standard procedure: collect a soil sample of the top 10 cm of soil from center of each intensive module and composite the sample

Soil pit module # (one per entire plot)

5 cm	matrix color	
	mottle color	
	%mottle	
	oxid roots	Y N
	texture*	
	redox features**	Y N
	hyd. cond.***	I S M D
20 cm	matrix color	
	mottle color	
	%mottle	
	oxid roots	Y N
	texture*	
	redox features**	Y N
	hydro. cond.***	I S M D

Soil Collection Module	Horizon (A, B, C)
2.3.8.9 completed	A
Mod Soil Survey Information	
Soil Series/Type:	
Soil Series Source:	Ohio Soil Survey
Landform type:	
Depth to rest. Layer:	
Parent Material:	
PERMEABILITY	
<input type="checkbox"/> Excessively dr.	<input type="checkbox"/> Somewhat excessively
<input type="checkbox"/> Well drained	<input type="checkbox"/> Moderately well dr.
<input type="checkbox"/> Somewhat poorly dr.	<input type="checkbox"/> Very poorly dr.
<input type="checkbox"/> Impermeable surface	

SOIL DEPTH MEASUREMENT: Measure to the nearest 0.1 cm in center of intensive modules. If >30.5 cm, record as >30

Module	1 liter+ organic depth (cm)	2 liter depth (cm)	water depth (cm)	depth sat soil (cm)
Mod 2 - Castings present	2	3.8	3.8	0
Mod 3 - Castings present	3	3.2	3.2	0
Mod 8 - Castings present	8	3.7	3.7	0
Mod 9 - Castings present	9	3.5	3.5	

EARTH SURFACE & GROUND COVER

Underlying Earth Surface*	Ground Cover	percent
Gravel = 100%	percent	percent
Mineral Soil	Coarse Woody Debris***	15
Gravel-Cobble*	Fine Woody Debris****	8
Boulder**	Litter	93
Bedrock	Duff (Ferm + Humus)	0
	Bryophyte-Lichen	2
	Water	0
* Gravel-Cobble = 1/16-10"	Bare Soil	3
** Boulder = > 10 in		4
*** <5 cm in diameter	Dead/Trunk	
**** <5 cm in diameter	Other	

COVER BY STRATA

estimate using midpoints of 5, 8, 13

Strata	Height Range (in)	Total Cover (%)
Trees	75	78
Shrub	0.5-5	23
Herb	<0.5	3
(Floating)*	-	
(Aquatic)*	-	

* rooted and floating or slightly emergent
 ** submerged, most plant mass below surface
 SEE BACK OF PAGE FOR "TYPICAL STRATA DESCRIPTIONS. STRATA CAN VARY BY COVER TYPE.

TRAIL INFORMATION:


record type and cover for each	% Cover
Type	
All Purpose	
Bridle	
Hiking sanctioned	
Boulding unsanctioned	
Gravel	4
Other	

STAND SIZE


- ☐ >600 x plot size
- ☐ > 100 x plot size
- ☒ 10-100 x plot size
- ☐ 3-10 x plot size
- ☐ 1-3 x plot size
- ☐ < plot size

PERCENT MOTTLES (USE CLASS CODES):

Class	Code	Criteria: % of Surface Area Covered
Few	f	< 2
Common	c	2 to < 20
Many	m	≥ 20



2%




20%

SOIL TEXTURE: Record the code for the soil texture of the 5 cm and 20 cm layers. To estimate texture, collect a soil sample from the appropriate layer and moisten it with water to the consistency of modeling clay/wet newspaper; the sample should be wet enough that all of the particles are saturated but excess water does not freely flow from the sample when squeezed. Attempt to roll the sample into a ball. If the soil will not stay in a ball and has a grainy texture, the texture is either sandy or coarse sandy. If the soil does form a ball, squeeze the sample between your fingers and attempt to form a self-supporting ribbon. Samples which form both a ball and a ribbon should be coded as clayey; samples which form a ball but not a ribbon should be coded as loamy.


- 0= Organic
- 1= Loamy
- 2= Clayey
- 3= Sandy
- 4= Coarse Sand
- 9= Not measured - make plot note

Geomorphic Component - Three-dimensional descriptors of parts of landforms or microfeatures that are best applied to areas. Unique descriptors are available for Hills, Terraces, Mountains, and Flat Plains; e.g., (for Hills) nose slope or NS.

Hills	Code	NASIS
interfluvial	IF	IF
head slope	HS	HS
nose slope	NS	NS
side slope	SS	SS
base slope	—	BS




(P.J.S. 1990; adapted from Ruess, 1975)



Hillslope - Profile Position (Hillslope Position in PDP) - Two-dimensional descriptors of parts of line segments (i.e., slope position) along a transect that runs up and down the slope; e.g., *backslope* or *BS*. This is best applied to transects or points, not areas.

Position	Code
summit	SU
shoulder	SH
backslope	BS
footslope	FS
toeslope	TS



HYDROLOGIC REGIME Modified from Grossman et al 1998. (Frequency and duration of flooding.)

UPLAND: Not a wetland. Very rarely flooded.

INTERMITTENTLY/SEASONALLY SATURATED: Dry at least once per year. Surface water is seldom present, but substrate is saturated to surface for extended periods during the growing season.

PERMANENTLY/SEMPERMANENTLY SATURATED: Dry less than once per year. Surface water is seldom present, but substrate is saturated to surface for extended periods during the growing season. Equivalent to Cowardin's Saturated modifier.

OCCASIONALLY FLOODED: Surface water can be present for brief periods during growing season, but not in most years. Often characterizes flood-plain upper terraces.

TEMPORARILY FLOODED: Surface water present for brief periods during growing season, but water table usually lies well below soil surface. Often characterizes flood-plain levees and lower terraces. Equivalent to Cowardin's Temporary modifier.

INTERMITTENTLY FLOODED: Substrate is usually exposed, but surface water can be present for variable periods without detectable seasonal periodicity. Inundation is not predictable to a given season and is dependent upon highly localized rain storms. This modifier was developed for use in the arid West for water regimes of Playa lakes, intermittent streams, and dry washes but can be used in other parts of the U.S. where appropriate. This modifier can be applied to both wetland and non-wetland situations. Equivalent to Cowardin's Intermittently Flooded modifier.

SEMPERMANENTLY FLOODED (exposed <1/year): Surface water persists throughout the growing season in most years. Land surface is normally saturated when water level drops below soil surface. Includes Cowardin's Intermittently Exposed and Semipermanently Flooded modifiers.

PERMANENTLY FLOODED: Water covers the land surface at all times of the year in all years. Equivalent to Cowardin's "permanently flooded".

UNKNOWN: The hydrologic regime cannot be determined from the available information.

FORM B-1: BUFFER SAMPLE PLOTS (Front)

Reviewed by (Initial): _____

Site ID: 3596BENCDATE: 08/13/2015

Location:

☐ AA Center
 ☐ N
 ☐ S
 ☒ E
 ☐ W

Fill in bubble(s) if plot(s) could not be sampled and flag →

☐ Plot 1

 ☐ Plot 2

 ☒ Plot 3

Buffer Natural Cover Strata

Fill in bubbles for all that apply. Canopy Type: D = Deciduous, E = Evergreen. Leaf Type: B = Broadleaf, N = Needle Leaf. Absent: No tree canopy

Strata Section: Fill in appropriate cover class bubble for each strata type for each plot. 0 = Absent; 1 = Sparse (<10%); 2 = Moderate (10-40%); 3 = Heavy (40-75%); 4 = Very Heavy (>75%)

Buffer Plot 1	Canopy Type: <input checked="" type="radio"/> D <input type="radio"/> E	Absent: <input type="radio"/>	Leaf Type: <input checked="" type="radio"/> B <input type="radio"/> N	Flag	Buffer Plot 2	Canopy Type: <input checked="" type="radio"/> D <input type="radio"/> E	Absent: <input type="radio"/>	Leaf Type: <input checked="" type="radio"/> B <input type="radio"/> N	Flag	Buffer Plot 3	Canopy Type: <input type="radio"/> D <input type="radio"/> E	Absent: <input type="radio"/>	Leaf Type: <input type="radio"/> B <input type="radio"/> N	Flag
Big Trees (>0.3m DBH)	<input checked="" type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>		Big Trees (>0.3m DBH)	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>		Big Trees (>0.3m DBH)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Small Trees (<0.3m DBH)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Small Trees (<0.3m DBH)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Small Trees (<0.3m DBH)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Woody Shrubs, Saplings (0.5m-5m HIGH)	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>		Woody Shrubs, Saplings (0.5m-5m HIGH)	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>		Woody Shrubs, Saplings (0.5m-5m HIGH)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Woody Shrubs, Saplings (<0.5m HIGH)	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>		Woody Shrubs, Saplings (<0.5m HIGH)	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>		Woody Shrubs, Saplings (<0.5m HIGH)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Herbs, Forbs and Grasses	<input checked="" type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>		Herbs, Forbs and Grasses	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>		Herbs, Forbs and Grasses	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Bare ground	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>		Bare ground	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>		Bare ground	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Litter, duff	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>	Litter, duff	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Litter, duff	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Rock	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>		Rock	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>		Rock	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Water	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>		Water	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>		Water	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Submerged Vegetation	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>		Submerged Vegetation	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>		Submerged Vegetation	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	

Stressor Presence/Absence - Confirm that a filled data bubble indicates presence and an unfilled bubble indicates absence by filling this bubble. ☒

Residential and Urban Stressors					Hydrology Stressors					Agricultural & Rural Stressors				
Fill bubble if present - Plot	1	2	3	Flag	Fill bubble if present - Plot	1	2	3	Flag	Fill bubble if present - Plot	1	2	3	Flag
Road - gravel	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Ditches, Channelization	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Pasture/Hay	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Road - two lane	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Dike/Dam/Road/RR Bed (IMPEDE FLOW)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Range	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Road - four lane	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Water Level Control Structure	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Row Crops	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Parking Lot/Pavement	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Excavation, Dredging	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Fallow Field (RECENT-RESTING ROW CROP FIELD)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Golf Course	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Fill/Spoil Banks	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Fallow Field (OLD - GRASS, SHRUBS, TREES)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Lawn/Park	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Freshly Deposited Sediment (UNVEGETATED)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Nursery	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Suburban Residential	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Soil Loss/Root Exposure	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Dairy	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Urban/Multifamily	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Wall/Riprap	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Orchard	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Landfill	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Inlets, Outlets	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Confined Animal Feeding	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Dumping	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Point Source/Pipe (EFFLUENT OR STORMWATER)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Rural Residential	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Trash	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Impervious surface input (SHEETFLOW)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Gravel Pit	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Other: _____	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Other: _____	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Irrigation	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Other: _____	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Other: _____	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Other: _____	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	

Industrial Development Stressors					Habitat/Vegetation Stressors									
Fill bubble if present - Plot	1	2	3	Flag	Fill bubble if present - Plot	1	2	3	Flag	Fill bubble if present - Plot	1	2	3	Flag
Oil Drilling	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Forest Clear Cut	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Herbicide Use	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Gas Wells	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Forest Selective Cut	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Mowing/Shrub Cutting	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Mine (surface)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Tree Plantation	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Trails	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	2
Mine (underground)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Tree Canopy Herbivory (INSECT)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Soil Compaction (ANIMAL OR HUMAN)	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	
Military	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Shrub Layer Browsed (WILD OR DOMESTIC)	<input checked="" type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>		Offroad vehicle damage	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Other: _____	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Highly Grazed Grasses (OVERALL <5' HIGH)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Soil erosion (FROM WIND, WATER, OR OVERUSE)	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	
Other: _____	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Recently Burned Forest Canopy	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Other: _____	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Other: _____	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Recently Burned Grassland (BLACKENED)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Other: _____	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	

Flag codes: K = No measurement made, U = Suspect measurement, F1, F2, etc. = misc. flags assigned by each field crew.

Explain all flags in comment section on the back of this form

2428168304

Buffer Sample Plots 05/27/2011

FORM B-1: BUFFER SAMPLE PLOTS - TARGETED ALIEN SPECIES (Back)									
Reviewed by (initials): _____ DATE: 08/13/2015 Site ID: 3596BPMCE									
Confirm a filled data bubble indicates presence and an unfilled bubble indicates absence by filling in this bubble									
Fill bubble if present - Plot	1	2	3	Flag	Fill bubble if present - Plot	1	2	3	Flag
Eurasian Watermilloil	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Purple Loosestife	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Water hyacinth	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Knotweed	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Yellow Floating Heart	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Japanese Knotweed	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Giant Salvinia	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Perennial Pepperweed	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Garlic Mustard	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Giant Reed	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Poison Hemlock	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Chealgrass	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Mile-A-Minute Weed	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Reed Canary Grass	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Birdfoot Trefoil	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Common Reed	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Canada Thistle	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Leaky Spurge	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Other:	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Other:	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Other:	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Other:	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Other:	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Other:	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Provide GPS coordinates at the center of the Buffer Plot (#3) at the far end of each Buffer Transect and for the Buffer Plot at the AA CENTER. Indicate the location of the plot coordinates by filling in the appropriate bubble.

If Buffer Plot 3 can not be accessed, take the coordinates at the nearest practicable location ALONG THE TRANSECT. This is important because all Buffer Plots are centered on the Buffer Transsects and the coordinates will indicate the location of the transect. Fill in the "nearest practicable location" bubble, fill in the flag box, and describe where the coordinates were taken and why in the comment section below. The coordinates of the nearest practicable location can be either placed as close to the center of Plot 3 as possible or at the center of the last accessible Buffer Plot.

Location of coordinates (choose one):
☐ AA CENTER ☐ N3 ☐ S3 ☐ E3 ☒ W3 ☐ Nearest practicable location (flag and comment below)
 Flag: ☐

Latitude North: 41.38570 Longitude West: 081.69796
 Use Decimal Degrees: NAD83

Flag	Comments
1	Could not get to plot 3 - too steep
2	Routeg trail

FORM B-1: BUFFER SAMPLE PLOTS (Front)

Reviewed by (Initial):

Site ID: 3596 BPWCN

DATE: 08/13/2015

Location:

☐ AA Center
 ☒ DN
 ☐ S
 ☐ E
 ☐ W

Fill in bubble(s) if plot(s) could not be sampled and flag →

☐ Plot 1

 ☐ Plot 2

 ☐ Plot 3

Buffer Natural Cover Strata

Fill in bubbles for all that apply: Canopy Type: D = Deciduous, E = Evergreen, Leaf Type: B = Broadleaf, N = Needle Leaf. Absent: No tree canopy.

Strata Section: Fill in appropriate cover class bubble for each strata type for each plot. 0 = Absent; 1 = Sparse (<10%); 2 = Moderate (10-40%); 3 = Heavy (40-75%); 4 = Very Heavy (>75%)

Buffer Plot 1	Canopy Type: <input type="radio"/> D <input type="radio"/> E	Absent: <input type="radio"/>	Buffer Plot 2	Canopy Type: <input type="radio"/> D <input type="radio"/> E	Absent: <input type="radio"/>	Buffer Plot 3	Canopy Type: <input type="radio"/> D <input type="radio"/> E	Absent: <input type="radio"/>
Leaf Type: <input type="radio"/> B <input type="radio"/> N	Flag		Leaf Type: <input type="radio"/> B <input type="radio"/> N	Flag		Leaf Type: <input type="radio"/> B <input type="radio"/> N	Flag	
Big Trees (>0.3m DBH)	<input checked="" type="radio"/> 1	<input type="radio"/>	Big Trees (>0.3m DBH)	<input checked="" type="radio"/> 1	<input type="radio"/>	Big Trees (>0.3m DBH)	<input checked="" type="radio"/> 1	<input type="radio"/>
Small Trees (<0.3m DBH)	<input type="radio"/>	<input type="radio"/>	Small Trees (<0.3m DBH)	<input type="radio"/>	<input type="radio"/>	Small Trees (<0.3m DBH)	<input type="radio"/>	<input type="radio"/>
Woody Shrubs, Saplings (0.5m-5m HIGH)	<input type="radio"/>	<input type="radio"/>	Woody Shrubs, Saplings (0.5m-5m HIGH)	<input type="radio"/>	<input type="radio"/>	Woody Shrubs, Saplings (0.5m-5m HIGH)	<input type="radio"/>	<input type="radio"/>
Woody Shrubs, Saplings (<0.5m HIGH)	<input checked="" type="radio"/> 1	<input type="radio"/>	Woody Shrubs, Saplings (<0.5m HIGH)	<input checked="" type="radio"/> 1	<input type="radio"/>	Woody Shrubs, Saplings (<0.5m HIGH)	<input checked="" type="radio"/> 1	<input type="radio"/>
Herbs, Forbs and Grasses	<input type="radio"/>	<input type="radio"/>	Herbs, Forbs and Grasses	<input type="radio"/>	<input type="radio"/>	Herbs, Forbs and Grasses	<input type="radio"/>	<input type="radio"/>
Bare ground	<input type="radio"/>	<input type="radio"/>	Bare ground	<input type="radio"/>	<input type="radio"/>	Bare ground	<input type="radio"/>	<input type="radio"/>
Litter, duff	<input type="radio"/>	<input type="radio"/>	Litter, duff	<input type="radio"/>	<input type="radio"/>	Litter, duff	<input type="radio"/>	<input type="radio"/>
Rock	<input type="radio"/>	<input type="radio"/>	Rock	<input type="radio"/>	<input type="radio"/>	Rock	<input type="radio"/>	<input type="radio"/>
Water	<input type="radio"/>	<input type="radio"/>	Water	<input type="radio"/>	<input type="radio"/>	Water	<input type="radio"/>	<input type="radio"/>
Submerged Vegetation	<input type="radio"/>	<input type="radio"/>	Submerged Vegetation	<input type="radio"/>	<input type="radio"/>	Submerged Vegetation	<input type="radio"/>	<input type="radio"/>

Stressor Presence/Absence - Confirm that a filled data bubble indicates presence and an unfilled bubble indicates absence by filling this bubble. ☒

Residential and Urban Stressors					Hydrology Stressors					Agricultural & Rural Stressors				
Fill bubble if present - Plot	1	2	3	Flag	Fill bubble if present - Plot	1	2	3	Flag	Fill bubble if present - Plot	1	2	3	Flag
Road - gravel	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Ditches, Channelization	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Pasture/Hay	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Road - two lane	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Dike/Dam/Road/RR Bed (IMPEDE FLOW)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Range	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Road - four lane	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Water Level Control Structure	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Row Crops	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Parking Lot/Pavement	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Excavation, Dredging	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Fallow Field (RECENT-RESTING ROW CROP FIELD)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Golf Course	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Fill/Spoil Banks	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Fallow Field (OLD - GRASS, SHRUBS, TREES)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Lawn/Park	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Freshly Deposited Sediment (UNVEGETATED)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Nursery	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Suburban Residential	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Soil Loss/Root Exposure	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Dairy	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Urban/Multifamily	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Wall/Riprap	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Orchard	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Landfill	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Inlets, Outlets	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Confined Animal Feeding	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Dumping	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Point Source/Pipe (EFFLUENT OR STORMWATER)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Rural Residential	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Trash	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Impervious surface input (SHEETFLOW)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Gravel Pit	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Other: _____	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Other: _____	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Irrigation	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Other: _____	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Other: _____	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Other: _____	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	

Industrial Development Stressors					Habitat/Vegetation Stressors									
Fill bubble if present - Plot	1	2	3	Flag	Fill bubble if present - Plot	1	2	3	Flag	Fill bubble if present - Plot	1	2	3	Flag
Oil Drilling	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Forest Clear Cut	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Herbicide Use	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Gas Wells	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Forest Selective Cut	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Mowing/Shrub Cutting	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Mine (surface)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Tree Plantation	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Trails	<input type="radio"/>	<input checked="" type="radio"/> 1	<input checked="" type="radio"/> 2	
Mine (underground)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Tree Canopy Herbivory (INSECT)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Soil Compaction (ANIMAL OR HUMAN)	<input checked="" type="radio"/> 1	<input checked="" type="radio"/> 2	<input checked="" type="radio"/> 3	
Military	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Shrub Layer Browsed (WILD OR DOMESTIC)	<input checked="" type="radio"/> 1	<input checked="" type="radio"/> 2	<input checked="" type="radio"/> 3		Offroad vehicle damage	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Other: _____	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Highly Grazed Grasses (OVERALL <3' HIGH)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Soil erosion (FROM WIND, WATER, OR OVERUSE)	<input checked="" type="radio"/> 1	<input checked="" type="radio"/> 2	<input checked="" type="radio"/> 3	
Other: _____	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Recently Burned Forest Canopy	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Other: _____	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Other: _____	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Recently Burned Grassland (BLACKENED)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Other: _____	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	

Flag codes: K = No measurement made, U = Suspect measurement, F1, F2, etc. = misc. flags assigned by each field crew.

Explain all flags in comment section on the back of this form

2428168304

Buffer Sample Plots 05/27/2011

FORM B-1: BUFFER SAMPLE PLOTS - TARGETED ALIEN SPECIES (Back)

Reviewed by (Initial):

Site ID:

3594BPMCN

DATE:

08/13/2015

Confirm a filled data bubble indicates presence and an unfilled bubble indicates absence by filling in this bubble

Fill bubble if present - Plot	1	2	3	Flag	Fill bubble if present - Plot	1	2	3	Flag	Fill bubble if present - Plot	1	2	3	Flag
Eurasian Watermilloil	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		Purple Loosestife	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		Johnson Grass	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Water hyacinth	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		Knotweed	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		Kudzu	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Yellow Floating Heart	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		Japanese Knotweed	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		Mulliflora Rose	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Giant Salvinia	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		Perennial Pepperweed	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		Common Buckthorn	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Garlic Mustard	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		Giant Reed	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		Himalayan Blackberry	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Poison Hemlock	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		Chealgrass	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		Tamansk	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Mile-A-Minute Weed	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		Reed Canary Grass	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		Other:	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Birdfoot Trefoil	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		Common Reed	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		Other:	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Canada Thistle	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		Leafy Spurge	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		Other:	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
										Other:	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

PLOT COORDINATES

Provide GPS coordinates at the center of the Buffer Plot (#3) at the far end of each Buffer Transect and for the Buffer Plot at the AA CENTER. Indicate the location of the plot coordinates by filling in the appropriate bubble.

If Buffer Plot 3 can not be accessed, take the coordinates at the nearest practicable location ALONG THE TRANSECT. This is important because all Buffer Plots are centered on the Buffer Transects and the coordinates will indicate the location of the transect. Fill in the "nearest practicable location" bubble, fill in the flag box, and describe where the coordinates were taken and why in the comment section below. The coordinates of the nearest practicable location can be either placed as close to the center of Plot 3 as possible or at the center of the last accessible Buffer Plot.

Location of coordinates (choose one):

☐ AA CENTER ☒ N3 ☐ S3 ☐ E3 ☐ W3 ☐ Nearest practicable location (flag and comment below)

Latitude North

41.38460

Longitude West

081.69770

Use Decimal Degrees: NAD83

Flag

Comments

1 Plots 2 & 3 fell on a Boating trail

BP WC
3596 ~~WP~~PC

08 / 13 / 2015





















































































































Fill in bubble(s) if plot(s) could not be sampled and flag →

☐ Plot 1 ☐ Plot 2 ☐ Plot 3

Fill in bubbles for all that apply: Canopy Type: D = Deciduous; E = Evergreen. Leaf Type: B = Broadleaf; N = Needle Leaf. Absent: No tree canopy.

Strata Section: Fill in appropriate cover class bubble for each strata type for each plot. 0 = Absent; 1 = Sparse (<10%); 2 = Moderate (10-40%); 3 = Heavy (40-75%); 4 = Very Heavy (>75%)

[illegible]

Buffer Plot 1	Canopy Type:   					Absent: 	Buffer Plot 2	Canopy Type:   					Absent: 	Buffer Plot 3	Canopy Type:   					Absent: 
	Leaf Type:  					Flag		Leaf Type:  					Flag		Leaf Type:  					Flag
Big Trees (>0.3m DBH)							Big Trees (>0.3m DBH)							Big Trees (>0.3m DBH)						
Small Trees (<0.3m DBH)							Small Trees (<0.3m DBH)							Small Trees (<0.3m DBH)						
Woody Shrubs, Saplings (0.5m-5m HIGH)							Woody Shrubs, Saplings (0.5m-5m HIGH)							Woody Shrubs, Saplings (0.5m-5m HIGH)						
Woody Shrubs, Saplings (<0.5m HIGH)							Woody Shrubs, Saplings (<0.5m HIGH)							Woody Shrubs, Saplings (<0.5m HIGH)						
Herbs, Forbs and Grasses							Herbs, Forbs and Grasses							Herbs, Forbs and Grasses						
Bare ground							Bare ground							Bare ground						
Litter, duff							Litter, duff													

Stressor Presence/Absence - Confirm that a filled data bubble indicates presence and an unfilled bubble indicates absence by filling this bubble.

Residential and Urban Stressors					Hydrology Stressors					Agricultural & Rural Stressors				
Fill bubble if present - Plot	1	2	3	Flag	Fill bubble if present - Plot	1	2	3	Flag	Fill bubble if present - Plot	1	2	3	Flag
Road - gravel	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Ditches, Channelization	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Pasture/Hay	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Road - two lane	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Dike/Dam/Road/RR Bed (IMPEDE FLOW)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Range	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Road - four lane	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Water Level Control Structure	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Row Crops	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Parking Lot/Pavement	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Excavation, Dredging	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Fallow Field (RECENT-RESTING ROW CROP FIELD)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Golf Course	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Fill/Spoil Banks	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Fallow Field (OLD - GRASS, SHRUBS, TREES)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Lawn/Park	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Freshly Deposited Sediment (UNVEGETATED)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Nursery	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Suburban Residential	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Soil Loss/Root Exposure	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Dairy	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Urban/Multifamily	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Wall/Riprap	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Orchard	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Landfill	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Inlets, Outlets	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Confined Animal Feeding	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Dumping	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Point Source/Pipe (EFFLUENT OR STORMWATER)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Rural Residential	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Trash	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Impervious surface input (SHEETFLOW)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Gravel Pit	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Other: _____	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Other: _____	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Irrigation	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Other: _____	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Other: _____	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Other: _____	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	

Industrial Development Stressors					Habitat/Vegetation Stressors									
Fill bubble if present - Plot	1	2	3	Flag	Fill bubble if present - Plot	1	2	3	Flag	Fill bubble if present - Plot	1	2	3	Flag
Oil Drilling	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Forest Clear Cut	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Herbicide Use	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Gas Wells	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Forest Selective Cut	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Mowing/Shrub Cutting	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Mine (surface)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Tree Plantation	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Trails	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Mine (underground)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Tree Canopy Herbivory (INSECT)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Soil Compaction (ANIMAL OR HUMAN)	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Military	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Shrub Layer Browsed (WILD OR DOMESTIC)	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>		Offroad vehicle damage	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Other: _____	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Highly Grazed Grasses (OVERALL <3' HIGH)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Soil erosion (FROM WIND, WATER, OR OVERUSE)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Other: _____	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Recently Burned Forest Canopy	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Other: _____	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Other: _____	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Recently Burned Grassland (BLACKENED)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Other: _____	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	

Flag codes: K = No measurement made, U = Suspect measurement., F1,F2, etc. = misc. flags assigned by each field crew.

Explain all flags in comment section on the back of this form

Buffer Sample Plots 05/27/2011

2428168304

Reviewed by (initial): _____

DATE: 08 / 13 / 2015

Fill bubble if present - Plot	1	2	3	Flag	Fill bubble if present - Plot	1	2	3	Flag	Fill bubble if present - Plot	1	2	3	Flag
Eurasian Watermilfoil	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Purple Loosestrife	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Johnson Grass	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Water hyacinth	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Knotweed	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Kudzu	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Yellow Floating Heart	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Japanese Knotweed	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Multiflora Rose	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Giant Salvinia	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Perennial Pepperweed	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Common Buckthorn	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Garlic Mustard	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Giant Reed	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Himalayan Blackberry	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Poison Hemlock	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Cheatgrass	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Tamarisk	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Mile-A-Minute Weed	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Reed Canary Grass	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Other: _____	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Birdsfoot Trefoil	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Common Reed	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Other: _____	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Canada Thistle	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Leafy Spurge	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Other: _____	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
										Other: _____	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	

Flag

Use Decimal Degrees; NAD83

7966623548

FORM B-1: BUFFER SAMPLE PLOTS (Front)

Reviewed by (Initial):

Site ID: 3596BRWCW

DATE: 08/13/2015

Location:

☐ AA Center
 ☐ N
 ☐ S
 ☐ E
 ☒ W

Fill in bubble(s) if plot(s) could not be sampled and flag →

☐ Plot 1

 ☐ Plot 2

 ☐ Plot 3

Buffer Natural Cover Strata

Fill in bubbles for all that apply: Canopy Type: D = Deciduous; E = Evergreen; Leaf Type: B = Broadleaf; N = Needle Leaf. Absent: No tree canopy.

Strata Section: Fill in appropriate cover class bubble for each strata type for each plot. 0 = Absent; 1 = Sparse(<10%); 2 = Moderate(10-40%); 3 = Heavy (40-75%); 4 = Very Heavy (>75%)

Buffer Plot 1	Canopy Type: <input checked="" type="radio"/> <input type="radio"/>	Absent: <input type="radio"/>	Buffer Plot 2	Canopy Type: <input checked="" type="radio"/> <input type="radio"/>	Absent: <input type="radio"/>	Buffer Plot 3	Canopy Type: <input checked="" type="radio"/> <input type="radio"/>	Absent: <input type="radio"/>
Leaf Type: <input checked="" type="radio"/> <input type="radio"/>			Leaf Type: <input checked="" type="radio"/> <input type="radio"/>			Leaf Type: <input checked="" type="radio"/> <input type="radio"/>		
Flag			Flag			Flag		
Big Trees (>0.3m DBH)	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	Big Trees (>0.3m DBH)	<input type="radio"/>	<input checked="" type="radio"/>
Small Trees (<0.3m DBH)	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	Small Trees (<0.3m DBH)	<input type="radio"/>	<input checked="" type="radio"/>
Woody Shrubs, Saplings (0.5m-5m HIGH)	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	Woody Shrubs, Saplings (0.5m-5m HIGH)	<input type="radio"/>	<input checked="" type="radio"/>
Woody Shrubs, Saplings (<0.5m HIGH)	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	Woody Shrubs, Saplings (<0.5m HIGH)	<input checked="" type="radio"/>	<input type="radio"/>
Herbs, Forbs and Grasses	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	Herbs, Forbs and Grasses	<input type="radio"/>	<input checked="" type="radio"/>
Bare ground	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	Bare ground	<input type="radio"/>	<input checked="" type="radio"/>
Litter, duff	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	Litter, duff	<input type="radio"/>	<input checked="" type="radio"/>
Rock	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	Rock	<input checked="" type="radio"/>	<input type="radio"/>
Water	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	Water	<input checked="" type="radio"/>	<input type="radio"/>
Submerged Vegetation	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	Submerged Vegetation	<input checked="" type="radio"/>	<input type="radio"/>

Stressor Presence/Absence - Confirm that a filled data bubble indicates presence and an unfilled bubble indicates absence by filling this bubble. ☒

Residential and Urban Stressors					Hydrology Stressors					Agricultural & Rural Stressors				
Fill bubble if present - Plot	1	2	3	Flag	Fill bubble if present - Plot	1	2	3	Flag	Fill bubble if present - Plot	1	2	3	Flag
Road - gravel	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Ditches, Channelization	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Pasture/Hay	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Road - two lane	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Dike/Dam/Road/RR Bed (IMPEDE FLOW)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Range	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Road - four lane	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Water Level Control Structure	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Row Crops	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Parking Lot/Pavement	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Excavation, Dredging	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Fallow Field (RECENT-RESTING ROW CROP FIELD)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Golf Course	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Fill/Spoil Banks	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Fallow Field (OLD - GRASS, SHRUBS, TREES)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Lawn/Park	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Freshly Deposited Sediment (UNVEGETATED)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Nursery	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Suburban Residential	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Soil Loss/Root Exposure	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Dairy	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Urban/Multifamily	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Wall/Riprap	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Orchard	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Landfill	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Inlets, Outlets	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Confined Animal Feeding	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Dumping	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Point Source/Pipe (EFFLUENT OR STORMWATER)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Rural Residential	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Trash	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Impervious surface input (SHEETFLOW)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Gravel Pit	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Other: _____	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Other: _____	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Irrigation	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Other: _____	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Other: _____	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Other: _____	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	

Industrial Development Stressors					Habitat/Vegetation Stressors				
Fill bubble if present - Plot	1	2	3	Flag	Fill bubble if present - Plot	1	2	3	Flag
Oil Drilling	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Forest Clear Cut	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Gas Wells	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Forest Selective Cut	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Mine (surface)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Tree Plantation	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Mine (underground)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Tree Canopy Herbivory (INSECT)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Military	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Shrub Layer Browsed (WILD OR DOMESTIC)	<input checked="" type="radio"/>	<input checked="" type="radio"/>	<input checked="" type="radio"/>	
Other: _____	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Highly Grazed Grasses (OVERALL <3' HIGH)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Other: _____	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Recently Burned Forest Canopy	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Other: _____	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Recently Burned Grassland (BLACKENED)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	

Flag codes: K = No measurement made, U = Suspect measurement, F1, F2, etc. = misc. flags assigned by each field crew.

Explain all flags in comment section on the back of this form

2428168304

[illegible]

FORM B-1: BUFFER SAMPLE PLOTS (Front)

Reviewed by (initial):

Site ID:

3596BP WCS

DATE:

08/13/2015

Location:

☐ AA Center
 ☐ N
 ☒ S
 ☐ E
 ☐ W

Fill in bubble(s) if plot(s) could not be sampled and flag →

☐ Plot 1

 ☐ Plot 2

 ☐ Plot 3

Buffer Natural Cover Strata

Fill in bubbles for all that apply. Canopy Type: D = Deciduous; E = Evergreen. Leaf Type: B = Broadleaf; N = Needle Leaf. Absent: No tree canopy.

Strata Section: Fill in appropriate cover class bubble for each plot. 0 = Absent; 1 = Sparse (<10%); 2 = Moderate (10-40%); 3 = Heavy (40-75%); 4 = Very Heavy (>75%)

Buffer Plot 1	Canopy Type: <input checked="" type="radio"/> D <input type="radio"/> E	Absent: <input type="radio"/>	Leaf Type: <input checked="" type="radio"/> B <input type="radio"/> N	Flag	Buffer Plot 2	Canopy Type: <input checked="" type="radio"/> D <input type="radio"/> E	Absent: <input type="radio"/>	Leaf Type: <input checked="" type="radio"/> B <input type="radio"/> N	Flag	Buffer Plot 3	Canopy Type: <input checked="" type="radio"/> D <input type="radio"/> E	Absent: <input type="radio"/>	Leaf Type: <input checked="" type="radio"/> B <input type="radio"/> N	Flag
Big Trees (>0.3m DBH)	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>		Big Trees (>0.3m DBH)	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>		Big Trees (>0.3m DBH)	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Small Trees (<0.3m DBH)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Small Trees (<0.3m DBH)	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>		Small Trees (<0.3m DBH)	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>	
Woody Shrubs, Saplings (0.5m-5m HIGH)	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>		Woody Shrubs, Saplings (0.5m-5m HIGH)	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>		Woody Shrubs, Saplings (0.5m-5m HIGH)	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	
Woody Shrubs, Saplings (<0.5m HIGH)	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>		Woody Shrubs, Saplings (<0.5m HIGH)	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>		Woody Shrubs, Saplings (<0.5m HIGH)	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Herbs, Forbs and Grasses	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>		Herbs, Forbs and Grasses	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>		Herbs, Forbs and Grasses	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>	
Bare ground	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>		Bare ground	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>		Bare ground	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	
Litter, duff	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>		Litter, duff	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>		Litter, duff	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>	
Rock	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>		Rock	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>		Rock	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	
Water	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>		Water	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>		Water	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	
Submerged Vegetation	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>		Submerged Vegetation	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>		Submerged Vegetation	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	

Stressor Presence/Absence - Confirm that a filled data bubble indicates presence and an unfilled bubble indicates absence by filling this bubble.

Residential and Urban Stressors					Hydrology Stressors					Agricultural & Rural Stressors				
Fill bubble if present - Plot	1	2	3	Flag	Fill bubble if present - Plot	1	2	3	Flag	Fill bubble if present - Plot	1	2	3	Flag
Road - gravel	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Ditches, Channelization	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Pasture/Hay	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Road - two lane	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Dike/Dam/Road/RR Bed (IMPEDE FLOW)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Range	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Road - four lane	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Water Level Control Structure	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Row Crops	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Parking Lot/Pavement	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Excavation, Dredging	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Fallow Field (RECENT-RESTING ROW CROP FIELD)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Golf Course	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Fill/Spoil Banks	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Fallow Field (OLD - GRASS, SHRUBS, TREES)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Lawn/Park	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Freshly Deposited Sediment (UNVEGETATED)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Nursery	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Suburban Residential	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Soil Loss/Root Exposure	<input checked="" type="radio"/>	<input checked="" type="radio"/>	<input checked="" type="radio"/>		Dairy	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Urban/Multifamily	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Wall/Riprap	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Orchard	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Landfill	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Inlets, Outlets	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Confined Animal Feeding	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Dumping	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Point Source/Pipe (EFFLUENT OR STORMWATER)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Rural Residential	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Trash	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Impervious surface input (SHEETFLOW)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Gravel Pit	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Other: _____	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Other: _____	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Irrigation	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Other: _____	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Other: _____	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Other: _____	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	

Industrial Development Stressors					Habitat/Vegetation Stressors									
Fill bubble if present - Plot	1	2	3	Flag	Fill bubble if present - Plot	1	2	3	Flag	Fill bubble if present - Plot	1	2	3	Flag
Oil Drilling	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Forest Clear Cut	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Herbicide Use	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Gas Wells	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Forest Selective Cut	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Mowing/Shrub Cutting	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Mine (surface)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Tree Plantation	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Trails	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Mine (underground)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Tree Canopy Herbivory (INSECT)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Soil Compaction (ANIMAL OR HUMAN)	<input checked="" type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>	
Military	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Shrub Layer Browsed (WILD OR DOMESTIC)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Offroad vehicle damage	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Other: _____	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Highly Grazed Grasses (OVERALL <3' HIGH)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Soil erosion (FROM WIND, WATER, OR OVERUSE)	<input checked="" type="radio"/>	<input checked="" type="radio"/>	<input checked="" type="radio"/>	
Other: _____	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Recently Burned Forest Canopy	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Other: _____	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Other: _____	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Recently Burned Grassland (BLACKENED)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Other: _____	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	

Flag codes: K = No measurement made, U = Suspect measurement, F1, F2, etc. = misc. flags assigned by each field crew.

Explain all flags in comment section on the back of this form

2428168304

Buffer Sample Plots 05/27/2011

FORM B-1: BUFFER SAMPLE PLOTS - TARGETED ALIEN SPECIES (Back)

Reviewed by (Initial):

Site ID: 35960PMVCS

DATE: 08/13/2015

Confirm a filled data bubble indicates presence and an unfilled bubble indicates absence by filling in this bubble

Fill bubble if present - Plot	1	2	3	Flag	Fill bubble if present - Plot	1	2	3	Flag	Fill bubble if present - Plot	1	2	3	Flag
Eurasian Watermilloil	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		Purple Loosestrife	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		Johnson Grass	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Water hyacinth	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		Knotted	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		Kudzu	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Yellow Floating Heart	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		Japanese Knotweed	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		Mulliflora Rose	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Giant Salvinia	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		Perennial Pepperweed	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		Common Buckthorn	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Garlic Mustard	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		Giant Reed	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		Himalayan Blackberry	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Poison Hemlock	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		Cheatgrass	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		Tamansk	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Mile-A-Minute Weed	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		Reed Canary Grass	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		Other:	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Birdsfoot Trefoil	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		Common Reed	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		Other:	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Canada Thistle	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		Leafy Spurge	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		Other:	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Other:	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		Other:	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		Other:	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

PLOT COORDINATES

Provide GPS coordinates at the center of the Buffer Plot (#3) at the far end of each Buffer Transect and for the Buffer Plot at the AA CENTER. Indicate the location of the plot coordinates by filling in the appropriate bubble.

If Buffer Plot 3 can not be accessed, take the coordinates at the nearest practicable location ALONG THE TRANSECT. This is important because all Buffer Plots are centered on the Buffer Transects and the coordinates will indicate the location of the transect. Fill in the "nearest practicable location" bubble, fill in the flag box, and describe where the coordinates were taken and why in the comment section below. The coordinates of the nearest practicable location can be either placed as close to the center of Plot 3 as possible or at the center of the last accessible Buffer Plot.

Location of coordinates (choose one):

☐ AA CENTER ☐ N3 ☒ S3 ☐ E3 ☐ W3 ☐ Nearest practicable location (flag and comment below)

Flag

Latitude North 41.38471 Longitude West 081.69689

Use Decimal Degrees; NAD83

Flag

Comments