Project I abel:	PCAP	J	lot No:	33+2 Date Sampled: 7-25-11 Lead: Ey 56
				Comment required if item answer is NO
Parking/Access outside		Y (N	If yes, write details in Comments section below
Field journals complet	***************************************	Y	N	
Site skefch made on 1	1	10	N	
Check cover page	N-axis Bearing of plot recorded		N	
	GPS coords. Recorded		N	
	North direction recorded		Ñ	
	Photographs taken?		N	
Plot No , Date agreeme	ent on all pages?		N	
Fleader data completed	Fall pages?		N	
Cover classes recorded	I in all Intensive modules	(\overline{Y})	N	
Browse Level By Spec	ties		N	
Woody stem quality co	mtrol check	©	N	
Invasive plant quality	control check	(D)	N	
Asb trees mapped		Y	N	ail A
Cover by Strata? (conf	irm cover type)	(D)	N	
Soil samples collected	with matching plot #	(5)	N	
Vouchers labeled on d	atasheet with initials and number	(3)	N	
Vouchers labeled on co	ollection bag	(3)	N	
Pink flags removed		(3)	N	
Data sheet QA before I	leaving site?	TO	N	A material to a support of the Arthur and Arthur Art 1 of the arthur and Arthur
Common equipment re		Y	N	
Data sheets scanned?		7/2	9/11	Enter date to left
Final data sheets scam	ned?	1	44	Enter date to left
Buffer Widths measure		0	N	
Web Soil Survey		Ö	N	
Voucher Location	Refrigerator	Y	N	
# vouchers collected)	Press (#)	 '	.,,,	Enter number to left
w volicitets concaed)		Υ Υ	 N	ISHIM HIRIDGI IO KAL
	Drier Identified	Y	N	
	Mounted	Y	N	
•	Thrown away	У	N	J
7	ion: Is plot sampleable?			
Yes	Original GRTS point is sampleable			
n No	Original GRJS point lands in a non-		arco (f	ill in category below)
	(i Point falls in a water (i e river,			
	 Managed mowed area (i.e. golf Paved area (i.e. parkinglot, road) 	course, picnic	aica, tigl	n-of-way)
	 Paved area (i.e. parkinglot, road) Unsafe to sample (i.e. steep slope 	e)		
	n Other			
	s:			

642 T T CLEVELAND METROPARKS Plant Community Assessment Program Species Cover Data Sheet Strata - Cov. entire plot Visual est. % open water entire site: STREET STREET Total modules: Project Label: 2aCM FOAF Species Cover Data Sheet Page 1 of x_ver 1.5.xls last revised 6/9/2011 jjm WW S H (F)(A) Br S يع λ) Q 2 スス **Q** > <u>o</u> Solidage Smulex rottychisolic Carex ther sacharum Pronus serutina Frenchis Speckling William Smallings Potantill'a Danthonia Hammalis 2 URACUS SUSTACES Bryophyte Aster Sp OXI codenolism radicans housen our hour A w sading Br = Browse Level. Use cover classes to describe amount of browse per species over かいようしょう マンクタンクらしゅうしゅう Vaccinium NOX US ロンとのなっている 50 phalp ton Dis Species entire plat 2020 VI DICTOR Calsia 76U2 45 2000 Moss Visual est. %unveg.c.w. entire site: O Intensive modules: %unveg. ground (bare soil) %unvegetated open water Estimate for each intensive module: C2-1088 970 5801-ES Project name: 018K201 Voucher# ナンとうこ %open water الالالا 1 لو| & Ø Q (L C ω dept-V w \mathcal{L} $|c_{\ell}|$ Q 10 8 D L **し**り R) T, Ø 000 رو دوا __ را 100 ري Q, W Plot configuration: S) Ĩ. (1) SM M 8 Visual est. %invasives entire site: 2 Ľ **®**S \subset Plot no.. 337d N D 9. Gep:h depth R Q) 1 Γ 2012 Q) Q) S. 1 U ىلا 94 Ù L Ţ Q) Ţ Natural Resource Management FORM NR/2011 L) حلا Ş か ÍΊ 000 D mod õ (W Plot area (ha): OQ 000 W W Γ. OD Νĺ ر 1 W N Page of Q, ير 6 20 ىو 0 حو Q حو| 200 9 2000 W comed mod QOQV cepth 60

Project Label:	PCAP	Project Label: PCAP Project name: (\) (\S\C_201) Plot no. 3548	
Total modules:		Intensive modules: H Plot configuration: X	Plot area (ha): D:DL
Visual est % open water entire site		Visual est, %unveg.o.w. entire site: Visual est, %invasives entire site:	
	Br = Browse Level. Use cover classes to	Estimate for each correct cox cepts cox depts cox cepts cox cepts	eph cov ceph cov ceph cov ceph cov
	describe amount of browse per species over entire plot	Stunvegetated open water 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
Strata - Cov. entire plot		%unveg. litter (pare litter) 1	
T S H (F)(A) Br	Species	C VOUCHER# deptr can deptir con deptir can deptir can deptir can deptir can deptir	epih cov depih dov depih dov depih od
	Coknows dise	CD - 10 90 1 1 1	
	Unknown dicat	C8-1092 1 1	THE STATE OF THE S
T	5 5	- C. 2)	(C)
~	Cornos 30		
	_		
<u>&</u>	Z !	\(\frac{1}{2}\)	
10	Rosemwith		
	Carua condiformis		
	Sp	C2-1093	
		41	
	2	9	
₽ 	HUK VICKION		
	nown J Counces	mono (C2 - 1094)	
	2/21	R)	2
(Sept.)	ט		
204	im serile	SRE 468 1 2	
1	-	50£ 7-79-01	<u>೪</u>
	0		
)5 S		
	7-1-0		
	1766		AND AND THE REAL PROPERTY.
			Amaton de


CLEVELAND METROPARKS Plant Community Assessment Program Natural Woody Stem Data Sheet نـو رر 8 È w ck نع دی نر Ų (ع Explain subsample (additional room on back): Vipurnum acertalium Stending Doed Fraxinus pennsylvine Fagus grandifelin Prunus serotins Prunus Serenas Hamamelis virginiana Standing Deed Hamamelis virginia Querus alba mercus inorca Hamamelis Virginian VI burnum assistation Standing Dead Prunus Secotions Viburnum exectolium Hamaneby Virginians wescus cubrus Shecons alpa Juerous Cubra Acer rubrum Acer rubrum Acel subrum Project Label: PCAP voucher# # stems • browsed 0.5-1m ئلإ or super % sub Project Name: 016K 2611 shrub W Z Z # size class (cm) woody stems >1m • ***** X • 7 : [Z M 区区 1-<2.5 X I. -6 · × 2 5 중 凶 Plot No.: 3372 :1 * C 10 ø ₽ 5 5 5 10 - < 15 15 - <20 20 - < 25Page: 25 - <30 × 30 - <35 앜, Cleveland Mecropality 35 - < 40 0.98 705 34 >40 (report each tree) -x


Moody Stem Deer Browse

Record the number of stems/plants between 0.5-1.0 meters


Record using the tally system from 1 to 10
















VSH CANOPY CONDITION

- 1. Healthy, full canopy: A healthy ash canopy is normally thinner than many other trees such as maple.
- 2. Thinning canopy: There aren't as many teaves as there ought to be, but all top branches exposed to sunlight have leaves 3. Dieback: Canopy is thinning and some top branches exposed to sunlight are dead (have no leaves). Lower branches, not exposed to
- 4. >50% Dieback: The canopy has less than half of the leaves that should be there and/or half of the top branches are dead
- (jowest pranch) on the trunk.

 2 Dead canopy: No leaves remain in the canopy portion of the truck. It still counts as a 5 even if there are epicormic sprouts below the canopy.

 3 Dead canopy: No leaves remain in the canopy portion of the truck. It still counts as a 5 even if there are epicormic sprouts below the canopy.



=

a

2

9

(it an ash receives a score of 5 (dead) under canopy condition it must also receive a breakup condition (it an ash receives a score of 5 (dead) under canopy condition it must also receive a breakup condition.

rank as described below)

- A: All main branches contain fine twigs (newly dead)
- B: Over 50% of main branches have fine twigs.
- C: Less than 50% of main branches have fine twigs
- D: Stem still standing and tertiary main branches present
- E: Central stem still standing.


Š Ţ CLEVELAND METROPARKS Plant Community Assessment Program Natural Woody Stem Data Sheet 4 Viburnum acesfolium (Ducreus Cubra Explain subsample (additional room on back): Fagus grandifielia Standing Dead Project Label: PCAP # stems 0,5-1m | or super | shrub % sup Project Name: @16K 2011 0 #: e 0 size class (cm) woody stems > "m . . : 1 7.25 • 2.5-<5 Plot No.: 3372 5-<10 10 - <15 15 - <20 G) 20 - <25 Page: 入 25 - < 30 으 (0) भूगि प्रमुख्याचात् संबंधवद्धात्रह 35 - <40 õ 61.4, 44,3 >40 (record each tree)


Woody Stem Deer Browse

tall that exhibit evidence of this years deer browse Record the number of stems/plants between 0.5-1.0 meters









ASH CANOPY CONDITION

- 1. Hostithy, full canopy: A hostithy ash canopy is normally thinner than many other trees such as maple

- √ >20% Diepsek: The canopy has less than half of the leaves that should be there and/or half of the top branches are dead
 √.

 √ >20% Diepsek: The canopy has less than half of the leaves that should be there are former.

 √ → 100% Diepsek: The canopy has less than half of the leaves that should be therefore the leaves that the leaves the le

- 2. Thinning canopy: There aren't as many leaves as there ought to be, but all top branches exposed to sunlight have leaves
- 3. Dieback: Canopy is fritinning and some fup branches exposed to sunlight are dead (have no leaves). Lower branches not exposed to
- sunlight, die naturally and are not considered
- 2° Dosq cauch): No leaves remain in the cauchy portion of the tree If still counts as a 5 even it there are objectumic should below the cauchy
- (Jowest pranch) on the frunk.

- rank as described below) (it an ash receives a score of 5 (dead) under canopy condition it must also receive a breakup condition ASH CANOPY BREAKUP CONDITION (for dead trees):
- A: All main branches confain fine twigs (newly dead)
- B: Over 50% of main branches have fine twigs
- C: Less than 50% of main branches have fine twigs.
- D: Stem still standing and tertiary main branches present.
- E: Central stem still standing.

3

	(J ,M,2) sziz dɔteq bn	ie səju	olos to	o # əqi.	descr		"stem #" but in comm	: For Ground-cover plants record	Note:
ļ							Periwinkle	minor (G-cover)	вэшУ
							Dame's Rocket	eris matronalis	иdsəН
ļ				X			Common Teasel	munollut subs	esqiQ
		X		X		· · · · · · · · · · · · · · · · · · ·	Canada thistle	ım stagise	Uirsiu
l							(bnetlaw) slistfieD	a angustifolia, T. x.glauca	туррі
l		<u> </u>			X	(duuis)	Multiflora Rose	erolitium	Воѕа
l					~ `	(qnuqs)		snuje ejnž	<u>Frank</u>
		 		<u>-</u>			Japanese Knotweed		
		 	1	X		 	Phragmites	(wetland) (metland)	
			1				Reed Canarygrass	sits arundinacea	
l			X	 		(qnuqs)	gnzµ HoucAznckjez	orrowii, L. tatarica	
ŀ				 		(apuqs)	Common Privet	 	
x : λ62			X			· · · · ·	Garlic Mustard		
Presence		MN	MS	as:	ME		1		
	comments	74314	euce	4k.			յսբpunge pu	e bearqeabiW :+ 19iT	
i		 	Π	Γ Τ		(anays)	Doublefile Viburnum		unqiA
}		 	 	 		(sprub)	European Cranberry	suludo nav suludo mun	
ļ			-			(-1	Star of Bethlehem		
.		\vdash	-				zirl gel4 woll9Y	sendacorus (wetland)	
j		├ ──	 			<u></u>	Wineberry	suiselocines	
!		ļ	<u> </u>	\vdash					
222/7 / 10	ļ	<u> </u>		\vdash		(ap u.c)	Lungword	onaria officinalis (G-cover)	
000'T< :5	Just de la		\downarrow	\sqcup		(dunds)	Mock Orange	delphus coronarius	
0001-101-5	-4-t-1		2	<u> </u>			Japanese Pachysandra		
001-15 :8	<u> </u>		 	لــــا		(gnuqs)	Five-leaf Aralia	μοι.ococcns beurabμλημα	
	Mast datag 112m2	1	٤.`	દ	<u>h</u>		Crown Vetch		
	1 Colony : gad patch	દ				100000000000000000000000000000000000000	Lily of the Valley	(G-cover) silajanis	Conv
sins(4 to #		WN:	-M5	نا جسيب سينيا	AN.		- <u> </u>		
DOLLER.	comments		stasi	4 to #				Tier 3: Presence is	
2 med 5							Wintercreeper	ymus fortunei	
1						(spunp)	Amur Honeysuckle		
						(dunida)	Autumn Olive		
		T					lassalī īsal-tud	suteinibel subs	esqiQ
							European Alder	esonitutg a	suniA
ŀ						(qnuqs)	Japanese Barberry	iignədnud) sing	Berbc
		 				(qnuqs)	сошшои висктрош	esithartica	աբկչլ
		 	 				Poison Hemlock	ungerngem ur	Coniu
				<u>-</u>			Неаверагаеу		zilinoT
		 	 	† †		<u> </u>	Asian Bittersweet		
2: >1,000		+	 	 			Bishop's Goutweed		
000'T-TOT:b		\vdash	 				Purple Loosestrife		
001-13: 81		 	-	 		 	appaneye Honeysuckle		
'05-II :Z	<u> </u>	\vdash	 	8			Tree of Heaven		
01-17		 	-	- L			Norway Maple		
# of Plants		MN	· MS	2E	NE			1	
340010 3 13	comments	77384	stns!		,J14		Mesaea	zs eeseea :S 19iT	***************************************
	эриомикы	 	344016	d 3° 11.		ļ	Giant Hogweed	and the state of t	ne rajij
		 	ļ			 	Flowering Rush	<u> </u>	
		<u> </u>	 			ļ		1	
		 	ļ				Black Swallow-word	· · · · · · · · · · · · · · · · · · ·	
		<u> </u>	 	L			Lesser Celandine	I	
X: yes		<u> </u>					ssengtlits esenedet	muonimiv muigoJsc	DTIOIN
Presence		MN	MS		3N	<u> </u>			
	5d9	<u>l</u>	əbuə	resi7			Papid response	Tier 1: Early detection	
	·								

CLEVELAND METROPARKS Emerald Ash Borer - Fraxinus Sheet

Tree ID.	S C e C C e C C e C C e C C C C C C C C	Dead o	0	Voucher ≠	DSH (At @) Ash	를 표 표 표	Ash condition	*Desig	ASH # Exit	ASH Only #Exit Epiconno noies present	Weodpecker holes
	Species	Do	0	Voucher #		. I.	cond tion	concilion	00.es	present	
2			\dashv								
ω											
·tr	, 5 X										on ourse
ហ	-6										
o,											
7			-								
Çio											
9											
10				٠			. :				
11											
12			ļ								
ω̈́			ļ								
.^4		<u> </u>	_								
ंो			_								
Ö			:-								
17			-								
18											
19											
20											
21			<u> </u>								
22											
23										Section with	
24											
		_	_			_				_	

TRAIL INFORMATION: If trail falls in plot recent type and cover for each

Type

%Смег

CAN MARK BY COVER	STRATA DE	SEE BAOK O	eubinersed,	repredendi:	(Aguatic)**	Ficung)*	Herb	Shore	Tree	Strata	COVER BY
BY COVER TYPE.	STRATA DESCRIPTIONS, STRATA	SEE BACK OF PAGE FOR TYPICAL	** submersed, most pfant mass below kurface	ricoted and floating or slightly omerses	1		O N	ίν O	[万 〕	Helcht Range	COVER BY STRATA (C) estimate using mr/cpoints/cf6 spc6, 8, 13, 1682
ių,	STRATA	TYPICAL	tele wisurface	0.401800	Ø.	R.	Q) X1	% ŧ	(V)]ctal Cover (%)	stmate using
								Ļ—.			

EARTH SURFACE & GROUND COVER	ACE & GRO	UND COVER	
Underlying Earth Surface	h Surface*	Ground Cover	
Chies = 100031	percent	(Each ≤ 160%)	percent
Historol	R	Coarse Weedy Debris***	~ ~
Mineral Soil	700	Fine Woody Debris****	13
Grsvel-Coasie*	Ø.	Title:	48
Beulder**	Ø.	Duff (Fernt + Herros)	Ø
Bedrock	\mathcal{L}	Bo cylinia-Lielian	ω
* Grave*Cobble = 1/16 to 10 in		Weter	Ø
U.C. < = Japjhog		Bare Soil	J.
*** >5 cm in diameter	îş	ReadTrail	Ç.
<5 or in diameter	Tiere:	Other	

n Hiking smotoned

Remember: in a standard 2x5 plot each module = 10% cover

ilape 1 = sigb	televational grad	Rams for mitrohabitat features. Selectione of selections of a lection of grade across module (hij)) two end average the	e secre. NOTE: If mod falls on Stope 2 = falls on stope ~20 h	Rerve to nitrohebital festires. Selections or selection and average the active. NOTE: Il mod falls on a signe nitrohebital festires. Selection selection selection selections of the festivational grade across module (NT) Stope 1 = 6 (bit elevational grade across module (NT) Stope 2 = 64 is on stope ~2011 Stope 3 = 67 is on stope ~2011	omatically gets rank Slope 3 minor'i	at oally gets ranked based on steephess (*-3). Slope 3 = maximum steephess that can be safely sampled ~45 ³ .	is (1-3)	6 + 60 0
40 of 70 of			1	1 1 1 2 2	4	6 6 7 8 8		2 c c c c c c c c c c c c c c c c c c c	:
	esention functions	facture is absent or functionally absent (GCT Course Flot) facture is present in very small amounts or if more sortim	facture is absent or fund onally absent (GCTCouraginal). Sature is present in very small amounts on it more common, of low quely.	11 W					
estre err	esentin moderat	amounts putination	feature a present in moderate amounts, but not of highest quality, or in small amounts of highest quality	small amounts of h	ighest quality				
D feeture is pr	esent 'n Hodera	e or greater amount	10 विक्षेपण डेड मान्वरका ने जावरहारान हम मन्त्रहार साम्यान कर्ता है मिल्लान quality	स					
	_				c.wd cou	Int for pleases with	c.w.d count for pleases with minimum am length		
		7.0. of	mp. cr	Ho. Hizoto.	cwd	c N c	\$ W.G.	microhab	microsob
		: Notice of the	hommedes	depressions	(2-12 c.s.) .	(12-4807)	>4(cm	Stockerstin	
		depth 3	depth 2	depth 1	depth 1	depth I	dejiti i	depresi	SLOPE
		lxim	3 16x3 16m	lóxlóm	Extension .	1/2/1971	10x10x	10x10m	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
med#	6011161	(count)	(3000)	(count)	i (cégat)	(00000)	(ceutit)	(rack)	(3884)
		<u> </u>	Q	0	d ^c	<u></u>	0	_	()
Ŋ		c	G_{\parallel}	0	. 9	G	0	_	0
w		0	O	С	S	0	O.		0
کـ		Ó	3	0	L.	O	O	_	0
			. (•				
						·			
			-		:		-		

GROWN COVER (DENSIOMETER) Misc GROWN COVER (DENSIOMETER) Misc Grown gu percedult sheig N. S. E. W. Flace den count growneding space (4 days per grid spices)


<i>}</i> 8	た う。 ∳	4	Module	
ه	0	(v)	И	200
-			S	
Λ	را	W	स्म	
G	G	0	×	÷
	 	N D	ро w 	

[FILLED OUT USING GIS PROGRAM \cdot DO NOT FILL OUT IN FIELD]	F- DO MOT FILL OUT IN I
	LII: ISI:
At aspect N	
The Controls Of the Controls of the Controls of the Controls of the Control of th	
±50 degrees E	
±135 digrees SE	
-180 dignos - S	
÷225 degrees SW	
#278 degrees W	
+315 degrees NW	

раструктови,	©116 3147's		UPPLA DEVONIAN
Secreta brocket			1
्रामान्त्रं प्राच्यात्त्व		POTENTIAL OF MATERIAL OF SAME AND ADDRESS OF THE SAME ADDR	',
"cueropous coorg	5 to 100 to 1		
John's Arthor			
sseadinene Dodash casoodese rodnish seolobined brieft konst Stan offilo oes si stan hetelsige	Servica formativit		Waladississ
e dinest etcennagnat abvande frainreblandubust myt mannthennemagnat emed	(4) (4) (4) (4) (4) (4) (4) (4) (4) (4)		
Pottiva) Givenos	, y		(COMER PERNOVALINO)

assing iteration, inclinated ranged in natives, feathers and the COS TAUDIT and principle, and the manufactures are constructed, white a feather and removed here a consequence and consequenc

!	ietb and shrub layers.	vich case they would span the h
lui⊨	d as up to 1.4 m height or as <2.5 cm DBH	
	md 0> adunda lls le i adun	ls to agnilbees ebuloni oals nsO*
ļ	mutanta eant edit ni bebulor	Very tall shrubs are sometimes in
	Submerged	dnsyc (anpwerdeq)
	- Floating	ຄຸດອຍູເນດີ
(Herb, dwarf-shrub**, tree (seedling***)	lerb (Field)
	Tree (sapling), shrub, fiana, epiphyte)	hrub (generally 0.5 to 5 m)
	(оррууче)	
	Lice (overstory), very tall shrubs*, lian	use (deuctally ≥5 m)
1 60		



CLEVELAND METROPARKS Plant Community Assessment Program - Solis, Crown Cover, Standing Biomass Data Sheet Project label: PCAP Project Name: Q10K 2010

Plot No.: 3372

ASA Alessaines Nonequeils

Page: 1 of 1

visual exam, texture, and odor. plug wih shovel. Describe using Munsell chart, SOIL PIT DESCRIPTION: Excavate 20 cm

Soil pit module # 2 (one per entire plot)

5 cm	matrix color 1443/	
	mottle color	1
	%mottle	
	oxid reots Y	0
	texnire*	
	redox features** Y	0
	hydr. cond.*** 1 S	${\boldsymbol{\beta}}_{\mathbb{K}}$
20 cm	matrix color 107R	25/8
	metile color)
	%mottle	
	oxid roots V	Ø
	texture*	
	redox features** Y	0
	hydro, cond.*** I S	(b)
refer to	to texture classes on reverse side	
10 0 0 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	e.g. hydrogen sulfide asar, gleving, etc. * Cirole one:	
I=:ndundated	lated S=saturated M=moist D=div	Ş.
Notes: I	include evidence of castings, middens)	
Wor	Jorns found @ 20cm	, ž

□ Excessively drained

Somewhat excessively.

Well dramed

sample of the top 10 cm of soil from center of each SOIL SAMPLES Standard procedure: collect a soil intensive module and composite the sample

	DRAINAGE*
Weatherey from Sheh	Parent Material: Residuom w
()	Landform type: Drainggeway)
ırvey	Soil Series Source: Ohio Soil Survey
Silt loam	Soil Series/Type: Brecksyille
	Web Soil Survey Information:
	Soil Description/notes:
	1,2,34
₽	2,3,8,9 composited
Horizon (A, B, C)	Soil Collection Module

each intensive module. Required for VIBI-E score calculation. collected in t) (in clip plots (32x32 cm) from corners 1 and 3 in STANDING BIOMASS (required for emergent wetlands):


C?=cueck when collected

		Module #
		C?
		Corner
		Corner

SOIL DE	St 0.1 cm #	SUREME n center c	intensive	e modules.	SOIL DEPTH MEASUREMENT INSTRUCTIONS: Measure to the nearest 0.1 cm in center of Intensive modules. If >30.5 cm.
		rec	record as >30	0	
	i litter –	2 litter	5 resuuet.	water	depth
	organic depta	depth	depth(cm)	depth	sat soil
mod≐	(cm)	(cin)	SSW *	(cm)	(cm)
1	ч.о	30	68	0	>36
R)	3,0	S :0	S 0	0	>30
W	51	- 'J'i	20	0	> 30
4	2,0	20	ર્વ	0	>30
Length of	Length of soil probe = 125 cm	= 125 cm			

layori 20 -40 Depth to restrictive

DUTCHAIN DRUMEN inches to



6aCIM PCAP Scils_Crown cover_Landform_Standing Biomass_Data Sheet_Ver 2xls.xls last revised 6/23/2011 ceh

⊏ Very poorly dr. ⊏ Poerly dr.

lmpermeable surface

Somewhat poorly dr □ Moderately well dr.

rell the sample into a ball. If the soil will not stay in a ball and has does not freely flow from the sample when squeezed. Attempt to enough that all of the particles are saturated but excess water of modeling clay/wet newspaper; the sample should be wet. the appropriate layer and moisten it with water to the consistency and 20 cm layers. To estimate texture, collect a soil sample from SOIL TEXTURE: Record the code for the soil texture of the 5 cm

a grainy texture, the texture is either sandy or coarse sandy. If the

soil does form a ball, squeeze the sample between your fingers

SJ

SØ

anog

ejond e nemect men mue ab enq goos our explet e & peckeyba or

dimensional descriptors of parts of the sequence is a story property

seam for carried to stoashed of ballque lead at skill. S.S.

- १८८८ - (वटात प्र प्रत्याहरूत व्युव्यक्षामा म्याहरूप अववय - भ्यापात

and attempt to form a self-supporting ribbon. Samples which form

 $r(\varsigma)$

adusgou

edepsypeq


sponglet.


8= Not measured - make plot note


4= Coarse Sand 3= Sandy $\mathbf{S} = \mathbb{C} | \mathbf{S} \mathbf{\lambda} \mathbf{G} \mathbf{\lambda}$ 1 = 1.08 myoinagnO =**0**


numms


which form a ball but not a ribbon should be coded as loamy post a ball and a ribbon should be coded as clayey; samples














реац 1980

		Salada i ari an an ana ari ari ari ari ari ari ari ari ari ar	HIS
0Z R	2 <u>)</u> 17	LH.	anen.
07,2017	**	9	uouuuot
7 >	;;	1	珍 蒙。
Sufface Area Covered	SISAN	Conn	
to 32 artishio	ð , i€,	SSELO	

PERCENT MOTTLES (USE CLASS CODES):

adojs apiš

adojs asuc

eders pean

SM 10 odas osau (filih 10)) og o

елиции

Intermittently Flooded modifier

characterizes flood-plain upper terraces.

UPLAND: Not a wetland Very rarely flooded

52

SN

dOd

apon

descriptions are available for Hills. Forcaces, Mountains, and Plat Plains;

Goornorphic Component. Three-dimensional descriptors of parts of

iandibrins or intereferences that are best applied to seess. Unique

SN

SB

SISAM

to surface for extended periods during the growing season

UNKNOWN: The hydrologic regime cannot be determined from the available information.

EEMMANEMILLY FLOODED: Water covers the land surface at all times of the year in all years. Equivalent to Cowardin's "permanently

is normally saturated when water level drops below soil surface. Includes Cowardin's Intermittently Exposed and Semipermanently Flooded **ZEMIPERMANENTLY FLOODED** (exposed <1/4) year); Surface water persists throughout the growing season in most years. Land surface

developed for use in the and West for water regimes of Playa lakes, intermittent streams, and dry washes but can be used in other parts of seasonat periodicity, Inundation is not predictable to a given season and is dependent upon highly localized rain stoms. This modifier was INTERMITTENTLY FLOODED: Substrate is usually exposed, but surface water can be present for variable periods without detectable

TEMPORARLY FLOODED: Surface water present for brief periods during growing season, but water table usually lies well below soil

PERMANENTLY/SEMIPERMANENTLY SATURATED: Dry less than once per year. Surface water is seldom present, but substrate is

INTERMITTENTLY/SEASONALLY SATURATED: Dry at least once per year. Surface water is seldom present, but substrate is saturated

DE

OCCASIONALLY FLOODED: Surface water can be present for brief periods during greason, but not in most years. Often

the U.S. where appropriate. This modifier can be applied to both wetland and non-wetland situations. Equivalent to Cowardin's

surface. Often characterizes flood-plain levees and lower terraces. Equivalent to Cowardin's Temporary modifier

saturated to surface for extended periods during the growing season. Equivalent to Cowardin's Saturated modifier

HADROLOGIC REGIME Modified from Grossman et al 1998. (Frequency and duration of flooding.)

								:							1							
(3)		-	•				ر	RM B-1:	BUFF	ΈR	SAI	MPI	EF	LO.	TS 、	ວກ໌ເ)		Review	ed by (mif	aal):		
Site	ID:	PCA	\PI	٦V	.Z.	۲7	`								DAT	<u>ت ه</u> :=	128	- /	20	()		
Locati		T.: 		~~	- 3	<u> </u>			Fill	ın b	ubi	ole(s) if j	olot(uld not be					1	
OAA	Center	C	Ŋ	0	s	6	E C) VV	O F	lot	1	О	Plot	t 2	(Plot 3					6	2
Fill in bubble	es ior all (heat can	rsiv i	ancini	Typic	. — О — :	 Deciduo	is: I= = Lawren	Buffer							Absent No tre	e canony					
Strata Section	on: Fill in	approp	oriate	cover	class	bubbl	e tor ear	ch struta type i	or each plo	ઇ. 0 -	Abser	nt; 1	Spars	c:(<10	%); 2=N	loderate (10-40	%); 3 = Hea	avy (10-	75%); 4 -	Very :	Joavy	(>75%
Buffer	Canop	у Туг	oe: 🛭) (A	bser	nt: 🔘	Buffer	Canop	у Тур	e: () () A	bsen	it: 🕝	Buffer	Canopy	у Турс	: (b) (D A	bsen	t: (
Plot 1	Lea	af Typ	e: 🙋	<u> </u>		1 _	Flag	Plot 2	Lea	f Typ	e: ($\frac{1}{2}$			Flag	Plot 3	Lea	f Type	: (1) (Flag
Big Trees (>	-0 3m DBH		0	0	0			Big Trees (>0 3m DBH)			\bigcirc				Big Trees	(>0.3m DBH		$\frac{\mathcal{O}}{\mathcal{O}}$		0	
Small frees (0	<u> </u>	Small Tires			<u> </u>	0		0		Small Trees	(<0.3m DBH ubs, Saplings	$1 \sim 1$			$ \bigcirc$	
	-fim LRGH)								n-5m (-11GF1)		0		19	0	L	(0.1	ins, saplings im 5m HICH) ibs, Saplings	121	\bigcirc	+=-		
	s, sraplings .5m HGH) orbs a n d	12		(1)					0.5m HIGH) Forbs and	0				0	ļ	(-	0 5m HIGH) Forbs and		\bigcirc	1-	0	
	Grasses			0	0	0			Grassos	0	0	0	(<u>3</u>	@			Grassos		0 0		0	
	ground	0	0	9	0	0		Baro	ground	(3)	<u>()</u>	0	0	0		-	e ground	0	\bigcirc		0	
Liti	ter, duff	0	0	(<u>)</u>	9	0	<u> </u>	Li	tter duff	0		\bigcirc	0	\bigcirc		l.	itter, duff	0	\bigcirc		0	
	Rock	0	\bigcirc	Ø	0	$\frac{10}{10}$			Rock		\odot	0	\odot	0			Rock	0	$\frac{9}{9}$	19	0	ļ
Sit	Water bmerged		0	0	0	0	<u> </u>	S .	Water		\bigcirc	0	0	\bigcirc	<u> </u>		Water Submerged	0		10	0	
V	egetation	92	Q	\cup	$ \mathcal{Q} $	$ \Theta $	A Almanië .	\ \	/egetation		\odot	\odot	\cup	<u> </u>	ar danista	<u> </u>	Vegetation		\bigcirc	10	$ \bigcirc $	6
	eror or a great reference for						ımı that	100			يعاد است داند			nd am	tintiiled	bubble indir		7, 21, 2 V, 2,758	Faul Chaustin	garage and the second	17.02.15	
	dential	<u> 101 171 (</u>		F	s seen Einvern			1 47 C. J. S. M. H.	Hydrolo	<u>ada</u> galad Sasasanin	MALINE Male A	1	janaan .	15.7	iliani. Napisa		Agricult			Stres	sors 3	
Fill bubble	3.19 (3.8%)	ent - I	Plot:	1	2	3	Flag	Fill bubble	tata ka		'lot	1	2	3	Flag	Fill bubble	angera (A.	H-FR			7 294	Flag
Road gra Road two			ئىتۇنىيار د ئاتىرىنىي	0	0	0		Ditches C Dike/Dam/	Alana yeli ili ili ili ili			0	0	0	<u> </u>	Pasture/Ha Range	lY , i ya iba ka Marejaji ilaa	Telesi U Tu Y	0	10	0	
Road feu		r moder Augustus	, negotie Pentrum		0	O		(IMPEDE FLO Water Lev		l Stria	cfure	0	0	0		Row Crops				0	0	
Parking Lo	artawar war 41 2007 (S. 1942)	ient-		0	0	0	<u>. </u>	Excavation		20.3.5.55		0	0	Ö		Fallow Field	I (RECENT-	RESTIN	2 2 2 3 4 2 2 4 2 2 4 2 4 2 4 2 4 2 4 2	10	0	
Golf Cours	ter a respective to the	er i benga Palantan Palantan		O	O	O		Fill/Spoil B				Ö	0	O		FOW CROP FIEL Fallow Fick SURDES TRE	Гон ск	ASS.	ľo	o	O	
Lawn/Park				O	О	Ο		Freshly De		sedim	cnt	О	0	0		Nixsery			0	0	0	
Suburban	Residen	tial.		0	0	0		Soil Less/F	No. 3 5 4 1 1 1 1 1	sule		•	0	О		Dairy			0	O	0	
Urban/Muli	tifamily			0	0	0		Wall/Ripra	p			0	0	Ο		Orchard				0	0	
Landfill				О	О	0	·	Inlets, Outl	The Cartes and the			О	0	0		Confined A		ding	0	0	0	
Dumping			40	0	0	О	-	Point Sour (EFFLUÉNT C Impervious	R:STORM	ώ√ΣER)		0	0			Rucal Resid	lential		0		0	
Trash			gilli illə i ilə ili dir xə iniminə	0	0	0		(SHEETELOW	,sumade)	ii (brir		0	О	0		⊴Gravel Pit	e de la companya de La companya de la co		10	0	0	
Other.	Total Constant	J 1000	27.04	0	0	0		Other:				0	0	0		lingation				0	0	
Other:				O	\circ	0		Other:			*****	0	O	0		Other			0		Ο	
Indus	trial D	evelo	pme	nt S	tres	sors						1	labii	tat/V	, in a series	ion Stress	ors					
Fill bubble	if prese	nt - F	ot	1	2	3	Flag	Fill bubble	if presen	ıt - P	lot	1	2	3.	Flag	Fill bubbl	le if prese	nt - P	lot 1	2	3	Flag
Oil Drilling				Ο	0	О		Forest Clear	Cut			Ο	0	0	:	Herb icid e Ü	se		0		0	-
Gas Wells				Ο	Ο	0		Forest Selec	ctive Cut			0	0	0		Mowing/Shr	ub Cutting		0	X	0	- ··.
Mine (surfa	ice):			O	0	О		Tree Plantat	A Shirt Tradbard Co. A.			0	0	0	. J	Trails			O	•	0	
Mine (unde	rground)		Ο	Ο	0		Tree Canop (INSECT)				Ο	0	0		Soil Compa (alalmat or ht			0	0	0	
Military		aratr 1945.		Ο	0	0	1	Shrub Layer (WLD OR DOM	ESTIC):			9	0	0		Official vehi	آملاه سلاكي ساكري	Stranger of the		0	0	
Other.				0	0	0		Highly Grazo OVERALL 371	fliGH)			0	0	0	100	Soil erosion or:overuse)		i), wati	R O	0	О	
Other				Ο	\circ	O		Recently Bu Canony	the second second	est		0	0	0	ķ	Other:			_ 0	0	0	

Recently Burned Grassland (BRACKENED) 000 Flag codes: K = No measurement made, B = Suspect measurement. P1,F2, etc. = misc. flags assigned by each field crew.

Explain all flags in comment section on the back of this form

Buffer Sample Plots 05/27/2011

00

Other.

2428168304



Other:

FORM B-1: BUFFER SAMPLE PLOTS - TARGETED ALIEN SPECIES (Back) Seviewed by (initial): LISO (1 / 2 / 2 / 2 / 2 / 2 / 2 / 2 / 2 / 2 /	·*		Service for the	1 (48-41-21		1000	100	4.39 (a) 31, 479		Carlo Com	6.0	34 D. C. 19 C. 4		1 4 7 35	1							
			1 90,000	r in the second	· · · · · · · · · · · · · · · · · · ·					7	1			and the second of								1,344
	100		110 1194		25 S. H. C.	•	10	~			8	, ,) 、	T (N 744 11)			_	シェー	\sim	1C 1 - 2	A	
		A grant	25000 A. A. A.	7.00 1.75	1, 6000	1	1 **	0	. # · · ·	` (.		و دسه	/ <u></u>	DAU	. T. T.			115	7. (1710	1 U V	- 1
	٠		من الشب	" Water Transit	100	·			· • • • • • • • • • • • • • • • • • • •		- 4			T. A. C.							· · ·	
	5 3		61. TO 3 1/2	5 Sa 6 S	2.772.77								1,000	processing all the								100
	4010	17000	21			www.com.com		garage and a	W. Sugar	A 1 15 845	S 400 mg	Carried Marie	and the edition of	agent of a S	. The second second	and the second second	management of the age	Section and Party	200 C TO 200	2000 POS	Sales conflict date in 1944 a	100
	det.	and the Control	la del cont	2016/100 m	raid i	region of the	2 4 2 2	ماحسو خالجان	Dengin La.		3.0	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Also Tarabili	1678 1 (A. L.)	2 - Land 1989		January Control		Arri kari	佳鬼 机车件	far egg 5 5 e	A CARLOTTER
	_	2.7	1000	医电流流性 经	0.000	·····································	A PROPERTY.	7 St. 20 1 13	6 11	25 000 28 4	mark and a	网络美国人名	10.00	100, 300, 30	ora engola, r	** 1. A. Phys.	91 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	S	975, 777	100 900 000	refer that a re-	そうじがっかい
	48		10.070.16		n ak n	בהתוהמוה		14.55% &		4.0	···	100	1.00	will dilbert.	. The second	31/4 \$ 14 TO A	2 1 2 2 2 2 2 2		4-17			
FORM B-1: BUFFER SAMPLE PLOTS - TARGETED ALIEN SPECIES (Back)								3.4		2000	a de la companya de	April 18 hours	1000	A Court of the	and the second	**************************************	9 14 E 177 1	The second section of	Maria Propinsi	534	ara ing	1986 A. C.
SAME ER SAMPLE PLOTS - TARGETEN SPECIES (Back)	10.00		1 5 July 20 1 5 1		100	5					and the first			was a war of the	The second			~ 1 I'''	1 1 1		COLUMN TAR	VIO I
	100		2 2 200	5 7 7 8 7 .	25	INJE				$N \rightarrow I$	177	11-11	-1-12	177 1 -	X 111	14 4 1		5 7 7		ΗΙ	,	aua.
어때 아프리아 사람들은 사람들은 사람들이 가는 사람들이 되었다. 그렇게 하는 사람들이 아니는 아니는 사람들은 사람들이 아니는 아니는 사람들이 아니는 아	_		(-1/2 °	- 40% A.O.	2 2	1-1	.,.	·		3.9—11	17				U.L.U							
The second secon	garage a	277 (27.17)	Miller Jak	Section 12	alian,	30 1 30		20,757, 23			Nagara ang				1. Page 1. 1. 1.	s i i e di ta	11/11/20 En	그런 그는 생활	programme.	" a M	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
	_		da what were we							····												

🔊 Confirm a filled data bubble indicates presence and an unfilled bubble indicates absence by filling in this bubble

VIII VIII

Site ID:

									· · ·		 -			
<i>(48</i>	à à	 	· · · · · · · · · · · · · · · · · · ·					//des 05/27/2011	∍i]A b	og o'c	(JE)	: - zārni	Buffer Sample Po	
	∌ :	. ™ . ™	9999 :								r Lajo			
				<u> (1752 = 197</u> 1년 시원 <u>) (2002년</u> 1971년 (2002년) 2007년 (2002년) 2002년 (2002년) 2007년	1 = 1 = 1 = 1 = 1		<u> </u>	<u>ali ja pasta ku ij, ji ili ili.</u>						
														
														
				<u></u>										
			»——————											
										****	· ·			
				1990/2	70	~e^	220	1 Steen at 1	ภารษ	U,) X	4	rall trial	` E
								1 Steep 510pe,) 00	+	v	Ø	1122 419	C
				sourpole.	, 1	OSY	-	od of sagger 1	POU C	<u>کو</u>	ગ	, 1	Old (sace	l
									- Schener LVIII on				Comments	Flag
ing the second of the second o						21 - 2 - 2	in eerik Lijanes Linner			9.4s	i de la composition della comp			
					21	3Œ∀N	เรอะ	ubse Decimal Degn						
			۶.	E 0 17 18 18	₽ΛΛ ≑	pmit	roud	<u>'S'& h' h</u>	ħ	1	77	μύοιμ	M əbutus.	
		`" ∵	<u>tuante</u> Julijo				Situação Visto V		e rege <u>rolli (fictio</u> Personali	<u>-115</u> 15				
	€.			(Ilag and comment below)	goils	эој эј	displa	. O M3 🧳 Nearcat prac			A Pari	Milari	ENLEK O NS	
l E	el4								;(əuc	95	:001	(c)	etsenibroop to n	Locatio
	1,000)9(-)	19MUS) pjqla	səcot	ible or at the center of the last	ssod se g]O],	j jo	iente:	o auj or osojo se p	entier place
arrible	im 'a	merui	LICH.	soul aldsodoerd taansan" aft ni liet it deolloerg taarsan arli to aateriibiooo	GSUPL	i aut i	o uon	sooi aut atemput liw satemproos	o aut bas	SID	esue	14019	ing suruc paisju	so are sigl4.
J€	ЩÜ.	lie os	ecsns	d fushoqim si sid1. TOB\$MART HH.	ONG	lA noi	locat	eideousat izenean ed ik estan	iprood er	1 9¥	61 L	ນວິສຊີວ	ooe og rou ueb S tr	aga sence at
	111 ***	20 (CVI)	o Krieve	NGO AA adl is Jold raffue an too be	ยาวสร	i (Sau	ound						n te salembroca 3 the plot coordinate	
	4, 31,			INTO VV SHIP PRO STREET HIT E										
		4000 3000 80208				LES	ANI	PLOT COORD			rialis Prairie			
	0	0	0	zajdiO			Jagar Jagar							
*********	О	0	0	Office:	О	О	O	Fesily Spurge		\circ	O	О	əjisi	Tebeneo
	О	0	0	TahliC	О	O	О	் பெயம்பி சுச்பு		\supset	O	0	refoil	F3eotsbrid
	О	0	0	29(80)	О	O	О	Geed Canary Grass		\bigcirc	O	0	tte Meed	nili≬. A-⊃lili√
	0	O	0	Lamansk	0	О	0	Chealgrass		9	0	Ó	mlock	Paison He
Dr.(24)*.	Ο	0	0	Himaiayan Blackbenry	O	О	0	Signi Reed		$\supset $	Ο.	0	pre)	Spilic Mits
	0	0	O	Common Bucklian)	0	O	0	Perennial Pepperweed		0	0	Q	Sun	vie2 insiO
a jenier	Ο	0	O	Mulifidara Rose	O	0	O	уабалесе кломеед		C	0	O.	heəli gaila	XGIOW Elo
***************************************	Ο	0	0	Kudzu	O	0	О	Клашеей		כ	O	0	Ciryly	Maler fiya
· ·	0	0	0	esero nosndol.	O	0	О	Purpie Loosestrife)	0	0	Vatermilfoil	Ertrasian j
6ej4	3	7	1	Flag Fill bubble if present - Plot	ι ε	ន	1	Fill budble if present - Plot	ge(3	ε	5	ı	Jol9 - Jussang Ji	əlddud ili-7

												/							
					ر ۱	RM B-1:	BUFFE	R SAI	MPI	EP	LOT	s,	ont)		Reviewed	ıy (inifi	d):		
1 · · · · · · · · · · · · · · · · · · ·	PCA	PP	X	33	572					٠,		DATE	0.7	1.25	1 2	20	١	1	
Location:		ing _{tr} ansis. An in in					Eill ir) bubl	ole(s) if p	olot(s		ıld not be					I	.
O AA Center	@ f	ı () S	0	E C	W (O Plo	ot 1	0	Plot	2	● F	Plot 3						\
		^					Buffer N											-1	
Fill in bubbles for all th Strata Section: Fill in a															vy (40-75	%): 4 -	Very F	łoavy	(>75%)
Buffer Canopy	Type:	((T)	bse	nt: 🔘	Buffer	Сапору Т	Гуре: \llbracket	<u> </u>) A	bsent	: ()	Buffer	Canopy	Туре: ($\int A $	bsen	t (
Plot 1 Leaf	f Type:	(2)	9		Flag	Plot 2	Leaf T	уре: 🏽	•			Flag	Plot 3	Leaf	Type: (Flag
Big Trees (~0 3m DBH).	\odot		10)	Big Frees (:	0.3m DSH)	D 🚳	0	(3)	0		Big Times	(>0 3m DBH)	\odot		(3)	0	
Small Treas (<0.3m DBI3)	0) (3) 🏈)	Small Tices (<0.3m (DBH)) (0	0	0		Small Trees	(±0.3m DBH)	00		0	0	
Woody Shrubs, Saplings (0.5m-5m HIGH)	0			10)	Woody Shrub (0.5m	s, Saplings (Sin HICH)		①	0	(1)			rbs, Saplings om-Sin HIGEN	\odot		(1)	0	
Woody Strubs, Saptings (<0.5m HIGH)	()		(1)	0)	Woody Siaub (≤0	s, Saplings 0.5m HIGH)		0	0	0			ibs, Saplings :0.5m HtGH)		0	0	0	
Herbs Forbs and Grasses	00) ①	0)	Herbs I	Forbs and Grasses	0	②	0	0		Herbs	Forbs and Grasses	00	10	(3)	0	
Bare ground	① @		0	0)	Bare	ground 🛭		①	0	0		Bai	e ground	00	0	0	0	
Litter, dutí	00		0	*)	Lil	ller. duff 🏽		①	0	0		L	itter, duff	0	0	(3)	0	-
Rock	@ (0	0)		Rock 🕻	0	(7)	0	<u>(1)</u>			Rock	\odot	0	0	0	
Water	(O)		Water 🛭		(7)	0	0			Water	00	0		\odot	
Submerged Vegetation	® (0	0			rbmerged egetation	3 0	①	0	0			Submerged Vegetation	00	0	0	0	
Stressor Pres	ence/A	bsen	ice -	Canf	irm that	a filled dafa	bubble indi	catocius	- Tay 5		uni de la Si Calabia	iofillod	hubble indi			Carlonia	is back	hhle	Ġw.
				1 17.000	A 1 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	attitude of the sale of		caics pi	CSUI	ce an	(T. SH.Ü.E	niimeiä.	DUTING HELIC	raies absei	каз пу п	m19 ti	and the second		×30
Residential a	and Ur	ban S	2000 S	sors			Hydrology			CC an	OL YH Ü E	nameu		aies absci Agricultu	artista a su a como de la como de La como de la como de	1 4 4 Y	grand b	<u>- 1</u>	
Residential a	es ji efeburi (1991) Turkin kara	3.7	Stres	officers				Stres		Le an	3			Agricultu	ral & R	1 4 4 Y	grand b	<u>- 1</u>	
and the state of t	es ji efeburi (1991) Turkin kara	3.7	Stres	officers		l E ill bubb le Ditches, Cl	Hydrology if present	Stres: - Plot	sors					Agricultu if presen	ral & R	1 4 4 Y	Stres	sors	
Fill bubble if prese	es ji efeburi (1991) Turkin kara	t 1	Stres	3		l E ill bubb le Ditches, Cl	Hydrology if present nannelizatio Road/RR Be	Stres: - Plot	sors	2	3		Fill bubble	Agricultu if presen	ral & R	ural S	Stres 2	sors	
Fill bubble if prese Road gravel	es ji efeburi (1991) Turkin kan	t 1 O	Stres 2	3 O	N. A. T.	Fill bubble Dirches, Cl Dike/Dam/	Hydrology if present nannelizatio Road/RR Be	Stres: - Plot	sors 1 0	2	3 O		Fill bubble Pastore/Ha Range Row Crops	Agricultu If presen Y	ral & R t - Plot	ural S	Stres 2	sors	
Fill bubble if prese Road - gravel Road - two tarie.	nt - Plo	() (O) (O)	Stres	3 O O	N. A. T.	Fill bubble Dirches, Cl Dike/Dam/	Hydrology Lif present pannelization Road/RR Bo w El Control Si	Stres: - Plot	sors 1 O	2 O O	3 0 0		Fill bubble Pasture/He Range Row Crops Fallow Fiell Row Grop Fig.	Agricultu if present y ! (KECENTR	ral & R t—Plot	1 O	tres 2 0	sors	
Fill bubble if prese Road gravel Road two lane Road four lane	nt - Plo	(1 O O	Stress	3 O O	N. A. T.	Fill bubble Dirches, Cl Dike/Dam/ (IMPEDE FLOV Water Leve Excavation Fill/Spoil B.	Hydrology If present Innihelizatio Road/IRR Bo M If Control St Diredging anks	Stress - Plot n ed tructure	sors 1 0 0	2 O O	3 O O O		Fill bubble Pastme/Ha Range Row Crops Fallow Field	Agricultu	ral & R t—Plot	iral S	Stres	3 () ()	
Fill bubble if prese Road gravel Road two tane. Road four lane Parking LoUPavene	nt - Plo	0 0 0 0	Stress 2 O O O O O	3 0 0 0	N. A. T.	Fill bubble Dirches, Cl Dike/Dam/ OMPEDE FLO Water Leve Excavation Fill/Spoil Barreshiy De (UNVEGETATI	Hydrology If present Inneresent Road/RR Be M If Control St Predging ariks posited Sed	Stres	0 0 0 0 0	2 0 0 0 0	3 0 0 0 0 0 0	Flag	Fill bubble Pasture/Ha Range Row Crops Fallow Field Row Groping Fallow Field Shirtles TRI Nursery	Agricultu	ral & R t—Plot	1 O O O O	2 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	3 0 0 0	
Fill bubble if prese Road gravel Road two tane Road four lane Parking Let/Paveme Golf Course Lawri/Park	nt - Pfo		2 O O O O O	3 0 0 0 0 0 0	Flag	Ditches, Ci Dike/Dam/ (IMPEDE FLO) Water Leve Excavation FIII/Spoil Ba Freshty De (UNIVESETATI Soil Loss/F	Hydrology If present nannelizatio Road/RR Br M If Control SI Dredging anks posited Sed ED)	Stres	1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	2 0 0 0 0	3 O O O O O O	Flag	Fill bubble Pastne/Ha Range Row Crops Fallow Field Fallow	Agricultu	ral & R t—Plot	oral S	2 0 0 0 0	3 O O O O O O O O O O O O O O O O O O O	
Fill bubble if prese Road gravel Road two tane. Road four lane Parking Let/Pavent Golf Course Lawri/Park Suburban Residenti Urban/Multifamily	nt - Pfo		2 0 0 0 0 0 0 0	3 0 0 0 0 0 0	Flag	Fill bubble Dirches, Cl Dike/Dam/ (iMPEDE FLO) Water Leve Excavation Fill/Spoil B: Freshly De (UNIVESETATI Soll Loss/F	Hydrology If present Innelization Road/RR Boy Sel Control Sel Predging anks posited Sed D) Tool Exposu	Stres	1	2 0 0 0 0 0	3 0 0 0 0 0 0 0 0 0	Flag	Fill bubble Pasture/Ha Range Row Crops Fallow Field Shrees Het Nursery Dairy Orchard	Agriculty y Jakeceni R j topio topio topio topio topio	ral & R t—Plot FSTIIVS SS;	1 O O O O O O	2	Sors	
Fill bubble if prese Road gravel Road liwe lane Road four lane Parking Lel/Pavenn Golf Course Lawn/Park Suburban Residenti Urban/Multifamily	nt - Pfo		2 0 0 0 0 0 0	3 0 0 0 0 0 0	Flag	Fill bubble Dirches, Cl Dike/Dam/ (iMPEDE FLO) Water Leve Excavation Fill/Spoil B. Freshly De (UNIVESETAT) Soll Loss/F Wall/Riprapinlets, Outle	Hydrology If present Innelization Road/RR Boy If Control St Dredging anks posited Sed D) Inot Exposu	Stres	0 0 0 0 0 0		3 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	Flag	Fill bubble PastnerHa Range Row Crops Fallow Fielt Row Crops Fallow Fielt Row Fort Strees Nursery Dairy Orchard Confined A	Agricultu If present Y I RECENTR II (OLD CRA LS) nimal Leec	ral & R t—Plot FSTIIVS SS;	1 O O O O O O O O O	2 0 0 0 0 0 0	3 0 0 0 0 0 0	
Fill bubble if prese Road gravel Road two tane. Road four lane Parking Let/Pavent Golf Course Lawri/Park Suburban Residenti Urban/Multifamily Lairdfill	nt - Pfo	0 0 0 0 0 0 0 0	2 O O O O O O O O O O O O O O O O O O O	3 0 0 0 0 0 0 0	Flag	Fill bubble Dirches, Cl Dike/Dam/ (iMPEDE FLO) Water Leve Excavation Fill/Spoil B: Freshly De (UNIVESETATI Soll Loss/F	Hydrology It present nannelizatio Road/RR Br M It Control SI Dredging anks posited Sed D) Lexposu Code Reposu Code Reposu Code Reposu Restorment	r Stres: Pfot Pf	0 0 0 0 0 0 0 0	2 O O O O O O O O O	3 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	Fag	Fill bubble Pastne/Ha Range Row Crops Fallow Field Fallow	Agricultu If present Y I RECENTR II (OLD CRA LS) nimal Leec	ral & R t—Plot FSTIIVS SS;	1 1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	2 0 0 0 0 0 0 0 0	3 0 0 0 0 0 0 0	
Fill bubble if prese Road gravel Road two lane. Road tour lane Parking Lot/Pavent Golf Course Lawn/Park Suburban Residenti Urban/Multifamily Landfill Dumping	nt - Pfo	11 O O O O O O O O O	2 0 0 0 0 0 0	3 0 0 0 0 0 0 0	Flag	Dirches, Ci Dike/Dam// (IMPEDE FLOY Water Leve Excavation Fill/Spoil B. Freshly De (UMFSETAT) Soil Loss/F Wall/Riprat Inlets, Outle Point Sour (Effetuent of Impervious (SHEETELOW	Hydrology If present Inninelization Road/RR Bridy Control St Diredging anks posited Sed Direction Control St Sed Direction St Sed Pipe Restorment St Stripe Restorment St	r Stres: Pfot Pf	1	2 0 0 0 0 0 0 0 0 0 0	3 0 0 0 0 0 0 0 0 0	Fag	Fill bubble Pastrue/Ha Range Row Crops Fallow Fielt Row Crops Fallow Fielt Row Fielt Strees Nursery Dairy Orchard Confined A Rural Resid	Agricultu If present Y I RECENTR II (OLD CRA LS) nimal Leec	ral & R t—Plot FSTIIVS SS;	1	2 0 0 0 0 0 0 0 0	Sorte Sort	
Fill bubble if prese Road gravel Road two tane Road four lane Parking Lot/Pavem Golf Course Lawri/Park Suburban Residenti Urban/Multifamily Landfill Dumping Trash Other:	nt - Pfo	11	2		Flag	Dirches, Ci Dike/Dam/ (IMPEDE FLO) Water Leve Excavation Fill/Spoil Ba Freshity De (UNIVE SETATI SOIL LOSS/IS Wall/Riprap Inlets, Outle Point Source (EFITUENTO Impervious (SHEETELOW	Hydrology If present Inninelization Road/RR Bridy Control St Diredging anks posited Sed Direction Control St Sed Direction St Sed Pipe Restorment St Stripe Restorment St	r Stres: Pfot Pf	1	2 0 0 0 0 0 0 0 0 0 0	3 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	Fag	Fill bubble Pastne/Ha Range Row Crops Fallow Field Fallow	Agricultu If present Y I RECENTR II (OLD CRA LS) nimal Leec	ral & R t—Plot FSTIIVS SS;	1	2 0 0 0 0 0 0 0 0	3 0 0 0 0 0 0 0 0 0	
Road gravel Road gravel Road two fane. Road four lane Parking Lot/Pavent Golf Course Lawn/Park Suburban Resident Urban/Multifamily Landfilf Dumping Trash Other:	nt - Plo	1	2 2 0 0 0 0 0 0 0 0		Flag	Dirches, Ci Dike/Dam// (IMPEDE FLOY Water Leve Excavation Fill/Spoil B. Freshly De (UMFSETAT) Soil Loss/F Wall/Riprat Inlets, Outle Point Sour (Effetuent of Impervious (SHEETELOW	Hydrology If present Inninelization Road/RR Bridy Control St Diredging anks posited Sed Direction Control St Sed Direction St Sed Pipe Restorment St Stripe Restorment St	r Stres: Pfot Pf	1		3 0 0 0 0 0 0 0 0 0 0 0 0	Eag	Fill bubble Pasture/Ha Range Row Crops Fallow Fiele Row Grops Fallow Fiele Row Grops Fallow Fiele Row Grops Fallow Fiele Shirtes Har Nursery Dairy Orchard Confined A Rural Resid Gravel Pil Irrigation Other:	Agricultu If presenty I (RECENTR D) I (OU) GRA ES	ral & R t—Plot FSTIIVS SS;	1	2 0 0 0 0 0 0 0 0	Sorte Sort	
Road gravel Road gravel Road lwo lane Road four lane Parking Let/Pavente Golf Course Lawri/Park Suburban Residenti Urban/Multifamily Landfill Dumping Trash Other: Industrial De	nt - Plo	t 1 1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	Stress	3 O O O O O O O O O	Flag	Fill bubble Diriches, Ci Dike/Dam/, IMPEDE FLO Wafer Leve Excavation Fill/Spoil B Freshly De (UMFSETATI SOIL LOSS/R Wall/Riprap Inlets, Outle Froint Sourc (Epituen) to Impervious (SHEETELOW Other:	Hydrology If present nannelization Road/RR Road/RR Road/RR Road If Control SI Dredging anks posited Sed -D) Roof Exposu If Control SI RECONTROLOGIES RECONT	Stress -Plot -Plot	1	2 0 0 0 0 0 0 0 0 0	3 3 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	Flag gefati	Fill bubble Pasture/Ha Range Row Crops Fallow Field Strictes Title Nursery Dairy Orchard Confined A Rural Resid Gravel Pil Irrigation Other:	Agricultu I f presen y Larecent R f (rous cara us) nimal beec lenial	Fall & R L Plot Fallus SSS	1	2	Some	
Fill bubble if prese Road gravel Road two tane Road four lane Parking Let/Pavem Golf Course Lawn/Park Suburban Resident Urban/Multifamily Landfill Dumping Trash Other: Industrial De	nt - Plo	t 1	2	3 O O O O O O O O O	Flag Flag	Fill bubble Dirches, Gi Dike/Dam/ (IMPEDE FLOV Water Leve Excavation Fill/Spoil B: Freshly De (UNIVERTATI SOIL LOSS/F Wall/Riprap Inlets, Outle Point Sourc (Effection Co Impervious GHEFTELOW Other: Other:	Hydrology If present hannelization Road/IRR Boy el Control SI Predging anks posited Sed -D) hoof Exposu Si Strick Surface inp	Stress -Plot -Plot	1	2 2 0 0 0 0 0 0 0 0	3 0 0 0 0 0 0 0 0 0	Flag getati	Fill bubble Pastrice/Ha Range Row Crops Fallow Frek Row Frek Fallow Frek Fallo	Agriculty If presenty GRECENTR 1 (OUL) GRA LS) nimpal beed lemial ors	Fall & R L Plot Fallus SSS	1	2	3	
Road gravel Road gravel Road live lane Road four lane Parking Let/Pavente Golf Course Lawri/Park Suburban Residenti Urban/Multifamily Landfilf Dumping Trash Other: Industrial De Fill bubble if preser	nt - Plo	1	2	3 O O O O O O O O O	Flag Flag	Fill bubble Ditches, G Dike/Dam/ (IMPEDE FLOY Water Leve Excavation Fill/Spoil B: Freshly De (UNVESETAT) Soil Loss/F Wall/Riprat Inlets, Outle Point Sourc (EFFEUENT O Impervious (SHEETFLOW Other: Other: Fill bubble	Hydrology It present Innerelization Road/RR Briving Control St Predging Innerelization Control St Predging Control St Con	Stress -Plot -Plot	1	2	3 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	gefair	Fill bubble Pasture/Ha Range Row Crops Fallow Field Row Grops Fallow Field Row Field Fallow Field Fallow Field Shirtes Tra Nursery Dairy Orchard Confined A Rural Resid Gravel Pil Irrigation Other: on Stress Fill bubble	Agricultu If presenty I (RECENTR I) I (OU) - GRA LS) Ors e if preserts	Fall & R L Plot Fallus SSS	1	2	3 0 0 0 0 0 0 0 0 0 0 0 0	
Fill bubble if prese Road gravel Road four lane Road four lane Parking Let/Pavem Golf Course Lawri/Park Suburban Residenti Urban/Multifamily Laridfill Dumping Trash Other: Industrial De	nt - Plo	t 1	2	3 O O O O O O O O O	Flag Flag	Fill bubble Dirches, Gi Dike/Dam/ (IMPEDE FLOV Water Leve Excavation Fill/Spoil B: Freshly De (UNIVERTATI SOIL LOSS/F Wall/Riprap Inlets, Outle Point Sourc (Effection Co Impervious GHEFTELOW Other: Other:	Hydrology If present Inannelization Road/IRR Boy If Control Si Predging anks posited Sed Di cool Exposu is a present surface imp if present - Cut dive Cut	Stress -Plot -Plot	1	2 2 0 0 0 0 0 0 0 0	3 0 0 0 0 0 0 0 0 0	gefafi	Fill bubble Pastrice/Ha Range Row Crops Fallow Frek Row Frek Fallow Frek Fallo	Agricultu If presenty I (RECENTR I) I (OU) - GRA LS) Ors e if preserts	Fall & R L Plot Fallus SSS	1	2 0 0 0 0 0 0 0 0 0 0 0 0 0	3	

Fi O G Tree Canopy Herbivory (INSECT) Soil Compaction (ANIMAL OR HUMAN) 000 Mine (underground). 0 0 0 00 Shrith: Layer Browsed (WED OR DOMESTIC) Ο 00 O OOffroad vehicle damage 0 Military Highly Grazed Grasses (OVERALL & HIGH) Soll crosion (FROM WIND WATER, O OО Other, 0 $O \mid O$ OR OVERUSE) Recently Burned Forest Other 0 00 0 O 0 Other: Ο O OCanopy Recently Burned Grassland (BLACKENED) Other: 000 Office::: O 0 O O O0

Flag codes: K = No measurement made, U = Suspect measurement, F1,F2, etc. = misc. flags assigned by each field crew.

Explain all flags in comment section on the back of this form

Buffer Sample Plots 05/27/2011





	A person	rangan da kananan da kanan			thin sos bounder) (S11	7	Flag Comments
			All Continue	74. A. A. B.	Bullet Burger of the property	91			
	S.,		∋VV ∋bi	nigno 1		i Sangari	h	rtino	A ∋buttle i
		(Naga sud දුරාආශ්යෝ below)	notisco	aldsoit					The said of the sa
						e oue	sool	19) s	Location of coordinate
		PPId	le-Buffer ;	diasacos	s izel adi to remer center of the last.	s 6.10	[H 10	เอานอ	o olij oj esojo se podejd jej
riond	LIOU	eoor anne mae id fsankerr. Out tit in a 12	asuell əl	n to you	the coordinates will indicate the loca	ME ST	19200	al ao	llu8 ant no barainea are a
jje as	usop	THE TRANSECT This is important to	VLONG	กดมีสวบโ	soordinales al live nearest practicable	, ath a	Act (ossə	ops ed for nsv 8 fel he acc
					eppropriate pubble	əqru	ព្រះបា	t yd s	a re-community of the above
solbul	I 원크.	MED AA add ha folfer Phot at the AA GEM	e toesue.	i contrib	done in broad ad to (6#) indication	1.24.1	239,0		n ie sarahay sabara
******			S	ЭТАИІ	ORDOD TO J				
Ο	0	ZiathO		70.000 70.000		er Asarai		eda şəvr Vəfa Vəfa	
	0	Other	O	o o	reary Spuige	O	О	0	эрхиц грг и
	200	TiediQ	0	0 0	Common Reed	0	O	0	defend Tretoil
1.0 (20) 2.0000 10	O	ETSHIO.	О	o o	See S. Viene J. bee A.	O	O	O	рээүү этийг У Э
		ramansk	0	o c	Cheatgrass	O	0	О	ison Hemlack
0	0	Janeare				73×19 19 19 19 19	たにエブ		A POTENTIAL PROPERTY OF THE PROPERTY OF THE PARTY OF THE
or a same	A	Anarixasidineyalemili Varemet	10.042	o o	Gight Reed	0	0		File Mustard
0	0		0	o o	Perennial-Pepperweed	0		Ô	sinivisê jns bisistivî ali s
0	0	Filmslayan Bläckherry	0				(100		elinivied Jas
000	0	Multifora Rose Common Buckfrom Limstayan Blackfrom	0 0	5 O 5 O	Ferennial Depoweed	O	0	Ó	
0	0	Comurati Buckthom Comurati Blackthom	0	o c	Japanese knotweed	0	0	0	Silow Floating Heart
	original ori	O O O O O O O O O O O O O O O O O O O	Other	1 O O Other Other Other Other O O O O O Other Ot	OOOOOOOOOOOOOOOOOOOOOOOOOOOOOOOOOOOOOO	Common Reed O O O Other Other O O O Other Other O O O Other O O O Other Other O O O O Other Other O O O O Other O O O O Other O O O O Other O Other O O O O O O O O O O O O O O O O O O O	O E3 O M3	A / A A ≥ A O Founditings Meat. C I > I / J A S O O D 23 OE3 O M3	O O O I Leaty Spurge: O O O O O O O O O O O O O O O O O O O

dies 0s/27/2011

. | 879889996*L* _{||[2]} Buffer Sample Points - Targeted Aliv

	i		
9	JRM B-1: BUFF	FER SAMPLE PLOTS (Jnt)	Reviewed by (initial):
Site ID:	PEAPBK 3372	DATE: 0.7 /	25/2011
Location: A Center	가게 하는데의 교육 이 이 등에도 이번 명보다는데, 그런 그리트 중에게 다하게 본 차이다.	l in bubble(s) if plot(s) could not be s Plot 1 ○ Plot 2 ○ Plot 3	일하는 사람들이 아니 하살 것 같다는 그렇게 되었다면 하다.
	<u> </u>	Matural Cover Strata Type: B - Broadleat, N = Needle Loat, Absent No lice or	эпору.
Danci	opy Type: (Absent: Buffer Canop	y Type: (a) (b) (c) Absent: (b) Buffer (c)	Canopy Type: (i) (ii) Absent: (

Buffer Plot 1	Canopy Ty Leaf Ty			-	Absei		Buffer Plot 2	Canop	у Тур я Тур		$\stackrel{\leftarrow}{\longrightarrow}$		bsen		Buffer Plot 3	Canopy	/ Type f Type	≍	(1)		bsen	
	0 3m DBH)	$\overline{}$		") To		Flag		!	$\overline{\Delta}$	<u>. ()</u>				Flag		(=0.3m DBH)	151	 Gl	<u>ن</u> آن	! 	0	Flag
Small Trees (st			0	6	\sim	- i	Big Trees (Small Trees ($\frac{\circ}{\circ}$		$\frac{1}{0}$	<u> </u>		Small Trees	<u></u>) 	<u> </u>		1
Woody Shrubs,						<u> </u>	Woody Shrut			_					Woody Shru	ıbs, Saplings			딁		0	
(0.5m- Woody Shrubs,	5m Hillsid) S	12					(0.5n Woody Shrub	s, Saplings	0	0	0	0		-	(0.5 Woody Shru	m-5m HIGH) bs, Saplings	$1 \leq 1$	=1:	\tilde{a}	$\stackrel{\sim}{\sim}$	ŀĕ	
(=0.: Herbs Fo	Saplings Sm HIGH)		_	©			all a second	n.5m HIGH) Forbs and		0	0		_			:0 5m HIGH) Forbs and		- <u>-</u> -	3) 3			
}	OIASSES +		(a)				D	Granses		$\frac{\Theta}{\Theta}$	(2)	0	0		Pag	Grasses	10	- 1				
	ground (©	+~	0	0	— —			ground	0			0	0		 	e ground itter, duff	0	_))	(b)		
EIII!	er. dulf	— <u> </u>	0					tter. duff		\bigcirc	0	0	0	<u> </u>						$\frac{\odot}{\bigcirc}$	0	
ļ	Rock @	1 7			\mathbb{Z}	<u> </u>		Rock		읫	0		$\frac{\odot}{\odot}$			Rock				0	\bigcirc	
Sul	Water @					'		Water		Θ	$\frac{\bigcirc}{\bigcirc}$	\bigcirc	\bigcirc			Water Submerged	0			$\frac{\odot}{\odot}$	\bigcirc	
Vc	egetation 🔀		$ \bigcirc$			l	l v	egetation	$ \Theta $	\bigcirc	<u> </u>		<u> </u>			Vegetation		$\mathcal{L}_{\mathcal{L}}$	기	\bigcirc	(·)	ZDA .
A Test of State of St	male in the first of the contract of the contr		Congress of	an in		<u>ar Citinen</u> ji Me	j Mariana		. VAETAL		1,1200	CE AII	u arr	пинес	bubble indic						3913503 3913503	1 W. ASST.
	lential and	v italist.	1	Fu.		Tillian i		Hydrolo			A	1	T a		A grand way, a file of the control o	Agriculti			li S		10000	
Fill bubble	e 516 544e sycara	Plot	1	2		Flag	Fill bubble	e e estados		loz	1	2	3	Flag	2524 A. (- 1 N - 2	Million Color (1964)	n - rn			2	3	Flag
Road - gra			0	C			Ditches, C Dike/Dam/	إيشته وأبيده وحار			0	0	\circ		.Pastore/Ha	y			<u> </u>	\circ	0	
Road two	jeg jakija. Na Objeg je s Zama i nasom jektirali	salahari Marata	0	C	3 T.		(IMPEDET LO	W)			0	0	O		Range Row Crops			2.00	$\frac{2}{2}$	0	\circ	
Road - feur			O				Water Level Excavation		<u> </u>	лше	0	0			Fallow Freig	(RECENT-I	RESTIN		$\frac{1}{2}$	01	\circ	
	UP avement		0	C			Fill/Spoil B	alija magijing jinging Cipologija (Nobilogija	Yarang Maranga		0	0	0		ROWCROPTIES Fallow Field))			⊃ ⊃	0	0	
GolfCourse	9.00	ak preje Televis	0	C			Freshly De		edim	ent.	0	0	0		SHRUBS TRE	<u> </u>				0	0	
Lawn/Park Suburban F	Pocidential		0				Soil Loss/F	e a constituent for all	suré.		\circ	0	0		-Nursery Dairy				9-14	0	0	
Urban/Mult	erus erustatat aussat 1909 Paulitik Viruste	<u> 1805 (* 18</u> 1881, 28	0		7 8 427		- Wall/Ripra				0	0	0		Orchard					0	0	
Landfill			Ö	O		·	inicts, Outi				Ö	O	0		Confined A	jimal Fee	ding			0	Ö	
Dumping	er við Kulling í Landa Er allandi í Standarí		Ö	0	0		Point Sour (EFFUENT)		ANTE IN		0	ō	Õ		Rural Resid	ential -))	Ŏ	Ô	
Trash		graff, hund Historia Tarah	Ō	O	0		Impervious (SHEFFLOW	sudace i			Ō	O	0		Gravel Pil				- 1	0	0	
Other.		IDINAL INDI	0	0	0		Other.				Ó	0	0		Irrigation	alan and an early a		(5	0	O	
Other:			0	0	O		Other:	fever more	·		0	0	0		Ofher:				5	0	0	
Indus	trial Deve	lopm	ent S	itre	ssor	Š					I	labit	at/V	egetat	ion Stress	ors						
Fill bubble i	if present -	Plot	1	2.	3	Flag	Fill bubble	if presen	it - Pl	oŧ	1	2	3	Flag	Fill bubbl	e if presc	nt - P	lot	1	2	3	Flag
Oil Drilling			0	O	О		Forest Clear	Cut			0	0	О		Herbiçide Üs	(j) \)	\circ	Ο	
Gas Wells			0	O	0		Forest Selec	live Cut			Ö	Ó	0		Mowing/Shr	ib Cutting		()	\circ	Ο,	
Mine (surfac	ce)	13.13 - 14.7	0	О	0		Tree Plantal	ior:			0	0	0	1122	frails			•)	O	0	
Mine (under	ground)		Ō	0	0		Tree Canopy (INSECT)	/ Lierbivo	ſγ		0	0	0		Soil Compac			C)	0	O	
Military			0	0	lol		Shrub Layer (will bor DOM)				②	0	O	1	Offroad vehi	ar chilorni,	je .	C)	0	0	
Offier.			O	O	O		Highly Graze (OVERALL ST)	d Grasse	55		ō	0	0	100	Špil crosion OR OVERUSE)	(EROM VVINI) WATE	FR. C		200	O	
Other			0	O	0		Recently But		est .		ŏ	O	0		Oktoveruse) Other:			C			0	
Other:	1 22		O	Ö	0		Canopy Recently But	ned Cras	sland		Ö	Ŏ	0	lo	Office:				7 5	O		·
<u> </u>			\sim \downarrow		$1 \sim 1$		(BLACKENED)				-1	~							7 7			

Ofher . Flag codes: K = No measurement made, U = Suspect measurement, F1;F2, etc. = misc. flags assigned by each field crew. Buffer Sample Plots 05/27/2011



+		d _a											=				
																<u> </u>	
-																	_
			****				<u></u>										
196	sinammo.2			- 1/1. - 1/1.5					Lat QU'Z								A, A
																SANS SANS SANS	(V) (X) (A)
							d lemice	dree	IAN .	58(
	M əbuitis 1	thol	יל	U	h	n hh		ή.	ույթւ	ivv ∋t	ısə	าร	ヾヽ ゙レ	J. A. 1.			
70 VV A			~~ <i>~</i>		~~~	6		- 12A G1	il V		erio e Secondo				7		<u></u>
#U7.79 ₩	ENTER O N3		SS C		rija i makani	€M O	ISHIE DN	yiləri	가 건너	noiten	pell) r	nnoa bris	eur pelow)				
国际的特别争	ii ot cooramea					er var og stember kalen. Var og er og skriver i det i				Advance.	errelation to a			容然,要把取引。2016年	Trans.		Ř
 location	estenibroes to n			948) . 10 - 10	100											티크'	~
ocstion box, sind	d describé where t a ss closé to life ç	ιομαρέ ο τουμ	nbjec 9 te :	soten E tol	sod se e wele j	рис поже	the contin	DOS TU	ອດພວ	u i wc	ic cool	നാഗ അജ്യൂറ	ir ir galesi in an	ani angeon	MIP	11129	arc arc
ts are cer box, and let placed ocation	ntered on the Rulls of describe where to d as close to the c	opios pyt loby	esne ilbjoc 9 to	saisa E Jol	sod se s wele l aug tue	dagigunages A Gagigunages A	antosentu initios en iter et line	oneou ocenc	ag vic or ru	uli wo Sueli	ie coor ear Lii	Ean fain ut i	agranos das a	HORPON E	cimen	ues o a	Эс пп
uffer 171gb de afe cel abox, and ecaliq rei cealiot	can not be second to be second	ossec Licitio Market Soutes	ish anse nordii of P	stit es e esta esten esten E Tol	sod se e Wele j e Gooud gue Gooud	inates at the coordinates vitaes vit	antosentu initios en iter et line	oneou ocenc	ag vic or ru	uli wo Sueli	ie coor ear Lii	Ean fain ut i	agranos das a	HORPON E	cimen	ues o a	ЭC
il for out il for the out of the	Pe piol coordinates S can not be second didesed on the Bull of describe where t	copro Tre c Tot: It cosso	prilli Ast. b nibjoc 9 to	rit in e eta e esta e satea E ial	sea boo e coord and the broos ordinates	taken and Wi Inates at the Inates at the	iligagi (sau Sulagagi	ol-əldi Ocatio Das İn	noins an ho an he	ONO (N	ear Ell Ear Ell	roaisnaar roaisnaar ren' erli rii l	əlquələri (1991) Dodun ərəni	insoed Inst Inothsoot s	idqoq Ne asi	1000 1000 1000 1000	er Ji
il for out il for the out of the	can not be second to be second	copro Tre c Tot: It cosso	prilli Ast. b nibjoc 9 to	rit in e eta e esta e satea E ial	sea boo e coord and the broos ordinates	taken and Wi Inates at the Inates at the	ar end of c rest practit dicate fre the control afer of the	ch Bu oble-lo ops In	ari re nojis nojis ed no	nsect (LONC) Tansi	ear Ell Ear Ell	roaenaar raacaa	əlquələri (1991) Dodun ərəni	insoed Inst Inothsoot s	idqoq Ne asi	1000 1000 1000 1000	ia ac
il for out il for the out of the	Pe piol coordinates S can not be second didesed on the Bull of describe where t	copro Tre c Tot: It cosso	prilli Ast. b nibjoc 9 to	rit in e eta e esta e satea E ial	sea boo e coord and the broos ordinates	taken and Wi Inates at the Inates at the	iligagi (sau Sulagagi	ch Bu oble-lo ops In	ari re nojis nojis	nsect (LONC) Tansi	ear Ell Ear Ell	riba Buffer RABISHAH r Ran'' aili di l	əlquələri (1991) Dodun ərəni	tent becan	ciqing soipuj	ines fines fines	10 10 10 10 10 10 10 10 10 10 10 10 10 1
255 abiy 11 to noire 12 to noire 12 abi abi 12 abi abi 12 abi 12 abi 12 abi 13 abi 14 abi 15 abi 16	Coordinates at the coordinates of the coordinates of the Full for the Full describe where the coordinates of	ceses o pù igi oseses oseses o pù igi igi igi igi igi igi igi igi igi ig	nen Uning Ast, b Sense Objoor	of the first	sea boo e coord and the broos ordinates	Elet (#3) at the coordinates of	ar end of c rest practit dicate fre the control afer of the	RDIN DE Hor of eldic	ATE:	om Lu Il ONG Vaccar Vaccar	ear Ell Ear Ell	Other:	əlquələri (1991) Dodun ərəni	O Person	eque guessi g guessi g guessi g guessi g guessi g guessi g guessi g g g g g g g g g g g g g g g g g g	of attention of the control of the c	ia ac
nada: Thi wide: GPS with point to are are bing: Xed bing: Xed	IISIIe S coordinates at the As coordinates at the coordinates at the As coordinates at the coord	O es siñ γd e sese o entr	O priditi gailli gaine seine iibroc	At the state of th	sea boo e coord and the broos ordinates	Leafy-Spung	ar end of c rest practit dicate fre the control afer of the	oes ju og ejgr och ejgr och och och och och och och och och och	ATE:	O C	ear Ell Ear Ell	Other: Other: The Buffer of the Barter of th	əlquələri (1991) Dodun ərəni	o location	O Solven	O the control of the	113 DC
deficiel 11 figures 11 figures 11 figures 12	refoll S coordinates at the plot coordinates at the plot coordinates at the plot coordinates at the plot coordinates on the Pull-Pull-Pull-Pull-Pull-Pull-Pull-Pull	O O O O O O O O O O O O O O O O O O O	O pailing pailing pand pand pand pand pand pand pand pand	O All in All in	sea boo e coord and the broos ordinates	Common Repurg	OT COC as end of e rest practic romes of rett of the	O O	O TEST	ow III II succept Usecqt	ear Ell Ear Ell	Other: Other: Other:	əlquələri (1991) Dodun ərəni	CENTER O	elging Solipu Solipu O	C O	113 DC
unida A-Minu Tadas Tala Mde GPS Wide GPS More of the Cal Tala	inie Weed Figure 1 Figur	O O Second Second O O O O O O O O O O O O O O O O O O O	O O Drilling participation	O O O O O O O O O O O O O O O O O O O	sea boo e coord and the broos ordinates	Reed Canar Countpor, Re Leafy Spurg Plot (#3) at: Plot (#3) at: Plot (#3) at: Plot (#3) at: Plot (#3) at: Plot (#3) at:	OT COC as end of e rest practic romes of rett of the	Sas Ju Sas Ju Sa	O O O	O	ear Ell Ear Ell	Other: Other: Other: The Bufer:	əlquələri (1991) Dodun ərəni	CENTER	O O O O	O O O The I	119 3°C
Teon Herr dafeot 11 Asteot 12 Mac GISS Mac GISS Mac Of 12 Mac GISS Mac GISS	miock Leioil Lei	O O O O O Seese O O O O O O O O O O O O O O O O O O	O O O pulling pailing pandi ibjec	O O the state of t	sea boo e coord and the broos ordinates	Seed Canar Common Re Plot (#3) at phic Plot (#3) at phic Plot (#3) at phic Plot (#3) at phic Plot (#3) at phic (coordinates y	OT COC as end of e rest practic romes of rett of the	O O O O O O O O O O	eg un jour jour jour jour jour jour jour jour	COOCO	ear Ell Ear Ell	Tamansk Other Other Other	oldesiboeid (se)	Joranou CEN LEB CONTROL O	O O O Solbol	O O O O Thosi	e de la composition della comp
inic Musitan Heir Asion Heir defeat 1: 11. teate Asion of the Mis Toth Dors see See places	terd wice Weed uie Weed ioeini seloid coordinates at the planting section and the section and the Bulli didescribe where it describe and the section and the section and the section and the section are section and the section are section and the section and the section are	O O O O O O O O O O O O O O O	O O O Drillin Pand Pandi Pand Pand Pand Pand Pand Pand Pand Pand	O O O O O O O O O O O O O O O O O O O	sea boo e coord and the broos ordinates	Cheatgess Cheatgess Common Recolonity Plot (#3) and phrate bubble coordinatics v	ass. TO COC To bus us offer out the some offer of the common and the common and the common are of th	C C C C C C C C C C C C C C C C C C C	O 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	O O	ear Ell Ear Ell	Himatayan: Tamanak Other Other: Other: The Buffer:	Yneddelg population Tognistion	CENTER CENTER O O O O O O	O O O O O Solbal	O O O O O O O O O O O O	ia ac
ant Salvir isun Salvir ison Heir defent 1. defent 1. vide GPS vide	terd wice Weed uie Weed ioeini seloid coordinates at the planting section and the section and the Bulli didescribe where it describe and the section and the section and the section and the section are section and the section are section and the section and the section are	O O O O O Seese O O O O O O O O O O O O O O O O O O	O O O Drilling Pand Pand Pand Pand Pand Pand Pand Pand	O O O O O O O O O O O O O O O O O O O	sea boo e coord and the broos ordinates	Petennial Proced Cheatgrass Commyon Red Canas Leary Spung Plot (#3) at a proced Canas (#3) at a proceduration of the canas (#3) at a proceduration of	szes St. end of c	D D D B B B B B B B B B B B B B B B B B	100 CO	O O	ear Ell Ear Ell	Common Binater Tamanar Bufer Other Other Other	nckfbönn Sjackbeny Pot at the AA⊩	CENTER 1	Prepia control of the	(h) all	əc 月 月
Tick Mustration Herrican Herri	ating Heart. Tale	O O O O O Yd s Yd s TT joi O arlth	OOOOOOOOOOOOOOOOOOOOOOOOOOOOOOOOOOOOOO	OOOOOOOOOOOOOOOOOOOOOOOOOOOOOOOOOOOOOO	sec bes	Cheatgess Cheatgess Common Recolonity Plot (#3) and phrate bubble coordinatics v	szes St. end of c	C C C C C C C C C C C C C C C C C C C	O O O O O O O O O O O O O O O O O O O	O O O O O O O O O O O O O O O O O O O	ear Ell Ear Ell	Mulliflora R Common B Himalayan Other Other Other	nckfbönn Sjackbeny Pot at the AA⊩	CEVILER CEVILER O O O O O O O O O O O O O O O O O O O	O O O	O O O O O O D D D D D	19 90
self wells Nake Ins Jauke Ins Jauke Ins Jauke Ins James Ins	ating Heart. Tale	O O O O O O O O O O O O O O O O O O O	OOOOOOOOOOOOOOOOOOOOOOOOOOOOOOOOOOOOOO	O O O O O O O O O O O O O O O O O O O	sec bes	Japanese K Petennial P Cheatgrass Reed Canal Cammon Re Leafy Spung Plot (#3) at a	Jiek of IDe Gerege Lie Gerege Of e See See See See See See See	C C C C C C C C C C C C C C C C C C C	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	O O	ear Ell Ear Ell	Kudzu, in the Bufer Common B Common B Cother Cother Cother Cother	ese Stackbeny Plot at the AA (CENTER CONTROL CONT	Pripipilitation of the control of th	O O O O O O O O O O O O O O O O O O O	er Ji
Ministen Wasten Males Ingales Salvin	curifications describes where a coordinates at the plate of coordinates at the plate of coordinates at the plate coordinates at the plate of c	O O O O O O O O O O O O O O O O O O O	OOOOOOOOOOOOOOOOOOOOOOOOOOOOOOOOOOOOOO	O O O O O O O O O O O O O O O O O O O	se bos	Knotweed Japanese K Beleurial P Cleaty Spurg Connitor R Connitor R Connitor R Plot (#3) at	need incered i	CONTRACTOR OF THE CONTRACTOR O	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	COOCO	ol bin	Lohnson Go Multifora R Common B Masisayan Masisayan Other Other Other Other Other Other Other Other Other	ass Slackbeny Hothas toff Pot at the control	CENTER 1 O O O O O O O O O O O O O O O O O O	Proping and the proping and th	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	
W neisea biola water float flo	Tipresent - Plot Vatermilfail Baing Head Baing Head Inde Cobtdinates at the plot Cobtdinat	1 O O O O O O O O O O O O O O O O O O O	を	100 C C C C C C C C C C C C C C C C C C	sed as a second	Furple Loos Knotweed Lapanese K Lapanese K Stant Reed Cananon Reed Common Rees Common Rees Common Rees Leafy Spung Leafy Spung Plot (#3) at 1	escut Figure 225. Article control of cend of central of	A to the control of t	100 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	s Now Street	ecto al	Fill bubble Johnson Gi Kudzu Giher Gommon B Himalayan Giher Gominer Giher Giher	ass deserving a tribe AA (Pocespour Leur O O O O O O O O O O	Pripipilitation of the control of th	O O O O O O O O O O O O O O O O O O O	9 0
Assistan Wases and February Salvin Sa	Tipresent - Plot Vatermilfail Baing Head Baing Head Inde Cobtdinates at the plot Cobtdinat	1 O O O O O O O O O O O O O O O O O O O	を	100 C C C C C C C C C C C C C C C C C C	sed as a second	Furple Loos Knotweed Lapanese K Lapanese K Stant Reed Cananon Reed Common Rees Common Rees Common Rees Leafy Spung Leafy Spung Plot (#3) at 1	escut Figure 225. Article control of cend of central of	A to the control of t	100 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	s Now Street	ecto al	Fill bubble Johnson Gi Kudzu Giher Gommon B Himalayan Giher Gominer Giher Giher	ass Slackbeny Hothas toff Pot at the control	Pocespour Leur O O O O O O O O O O	Proping and the proping and th	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	96 10

T102/\27/20. səix

7 9058899964 <u>8</u>

Buffer Sample Points - Targetad Alin

				ر	RM B-1: BUFFER S	AMP	LEF	LO	TS 、	ont)	Reviewed L	y (initia	of):		
Site ID: PCAP	B	K 3	3-	72					DAT	E: 07 /	25/3	2 0	١	ή.	
Location:			77 J. 2.		Fiff in bul		s) if. j	olot			ampled and		- *		
O AA Center O N	С	s	О	E 🦸) W O Plot i	О	Plot	í 2	•	Plot 3				İ	
					Buffer Natur									i. I	
					us, E. = Evergreen: Leaf Type: B ch strata type for each plot: 0 = Abs							6). 4 =	Very F	łonvy	(>75%)
Buffer Canopy Type:	<u>)</u> (bset	nt: 💍	Buffer Canopy Type:	② () A	bsei	ot: O	Buffer C	anopy Type: () () A	bsen	f: ()
Plot 1 Leaf Type: (<u> </u>		Flag	Plot 2 Leaf Type:	® (Flag	Plot 3	Lcaf Type: (Flag
Big Trees (>0.3m DBH)	0				Big Trees (50.3m DBH)		0	0		Big Trees (>0	3m (013H)		0	0	
Small Trees (<0.3m (DBH)		0	0	•	Small Trees (=0.3m DBH)	> ①	0	$ \odot$		Small Trees (<0	Sm OBH)		0	0	
Woody Shrubs, Saplings (0.5m-5m HIGH)	0	0	0	,	Woody Shrubs, Saptings (0.5m-5m HIGH)	0	0	0		Woody Shrubs, (0,5m-5	Saplings (i) (ii) m HIGH)	0	0	0	
Weody Shrubs, Saplings (<0.5m BIGH)		10		1	Weedy Shrubs, Saplings (<0.5m HIGH)	0	(1)	0		Woody Shrubs, : (40.5)	Saplings m HIGH)		0	0	
Herbs, Forbs and Grasses		0	0		Herbs Forbs and Grasses		0	0		Herbs Fo	ibs and O	0	0	0	
Bare ground 🕑 🥥	0	0	0		Bare ground 🚳 🕤		0	0		Bare g	round 🕝 🕦	1	0	0	
Litter duff 💿 🕦	0	(3)			Litter, duff		0	0		Litte	r. duff 💿 🕦	0	0	0	
Rock 💿 🙆	0	0	0		Rock 🙆 🗇		0	0			Rock ① ①	0	0	0	
Wafer 🔕 🕦	0	0	0		Water 🕝 🔾		0	0		,	Water 🕦 🛈	0	0	①	
Submerged (**)	0	0	0		Submerged Vegetation		0	(1)			nerged O O	0	0	0	
the state of the s	วรยก	ce -	Conf	irin that	a filled data bubble indicates.	preser	ice au	d an	unfilled	la como la como como como como como como como com		ling th	ı is bul	ble.	(2))
Residential and Urb	an S	tres	sors		Hydrology Stre	ssors				Ag	ricultural & R	ural S	Stres	sors	
Fill bubble if present - Plot	1	2	3	Flag	Fill bubble if present - Plo	t j	2	3	Flag	Fill bubble if	present - Plot	1	2	3	Flag
	# 1745	19: 00	11.000		(100 m., Carray 100 m., 100 m., 100 m., 100 m., 100 m., 100 m., 100 m., 100 m., 100 m., 100 m., 100 m., 100 m.,										
Road gravet	10	Ю	О]	Ditches, Channelization		0	0		Pasture/Hay		0	0	0	
Road two tane	0	() ()	0		Ditches, Channelization Dike/Dam/Road/RR Bed IMPODE PLOW)	0	0	0		Pasture/Hay Range		0	0	0	
	1.0	1 1 2 2 2 2			Dike/Dam/Road/RR Bed	O		15-		er anne en la transfer de la companya de la company				1	
Road two tane	0	0	0		Dike/Dam/Road/RR Bed IMPSDETCOW	O	O	0		Range Row Crops Fallow Field (R	<u>al atomigrae i navejenal y</u>		0	Ō	
Road four lane	0	0	0		Dike/Dam/Road/RR Bed (IMPEDETCOM) Water Level Control Structu Excavation; Dredging Eill/Spoil Banks	0 PP 0 0	0	0		Range Row Crops Fallow Field (R	<u>al atomigrae i navejenal y</u>	0	0	0	
Road Iwo lane Road four lane Parking Lol/Pavement	0	0	0		Dike/Dam/Road/RR Bed (MPCDE TLOW) Water Level Confrol Structu Excavation, Dredging	0 PP 0 0	0	0		Range Row Grops Fallow Field (R Rowceon Field) Fallow Field (O	<u>al atomigrae i navejenal y</u>	0	000	000	
Road two tane Road four lane Parking Lot/Pavement Golf Course Lawn/Park Suburban Residential	0 0 0	000000000000000000000000000000000000000	000		Dike/Dam/Road/RR Bed (IMPSDE FLOW) Water Level Control Structu Excavation; Dredging Fill/Spoil Banks Freshly Deposited Sediment (INWEG-TATLE) Soil-Loss/Root Expusite		0 0 0 0	0 0 0		Range Row Crops Fallow Field (R Rowceor Field) Fallow Field (O SURVISE TREES) Nursery Dairy	<u>al atomigrae i navejenal y</u>	0000	000	0 0 0 0 0	
Road two tane Road four lane Parking Lol/Pavement Golf Course Lawn/Park	O O O O	00000	000000		Dike/Dam/Road/RR Bed (MPSDETTOW) Water Level Confrol Structur Excavation; Dredging Fill/Spoil Banks Freshig Deposited Sediment (INVESTIVITE) Soil-Loss/Root Expusite Wall/Riprap	O O O O O O	0 0 0 0 0	000000000000000000000000000000000000000		Range Row Crops Fallow Field (R Rowcsor Field (O SURUBS TREES) Nucsery Dairy Orchard	ED - ERASS.		0000	O O O O O O	
Road two tane Road four lane Parking Lot/Pavement Golf Course Lawn/Park Suburban Residential Urban/Multifamily Landfill	000000000000000000000000000000000000000	0000000	000000		Dike/Dam/Road/RR Bed (MPSDETCOM) Water Level Confrol Structur Excavation; Dredging Fill/Spoil Banks Freshly Deposited Sediment (INMEGETATED) Soil Loss/Root Expusite Wall/Riprap Indets, Outlets	0 0 0 0 0 0 0	0 0 0 0 0	000000000		Range Row Crops Fallow Field (R ROWCROF FIELD) Fallow Field (O SURVES TREES) Nursery Dairy Orchard Contined Anim	LD DRASS.	000000	000000000000000000000000000000000000000	0 0 0 0 0 0	
Road two tane Road four lane Parking Lot/Pavement Golf Course Lawn/Park Suburban Residential Urban/Multifamily Landfill Dumping	0 0 0 0 0 0 0		00000000		Dike/Dam/Road/RR Bed (IMPEDE FLOW) Water Level Confrol Structu Excavation: Predging Fill/Spoil Banks Freshly Deposited Sediment (INVEGENATED) Soil-Loss/Roof Expessite Wall/Riprap Inicis, Outlets Front Source/Pipe (EFFLUENT OR STORMW/RTER)	O O O O O O O O				Range Row Crops Fallow Field (R Rowcsor Field) Fallow Field (O STRUES TREES) Nursery Dairy Orchard Confined Anim Rural Resident	LD DRASS.	0000000	000000000000000000000000000000000000000	0 0 0 0 0 0	
Road two tane Road four lane Parking Lol/Pavement Golf Course Lawn/Park Suburban Residential Urban/Multifamily Landfill Dumping Trash		000000000000000000000000000000000000000			Dike/Dam/Road/RR Bed (IMPEDETICIAN) Water Level Confrol Structur Excavation; Dredging Fill/Spoil Banks Freshly Deposited Sediment (INVECTIAND) Soil-Loss/Roof Expusite Wall/Riprap Inlefs, Outlets Point Source/Pipg (FEELIEMT OR STORMW/TER) (SHEETELOW)	O O O O O O O O				Range Row Crops Fallow Field (R ROWCROF FIELT) Fallow Field (O STREES) Nursery Dairy Orchard Confined Anim Rural Resident	LD DRASS.				
Road two tane Road four lane Parking Lot/Pavement Golf Course Lawn/Park Suburban Residential Urban/Multifamily Landfill Dumping Trash Other	0 0 0 0 0 0 0 0				Dike/Dam/Road/RR Bed (MMSDETTOW) Water Level Control Structur Excavation; Dredging Fill/Spoil Banks Freshly Deposited Sediment (INWEST-TAIT-D) Soil-Loss/Root Expusure Wall/Riprap Inters, Outlets Point Source/Pipe (EFFLUENT OR STORMWATER) Impervious surface input (SHEEFFLOW)		0 0 0 0 0 0 0			Range Row Crops Fallow Field (R Rowesor Field (O STRUES TREES) Nucsery Dairy Orchard Confined Anim Rural Resident Gravel Pit	LD DRASS.	000000000000000000000000000000000000000			
Road two tane Road tour lane Parking Lol/Pavement Golf Course Lawn/Park Suburban Residential Urban/Multifamily Landfill Dumping Trash Other	0 0 0 0 0 0 0 0	000000000000000000000000000000000000000			Dike/Dam/Road/RR Bed (MMSDETICM) Water Level Confrol Structure Excavation; Dredging Fill/Spoil Banks Freshly Deposited Sediment (INMSGETATED) Soil-Loss/Roof Expusite Wall/Riprap Inites, Outlets Point Source/Pipe (EFFLUENT OR STORKWATER) Impervious surface input (SHEETFLOW)					Range Row Crops Fallow Field (R ROWEROF FIELD) Fallow Field (O STRIES) Nursery Pairy Orchard Confined Anim Rural Resident Gravel Pit	ED BRASS.				
Road two tane Road tour lane Parking Lol/Pavement Golf Course Lawn/Park Suburban Residential Urban/Multifamily Landfill Dumping Trash Other: Industrial Developm	0 0 0 0 0 0 0 0	000000000000000000000000000000000000000			Dike/Dam/Road/RR Bed (MMSDETTOW) Water Level Control Structur Excavation; Dredging Fill/Spoil Banks Freshly Deposited Sediment (INWEST-TAIT-D) Soil-Loss/Root Expusure Wall/Riprap Inters, Outlets Point Source/Pipe (EFFLUENT OR STORMWATER) Impervious surface input (SHEEFFLOW)			0 0 0 0 0 0 0 0		Range Row Crops Fallow Field (R ROW CROP FIELD) Fallow Field (O SURVIES TREES) Nursery Dairy Orchard Confined Anim Rural Resident Gravel Pit Irrigation Others Ion Stressors	ED DRASS.				
Road two tane Road tour lane Parking Lol/Pavement Golf Course Lawn/Park Suburban Residential Urban/Multifamily Landfill Dumping Trash Other	0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0			Dike/Dam/Road/RR Bed (MMSDETTOW) Water Level Control Structur Excavation; Dredging Fill/Spoil Banks Freshly Deposited Sediment (INWEST-TAIT-D) Soil-Loss/Root Expusure Wall/Riprap Inters, Outlets Point Source/Pipe (EFFLUENT OR STORMWATER) Impervious surface input (SHEEFFLOW)		O O O O O O O O O O	0 0 0 0 0 0 0 0 0 0 0	egētai Flag	Range Row Crops Fallow Field (R ROW CROP FIELD) Fallow Field (O SURVIES TREES) Nursery Dairy Orchard Confined Anim Rural Resident Gravel Pit Irrigation Others Ion Stressors	ED BRASS.	000000000000000000000000000000000000000		0 0 0 0 0 0 0 0 0 0	Flag
Road two tane Road tour lane Parking Lol/Pavement Golf Course Lawn/Park Suburban Residential Urban/Multifamily Landfill Dumping Trash Other: Industrial Developm	0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0		Flag	Dike/Dam/Road/RR Bed (MMSDETTOW) Water Level Confrol Structur Excavation; Dredging Fill/Spoil Banks Freshly Deposited Sediment (INVECTALLD) Soil-Loss/Root Expessive Wall/Riprap Inicis, Outlets Point Source/Pipe (EFFURENT OR STORMW/TER) Imperious surface input (SHEETFLOW) Other.		O	0 0 0 0 0 0 0 0	Flag	Range Row Crops Fallow Field (R ROW CROP FIELD) Fallow Field (O SURVIES TREES) Nursery Dairy Orchard Confined Anim Rural Resident Gravel Pit Irrigation Others Ion Stressors	ED DRASS.			0 0 0 0 0 0 0 0 0 0 0	Flag
Road two tane Road four lane Parking Lot/Pavement Golf Course Lawn/Park Suburban Residential Urban/Multifamily Landfill Dumping Trash Other: Industrial Developm Fill bubble if present - Plot	0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0	000000000000000000000000000000000000000	Flag	Dike/Dam/Road/RR Bed (MMSDETTOW) Water Level Confrol Structur Excavation; Dredging Fill/Spoil Banks Freshly Deposited Sediment (INMSETALLE) Soil-Loss/Root Expusure Wall/Riprap Indets, Outlets Point Source/Pipe (EFFLUENT OR STORMW/ITER) Impervious surface input (ISIEE FLOW) Other. Fill bubble if present - Plot		O O O O O O O O O O	0 0 0 0 0 0 0 0 0 0 0	Flag	Range Row Crops Fallow Field (R Rowersor Field (R Rowersor Field (R Rowersor Pailow Field (R Rowersor Pairy Orchard Confined Anim Rural Resident Gravel Pit Imigation Other John Stressor Fill bubble if	ED DRASS.	000000000000000000000000000000000000000		0 0 0 0 0 0 0 0 0 0	Flag
Road two tane Road four lane Parking Lol/Pavement Golf Course Lawn/Park Suburban Residential Urban/Multifamily Landfill Dumping Trash Other: Industrial Developm Fill bubble if present - Plot Oil Drilling	0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	Flag	Dike/Dam/Road/RR Bed (MMSDETTOW) Water Level Confrol Structure Excavation; Dredging Fill/Spoil Banks Freshly Deposited Sediment (INWEGLIAND) Soil-Loss/Roof Expusite Wall/Riprap Inites, Outlets Point Source/Pipe (EFFLUENT ORSTORMWATER) Impervious surface input (SHEETFLOW) Other. Fill bubble if present - Plot Forest Clear Ctil Forest Selective Cut		O	0 0 0 0 0 0 0 0 0 0 0	Flag	Range Row Crops Fallow Field (R Row Crops Fallow Field (R Row Eretr) Fallow Field (O SURVIES TREES) Nursery Dairy Orchard Confined Anim Rural Resident Gravel Pit Irrigation Other John Stressors Fill bubble if Herbicide Use Mowing/Shrub (ED DRASS	000000000000000000000000000000000000000		0 0 0 0 0 0 0 0 0 0 0	Flag
Road two tane Road four lane Parking Lot/Pavement Golf Course Lawn/Park Suburban Residential Urban/Multifamily Landfill Dumping Trash Other: Industrial Developm Fill bubble if present - Plot Oif Drilling Gas Wells	0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0		Flag	Dike/Dam/Road/RR Bed (IMPSDETICOW) Water Level Confrol Structu Excavation: Dredging Fill/Spoil Banks Freshly Deposited Sediment (INVECTIALLE) Soil-Loss/Roof Expessite Wall/Riprap Infers, Outlets Point Source/Pipe Impervious surface input (si IEETFLOW) Other: Other: Forest Clear Ctil Forest Selective Cut Tree Plantation Tree Canopy Herbivory (INSECT)		O	0 0 0 0 0 0 0 0 0 0 0 0	Flag	Range Row Crops Fallow Field (R ROW Crops Fallow Field (R ROW Field (R	ED CRASS. Fall Feeding Ital Present - Plot Gutting			0 0 0 0 0 0 0 0 0 0 0 0	Flag
Road two tane Road tour lane Parking Lol/Pavement Golf Course Lawn/Park Suburban Residential Urban/Multifamily Landfill Dumping Trash Other: Other: Industrial Developm Fill bubble if present - Plot Oil Drilling Gas Wells	0 0 0 0 0 0 0 0 0 0 0	O O O O O O O O O O		Flag	Dike/Dam/Road/RR Bed (MPSDETTOW) Water Level Confrol Structure Excavation; Dredging Fill/Spoil Banks Freshly Deposited Sediment (INWEGLIAND) Soil-Loss/Roof Expusite Wall/Riprap Inites, Outlets Point Source/Pipe (EFFLUENT OR STORMW/ITER) Impervious surface input (SHEETFLOW) Other. Fill bubble if present - Plot Forest Clear Ctil Forest Selective Cut Tree Plantation Tree Canopy Herbivory		O	O	Flag	Range Row Crops Fallow Field (R ROW Crops Fallow Field (R ROW FIELD) Fallow Field (O SURVES TREES) Nursery Dairy Orchard Confined Anim Rural Resident Gravel Pit Imigation Other Filt bubble if Herbicide Use Mewing/Shrub (ED DRASS. pal Feeding tial present - Plot cutting cutting r N) damage	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0		0 0 0 0 0 0 0 0 0 0	Flag

Recently Burned Grassland (BLACKENED) Flag codes: K = No measurement made, U = Suspect measurement, F1,F2, etc. = misc. flags assigned by each field crew.

Explain all flags in comment section on the back of this form Buffer Sample Plots 05/27/2011

Recently Burned Forest-

Candoy

0

O

O O

00

000

00

 \circ

Other

Other:



000

000

OR OVERUSE).

Other:

Other



								: 	· · ·					ļ
					–								·	
			<u> </u>											-
	—			. 2)	રુખ	, C) -	GO LENCE, NEGI	Z: t	8	V	۶χ.	of tries	7
				<u> </u>		ر هم-	عادر	what saz vigi	tin	ς	11,5	J	Plat 3	1
		302.0 943.0								Service Service Service			comments	бер
		tigan ()								923				
					12 TX		75.5	nge Decimal Degr		1	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \			
		L	1817 18	tsəWV	/ abi	n)iĐ	rou	4423	hij H	il Seest	77	nhol	N sbuits.	
[ح			rug comucur pelow)	e Sen) uoi	neoo	i eic	about	O M3 🔞 Nestest prac	O E3		ES C) (ENTER O N3	o ∧4 C
									N. 1881, 30	\$ O	Sept.		on of coordinate	deso.
БеН	بالديد			2000		iones	arne:	sible or at the conter of the last	ssod se	2 101	1-110	เวานอ	en se close io me c	er.biac
	1.0	2000			11 14 15	ldi 🦠	,0c	12001 DOM: 10 201000 NOTE: 10 00 01 11:		2117	iipiod	ue eu	LOUGH OF SCHOOL WHELE	e ,xod
ed nea at	one:	opi ə	dsolosing rearest practical	าบุธ ซื้อเลเ	MACH	ed m	ectio:	экей зид мих и ию сошшей г	STANCIE D	~;·	******	0.00	the state of the state of the	a mud of
or an earth	13371	HICH	and aigeomaradasairair am u	ຸກມອດລົອບ <u>∏</u> ທີ່ສະຫລອດ	ie irai Mole	นับาด	none ectio	sken and why in the comment s sooringles will indicate the loca	s:ent brit		1920F	11 10	สีเเล-จณ ทกากจากกล	3.032 34
or an earth	13371	HICH	and aigeomaradasairair am u	ຸກມອດລົອບ <u>∏</u> ທີ່ສະຫລອດ	ie irai Mole	นับาด	none ectio	nates at the nearest practicable soordinates will indicate the controller	ibroen a s edi bri	il) e	JUSUE JURUS JURS JUR	obsec narao	oos ed fon neo 6 fo Aug ed) no bereine	ig nafiti) Name ali
all, Buffer All, Buffer	qnq ess	necă necă	Therrogin, ar sidT. TO∃2MAS Therroging as sidT. TO∃2MAS Togʻshkoning isonashi, sili u	nescent NG THET NG THET	O IA istrai wole	noit	spod≃ Troute oitpaa	nates at the nearest practicable soordinates will indicate the controller	ongge er ibroom e serti bri	in a	T Kok Tilling Ulling	i yd 2 osso if io	esisalibioes Jolg edi. Sos ed fon niss 8 fo Mula edi no bereine	to noile IGnaffio Dear ai
all, Bufter all, Bufter	qnq ess	necă necă	Therrogin, ar sidT. TO∃2MAS Therroging as sidT. TO∃2MAS Togʻshkoning isonashi, sili u	nescent NG THET NG THET	asue. O IV Successive	ri as noit	enna Foot- rone Oiloa	sken and why in the comment societies coordinates will indicate this ficance nates at the nearcal brachcapie thrate prippie	ongge er ibroom e serti bri	in a	T Kok Tilling Ulling	i yd 2 osso if io	esisalibioes Jolg edi. Sos ed fon niss 8 fo Mula edi no bereine	ation of IGnatio Juan
ppje- filne sil Bollet	ipių įpių	ijou, ecen EU	Therrogin, ar sidT. TO∃2MAS Therroging as sidT. TO∃2MAS Togʻshkoning isonashi, sili u	Chand for Character (Chand for Character)	asue. O IV Successive	ri as noit	enna Foot- rone Oiloa	Plot (#3) at the fat end of each plotte bulbole greet practice in the control practicable for the fat with in the control of a	ongge er ibroom e serti bri	in a	T Kok Tilling Ulling	i yd 2 osso if io	esisalibioes Jolg edi. Sos ed fon niss 8 fo Mula edi no bereine	ho noile IGnafhù a-aac ai
O C	ipin O	O BECSIN EEF:	MBO: AA arit ia tol9 ratiu8 adi MBO: AA arit ia tol9 ratiu8 adi Pinstrogni,ar ari4.: TOBANAT Bol aldebitasi pagasir adil ri	CE sind for the Table Sind for The Table Sind for The Table Sind for Table Sind for Table Sind Sind Sind Sind Sind Sind Sind Sind	MOIIIEUL DI O IV Desue	ri as noit	enna Foot- rone Oiloa	Plot (#3) at the fat end of each plotte bulbole greet practice in the control practicable for the fat with in the control of a	refluti s orqqe er ibroog g	in a	anser i fuk ilinde uter c	i yd 2 osso if io	The selenimoon Se Selenimoon Se Selenimoon Jolg ed Sone ed Ton neo S to Mude ant no beestre	iĐ ⊕biV lo noile id nəfiu
O (O Cite (Lice sill Eutrer sill Eutrer	ipin O	ijou, ecen EU	The Buffer Plof at the AA CENT	The cooled	MOI Suze Suze S	ul 10 iioii 11 a	ANI(Silvid Radi- Radi- Rodie	sken and why in the comment soon according to the mater at the nearest practicable this factor at the factor of each plot (#3)	ashuta s orqqs sr orqqs sr ibrora s	ម្រើម ព្រំបា	anser i fuk ilinde uter c	1 /g s	elizer	Taban E abiy Tabin Grafiu
O O CO COSTE (LICE	O Ibisi See	inoiti Pa O	Wher. The Buffer Plot at the AA CENTANGE TO The Buffer Plot at the AA CENTANGE OF The Practicable for	CL snd Tor	O	TE TION	Ank Shua Fagi- Toole Olica	skerrand why in the colument is confident and why in the conditions of the bullets and of each Plot (#3) at the factor of each Plot (#3) at the factor of each of each and a state of the column in th	ashuta s orqqs sr orqqs sr ibrora s	O in in in in	ausei I fak IIII.d Urei, c	O	elizer	Tebsm Tebsm
O O O O O O O O O O O O O O O O O O O O	O D	Edi CO	riering in the Bustler Plot at the Bustler Plot at the Bustler Plot at the AA-CEN "NEO-AA-edt as ion The Dead Plot Internognical action of the Bustler Plot Internognical Plot Internog	The cooled	O V	O TIOIT	O A NI (\$201- Route Troite Office	skeu aud wuh in the comment is comment in the community of the series of the properties of the series of each plot (#3) at the far end of each plot (#3) at the far e	ashuta s orqqs sr orqqs sr ibrora s	O o o o o o	T. (3k Ulfer s Ulfer s	O	holet] Site in the control of the c	ieoteb Teberi Teberi Ebabw Ponote
O O O O O O O O O O O O O O O O O O O		O O	Wher: Where Where Whe Burler Plot at the AA CEN TANGECT This is important!	CL Sudd to C	O I O I O I O I O I O I O I O I O I O I		O Ania Ania Faori- Tious	Seen and why in the comment so common is a first property of the property of the fertile property of t	ashuta s orqqs sr orqqs sr ibrora s			osso I / (q. s. I / (q. s. O O O	inteck Tedout Figure 2 Figure 2 Figure 2 Figure 3 Figure 4 Figure 3 Figure 3 Figure 4 Figure 3 Figure 4 F	iM A of leolab Taban Taban to nobe
O O O O O O O O O O O O O O O O O O O		開のIII EEB O O O	Sinansk Mher Mher Maer Hakker Plot at the AA CEN TANSECT This is important t	A Control of the cont	O I O O O O O O O O O O O O O O O O O O	O O O O O O O O O O O O O O O O O O O	O O O Anitional Esour- Froute- ruotion	secu aud why in the comment to comment and why in the nestical brackers at the principle of each plot (#3) at the fail end of each plot (#3) at the fail end of each common Reed Common Reed Canara Greek	ashuta s orqqs sr orqqs sr ibrora s		O O O O O O O O O O O O O O O O O O O	O O O I Vd s	stard Trefoil Trefo	uM Siln ilo A Siln Taban Taban Taban Taban Taban
O O O O O O O O O O O O O O O O O O O		O O O O O	Ikmalayan: Blackbeny Jiher Wher Where Wher	The cooled accept the property of the property	MOJERT STREET		O O O O Anlina Ehua	Seen and why in the comment to common a community local security for the second brack and of each plot (#3) at the far end of each p	ashuta s orqqs sr orqqs sr ibrora s		O O O O O O O O O O O O O O O O O O O	O O O	sining Hèarit Talock Treforit Tre	Figure File Wolls MASTING MA
ACCOUNT OF THE COUNTY OF THE C		HOIJI	imalayan Buckhom. limalayan Blackhomy limer	A Control of the cont	Moje	O O O O O O O O O O O O O O O O O O O	O O O O O Aniti	Section with in the columbia is confident and with the residual plot (#3) at the remember of each common good. Seed Canary Greek Cheatgrass Ch	ishing s		O O O O O O O O O O O O O O O O O O O	1 to 0	acinitis and Heart aranack aranack frefort	YATTAIS MEZ JUS UMA SITE UMA SITE UMA SITE IBOTED TESPETIE TESPETIE TESPETIE TESPETIE TESPETIE TESPETIE TESPETIE TESPETIE TESPETIE TESPETIE
O O O O O O O O O O O O O O O O O O O		Houling	Multifora Rose Juniora Bucklioer Juner June	A CALLET A C	MOJERT 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9		O O O O O O O O O O O O O O O O O O O	skeu aud why in the comment to comment and which the continuent properties and the comment of the sector of the se	ishing s		O O O O O O O O O O O O O O O O O O O	O O O	sining Hèarit Talock Treforit Tre	YATTAIS MEZ JUS UMA SITE UMA SITE UMA SITE IBOTED TESPETIE TESPETIE TESPETIE TESPETIE TESPETIE TESPETIE TESPETIE TESPETIE TESPETIE TESPETIE
O O O O O O O O O O		Holiniiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiii	Audztt Auhirfora Rose Journon Buckfloom Jiner Jiner Jiner Jiner Jiner Jiner Jiner Jiner Jiner	The cooled	C C C C C C C C C C	O O O O O O O O O O O O O O O O O O O	O O O O O O O O O O O O O O O O O O O	Section with in the columbia is confident and with the residual plot (#3) at the remember of each common good. Seed Canary Greek Cheatgrass Ch	ibroan o		O O O O O O O O O O O O O O O O O O O	1 to 0	acinitis and Heart aranack aranack frefort	nisisen har volle Jawolle Jasa Jusi Jasa Jasa Jusi Jasa Jusi Jasa Jusi Jasa Jusi Jasa Jusi Jasa Jasa Jasa Jasa Jasa Jasa Jasa Jasa
O O O O O O O O O O		Hen!!	Fill bubble it present - Plot othneon Grass hintiflora Rose hintiflora Rose hintiflora Rose hintiflora Rose hinter hinter hinter hinter hinter hinter hinter	CERNET OF CONTRACT	S	2 0 0 0 0 0 0 0 0 0 0 1	1 O O O O O O O O O O O O O O O O O O O	secu aud why in the comment to compare with the compare will indicate building be common to the common the com	Flag Substituting		органия (пред пред пред пред пред пред пред пред	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	to if present - Plot. Maisemilibil Minis	nisisen niga wolle Jawolle Jawolle Jawalle Jaw
O O O O O O O O O O		Hen!!	Fill bubble it present - Plot othneon Grass hintiflora Rose hintiflora Rose hintiflora Rose hintiflora Rose hinter hinter hinter hinter hinter hinter hinter	Elag (Pic its property of the state o	2 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	1 ballita 1	secu aud why in the comment to confidence at the nearest process by the following process of the common secular secula	in sliddu in signatur in signa		PROPERTY OF THE PROPERTY OF TH	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	to if present - Plot. Maisemilibil Minis	nisisen niga wolle Jawolle Jawolle Jawalle Jaw

8VSEZ9996*L*

Wiffer Sample Points - Targeted Aliv

				J	RM B-1: B	UFFER	SAMI	PLE	PLO	TS;	ont)		Reviewed	by (inifi	al):		
Site ID:	CA	P	3	37	2/3/			- 1 - 41 - 22		DAT	E.O. 1	1.2	5/ 3	2 ₀	i	<i>j</i> .	(F)
Location:			ra A			Eill in b	ubble	(s) if	plot		uld not be					1	
O AA Center C) N	® S	C) E () W	O Plot	i () Pla	£ 2	O	Plot 3						į
Fill in bubbles for all that app	nlv: Cana	one Eve	oc D :	- Docidue		iffer Mati					Absent: No tre	e canony					
Strata Section; Fill in approp													avy (40-75)	%), 4	Very	Hoavy	/ (>75%
Buffer Canopy Typ	e: 💞	\bigcirc	Abse	ent: (Buffer C	апору Тур	e: 🌑	①	Abser	nt: 🔘	Buffer	Canop	y Type: (•) [a	bsen	ıt: (
Plot I Leaf Typ	e: 🚱	\odot	. ,	Flag	Plot 2	Leaf Type	c: 🜘			Flag	Plot 3	Lca	f Type: () ()[Flag
Big Trees (>0 3m DBH)	$ \odot $		O(C)		Big Trees (50.3m	DSII)	O C		0		Big Trees	(+0 3m DBH).
Small Trees (<0.3m DBH)	0				Small Trees (<0.3r	10	\odot	90		<u> </u>	Small Trees				$ \odot $		1
Woody Shrubs, Saptings (0.5m-5m HIGH)	\odot		9 6)	Woody Shrubs, Sa (0.5m-5m)	HIGH)	0		<u> 0</u>		(0.5	ubs, Saplings 5m-5m (HIGH)) (<u>·</u>)
(±0.5m HIGH)	0				Woody Shrubs, Sa (≈0.5m)	HIGH) U	0				(ibs, Sapfings <0.5m HIGH)					1
Herbs Forbs and Grasses	00				Herbs Forbs Gra	s and o					Herbs	Forbs and Grasses	0 0			0	Ĺ
Bare ground 0)			Bare gro	ound 🚱	00		10	1	Bar	re ground			0	0	
Litter. duff			9 6		Litter.	duff 💿	\bigcirc				L	itter, duff			0	$ \bigcirc$	
Rock 🕖	00		O(C))	[·	Rock 🕕			0			Rock			0	\bigcirc	
Water 🚱	0)	0			fater 💮	0 0		10			Water			0	0	
Submerged Vegetation	$O \mid C$) C) C)	Sabme Veget		$\odot \odot$		0			Submerged Vegetation			0	(0)	
Stressor Presence	e/Abse	nce	- Cor	ifirm tha	a filled data bub	ble indicate	es pres	ence a	nd an	untillec	bubble indid	intes abso	nce by fi	lling th	iis pin	bble.	•
Residential and	Urban	Stre	ssor	s	Hyd	Irology St	resso	s				Agriculti	ural & R	ural S	Stres	sors	5
Fill bubble if present - F	Piot	1 .2	3	Flag	Fill bubble if p	oresent - P	lot	.2	3	Flag	Fill bubble	if preset	ıt - Plot	11.	2	3	Flag
Road - gravel			34.	200	Ditches, Chani	and the second second second					Pasture/Ha	y.		0	0	0	ļ
Road two lane.		S. 19		·	Dike/Dam/Roa (IMPEDE FLOW)) <u>C</u>	7.7.	-	Range	1 70 9 00,40		0	0	Ο	
Road four lane	ļ(1111	Contract Contract	1.	Water Level Co	a harada ah basaya ya	ture (Row Crops Fallow Etcle	isati jayakida		0	О	0	
Parking Lol/Pavement	Ç				Excavation, Dr		(7.	1		Rowerouser: Lallow Liek	(a)		O O	0	0	
Golf Course	C			: [Fill/Spoil Banks Freshly Deposi		ent ∈			<u> </u>	SHRUBS-TRE				0	0	<u> </u>
: Lawn/Park Suburban-Residential	C	2 m			(UNVEGE (ATED): Soil Loss/Root						Nuisery: Dairy				0	0	<u> </u>
Urban/Multifamily		تخاند			Wall/Riprap) (0		Orchard	t Krasecki Vitalija		0	0	0	
Landfill	C	: - 	11.0	<u></u>	Inlefs, Outlets						Confined A	nimal Fee	dina	0	0		
Dumping	() (•	4	Point Source/P			11 11 11			Rural Resid	iential		0	O	0	·
Trash	•) (+	Impervious sur (SHEELFLOW)	face input	ļ				Gravel Pit			Ō	Ō	Ō	
Ofher.	C) C)	Other						Irrigation			Ó	О	О	
Other:	C) C	0		Other:		<		0		Other:			0	0	О	
Industrial Develo	pment	Stre	essoi	'S				Habi	tat/V	egetat	ion Stress	ors					
Fill bubble if present - P	lot 1	2	3	Flag	Fill bubble if pr	esent - Pl	ot 1	2	3.	Flag	Fill bubbl	e if prese	nt - Plot	1	2	3	Flag
Oil Drilling	C	0	0		Forest Clear Cur		C	О	O		Herbicide U	se		O	0	Ο	
Gas Wells	C		O		Forest Selective	Cut	C	O	0		Mowing/Shr	ub Gutting		0	0	0	,
Mine (surface)	C		23 25 25 25 25 27 27 27 27		Tree Plantation		C	O	О	•	Trails			0	0	0	
Mine (underground)	c	+=			Tree Canopy Lle (NS) (1)	rbivory	C	7.7.	0		Soil Compac (animat or hi			0	0	О	
Military	C		142		Shrub Layer Bro (WILD OK DOMESTIC		49	8	Ō	1	Officad vehi	ASSESS STATE	je	О	O	0	
Other:	С		4.5		Highly Grazed G				O		Soil erosion OR OVERUSE)	(FROM WINI		O	O	0	
Other			100	i	(OVERALL <5"13[6]() Recently Burned	Forest	O		O		OR OVERUSE). Other	***************************************		0	0	0	
Offier:	0	0	o		Canopy Recently Burned (BLACKENEL)	Grassland		Ō	0	10	Other			О	O	0	

Flag codes: K = No measurement made, U = Suspect measurement, F1,F2, etc. = misc. flags assigned by each field crew.

Explain all flags in comment section on the back of this form.

Buffer Sample Plots: 05/27/2011

2428168304



	45.79	
		56
(Victor)		10

FORM B-1: BUFFER SAMPLE PLOTS - TARGETED ALIEN SPECIES (Back)

		70 mm ()	10 m 1 m 2	5 73 5 44	100 APRIL 100		and the second	1 may 200 Au	S	000000000000000000000000000000000000000	4	4.	25 (70%)	2000			Continue de la		34 777	300 400	. 14 24 .	and the second		
	 1 2 - 	111265	ir hiz	Caint	ma i	IT R	het i		7	V20 (15.0	301	'⊸ ∹است	26116	aid i	น อเต	ana	1112	DEL	ା ଅନ	1 2	7 mmb;	101	d – 1	435
~JC	3.22	inaar				13.2	~-13	- G -	L		T-	u	7	577 T 3		726	44,04			1 -			T- 11.70	1000
VO 197		100	25,75,7	. 357597°			. 85.50	55.0	30.5000	o make		4.11.42 1	South S	***************************************	90 NA	V 140. H	3 mi - 11	in in Mary	40 100	40.04	31 (227.5)	1000		فدالش
		344-1			مارد حمد		1	L						1 *-a-	4 (444)		1, 1, 147,111		124.75	design a	100	0.7000	(g. i.e., i.e.,	
10.00	600	14 14 11 1	. 7 min	400 F 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1,77,193	tri vičini di	11 Governi	11 74 3	September 1	9301.	1375			1986 a 1966	ii been ja	2.3	777	a 34	A. Change	1.80	stiffer void	14 Ag 25 Deta	0.00	100
		F		£		on c	211221	mili -	raina.	not		HP P	HP =	יבוורי	nic	CHIP	วหาเ	i aidi	าทตา	מאוי	Danii	e mi	HUOʻ	\circ
III.	SILL	ni n	nillit	nu o	JUD	ue s	oteni	hriic	44411	4 hal	Ritain	ut p			1000		1,		1217	355 Po	F .7.314.23	ត ពោ	40.00	
975	75.FTY.	E. 8000	77.77		P 22		200 g + 1	of larg	110000		 Maria 		1.00		99 E. S.		-1			974.2	Maria de Car	6 D E	N	, mining
			Y 7		1/12 1/12		- 1 To 6	27 F MAS	48 - 1,5		JACES C	3. [54]	54 J.E.	Like gar			2 (1) Table	100 200						
						200 SA 1.	*******	** T 190 100 100 100 100 100 100 100 100 100			200000000			11.5	The second	N. 100	F 10.2	こもい だげ	ry tark til			بيشائرونك	g. 77	400
	34		aren eta eta eta eta eta eta eta eta eta eta	600 91	diam'r.	A 35 AV				44.5			<u> </u>							7	, ,		200.0	4,320
.,		7		100			4.5		ブ:=					- 4		7	~ /	6	?	11 /	-11			1.00
· 1		1 /	ገ >	<i></i>	(· yu		1 1	1000	1000	1				•	/		> >	_	H	_/_1	24.00	าเอ	ПC
. 1		, ,	1 /	9		/	. 1	, (<i></i>		10.5			/		. /	/ I _	- <i>(</i>	· / .	1 1/	100	29.47.77	_1 1	-
		1 ~	- L	,	٠	\sim	· • •	`	4,35,75	7 72.30				´ I		' し	-	_			- U	6.5	3.5.5.	80
·	L 	T DESCRIPTION OF				500 to 100 to	A 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		and the state of	27 5 17	11 11 11			,			45 54 595	24 253			500 m. mm	3.	S 65.65	100
	76 110	21 G W	", " f	v 2.30,64	1 2		Tell Earlies	100	-0.37.00	Darling of		L		1	10.00	San San	de pilo	Paris and	Carrier Control	al direct		Archer Ser	20,000,00	100
100	1. d	ci, loghair.	6800 JA		o i fia	077	Arti Serie	Section 2	. 101 1,010	والمرازي والمحا	1. Sec. 17.	1977 Lan	1 199			-7	200	Date of		Support of	6 :: 64 : 34	11.00	4775	5 th 1

		112 112	in de la		و از دوران مساعمه داشه در داری پهر				The second secon	سنجيزه الاوالد يتكافعني		دن يُ مُن معن	* The second second second second second second second second second second second second second second second
	Ó	0	O	Sienio									
	O	0	0	Tietho		О	Ο	О	ealy Spurge	C		0	Canada Thistle
d aminu son	O	O	0	Oitheir	ermen: Yoff	О	О	Q	്രണങ്ങൾ 🖟 ക്ര	C		Ο	bicishod Trefoil
<u> </u>	O	О	0	Shile		О	Ο	0	Reed Canary Grass	C		O	beeW aturiM-A eliM
::::::::::::::::::::::::::::::::::::::	0	О	О	, я <u>зм</u> ешет		О	О	O	Chcatgrass	C		0	Poisee Hemilock
	Ö	О	O	үтэдүгд Вузекрешү	and open systems to	О	0	O	beeRitasi2	С		0	Cathe Mustard
	Ō	0	0	Сойнтой Вискійотн	***************************************	O	Ö	О	РегеляіаГ Реррегмеса	С	0	O	Sinvies insið
	O	O	О	See Frounding		Ο,	0	0	аралезе Клошеед	C	0	0	Yellow Floating Heart
	0	0	0	пирну		0	О	O	Knolweed	С	O	О	Mater Ayacının
	O	О	O	ક્ટકોઈ મવટામીન		О	O	О	Purple [gosestrife	C	0	0	Eurasian Watermilfoll
pel4	ε	Z	1	Jol9 - Juseshg it sliddud lli3	PEIT	ε	7	1	Fill bubble if present - Plot	gela E	2	ı	Fill bundle if present - Plot

PLOT COORDINATES

at GPS coordinates at the center of the Butter Plot (#3) at the for each Butter Transect and for the Butter Plot at the AA CENTER. Indicate the on of the plot coordinates by filling in the appropriate bubble.	lacati
	locan
	locan
	nepol
	ration in
	3.00

					o out at the c			
					ы үйү бар дэ			
					lliw esterribro			
					au our je saji			

	h U	11431	<u>ک</u> ` *`	4 A / A L 1		S 17 11 1	イゴノ 絵 モー		
	er nambologiyayı.		rman streißlig			and the second second	<u> </u>		<u> 0</u>
		GLATINE WIND	2437 (25%) 273		\$40 A 44 B 44 A 47 B 45				high chairty least and
- 1			Sign 12 12 8 2 11 15 1	income at milanation	med manager	a and	~ ~ ~	CO A CML	A MARCHARIA (
	[A to war with the first of th		m mis orni	1.7(-18.14-25.31-3-24.1(-13-2, 11.1,)	EDITOR OF THE PARTY OF	1 2 2 4 4 4 4	10.00 miles	33.73.1 W	7 - CONTINUE TO A 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1
-		wolad Inamini	p bas uslt)	noitead aldealla	end teated ($O = \varepsilon / v / O$		CO W CIN C) AA OENTER C
		«(woled themmi	na bas and ea	noiteaul aldeada	eng tabasabli (Ο ε/V\			ocation of coordii

		17,000			1000 min			-		to the same of the										7 3 2		A Contraction			
*** * * * *	A			CO C. C		1.1.1.	1000		of the Section Co.	A Garage	Section 19	a transit of the	7.1		State of the state	ON THE VIEW		Table 1. 2007	San San San			Acres 1885 The	14 to 2 m 1	- 21	4
	Louis Co.				15 To 15 To		9 17 29		100						TREAS.	1: 22.0		J. M		200	39/11/19	The state of the s	200 - 1 12	71	
Y 25000	14 15	and the state of the			and the first of	athal e a fe	the second of the	5 - 20 - 20	* . E 100	nor	I W KI		111-11		111111-01		4 5 7 7 1	C 34 C 25 C	artist to the first	and the second	Problem of the				30000
	2000	5 1 6 7	10000 0000		医阿里氏试验检 医		27 " 7" "	****	The state of the state of		1 V I V	ะรออ					A SHOP IN A SHOP	3 401 1 40			A280	and the same and a			
100	つく かしゃ	F (20 1) 4	P 2 2 1 1 2 1				The second		200				Standard 2		2000			The State of the			1171 - 34	A 187 AM	AND 1275 3		1 32-1
		23.0				2 2 Table 17	At a contract of	ee		or a tracks	A ***	7 To 17	and the figure of the first		man all the same	A						化多分配子 机环点	a albertaile	na waling	1 - 1
									医乳色 医红斑 化二烷	to the second	3 d 1 d 1	A . 155 1.56 1		3000					1	, 1		The March 1981		2	33 350
		_,						•				3. 1. 1. 1. 1. 1.		100.00	. /) · I	- 7		1	170		 1 105 - 105 - 	6		
		∕n.		,	*# *****		\sim	"	1. 20	J. 12. Sec.			7 200 2	4.75		, ,	- 1			- 1		1.1321 FOR		177717	77
		, ,		,	1				* C	A	ተገግ ነተን		Control of the control of	1. 2.5			F			~		. 2. 1. 2. 15. 11.		1.1151	1
	, ,	- 1	,		200 PM		`			//	1/11/11/11			*****	~/	1.0	, ,-	, ,	, ,		-	444	V	7.7	
	/- ·	•	,	, ,		•	_	* ;	7				Control of the			- 1' 1		• • •					A 10 A 10 A 10 A 10 A 10 A 10 A 10 A 10	White to	
	/ / L		,	, L		•	/ ->				5.0		1.44	1 11 - 5		. ,	• •					2001100 000	4		

 	 			 		 -
 	 	 -		 		 -
 <u> </u>	 			 . ,	~	
 	 			 		 -
)) 	 			 		
河		1		 		
 - 14.	 	···				
 	 		. · ·· - · · · · · · · · · · · · · · · ·	 		
 	 			 λ.		
	 			 		 \vdash