

PCAP PLOT DATA QUALITY CONTROL		
Project Label:	PCAP	Plot No: 1119 Date Sampled: 6/28/11 Lead: DS
Comment required if item answer is NO		
Parking/Access outside of Park Boundaries		Y <input checked="" type="radio"/> N <input type="radio"/> If yes, write information in Comments section below
Field journals completed		Y <input checked="" type="radio"/> N <input type="radio"/>
Site sketch made on 1:3000 map?		Y <input checked="" type="radio"/> N <input type="radio"/>
Check cover page	X-axis Bearing of plot recorded	Y <input checked="" type="radio"/> N <input type="radio"/>
	GPS coords. Recorded	Y <input checked="" type="radio"/> N <input type="radio"/>
	North direction record	Y <input checked="" type="radio"/> N <input type="radio"/>
	Photographs taken?	Y <input checked="" type="radio"/> N <input type="radio"/>
Plot No., Date agreement on all pages?		Y <input checked="" type="radio"/> N <input type="radio"/>
Header data completed all pages?		Y <input checked="" type="radio"/> N <input type="radio"/>
Cover classes recorded in all Intensive modules		Y <input checked="" type="radio"/> N <input type="radio"/>
Browse Level By Species		Y <input checked="" type="radio"/> N <input type="radio"/>
Woody stem quality control check		Y <input checked="" type="radio"/> N <input type="radio"/>
Invasive plant quality control check		Y <input checked="" type="radio"/> N <input type="radio"/>
Ash trees mapped		Y <input checked="" type="radio"/> N <input type="radio"/> n/a
Cover by Strata? (confirm cover type)		Y <input checked="" type="radio"/> N <input type="radio"/>
Soil samples collected?		Y <input checked="" type="radio"/> N <input type="radio"/>
Vouchers labeled on datasheet with initials and number		Y <input checked="" type="radio"/> N <input type="radio"/>
Vouchers labeled on collection bag		Y <input checked="" type="radio"/> N <input type="radio"/>
Data sheet QA before leaving site?		Y <input checked="" type="radio"/> N <input type="radio"/>
Data sheets scanned?		7/1/11 Enter date to left
Final data sheets scanned?		Enter date to left
Web Soil survey		Y <input checked="" type="radio"/> N <input type="radio"/>
Voucher Location	Refrigerator	Y <input checked="" type="radio"/> N <input type="radio"/>
( # vouchers collected )	Press (#)	Enter number to left
	Drier	Y <input checked="" type="radio"/> N <input type="radio"/>
	Identified	Y <input checked="" type="radio"/> N <input type="radio"/>
	Mounted	Y <input checked="" type="radio"/> N <input type="radio"/>
	Thrown away	Y <input checked="" type="radio"/> N <input type="radio"/>

Was there a wetland at the point?: Y  N  If NO, go to the next question. If YES, stop

Was there a wetland within 60m of this point?: Y  N  If NO, go to the next section. If YES, stop

Pick one of the next three options below:	
<input type="checkbox"/>	The soils ARE NOT hydric and the area at the point is
<input type="checkbox"/>	Developed with buildings, roads, pavement, fill
<input type="checkbox"/>	Farmed, turf
<input type="checkbox"/>	Other (specify)
<input type="checkbox"/>	The soils ARE hydric and the area at the point is
<input type="checkbox"/>	Developed with buildings, roads, pavement, fill
<input type="checkbox"/>	Farmed, turf
<input type="checkbox"/>	Other (specify)
<input type="checkbox"/>	No wetland determination can be made (explain below)

Additional Comments:	

Buffer width measured  
6/30/11



## CLEVELAND METROPARKS Plant Community Assessment Program - Background Data Sheet

Page 1 of 2

GENERAL INFORMATION		LOCATION	
Project Label:	PCAP	State:	OH
Project Name:	<u>0/SC 2011</u>	County:	<u>CUYAHOGA</u>
Plot Name:	<u>Bad Apple</u>	Quadrangle: <u>CHAGRIN FALLS</u>	
Plot No.:	<u>119</u>	Local Place Names: <u>HARPER RIDGE Picnic AREA</u>	
		Landowner: <u>CLE METRO</u>	X-axis Bearing of plot: <u>[330] °</u>
		Date Confidentiality: <input checked="" type="checkbox"/> Level 4 (no nested corners sampled) <input type="checkbox"/> Level 5 (nested corners sampled)	Check one: <input checked="" type="checkbox"/> Public data <input type="checkbox"/> Private Data <input type="checkbox"/> Fuzz 100m <input type="checkbox"/> Fuzz 250m <input type="checkbox"/> Fuzz 500m
		Date (mm/dd/yyyy): <u>06/28/2011</u>	End date (if > 1 day): <u>/ /</u>
Party	Role**:	Reason: If data not public why?	
<u>D SPENCER</u>	Plot leader	<input type="checkbox"/> Source of coordinates <input type="checkbox"/> MAP <input checked="" type="checkbox"/> GPS	
<u>J MURPHY</u>	<u>SPURS STEPPES, BEEFERS</u>	GPS location in plot x=0 to 5, y=-1,0,+1: $x = \textcircled{O}$ $y = \textcircled{O}$ (base of plot x=0, y=0)	
<u>M BRETT</u>	"	Coordinate system: <u>Lat/Long</u> <input type="checkbox"/> UTM <input type="checkbox"/> StatePlane <input type="checkbox"/> deg <input type="checkbox"/> deg min <input type="checkbox"/> Other (specify) _____	
<u>Z BARTON</u>	<u>ASS'T</u>	Datum: <input checked="" type="checkbox"/> NAD83/WGS84 <input type="checkbox"/> NAD27	
* Roles: Co-leader, Asst., Guide, Owner, Taxonomist, etc.			
PLOT NOT SAMPLED: <input type="checkbox"/> Other <input type="checkbox"/> Paved <input type="checkbox"/> Slope <input type="checkbox"/> Safety <input type="checkbox"/> Perm. water			
SAMPLING QUALITY*			
Effort Level: <input type="checkbox"/> Very thorough <input type="checkbox"/> Accurate <input type="checkbox"/> Hurried subjective evaluation of how much effort put into sampling. Hurried plots may still provide good data			
TAXONOMIC ACCURACY			
High	moderate	low	not sampled
Vascular	/	/	n/a
Bryophytes		/	/
Lichens		/	/
TAXONOMIC STANDARD			
Authority:	G&C	Pub Date:	1998

Diagram showing a 2x10 module plot with 10 subplots labeled #1 through #10. A point labeled 'Q' is marked near subplot #1. A coordinate system with X and Y axes is shown at the top left. A legend indicates symbols for Plot origin (Q), GPS location (X), and photo taken with direction (arrow).

Plot placement key:  Representative  GRTS  Random  Stratified Random  Transect component  Systematic (grid)  Capture specific feature  Other

NOTES: Include Layout (any unusual shape details), Location (directions and landscape content), Rationale (why here), and Veg Characterization (description of community dominants, strata, BROWSE). Additional notes in space on back.

Layout - (4x4)->2x2  
Location - Adjacent to Harper Ridge Picnic area; plot is in old field w/ pavilion.

Rationale - Agree w/ layout; original GRTS pt Q 2, -1.

VEG - Festuca - Agrostis old field with Polysticha and Rumex acetosa throughout. Scattered Ribes, Phragmites, Ligustrum, Rubus, Pyrus, heavily browsed. Browse medium with favored spp showing highest browse.

\*Definitions and values in CM PCAP FORM v. 1.0 and CVS Field Guide

Minimum required fields in Bold and Underlined

OVER

**CLEVELAND METROPARKS Plant Community Assessment Program - Background Data Sheet**

Project Label: PCAP

Project Name: 2/JC 2011

Plot No.: 1119

Plot Name: 2/JC 2011

Page 2 of 2

**CLASSIFICATION**

(EIT = excellent, good, fair, poor; CONF = high, med, low)

**Hydrogeomorphic class (WETLANDS ONLY):**

- DEPRESSION Fit=        Conf=
- IMPOUNDMENT Fit=        Conf=
- RIVERINE Fit=        Conf=
- CHANNEL Fit=        Conf=
- SLOPE (ground water hydrology or on a physical slope) Fit=        Conf=
- FRINGING Fit=        Conf=
- RESERVOIR Fit=        Conf=
- NATURAL LAKE Fit=        Conf=
- COASTAL (specify subclass) Fit=        Conf=
- BOG (strongly, moderately, weekly ombrotrophic) Fit=        Conf=

**Ohio EPA VIBI Plant Community Class (WETLANDS ONLY):**

- FOREST Fit=        Conf=
- SWAMP FOREST Fit=        Conf=
- BOG FOREST Fit=        Conf=
- FOREST SEEP Fit=        Conf=
- EMERGENT Fit=        Conf=
- MARSH Fit=        Conf=
- WET MEADOW Fit=        Conf=
- OPEN BOG Fit=        Conf=
- SHRUB SWAMP Fit=        Conf=
- TALL SH. BOG Fit=        Conf=
- TALL SH. FEN Fit=        Conf=

**MODIFIED NATURESERVE CLASS\***

- CODE (on separate form): V04a Fit= G Conf= H

COMMUNITY NAME: Old Field (young <5)  
 (by default unless plot is a wetland)

**HOMOGENEITY**

- Homogeneous
- Compositional trend across the plot
- Conspicuous inclusions
- Irregular/pattern mosaic

Additional notes & diagrams: (Representativeness of plot to the stand, successional status, maturity, etc.)

<b>DISTURBANCES</b>	
<b>STAND SIZE</b>	<b>type*</b>
>1,000 x plot size	Human
>100 x plot size	Natural
10-100 x plot size	Fire
3-10 x plot size	Cut
1-3 x plot size	Animal
< plot size	Other

\*I=low, M=med low, M=med, MH=med high, H=high, VH=very high

APPALACHIAN

Current Land Use:

AGRICULTURE

Former Land Use:

AGRICULTURE


**HYDROLOGIC REGIME\***

<b>SALINITY*</b>	<input checked="" type="checkbox"/> Upland (seldom flooded)	<input type="checkbox"/> Intermittently flooded
Saltwater	<input type="checkbox"/> Intermittently/seasonally saturated (seldom flooded)	<input type="checkbox"/> Semipermanently flooded
Brackish	<input type="checkbox"/> Brackish	<input type="checkbox"/> Permanently flooded
Fresh	<input type="checkbox"/> Fresh	<input type="checkbox"/> Tidal/Saltie flooded daily
Upland (n/a)	<input checked="" type="checkbox"/> Upland (n/a)	<input type="checkbox"/> Tidal/Saltie flooded monthly
(by default unless plot is a wetland)	<input type="checkbox"/> Occasionally flooded (<1/yr)	<input type="checkbox"/> Tidal/Saltie flooded irregular (e.g. wind, storms)
	<input type="checkbox"/> Temporarily flooded	
		<input type="checkbox"/> Unknown



#### EXAMPLES OF PERCENT OF AREA COVERED

The following graphics can be used for various data elements to convey amount or quantity. **NOTE:** Within any given box, each quadrant contains the same total area covered, just different sized objects.



cover class	% cover	midpoint
1	solitary or few	0.0001
2	0-1%	0.005
3	1-2%	0.015
4	2-5%	0.035
5	5-10%	0.075
6	10-25%	0.175
7	25-50%	0.375
8	50-75%	0.625
9	75-95%	0.850
10	95-100%	0.975

#### BROWSE RATING NARRATIVE DESCRIPTION

**LOW OR NONE:** there is no measurable browse line AND there are very few or no plants 1-m nested quadrat and intensive module. In general, low values relate to less than 10 percent, by numbers of stems browsed.






**MEDIUM LOW** values include evidence of browse at about 10 percent of the stems with no significant impact to plant reproduction evident. In this rating, plants are browsed but preferential species are observed to be reproducing in numbers that appear normal or near-normal in comparison to low browse areas. For example, trilliums may flower and fruit, but jewelweed and arrowwood viburnum exhibit browse.

**MEDIUM:** browse affects greater than 10 percent and less than 25 percent of stems in the 1 m<sup>2</sup> nested quadrat and intensive module. A browse line is usually not evident or obvious for all classes and species of vegetation, but careful examination may show preferential browse and/or browse lines for some species of plants.

**MEDIUM HIGH** values include evidence of a browse line and 25 percent of stems browsed with very little vegetation regeneration evident. In this rating, for some species of plants, reproduction does not appear to occur or it is very severely limited.

**HIGH:** greater than 25 percent of the stems of plants in the 1 m<sup>2</sup> nested quadrat and intensive module AND a browse line is evident.

**VERY HIGH** values include extensive browse conditions, where the browse line is very evident AND almost all seedlings and herbs are severely browsed or missing. Browse line may be 5 to 6 feet in height with no or little green growth beneath.



CLEVELAND METROPARKS Plant Community Assessment Program Species Cover Data Sheet

Page 2 of 2

Project Label: PCAP Project name: 01/SC2011 Plot no.: 119

Total modules:

Visual est. % open water (entire site):

Intensive modules:

Plot configuration:

Plot area (ha):



Cleveland  
Metroparks

Br = Browse Level. Use cover classes to  
describe amount of browse per species over  
entire plot

Estimate for each  
Intensive module:  
%open water  
%unvegetated open water  
%unveg. ground (bare soil)

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1



1

1

1

#### EXAMPLES OF PERCENT OF AREA COVERED

The following graphic can be used for various data elements to convey "Amount" or "Quantity". NOTE: Within any given box, each quadrant contains the same total area covered, just different sized objects.



#### BROWSE RATING NARRATIVE DESCRIPTION

**LOW OR NONE:** there is no measurable browse line AND there are very few or no plants 1-m nested quadrat and intensive module. In general, low values relate to less than 10 percent, by numbers of stems browsed.

**MEDIUM LOW** values include evidence of browse at about 10 percent of the stems with no significant impact to plant reproduction evident. In this rating, plants are browsed but preferential species are observed to be reproducing in numbers that appear normal or near-normal in comparison to low browse areas. For example, trilliums may flower and fruit, but jewelweed and arrowwood viburnum exhibit browse.



**MEDIUM:** browse affects greater than 10 percent and less than 25 percent of stems in the 1 m<sup>2</sup> nested quadrat and intensive module. A browse line is usually not evident or obvious for all classes and species of vegetation, but careful examination may show preferential browse and/or browse lines for some species of plants.

**MEDIUM HIGH** values include evidence of a browse line and 25 percent of stems browsed with very little vegetation regeneration evident. In this rating, for some species of plants, reproduction does not appear to occur or it is very severely limited.

**HIGH:** greater than 25 percent of the stems of plants in the 1 m<sup>2</sup> nested quadrat and intensive module AND a browse line is evident.

**VERY HIGH** values include extensive browse conditions, where the browse line is very evident AND almost all seedlings and herbs are severely browsed or missing.

Browse line may be 5 to 6 feet in height with no or little green growth beneath.



## CLEVELAND METROPARKS Plant Community Assessment Program Natural Woody Stem Data Sheet



Project Label: PCAP

Project Name: O) SCL2011


Plot No.: 119

Page: 1 of 1

Explain subsample (additional room on back):

mod #	species	c	voucher#	# stems 0.5-1m browsed	% sub or super sample	# shrub clumps	size class (cm) woody stems >1m	1	2	3	4	5	6	7	8	9	10	11
-	<i>Pyrus sp. loensis</i>	1	DSO74	1		1	1-≤2.5	2.5-≤5	5-≤10	10-≤15	15-≤20	20-≤25	25-≤30	30-≤35	35-≤40	30-≤40	>40 (record each tree)	
-	<i>Liquidambar styraciflua</i>																	
-	<i>Sassafras albidum</i>																	
-	<i>Rhus glabra</i>																	
-	<i>Pinus strobus</i>	2																
-	<i>Fragaria ananassa</i>	2		1		3												
-	<i>Liquidambar styraciflua</i>	2																
-	<i>Sassafras albidum</i>	2																
-	<i>Populus tremuloides</i>	2																
-	<i>Pinus strobus</i>	2	DSO74	1														
-	<i>Rhus glabra</i>	3																
-	<i>Fragaria ananassa</i>	3																
-	<i>Fraxinus sp.</i>	3																
-	<i>Quercus sp.</i>	3																
-	<i>Quercus sp. loensis</i>	3	DSO74	1														
-	<i>Liquidambar styraciflua</i>	4																
-	<i>Pyrus sp. loensis</i>	4	DSO74	2														
-	<i>Sassafras albidum</i>	4																


#### DBH Measurement Rules



#### Woody Stem Deer Browse

Record the number of stems/plants between 0.5-1.0 meters tall that exhibit evidence of this years deer browse

Record using the tally system from 1 to 10



#### ASH CANOPY CONDITION

1. **Healthy, full canopy:** A healthy ash canopy is normally thinner than many other trees such as maple.
2. **Thinning canopy:** There aren't as many leaves as there ought to be, but all top branches exposed to sunlight have leaves.
3. **Dieback:** Canopy is thinning and some top branches exposed to sunlight are dead (have no leaves). Lower branches, not exposed to sunlight, die naturally and are not considered.
4. **>50% Dieback:** The canopy has less than half of the leaves that should be there and/or half of the top branches are dead.
5. **Dead canopy:** No leaves remain in the canopy portion of the tree. It still counts as a 5 even if there are epicormic sprouts below the canopy (lowest branch) on the trunk.



A



B



C



D



E

#### ASH CANOPY BREAKUP CONDITION (for dead trees):

(if an ash receives a score of 5 (dead) under canopy condition it must also receive a breakup condition rank as described below)

- A: All main branches contain fine twigs (newly dead).
- B: Over 50% of main branches have fine twigs.
- C: Less than 50% of main branches have fine twigs.
- D: Stem still standing and tertiary main branches present.
- E: Central stem still standing.

CLEVELAND METROPARKS Plant Community Assessment Program: Invasive Species Survey



Tier 1: Early detection/ Rapid response		Presence				GPS
		NE	SE	SW	NW	
Microstegium vimineum	Japanese stiltgrass					
Ranunculus ficaria	Lesser Celandine					
Cynanchum louiseae (vine)	Black Swallow-wort					
Butomus umbellatus (wetland)	Flowering Rush					
Tier 2: Assess as Needed		# of Plants			comments	
		NE	SE	SW	NW	
Acer platanoides	Norway Maple					
Ailanthus altissima	Tree of Heaven					
Lonicera japonica (vine)	Japanese Honeysuckle					
Lythrum salicaria (wetland)	Purple Loosestrife					
Aegopodium podagraria (G-cover)	Bishop's Goutweed					
Celastrus orbiculatus (vine)	Asian Bittersweet					
Torilis sp.	Hedgeparsley					
Conium maculatum (wetland)	Poison Hemlock					
Rhamnus cathartica	Common Buckthorn (shrub)					
Berberis thunbergii	Japanese Barberry (shrub)					
Alnus glutinosa	European Alder					
Dipsacus laciniatus	Cut-leaf Teasel					
Elaeagnus umbellata	Autumn Olive (shrub)					
Lonicera maackii	Amur Honeysuckle (shrub)				I	
Euonymus fortunei	Wintercreeper					
Tier 3: Presence is of Interest		# of Plants			comments	
		NE	SE	SW	NW	
Convallaria majalis (G-cover)	Lily of the Valley					
Coronilla varia (G-cover)	Crown Vetch					
Eleutherococcus pentaphyllus	Five-leaf Aralia (shrub)					
Pachysandra terminalis (G-cover)	Japanese Pachysandra					
Philadelphus coronarius	Mock Orange (shrub)					
Pulmonaria officinalis (G-cover)	Lungwort					
Rubus phoenicolasius	Wineberry					
Iris pseudacorus (wetland)	Yellow Flag Iris					
Ornithogalum umbellatum	Star of Bethlehem					
Viburnum opulus var. opulus	European Cranberry (shrub)					
Viburnum plicatum	Doublefile Viburnum (shrub)					
Tier 4: Widespread and abundant		Presence			comments	
		NE	SE	SW	NW	
Alliaria petiolata	Garlic Mustard	X				
Ligustrum vulgare	Common Privet (shrub)		X	X		
L. morrowii, L. tatarica	Bush Honeysuckles (shrub)		X	X		
Phalaris arundinacea	Reed Canarygrass					
Phragmites australis (wetland)	Phragmites					
Polygonum cuspidatum	Japanese Knotweed					
Frangula alnus	Glossy Buckthorn (shrub)	X	X	X	X	
Rosa multiflora	Multiflora Rose (shrub)	X	X	X	X	
Typha angustifolia, T. x glauca	Cattails (wetland)					
Cirsium arvense	Canada thistle					
Dipsacus fullonum	Common Teasel	X				
Hesperis matronalis	Dame's Rocket					
Vinca minor (G-cover)	Periwinkle					

Note: For Ground-cover plants record "stem #" but in comment field describe # of colonies and patch size (S,M, L)

Presence
X: yes

# of Plants
4: 50-100
5: 100-1,000
6: >1,000

# of Plants
1: 1-10
2: 11-50.
3: >50

Presence
X: yes

CLEVELAND METROPARKS Emerald Ash Borer - Fraxinus Sheet

Project Label: PCAP Project Name: 01SC2015

**INTENSIVE MODULES ONLY      TREES  $\geq$  10CM ONLY**

Date: 6/28/11

Page: 1 of 2

卷之三

10

卷之三

spec  
No Ash

\*\*\* Change intensive module numbers when necessary

Baseline

Map all ash trees  $\geq 10\text{cm}$  in each module using Tree ID number

\* If Ash Condition scores 5 (dead) provide breakup score (A-E)  
 Count EAB exit holes  $1.25\text{m}^2 \times 21.5\text{m}$   
 Woodpecker and epicormic marked present (1) or absent (0)

CLEVELAND METROPARKS Plant Community Assessment Program - Soils, Crown Cover, Standing Biomass Data Sheet

Project label: PCAP Project Name: OISc2011

Plot No.: 111q

### CROWN COVER, STANDING BIOMASS DATA SHEET



**SOIL PIT DESCRIPTION:** Excavate 20 cm plug with shovel. Describe using Munsell chart, visual exam, texture, and odor.

Soil pit module # 1 (one per entire plot)

5 cm	matrix color	16 YR 3/2
mottle color		A
%mottle	/	23.8.0 <del>composted</del>
oxid roots	Y	1, 2, 3, 4 (compost fc)
texture*	I	
redox features**	Y	
hydr. cond.***	I S M D	

Soil Description/notes:

20 cm	matrix color	10 YR 3/4
mottle color	None	
%mottle	/	
oxid roots	Y	(Q)
texture*	I	Web Soil Survey Information:
redox features**	Y	Soil Series/Type: Rithian Silt loam
hydr. cond.***	I S M D	Soil Series Source: Ohio Soil Survey E-121

Landform type: Ridge

Parent Material: Till

#### DRAINAGE\*

- Well drained
- Moderately well dr.
- Somewhat excessively
- Excessively drained
- Very poorly dr.
- Impermeable surface

\* refer to texture classes on reverse side

\*\* e.g. hydrogen sulfide odor, gleying, etc.

\*\*\* Circle one.

I=Inundated S=Saturated M=moist D=dry

Notes: include evidence of earthworms (worms, castings, middens)

*Earthworms found in soil pit.*

Depth to restrictive

soil

> 80 in.

Heavy

organic

mineral

restrictive

surface

saturation

depth

water

depth

sat soil

depth

cm)

WS-S QSC 6/30/11

**STANDING BIOMASS** (required for emergent wetlands):  
collected in 0.1m clip plots (32x32 cm) from corners 1 and 3 in each intensive module. Required for VIBI-E score calculation.  
C? =check when collected


Module #	C?	Corner	Corner

**SOIL DEPTH MEASUREMENT INSTRUCTIONS:** Measure to the nearest 0.1 cm in center of intensive modules. If >30.5 cm, record as >30

mod#	1 litter + organic depth (cm)	2 litter depth (cm)	3 restrict. depth (cm)	water depth (cm)	sat soil depth (cm)
1	65	65	65	30	30
2	97	97	97	30	30
3	63	63	63	30	30
4	64	64	64	30	30

Length of soil probe = 125 cm



\* Use Web Soil Survey for #3 Restrictive layer dept.



Soil Survey

### PERCENT MOTTLES (USE CLASS CODES):

Class	Code Conv.	Code NASIS	Criteria: % of Surface Area Covered
Few	f	#	< 2
Common	c	#	2 to < 20
Many	m	#	≥ 20



**SOIL TEXTURE:** Record the code for the soil texture of the 5 cm and 20 cm layers. To estimate texture, collect a soil sample from the appropriate layer and moisten it with water to the consistency of modeling clay/wet newspaper; the sample should be wet enough that all of the particles are saturated but excess water does not freely flow from the sample when squeezed. Attempt to roll the sample into a ball. If the soil will not stay in a ball and has a grainy texture, the texture is either sandy or coarse sandy. If the soil does form a ball, squeeze the sample between your fingers and attempt to form a self-supporting ribbon. Samples which form both a ball and a ribbon should be coded as clayey; samples which form a ball but not a ribbon should be coded as loamy.

0= Organic

1= Loamy

2= Clayey


3= Sandy

4= Coarse Sand


9= Not measured - make plot note

**Geomorphic Component** - Three-dimensional descriptors of parts of landforms or microfeatures that are best applied to areas. Unique descriptors are available for Hills, Terraces, Mountains, and Flat Plains; e.g., (for Hills) nose slope or NS.

Hills	Code PDP	Code NASIS
interdiluv.	IF	IF
head slope	HS	HS
nose slope	NS	NS
side slope	SS	SS
base slope	-	BS




(FIG. 1028; adapted from Roche, 1975)



**Hillslope - Profile Position (Hillslope Position in PDP)** - Two-dimensional descriptors of parts of line segments (i.e., slope position) along a transect that runs up and down the slope; e.g., backslope or BS. This is best applied to transects or points, not areas.

Position	Code
summit	SU
shoulder	SH
backslope	BS
footslope	FS
toeslope	TS



### HYDROLOGIC REGIME Modified from Grossman et al 1998. (Frequency and duration of flooding.)

**UPLAND:** Not a wetland. Very rarely flooded.

**INTERMITTENTLY/SEASONALLY SATURATED:** Dry at least once per year. Surface water is seldom present, but substrate is saturated to surface for extended periods during the growing season.

**PERMANENTLY/SEMIOPENMENTLY SATURATED:** Dry less than once per year. Surface water is seldom present, but substrate is saturated to surface for extended periods during the growing season. Equivalent to Cowardin's Saturated modifier.

**OCCASIONALLY FLOODED:** Surface water can be present for brief periods during growing season, but not in most years. Often characterizes flood-plain upper terraces.

**TEMPORARILY FLOODED:** Surface water present for brief periods during growing season, but water table usually lies well below soil surface. Often characterizes flood-plain levees and lower terraces. Equivalent to Cowardin's Temporary modifier.

**INTERMITTENTLY FLOODED :** Substrate is usually exposed, but surface water can be present for variable periods without detectable seasonal periodicity. Inundation is not predictable to a given season and is dependent upon highly localized rain storms. This modifier was developed for use in the arid West for water regimes of Playa lakes, intermittent streams, and dry washes but can be used in other parts of the U.S. where appropriate. This modifier can be applied to both wetland and non-wetland situations. Equivalent to Cowardin's Intermittently Flooded modifier.

**SEMIPERMANENTLY FLOODED (exposed <1/year):** Surface water persists throughout the growing season in most years. Land surface is normally saturated when water level drops below soil surface. Includes Cowardin's Intermittently Exposed and Semipermanently Flooded modifiers.

**PERMANENTLY FLOODED:** Water covers the land surface at all times of the year in all years. Equivalent to Cowardin's "permanently flooded".

**UNKNOWN:** The hydrologic regime cannot be determined from the available information.

COVER BY STRATA (% estimated using midpoints of 6 ex: 3.8, 13, 18%)		
Strata	Height Range (in)	Total Cover (%)
Tree	7 - 5	28
Shrub	0.5 - 5	23
Herb	< .0.5	98
(Floating)*	-	-
(Aquatic)**	-	-
* rooted and floating or slightly emersed		
** submersed, most plant mass below surface		
SEE BACK OF PAGE FOR "TYPICAL" STRATA DESCRIPTIONS. STRATA CAN VARY BY COVER TYPE.		

Remember: in a standard 2x5 plot each module = 10% cover

#### MICROTOPOGRAPHIC FEATURE COUNTS - Intensive modules only

Ranks for microhabitat features. Select one or select two and average the score. NOTE: If mod fails on a slope automatically gets ranked based on steepness (1-3).

Slope 1 = slight elevation grade across module (hill)

Slope 2 = falls on slope -20°

Slope 3 = maximum steepness that can be safely sampled -45°

0 feature is absent or functionally absent (Golf Course Flat)

1 feature is present in very small amounts or if more common, of low quality

2 feature is present in moderate amounts, but not of highest quality, or in small amounts of highest quality

3 feature is present in greater amounts and of highest quality

mod#	corner	no. of tufts/ hummocks	no. macro depressions	c.w.d. - count for pieces with minimum arm length			microhab. interspers.	slope depth 1	microhab. interspers.	slope depth 1	LFI*	TSI**
				c.w.d. (2-12 cm)	c.w.d. (12-40 cm)	c.w.d. (>40 cm)						
1		0	0	1	0	0	0	10x10m (count)	1	0	+45 degrees NE	
2		0	0	1	0	0	0	10x10m (count)	1	0	+90 degrees E	
3		0	0	1	0	0	0	10x10m (count)	1	0	+135 degrees SE	
4		0	0	1	0	0	0	10x10m (count)	1	0	+180 degrees S	
											+225 degrees SW	
											+270 degrees W	
											+315 degrees NW	
												Terrain Shape Index (position within landscape)

NOTE: tuftsock and hummocks are counted in OCTs nested quadrat corners but counts are aggregated.

c.w.d. = macrotopographic depressions with module. These may extend into other modules and be counted again.

microhab. interspers. = overall ranking of not macrotopographic microhabitat complexity using scale below

EARTH SURFACE & GROUND COVER	
Underlying Earth Surface*	Ground Cover
(Sum = 100%)	Percent
Histosol	0
Mineral Soil	100%
	Fine Woody Debris***
Gravel/Cobble*	0
Boulder**	0
Bedrock	0
... Gravel-Cobble = 1/16 to 10 in	
...Boulder = > 10 in	
... >5 cm in diameter	
**** 5 cm in diameter	
... submerged, most plant mass below surface	
SEE BACK OF PAGE FOR "TYPICAL"	
STRATA DESCRIPTIONS. STRATA	
CAN VARY BY COVER TYPE.	

TRAIL INFORMATION: If trail falls in pilot record type and cover for each

Type	%Cover
<input type="checkbox"/> All Purpose	
<input type="checkbox"/> Bridge	
<input type="checkbox"/> Hiking sanctioned	
<input type="checkbox"/> Biotieg unsanctioned	
<input type="checkbox"/> Gate	
<input type="checkbox"/> Deer	

CROWN COVER (DENSIMETER) Make	
4 readings per module facing N, S, E, W. Place dot count in corresponding space (4 dots per grid square)	

Module	N	S	E	W
1 *	93	96	96	96
2 *	78	96	96	96
3 *	96	96	96	96
4 *	96	96	96	96

### COVER BY STRATA

STRATUM	GENERAL FORM
Tree (generally >5 m)	Tree (overstory), very tall shrubs*, liana, epiphyte)
Shrub (generally 0.5 to 5 m)	Tree (sapling), shrub, liana, epiphyte)
Herb (Field)	Herb, dwarf-shrub**, tree (seedling***)
Floating	Floating
Aquatic (submerged)	Submerged

\*Very tall shrubs are sometimes included in the tree stratum  
 \*\*Can also include seedlings of shrubs, i.e. all shrubs <0.5m  
 \*\*\*Tree seedlings are often defined as up to 1.4 m height or as <2.5 cm DBH in which case they would span the herb and shrub layers.





FIGURE 3-20.—Generalized section of Upper Devonian, Mississippian, and Lower Pennsylvanian formations in northeastern Ohio. Asterisks indicate units that are fossiliferous. This composite section represents about 400 meters of rock exposed across the area. The section is not to scale, but the thicknesses indicated are proportional. The term "Waverly" is used in the older literature to refer to Mississippian rocks in Ohio. Some geologists use the European term "Carboniferous," which encompasses the Mississippian and Pennsylvanian Periods of the U.S. Many units have been named within the Cuyahoga Formation, but most units are local and cannot be traced over great distances. The Black Hand Member is a spectacular massive sandstone that is fairly widespread, but discontinuous. See Hyde (1955), Hoover (1960), and Collins (1971) for more information on Mississippian rocks in Ohio. See figure 3-18 for explanation of rock types.

# FORM B-1: BUFFER SAMPLE PLOTS (Front)

Reviewed by (initial): \_\_\_\_\_

Site ID: XCAP SL 1114

DATE: 06 / 28 / 2011

Location:

AA Center     N     OS     E     OW

Fill in bubble(s) if plot(s) could not be sampled and flag →

Plot 1     Plot 2     Plot 3

## Buffer Natural Cover Strata

Fill in bubbles for all that apply: Canopy Type: D = Deciduous; E = Evergreen Leaf Type: B = Broadleaf; N = Needle Leaf Absent: No tree canopy

Strata Section: Fill in appropriate cover class bubble for each strata type for each plot. 0 = Absent, 1 = Sparse(<10%), 2=Moderate(10-40%), 3 = Heavy (40-75%), 4 = Very Heavy (>75%)

Buffer Plot 1	Canopy Type: <input type="radio"/> D <input type="radio"/> E		Absent: <input checked="" type="radio"/>	Buffer Plot 2	Canopy Type: <input type="radio"/> D <input type="radio"/> E		Absent: <input type="radio"/>	Buffer Plot 3	Canopy Type: <input type="radio"/> D <input type="radio"/> E		Absent: <input type="radio"/>
	Leaf Type: <input type="radio"/> B <input type="radio"/> N		Flag		Leaf Type: <input type="radio"/> B <input type="radio"/> N		Flag		Leaf Type: <input type="radio"/> B <input type="radio"/> N		Flag
Big Trees (>0.3m DBH)	<input checked="" type="radio"/>	<input type="radio"/> 1	<input type="radio"/> 2	<input type="radio"/> 3	<input type="radio"/> 4	Big Trees (>0.3m DBH)	<input type="radio"/> 0	<input type="radio"/> 1	<input type="radio"/> 2	<input type="radio"/> 3	<input checked="" type="radio"/>
Small Trees (<0.3m DBH)	<input checked="" type="radio"/>	<input type="radio"/> 1	<input type="radio"/> 2	<input type="radio"/> 3	<input type="radio"/> 4	Small Trees (<0.3m DBH)	<input checked="" type="radio"/>	<input type="radio"/> 1	<input type="radio"/> 2	<input type="radio"/> 3	<input type="radio"/> 4
Woody Shrubs, Saplings (0.5m-5m HIGH)	<input checked="" type="radio"/>	<input type="radio"/> 1	<input type="radio"/> 2	<input type="radio"/> 3	<input type="radio"/> 4	Woody Shrubs, Saplings (0.5m-5m HIGH)	<input checked="" type="radio"/>	<input type="radio"/> 1	<input type="radio"/> 2	<input type="radio"/> 3	<input type="radio"/> 4
Woody Shrubs, Saplings (<0.5m HIGH)	<input checked="" type="radio"/>	<input type="radio"/> 1	<input type="radio"/> 2	<input type="radio"/> 3	<input type="radio"/> 4	Woody Shrubs, Saplings (<0.5m HIGH)	<input checked="" type="radio"/>	<input type="radio"/> 1	<input type="radio"/> 2	<input type="radio"/> 3	<input type="radio"/> 4
Herbs, Forbs and Grasses	<input type="radio"/> 0	<input type="radio"/> 1	<input type="radio"/> 2	<input type="radio"/> 3	<input checked="" type="radio"/>	Herbs, Forbs and Grasses	<input type="radio"/> 0	<input type="radio"/> 1	<input type="radio"/> 2	<input type="radio"/> 3	<input checked="" type="radio"/>
Bare ground	<input checked="" type="radio"/>	<input type="radio"/> 1	<input type="radio"/> 2	<input type="radio"/> 3	<input type="radio"/> 4	Bare ground	<input checked="" type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/> 2	<input type="radio"/> 3	<input type="radio"/> 4
Litter, duff	<input checked="" type="radio"/>	<input type="radio"/> 1	<input type="radio"/> 2	<input type="radio"/> 3	<input type="radio"/> 4	Litter, duff	<input checked="" type="radio"/>	<input type="radio"/> 1	<input type="radio"/> 2	<input type="radio"/> 3	<input type="radio"/> 4
Rock	<input checked="" type="radio"/>	<input type="radio"/> 1	<input type="radio"/> 2	<input type="radio"/> 3	<input type="radio"/> 4	Rock	<input checked="" type="radio"/>	<input type="radio"/> 1	<input type="radio"/> 2	<input type="radio"/> 3	<input type="radio"/> 4
Water	<input checked="" type="radio"/>	<input type="radio"/> 1	<input type="radio"/> 2	<input type="radio"/> 3	<input type="radio"/> 4	Water	<input checked="" type="radio"/>	<input type="radio"/> 1	<input type="radio"/> 2	<input type="radio"/> 3	<input type="radio"/> 4
Submerged Vegetation	<input checked="" type="radio"/>	<input type="radio"/> 1	<input type="radio"/> 2	<input type="radio"/> 3	<input type="radio"/> 4	Submerged Vegetation	<input checked="" type="radio"/>	<input type="radio"/> 1	<input type="radio"/> 2	<input type="radio"/> 3	<input type="radio"/> 4

**Stressor Presence/Absence** - Confirm that a filled data bubble indicates presence and an unfilled bubble indicates absence by filling this bubble.

Residential and Urban Stressors				Hydrology Stressors				Agricultural & Rural Stressors				Flag
Fill bubble if present - Plot	1	2	3	Fill bubble if present - Plot	1	2	3	Fill bubble if present - Plot	1	2	3	Flag
Road - gravel	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Ditches, Channelization	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Pasture/Hay	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Road - two lane	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Dike/Dam/Road/RR Bed (IMPEDE FLOW)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Range	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Road - four lane	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Water Level Control Structure	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Row Crops	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Parking Lot/Pavement	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Excavation, Dredging	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Fallow Field (RECENT-RESTING ROW CROP FIELD)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Golf Course	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Fill/Spoil Banks	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Fallow Field (OLD - GRASS, SHRUBS, TREES)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Lawn/Park	<input checked="" type="radio"/>	<input checked="" type="radio"/>	<input checked="" type="radio"/>	Freshly Deposited Sediment (UNVEGETATED)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Nursery	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Suburban Residential	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Soil Loss/Root Exposure	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Dairy	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Urban/Multifamily	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Wall/Riprap	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Orchard	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Landfill	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Inlets, Outlets	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Confined Animal Feeding	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Dumping	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Point Source/Pipe (EFFLUENT OR STORMWATER)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Rural Residential	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Trash	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Impervious surface input (SHEETFLOW)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Gravel Pit	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Other: _____	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Other: _____	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Irrigation	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Other: _____	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Other: _____	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Other: _____	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	

Industrial Development Stressors				Habitat/Vegetation Stressors								Flag
Fill bubble if present - Plot	1	2	3	Fill bubble if present - Plot	1	2	3	Fill bubble if present - Plot	1	2	3	Flag
Oil Drilling	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Forest Clear Cut	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Herbicide Use	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Gas Wells	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Forest Selective Cut	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Mowing/Shrub Cutting	<input checked="" type="radio"/>	<input checked="" type="radio"/>	<input checked="" type="radio"/>	
Mine (surface)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Tree Plantation	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Trails	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Mine (underground)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Tree Canopy Herbivory (INSECT)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Soil Compaction (ANIMAL OR HUMAN)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Military	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Shrub Layer Browsed (WILD OR DOMESTIC)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Offroad vehicle damage	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Other: _____	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Highly Grazed Grasses (OVERALL <3' HIGH)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Soil erosion (FROM WIND, WATER OR OVERUSE)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Other: _____	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Recently Burned Forest Canopy	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Other: _____	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Other: _____	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Recently Burned Grassland (BLACKENED)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Other: _____	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	

Flag codes: K = No measurement made, U = Suspect measurement., F1,F2, etc. = misc. flags assigned by each field crew.

Explain all flags in comment section on the back of this form

2428168304

**FORM B-1: BUFFER SAMPLE PLOTS - TARGETED ALIEN SPECIES (Back)**

Reviewed by (initial): \_\_\_\_\_

**Site ID:** PCAP SC 3119

DATE: 06/28/2013

② Confirm a filled data bubble indicates presence and an unfilled bubble indicates absence by filling in this bubble

Fill bubble if present - Plot	1	2	3	Flag	Fill bubble if present - Plot	1	2	3	Flag	Fill bubble if present - Plot	1	2	3	Flag
Eurasian Watermilfoil	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Purple Loosestrife	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Johnson Grass	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Water hyacinth	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Knotweed	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Kudzu	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Yellow Floating Heart	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Japanese Knotweed	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Multiflora Rose	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Giant Salvinia	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Perennial Pepperweed	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Common Buckthorn	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Garlic Mustard	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Giant Reed	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Himalayan Blackberry	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Poison Hemlock	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Cheatgrass	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Tamarisk	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Mile-A-Minute Weed	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Reed Canary Grass	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Other: _____	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Birdsfoot Trefoil	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Common Reed	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Other: _____	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Canada Thistle	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Leafy Spurge	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Other: _____	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
										Other: _____	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	

## PLOT COORDINATES

Provide GPS coordinates at the center of the Buffer Plot (#3) at the far end of each Buffer Transect and for the Buffer Plot at the AA CENTER. Indicate the location of the plot coordinates by filling in the appropriate bubble.

If Buffer Plot 3 can not be accessed, take the coordinates at the nearest practicable location ALONG THE TRANSECT. This is important because all Buffer Plots are centered on the Buffer Transects and the coordinates will indicate the location of the transect. Fill in the "nearest practicable location" bubble, fill in the flag box, and describe where the coordinates were taken and why in the comment section below. The coordinates of the nearest practicable location can be either placed as close to the center of Plot 3 as possible or at the center of the last accessible Buffer Plot.

**Location of coordinates (choose one):**

### Flag

AA CENTER     N3     S3     E3     W3     Nearest practicable location (flag and comment below)

Latitude North 41.41346      Longitude West 81.415942

**Use Decimal Degrees: NAD83**

# FORM B-1: BUFFER SAMPLE PLOTS (Front)

Reviewed by [initial]: \_\_\_\_\_

Site ID: PCAP SC 1119

DATE: 06/28/2011

<b>Location:</b>	Fill in bubble(s) if plot(s) could not be sampled and flag →							
<input type="radio"/> AA Center <input type="radio"/> N <input checked="" type="radio"/> S <input type="radio"/> E <input type="radio"/> W	<input type="radio"/> Plot 1 <input type="radio"/> Plot 2 <input checked="" type="radio"/> Plot 3							

## Buffer Natural Cover Strata

Fill in bubbles for all that apply: Canopy Type: D = Deciduous; E = Evergreen Leaf Type: B = Broadleaf; N = Needle Leaf Absent: No tree canopy

Strata Section: Fill in appropriate cover class bubble for each strata type for each plot. 0 = Absent; 1 = Sparse(<10%); 2=Moderate(10-40%); 3 = Heavy (40-75%); 4 = Very Heavy (>75%)

Buffer Plot 1	Canopy Type: <input checked="" type="radio"/> D <input type="radio"/> E		Absent: <input type="radio"/>	Buffer Plot 2	Canopy Type: <input checked="" type="radio"/> D <input type="radio"/> F		Absent: <input type="radio"/>	Buffer Plot 3	Canopy Type: <input type="radio"/> D <input type="radio"/> E		Absent: <input type="radio"/>		
	Leaf Type: <input checked="" type="radio"/> B <input type="radio"/> N		Flag		Leaf Type: <input checked="" type="radio"/> B <input type="radio"/> N		Flag		Leaf Type: <input type="radio"/> B <input type="radio"/> N		Flag		
Big Trees (>0.3m DBH)	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4	Big Trees (>0.3m DBH)	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4	Big Trees (>0.3m DBH)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4
Small Trees (<0.3m DBH)	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input checked="" type="radio"/>	Small Trees (<0.3m DBH)	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4	Small Trees (<0.3m DBH)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4
Woody Shrubs, Saplings (0.5m-5m HIGH)	<input type="radio"/>	<input checked="" type="radio"/>	<input checked="" type="radio"/>	Woody Shrubs, Saplings (0.5m-5m HIGH)	<input type="radio"/>	<input checked="" type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4	Woody Shrubs, Saplings (0.5m-5m HIGH)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4
Woody Shrubs, Saplings (<0.5m HIGH)	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>	Woody Shrubs, Saplings (<0.5m HIGH)	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4	Woody Shrubs, Saplings (<0.5m HIGH)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4
Herbs, Forbs and Grasses	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>	Herbs, Forbs and Grasses	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4	Herbs, Forbs and Grasses	<input type="radio"/>	<input type="radio"/>	<input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4
Bare ground	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4	Bare ground	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4	<input type="radio"/>	Bare ground	<input type="radio"/>	<input type="radio"/>	<input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4	
Litter, duff	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4	Litter, duff	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>	Litter, duff	<input type="radio"/>	<input type="radio"/>	<input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4
Rock	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4	Rock	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4	<input type="radio"/>	Rock	<input type="radio"/>	<input type="radio"/>	<input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4	
Water	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4	Water	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4	<input type="radio"/>	Water	<input type="radio"/>	<input type="radio"/>	<input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4	
Submerged Vegetation	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4	Submerged Vegetation	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4	<input type="radio"/>	Submerged Vegetation	<input type="radio"/>	<input type="radio"/>	<input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4	

**Stressor Presence/Absence** - Confirm that a filled data bubble indicates presence and an unfilled bubble indicates absence by filling this bubble.

Residential and Urban Stressors				Hydrology Stressors				Agricultural & Rural Stressors				Flag
Fill bubble if present - Plot	1	2	3	Fill bubble if present - Plot	1	2	3	Fill bubble if present - Plot	1	2	3	Flag
Road - gravel	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Ditches, Channelization	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Pasture/Hay	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Road - two lane	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Dike/Dam/Road/RR Bed (IMPEDE FLOW)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Range	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Road - four lane	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Water Level Control Structure	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Row Crops	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Parking Lot/Pavement	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Excavation, Dredging	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Fallow Field (RECENT-RESTING ROW CROP FIELD)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Golf Course	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Fill/Spoil Banks	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Fallow Field (OLD - GRASS, SHRUBS, TREES)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Lawn/Park	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Freshly Deposited Sediment (UNVEGETATED)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Nursery	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Suburban Residential	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Soil Loss/Root Exposure	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Dairy	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Urban/Multifamily	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Wall/Riprap	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Orchard	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Landfill	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Inlets, Outlets	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Confined Animal Feeding	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Dumping	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Point Source/Pipe (EFFLUENT OR STORMWATER)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Rural Residential	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Trash	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Impervious surface input (SHEETFLOW)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Gravel Pit	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Other: _____	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Other: _____	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Irrigation	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Other: _____	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Other: _____	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Other: _____	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	

Industrial Development Stressors				Habitat/Vegetation Stressors								Flag
Fill bubble if present - Plot	1	2	3	Fill bubble if present - Plot	1	2	3	Fill bubble if present - Plot	1	2	3	Flag
Oil Drilling	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Forest Clear Cut	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Herbicide Use	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Gas Wells	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Forest Selective Cut	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Mowing/Shrub Cutting	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Mine (surface)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Tree Plantation	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Trails	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Mine (underground)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Tree Canopy Herbivory (INSECT)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Soil Compaction (ANIMAL OR HUMAN)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Military	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Shrub Layer Browsed (WILD OR DOMESTIC)	<input checked="" type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	Offroad vehicle damage	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Other: _____	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Highly Grazed Grasses (OVERALL <3" HIGH)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Soil erosion (FROM WIND, WATER, OR OVERUSE)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Other: _____	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Recently Burned Forest Canopy	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Other: _____	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Other: _____	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Recently Burned Grassland (BLACKENED)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Other: _____	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	

Flag codes: K = No measurement made, U = Suspect measurement., F1,F2, etc. = misc. flags assigned by each field crew.

Explain all flags in comment section on the back of this form

2428168304

**FORM B-1: BUFFER SAMPLE PLOTS - TARGETED ALIEN SPECIES (Back)**

**Reviewed by (initial):**

**Site ID:** PCAP SC ~~001~~ 1119

DATE: 06/28/2011

• Confirm a filled data bubble indicates presence and an unfilled bubble indicates absence by filling in this bubble

Fill bubble if present - Plot	1	2	3	Flag	Fill bubble if present - Plot	1	2	3	Flag	Fill bubble if present - Plot	1	2	3	Flag
Eurasian Watermilfoil	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Purple Loosestrife	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Johnson Grass	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Water hyacinth	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Knotweed	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Kudzu	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Yellow Floating Heart	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Japanese Knotweed	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Multiflora Rose	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Giant Salvinia	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Perennial Pepperweed	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Common Buckthorn	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Garlic Mustard	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Giant Reed	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Himalayan Blackberry	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Poison Hemlock	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Cheatgrass	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Tamarisk	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Mile-A-Minute Weed	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Reed Canary Grass	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Other: _____	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Birdsfoot Trefoil	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Common Reed	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Other: _____	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Canada Thistle	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Leafy Spurge	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Other: _____	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	

## PLOT COORDINATES

Provide GPS coordinates at the center of the Buffer Plot (#3) at the far end of each Buffer Transect and for the Buffer Plot at the AA CENTER. Indicate the location of the plot coordinates by filling in the appropriate bubble.

If Buffer Plot 3 can not be accessed, take the coordinates at the nearest practicable location ALONG THE TRANSECT. This is important because all Buffer Plots are centered on the Buffer Transects and the coordinates will indicate the location of the transect. Fill in the "nearest practicable location" bubble, fill in the flag box, and describe where the coordinates were taken and why in the comment section below. The coordinates of the nearest practicable location can be either placed as close to the center of Plot 3 as possible or at the center of the last accessible Buffer Plot.

**Location of coordinates (choose one):**

### Flag

AA CENTER     N3     S3     E3     W3     Nearest practicable location (flag and comment below)

2

Latitude North 41° 1'

41785

Longitude West

81.46105

**Use Decimal Degrees; NAD83**

# FORM B-1: BUFFER SAMPLE PLOTS (Front)

Reviewed by (initial): \_\_\_\_\_

Site ID: PCAP SC 1119

DATE: 06/28/2011

Location:

AA Center  N  OS  O E  W

Fill in bubble(s) if plot(s) could not be sampled and flag →

Plot 1  Plot 2  Plot 3

## Buffer Natural Cover Strata

Fill in bubbles for all that apply: Canopy Type: D = Deciduous; E = Evergreen Leaf Type: B = Broadleaf; N = Needle Leaf Absent: No tree canopy

Strata Section: Fill in appropriate cover class bubble for each strata type for each plot 0 = Absent; 1 = Sparse(<10%); 2=Moderate(10-40%); 3 = Heavy (40-75%); 4 = Very Heavy (>75%)

Buffer Plot 1	Canopy Type: <input checked="" type="radio"/> D <input type="radio"/> E		Absent: <input type="radio"/>	Buffer Plot 2	Canopy Type: <input checked="" type="radio"/> D <input type="radio"/> E		Absent: <input type="radio"/>	Buffer Plot 3	Canopy Type: <input checked="" type="radio"/> D <input type="radio"/> E		Absent: <input type="radio"/>
	Leaf Type: <input checked="" type="radio"/> B <input type="radio"/> N	Flag	Leaf Type: <input checked="" type="radio"/> B <input type="radio"/> N		Leaf Type: <input checked="" type="radio"/> B <input type="radio"/> N	Flag	Leaf Type: <input checked="" type="radio"/> B <input type="radio"/> N		Leaf Type: <input checked="" type="radio"/> B <input type="radio"/> N	Flag	
Big Trees (>0.3m DBH)	<input checked="" type="radio"/> 0 <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4			Big Trees (>0.3m DBH)	<input checked="" type="radio"/> 0 <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4			Big Trees (>0.3m DBH)	<input checked="" type="radio"/> 0 <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4		
Small Trees (<0.3m DBH)	<input checked="" type="radio"/> 0 <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4			Small Trees (<0.3m DBH)	<input checked="" type="radio"/> 0 <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4			Small Trees (<0.3m DBH)	<input checked="" type="radio"/> 0 <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4		
Woody Shrubs, Saplings (0.5m-5m HIGH)	<input checked="" type="radio"/> 0 <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4			Woody Shrubs, Saplings (0.5m-5m HIGH)	<input checked="" type="radio"/> 0 <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4			Woody Shrubs, Saplings (0.5m-5m HIGH)	<input checked="" type="radio"/> 0 <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4		
Woody Shrubs, Saplings (<0.5m HIGH)	<input checked="" type="radio"/> 0 <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4			Woody Shrubs, Saplings (<0.5m HIGH)	<input checked="" type="radio"/> 0 <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4			Woody Shrubs, Saplings (<0.5m HIGH)	<input checked="" type="radio"/> 0 <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4		
Herbs, Forbs and Grasses	<input checked="" type="radio"/> 0 <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4			Herbs, Forbs and Grasses	<input checked="" type="radio"/> 0 <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4			Herbs, Forbs and Grasses	<input checked="" type="radio"/> 0 <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4		
Bare ground	<input checked="" type="radio"/> 0 <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4			Bare ground	<input checked="" type="radio"/> 0 <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4			Bare ground	<input checked="" type="radio"/> 0 <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4		
Litter, duff	<input checked="" type="radio"/> 0 <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4			Litter, duff	<input checked="" type="radio"/> 0 <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4			Litter, duff	<input checked="" type="radio"/> 0 <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4		
Rock	<input checked="" type="radio"/> 0 <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4			Rock	<input checked="" type="radio"/> 0 <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4			Rock	<input checked="" type="radio"/> 0 <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4		
Water	<input checked="" type="radio"/> 0 <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4			Water	<input checked="" type="radio"/> 0 <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4			Water	<input checked="" type="radio"/> 0 <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4		
Submerged Vegetation	<input checked="" type="radio"/> 0 <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4			Submerged Vegetation	<input checked="" type="radio"/> 0 <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4			Submerged Vegetation	<input checked="" type="radio"/> 0 <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4		

**Stressor Presence/Absence** - Confirm that a filled data bubble indicates presence and an unfilled bubble indicates absence by filling this bubble.

Residential and Urban Stressors				Hydrology Stressors				Agricultural & Rural Stressors				Flag
Fill bubble if present - Plot	1	2	3	Fill bubble if present - Plot	1	2	3	Fill bubble if present - Plot	1	2	3	Flag
Road - gravel	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Ditches, Channelization	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Pasture/Hay	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Road - two lane	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Dike/Dam/Road/RR Bed (IMPEDE FLOW)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Range	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Road - four lane	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Water Level Control Structure	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Row Crops	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Parking Lot/Pavement	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Excavation, Dredging	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Fallow Field (RECENT-RESTING ROW CROP FIELD)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Golf Course	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Fill/Spoil Banks	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Fallow Field (OLD - GRASS, SHRUBS, TREES)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Lawn/Park	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Freshly Deposited Sediment (UNVEGETATED)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Nursery	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Suburban Residential	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Soil Loss/Roof Exposure	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Dairy	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Urban/Multifamily	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Wall/Riprap	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Orchard	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Landfill	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Inlets, Outlets	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Confined Animal Feeding	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Dumping	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Point Source/Pipe (EFFLUENT OR STORMWATER)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Rural Residential	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Trash	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Impervious surface input (SHEETFLOW)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Gravel Pit	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Other: _____	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Other: _____	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Irrigation	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Other: _____	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Other: _____	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Other: _____	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	

Industrial Development Stressors				Habitat/Vegetation Stressors								Flag
Fill bubble if present - Plot	1	2	3	Fill bubble if present - Plot	1	2	3	Fill bubble if present - Plot	1	2	3	Flag
Oil Drilling	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Forest Clear Cut	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Herbicide Use	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Gas Wells	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Forest Selective Cut	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Mowing/Shrub Cutting	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Mine (surface)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Tree Plantation	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Trails	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Mine (underground)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Tree Canopy Herbivory (INSECT)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Soil Compaction (ANIMAL OR HUMAN)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Military	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Shrub Layer Browsed (WILD OR DOMESTIC)	<input checked="" type="radio"/>	<input checked="" type="radio"/>	<input checked="" type="radio"/>	Offroad vehicle damage	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Other: _____	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Highly Grazed Grasses (OVERALL <3" HIGH)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Soil erosion (FROM WIND, WATER, OR OVERUSE)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Other: _____	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Recently Burned Forest Canopy	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Other: _____	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Other: _____	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Recently Burned Grassland (BLACKENED)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Other: _____	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	

Flag codes: K = No measurement made, U = Suspect measurement., F1,F2, etc. = misc. flags assigned by each field crew.

Explain all flags in comment section on the back of this form

2428168304

**FORM B-1: BUFFER SAMPLE PLOTS - TARGETED ALIEN SPECIES (Back)**

Reviewed by (initials):

**Site ID:** PCAP SC 1119

DATE: 06 / 28 / 2011

**☛ Confirm a filled data bubble indicates presence and an unfilled bubble indicates absence by filling in this bubble**

Fill bubble if present - Plot	1	2	3	Flag	Fill bubble if present - Plot	1	2	3	Flag	Fill bubble if present - Plot	1	2	3	Flag
Eurasian Watermilfoil	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Purple Loosestrife	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Johnson Grass	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Water hyacinth	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Knotweed	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Kudzu	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Yellow Floating Heart	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Japanese Knotweed	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Multiflora Rose	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>	
Giant Salvinia	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Perennial Pepperweed	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Common Buckthorn	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Garlic Mustard	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Giant Reed	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Himalayan Blackberry	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Poison Hemlock	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Cheatgrass	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Tamarisk	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Mile-A-Minute Weed	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Reed Canary Grass	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Other: _____	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Birdsfoot Trefoil	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Common Reed	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Other: _____	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Canada Thistle	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Leafy Spurge	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Other: _____	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	

## PLOT COORDINATES

Provide GPS coordinates at the center of the Buffer Plot (#3) at the far end of each Buffer Transect and for the Buffer Plot at the AA CENTER. Indicate the location of the plot coordinates by filling in the appropriate bubble.

If Buffer Plot 3 can not be accessed, take the coordinates at the nearest practicable location ALONG THE TRANSECT. This is important because all Buffer Plots are centered on the Buffer Transects and the coordinates will indicate the location of the transect. Fill in the "nearest practicable location" bubble, fill in the flag box, and describe where the coordinates were taken and why in the comment section below. The coordinates of the nearest practicable location can be either placed as close to the center of Plot 3 as possible or at the center of the last accessible Buffer Plot.

**Location of coordinates (choose one):**

### Flag

AA CENTER     N3     S3     E3     W3     Nearest practicable location (flag and comment below)

Latitude North 41 41 33 3      Longitude West 81 41 26 3

**Use Decimal Degrees; NAD83**

# FORM B-1: BUFFER SAMPLE PLOTS (Front)

Reviewed by (initial): \_\_\_\_\_

Site ID: XCAP SC 1114

DATE: 06/28/2011

Location: <input checked="" type="radio"/> AA Center <input type="radio"/> N <input type="radio"/> S <input type="radio"/> E <input type="radio"/> W	Fill in bubble(s) if plot(s) could not be sampled and flag →			
	<input type="radio"/> Plot 1	<input type="radio"/> Plot 2	<input type="radio"/> Plot 3	

## Buffer Natural Cover Strata

Fill in bubbles for all that apply: Canopy Type: D = Deciduous; E = Evergreen Leaf Type: B = Broadleaf, N = Needle Leaf. Absent: No tree canopy  
Strata Section: Fill in appropriate cover class bubble for each strata type for each plot. 0 = Absent; 1 = Sparse(<10%); 2 = Moderate(10-40%); 3 = Heavy (40-75%); 4 = Very Heavy (>75%)

Buffer Plot 1	Canopy Type: <input checked="" type="radio"/> D <input type="radio"/> E		Absent: <input type="radio"/>	Buffer Plot 2	Canopy Type: <input type="radio"/> D <input checked="" type="radio"/> E		Absent: <input type="radio"/>	Buffer Plot 3	Canopy Type: <input type="radio"/> D <input type="radio"/> E		Absent: <input type="radio"/>
	Leaf Type: <input checked="" type="radio"/> B <input type="radio"/> N		Flag		Leaf Type: <input type="radio"/> B <input type="radio"/> N		Flag		Leaf Type: <input type="radio"/> B <input type="radio"/> N		Flag
Big Trees (>0.3m DBH)	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Small Trees (<0.3m DBH)	<input checked="" type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Woody Shrubs, Saplings (0.5m-5m HIGH)	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Woody Shrubs, Saplings (<0.5m HIGH)	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Herbs, Forbs and Grasses	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Bare ground	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Litter, duff	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Rock	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Water	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Submerged Vegetation	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Submerged Vegetation	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

**Stressor Presence/Absence** - Confirm that a filled data bubble indicates presence and an unfilled bubble indicates absence by filling this bubble.

Residential and Urban Stressors				Hydrology Stressors				Agricultural & Rural Stressors				Flag
Fill bubble if present - Plot	1	2	3	Fill bubble if present - Plot	1	2	3	Fill bubble if present - Plot	1	2	3	Flag
Road - gravel	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Ditches, Channelization	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Pasture/Hay	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Road - two lane	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Dike/Dam/Road/RR Bed (IMPEDE FLOW)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Range	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Road - four lane	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Water Level Control Structure	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Row Crops	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Parking Lot/Pavement	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Excavation, Dredging	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Fallow Field (RECENT-RESTING ROW CROP FIELD)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Golf Course	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Fill/Spoil Banks	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Fallow Field (OLD-GRASS, SHRUBS, TREES)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Lawn/Park	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Freshly Deposited Sediment (UNVEGETATED)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Nursery	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Suburban Residential	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Soil Loss/Root Exposure	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Dairy	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Urban/Multifamily	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Wall/Riprap	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Orchard	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Landfill	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Inlets, Outlets	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Confined Animal Feeding	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Dumping	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Point Source/Pipe (EFFLUENT OR STORMWATER)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Rural Residential	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Trash	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Impervious surface input (SHEETFLOW)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Gravel Pit	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Other: _____	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Other: _____	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Irrigation	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Other: _____	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Other: _____	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Other: _____	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	

Industrial Development Stressors				Habitat/Vegetation Stressors								Flag
Fill bubble if present - Plot	1	2	3	Fill bubble if present - Plot	1	2	3	Fill bubble if present - Plot	1	2	3	Flag
Oil Drilling	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Forest Clear Cut	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Herbicide Use	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Gas Wells	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Forest Selective Cut	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Mowing/Shrub Cutting	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Mine (surface)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Tree Plantation	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Trails	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Mine (underground)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Tree Canopy Herbivory (INSECT)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Soil Compaction (ANIMAL OR HUMAN)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Military	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Shrub Layer Browsed (WILD OR DOMESTIC)	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	Offroad vehicle damage	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Other: _____	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Highly Grazed Grasses (OVERALL <3" HIGH)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Soil erosion (FROM WIND, WATER, OR OVERUSE)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Other: _____	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Recently Burned Forest Canopy	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Other: _____	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Other: _____	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Recently Burned Grassland (BLACKENED)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Other: _____	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	

Flag codes: K = No measurement made, U = Suspect measurement., F1,F2, etc. = misc. flags assigned by each field crew.  
Explain all flags in comment section on the back of this form

2428168304

**FORM B-1: BUFFER SAMPLE PLOTS - TARGETED ALIEN SPECIES (Back)**

**Reviewed by (initial):** \_\_\_\_\_

**Site ID:** PCAP SC 1119

DATE: 06/28/2011

• Confirm a filled data bubble indicates presence and an unfilled bubble indicates absence by filling in this bubble

Fill bubble if present - Plot	1	2	3	Flag	Fill bubble if present - Plot	1	2	3	Flag	Fill bubble if present - Plot	1	2	3	Flag
Eurasian Watermilfoil	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Purple Loosestrife	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Johnson Grass	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Water hyacinth	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Knotweed	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Kudzu	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Yellow Floating Heart	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Japanese Knotweed	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Multiflora Rose	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Giant Salvinia	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Perennial Pepperweed	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Common Buckthorn	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Garlic Mustard	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Giant Reed	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Himalayan Blackberry	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Poison Hemlock	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Cheatgrass	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Tamarisk	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Mile-A-Minute Weed	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Reed Canary Grass	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Other: _____	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Birdsfoot Trefoil	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Common Reed	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Other: _____	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Canada Thistle	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Leafy Spurge	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Other: _____	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	

## PLOT COORDINATES

Provide GPS coordinates at the center of the Buffer Plot (#3) at the far end of each Buffer Transect and for the Buffer Plot at the AA CENTER. Indicate the location of the plot coordinates by filling in the appropriate bubble.

If Buffer Plot 3 can not be accessed, take the coordinates at the nearest practicable location ALONG THE TRANSECT. This is important because all Buffer Plots are centered on the Buffer Transects and the coordinates will indicate the location of the transect. Fill in the "nearest practicable location" bubble, fill in the flag box, and describe where the coordinates were taken and why in the comment section below. The coordinates of the nearest practicable location can be either placed as close to the center of Plot 3 as possible or at the center of the last accessible Buffer Plot.

**Location of coordinates (choose one):**

### Flag

AA CENTER     N3     S3     E3     W3     Nearest practicable location (flag and comment below)

Latitude North 41.41335

Longitude West

81 46103

**Use Decimal Degrees: NAD83**

# FORM B-1: BUFFER SAMPLE PLOTS (Front)

Reviewed by (initial): \_\_\_\_\_

Site ID: PCAP SC 1114

DATE: 06/28/2011

Location:  AA Center  N  S  E  W

Fill in bubble(s) if plot(s) could not be sampled and flag →  
 Plot 1  Plot 2  Plot 3

## Buffer Natural Cover Strata

Fill in bubbles for all that apply: Canopy Type: D = Deciduous; E = Evergreen Leaf Type: B = Broadleaf; N = Needle Leaf Absent: No tree canopy

Strata Section: Fill in appropriate cover class bubble for each strata type for each plot. 0 = Absent; 1 = Sparse(<10%); 2 = Moderate(10-40%); 3 = Heavy (40-75%); 4 = Very Heavy (>75%)

Buffer Plot 1	Canopy Type: <input type="radio"/> D <input type="radio"/> E		Absent: <input checked="" type="radio"/>	Buffer Plot 2	Canopy Type: <input type="radio"/> D <input type="radio"/> E		Absent: <input type="radio"/>	Buffer Plot 3	Canopy Type: <input type="radio"/> D <input type="radio"/> E		Absent: <input type="radio"/>
	Leaf Type: <input type="radio"/> B <input type="radio"/> N	Flag			Leaf Type: <input type="radio"/> B <input type="radio"/> N	Flag			Leaf Type: <input type="radio"/> B <input type="radio"/> N	Flag	
Big Trees (>0.3m DBH)	<input checked="" type="radio"/>	<input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4		Big Trees (>0.3m DBH)	<input type="radio"/>	<input type="radio"/> 1 <input checked="" type="radio"/> 3 <input type="radio"/> 4		Big Trees (>0.3m DBH)	<input type="radio"/>	<input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4	
Small Trees (<0.3m DBH)	<input checked="" type="radio"/>	<input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4		Small Trees (<0.3m DBH)	<input type="radio"/>	<input type="radio"/> 1 <input checked="" type="radio"/> 3 <input type="radio"/> 4		Small Trees (<0.3m DBH)	<input type="radio"/>	<input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4	
Woody Shrubs, Saplings (0.5m-5m HIGH)	<input checked="" type="radio"/>	<input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4		Woody Shrubs, Saplings (0.5m-5m HIGH)	<input type="radio"/>	<input type="radio"/> 1 <input type="radio"/> 2 <input checked="" type="radio"/> 3 <input type="radio"/> 4		Woody Shrubs, Saplings (0.5m-5m HIGH)	<input type="radio"/>	<input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4	
Woody Shrubs, Saplings (<0.5m HIGH)	<input checked="" type="radio"/>	<input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4		Woody Shrubs, Saplings (<0.5m HIGH)	<input type="radio"/>	<input type="radio"/> 1 <input type="radio"/> 2 <input checked="" type="radio"/> 3 <input type="radio"/> 4		Woody Shrubs, Saplings (<0.5m HIGH)	<input type="radio"/>	<input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4	
Herbs, Forbs and Grasses	<input checked="" type="radio"/>	<input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4		Herbs, Forbs and Grasses	<input type="radio"/>	<input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input checked="" type="radio"/> 4		Herbs, Forbs and Grasses	<input type="radio"/>	<input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4	
Bare ground	<input checked="" type="radio"/>	<input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4		Bare ground	<input checked="" type="radio"/>	<input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4		Bare ground	<input type="radio"/>	<input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4	
Litter, duff	<input checked="" type="radio"/>	<input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4		Litter, duff	<input checked="" type="radio"/>	<input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4		Litter, duff	<input type="radio"/>	<input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4	
Rock	<input checked="" type="radio"/>	<input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4		Rock	<input checked="" type="radio"/>	<input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4		Rock	<input type="radio"/>	<input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4	
Water	<input checked="" type="radio"/>	<input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4		Water	<input checked="" type="radio"/>	<input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4		Water	<input type="radio"/>	<input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4	
Submerged Vegetation	<input checked="" type="radio"/>	<input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4		Submerged Vegetation	<input checked="" type="radio"/>	<input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4		Submerged Vegetation	<input type="radio"/>	<input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4	

**Stressor Presence/Absence** - Confirm that a filled data bubble indicates presence and an unfilled bubble indicates absence by filling this bubble.

Residential and Urban Stressors				Hydrology Stressors				Agricultural & Rural Stressors				Flag
Fill bubble if present - Plot	1	2	3	Fill bubble if present - Plot	1	2	3	Fill bubble if present - Plot	1	2	3	Flag
Road - gravel	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Ditches, Channelization	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Pasture/Hay	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Road - two lane	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Dike/Dam/Road/RR Bed (IMPEDE FLOW)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Range	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Road - four lane	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Water Level Control Structure	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Row Crops	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Parking Lot/Pavement	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Excavation, Dredging	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Fallow Field (RECENT-RESTING ROW CROP FIELD)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Golf Course	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Fill/Spoil Banks	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Fallow Field (OLD - GRASS, SHRUBS, TREES)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Lawn/Park	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Freshly Deposited Sediment (UNVEGETATED)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Nursery	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Suburban Residential	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Soil Loss/Root Exposure	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Dairy	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Urban/Multifamily	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Wall/Riprap	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Orchard	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Landfill	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Inlets, Outlets	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Confined Animal Feeding	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Dumping	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Point Source/Pipe (EFFLUENT OR STORMWATER)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Rural Residential	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Trash	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Impervious surface input (SHEETFLOW)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Gravel Pit	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Other: _____	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Other: _____	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Irrigation	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Other: _____	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Other: _____	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Other: _____	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	

Industrial Development Stressors				Habitat/Vegetation Stressors								Flag
Fill bubble if present - Plot	1	2	3	Fill bubble if present - Plot	1	2	3	Fill bubble if present - Plot	1	2	3	Flag
Oil Drilling	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Forest Clear Cut	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Herbicide Use	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Gas Wells	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Forest Selective Cut	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Mowing/Shrub Cutting	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Mine (surface)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Tree Plantation	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Trails	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Mine (underground)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Tree Canopy Herbivory (INSECT)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Soil Compaction (ANIMAL OR HUMAN)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Military	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Shrub Layer Browsed (WILD OR DOMESTIC)	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	Offroad vehicle damage	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Other: _____	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Highly Grazed Grasses (OVERALL <3" HIGH)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Soil erosion (FROM WIND, WATER, OR OVERUSE)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Other: _____	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Recently Burned Forest Canopy	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Other: _____	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Other: _____	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Recently Burned Grassland (BLACKENED)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Other: _____	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	

Flag codes: K = No measurement made, U = Suspect measurement., F1,F2, etc. = misc. flags assigned by each field crew.  
 Explain all flags in comment section on the back of this form

2428168304

**FORM B-1: BUFFER SAMPLE PLOTS - TARGETED ALIEN SPECIES (Back)**

**Reviewed by (initial):** \_\_\_\_\_

Site ID: XAP SC ~~2~~ 1119

DATE: 06/28/2011

④ Confirm a filled data bubble indicates presence and an unfilled bubble indicates absence by filling in this bubble

Fill bubble if present - Plot	1	2	3	Flag	Fill bubble if present - Plot	1	2	3	Flag	Fill bubble if present - Plot	1	2	3	Flag
Eurasian Watermilfoil	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Purple Loosestrife	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Johnson Grass	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Water hyacinth	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Knotweed	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Kudzu	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Yellow Floating Heart	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Japanese Knotweed	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Multiflora Rose	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Giant Salvinia	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Perennial Pepperweed	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Common Buckthorn	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Garlic Mustard	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Giant Reed	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Himalayan Blackberry	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Poison Hemlock	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Cheatgrass	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Tamarisk	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Mile-A-Minute Weed	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Reed Canary Grass	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Other: _____	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Birdsfoot Trefoil	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Common Reed	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Other: _____	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Canada Thistle	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Leafy Spurge	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Other: _____	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
										Other: _____	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	

## PLOT COORDINATES

Provide GPS coordinates at the center of the Buffer Plot (#3) at the far end of each Buffer Transect and for the Buffer Plot at the AA CENTER. Indicate the location of the plot coordinates by filling in the appropriate bubble.

If Buffer Plot 3 can not be accessed, take the coordinates at the nearest practicable location ALONG THE TRANSECT. This is important because all Buffer Plots are centered on the Buffer Transects and the coordinates will indicate the location of the transect. Fill in the "nearest practicable location" bubble, fill in the flag box, and describe where the coordinates were taken and why in the comment section below. The coordinates of the nearest practicable location can be either placed as close to the center of Plot 3 as possible or at the center of the last accessible Buffer Plot.

**Location of coordinates (choose one):**

AA CENTER     N3     S3     E3     W3     Nearest practicable location (flag and comment below)

Flag

Latitude North 41° 41' 40.3"

Longitude West 81° 46' 17.9"

Use Decimal Degrees: NAD83


# CLEVELAND METROPARKS Plant Community Assessment Program - Background Data Sheet

Page 1 of 2  


<b>GENERAL INFORMATION</b>		<b>LOCATION</b>																
<b>Project Label:</b> PCAP <b>Project Name:</b> OISL 2011 <b>Plot Name:</b> Sand Apple <b>Plot No.:</b> 1119		<b>State:</b> OH <b>County:</b> <b>Quadrangle:</b> <b>Local Place Names:</b> <b>Landowner:</b> LWA																
<input type="checkbox"/> Level 4 (no nested corners sampled) <input checked="" type="checkbox"/> Level 5 (nested corners sampled)		<b>X-axis Bearing of plot:</b> [330] °																
<b>Date (mm/dd/yyyy):</b> / / <b>End date (if &gt; 1 day):</b> / /		<b>Data Confidentiality:</b> Check one: <input type="checkbox"/> Public data <input type="checkbox"/> Private Data <input type="checkbox"/> Fuzz 100m <input type="checkbox"/> Fuzz 250m <input type="checkbox"/> Fuzz 500m																
<b>Party</b> <input type="checkbox"/> Plot leader		<b>Reason:</b> If data not public why?																
<small>** Roles: Co-leader, Ass't, Guide, Owner, Taxonomist, etc.</small>		<b>Source of coordinates</b> <input type="checkbox"/> MAP <input checked="" type="checkbox"/> GPS GPS location in plot x=0 to 5, y=-1,0,+1: x = 0 y = 0 (base of plot x=0, y=0)																
<b>PLOT NOT SAMPLED:</b> <input type="checkbox"/> Penn. water <input type="checkbox"/> Paved <input type="checkbox"/> Slope <input type="checkbox"/> Safety		<b>Coordinate system:</b> <input checked="" type="checkbox"/> Coord. Units <input checked="" type="checkbox"/> Lat/Long <input type="checkbox"/> UTM <input type="checkbox"/> StatePlane <input type="checkbox"/> Other specify ) <input checked="" type="checkbox"/> m <input type="checkbox"/> ft <input type="checkbox"/> deg min																
<b>SAMPLING QUALITY*</b> <b>Effort Level:</b> <input type="checkbox"/> Very thorough <input type="checkbox"/> Accurate <input type="checkbox"/> Hurned		<b>Datum:</b> ■ NAD83/WGS84 <input type="checkbox"/> NAD27 <b>Latitude:</b> 41 41 32.2 <b>Longitude:</b> 81 46 08.0 <b>Coord. Accuracy:</b> ✓ m <input type="checkbox"/> ft <input type="checkbox"/> +-																
<b>GPS File Name:</b> 1119A <b>Plot size for cover data:</b> 0.4 (hectares)		<b>Plot placement:</b> <input type="checkbox"/> Representative <input checked="" type="checkbox"/> GRTS <input type="checkbox"/> Random <input type="checkbox"/> Stratified Random <input type="checkbox"/> Transect component <input type="checkbox"/> Systematic grid <input type="checkbox"/> Capture specific feature <input type="checkbox"/> Other																
<b>Layout:</b> 2x2 * Meadow plot <b>Location:</b> Park at Harper Ridge Reserve picnic area. Plot is in field/meadow to the west of the parking lot <b>Rationale:</b> GRTS pt fell in meadow with planted pines. A trail and woods were to the north. <del>A shrubby/dense area was to the south. We could only fit a 2x2. We moved origin of plot so as to not be as visible from trail and picnic area</del>																		
<b>TAXONOMIC ACCURACY</b> <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td>high</td> <td>moder.</td> <td>low</td> <td>not samp.</td> </tr> <tr> <td>vascul.</td> <td></td> <td>n/a</td> <td></td> </tr> <tr> <td>bryo</td> <td></td> <td></td> <td></td> </tr> <tr> <td>lichen</td> <td></td> <td></td> <td></td> </tr> </table>			high	moder.	low	not samp.	vascul.		n/a		bryo				lichen			
high	moder.	low	not samp.															
vascul.		n/a																
bryo																		
lichen																		
<b>TAXONOMIC STANDARD</b> <b>Authority:</b> G&C <b>Pub Date:</b> 1998																		

Minimum required fields in Bold and Underlined

\*Definitions and values in CM PCAP FOM v. 1.0 and CVS Field Guide

Natural Resources Management FORM NR/2010-01a  


Original GRTS pt is at **OVER**  
**(2,-1)** Plot setup fall 2010

# CLEVELAND METROPARKS Plant Community Assessment Program - Background Data Sheet



Project Label: PCAP

Project Name: \_\_\_\_\_

Plot No.: \_\_\_\_\_

Page 2 of 2

CLASSIFICATION	Fit = excellent, good, fair, poor; CONF = high, med, low)	Fit and Confidence	STAND SIZE	DISTURBANCES		
				type*	severity**	yr ago
<b>Hydrogeomorphic class (WETLANDS ONLY):</b>				<input type="checkbox"/> >1,000 x plot size		
□ DEPRESSION				<input type="checkbox"/> > 100 x plot size		
□ IMPOUNDMENT	<input type="checkbox"/> Beaver	<input type="checkbox"/> Human		<input type="checkbox"/> 10-100 x plot size		
□ RIVERINE	<input type="checkbox"/> Headwater	<input type="checkbox"/> Mainstem	<input type="checkbox"/> Channel	<input type="checkbox"/> 3-10 x plot size		
□ SLOPE (ground water hydrology or on a physical slope)				<input type="checkbox"/> 1-3 x plot size		
□ FRINGING	<input type="checkbox"/> Reservoir	<input type="checkbox"/> Natural Lake		<input type="checkbox"/> < plot size		
□ COASTAL (specify subclass)						
□ BOG (strongly, moderately, weekly, ombrotrophic)						
□ FOREST	<input type="checkbox"/> swamp forest	<input type="checkbox"/> bog forest	<input type="checkbox"/> forest seep	<b>DRAINAGE*</b>		
□ EMERGENT	<input type="checkbox"/> marsh	<input type="checkbox"/> wet meadow	<input type="checkbox"/> open bog	<input type="checkbox"/> Excessively drained		
□ SHRUB	<input type="checkbox"/> shrub swamp	<input type="checkbox"/> tall sh. bog	<input type="checkbox"/> tall sh. fen	<input type="checkbox"/> Somewhat excessively drained		
<b>MODIFIED NATUREERVE CLASS*</b>				<input type="checkbox"/> Well drained		
CODE (on separate form):				<input type="checkbox"/> Moderately well dr.		
COMMUNITY NAME:				<input type="checkbox"/> Somewhat poorly dr.		
<b>LANDFORM TYPE*:</b>				<input type="checkbox"/> Very poorly dr.		
<b>HOMOGENEITY</b>				<input type="checkbox"/> Impermeable surface		
□ Homogeneous				<b>SALINITY*</b>		
□ Compositional trend across the plot				<input type="checkbox"/> Permanently/Semipermanent saturated (seldom flooded)		
□ Conspicuous inclusions				<input type="checkbox"/> Intermittently/frequently saturated (seldom flooded)		
□ Irregular/pattern mosaic				<input type="checkbox"/> Intermittently flooded (seldom flooded)		
				<input type="checkbox"/> Semipermanently flooded		
				<input type="checkbox"/> Permanently flooded		
				<input type="checkbox"/> Tidal/Seriche flooded daily		
				<input type="checkbox"/> Tidal/Seriche flooded monthly		
				<input type="checkbox"/> Tidal/Seriche flooded irregular (e.g. wind, storms)		
				<input type="checkbox"/> Unknown		
			<b>Additional notes &amp; diagrams:</b> (Representativeness of plot to the stand, successional status, maturity, etc.)			
			<ul style="list-style-type: none"> <li><input type="checkbox"/></li> <li><input type="checkbox"/></li> <li><input type="checkbox"/></li> <li><input type="checkbox"/></li> </ul>			

Park at Harper Ridge Res~~er~~ved Picnic area. Plot  
is West of parking lot

{

}