

CLEVELAND METROPARKS Plant Community Assessment Program: Quality Control Form

Project Label:

PCAP



Plot No: 1372

Date Sampled: 8/28/2013 Lead: SJC

		Comment required if item answer is NO		
		(Y)	N	
Parking/Access outside of Park Boundaries:		If yes, write details in Comments section below		
Field journals completed		(Y)	N	
Site sketch made on 1:3000 map?		(Y)	N	
Check cover page	X-axis Bearing of plot recorded	(Y)	N	
	GPS coords Recorded	(Y)	N	
	North direction recorded	(Y)	N	
Photographs taken?		(Y)	N	
Plot No., Date agreement on all pages?		(Y)	N	
Header data completed all pages?		(Y)	N	
Cover classes recorded in all Intensive modules		(Y)	N	
Browse Level By Species		(Y)	N	
Woody stem quality control check		(Y)	N	
Invasive plant quality control check		(Y)	N	
Ash trees mapped		(Y)	N	
Cover by Strata? (confirm cover type)		(Y)	N	
Soil samples collected with matching plot #.		(Y)	N	
Vouchers labeled on datasheet with initials and number		(Y)	N	
Vouchers labeled on collection bag		(Y)	N	
Pink flags removed		Y	N	
Data sheet QA before leaving site?		(Y)	N	
Common equipment returned to tub.		(Y)	N	
Data sheets scanned?		9-3-13	Enter date to left CL	
Final data sheets scanned?			Enter date to left	
Buffer Widths measured?		(Y)	N	
Web Soil Survey		(Y)	N	
SJC - 308 - 323	Voucher Location	Refrigerator	Y N	
	(# vouchers collected)	Press (#)		Enter number to left
		Drier	Y N	
		Identified	Y N	
		Mounted	Y N	
		Thrown away	Y N	

GRTS point verification: Is plot sampleable?

<input checked="" type="checkbox"/> Yes	Original GRTS point is sampleable
<input type="checkbox"/> No	Original GRTS point lands in a non-sampleable area (fill in category below)
<input type="checkbox"/> Point falls in a water (i.e. river, lake)	
<input type="checkbox"/> Managed mowed area (i.e. golf course, picnic area, right-of-way)	
<input type="checkbox"/> Paved area (i.e. parkinglot, road)	
<input type="checkbox"/> Unsafe to sample (i.e. steep slope)	
<input type="checkbox"/> Other	

Additional Comments:

Park in cul de sac



CLEVELAND METROPARKS Plant Community Assessment Program - Background Data Sheet

© Cleveland Metroparks
Page 1 of 2

GENERAL INFORMATION			
Project Label:	PCAP		
Project Name:	01/06/2013		
Plot Name:	Legend of the Falls		
Plot No.:	1372		
<input type="checkbox"/> Level 4 (no nested corners sampled) <input checked="" type="checkbox"/> Level 5 (nested corners sampled)			
Date (mm/dd/yyyy):	08/28/2013		
End date (if > 1 day):	/ /		
Party			
S. Czaplak	Role*: Plot leader		
C. Keweno	Role*: Plot leader		
A. Bonkowski	Role*: Plot leader		
** Roles: Co-leader, Asst. Guide, Owner, Taxonomist, etc.			
PLOT NOT SAMPLED:			
<input type="checkbox"/> Other <input type="checkbox"/> Perm. water <input type="checkbox"/> Paved <input type="checkbox"/> Slope <input type="checkbox"/> Safety			
SAMPLING QUALITY*			
Effort Level:	subjective evaluation of how much effort put into sampling. Hurried plots may still provide good data.		
Very thorough			
Accurate			
Hurried			
TAXONOMIC ACCURACY			
high	moder.	low	not simpl.
vascul.	X		n/a
bryo		X	
lichen			X
TAXONOMIC STANDARD			
Authority:	G&C		
Pub Date:	1998		
Minimum required fields in Bold and Underlined			

LOCATION

State: OH	County: Cuyahoga
Quadrangle: Quad of Powers Rd.	
Local Place Names: Park @ Cuyahoga-SAC Rd.	
Landowner: CMP	

Data Confidentiality:

Check one: <input checked="" type="checkbox"/> Public data <input type="checkbox"/> Private Data
<input type="checkbox"/> Fuzz 100m <input type="checkbox"/> Fuzz 250m <input type="checkbox"/> Fuzz 500m

Reason:
If data not public why?

Source of coordinates MAP GPS

Coordinate system: Lat/Long UTM StatePlane Coord. Units deg deg min

Other (specify) m ft

Datum: ■ NAD83/WGS84 NAD27

GPS location in plot x=0 to 5, y=-1,0,+1):
x = 2.6 y = 0 (base of plot x=0, y=0)

Latitude: 41.38854

Longitude: 081.54660

Coord. Accuracy: 1 m ft +2.3

GPS File Name: 1372A

Plot size for cover data: 0.1 (hectares)

X-axis Bearing of plot: [257] °


Depth: (1-5): 4

Intensive modules: 2, 3, 8, 9 (EDIT IF MODIFIED)

Camera No.: C5

Photo Nos.: 2696

Plot placement: GRTS Representative
 Random Stratified Random Transect component
 Systematic (grid) Capture specific feature Other

Diagram 

NOTES: Include Layout (any unusual shape details), Location (directions and landscape content), Rationale (why here), and Veg Characterization (description of community, dominants, strata, BROWSE). Additional notes in space on back.

Layout: 7 x 5

Location: Walk W on Bridle Trail and then use GPS to walk the rest of the way to plot, ~150m. At base of waterfall/cliff, in floodplain of river. (Skunk Cabbage)

Rationale: GRTS
Veg. Char.: Canopy — open in the first 6 mols, becomes dominated by Sycamore and Elm in the back with some sugar maple, *Fraxinus*, and one *Juglans*

Shrub — *Ligustrum vulgare* was dominant but sparse, scattered throughout

Herb — front and intensives were dominated by *Heracleum*, *Eupatorium*, patches of *Myosotis*, *hys.*, *Phalaris*. Under tree cover in back there was an unknown dicot, probably strawberry or *Duchesnia* in abundance

OVER

*Definitions and values in CM PCAP FOM v. 1.0 and CVS Field Guide

CLEVELAND METROPARKS Plant Community Assessment Program - Background Data Sheet

Project Label: PCAP

Project Name: DBe 2013

Plot No.: 137-2

Page 2 of 2

MODIFIED NATUREERVE CLASS*

CODE (on separate form): N01

Fit= Conf=

COMMUNITY NAME: Skunk Cabbage Seep

HOMOGENEITY

- Homogeneous
- Compositional trend across the plot
- Irregular/pattern mosaic
- Conspicuous inclusions

HYDROLOGIC REGIME*

- Upland (seldom flooded)
 - Intermittently flooded
 - Intermittently/seasonally saturated (seldom flooded)
 - Semipermanently flooded
 - Permanently flooded
 - Tidal/Seiche flooded daily
 - (dry <1/yr, seldom flooded)
 - Tidal/Seiche flooded monthly
 - Occasionally flooded (<1/yr)
 - Tidal/Seiche flooded irregular (e.g. wind, storms)
 - Temporarily flooded
 - Unknown
- (by default unless plot is a wetland)

Additional notes & diagrams: (Representativeness of plot to the stand, successional status, maturity, etc.)

One plot left out because it was washed away by flooding. Soil pit filled with water, probably due to its proximity to the stream since probe holes remained dry. Entire plot was crossed with little streams and rocky outcrops from the waterfall. Browsing was heavy on herbaceous layer and marginal on woody species. Everything was sedimented over, unclear whether from flooding or from high water table?

NPS markers


HTLN 1036

Wetland plot markers

1bCM PCAP Background Data Sheet Page 2_ver 2.xls last revised 5/29/2012 ceh

EXAMPLES OF PERCENT OF AREA COVERED

The following graphic can be used for various data elements to convey "Amount" or "Quantity". **NOTE:** Within any given box, each quadrant contains the same total area covered, just different sized objects.



BROWSE RATING NARRATIVE DESCRIPTION

LOW OR NONE: there is no measurable browse line AND there are very few or no plants 1-m nested quadrat

AND there is no significant impact to plant reproduction evident. In general, low values relate to less than 10 percent, by numbers of stems browsed.

MEDIUM LOW values include evidence of browse at about 10 percent of the stems with no significant impact to plant reproduction evident. In this rating, plants are browsed but preferential species are observed to be reproducing in numbers that appear normal or near-normal in comparison to low browse areas. For example, trilliums may flower and fruit, but jewelweed and arrowwood viburnum exhibit browse.

MEDIUM: browse affects greater than 10 percent and less than 25 percent of stems in the 1 m² nested quadrat and intensive module. A browse line is usually not evident or obvious for all classes and species of vegetation, but careful examination may show preferential browse and/or browse lines for some species of plants.




MEDIUM HIGH values include evidence of a browse line and 25 percent of stems browsed with very little vegetation regeneration evident. In this rating, for some species of plants, reproduction does not appear to occur or it is very severely limited.

HIGH: greater than 25 percent of the stems of plants in the 1 m² nested quadrat and intensive module AND a browse line is evident.

VERY HIGH values include extensive browse conditions, where the browse line is very evident AND almost all seedlings and herbs are severely browsed or missing.

Browse line may be 5 to 6 feet in height with no or little green growth beneath.

cover class	% cover	midpoint
1	solitary or few	0.0001
2	0-1%	0.005
3	1-2%	0.015
4	2-5%	0.035
5	5-10%	0.075
6	10-25%	0.175
7	25-50%	0.375
8	50-75%	0.625
9	75-95%	0.850
10	95-100%	0.975



CLEVELAND METROPARKS Plant Community Association

Project Label: **PCA**

Program Species Cover Data Sheet 2a

Page 2 of 8

卷之三


16

Intensive modules: 4 Plot configuration: 2x5

Plot area (ha):

EXAMPLES OF PERCENT OF AREA COVERED

The following graphic can be used for various data elements to convey 'Amount or Quantity'. **NOTE:** Within any given box, each quadrant contains the same total area covered, just different sized objects.



BROWSE RATING NARRATIVE DESCRIPTION

LOW OR NONE: there is no measurable browse line AND there are very few or no plants 1-m nested quadrat and intensive module. In general, low values relate to less than 10 percent, by numbers of stems browsed.

MEDIUM LOW values include evidence of browse at about 10 percent of the stems with no significant impact to plant reproduction evident. In this rating, plants are browsed but preferential species are observed to be reproducing in numbers that appear normal or near normal in comparison to low browse areas. For example, trilliums may flower and fruit, but jewelweed and arrowwood viburnum exhibit browse.

MEDIUM: browse affects greater than 10 percent and less than 25 percent of stems in the 1 m² nested quadrat and intensive module. A browse line is usually not evident or obvious for all classes and species of vegetation, but careful examination may show preferential browse and/or browse lines for some species of plants.

MEDIUM HIGH values include evidence of a browse line and 25 percent of stems browsed with very little vegetation regeneration evident. In this rating, for some species of plants, reproduction does not appear to occur or it is very severely limited.

HIGH: greater than 25 percent of the stems of plants in the 1 m² nested quadrat and intensive module AND a browse line is evident.

VERY HIGH values include extensive browse conditions, where the browse line is very evident AND almost all seedlings and herbs are severely browsed or missing.

Browse line may be 5 to 6 feet in height with no or little green growth beneath.

cover class	% cover	midpoint
1	solitary or few	0.001
2	0-1%	0.005
3	1-2%	0.015
4	2-5%	0.035
5	5-10%	0.075
6	10-25%	0.175
7	25-50%	0.375
8	50-75%	0.625
9	75-95%	0.850
10	95-100%	0.975

Nested Corners





Depth 1 = 100m²

Depth 2 = 10m²

Depth 3 = 1m²

Depth 4 = 0.1m²


Depth 5 = 0.01m²



KEY: (○) Plot Origin (□) Corner Bluntair (●) Post (■) Intensive Corner

EXAMPLES OF PERCENT OF AREA COVERED

The following graphic can be used for various data elements to convey "Amount" or "Quantity". **NOTE:** Within any green box, each quadrant contains the same total area covered, just different sized objects.



BROWSE RATING NARRATIVE DESCRIPTION

LOW OR NONE: there is no measurable browse line **AND** there are very few or no plants 1-m nested quadrat and intensive module. In general, low values relate to less than 10 percent, by numbers of stems browsed.

MEDIUM LOW values include evidence of browse at about 10 percent of the stems with no significant impact to plant reproduction evident. In this rating, plants are browsed but preferential species are observed to be reproducing in numbers that appear normal or near-normal in comparison to low browse areas. For example, trilliums may flower and fruit, but jewelweed and arrowwood viburnum exhibit browse.




MEDIUM: browse affects greater than 10 percent and less than 25 percent of stems in the 1 m² nested quadrat and intensive module. A browse line is usually not evident or obvious for all classes and species of vegetation, but careful examination may show preferential browse and/or browse lines for some species of plants.

MEDIUM HIGH values include evidence of a browse line and 25 percent of stems browsed with very little vegetation regeneration evident. In this rating, for some species of plants, reproduction does not appear to occur or it is very severely limited.

HIGH: greater than 25 percent of the stems of plants in the 1 m² nested quadrat and intensive module **AND** a browse line is evident.

VERY HIGH values include extensive browse conditions, where the browse line is very evident **AND** almost all seedlings and herbs are severely browsed or missing. Browse line may be 5 to 6 feet in height with no or little green growth beneath.

cover class	% cover	midpoint
1	solitary or few	0.0001
2	0-1%	0.005
3	1-2%	0.015
4	2-5%	0.035
5	5-10%	0.075
6	10-25%	0.175
7	25-50%	0.375
8	50-75%	0.625
9	75-95%	0.850
10	95-100%	0.975



CLEVELAND METROPARKS Plant Community Assessment Program Species Cover Data Sheet 2a

Project Label:

PCAP

Project name: 01Bez2013

Plot no.: 1372

Page 4 of 11

Total modules:

6

Intensive modules: H Plot configuration: 3x5

Plot area (ha):


Br = Browse Level. Use cover classes to describe amount of browse per species over entire plot

200

Strata - Cov. entire plot									
T	S	H	(F)	(A)	Br	Species	C	Voucher #	%unveg. litter (bare litter)
2	2	5	5	5	5	<i>Fraxinus</i> sp. (seedling)			1
2	2	5	5	5	5	<i>Fagus grandifolia</i>			1
2	2	5	5	5	5	<i>Abies</i> <i>alba</i> <i>trifolium</i>			1
4	4	4	4	4	4	<i>Juglans nigra</i>			1
2	2	2	2	2	2	<i>Fraxinus pennsylvanica</i>			1
2	2	2	2	2	2	<i>Hackelia virginiana</i>			1
2	2	2	2	2	2	<i>Unknown</i> #7 10-32-10	CS-200-209	4.5	1
2	2	2	2	2	2	<i>Vitis</i> sp.	SJC-224		1
1	1	1	1	1	1	<i>Juncus effusus</i>			1
1	1	1	1	1	1	<i>Euonymus europaea</i>			1
2	2	2	2	2	2	<i>Indra benzoin</i>			1
1	1	1	1	1	1	<i>Tilia americana</i>			1

EXAMINERS OF BIPARTITE AREA COVERED

The following graphic can be used for various data elements to convey 'Anount' or 'Quantity'. **NOTE:** Within any given box, each quadrant contains the same total area covered, just different sized objects.



BROWSE RATING NARRATIVE DESCRIPTION


LOW OR NONE: there is no measurable browse line AND there are very few or no plants 1-m nested quadrat and intensive module. In general, low values relate to

less than 10 percent, by numbers of stems browsed. **MEDIUM LOW** values include evidence of browse at about 10 percent of the stems with no significant impact to plant reproduction evident. In this rating, plants are browsed but preferential species are observed to be reproducing in numbers that appear normal or near-

normal in comparison to low browse areas. For example, trilliums may flower and fruit, but jewelweed and arrowwood viburnum exhibit browse.

not evident or obvious for all classes and species of vegetation, but careful examination may show preferential browse and/or browse lines for some species of plants.




cover class	% cover	solitary or few	midpoint
1			0.0001
2	0-1%	0.005	
3	1-2%	0.015	
4	2.5%	0.035	
5	5-10%	0.075	
6	10-25%	0.175	
7	25-50%	0.375	
8	50-75%	0.625	
9	75-95%	0.850	
10	95-100%	0.975	



MEDIUM HIGH values include evidence of a browse line and 25 percent of stems browsed with very little vegetation regeneration evident. In this rating, for some species of plants, reproduction does not appear to occur or it is very severely limited.

HIGH: greater than 25 percent of the stems of plants in the 1 m² nested quadrat and intensive module **AND** a browse line is evident.

Very High values include extensive browse conditions, where the browse line is very evident AND almost all seedlings and herbs are severely browsed or missing. Browse line may be 5 to 6 feet in height with no or little green growth beneath.



CLEVELAND METROPARKS Plant Community Assessment Program Natural Woody Stem Data Sheet

Project Label: PCAP

Project Name: 01 Be 2013

Plot No.: 13172


Page: 1

of 2
Cleveland Metroparks

Explain subsample (additional room on back):

mod #	species	c	voucher#	# stems 0-1.4m browsed	% sub sample	# shrub clumps	size class (cm) woody stems > 1.4m											11 35- <40 >40 (record each tree)
							1	2	3	4	5	6	7	8	9	10		
1	<i>Ligustrum vulgare</i>																	
1	<i>Styrax</i> dead																	
1	<i>Ulmus americana</i>																	
1	<i>Salix</i> sp.																	
2	<i>Ligustrum vulgare</i>																	
3	<i>Catalpa bignonioides</i>																	
4	<i>Ligustrum vulgare</i>																	
4	<i>Fraxinus</i> sp.																	
4	<i>Ulmus americana</i>																	
4	<i>Rhamnus cathartica</i>		912-314															
4	Standing dead																	
5	<i>Platanus occidentalis</i>																	
5	<i>Fraxinus</i> sp.																	
5	<i>Juglans nigra</i>																	
5	<i>Euonymus europaeus</i>																	
5	<i>Rose multiflora</i>																	
5	<i>Lindera benzoin</i>																	
5	<i>Fraxinus pennsylvanica</i>																	
5	<i>Ulmus</i> sp.																	
6	Standing dead																	
6	<i>Ulmus</i> sp.																	
6	<i>Fraxinus penn.</i>																	
6	<i>Platanus occidentalis</i>																	
6	<i>Fraxinus</i> sp.																	

DBH Measurement Rules



Woody Stem Deer Browse

Record the number of stems/plants between 0.5-1.0 meters tall that exhibit evidence of this years deer browse.

Record using the tally system from 1 to 10



1



2



3



4



5

ASH CANOPY CONDITION

1. Healthy, full canopy: A healthy ash canopy is normally thinner than many other trees such as maple.
2. Thinning canopy: There aren't as many leaves as there ought to be, but all top branches exposed to sunlight have leaves.
3. Dieback: Canopy is thinning and some top branches exposed to sunlight are dead (have no leaves). Lower branches, not exposed to sunlight, die naturally and are not considered.
4. >50% Dieback: The canopy has less than half of the leaves that should be there and/or half of the top branches are dead.
5. Dead canopy: No leaves remain in the canopy portion of the tree. It still counts as a 5 even if there are epicormic sprouts below the canopy (lowest branch) on the trunk.



A

B

C

D

E

ASH CANOPY BREAKUP CONDITION (for dead trees):

(If an ash receives a score of 5 (dead) under canopy condition it must also receive a breakup condition rank as described below)

- A: All main branches contain fine twigs (newly dead).
- B: Over 50% of main branches have fine twigs.
- C: Less than 50% of main branches have fine twigs.
- D: Stem still standing and tertiary main branches present.
- E: Central stem still standing.

CLEVELAND METROPARKS Plant Community Assessment Program Natural Woody Stem Data Sheets

Project Label: PCAP

Project Name: C


Plot No.: 1372

Page: 2

12

Explain subsample (additional room on back)


DBH Measurement Rules



Woody Stem Deer Browse

Record the number of stems/plants between 0.5-1.0 meters tall that exhibit evidence of this years deer browse.

Record using the tally system from 1 to 10



ASH CANOPY CONDITION

1. Healthy, full canopy: A healthy ash canopy is normally thinner than many other trees such as maple.
2. Thinning canopy: There aren't as many leaves as there ought to be, but all top branches exposed to sunlight have leaves.
3. Dieback: Canopy is thinning and some top branches exposed to sunlight are dead (have no leaves). Lower branches, not exposed to sunlight, die naturally and are not considered.
4. >50% Dieback: The canopy has less than half of the leaves that should be there and/or half of the top branches are dead.
5. Dead canopy: No leaves remain in the canopy portion of the tree. It still counts as a 5 even if there are epicormic sprouts below the canopy (lowest branch) on the trunk.



A



B



C



D



E

ASH CANOPY BREAKUP CONDITION (for dead trees):


(If an ash receives a score of 5 (dead) under canopy condition it must also receive a breakup condition rank as described below)

- A: All main branches contain fine twigs (newly dead).
- B: Over 50% of main branches have fine twigs.
- C: Less than 50% of main branches have fine twigs.
- D: Stem still standing and tertiary main branches present.
- E: Central stem still standing.

Tree ID	Species	DBH (cm)	Voucher #	DBH (cm)	Ht @ DBH condition	Dead condition	ASH ONLY		
							# Est holes	Epicormic present	Woodpecker holes
2	1	Fraxinus sp.	14.3	14.3	2	0	1	0	
2	2	Fraxinus sp.	22.3	22.3	1	0	0	0	
3									
4									
5									
6									
7									
8									
9									
10									
11									
12									
13									
14									
15									
16									
17									
18									
19									
20									
21									
22									
23									
24									
25									

- If Ash Condition scores 5 (dead) provide breaking score (1-3)
- Count eas eas holes $1.25\pi D^2 \times 2.5\pi$
- Woodpecker and epicormic present (1) or absent (0)

Map all ash trees ≥ 10cm in each module using Tree ID numbers



** Change intensive module numbers when necessary

CLEVELAND METROPARKS Plant Community Assessment Program: Invasive Species Survey						
Tier 1: Early detection/ Rapid response			Tier 2: Assess as Needed			
# of Plants	NE	SE	SW	NW	GPS	Presence
X: Yes						
1: 1-10						
2: 11-50.						
3: 51-100						
4: 101-1,000						
5: >1,000						
Tier 3: Presence is of interest						
# of Plants	NE	SE	SW	NW	Comments	
Convallaria majalis (G-cover) Lily of the Valley	1			1	Madivu Pond	
Cornus sibirica (G-cover) Crown Vetch	1					
Dipsacus laciniatus (G-cover) Cut-leaf Teasel						
Alnus glutinosa (Vine) European Alder	1					
Berberis thunbergii (Shrub) Japanese Barberry	1					
Rhamnus cathartica (Shrub) Common Buckthorn	1					
Cornilum muculatum (Shrub) Persian Hemlock						
Trollius sp. (Vine) Hedge Parsley						
Celastrus orbiculatus (Vine) Asian Bittersweet						
Aegopodium podagraria (G-cover) Bishop's Goutweed						
Lytthrum salicaria (Vine) Japanese Honeyuckles						
Alliaria officinale (Vine) Tree of Heaven						
Acer platanoides (Norway Maple)						
Alliaria officinale (Vine)						
Alnus glutinosa (Vine)						
Leptandra virginica (Vine)						
Rumex crispus (Vine)						
Microstegium vimineum (Vine)						
Tier 4: Widely spread and abundant						
Comments	Presence					
Viburnum plicatum (Shrub)						
Euonymus europaeus (Shrub)						
Smilacina glabra (Shrub)						
Phragmites australis (Wetland)						
Polygonum cuspidatum (Shrub)						
Fragaria ananassa (Shrub)						
Urtica dioica (Shrub)						
Phragmites australis (Wetland)						
L. morrowii, L. tatarica (Shrub)	3	2	2	2		
Ligustrum vulgare (Shrub)	3	3	3	3		
Alliaria petiolata (Shrub)	4	3	3	3		
X: Yes						

COVER BY STRATA

STRATUM	GENERAL FORM
Tree (generally >5 m)	Tree (overstory), very tall shrubs*, liana, epiphyte)
Shrub (generally 0.5 to 5 m)	Tree (sapling), shrub, liana, epiphyte)
Herb (Field)	Herb, dwarf-shrub**, tree (seedling***)
Floating	Floating
Aquatic (submerged)	Submerged

*Very tall shrubs are sometimes included in the tree stratum
**Can also include seedlings of shrubs, i.e. all shrubs <0.5m
***Tree seedlings are often defined as up to 1.4 m height or as <2.5 cm DBH in which case they would span the herb and shrub layers.





FIGURE 3-20.—Generalized section of Upper Devonian, Mississippian, and Lower Pennsylvanian formations in northeastern Ohio. Asterisks indicate units that are fossiliferous. This composite section represents about 400 meters of rock exposed across the area. The section is not to scale, but the thicknesses indicated are proportional. The term "Wavy" is used in the older literature to refer to Mississippian rocks in Ohio. Some geologists use the European term "Carboniferous," which encompasses the Mississippian and Pennsylvanian Periods of the U.S. Many units have been named within the Cuyahoga Formation, but most units are local and cannot be traced over great distances. The Black Hand Member is a spectacular massive sandstone that is fairly widespread but discontinuous. See Hyde (1953), Hoover (1960), and Collins (1979) for more information on Mississippian rocks in Ohio. See figure 3-18 for explanation of rock types.

SOIL PIT DESCRIPTION: Excavate 20 cm

SOIL PIT DESCRIPTION: Excavate a soil pit with shovel. Describe using Munsell soil color chart.

SOIL SAMPLES Standard procedure: collect a soil sample of the top 10 cm of soil from center of each

6

5 cm	matrix color	2.5 cm	3 cm
middle color	N/A		
%metde	O		
oxid rools			
texture*			
redox features**			
hydr cond ***			
matrix color	Could not be determined		
moistic color	2.0 cm - due to C		
redox features**			
%smotde			
oxid rools			
texture*			
redox features**			

Soil Collection	Module	Horizon (A, B, C)
2,3,8,9 composted		A
Web Soil Survey Information:		
Soil Series/Type: <i>BrF3, Brecksville</i>		
Soil Series Source: Ohio Soil Survey		
Landform type: <i>Drainage Ditch</i>		
Depth to bed: Layer <i>20-40"</i> to bed		
Parent Material: <i>Residuum weather</i>		
RAINAGE*		
<input type="checkbox"/> Excessively dr. <input type="checkbox"/> Somewhat excessively <input type="checkbox"/> Well drained <input type="checkbox"/> Moderately well dr. <input type="checkbox"/> Somewhat poorly dr. <input type="checkbox"/> Very poorly dr. <input type="checkbox"/> Impermeable surface		

25-70°
Slopes
from
SNOW
Patches
little
ice
from
SNOW

NO TRANS

4

TRAIL INFORMATION:	
Type	record type and cover for each
<input type="checkbox"/> All Purpose	
<input type="checkbox"/> Bridle	
<input type="checkbox"/> Hiking sanctioned	
<input type="checkbox"/> Bootleg unsanctioned	
<input type="checkbox"/> Gravel	
<input type="checkbox"/> Deer	

• refer to texture classes on reverse side				
• e.g. hydrogen sulfide odor, gleying, etc.				
*** Circle one:				
I=indurated S=saturated M=moist D=dry				
Notes: include evidence of earthworms (worms, casings, middens)				
SOIL DEPTH MEASUREMENT: Measure to the nearest 0.1 cm in center of intensive modules. If >30.5 cm, record as >30				
mod#	1 liter+ organic depth (cm)	2 liter depth (cm)	water depth (cm)	depth sat soil (cm)
2	0	0	0	230
3	0	0	0	230
8	0	0	0	230
9	2	2	0	230

COVER BY STRATA		%
Strata	Height Range (m)	Total Cover (%)
Tre ^c	5	48
Shrub	1.5 - 5	8
Herb	0 - 1.5	33.88
(Floating) ^a	—	na
(Aquatic)*	—	na

* rooted and floating or slightly emersed

** submersed most plant mass below surface

SEE BACK OF PAGE FOR "TYPICAL" STRATA



DESCRIPTIONS. STRATA CAN VARY BY COVER TYPE.

STAND SIZE

- > 900 x plot size
- > 100 x plot size
- 10-100 x plot size
- 1-3 x plot size
- < plot size

PERCENT MOTTLES (USE CLASS CODES):

Class	Code	Criteria: % of Surface Area Covered
Conv.	NASIS	
Few	f	< 2
Common	c	2 to < 20
Many	m	≥ 20



SOIL TEXTURE: Record the code for the soil texture of the 5 cm and 20 cm layers. To estimate texture, collect a soil sample from the appropriate layer and moisten it with water to the consistency of modeling clay/wet newspaper; the sample should be wet enough that all of the particles are saturated but excess water does not freely flow from the sample when squeezed. Attempt to roll the sample into a ball. If the soil will not stay in a ball and has a grainy texture, the texture is either sandy or coarse sandy. If the soil does form a ball, squeeze the sample between your fingers and attempt to form a self-supporting ribbon. Samples which form both a ball and a ribbon should be coded as clayey; samples which form a ball but not a ribbon should be coded as loamy.

0= Organic

1= Loamy

2= Clayey



3= Sandy

4= Coarse Sand

9= Not measured - make plot note


Geomorphic Component - Three-dimensional descriptors of parts of landforms or microfeatures that are best applied to areas. Unique descriptors are available for Hills, Terraces, Mountains, and Flat Plains; e.g., (for Hills) nose slope or NS.

Hills	Code	
PDP	NASIS	
Interfluve	IF	IF
head slope	HS	HS
nose slope	NS	NS
side slope	SS	SS
base slope	---	BS



Hillslope - Profile Position (Hillslope Position in PDP) - Two-dimensional descriptors of parts of line segments (i.e., slope position) along a transect that runs up and down the slope; e.g., *backslope* or *BS*. This is best applied to transects or points, not areas.

Position	Code
summit	SU
shoulder	SH
backslope	BS
footslope	FS
toeslope	TS



HYDROLOGIC REGIME Modified from Grossman et al 1998. (Frequency and duration of flooding.)

UPLAND: Not a wetland. Very rarely flooded.

INTERMITTENTLY/SEASONALLY SATURATED: Dry at least once per year. Surface water is seldom present, but substrate is saturated to surface for extended periods during the growing season.

PERMANENTLY/SEMPERMANENTLY SATURATED: Dry less than once per year. Surface water is seldom present, but substrate is saturated to surface for extended periods during the growing season. Equivalent to Cowardin's Saturated modifier.

OCCASIONALLY FLOODED: Surface water can be present for brief periods during growing season, but not in most years. Often characterizes flood-plain upper terraces.

TEMPORARILY FLOODED: Surface water present for brief periods during growing season, but water table usually lies well below soil surface. Often characterizes flood-plain levees and lower terraces. Equivalent to Cowardin's Temporary modifier.

INTERMITTENTLY FLOODED: Substrate is usually exposed, but surface water can be present for variable periods without detectable seasonal periodicity. Inundation is not predictable to a given season and is dependent upon highly localized rain storms. This modifier was developed for use in the arid West for water regimes of Playa lakes, intermittent streams, and dry washes but can be used in other parts of the U.S. where appropriate. This modifier can be applied to both wetland and non-wetland situations. Equivalent to Cowardin's Intermittently Flooded modifier.

SEMPERMANENTLY FLOODED (exposed <1/year): Surface water persists throughout the growing season in most years. Land surface is normally saturated when water level drops below soil surface. Includes Cowardin's Intermittently Exposed and Semipermanently Flooded modifiers.

PERMANENTLY FLOODED: Water covers the land surface at all times of the year in all years. Equivalent to Cowardin's "permanently flooded".

UNKNOWN: The hydrologic regime cannot be determined from the available information.

FORM B-1: BUFFER SAMPLE PLOTS (Front)

Reviewed by (Initial) _____

Site ID: PCAP Be 1372

DATE: 08/28/2013

Location:

Fill in bubble(s) if plot(s) could not be sampled and flag →

● AA Center ON OS OE OW

○ Plot 1 ○ Plot 2 ○ Plot 3

Buffer Natural Cover Strata

Fill in bubbles for all that apply: Canopy Type: D = Deciduous, E = Evergreen. Leaf Type: B = Broadleaf, N = Needle Leaf. Absent: No tree canopy.

Strata Section: Fill in appropriate cover class bubble for each strata type for each plot. 0 = Absent; 1 = Sparse(<10%); 2 = Moderate(10-40%); 3 = Heavy (40-75%); 4 = Very Heavy (>75%)

Buffer Plot 1	Canopy Type: <input checked="" type="radio"/> D <input type="radio"/> E		Absent: <input type="radio"/>	Buffer Plot 2	Canopy Type: <input type="radio"/> D <input checked="" type="radio"/> E		Absent: <input type="radio"/>	Buffer Plot 3	Canopy Type: <input type="radio"/> D <input checked="" type="radio"/> E		Absent: <input type="radio"/>
	Leaf Type: <input checked="" type="radio"/> B <input type="radio"/> N	Flag			Leaf Type: <input type="radio"/> B <input checked="" type="radio"/> N	Flag			Leaf Type: <input type="radio"/> B <input checked="" type="radio"/> N	Flag	
Big Trees (>0.3m DBH)	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Small Trees (<0.3m DBH)	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Woody Shrubs, Saplings (0.5m-5m HIGH)	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Woody Shrubs, Saplings (<0.5m HIGH)	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Herbs, Forbs and Grasses	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Bare ground	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Litter, duff	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Rock	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Water	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Submerged Vegetation	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

Stressor Presence/Absence - Confirm that a filled data bubble indicates presence and an unfilled bubble indicates absence by filling this bubble.

Residential and Urban Stressors				Hydrology Stressors				Agricultural & Rural Stressors							
Fill bubble if present - Plot	1	2	3	Flag	Fill bubble if present - Plot	1	2	3	Flag	Fill bubble if present - Plot	1	2	3	Flag	
Road - gravel	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Ditches, Channelization	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Pasture/Hay	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		
Road - two lane	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Dike/Dam/Road/RR Bed (IMPEDE FLOW)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Range	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		
Road - four lane	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Water Level Control Structure	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Row Crops	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		
Parking Lot/Pavement	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Excavation, Dredging	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Fallow Field (RECENT-RESTING ROW CROP FIELD)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		
Golf Course	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Fill/Spoil Banks	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Fallow Field (OLD - GRASS, SHRUBS, TREES)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		
Lawn/Park	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Freshly Deposited Sediment (UNVEGETATED)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Nursery	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		
Suburban Residential	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Soil Loss/Root Exposure	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Dairy	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		
Urban/Multifamily	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Wall/Riprap	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Orchard	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		
Landfill	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Inlets, Outlets	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Confined Animal Feeding	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		
Dumping	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Point Source/Pipe (EFFLUENT OR STORMWATER)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Rural Residential	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		
Trash	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Impervious Surface Input (SHEETFLOW)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Gravel Pit	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		
Other: _____	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Other: _____	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Irrigation	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		
Other: _____	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Other: _____	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Other: _____	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		

Industrial Development Stressors				Habitat/Vegetation Stressors											
Fill bubble if present - Plot	1	2	3	Flag	Fill bubble if present - Plot	1	2	3	Flag	Fill bubble if present - Plot	1	2	3	Flag	
Oil Drilling	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Forest Clear Cut	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Herbicide Use	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		
Gas Wells	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Forest Selective Cut	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Mowing/Shrub Cutting	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		
Mine (surface)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Tree Plantation	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Trails	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		
Mine (underground)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Tree Canopy Herbivory (INSECT)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Soil Compaction (ANIMAL OR HUMAN)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		
Military	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Shrub Layer Browsed (WILD OR DOMESTIC)	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>		Offroad vehicle damage	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		
Other: _____	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Highly Grazed Grasses (OVERALL <3" HIGH)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Soil erosion (FROM WIND, WATER, OR OVERUSE)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		
Other: _____	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Recently Burned Forest Canopy	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Other: _____	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		
Other: _____	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Recently Burned Grassland (BLACKENED)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Other: _____	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		

Flag codes: K = No measurement made, U = Suspect measurement., F1,F2, etc. = misc. flags assigned by each field crew.

Explain all flags in comment section on the back of this form

2428168304

Buffer Sample Plots 05/27/2011

FORM B-1: BUFFER SAMPLE PLOTS - TARGETED ALIEN SPECIES (Back)

Reviewed by (Initial): _____

Site ID: PCAP Be 1372

DATE: 08/28/2013

• Confirm a filled data bubble indicates presence and an unfilled bubble indicates absence by filling in this bubble

Fill bubble if present - Plot	1	2	3	Flag	Fill bubble if present - Plot	1	2	3	Flag	Fill bubble if present - Plot	1	2	3	Flag
Eurasian Watermilfoil	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Purple Loosestrife	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Johnson Grass	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Water hyacinth	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Knotweed	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Kudzu	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Yellow Floating Heart	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Japanese Knotweed	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Multiflora Rose	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Giant Salvinia	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Perennial Pepperweed	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Common Buckthorn	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Garlic Mustard	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>		Giant Reed	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Himalayan Blackberry	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Poison Hemlock	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Cheatgrass	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Tamarisk	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Mile-A-Minute Weed	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Reed Canary Grass	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Other: _____	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Birdsfoot Trefoil	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Common Reed	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Other: _____	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Canada Thistle	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>		Leafy Spurge	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Other: _____	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
										Other: _____	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	

PLOT COORDINATES

Provide GPS coordinates at the center of the Buffer Plot (#3) at the far end of each Buffer Transect and for the Buffer Plot at the AA CENTER. Indicate the location of the plot coordinates by filling in the appropriate bubble.

If Buffer Plot 3 can not be accessed, take the coordinates at the nearest practicable location ALONG THE TRANSECT. This is important because all Buffer Plots are centered on the Buffer Transects and the coordinates will indicate the location of the transect. Fill in the "nearest practicable location" bubble, fill in the flag box, and describe where the coordinates were taken and why in the comment section below. The coordinates of the nearest practicable location can be either placed as close to the center of Plot 3 as possible or at the center of the last accessible Buffer Plot.

Location of coordinates (choose one):

AA CENTER N3 S3 E3 W3 Nearest practicable location (flag and comment below)

Flag

Latitude North 41.38939 Longitude West 081.54691

Use Decimal Degrees: NAD83

Buffer Sample Points - Targeted Alien Species 05/27/2011

7966623548

FORM B-1: BUFFER SAMPLE PLOTS (Front)

Reviewed by (Initial): _____

Site ID: PCAP Be 1372

DATE: 08/28/2013

Location:

O AA Center N OS OE OW

Fill in bubble(s) if plot(s) could not be sampled and flag →

O Plot 1 ● Plot 2 ● Plot 3

1

Buffer Natural Cover Strata

Fill in bubbles for all that apply: Canopy Type: D = Deciduous; E = Evergreen. Leaf Type: B = Broadleaf, N = Needle Leaf. Absent: No tree canopy.

Strata Section: Fill in appropriate cover class bubble for each strata type for each plot. 0 = Absent; 1 = Sparse(<10%); 2=Moderate(10-40%); 3 = Heavy (40-75%); 4 = Very Heavy (>75%)

Buffer Plot 1	Canopy Type: D E		Absent: <input type="radio"/>	Buffer Plot 2	Canopy Type: D E		Absent: <input type="radio"/>	Buffer Plot 3	Canopy Type: D E		Absent: <input type="radio"/>
	Leaf Type: B N	Flag	Leaf Type: B N		Leaf Type: B N	Flag	Leaf Type: B N		Leaf Type: B N	Flag	
Big Trees (>0.3m DBH)	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Small Trees (<0.3m DBH)	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Woody Shrubs, Saplings (0.5m-5m HIGH)	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Woody Shrubs, Saplings (<0.5m HIGH)	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Herbs, Forbs and Grasses	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Bare ground	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Litter, duff	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Rock	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Water	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Submerged Vegetation	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Submerged Vegetation	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

Stressor Presence/Absence - Confirm that a filled data bubble indicates presence and an unfilled bubble indicates absence by filling this bubble. ●

Residential and Urban Stressors				Hydrology Stressors				Agricultural & Rural Stressors							
Fill bubble if present - Plot	1	2	3	Flag	Fill bubble if present - Plot	1	2	3	Flag	Fill bubble if present - Plot	1	2	3	Flag	
Road - gravel	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Ditches, Channelization	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Pasture/Hay	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		
Road - two lane	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Dike/Dam/Road/RR Bed (IMPEDE FLOW)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Range	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		
Road - four lane	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Water Level Control Structure	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Row Crops	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		
Parking Lot/Pavement	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Excavation, Dredging	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Fallow Field (RECENT-RESTING ROW CROP FIELD)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		
Golf Course	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Fill/Spoil Banks	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Fallow Field (OLD - GRASS, SHRUBS, TREES)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		
Lawn/Park	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Freshly Deposited Sediment (UNVEGETATED)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Nursery	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		
Suburban Residential	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Soil Loss/Root Exposure	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Dairy	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		
Urban/Multifamily	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Wall/Riprap	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Orchard	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		
Landfill	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Inlets, Outlets	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Confined Animal Feeding	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		
Dumping	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Point Source/Pipe (EFFLUENT OR STORMWATER)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Rural Residential	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		
Trash	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Impervious surface input (SHEETFLOW)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Gravel Pit	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		
Other: _____	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Other: _____	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Irrigation	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		
Other: _____	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Other: _____	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Other: _____	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		

Industrial Development Stressors				Habitat/Vegetation Stressors											
Fill bubble if present - Plot	1	2	3	Flag	Fill bubble if present - Plot	1	2	3	Flag	Fill bubble if present - Plot	1	2	3	Flag	
Oil Drilling	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Forest Clear Cut	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Herbicide Use	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		
Gas Wells	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Forest Selective Cut	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Mowing/Shrub Cutting	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		
Mine (surface)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Tree Plantation	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Trails	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		
Mine (underground)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Tree Canopy Herbivory (INSECT)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Soil Compaction (ANIMAL OR HUMAN)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		
Military	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Shrub Layer Browsed (WILD OR DOMESTIC)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Offroad vehicle damage	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		
Other: _____	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Highly Grazed Grasses (OVERALL <3" HIGH)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Soil erosion (FROM WIND, WATER, OR OVERUSE)	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	1	
Other: _____	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Recently Burned Forest Canopy	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Other: _____	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		
Other: _____	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Recently Burned Grassland (BLACKENED)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Other: _____	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		

Flag codes: K = No measurement made, U = Suspect measurement., F1,F2, etc. = misc. flags assigned by each field crew.
Explain all flags in comment section on the back of this form

2428168304

Buffer Sample Plots 05/27/2011

Lawn
Soil
Shrub
Tree

FORM B-1: BUFFER SAMPLE PLOTS - TARGETED ALIEN SPECIES (Back)

Reviewed by (initials): _____

Site ID: PCAP BE 1372

DATE: 08 / 28 / 2013

Confirm a filled data bubble indicates presence and an unfilled bubble indicates absence by filling in this bubble.

FIII bubble If present - Plot	1	2	3	Flag	FIII bubble If present - Plot	1	2	3	Flag	FIII bubble If present - Plot	1	2	3	Flag
Eurasian Watermilfoil	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Purple Loosestrife	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Johnson Grass	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Water hyacinth	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Knotweed	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Kudzu	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Yellow Floating Heart	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Japanese Knotweed	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Multiflora Rose	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Giant Salvinia	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Perennial Pepperweed	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Common Buckthorn	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Garlic Mustard	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Giant Reed	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Himalayan Blackberry	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Poison Hemlock	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Cheatgrass	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Tamarisk	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Mile-A-Minute Weed	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Reed Canary Grass	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Other:	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Birdsfoot Trefoil	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Common Reed	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Other:	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Canada Thistle	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Leafy Spurge	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Other:	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
										Other:	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	

PLOT COORDINATES

Provide GPS coordinates at the center of the Buffer Plot (#3) at the far end of each Buffer Transect and for the Buffer Plot at the AA CENTER. Indicate the location of the plot coordinates by filling in the appropriate bubble.

If Buffer Plot 3 can not be accessed, take the coordinates at the nearest practicable location **ALONG THE TRANSECT**. This is important because all Buffer Plots are centered on the Buffer Transects and the coordinates will indicate the location of the transect. Fill in the "nearest practicable location" bubble, fill in the flag box, and describe where the coordinates were taken and why in the comment section below. The coordinates of the nearest practicable location can be either placed as close to the center of Plot 3 as possible or at the center of the last accessible Buffer Plot.

Location of coordinates (choose one):

Flag

AA CENTER N3 S3 E3 W3 Nearest practicable location (flag and comment below)

62

Latitude North 41° 38.9' 64" Longitude West 081° 54.6' 99"

Use Decimal Degrees: NAD83

FORM B-1: BUFFER SAMPLE PLOTS (Front)

Reviewed by (Initial): _____

Site ID: PCAP 1372 Bp

DATE: 08/28/2013

Location:

O AA Center O N O S O E O W

Fill in bubble(s) if plot(s) could not be sampled and flag →

O Plot 1 O Plot 2 O Plot 3

Buffer Natural Cover Strata

Fill in bubbles for all that apply: Canopy Type: D = Deciduous; E = Evergreen. Leaf Type: B = Broadleaf; N = Needle Leaf. Absent: No tree canopy.

Strata Section: Fill in appropriate cover class bubble for each strata type for each plot. 0 = Absent; 1 = Sparse(<10%); 2 = Moderate(10-40%); 3 = Heavy (40-75%); 4 = Very Heavy (>75%)

Buffer Plot 1	Canopy Type: D		Absent: 0	Buffer Plot 2	Canopy Type: E		Absent: 0	Buffer Plot 3	Canopy Type: D		E	Absent: 0	
	Leaf Type: B	N	Flag		Leaf Type: B	N	Flag		Leaf Type: B	N	Flag		
Big Trees (>0.3m DBH)	0	1	2	3	4			Big Trees (>0.3m DBH)	0	1	2	3	
Small Trees (<0.3m DBH)	0	1	2	3	4			Small Trees (<0.3m DBH)	0	1	2	3	
Woody Shrubs, Saplings (0.5m-5m HIGH)	0	1	2	3	4			Woody Shrubs, Saplings (0.5m-5m HIGH)	0	1	2	3	
Woody Shrubs, Saplings (<0.5m HIGH)	0	1	2	3	4			Woody Shrubs, Saplings (<0.5m HIGH)	0	1	2	3	
Herbs, Forbs and Grasses	0	1	2	3	4			Herbs, Forbs and Grasses	0	1	2	3	
Bare ground	0	1	2	3	4			Bare ground	0	1	2	3	
Litter, duff	0	1	2	3	4			Litter, duff	0	1	2	3	
Rock	0	1	2	3	4			Rock	0	1	2	3	
Water	0	1	2	3	4			Water	0	1	2	3	
Submerged Vegetation	0	1	2	3	4			Submerged Vegetation	0	1	2	3	

Stressor Presence/Absence - Confirm that a filled data bubble indicates presence and an unfilled bubble indicates absence by filling this bubble. ●

Residential and Urban Stressors				Hydrology Stressors				Agricultural & Rural Stressors						
Fill bubble if present - Plot	1	2	3	Flag	Fill bubble if present - Plot	1	2	3	Flag	Fill bubble if present - Plot	1	2	3	Flag
Road - gravel	0	0	0		Ditches, Channelization	0	0	0		Pasture/Hay	0	0	0	
Road - two lane	0	0	0		Dike/Dam/Road/RR Bed (IMPEDE FLOW)	0	0	0		Range	0	0	0	
Road - four lane	0	0	0		Water Level Control Structure	0	0	0		Row Crops	0	0	0	
Parking Lot/Pavement	0	0	0		Excavation, Dredging	0	0	0		Fallow Field (RECENT-RESTING ROW CROP FIELD)	0	0	0	
Golf Course	0	0	0		Fill/Spoil Banks	0	0	0		Fallow Field (OLD - GRASS, SHRUBS, TREES)	0	0	0	
Lawn/Park	0	0	0		Freshly Deposited Sediment (UNVEGETATED)	0	0	0		Nursery	0	0	0	
Suburban Residential	0	0	0		Soil Loss/Root Exposure	0	0	0		Dairy	0	0	0	
Urban/Multifamily	0	0	0		Wall/Riprap	0	0	0		Orchard	0	0	0	
Landfill	0	0	0		Inlets, Outlets	0	0	0		Confined Animal Feeding	0	0	0	
Dumping	0	0	0		Point Source/Pipe (EFFLUENT OR STORMWATER)	0	0	0		Rural Residential	0	0	0	
Trash	0	0	0		Impervious surface input (SHEETFLOW)	0	0	0		Gravel Pit	0	0	0	
Other: _____	0	0	0		Other: _____	0	0	0		Irrigation	0	0	0	
Other: _____	0	0	0		Other: _____	0	0	0		Other: _____	0	0	0	

Industrial Development Stressors				Habitat/Vegetation Stressors										
Fill bubble if present - Plot	1	2	3	Flag	Fill bubble if present - Plot	1	2	3	Flag	Fill bubble if present - Plot	1	2	3	Flag
Oil Drilling	0	0	0		Forest Clear Cut	0	0	0		Herbicide Use	0	0	0	
Gas Wells	0	0	0		Forest Selective Cut	0	0	0		Mowing/Shrub Cutting	0	0	0	
Mine (surface)	0	0	0		Tree Plantation	0	0	0		Trails	0	0	0	1
Mine (underground)	0	0	0		Tree Canopy Herbivory (INSECT)	0	0	0		Soil Compaction (ANIMAL OR HUMAN)	0	0	0	
Military	0	0	0		Shrub Layer Browsed (WILD OR DOMESTIC)	0	0	0		Offroad vehicle damage	0	0	0	
Other: _____	0	0	0		Highly Grazed Grasses (OVERALL <3" HIGH)	0	0	0		Soil erosion (FROM WIND, WATER, OR OVERUSE)	0	0	0	
Other: _____	0	0	0		Recently Burned Forest Canopy	0	0	0		Other: _____	0	0	0	
Other: _____	0	0	0		Recently Burned Grassland (BLACKENED)	0	0	0		Other: _____	0	0	0	

Flag codes: K = No measurement made, U = Suspect measurement., F1,F2, etc. = misc. flags assigned by each field crew.
Explain all flags in comment section on the back of this form

2428168304

Buffer Sample Plots 05/27/2011

morrowii, rose, garlic, ligustrum, vetch, vicia

FORM B-1: BUFFER SAMPLE PLOTS - TARGETED ALIEN SPECIES (Back)

Reviewed by (Initials): _____

Site ID: PCAP 1372 Be

DATE: 08/28/2013

● Confirm a filled data bubble indicates presence and an unfilled bubble indicates absence by filling in this bubble

Fill bubble if present - Plot	1	2	3	Flag	Fill bubble if present - Plot	1	2	3	Flag	Fill bubble if present - Plot	1	2	3	Flag
Eurasian Watermilfoil	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Purple Loosestrife	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Johnson Grass	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Water hyacinth	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Knotweed	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Kudzu	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Yellow Floating Heart	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Japanese Knotweed	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Multiflora Rose	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Giant Salvinia	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Perennial Pepperweed	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Common Buckthorn	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Garlic Mustard	<input checked="" type="radio"/>	<input checked="" type="radio"/>	<input checked="" type="radio"/>		Giant Reed	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Himalayan Blackberry	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Poison Hemlock	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Cheatgrass	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Tamarisk	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Mile-A-Minute Weed	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Reed Canary Grass	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Other: _____	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Birdsfoot Trefoil	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Common Reed	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Other: _____	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Canada Thistle	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Leafy Spurge	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Other: _____	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
										Other: _____	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	

PLOT COORDINATES

Provide GPS coordinates at the center of the Buffer Plot (#3) at the far end of each Buffer Transect and for the Buffer Plot at the AA CENTER. Indicate the location of the plot coordinates by filling in the appropriate bubble.

If Buffer Plot 3 can not be accessed, take the coordinates at the nearest practicable location **ALONG THE TRANSECT**. This is important because all Buffer Plots are centered on the Buffer Transects and the coordinates will indicate the location of the transect. Fill in the "nearest practicable location" bubble, fill in the flag box, and describe where the coordinates were taken and why in the comment section below. The coordinates of the nearest practicable location can be either placed as close to the center of Plot 3 as possible or at the center of the last accessible Buffer Plot.

Location of coordinates (choose one):

Flag

AA CENTER N3 S3 E3 W3 Nearest practicable location (flag and comment below)

Latitude North 41.38847 Longitude West 081.54533

Use Decimal Degrees: NAD83

FORM B-1: BUFFER SAMPLE PLOTS (Front)

Reviewed by (Initial): _____

Site ID: PCAP Be1372

DATE: 08/28/2013

Location:

O AA Center O N S O E O W

Fill in bubble(s) if plot(s) could not be sampled and flag →

O Plot 1 ● Plot 2 ● Plot 3

1

Buffer Natural Cover Strata

Fill in bubbles for all that apply: Canopy Type: D = Deciduous; E = Evergreen. Leaf Type: B = Broadleaf; N = Needle Leaf. Absent: No tree canopy.

Strata Section: Fill in appropriate cover class bubble for each strata type for each plot. 0 = Absent; 1 = Sparse(<10%); 2=Moderate(10-40%); 3 = Heavy (40-75%); 4 = Very Heavy (>75%)

Buffer Plot 1	Canopy Type: <input checked="" type="radio"/> D <input type="radio"/> E		Absent: <input type="radio"/>	Buffer Plot 2	Canopy Type: <input type="radio"/> D <input checked="" type="radio"/> E		Absent: <input type="radio"/>	Buffer Plot 3	Canopy Type: <input type="radio"/> D <input checked="" type="radio"/> E		Absent: <input type="radio"/>
	Leaf Type: <input checked="" type="radio"/> B <input type="radio"/> N	Flag: <input checked="" type="radio"/>			Leaf Type: <input type="radio"/> B <input checked="" type="radio"/> N	Flag: <input type="radio"/>			Leaf Type: <input type="radio"/> B <input checked="" type="radio"/> N	Flag: <input type="radio"/>	
Big Trees (>0.3m DBH)	<input type="radio"/> 1 <input checked="" type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4	<input checked="" type="radio"/>	<input type="radio"/>	Big Trees (>0.3m DBH)	<input type="radio"/> 1 <input checked="" type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4	<input type="radio"/>	<input type="radio"/>	Big Trees (>0.3m DBH)	<input type="radio"/> 1 <input checked="" type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4	<input type="radio"/>	<input type="radio"/>
Small Trees (<0.3m DBH)	<input type="radio"/> 0 <input checked="" type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4	<input type="radio"/>	<input type="radio"/>	Small Trees (<0.3m DBH)	<input type="radio"/> 0 <input checked="" type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4	<input type="radio"/>	<input type="radio"/>	Small Trees (<0.3m DBH)	<input type="radio"/> 0 <input checked="" type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4	<input type="radio"/>	<input type="radio"/>
Woody Shrubs, Saplings (0.5m-5m HIGH)	<input checked="" type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4	<input type="radio"/>	<input type="radio"/>	Woody Shrubs, Saplings (0.5m-5m HIGH)	<input type="radio"/> 0 <input checked="" type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4	<input type="radio"/>	<input type="radio"/>	Woody Shrubs, Saplings (0.5m-5m HIGH)	<input type="radio"/> 0 <input checked="" type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4	<input type="radio"/>	<input type="radio"/>
Woody Shrubs, Saplings (<0.5m HIGH)	<input type="radio"/> 0 <input checked="" type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4	<input type="radio"/>	<input type="radio"/>	Woody Shrubs, Saplings (<0.5m HIGH)	<input type="radio"/> 0 <input checked="" type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4	<input type="radio"/>	<input type="radio"/>	Woody Shrubs, Saplings (<0.5m HIGH)	<input type="radio"/> 0 <input checked="" type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4	<input type="radio"/>	<input type="radio"/>
Herbs, Forbs and Grasses	<input type="radio"/> 0 <input checked="" type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4	<input type="radio"/>	<input type="radio"/>	Herbs, Forbs and Grasses	<input type="radio"/> 0 <input checked="" type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4	<input type="radio"/>	<input type="radio"/>	Herbs, Forbs and Grasses	<input type="radio"/> 0 <input checked="" type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4	<input type="radio"/>	<input type="radio"/>
Bare ground	<input type="radio"/> 0 <input checked="" type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4	<input type="radio"/>	<input type="radio"/>	Bare ground	<input type="radio"/> 0 <input checked="" type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4	<input type="radio"/>	<input type="radio"/>	Bare ground	<input type="radio"/> 0 <input checked="" type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4	<input type="radio"/>	<input type="radio"/>
Litter, duff	<input type="radio"/> 0 <input checked="" type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4	<input type="radio"/>	<input type="radio"/>	Litter, duff	<input type="radio"/> 0 <input checked="" type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4	<input type="radio"/>	<input type="radio"/>	Litter, duff	<input type="radio"/> 0 <input checked="" type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4	<input type="radio"/>	<input type="radio"/>
Rock	<input type="radio"/> 0 <input checked="" type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4	<input type="radio"/>	<input type="radio"/>	Rock	<input type="radio"/> 0 <input checked="" type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4	<input type="radio"/>	<input type="radio"/>	Rock	<input type="radio"/> 0 <input checked="" type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4	<input type="radio"/>	<input type="radio"/>
Water	<input checked="" type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4	<input type="radio"/>	<input type="radio"/>	Water	<input type="radio"/> 0 <input checked="" type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4	<input type="radio"/>	<input type="radio"/>	Water	<input type="radio"/> 0 <input checked="" type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4	<input type="radio"/>	<input type="radio"/>
Submerged Vegetation	<input checked="" type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4	<input type="radio"/>	<input type="radio"/>	Submerged Vegetation	<input type="radio"/> 0 <input checked="" type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4	<input type="radio"/>	<input type="radio"/>	Submerged Vegetation	<input type="radio"/> 0 <input checked="" type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4	<input type="radio"/>	<input type="radio"/>

Stressor Presence/Absence - Confirm that a filled data bubble indicates presence and an unfilled bubble indicates absence by filling this bubble.

Residential and Urban Stressors				Hydrology Stressors				Agricultural & Rural Stressors							
Fill bubble if present - Plot	1	2	3	Flag	Fill bubble if present - Plot	1	2	3	Flag	Fill bubble if present - Plot	1	2	3	Flag	
Road - gravel	<input type="radio"/> 0 <input checked="" type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Ditches, Channelization	<input type="radio"/> 0 <input checked="" type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Pasture/Hay	<input type="radio"/> 0 <input checked="" type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Road - two lane	<input type="radio"/> 0 <input checked="" type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Dike/Dam/Road/RR Bed (IMPEDE FLOW)	<input type="radio"/> 0 <input checked="" type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Range	<input type="radio"/> 0 <input checked="" type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Road - four lane	<input type="radio"/> 0 <input checked="" type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Water Level Control Structure	<input type="radio"/> 0 <input checked="" type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Row Crops	<input type="radio"/> 0 <input checked="" type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Parking Lot/Pavement	<input type="radio"/> 0 <input checked="" type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Excavation, Dredging	<input type="radio"/> 0 <input checked="" type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Fallow Field (RECENT-RESTING ROW CROP FIELD)	<input type="radio"/> 0 <input checked="" type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Golf Course	<input type="radio"/> 0 <input checked="" type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Fill/Spoil Banks	<input type="radio"/> 0 <input checked="" type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Fallow Field (OLD - GRASS, SHRUBS TREES)	<input type="radio"/> 0 <input checked="" type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Lawn/Park	<input type="radio"/> 0 <input checked="" type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Freshly Deposited Sediment (UNVEGETATED)	<input type="radio"/> 0 <input checked="" type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Nursery	<input type="radio"/> 0 <input checked="" type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Suburban Residential	<input type="radio"/> 0 <input checked="" type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Soil Loss/Root Exposure	<input type="radio"/> 0 <input checked="" type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Dairy	<input type="radio"/> 0 <input checked="" type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Urban/Multifamily	<input type="radio"/> 0 <input checked="" type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Wall/Riprap	<input type="radio"/> 0 <input checked="" type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Orchard	<input type="radio"/> 0 <input checked="" type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Landfill	<input type="radio"/> 0 <input checked="" type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Inlets, Outlets	<input type="radio"/> 0 <input checked="" type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Confined Animal Feeding	<input type="radio"/> 0 <input checked="" type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Dumping	<input type="radio"/> 0 <input checked="" type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Point Source/Pipe (EFFLUENT OR STORMWATER)	<input type="radio"/> 0 <input checked="" type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Rural Residential	<input type="radio"/> 0 <input checked="" type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Trash	<input type="radio"/> 0 <input checked="" type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Impervious surface input (SHEETFLOW)	<input type="radio"/> 0 <input checked="" type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Gravel Pit	<input type="radio"/> 0 <input checked="" type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Other: _____	<input type="radio"/> 0 <input checked="" type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Other: _____	<input type="radio"/> 0 <input checked="" type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Irrigation	<input type="radio"/> 0 <input checked="" type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Other: _____	<input type="radio"/> 0 <input checked="" type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Other: _____	<input type="radio"/> 0 <input checked="" type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Other: _____	<input type="radio"/> 0 <input checked="" type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	

Industrial Development Stressors				Habitat/Vegetation Stressors											
Fill bubble if present - Plot	1	2	3	Flag	Fill bubble if present - Plot	1	2	3	Flag	Fill bubble if present - Plot	1	2	3	Flag	
Oil Drilling	<input type="radio"/> 0 <input checked="" type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Forest Clear Cut	<input type="radio"/> 0 <input checked="" type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Herbicide Use	<input type="radio"/> 0 <input checked="" type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Gas Wells	<input type="radio"/> 0 <input checked="" type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Forest Selective Cut	<input type="radio"/> 0 <input checked="" type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Mowing/Shrub Cutting	<input type="radio"/> 0 <input checked="" type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Mine (surface)	<input type="radio"/> 0 <input checked="" type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Tree Plantation	<input type="radio"/> 0 <input checked="" type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Trails	<input type="radio"/> 0 <input checked="" type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Mine (underground)	<input type="radio"/> 0 <input checked="" type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Tree Canopy Herbivory (INSECT)	<input type="radio"/> 0 <input checked="" type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Soil Compaction (ANIMAL OR HUMAN)	<input type="radio"/> 0 <input checked="" type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Military	<input type="radio"/> 0 <input checked="" type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Shrub Layer Browsed (WILD OR DOMESTIC)	<input type="radio"/> 0 <input checked="" type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Offroad vehicle damage	<input type="radio"/> 0 <input checked="" type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Other: _____	<input type="radio"/> 0 <input checked="" type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Highly Grazed Grasses (OVERALL <3" HIGH)	<input type="radio"/> 0 <input checked="" type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Soil erosion (FROM WIND, WATER, OR OVERUSE)	<input type="radio"/> 0 <input checked="" type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Other: _____	<input type="radio"/> 0 <input checked="" type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Recently Burned Forest Canopy	<input type="radio"/> 0 <input checked="" type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Other: _____	<input type="radio"/> 0 <input checked="" type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Other: _____	<input type="radio"/> 0 <input checked="" type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Recently Burned Grassland (BLACKENED)	<input type="radio"/> 0 <input checked="" type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Other: _____	<input type="radio"/> 0 <input checked="" type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	

Flag codes: K = No measurement made, U = Suspect measurement., F1,F2, etc. = misc. flags assigned by each field crew.

Explain all flags in comment section on the back of this form

2428168304

Buffer Sample Plots 05/27/2011

FORM B-1: BUFFER SAMPLE PLOTS - TARGETED ALIEN SPECIES (Back)

Reviewed by (initials): _____

Site ID: PCAP Be 1372

DATE: 08/28/2013

Confirm a filled data bubble indicates presence and an unfilled bubble indicates absence by filling in this bubble

Fill bubble if present - Plot	1	2	3	Flag	Fill bubble if present - Plot	1	2	3	Flag	Fill bubble if present - Plot	1	2	3	Flag
Eurasian Watermilfoil	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Purple Loosestrife	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Johnson Grass	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Water hyacinth	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Knotweed	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Kudzu	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Yellow Floating Heart	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Japanese Knotweed	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Multiflora Rose	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Giant Salvinia	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Perennial Pepperweed	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Common Buckthorn	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Garlic Mustard	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>		Giant Reed	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Himalayan Blackberry	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Poison Hemlock	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Cheatgrass	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Tamarisk	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Mile-A-Minute Weed	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Reed Canary Grass	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>		Other: _____	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Birdsfoot Trefoil	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Common Reed	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Other: _____	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Canada Thistle	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Leafy Spurge	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Other: _____	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
										Other: _____	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	

PLOT COORDINATES

Provide GPS coordinates at the center of the Buffer Plot (#3) at the far end of each Buffer Transect and for the Buffer Plot at the AA CENTER. Indicate the location of the plot coordinates by filling in the appropriate bubble.

If Buffer Plot 3 can not be accessed, take the coordinates at the nearest practicable location ALONG THE TRANSECT. This is important because all Buffer Plots are centered on the Buffer Transects and the coordinates will indicate the location of the transect. Fill in the "nearest practicable location" bubble, fill in the flag box, and describe where the coordinates were taken and why in the comment section below. The coordinates of the nearest practicable location can be either placed as close to the center of Plot 3 as possible or at the center of the last accessible Buffer Plot.

Location of coordinates (choose one):

Flag

AA CENTER N3 S3 E3 W3 Nearest practicable location (flag and comment below)


2

Latitude North 41.38784

Longitude West 081° 54' 6.81"

Use Decimal Degrees: NAD83

7966623548



FORM B-1: BUFFER SAMPLE PLOTS (Front)

Reviewed by (Initial): _____

Site ID: NCAP 1372 Be

DATE: 0.8/2.8/2013

Location:

○ AA Center ON OS OE ● W

Fill in bubble(s) if plot(s) could not be sampled and flag →
 Plot 1 Plot 2 Plot 3

|

Buffer Natural Cover Strata

Fill in bubbles for all that apply: Canopy Type: D = Deciduous, E = Evergreen. Leaf Type: B = Broadleaf, N = Needle Leaf. Absent: No tree canopy.
 Strata Section: Fill in appropriate cover class bubble for each strata type for each plot. 0 = Absent; 1 = Sparse(<10%); 2=Moderate(10-40%); 3 = Heavy (40-75%); 4 = Very Heavy (>75%)

Buffer Plot 1	Canopy Type: <input type="radio"/> D <input type="radio"/> E		Absent: <input type="radio"/>	Buffer Plot 2	Canopy Type: <input type="radio"/> D <input type="radio"/> E		Absent: <input type="radio"/>	Buffer Plot 3	Canopy Type: <input type="radio"/> D <input type="radio"/> E		Absent: <input type="radio"/>
	Leaf Type: <input type="radio"/> B <input type="radio"/> N	Flag: <input type="radio"/>			Leaf Type: <input type="radio"/> B <input type="radio"/> N	Flag: <input type="radio"/>			Leaf Type: <input type="radio"/> B <input type="radio"/> N	Flag: <input type="radio"/>	
Big Trees (>0.3m DBH)	<input type="radio"/> 0 <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4	<input type="radio"/>	<input type="radio"/>	Big Trees (>0.3m DBH)	<input type="radio"/> 0 <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4	<input type="radio"/>	<input type="radio"/>	Big Trees (>0.3m DBH)	<input type="radio"/> 0 <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4	<input type="radio"/>	<input type="radio"/>
Small Trees (<0.3m DBH)	<input type="radio"/> 0 <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4	<input type="radio"/>	<input type="radio"/>	Small Trees (<0.3m DBH)	<input type="radio"/> 0 <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4	<input type="radio"/>	<input type="radio"/>	Small Trees (<0.3m DBH)	<input type="radio"/> 0 <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4	<input type="radio"/>	<input type="radio"/>
Woody Shrubs, Saplings (0.5m-5m HIGH)	<input type="radio"/> 0 <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4	<input type="radio"/>	<input type="radio"/>	Woody Shrubs, Saplings (0.5m-5m HIGH)	<input type="radio"/> 0 <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4	<input type="radio"/>	<input type="radio"/>	Woody Shrubs, Saplings (0.5m-5m HIGH)	<input type="radio"/> 0 <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4	<input type="radio"/>	<input type="radio"/>
Woody Shrubs, Saplings (<0.5m HIGH)	<input type="radio"/> 0 <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4	<input type="radio"/>	<input type="radio"/>	Woody Shrubs, Saplings (<0.5m HIGH)	<input type="radio"/> 0 <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4	<input type="radio"/>	<input type="radio"/>	Woody Shrubs, Saplings (<0.5m HIGH)	<input type="radio"/> 0 <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4	<input type="radio"/>	<input type="radio"/>
Herbs, Forbs and Grasses	<input type="radio"/> 0 <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4	<input type="radio"/>	<input type="radio"/>	Herbs, Forbs and Grasses	<input type="radio"/> 0 <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4	<input type="radio"/>	<input type="radio"/>	Herbs, Forbs and Grasses	<input type="radio"/> 0 <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4	<input type="radio"/>	<input type="radio"/>
Bare ground	<input type="radio"/> 0 <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4	<input type="radio"/>	<input type="radio"/>	Bare ground	<input type="radio"/> 0 <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4	<input type="radio"/>	<input type="radio"/>	Bare ground	<input type="radio"/> 0 <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4	<input type="radio"/>	<input type="radio"/>
Litter, duff	<input type="radio"/> 0 <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4	<input type="radio"/>	<input type="radio"/>	Litter, duff	<input type="radio"/> 0 <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4	<input type="radio"/>	<input type="radio"/>	Litter, duff	<input type="radio"/> 0 <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4	<input type="radio"/>	<input type="radio"/>
Rock	<input type="radio"/> 0 <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4	<input type="radio"/>	<input type="radio"/>	Rock	<input type="radio"/> 0 <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4	<input type="radio"/>	<input type="radio"/>	Rock	<input type="radio"/> 0 <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4	<input type="radio"/>	<input type="radio"/>
Water	<input type="radio"/> 0 <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4	<input type="radio"/>	<input type="radio"/>	Water	<input type="radio"/> 0 <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4	<input type="radio"/>	<input type="radio"/>	Water	<input type="radio"/> 0 <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4	<input type="radio"/>	<input type="radio"/>
Submerged Vegetation	<input type="radio"/> 0 <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4	<input type="radio"/>	<input type="radio"/>	Submerged Vegetation	<input type="radio"/> 0 <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4	<input type="radio"/>	<input type="radio"/>	Submerged Vegetation	<input type="radio"/> 0 <input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4	<input type="radio"/>	<input type="radio"/>

Stressor Presence/Absence - Confirm that a filled data bubble indicates presence and an unfilled bubble indicates absence by filling this bubble.

Residential and Urban Stressors				Hydrology Stressors				Agricultural & Rural Stressors				Flag
Fill bubble if present - Plot	1	2	3	Fill bubble if present - Plot	1	2	3	Fill bubble if present - Plot	1	2	3	Flag
Road - gravel	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Ditches, Channelization	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Pasture/Hay	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Road - two lane	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Dike/Dam/Road/RR Bed (IMPEDE FLOW)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Range	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Road - four lane	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Water Level Control Structure	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Row Crops	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Parking Lot/Pavement	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Excavation, Dredging	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Fallow Field (RECENT-RESTING ROW CROP FIELD)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Golf Course	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Fill/Spoil Banks	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Fallow Field (OLD - GRASS, SHRUBS, TREES)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Lawn/Park	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Freshly Deposited Sediment (UNVEGETATED)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Nursery	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Suburban Residential	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Soil Loss/Root Exposure	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Dairy	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Urban/Multifamily	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Wall/Riprap	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Orchard	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Landfill	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Inlets, Outlets	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Confined Animal Feeding	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Dumping	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Point Source/Pipe (EFFLUENT OR STORMWATER)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Rural Residential	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Trash	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Impervious surface Input (SHEETFLOW)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Gravel Pit	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Other: _____	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Other: _____	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Irrigation	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Other: _____	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Other: _____	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Other: _____	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

Industrial Development Stressors				Habitat/Vegetation Stressors								Flag
Fill bubble if present - Plot	1	2	3	Fill bubble if present - Plot	1	2	3	Fill bubble if present - Plot	1	2	3	Flag
Oil Drilling	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Forest Clear Cut	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Herbicide Use	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Gas Wells	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Forest Selective Cut	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Mowing/Shrub Cutting	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Mine (surface)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Tree Plantation	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Trails	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Mine (underground)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Tree Canopy Herbivory (INSECT)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Soil Compaction (ANIMAL OR HUMAN)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Military	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Shrub Layer Browsed (WILD OR DOMESTIC)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Offroad vehicle damage	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Other: _____	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Highly Grazed Grasses (OVERALL <3' HIGH)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Soil erosion (FROM WIND, WATER, OR OVERUSE)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Other: _____	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Recently Burned Forest Canopy	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Other: _____	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Other: _____	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Recently Burned Grassland (BLACKENED)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Other: _____	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

Flag codes: K = No measurement made, U = Suspect measurement., F1,F2, etc. = misc. flags assigned by each field crew.
 Explain all flags in comment section on the back of this form

2428168304

Buffer Sample Plots 05/27/2011

garlic, berberis, ligustrum

FORM B-1: BUFFER SAMPLE PLOTS - TARGETED ALIEN SPECIES (Back) Reviewed

Reviewed by (Initial): _____

Site ID: RCAP 1372 Be

DATE: 08/28/2013

• Confirm a filled data bubble indicates presence and an unfilled bubble indicates absence by filling in this bubble

Fill bubble if present - Plot	1	2	3	Flag	Fill bubble if present - Plot	1	2	3	Flag	Fill bubble if present - Plot	1	2	3	Flag
Eurasian Watermilfoil	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Purple Loosestrife	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Johnson Grass	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Water hyacinth	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Knotweed	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Kudzu	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Yellow Floating Heart	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Japanese Knotweed	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Multiflora Rose	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Giant Salvinia	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Perennial Pepperweed	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Common Buckthorn	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Garlic Mustard	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>		Giant Reed	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Himalayan Blackberry	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Poison Hemlock	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Cheatgrass	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Tamarisk	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Mile-A-Minute Weed	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Reed Canary Grass	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Other: _____	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Birdsfoot Trefoil	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Common Reed	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Other: _____	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Canada Thistle	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Leafy Spurge	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Other: _____	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	

PLOT COORDINATES

Provide GPS coordinates at the center of the Buffer Plot (#3) at the far end of each Buffer Transect and for the Buffer Plot at the AA CENTER. Indicate the location of the plot coordinates by filling in the appropriate bubble.

If Buffer Plot 3 can not be accessed, take the coordinates at the nearest practicable location ALONG THE TRANSECT. This is important because all Buffer Plots are centered on the Buffer Transects and the coordinates will indicate the location of the transect. Fill in the "nearest practicable location" bubble, fill in the flag box, and describe where the coordinates were taken and why in the comment section below. The coordinates of the nearest practicable location can be either placed as close to the center of Plot 3 as possible or at the center of the last accessible Buffer Plot.

Location of coordinates (choose one):

AA CENTER N3 S3 E3 W3 Nearest practicable location (flag and comment below)

Flag

Latitude North 41.38828

Longitude West

081.54716

Use Decimal Degrees; NAD83

7966623548