

UNIT 7/20/12

CLEVELAND METROPARKS Plant Community Assessment Program: Quality Control Form			
Project Label:	PCAP	Plot No:	3433 Date Sampled: 6-17-12 Lead: Eisenbach

Comment required if item answer is NO

Parking/Access outside of Park Boundaries:	Y <input checked="" type="radio"/> N <input type="radio"/>	If yes, write details in Comments section below
Field journals completed	Y <input checked="" type="radio"/> N <input type="radio"/>	
Site sketch made on 1:3000 map?	Y <input checked="" type="radio"/> N <input type="radio"/>	
Check cover page	X-axis Bearing of plot recorded	Y <input checked="" type="radio"/> N <input type="radio"/>
	GPS coords. Recorded	Y <input checked="" type="radio"/> N <input type="radio"/>
	North direction recorded	Y <input checked="" type="radio"/> N <input type="radio"/>
	Photographs taken?	Y <input checked="" type="radio"/> N <input type="radio"/>
Plot No., Date agreement on all pages?	Y <input checked="" type="radio"/> N <input type="radio"/>	
Header data completed all pages?	Y <input checked="" type="radio"/> N <input type="radio"/>	
Cover classes recorded in all Intensive modules	Y <input checked="" type="radio"/> N <input type="radio"/>	
Browse Level By Species	Y <input checked="" type="radio"/> N <input type="radio"/>	
Woody stem quality control check	Y <input checked="" type="radio"/> N <input type="radio"/>	
Invasive plant quality control check	Y <input checked="" type="radio"/> N <input type="radio"/>	
Ash trees mapped	Y <input checked="" type="radio"/> N <input type="radio"/>	N/A
Cover by Strata? (confirm cover type)	Y <input checked="" type="radio"/> N <input type="radio"/>	
Soil samples collected with matching plot #.	Y <input checked="" type="radio"/> N <input type="radio"/>	
Vouchers labeled on datasheet with initials and number	Y <input checked="" type="radio"/> N <input type="radio"/>	
Vouchers labeled on collection bag	Y <input checked="" type="radio"/> N <input type="radio"/>	
Pink flags removed	Y <input checked="" type="radio"/> N <input type="radio"/>	
Data sheet QA before leaving site?	Y <input checked="" type="radio"/> N <input type="radio"/>	
Common equipment returned to tub.	Y <input checked="" type="radio"/> N <input type="radio"/>	
Data sheets scanned?	7/25/12	Enter date to left N/A
Final data sheets scanned?		Enter date to left
Buffer Widths measured?	Y <input checked="" type="radio"/> N <input type="radio"/>	NFB 8/3/12
Web Soil Survey	Y <input checked="" type="radio"/> N <input type="radio"/>	ATY 7/19-2012
Voucher Location	Refrigerator	Y <input checked="" type="radio"/> N <input type="radio"/>
(# vouchers collected)	Press (#)	Enter number to left
5RE-547	Drier	Y <input checked="" type="radio"/> N <input type="radio"/>
	Identified	Y <input checked="" type="radio"/> N <input type="radio"/>
	Mounted	Y <input checked="" type="radio"/> N <input type="radio"/>
	Thrown away	Y <input checked="" type="radio"/> N <input type="radio"/>

GRTS point verification: Is plot sampleable?

<input checked="" type="checkbox"/> Yes	Original GRTS point is sampleable
<input type="checkbox"/> No	Original GRTS point lands in a non-sampleable area (fill in category below)
	<input type="checkbox"/> Point falls in a water (i.e. river, lake)
	<input type="checkbox"/> Managed mowed area (i.e. golf course, picnic area, right-of-way)
	<input type="checkbox"/> Paved area (i.e. parkinglot, road)
	<input type="checkbox"/> Unsafe to sample (i.e. steep slope)
	<input type="checkbox"/> Other


Additional Comments:

CLEVELAND METROPARKS Plant Community Assessment Program - Background Data Sheet

Page 1 of 2

GENERAL INFORMATION		LOCATION	
Project Label:	PCAP	State:	OH
Project Name:	<u>CMPCAP2012</u>	County:	CUY
Plot Name:	<u>J. Hulshoff's Plot Name</u>	Quadrangle:	<u>Mayfield Heights</u>
Plot No.:	<u>3433</u>	Local Place Names:	<u>Ox Lane</u>
<input type="checkbox"/> Level 4 (no nested corners sampled) <input checked="" type="checkbox"/> Level 5 (nested corners sampled)		Landowner:	<u>CM</u>
Date (mm/dd/yyyy): <u>16/17/2012</u>		Data Confidentiality:	
End date (if > 1 day): <u>2012-07-17</u>		Check one:	<input checked="" type="checkbox"/> Public data <input type="checkbox"/> Private Data
Party	Role**	<input type="checkbox"/> Fuzz 100m <input type="checkbox"/> Fuzz 250m <input type="checkbox"/> Fuzz 500m	
<u>S. Tyzenbach</u>	<u>Plot leader</u>	<input type="checkbox"/> Lat/Long <input type="checkbox"/> UTM <input type="checkbox"/> StatePlane Coord. Units <u>m</u> <input checked="" type="checkbox"/> deg <input type="checkbox"/> deg min	
<u>J. Hulshoff</u>	<u>Spouse/Keydy</u>	<input type="checkbox"/> Other (specify) <u>m</u> <input type="checkbox"/> ft <input type="checkbox"/> m	
		Datum:	<input checked="" type="checkbox"/> NAD83/WGS84 <input type="checkbox"/> NAD27
		GPS location in plot x=0 to 5, y=-1,0,+1): <u>x = 0</u> <u>y = 0</u> (base of plot x=0, y=0)	
PLOT NOT SAMPLED:		<input type="checkbox"/> Other <input type="checkbox"/> Perm. water <input type="checkbox"/> Paved <input type="checkbox"/> Slope <input type="checkbox"/> Safety	
SAMPLING QUALITY*		<input type="checkbox"/> Latitude: <u>41.56847</u> <input type="checkbox"/> Longitude: <u>81.42271</u> <input type="checkbox"/> Coord. Accuracy: <input checked="" type="checkbox"/> m <input type="checkbox"/> ft <input type="checkbox"/> + - 2.6 <input type="checkbox"/> GPS File Name: <u>3433A</u> <input type="checkbox"/> Plot size for cover data: <u>0.1</u> (hectares) <input type="checkbox"/> X-axis Bearing of plot: <u>[65]</u> °	
TAXONOMIC ACCURACY		<input type="checkbox"/> Depth: (1-5): <u>4</u> <input type="checkbox"/> Intensive modules: 2, 3, 8, 9 <small>(EDIT IF MODIFIED)</small>	
Authority:	<u>G&C</u>	Photo Nos.:	<u>2 CQ-1861</u>
		Plot placement:	<input checked="" type="checkbox"/> CRTS <input type="checkbox"/> Representative
		<input type="checkbox"/> Random <input type="checkbox"/> Stratified Random <input type="checkbox"/> Transect component <input type="checkbox"/> Systematic (grid) <input type="checkbox"/> Capture specific feature <input type="checkbox"/> Other	
<small>* Definitions and values in CM PCAP FOM v. 1.0 and CVS Field Guide</small>			

Minimum required fields in Bold and Underlined



Ox Lane

Layout: 2x5

Location: Ox Lane to the North along the big curve and before the big hill. Plot is located near an intersection of the bridle trail and hiking trail. Plot runs along and into bridle trail.

Rationale: CRTS pt

Veg Char: Canopy: Tulip poplar, Red Maple, Beach Hemlock

Shrub: Beech, Hemlock, Sugar Maple

OVER

CLEVELAND METROPARKS Plant Community Assessment Program - Background Data Sheet

Project Label: PCAP

Project Name: DWNC2012

Plot No.: 3433

Page 2 of 2

Glacial and Marine

MODIFIED NATURE RESERVE CLASS*		DISTURBANCES						
CODE (on separate form): <u>D</u>		Fit= <u>Good</u>	Conf= <u>Low</u>	type*	severity**	yrs ago	% of plot	description
				Human	H	0	100	Trash Trail
				Natural				
				Fire				
				Cut				
				Animal	MH	0	100	Dear Brower
				Other				
COMMUNITY NAME: <u>Mixed</u> <u>because of top canopy dominants</u> <u>Although will eventually be Beach/Hemlock</u>								
HOMOGENEITY		<input checked="" type="checkbox"/> Homogeneous <input type="checkbox"/> Compositional trend across the plot <input type="checkbox"/> Conspicuous inclusions <input type="checkbox"/> Irregular/pattern mosaic						
HYDROLOGIC REGIME*		<input checked="" type="checkbox"/> Upland (seldom flooded) <input type="checkbox"/> Intermittently flooded <input type="checkbox"/> Intermittently/seasonally saturated <input type="checkbox"/> Semipermanently flooded <input type="checkbox"/> (seldom flooded) <input type="checkbox"/> Permanently flooded <input type="checkbox"/> Brackish <input type="checkbox"/> Tidal/Seiche flooded daily <input type="checkbox"/> Fresh <input type="checkbox"/> Tidal/Seiche flooded monthly <input checked="" type="checkbox"/> Upland (n/a) <input type="checkbox"/> Occasionally flooded (<1/yr) <input type="checkbox"/> Temporarily flooded <input type="checkbox"/> Tidal/Seiche flooded irregular <input type="checkbox"/> (e.g. wind, storms) <input type="checkbox"/> Unknown						
(by default unless plot is a wetland)								
<p>Additional notes & diagrams: (Representativeness of plot to the stand, successional status, maturity, etc.)</p> <p>Cut trees and branches (Hemlock and Beech) thrown into the plot</p> <p>Residuals 4 - 7 have sugar maples and lose the hemlock</p> <p>A bridge trail runs thru mds 6 and 7 and many new species were found in the residuals because of this. Red Maple and Tulip poplar dominant the top canopy w/ Beech and Hemlock in the subcanopy. There were few invasive plants despite this plot being in between a trail and a road. Browse was hard to gauge since the understory was depauperate but along the bridge trail there was a heavy amount of showed Asters.</p>								

Project Label: PCAP

Project name: DINC2012 Plot no.: 3433

Total modules: 10 Intensive modules: 4 Plot configuration: 2x5 Plot area (ha): 0.1



Cleveland Metroparks


Br = Browse Level. Use cover classes to describe amount of browse per species over entire plot

Strata - Cov. entire plot

T	S	H	(F)	(A)	Br	Species	Estimate for each intensive module:												
							mod	corner	mod	corner	mod	corner	mod	corner	mod	corner	mod	corner	
depth	cov	depth	cov	depth	cov	depth	cov	depth	cov	depth	cov	depth	cov	depth	cov	depth	cov	depth	
6	6					<i>Isuga canadensis</i>	3	8	4	3	2	8	4	8	2	9	4	9	2
6	7					<i>Fagus grandifolia</i>	1	0		1	0		1	0		1	0		R
8	2					<i>Liquidambar styracifolia</i>	10			1	0		1	0		1	0		
7						<i>Acer rubrum</i>	9			1	9		1	9		1	9		
2						<i>Arisaema triphyllum</i> var <i>trifolium</i>	4	5	4	4	8	4	4	8	4	3	7	4	
2						<i>Fraxinus sp. (seedling)</i>	3	8	4	2	8	4	4	7	4	4	8	4	
2						<i>Acer sp. (seedling)</i>	4	7	4	4	7	4	3	8	3	4	9	4	
2						<i>Viburnum acerifolium</i>	3	6	4	4	7	4	4	7	4	4	6		
2						<i>Euonymus europaeus</i> X SRE 547A	2	1	-	1	1	3	1	-	1	1			
2						<i>Lindera benzoin</i>	2	1	-	1	1	2	1	-	1	1			
2						<i>Caragana cordiformis</i>	2	1	-	1	1	2	1	-	1	1			
2						<i>Barberis thunbergii</i>	2	1	-	1	1	2	1	-	1	1			
2						<i>Maianthemum canadense</i>	2	1	-	1	1	2	1	-	1	1			
2						<i>Thelypteris noveboracensis</i>	2	1	-	1	1	2	1	-	1	1			
2						<i>Prunus serotina</i>	1	1	-	1	1	1	1	-	1	1			
3	2					<i>Carpinus caroliniana</i>	1	1	-	1	1	1	1	-	1	1			
2	2					<i>Ostrya virginiana</i>	1	1	-	1	1	1	1	-	1	1			
1						<i>Sassafras albidum</i>	1	2	-	1	1	2	1	-	1	1			
2	1					<i>Hamamelis virginiana</i>	1	1	-	1	1	2	1	-	1	1			
1	-					<i>Ferns sp.</i>	2	5	-	1	1	2	1	-	1	1			
2	2					<i>Fraxinus sp. (seedling)</i>	3	3	-	1	1	2	1	-	1	1			
1						<i>Salicace chesia</i>	2	5	-	1	1	2	1	-	1	1			
2						<i>Magnolia acuminata</i>	1	2	-	1	1	2	1	-	1	1			
2	6					<i>Acer saccharum</i>	1	4	-	1	3	1	3	-	1	3			


EXAMPLES OF PERCENT OF AREA COVERED

The following graphic can be used for various data elements to convey "Amount" or "Quality". NOTE: While any given box, each quadrat contains the same total area covered, just different sized objects.



cover class	% cover	midpoint
1	0-1%	0.0001
2	0-1%	0.005
3	1-2%	0.015
4	2-5%	0.035
5	5-10%	0.075
6	10-25%	0.175
7	25-50%	0.375
8	50-75%	0.625
9	75-95%	0.850
10	95-100%	0.975

Nested Corners



LOW OR NONE: there is no measurable browse line AND there are very few or no plants 1-m nested quadrat and intensive module. In general, low values relate to less than 10 percent, by numbers of stems browsed.

MEDIUM LOW values include evidence of browse at about 10 percent of the stems with no significant impact to plant reproduction evident. In this rating, plants are browsed but preferential species are observed to be reproducing in numbers that appear normal or near-normal in comparison to low browse areas. For example, trilliums may flower and fruit, but jewelweed and arrowwood viburnum exhibit browse.



MEDIUM: browse affects greater than 10 percent and less than 25 percent of stems in the 1 m² nested quadrat and intensive module. A browse line is usually not evident or obvious for all classes and species of vegetation, but careful examination may show preferential browse and/or browse lines for some species of plants.

MEDIUM HIGH values include evidence of a browse line and 25 percent of stems browsed with very little vegetation regeneration evident. In this rating, for some species of plants, reproduction does not appear to occur or it is very severely limited.


HIGH: greater than 25 percent of the stems of plants in the 1 m² nested quadrat and intensive module AND a browse line is evident.

VERY HIGH values include extensive browse conditions, where the browse line is very evident AND almost all seedlings and herbs are severely browsed or missing.

Browse line may be 5 to 6 feet in height with no or little green growth beneath.



Typical Plot:



KEY: ● Plot Origin Module Number ——— Intensive Corner

BROWSE RATING NARRATIVE DESCRIPTION

LOW OR NONE: there is no measurable browse line AND there are very few or no plants 1-m nested quadrat and intensive module. In general, low values relate to less than 10 percent, by numbers of stems browsed.

MEDIUM LOW values include evidence of browse at about 10 percent of the stems with no significant impact to plant reproduction evident. In this rating, plants are browsed but preferential species are observed to be reproducing in numbers that appear normal or near-normal in comparison to low browse areas. For example, trilliums may flower and fruit, but jewelweed and arrowwood viburnum exhibit browse.

MEDIUM: browse affects greater than 10 percent and less than 25 percent of stems in the 1 m² nested quadrat and intensive module. A browse line is usually not evident or obvious for all classes and species of vegetation, but careful examination may show preferential browse and/or browse lines for some species of plants.

MEDIUM HIGH values include evidence of a browse line and 25 percent of stems browsed with very little vegetation regeneration evident. In this rating, for some species of plants, reproduction does not appear to occur or it is very severely limited.

HIGH: greater than 25 percent of the stems of plants in the 1 m² nested quadrat and intensive module AND a browse line is evident.

VERY HIGH values include extensive browse conditions, where the browse line is very evident AND almost all seedlings and herbs are severely browsed or missing.

Browse line may be 5 to 6 feet in height with no or little green growth beneath.

CLEVELAND METROPARKS Plant Community Assessment Program Natural Woody Stem Data Sheet

Project Label: PCAPProject Name: QINCA 2012 Plot No.: 3433Page: 1 of 4


Cleveland Metroparks

Explain subsample (additional room on back):

mod #	species	c	voucher#	# stems 0-1.4m browsed	% sub shrub sample	# clumps	size class (cm) woody stems >1.4m										11 >40 (record each tree)
							1 0-1<1	2 1-2.5	3 2.5-5	4 5-10	5 10-15	6 15-20	7 20-25	8 25-30	9 30-35	10 35-40	
1	<i>Tsuga canadensis</i>						•	•	•	•	•	•	•	•	•	•	
1	<i>Ostrya virginiana</i>						•	•	•	•	•	•	•	•	•	•	
1	<i>Fagus grandifolia</i>			59.0, 60.9
1	<i>Liriodendron tulipifera</i>																
1	<i>Coronus florida</i>																
1	Standing Dead																
1	<i>Prunus serotina</i>																43.2 (Highly deteriorated)
2	<i>Fagus grandifolia</i>			•		•	•	•	•	•	•	•	•	•	•	•	
2	<i>Tsuga canadensis</i>			•		•	•	•	•	•	•	•	•	•	•	•	
2	<i>Liriodendron tulipifera</i>			•		•	•	•	•	•	•	•	•	•	•	•	67.6
2	Standing Dead																
2	<i>Acer rubrum</i>																43.9
2	<i>Euonymus</i> europaeus ^{sp.} atropurpureus ^{SHES47}			•		•											
2	<i>Acer saccharum</i>																
3	<i>Fagus grandifolia</i>					•	•	•	•	•	•	•	•	•	•	•	
3	<i>Liriodendron tulipifera</i>					•	•	•	•	•	•	•	•	•	•	•	43.0
3	<i>Tsuga canadensis</i>					•	•	•	•	•	•	•	•	•	•	•	
3	Standing Dead																
3	<i>Acer rubrum</i>			•													
3	<i>Berberis thunbergii</i>			•													
4	<i>Acer saccharum</i>			•		•	•	•	•	•	•	•	•	•	•	•	
4	<i>Fagus grandifolia</i>			•		•	•	•	•	•	•	•	•	•	•	•	
4	Standing Dead			•		•	•	•	•	•	•	•	•	•	•	•	
4	<i>Carpinus caroliniana</i>			•		•	•	•	•	•	•	•	•	•	•	•	

49.5 (Split trunk); DBH
at 20cm

DBH Measurement Rules



Woody Stem Deer Browse

Record the number of stems/plants between 0.5-1.0 meters tall that exhibit evidence of this years deer browse.

Record using the tally system from 1 to 10



1



2



3



4



5

ASH CANOPY CONDITION

1. **Healthy, full canopy:** A healthy ash canopy is normally thinner than many other trees such as maple.
2. **Thinning canopy:** There aren't as many leaves as there ought to be, but all top branches exposed to sunlight have leaves.
3. **Dieback:** Canopy is thinning and some top branches exposed to sunlight are dead (have no leaves). Lower branches, not exposed to sunlight, die naturally and are not considered.
4. **>50% Dieback:** The canopy has less than half of the leaves that should be there and/or half of the top branches are dead.
5. **Dead canopy:** No leaves remain in the canopy portion of the tree. It still counts as a 5 even if there are epicormic sprouts below the canopy (lowest branch) on the trunk.



A

B

C

D

E

ASH CANOPY BREAKUP CONDITION (for dead trees):

(if an ash receives a score of 5 (dead) under canopy condition it must also receive a breakup condition rank as described below)

- A: All main branches contain fine twigs (newly dead).
- B: Over 50% of main branches have fine twigs.
- C: Less than 50% of main branches have fine twigs.
- D: Stem still standing and tertiary main branches present.
- E: Central stem still standing.

CLEVELAND METROPARKS Plant Community Assessment Program Natural Woody Stem Data Sheet

Project Label: PCAP

Project Name: OINC 2012

Plot No.: 3433


Page: 2 of 4

Cleveland Metroparks

Explain subsample (additional room on back):

mod #	species	c	voucher#	# stems 0-1.4m browsed	% sub sample	# shrub clumps	size class (cm) woody stems >1.4m											11 >40 (record each tree)
							1	2	3	4	5	6	7	8	9	10		
4	<i>Tsuga canadensis</i>																	
4	<i>Liriodendron tulipifera</i>																	
4	<i>Cornus florida</i>																	
4	<i>Magnolia acuminata</i>																	
4	<i>Acer rubrum</i>																	
5	<i>Lindera benzoin</i>						xx											
5	<i>Acer saccharum</i>																	
5	<i>Carpinus caroliniana</i>																	
5	<i>Acer rubrum</i>																	
5	<i>Fagus grandifolia</i>																	
5	Standing Dead																	
5	<i>Fraxinus</i> sp.																	
5	<i>Prunus serotina</i>																	
5	<i>Euonymus europaeus</i>																	
6	<i>Acer rubrum</i>																	
6	<i>Fagus grandifolia</i>																	
6	<i>Acer saccharum</i>																	
6	Standing Dead																	
6	<i>Hamamelis virginiana</i>																	
6	<i>Lindera benzoin</i>																	
6	<i>Carpinus caroliniana</i>																	
6	<i>Lindera benzoin</i>																	
6	<i>Rosa multiflora</i>																	
6	<i>Euonymus</i> sp. europaeus																	


DBH Measurement Rules



Woody Stem Deer Browse

Record the number of stems/plants between 0.5-1.0 meters tall that exhibit evidence of this years deer browse.

Record using the tally system from 1 to 10



ASH CANOPY CONDITION

1. Healthy, full canopy: A healthy ash canopy is normally thinner than many other trees such as maple.
2. Thinning canopy: There aren't as many leaves as there ought to be, but all top branches exposed to sunlight have leaves.
3. Dieback: Canopy is thinning and some top branches exposed to sunlight are dead (have no leaves). Lower branches, not exposed to sunlight, die naturally and are not considered.
4. >50% Dieback: The canopy has less than half of the leaves that should be there and/or half of the top branches are dead.
5. Dead canopy: No leaves remain in the canopy portion of the tree. It still counts as a 5 even if there are epicormic sprouts below the canopy (lowest branch) on the trunk.



A



B



C



D



E

ASH CANOPY BREAKUP CONDITION (for dead trees):

(if an ash receives a score of 5 (dead) under canopy condition it must also receive a breakup condition rank as described below)

- A: All main branches contain fine twigs (newly dead).
- B: Over 50% of main branches have fine twigs.
- C: Less than 50% of main branches have fine twigs.
- D: Stem still standing and tertiary main branches present.
- E: Central stem still standing.

CLEVELAND METROPARKS Plant Community Assessment Program Natural Woody Stem Data Sheet

Project Label: PCAP

Project Name: DINC 2012

Plot No. 3433

Page: 3 of 4


© Cleveland Metroparks

Explain subsample (additional room on back):

mod #	species	c	voucher#	# stems 0-1.4m browsed	% sub super sample	# shrub clumps	size class (cm) woody stems >1.4m										11 >40 (record each line)
							1	2	3	4	5	6	7	8	9	10	
7	<i>Tsuga canadensis</i>						
7	<i>Carpinus caroliniana</i>						
7	<i>Fagus grandifolia</i>						
7	Standing dead						
7	<i>Acer saccharum</i>						
7	<i>Acer rubrum</i>						
7	<i>Liriodendron tulipifera</i>						
8	<i>Tsuga canadensis</i>						
8	<i>Acer saccharum</i>						
8	<i>Fagus grandifolia</i>						
8	<i>Liriodendron tulipifera</i>						
8	<i>Acer rubrum</i>						
8	<i>Carpinus caroliniana</i>						
8	<i>Ostrya virginiana</i>						
8	Standing dead						
9	<i>Acer rubrum</i>						
9	<i>Fagus grandifolia</i>						
9	<i>Tsuga canadensis</i>						
9	<i>Liriodendron tulipifera</i>						
9	<i>Acer saccharum</i>						
9	Standing dead						
10	<i>Tsuga canadensis</i>						69.9
10	<i>Liriodendron tulipifera</i>						70.0, 49.7
10	<i>Fagus grandifolia</i>						

see S-14-12

DBH Measurement Rules



Woody Stem Deer Browse

Record the number of stems/plants between 0.5-1.0 meters tall that exhibit evidence of this years deer browse.

Record using the tally system from 1 to 10



1



2



3



4



5

ASH CANOPY CONDITION

1. Healthy, full canopy: A healthy ash canopy is normally thinner than many other trees such as maple.
2. Thinning canopy: There aren't as many leaves as there ought to be, but all top branches exposed to sunlight have leaves.
3. Dieback: Canopy is thinning and some top branches exposed to sunlight are dead (have no leaves). Lower branches, not exposed to sunlight, die naturally and are not considered.
4. >50% Dieback: The canopy has less than half of the leaves that should be there and/or half of the top branches are dead.
5. Dead canopy: No leaves remain in the canopy portion of the tree. It still counts as a 5 even if there are epicormic sprouts below the canopy (lowest branch) on the trunk.



A

B

C

D

E

ASH CANOPY BREAKUP CONDITION (for dead trees):

(if an ash receives a score of 5 (dead) under canopy condition it must also receive a breakup condition rank as described below)

- A: All main branches contain fine twigs (newly dead).
- B: Over 50% of main branches have fine twigs.
- C: Less than 50% of main branches have fine twigs.
- D: Stem still standing and tertiary main branches present.
- E: Central stem still standing.

CLEVELAND METROPARKS Plant Community Assessment Program Natural Woody Stem Data Sheet

Project Label: PCAP

Project Name: Project Alpha


Plot No.: 3433

Page: 1 of 1

 Clemeland Metropolis

Explain subsample (additional room on back):

DBH Measurement Rules



Woody Stem Deer Browse

Record the number of stems/plants between 0.5-1.0 meters tall that exhibit evidence of this years deer browse.

Record using the tally system from 1 to 10



1



2



3



4



5

ASH CANOPY CONDITION

1. Healthy, full canopy: A healthy ash canopy is normally thinner than many other trees such as maple.
2. Thinning canopy: There aren't as many leaves as there ought to be, but all top branches exposed to sunlight have leaves.
3. Dieback: Canopy is thinning and some top branches exposed to sunlight are dead (have no leaves). Lower branches, not exposed to sunlight, die naturally and are not considered.
4. >50% Dieback: The canopy has less than half of the leaves that should be there and/or half of the top branches are dead.
5. Dead canopy: No leaves remain in the canopy portion of the tree. It still counts as a 5 even if there are epicormic sprouts below the canopy (lowest branch) on the trunk.



A

B

C

D

E



ASH CANOPY BREAKUP CONDITION (for dead trees):

(If an ash receives a score of 5 (dead) under canopy condition it must also receive a breakup condition rank as described below)

- A: All main branches contain fine twigs (newly dead).
- B: Over 50% of main branches have fine twigs.
- C: Less than 50% of main branches have fine twigs.
- D: Stem still standing and tertiary main branches present.
- E: Central stem still standing.

PERCENT MOTTLES (USE CLASS CODES):

Class	Code	Criteria: % of Surface Area Covered
Conv.	NASIS	
Few	f	< 2
Common	c	2 to < 20
Many	m	≥ 20



SOIL TEXTURE: Record the code for the soil texture of the 5 cm and 20 cm layers. To estimate texture, collect a soil sample from the appropriate layer and moisten it with water to the consistency of modeling clay/wet newspaper; the sample should be wet enough that all of the particles are saturated but excess water does not freely flow from the sample when squeezed. Attempt to roll the sample into a ball. If the soil will not stay in a ball and has a grainy texture, the texture is either sandy or coarse sandy. If the soil does form a ball, squeeze the sample between your fingers and attempt to form a self-supporting ribbon. Samples which form both a ball and a ribbon should be coded as clayey; samples which form a ball but not a ribbon should be coded as loamy.

0= Organic

1= Loamy

2= Clayey


3= Sandy

4= Coarse Sand


9= Not measured - make plot note

Geomorphic Component - Three-dimensional descriptors of parts of landforms or microfeatures that are best applied to areas. Unique descriptors are available for Hills, Terraces, Mountains, and Flat Plains; e.g., (for Hills) nose slope or NS.

Hills	Code	NASIS
PDP		
interfluve	IF	IF
head slope	HS	HS
nose slope	NS	NS
side slope	SS	SS
base slope	—	BS




(PJS, 1998; adapted from Rusk, 1975)



Hillslope - Profile Position (Hillslope Position in PDP) - Two-dimensional descriptors of parts of line segments (i.e., slope position) along a transect that runs up and down the slope: e.g., backslope or BS. This is best applied to transects or points, not areas.

Position	Code
summit	SU
shoulder	SH
backslope	BS
footslope	FS
toeslope	TS



HYDROLOGIC REGIME Modified from Grossman et al 1998. (Frequency and duration of flooding.)

UPLAND: Not a wetland. Very rarely flooded.

INTERMITTENTLY/SEASONALLY SATURATED: Dry at least once per year. Surface water is seldom present, but substrate is saturated to surface for extended periods during the growing season.

PERMANENTLY/SEMI-PERMANENTLY SATURATED: Dry less than once per year. Surface water is seldom present, but substrate is saturated to surface for extended periods during the growing season. Equivalent to Cowardin's Saturated modifier.

OCCASIONALLY FLOODED: Surface water can be present for brief periods during growing season, but not in most years. Often characterizes flood-plain upper terraces.

TEMPORARILY FLOODED: Surface water present for brief periods during growing season, but water table usually lies well below soil surface. Often characterizes flood-plain levees and lower terraces. Equivalent to Cowardin's Temporary modifier.

INTERMITTENTLY FLOODED: Substrate is usually exposed, but surface water can be present for variable periods without detectable seasonal periodicity. Inundation is not predictable to a given season and is dependent upon highly localized rain storms. This modifier was developed for use in the arid West for water regimes of Playa lakes, intermittent streams, and dry washes but can be used in other parts of the U.S. where appropriate. This modifier can be applied to both wetland and non-wetland situations. Equivalent to Cowardin's Intermittently Flooded modifier.

SEMI-PERMANENTLY FLOODED (exposed <1/year): Surface water persists throughout the growing season in most years. Land surface is normally saturated when water level drops below soil surface. Includes Cowardin's Intermittently Exposed and Semipermanently Flooded modifiers.

PERMANENTLY FLOODED: Water covers the land surface at all times of the year in all years. Equivalent to Cowardin's "permanently flooded".

UNKNOWN: The hydrologic regime cannot be determined from the available information.

COVER BY STRATA

STRATUM	GENERAL FORM
Tree (generally >5 m)	Tree (overstory), very tall shrubs*, liana, epiphyte)
Shrub (generally 0.5 to 5 m)	Tree (sapling), shrub, liana, epiphyte)
Herb (Field)	Herb, dwarf-shrub**, tree (seedling***)
Floating	Floating
Aquatic (submerged)	Submerged

*Very tall shrubs are sometimes included in the tree stratum
**Can also include seedlings of shrubs, i.e. all shrubs <0.5m
***Tree seedlings are often defined as up to 1.4 m height or as <2.5 cm DBH in which case they would span the herb and shrub layers.





FIGURE 3-20.—Generalized section of Upper Devonian, Mississippian, and Lower Pennsylvanian formations in northeastern Ohio. Asterisks indicate units that are fossiliferous. This composite section represents about 400 meters of rock exposed across the area. The section is not to scale, but the thicknesses indicated are proportional. The term "Waverly" is used in the older literature to refer to Mississippian rocks in Ohio. Some geologists use the European term "Carboniferous," which encompasses the Mississippian and Pennsylvanian Periods of the U.S. Many units have been named within the Cuyahoga Formation, but most units are local and cannot be traced over great distances. The Black Hand Member is a spectacular massive sandstone that is fairly widespread, but discontinuous. See Hyda (1953), Hoover (1960), and Collins (1979) for more information on Mississippian rocks in Ohio. See figure 3-18 for explanation of rock types.

CLEVELAND METROPARKS Plant Community Assessment Program: Invasive Species Survey



The logo for Cleveland Metroparks, featuring a stylized tree icon to the left of the text "Cleveland Metroparks".

Tier 1: Early detection/ Rapid response		Presence				GPS
		NE	SE	SW	NW	
<i>Microstegium vimineum</i>	Japanese stiltgrass					
<i>Ranunculus ficaria</i>	Lesser Celandine					
<i>Cynanchum louiseae</i> (vine)	Black Swallow-wort					
<i>Butomus umbellatus</i> (wetland)	Flowering Rush					
<i>Heracleum mantegazzianum</i>	Giant Hogweed					
Tier 2: Assess as Needed		# of Plants			comments	
		NE	SE	SW	NW	
<i>Acer platanoides</i>	Norway Maple					
<i>Ailanthus altissima</i>	Tree of Heaven					
<i>Lonicera japonica</i> (vine)	Japanese Honeysuckle					
<i>Lythrum salicaria</i> (wetland)	Purple Loosestrife					
<i>Aegopodium podagraria</i> (G-cover)	Bishop's Goutweed					
<i>Celastrus orbiculatus</i> (vine)	Asian Bittersweet					
<i>Torilis</i> sp.	Hedgeparsley					
<i>Conium maculatum</i>	Poison Hemlock					
<i>Rhamnus cathartica</i>	Common Buckthorn (shrub)					
<i>Berberis thunbergii</i>	Japanese Barberry (shrub)	1	2			
<i>Alnus glutinosa</i>	European Alder					
<i>Dipsacus laciniatus</i>	Cut-leaf Teasel					
<i>Elaeagnus umbellata</i>	Autumn Olive (shrub)					
<i>Lonicera maackii</i>	Amur Honeysuckle (shrub)					
<i>Euonymus fortunei</i>	Wintercreeper					
Tier 3: Presence is of Interest		# of Plants			comments	
		NE	SE	SW	NW	
<i>Convallaria majalis</i> (G-cover)	Lily of the Valley					
<i>Coronilla varia</i> (G-cover)	Crown Vetch					
<i>Eleutherococcus pentaphyllus</i>	Five-leaf Aralia (shrub)					
<i>Pachysandra terminalis</i> (G-cover)	Japanese Pachysandra					
<i>Philadelphus coronarius</i>	Mock Orange (shrub)					
<i>Pulmonaria officinalis</i> (G-cover)	Lungwort					
<i>Rubus phoenicolasius</i>	Wineberry					
<i>Iris pseudacorus</i> (wetland)	Yellow Flag Iris					
<i>Ornithogalum umbellatum</i>	Star of Bethlehem					
<i>Viburnum opulus</i> var. <i>opulus</i>	European Cranberry (shrub)					
<i>Viburnum plicatum</i>	Doublefile Viburnum (shrub)					
Tier 4: Widespread and abundant		Presence			comments	
		NE	SE	SW	NW	
<i>Alliaria petiolata</i>	Garlic Mustard	1				
<i>Ligustrum vulgare</i>	Common Privet (shrub)		1			
<i>L. morrowii</i> , <i>L. tatarica</i>	Bush Honeysuckles (shrub)			1		
<i>Phalaris arundinacea</i>	Reed Canarygrass					
<i>Phragmites australis</i> (wetland)	Phragmites					
<i>Polygonum cuspidatum</i>	Japanese Knotweed					
<i>Frangula alnus</i>	Glossy Buckthorn (shrub)					
<i>Rosa multiflora</i>	Multiflora Rose (shrub)	1	1			
<i>Typha angustifolia</i> , <i>T. x glauca</i>	Cattails (wetland)					
<i>Cirsium arvense</i>	Canada thistle					
<i>Dipsacus fullonum</i>	Common Teasel					
<i>Hesperis matronalis</i>	Dame's Rocket					
<i>Vinca minor</i> (G-cover)	Periwinkle					

Note: For Ground-cover plants record "stem #" but in comment field describe # of colonies and patch size (S, M, L)

CLEVELAND METROPARKS Emerald Ash Borer - *Fraxinus* Sheet

Project Label: PCAP

Project Name: ONC 2012

INTENSIVE MODULES ONLY TREES $\geq 10\text{CM}$ ONLY

Plot No.: 3433

Date: _____

Page: 1 of 2

Tree Module ID	Species	Dead c	Voucher #	DBH (cm)	HI @ DBH condition	ASH Only		
						'Dead condition	# Exit holes	Epicormic Woodpecker holes
1								
2	No Ash							
3								
4								
5								
6								
7								
8								
9								
10								
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23								
24								
25								

Baseline

*** Change intensive module numbers when necessary

N

9	8
2	
3	

Map all ash trees $\geq 10\text{cm}$ in each module using Tree ID number

- * If Ash Condition scores 5 (dead) provide breakup score (A-E)
- Count EAB exit holes $1.25\text{m}^2 \times 21.5\text{m}$
- Woodpecker and epicormic marked present (1) or absent (0)

FORM B-1: BUFFER SAMPLE PLOTS (Front)

Reviewed by (Initial): _____

Site ID:

PCAP NC3483

DATE: 07/17/2012

Location: O AA Center O N O S O E O W						Fill in bubble(s) if plot(s) could not be sampled and flag →					
						O Plot 1 O Plot 2 O Plot 3					

Buffer Natural Cover Strata

Fill in bubbles for all that apply: Canopy Type: D = Deciduous; E = Evergreen. Leaf Type: B = Broadleaf, N = Needle Leaf. Absent: No tree canopy.

Strata Section: Fill in appropriate cover class bubble for each strata type for each plot. 0 = Absent; 1 = Sparse(<10%); 2=Moderate(10-40%); 3 = Heavy (40-75%); 4 = Very Heavy (>75%)

Buffer Plot 1	Canopy Type: D E		Absent: O	Buffer Plot 2	Canopy Type: D E		Absent: O	Buffer Plot 3	Canopy Type: D E		Absent: O
	Leaf Type: B N	Flag			Leaf Type: B N	Flag			Leaf Type: B N	Flag	
Big Trees (>0.3m DBH)	0 1 2 3 4			Big Trees (>0.3m DBH)	0 1 2 3 4			Big Trees (>0.3m DBH)	0 1 2 3 4		
Small Trees (<0.3m DBH)	0 1 2 3 4			Small Trees (<0.3m DBH)	0 1 2 3 4			Small Trees (<0.3m DBH)	0 1 2 3 4		
Woody Shrubs, Saplings (0.5m-5m HIGH)	0 1 2 3 4			Woody Shrubs, Saplings (0.5m-5m HIGH)	0 1 2 3 4			Woody Shrubs, Saplings (0.5m-5m HIGH)	0 1 2 3 4		
Woody Shrubs, Saplings (<0.5m HIGH)	0 1 2 3 4			Woody Shrubs, Saplings (<0.5m HIGH)	0 1 2 3 4			Woody Shrubs, Saplings (<0.5m HIGH)	0 1 2 3 4		
Herbs, Forbs and Grasses	0 1 2 3 4			Herbs, Forbs and Grasses	0 1 2 3 4			Herbs, Forbs and Grasses	0 1 2 3 4		
Bare ground	0 1 2 3 4			Bare ground	0 1 2 3 4			Bare ground	0 1 2 3 4		
Litter, duff	0 1 2 3 4			Litter, duff	0 1 2 3 4			Litter, duff	0 1 2 3 4		
Rock	0 1 2 3 4			Rock	0 1 2 3 4			Rock	0 1 2 3 4		
Water	0 1 2 3 4			Water	0 1 2 3 4			Water	0 1 2 3 4		
Submerged Vegetation	0 1 2 3 4			Submerged Vegetation	0 1 2 3 4			Submerged Vegetation	0 1 2 3 4		

Stressor Presence/Absence - Confirm that a filled data bubble indicates presence and an unfilled bubble indicates absence by filling this bubble.

Residential and Urban Stressors				Hydrology Stressors				Agricultural & Rural Stressors							
Fill bubble if present - Plot	1	2	3	Flag	Fill bubble if present - Plot	1	2	3	Flag	Fill bubble if present - Plot	1	2	3	Flag	
Road - gravel	○ ○ ○				Ditches, Channelization	○ ○ ○				Pasture/Hay	○ ○ ○				
Road - two lane	○ ○ ○				Dike/Dam/Road/RR Bed (IMPEDE FLOW)	○ ○ ○				Range	○ ○ ○				
Road - four lane	○ ○ ○				Water Level Control Structure	○ ○ ○				Row Crops	○ ○ ○				
Parking Lot/Pavement	○ ○ ○				Excavation, Dredging	○ ○ ○				Fallow Field (RECENT-RESTING ROW CROP FIELD)	○ ○ ○				
Golf Course	○ ○ ○				Fill/Spoil Banks	○ ○ ○				Fallow Field (OLD - GRASS, SHRUBS, TREES)	○ ○ ○				
Lawn/Park	○ ○ ○				Freshly Deposited Sediment (UNVEGETATED)	○ ○ ○				Nursery	○ ○ ○				
Suburban Residential	○ ○ ○				Soil Loss/Root Exposure	○ ○ 2				Dairy	○ ○ ○				
Urban/Multifamily	○ ○ ○				Wall/Riprap	○ ○ ○				Orchard	○ ○ ○				
Landfill	○ ○ ○				Inlets, Outlets	○ ○ ○				Confined Animal Feeding	○ ○ ○				
Dumping	○ ○ ○				Point Source/Pipe (EFFLUENT OR STORMWATER)	○ ○ ○				Rural Residential	○ ○ ○				
Trash	○ ○ ○				Impervious surface input (SHEETFLOW)	○ ○ ○				Gravel Pit	○ ○ ○				
Other: _____	○ ○ ○				Other: _____	○ ○ ○				Irrigation	○ ○ ○				
Other: _____	○ ○ ○				Other: _____	○ ○ ○				Other: _____	○ ○ ○				

Industrial Development Stressors				Habitat/Vegetation Stressors											
Fill bubble if present - Plot	1	2	3	Flag	Fill bubble if present - Plot	1	2	3	Flag	Fill bubble if present - Plot	1	2	3	Flag	
Oil Drilling	○ ○ ○				Forest Clear Cut	○ ○ ○				Herbicide Use	○ ○ ○				
Gas Wells	○ ○ ○				Forest Selective Cut	○ ○ ○				Mowing/Shrub Cutting	○ ○ ○				
Mine (surface)	○ ○ ○				Tree Plantation	○ ○ ○				Trails	○ ○ ○	1			
Mine (underground)	○ ○ ○				Tree Canopy Herbivory (INSECT)	○ ○ ○				Soil Compaction (ANIMAL OR HUMAN)	○ ○ ○				
Military	○ ○ ○				Shrub Layer Browsed (WILD OR DOMESTIC)	○ ○ ○				Offroad vehicle damage	○ ○ ○				
Other: _____	○ ○ ○				Highly Grazed Grasses (OVERALL <3" HIGH)	○ ○ ○				Soil erosion (FROM WIND, WATER, OR OVERUSE)	○ ○ ○				
Other: _____	○ ○ ○				Recently Burned Forest Canopy	○ ○ ○				Other: _____	○ ○ ○				
Other: _____	○ ○ ○				Recently Burned Grassland (BLACKENED)	○ ○ ○				Other: _____	○ ○ ○				

Flag codes: K = No measurement made, U = Suspect measurement, F1,F2, etc. = misc. flags assigned by each field crew.
Explain all flags in comment section on the back of this form.

Buffer Sample Plots 05/27/2011

2428168304

FORM B-1: BUFFER SAMPLE PLOTS - TARGETED ALIEN SPECIES (Back)

Reviewed by (initial): _____

Site ID: PCAP NC 9 3433

DATE: 07 / 17 / 2012

• Confirm a filled data bubble indicates presence and an unfilled bubble indicates absence by filling in this bubble

Fill bubble if present - Plot	1	2	3	Flag	Fill bubble if present - Plot	1	2	3	Flag	Fill bubble if present - Plot	1	2	3	Flag
Eurasian Watermilfoil	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Purple Loosestrife	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Johnson Grass	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Water hyacinth	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Knotweed	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Kudzu	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Yellow Floating Heart	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Japanese Knotweed	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Multiflora Rose	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Giant Salvinia	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Perennial Pepperweed	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Common Buckthorn	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Garlic Mustard	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Giant Reed	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Himalayan Blackberry	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Poison Hemlock	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Cheatgrass	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Tamarisk	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Mile-A-Minute Weed	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Reed Canary Grass	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Other: _____	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Birdsfoot Trefoil	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Common Reed	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Other: _____	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Canada Thistle	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Leafy Spurge	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Other: _____	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	

PLOT COORDINATES

Provide GPS coordinates at the center of the Buffer Plot (#3) at the far end of each Buffer Transect and for the Buffer Plot at the AA CENTER. Indicate the location of the plot coordinates by filling in the appropriate bubble.

If Buffer Plot 3 can not be accessed, take the coordinates at the nearest practicable location ALONG THE TRANSECT. This is important because all Buffer Plots are centered on the Buffer Transects and the coordinates will indicate the location of the transect. Fill in the "nearest practicable location" bubble, fill in the flag box, and describe where the coordinates were taken and why in the comment section below. The coordinates of the nearest practicable location can be either placed as close to the center of Plot 3 as possible or at the center of the last accessible Buffer Plot.

Location of coordinates (choose one):

Flag

AA CENTER N3 S3 E3 W3 Nearest practicable location (flag and comment below)

Latitude North 41.56826 Longitude West 081.42397

Use Decimal Degrees: NAD83

Buffer Sample Points - Targeted Alien Species 05/27/2011

7966623548

FORM B-1: BUFFER SAMPLE PLOTS (Front)

Reviewed by (Initial): _____

Site ID: PLAP NC 3433DATE: 07/17/2012

Location:

 AA Center N S O E O W

Fill in bubble(s) if plot(s) could not be sampled and flag →

 Plot 1 Plot 2 Plot 3

Buffer Natural Cover Strata

Fill in bubbles for all that apply: Canopy Type: D = Deciduous; E = Evergreen. Leaf Type: B = Broadleaf, N = Needle Leaf. Absent: No tree canopy.

Strata Section: Fill in appropriate cover class bubble for each strata type for each plot. 0 = Absent; 1 = Sparse(<10%); 2 = Moderate(10-40%); 3 = Heavy (40-75%); 4 = Very Heavy (>75%)

Buffer Plot 1	Canopy Type: <input checked="" type="radio"/> D <input type="radio"/> E		Absent: <input type="radio"/>	Buffer Plot 2	Canopy Type: <input checked="" type="radio"/> D <input type="radio"/> E		Absent: <input type="radio"/>	Buffer Plot 3	Canopy Type: <input checked="" type="radio"/> D <input type="radio"/> E		Absent: <input type="radio"/>		
	Leaf Type: <input checked="" type="radio"/> B <input type="radio"/> N				Leaf Type: <input checked="" type="radio"/> B <input type="radio"/> N				Leaf Type: <input checked="" type="radio"/> B <input type="radio"/> N				
Big Trees (>0.3m DBH)	<input checked="" type="radio"/>	<input type="radio"/> 1	<input type="radio"/> 2	<input type="radio"/> 3	<input type="radio"/> 4			Big Trees (>0.3m DBH)	<input type="radio"/>	<input type="radio"/> 1	<input checked="" type="radio"/> 2	<input type="radio"/> 3	<input type="radio"/> 4
Small Trees (<0.3m DBH)	<input type="radio"/> D	<input type="radio"/> 1	<input type="radio"/> 2	<input checked="" type="radio"/> 3	<input type="radio"/> 4			Small Trees (<0.3m DBH)	<input type="radio"/>	<input type="radio"/> 1	<input type="radio"/> 2	<input checked="" type="radio"/> 3	<input type="radio"/> 4
Woody Shrubs, Saplings (0.5m-5m HIGH)	<input checked="" type="radio"/> D	<input type="radio"/> 1	<input type="radio"/> 2	<input type="radio"/> 3	<input type="radio"/> 4			Woody Shrubs, Saplings (0.5m-5m HIGH)	<input type="radio"/>	<input type="radio"/> 1	<input checked="" type="radio"/> 2	<input type="radio"/> 3	<input type="radio"/> 4
Woody Shrubs, Saplings (<0.5m HIGH)	<input checked="" type="radio"/> D	<input type="radio"/> 1	<input type="radio"/> 2	<input type="radio"/> 3	<input type="radio"/> 4			Woody Shrubs, Saplings (<0.5m HIGH)	<input type="radio"/>	<input checked="" type="radio"/> 1	<input type="radio"/> 2	<input type="radio"/> 3	<input type="radio"/> 4
Herbs, Forbs and Grasses	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/> B	<input type="radio"/> 3	<input type="radio"/> 4			Herbs, Forbs and Grasses	<input type="radio"/>	<input checked="" type="radio"/> 1	<input type="radio"/> 2	<input type="radio"/> 3	<input type="radio"/> 4
Bare ground	<input type="radio"/> D	<input checked="" type="radio"/> E	<input type="radio"/> 2	<input type="radio"/> 3	<input type="radio"/> 4			Bare ground	<input type="radio"/>	<input checked="" type="radio"/> 1	<input type="radio"/> 2	<input type="radio"/> 3	<input type="radio"/> 4
Litter, duff	<input type="radio"/> D	<input type="radio"/> 1	<input checked="" type="radio"/> B	<input type="radio"/> 3	<input type="radio"/> 4			Litter, duff	<input type="radio"/>	<input type="radio"/> 1	<input checked="" type="radio"/> 2	<input type="radio"/> 3	<input type="radio"/> 4
Rock	<input type="radio"/> D	<input type="radio"/> 1	<input checked="" type="radio"/> B	<input type="radio"/> 3	<input type="radio"/> 4			Rock	<input checked="" type="radio"/>	<input type="radio"/> 1	<input type="radio"/> 2	<input type="radio"/> 3	<input type="radio"/> 4
Water	<input checked="" type="radio"/> D	<input type="radio"/> 1	<input type="radio"/> 2	<input type="radio"/> 3	<input type="radio"/> 4			Water	<input checked="" type="radio"/>	<input type="radio"/> 1	<input type="radio"/> 2	<input type="radio"/> 3	<input type="radio"/> 4
Submerged Vegetation	<input checked="" type="radio"/> D	<input type="radio"/> 1	<input type="radio"/> 2	<input type="radio"/> 3	<input type="radio"/> 4			Submerged Vegetation	<input checked="" type="radio"/>	<input type="radio"/> 1	<input type="radio"/> 2	<input type="radio"/> 3	<input type="radio"/> 4

Stressor Presence/Absence - Confirm that a filled data bubble indicates presence and an unfilled bubble indicates absence by filling this bubble.

Residential and Urban Stressors				Hydrology Stressors				Agricultural & Rural Stressors						
Fill bubble if present - Plot	1	2	3	Flag	Fill bubble if present - Plot	1	2	3	Flag	Fill bubble if present - Plot	1	2	3	Flag
Road - gravel	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Ditches, Channelization	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>		Pasture/Hay	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Road - two lane	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/> I	Dike/Dam/Road/RR Bed (IMPEDE FLOW)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Range	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Road - four lane	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Water Level Control Structure	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Row Crops	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Parking Lot/Pavement	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Excavation, Dredging	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Fallow Field (RECENT-RESTING ROW CROP FIELD)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Golf Course	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Fill/Spoil Banks	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Fallow Field (OLD - GRASS, SHRUBS, TREES)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Lawn/Park	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Freshly Deposited Sediment (UNVEGETATED)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Nursery	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Suburban Residential	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Soil Loss/Root Exposure	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Dairy	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Urban/Multifamily	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Wall/Riprap	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Orchard	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Landfill	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Inlets, Outlets	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>		Confined Animal Feeding	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Dumping	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Point Source/Pipe (EFFLUENT OR STORMWATER)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Rural Residential	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Trash	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Impervious surface input (SHEETFLOW)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Gravel Pit	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Other: _____	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Other: _____	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Irrigation	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Other: _____	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Other: _____	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Other: _____	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	

Industrial Development Stressors				Habitat/Vegetation Stressors										
Fill bubble if present - Plot	1	2	3	Flag	Fill bubble if present - Plot	1	2	3	Flag	Fill bubble if present - Plot	1	2	3	Flag
Oil Drilling	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Forest Clear Cut	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Herbicide Use	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Gas Wells	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Forest Selective Cut	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Mowing/Shrub Cutting	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Mine (surface)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Tree Plantation	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Trails	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Mine (underground)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Tree Canopy Herbivory (INSECT)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Soil Compaction (ANIMAL OR HUMAN)	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Military	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Shrub Layer Browsed (WILD OR DOMESTIC)	<input type="radio"/>	<input checked="" type="radio"/>	<input checked="" type="radio"/>		Offroad vehicle damage	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Other: _____	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Highly Grazed Grasses (OVERALL \geq HIGH)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Soil erosion (FROM WIND, WATER, OR OVERUSE)	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Other: _____	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Recently Burned Forest Canopy	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Other: _____	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Other: _____	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Recently Burned Grassland (BLACKENED)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Other: _____	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	

Flag codes: K = No measurement made, U = Suspect measurement., F1,F2, etc. = misc. flags assigned by each field crew.

Explain all flags in comment section on the back of this form

2428168304

Primed

Rose
Barberry 6m

FORM B-1: BUFFER SAMPLE PLOTS - TARGETED ALIEN SPECIES (Back)

Reviewed by (initial):

Site ID: PCAP NC 3433

DATE: 07/17/2012

Confirm a filled data bubble indicates presence and an unfilled bubble indicates absence by filling in this bubble

Fill bubble if present - Plot	1	2	3	Flag	Fill bubble if present - Plot	1	2	3	Flag	Fill bubble if present - Plot	1	2	3	Flag
Eurasian Watermilfoil	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Purple Loosestrife	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Johnson Grass	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Water hyacinth	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Knotweed	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Kudzu	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Yellow Floating Heart	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Japanese Knotweed	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Multiflora Rose	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Giant Salvinia	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Perennial Pepperweed	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Common Buckthorn	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Garlic Mustard	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Giant Reed	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Himalayan Blackberry	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Poison Hemlock	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Cheatgrass	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Tamarisk	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Mile-A-Minute Weed	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Reed Canary Grass	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Other: _____	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Birdsfoot Trefoil	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Common Reed	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Other: _____	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Canada Thistle	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Leafy Spurge	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Other: _____	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
										Other: _____	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	

PLOT COORDINATES

Provide GPS coordinates at the center of the Buffer Plot (#3) at the far end of each Buffer Transect and for the Buffer Plot at the AA CENTER. Indicate the location of the plot coordinates by filling in the appropriate bubble.

If Buffer Plot 3 can not be accessed, take the coordinates at the nearest practicable location ALONG THE TRANSECT. This is important because all Buffer Plots are centered on the Buffer Transects and the coordinates will indicate the location of the transect. Fill in the "nearest practicable location" bubble, fill in the flag box, and describe where the coordinates were taken and why in the comment section below. The coordinates of the nearest practicable location can be either placed as close to the center of Plot 3 as possible or at the center of the last accessible Buffer Plot.

Location of coordinates (choose one):

Flag

AA CENTER N3 S3 E3 W3 Nearest practicable location (flag and comment below)

Latitude North 41.56753 Longitude West 081.42215

Use Decimal Degrees; NAD83

FORM B-1: BUFFER SAMPLE PLOTS (Front)

Reviewed by (Initial): _____

Site ID:

PCAP NC 3433

DATE: 07/17/2012

Location:

O AA Center O N O S O E O W

Fill in bubble(s) if plot(s) could not be sampled and flag →

O Plot 1 O Plot 2 O Plot 3

Buffer Natural Cover Strata

Fill in bubbles for all that apply: Canopy Type: D = Deciduous; E = Evergreen. Leaf Type: B = Broadleaf, N = Needle Leaf. Absent: No tree canopy.

Strata Section: Fill in appropriate cover class bubble for each strata type for each plot. 0 = Absent; 1 = Sparse(<10%); 2=Moderate(10-40%); 3 = Heavy (40-75%); 4 = Very Heavy (>75%)

Buffer Plot 1	Canopy Type:		Absent: <input type="radio"/>	Buffer Plot 2	Canopy Type:		Absent: <input type="radio"/>	Buffer Plot 3	Canopy Type:		Absent: <input type="radio"/>
	Leaf Type:				Leaf Type:				Leaf Type:		
Big Trees (>0.3m DBH)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Small Trees (<0.3m DBH)	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Woody Shrubs, Saplings (0.5m-5m HIGH)	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Woody Shrubs, Saplings (<0.5m HIGH)	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Herbs, Forbs and Grasses	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Bare ground	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Litter, duff	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Rock	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Water	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Submerged Vegetation	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

Stressor Presence/Absence - Confirm that a filled data bubble indicates presence and an unfilled bubble indicates absence by filling this bubble.

Residential and Urban Stressors				Hydrology Stressors					Agricultural & Rural Stressors					
Fill bubble if present - Plot	1	2	3	Flag	Fill bubble if present - Plot	1	2	3	Flag	Fill bubble if present - Plot	1	2	3	Flag
Road - gravel	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Ditches, Channelization	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Pasture/Hay	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Road - two lane	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Dike/Dam/Road/RR Bed (IMPEDE FLOW)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Range	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Road - four lane	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Water Level Control Structure	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Row Crops	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Parking Lot/Pavement	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Excavation, Dredging	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Fallow Field (RECENT-RESTING ROW CROP FIELD)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Golf Course	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Fill/Spoil Banks	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Fallow Field (OLD - GRASS, SHRUBS, TREES)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Lawn/Park	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Freshly Deposited Sediment (UNVEGETATED)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Nursery	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Suburban Residential	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Soil Loss/Root Exposure	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>		Dairy	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Urban/Multifamily	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Wall/Riprap	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Orchard	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Landfill	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Inlets, Outlets	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Confined Animal Feeding	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Dumping	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Point Source/Pipe (EFFLUENT OR STORMWATER)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Rural Residential	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Trash	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Impervious surface input (SHEETFLOW)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Gravel Pit	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Other: _____	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Other: _____	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Irrigation	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Other: _____	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Other: _____	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Other: _____	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	

Industrial Development Stressors				Habitat/Vegetation Stressors										
Fill bubble if present - Plot	1	2	3	Flag	Fill bubble if present - Plot	1	2	3	Flag	Fill bubble if present - Plot	1	2	3	Flag
Oil Drilling	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Forest Clear Cut	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Herbicide Use	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Gas Wells	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Forest Selective Cut	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Mowing/Shrub Cutting	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Mine (surface)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Tree Plantation	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Trails	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Mine (underground)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Tree Canopy Herbivory (INSECT)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Soil Compaction (ANIMAL OR HUMAN)	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Military	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Shrub Layer Browsed (WILD OR DOMESTIC)	<input checked="" type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>		Offroad vehicle damage	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Other: _____	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Highly Grazed Grasses (OVERALL \leftrightarrow HIGH)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Soil erosion (FROM WIND, WATER, OR OVERUSE)	<input checked="" type="radio"/>	<input checked="" type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>
Other: _____	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Recently Burned Forest Canopy	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Other: _____	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Other: _____	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Recently Burned Grassland (BLACKENED)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Other: _____	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	

Flag codes: K = No measurement made, U = Suspect measurement., F1,F2, etc. = misc. flags assigned by each field crew.
Explain all flags in comment section on the back of this form

2428168304

Buffer Sample Plots 05/27/2011

FORM B-1: BUFFER SAMPLE PLOTS - TARGETED ALIEN SPECIES (Back)

Reviewed by (Initials):

Site ID: PCAP NC 3433

DATE: 09 / 17 / 2013

Confirm a filled data bubble indicates presence and an unfilled bubble indicates absence by filling in this bubble

Fill bubble if present - Plot	1	2	3	Flag	Fill bubble if present - Plot	1	2	3	Flag	Fill bubble if present - Plot	1	2	3	Flag
Eurasian Watermilfoil	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Purple Loosestrife	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Johnson Grass	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Water hyacinth	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Knotweed	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Kudzu	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Yellow Floating Heart	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Japanese Knotweed	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Multiflora Rose	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Giant Salvinia	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Perennial Pepperweed	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Common Buckthorn	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Garlic Mustard	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Giant Reed	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Himalayan Blackberry	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Poison Hemlock	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Cheatgrass	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Tamarisk	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Mile-A-Minute Weed	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Reed Canary Grass	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Other: _____	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Birdsfoot Trefoil	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Common Reed	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Other: _____	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Canada Thistle	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Leafy Spurge	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Other: _____	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
										Other: _____	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	

PLOT COORDINATES

Provide GPS coordinates at the center of the Buffer Plot (#3) at the far end of each Buffer Transect and for the Buffer Plot at the AA CENTER. Indicate the location of the plot coordinates by filling in the appropriate bubble.

If Buffer Plot 3 can not be accessed, take the coordinates at the nearest practicable location ALONG THE TRANSECT. This is important because all Buffer Plots are centered on the Buffer Transects and the coordinates will indicate the location of the transect. Fill in the "nearest practicable location" bubble, fill in the flag box, and describe where the coordinates were taken and why in the comment section below. The coordinates of the nearest practicable location can be either placed as close to the center of Plot 3 as possible or at the center of the last accessible Buffer Plot.

Location of coordinates (choose one):

Flag

AA CENTER N3 S3 E3 W3 Nearest practicable location (flag and comment below)

Latitude North 41.56952 Longitude West 081.42184

Use Decimal Degrees: NAD83

FORM B-1: BUFFER SAMPLE PLOTS (Front)

Reviewed by (Initial): _____

Site ID:

Pcap NC 3433

DATE: 07/17/2012

Location: O AA Center O N O S O E O W	Fill in bubble(s) if plot(s) could not be sampled and flag →
	O Plot 1 O Plot 2 O Plot 3

Buffer Natural Cover Strata

Fill in bubbles for all that apply: Canopy Type: D = Deciduous; E = Evergreen. Leaf Type: B = Broadleaf, N = Needle Leaf. Absent: No tree canopy.

Strata Section: Fill in appropriate cover class bubble for each strata type for each plot. 0 = Absent; 1 = Sparse(<10%); 2=Moderate(10-40%); 3 = Heavy (40-75%); 4 = Very Heavy (>75%)

Buffer Plot 1	Canopy Type: D E		Absent: <input type="radio"/>	Buffer Plot 2	Canopy Type: D E		Absent: <input type="radio"/>	Buffer Plot 3	Canopy Type: D E		Absent: <input type="radio"/>		
	Leaf Type: B	N			Leaf Type: B	N			Leaf Type: B	N			
Big Trees (>0.3m DBH)	<input type="radio"/> D	<input type="radio"/> 1	<input type="radio"/> 2	<input type="radio"/> 3	<input checked="" type="radio"/> 4			Big Trees (>0.3m DBH)	<input type="radio"/> D	<input type="radio"/> 1	<input type="radio"/> 2	<input type="radio"/> 3	<input type="radio"/> 4
Small Trees (<0.3m DBH)	<input type="radio"/> D	<input checked="" type="radio"/> E	<input type="radio"/> 2	<input type="radio"/> 3	<input type="radio"/> 4			Small Trees (<0.3m DBH)	<input type="radio"/> D	<input type="radio"/> 1	<input type="radio"/> 2	<input checked="" type="radio"/> E	<input type="radio"/> 4
Woody Shrubs, Saplings (0.5m-5m HIGH)	<input type="radio"/> D	<input type="radio"/> 1	<input type="radio"/> 2	<input checked="" type="radio"/> B	<input type="radio"/> N	<input type="radio"/> 4		Woody Shrubs, Saplings (0.5m-5m HIGH)	<input type="radio"/> D	<input type="radio"/> 1	<input type="radio"/> 2	<input checked="" type="radio"/> B	<input type="radio"/> 3
Woody Shrubs, Saplings (<0.5m HIGH)	<input type="radio"/> D	<input checked="" type="radio"/> E	<input type="radio"/> 2	<input type="radio"/> 3	<input type="radio"/> 4			Woody Shrubs, Saplings (<0.5m HIGH)	<input checked="" type="radio"/> D	<input checked="" type="radio"/> E	<input type="radio"/> 2	<input type="radio"/> 3	<input type="radio"/> 4
Herbs, Forbs and Grasses	<input type="radio"/> D	<input checked="" type="radio"/> E	<input type="radio"/> 2	<input type="radio"/> 3	<input type="radio"/> 4			Herbs, Forbs and Grasses	<input type="radio"/> D	<input type="radio"/> 1	<input checked="" type="radio"/> B	<input type="radio"/> 3	<input type="radio"/> 4
Bare ground	<input type="radio"/> D	<input checked="" type="radio"/> E	<input type="radio"/> 2	<input type="radio"/> 3	<input type="radio"/> 4			Bare ground	<input type="radio"/> D	<input checked="" type="radio"/> E	<input type="radio"/> 2	<input type="radio"/> 3	<input type="radio"/> 4
Litter, duff	<input type="radio"/> D	<input type="radio"/> 1	<input type="radio"/> 2	<input type="radio"/> 3	<input checked="" type="radio"/> B			Litter, duff	<input type="radio"/> D	<input type="radio"/> 1	<input checked="" type="radio"/> B	<input type="radio"/> 3	<input type="radio"/> 4
Rock	<input checked="" type="radio"/> D	<input type="radio"/> 1	<input type="radio"/> 2	<input type="radio"/> 3	<input type="radio"/> 4			Rock	<input checked="" type="radio"/> D	<input type="radio"/> 1	<input type="radio"/> 2	<input type="radio"/> 3	<input type="radio"/> 4
Water	<input checked="" type="radio"/> D	<input type="radio"/> 1	<input type="radio"/> 2	<input type="radio"/> 3	<input type="radio"/> 4			Water	<input checked="" type="radio"/> D	<input type="radio"/> 1	<input type="radio"/> 2	<input type="radio"/> 3	<input type="radio"/> 4
Submerged Vegetation	<input checked="" type="radio"/> D	<input type="radio"/> 1	<input type="radio"/> 2	<input type="radio"/> 3	<input type="radio"/> 4			Submerged Vegetation	<input checked="" type="radio"/> D	<input type="radio"/> 1	<input type="radio"/> 2	<input type="radio"/> 3	<input type="radio"/> 4

Stressor Presence/Absence - Confirm that a filled data bubble indicates presence and an unfilled bubble indicates absence by filling this bubble.

Residential and Urban Stressors				Hydrology Stressors				Agricultural & Rural Stressors							
Fill bubble if present - Plot	1	2	3	Flag	Fill bubble if present - Plot	1	2	3	Flag	Fill bubble if present - Plot	1	2	3	Flag	
Road - gravel	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Ditches, Channelization	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Pasture/Hay	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		
Road - two lane	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Dike/Dam/Road/RR Bed (IMPEDE FLOW)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Range	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		
Road - four lane	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Water Level Control Structure	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Row Crops	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		
Parking Lot/Pavement	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Excavation, Dredging	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Fallow Field (RECENT-RESTING ROW CROP FIELD)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		
Golf Course	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Fill/Spoil Banks	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Fallow Field (OLD - GRASS, SHRUBS, TREES)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		
Lawn/Park	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Freshly Deposited Sediment (UNVEGETATED)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Nursery	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		
Suburban Residential	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Soil Loss/Root Exposure	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Dairy	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		
Urban/Multifamily	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Wall/Riprap	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Orchard	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		
Landfill	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Inlets, Outlets	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Confined Animal Feeding	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		
Dumping	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Point Source/Pipe (EFFLUENT OR STORMWATER)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Rural Residential	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		
Trash	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Impervious surface input (SHEETFLOW)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Gravel Pit	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		
Other: _____	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Other: _____	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Irrigation	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		
Other: _____	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Other: _____	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Other: _____	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		

Industrial Development Stressors				Habitat/Vegetation Stressors											
Fill bubble if present - Plot	1	2	3	Flag	Fill bubble if present - Plot	1	2	3	Flag	Fill bubble if present - Plot	1	2	3	Flag	
Oil Drilling	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Forest Clear Cut	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Herbicide Use	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		
Gas Wells	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Forest Selective Cut	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Mowing/Shrub Cutting	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		
Mine (surface)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Tree Plantation	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Trails	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	1	
Mine (underground)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Tree Canopy Herbivory (INSECT)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Soil Compaction (ANIMAL OR HUMAN)	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>		
Military	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Shrub Layer Browsed (WILD OR DOMESTIC)	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>		Offroad vehicle damage	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		
Other: _____	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Highly Grazed Grasses (OVERALL <3" HIGH)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Soil erosion (FROM WIND, WATER, OR OVERUSE)	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>		
Other: _____	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Recently Burned Forest Canopy	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Other: _____	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		
Other: _____	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Recently Burned Grassland (BLACKENED)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Other: _____	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		

Flag codes: K = No measurement made, U = Suspect measurement., F1,F2, etc. = misc. flags assigned by each field crew.
Explain all flags in comment section on the back of this form

Buffer Sample Plots 05/27/2011

2428168304

FORM B-1: BUFFER SAMPLE PLOTS - TARGETED ALIEN SPECIES (Back)

Reviewed by (initial): _____

Site ID: PCAP NC 3433

DATE: 07/17/2012

⌚ Confirm a filled data bubble indicates presence and an unfilled bubble indicates absence by filling in this bubble

Fill bubble if present - Plot	1	2	3	Flag	Fill bubble if present - Plot	1	2	3	Flag	Fill bubble if present - Plot	1	2	3	Flag
Eurasian Watermilfoil	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Purple Loosestrife	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Johnson Grass	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Water hyacinth	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Knotweed	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Kudzu	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Yellow Floating Heart	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Japanese Knotweed	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Multiflora Rose	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Giant Salvinia	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Perennial Pepperweed	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Common Buckthorn	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Garlic Mustard	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Giant Reed	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Himalayan Blackberry	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Poison Hemlock	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Cheatgrass	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Tamarisk	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Mile-A-Minute Weed	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Reed Canary Grass	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Other: _____	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Birdsfoot Trefoil	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Common Reed	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Other: _____	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Canada Thistle	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Leafy Spurge	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Other: _____	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
										Other: _____	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	

PLOT COORDINATES

Provide GPS coordinates at the center of the Buffer Plot (#3) at the far end of each Buffer Transect and for the Buffer Plot at the AA CENTER. Indicate the location of the plot coordinates by filling in the appropriate bubble.

If Buffer Plot 3 can not be accessed, take the coordinates at the nearest practicable location ALONG THE TRANSECT. This is important because all Buffer Plots are centered on the Buffer Transects and the coordinates will indicate the location of the transect. Fill in the "nearest practicable location" bubble, fill in the flag box, and describe where the coordinates were taken and why in the comment section below. The coordinates of the nearest practicable location can be either placed as close to the center of Plot 3 as possible or at the center of the last accessible Buffer Plot.

Location of coordinates (choose one):

Flag

AA CENTER N3 S3 E3 W3 Nearest practicable location (flag and comment below)

Latitude North 41.56897 Longitude West 081.42134

Use Decimal Degrees: NAD83

Buffer Sample Points - Targeted Alien Species 05/27/2011

7966623548

FORM B-1: BUFFER SAMPLE PLOTS (Front)

Reviewed by (Initial): _____

Site ID: PCAP NC 3433

DATE: 07/17/2012

Location:

Fill in bubble(s) if plot(s) could not be sampled and flag →

AA Center ON OS OE OW

Plot 1 Plot 2 Plot 3

Buffer Natural Cover Strata

Fill in bubbles for all that apply: Canopy Type: D = Deciduous; E = Evergreen. Leaf Type: B = Broadleaf, N = Needle Leaf. Absent: No tree canopy.

Strata Section: Fill in appropriate cover class bubble for each strata type for each plot. 0 = Absent; 1 = Sparse(<10%); 2=Moderate(10-40%); 3 = Heavy (40-75%); 4 = Very Heavy (>75%)

Buffer Plot 1	Canopy Type: D E		Absent: <input type="radio"/>	Buffer Plot 2	Canopy Type: D E		Absent: <input type="radio"/>	Buffer Plot 3	Canopy Type: D E		Absent: <input type="radio"/>
	Leaf Type: B	Leaf Type: N			Leaf Type: B	Leaf Type: N			Leaf Type: B	Leaf Type: N	
Big Trees (>0.3m DBH)	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Big Trees (>0.3m DBH)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Small Trees (<0.3m DBH)	<input checked="" type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Small Trees (<0.3m DBH)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Woody Shrubs, Saplings (0.5m-5m HIGH)	<input checked="" type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Woody Shrubs, Saplings (0.5m-5m HIGH)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Woody Shrubs, Saplings (<0.5m HIGH)	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Woody Shrubs, Saplings (<0.5m HIGH)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Herbs, Forbs and Grasses	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Herbs, Forbs and Grasses	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Herbs, Forbs and Grasses	<input type="radio"/>	<input type="radio"/>
Bare ground	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Bare ground	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Bare ground	<input type="radio"/>	<input type="radio"/>
Litter, duff	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>	Litter, duff	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Litter, duff	<input type="radio"/>	<input type="radio"/>
Rock	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Rock	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Rock	<input type="radio"/>	<input type="radio"/>
Water	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Water	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Water	<input type="radio"/>	<input type="radio"/>
Submerged Vegetation	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Submerged Vegetation	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Submerged Vegetation	<input type="radio"/>	<input type="radio"/>

Stressor Presence/Absence - Confirm that a filled data bubble indicates presence and an unfilled bubble indicates absence by filling this bubble.

Residential and Urban Stressors				Hydrology Stressors				Agricultural & Rural Stressors							
Fill bubble if present - Plot	1	2	3	Flag	Fill bubble if present - Plot	1	2	3	Flag	Fill bubble if present - Plot	1	2	3	Flag	
Road - gravel	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Ditches, Channelization	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Pasture/Hay	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		
Road - two lane	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Dike/Dam/Road/RR Bed (IMPEDE FLOW)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Range	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		
Road - four lane	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Water Level Control Structure	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Row Crops	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		
Parking Lot/Pavement	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Excavation, Dredging	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Fallow Field (RECENT-RESTING ROW CROP FIELD)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		
Golf Course	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Fill/Spoil Banks	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Fallow Field (OLD - GRASS, SHRUBS, TREES)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		
Lawn/Park	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Freshly Deposited Sediment (UNVEGETATED)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Nursery	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		
Suburban Residential	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Soil Loss/Root Exposure	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Dairy	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		
Urban/Multifamily	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Wall/Riprap	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Orchard	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		
Landfill	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Inlets, Outlets	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Confined Animal Feeding	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		
Dumping	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Point Source/Pipe (EFFLUENT OR STORMWATER)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Rural Residential	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		
Trash	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Impervious surface input (SHEETFLOW)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Gravel Pit	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		
Other: _____	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Other: _____	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Irrigation	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		
Other: _____	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Other: _____	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Other: _____	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		

Industrial Development Stressors				Habitat/Vegetation Stressors											
Fill bubble if present - Plot	1	2	3	Flag	Fill bubble if present - Plot	1	2	3	Flag	Fill bubble if present - Plot	1	2	3	Flag	
Oil Drilling	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Forest Clear Cut	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Herbicide Use	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		
Gas Wells	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Forest Selective Cut	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Mowing/Shrub Cutting	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		
Mine (surface)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Tree Plantation	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Trails	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		
Mine (underground)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Tree Canopy Herbivory (INSECT)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Soil Compaction (ANIMAL OR HUMAN)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		
Military	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Shrub Layer Browsed (WILD OR DOMESTIC)	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>		Offroad vehicle damage	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		
Other: _____	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Highly Grazed Grasses (OVERALL <3 HIGH)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Soil erosion (FROM WIND, WATER, OR OVERUSE)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		
Other: _____	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Recently Burned Forest Canopy	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Other: _____	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		
Other: _____	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Recently Burned Grassland (BLACKENED)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Other: _____	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		

Flag codes: K = No measurement made, U = Suspect measurement., F1,F2, etc. = misc. flags assigned by each field crew.

Explain all flags in comment section on the back of this form

2428168304

FORM B-1: BUFFER SAMPLE PLOTS - TARGETED ALIEN SPECIES (Back)

Reviewed by (initial): _____

Site ID: PCNP NC 3433

DATE: 07 / 17 / 2012

Confirm a filled data bubble indicates presence and an unfilled bubble indicates absence by filling in this bubble

Fill bubble if present - Plot	1	2	3	Flag	Fill bubble if present - Plot	1	2	3	Flag	Fill bubble if present - Plot	1	2	3	Flag
Eurasian Watermilfoil	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Purple Loosestrife	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Johnson Grass	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Water hyacinth	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Knotweed	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Kudzu	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Yellow Floating Heart	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Japanese Knotweed	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Multiflora Rose	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Giant Salvinia	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Perennial Pepperweed	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Common Buckthorn	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Garlic Mustard	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Giant Reed	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Himalayan Blackberry	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Poison Hemlock	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Cheatgrass	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Tamarisk	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Mile-A-Minute Weed	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Reed Canary Grass	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Other: _____	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Birdsfoot Trefoil	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Common Reed	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Other: _____	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Canada Thistle	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Leafy Spurge	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Other: _____	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
										Other: _____	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	

PLOT COORDINATES

Provide GPS coordinates at the center of the Buffer Plot (#3) at the far end of each Buffer Transect and for the Buffer Plot at the AA CENTER. Indicate the location of the plot coordinates by filling in the appropriate bubble.

If Buffer Plot 3 can not be accessed, take the coordinates at the nearest practicable location ALONG THE TRANSECT. This is important because all Buffer Plots are centered on the Buffer Transects and the coordinates will indicate the location of the transect. Fill in the "nearest practicable location" bubble, fill in the flag box, and describe where the coordinates were taken and why in the comment section below. The coordinates of the nearest practicable location can be either placed as close to the center of Plot 3 as possible or at the center of the last accessible Buffer Plot.

Location of coordinates (choose one):

Flag

AA CENTER N3 S3 E3 W3 Nearest practicable location (flag and comment below)

Latitude North 41°56'8" N

Longitude West 081.42265

Use Decimal Degrees: NAD83