

CLEVELAND METROPARKS Plant Community Assessment Program: Quality Control Form



Project Label:

PCAP

Plot No: 1363

Date Sampled: 07/24/13

Lead: SJC

		Comment required if item answer is NO	
		If yes, write details in Comments section below	
Parking/Access outside of Park Boundaries:		Y <input checked="" type="radio"/>	N <input type="radio"/>
Field journals completed		Y <input checked="" type="radio"/>	N <input type="radio"/>
Site sketch made on 1:3000 map?		Y <input checked="" type="radio"/>	N <input type="radio"/>
Check cover page	X-axis Bearing of plot recorded	Y <input checked="" type="radio"/>	N <input type="radio"/>
	GPS coords Recorded	Y <input checked="" type="radio"/>	N <input type="radio"/>
	North direction recorded	Y <input checked="" type="radio"/>	N <input type="radio"/>
	Photographs taken?	Y <input checked="" type="radio"/>	N <input type="radio"/>
Plot No., Date agreement on all pages?		Y <input checked="" type="radio"/>	N <input type="radio"/>
Header data completed all pages?		Y <input checked="" type="radio"/>	N <input type="radio"/>
Cover classes recorded in all Intensive modules		Y <input checked="" type="radio"/>	N <input type="radio"/>
Browse Level By Species		Y <input checked="" type="radio"/>	N <input type="radio"/>
Woody stem quality control check		Y <input checked="" type="radio"/>	N <input type="radio"/>
Invasive plant quality control check		Y <input checked="" type="radio"/>	N <input type="radio"/>
Ash trees mapped		Y <input checked="" type="radio"/>	N <input type="radio"/>
Cover by Strata? (confirm cover type)		Y <input checked="" type="radio"/>	N <input type="radio"/>
Soil samples collected with matching plot #.		Y <input checked="" type="radio"/>	N <input type="radio"/>
Vouchers labeled on datasheet with initials and number		Y <input checked="" type="radio"/>	N <input type="radio"/>
Vouchers labeled on collection bag		Y <input checked="" type="radio"/>	N <input type="radio"/>
Pink flags removed		Y <input checked="" type="radio"/>	N <input type="radio"/>
Data sheet QA before leaving site?		Y <input checked="" type="radio"/>	N <input type="radio"/>
Common equipment returned to tub.		Y <input checked="" type="radio"/>	N <input type="radio"/>
Data sheets scanned?		8/2/13	Enter date to left BB
Final data sheets scanned?			Enter date to left
Buffer Widths measured?		Y <input checked="" type="radio"/>	N <input type="radio"/>
Web Soil Survey		Y <input checked="" type="radio"/>	N <input type="radio"/>
Voucher Location (# vouchers collected) SJC-131 148	Refrigerator	Y <input type="radio"/>	N <input type="radio"/>
	Press (#)	Enter number to left	
	Drier	Y <input type="radio"/>	N <input type="radio"/>
	Identified	Y <input type="radio"/>	N <input type="radio"/>
	Mounted	Y <input type="radio"/>	N <input type="radio"/>
	Thrown away	Y <input type="radio"/>	N <input type="radio"/>

GRTS point verification: Is plot sampleable?

<input checked="" type="checkbox"/> Yes	Original GRTS point is sampleable
<input type="checkbox"/> No	Original GRTS point lands in a non-sampleable area (fill in category below)
<input type="checkbox"/> Point falls in a water (i.e. river, lake)	
<input type="checkbox"/> Managed mowed area (i.e. golf course, picnic area, right-of-way)	
<input type="checkbox"/> Paved area (i.e. parkinglot, road)	
<input type="checkbox"/> Unsafe to sample (i.e. steep slope)	
<input type="checkbox"/> Other	

Additional Comments:



CLEVELAND METROPARKS Plant Community Assessment Program - Background Data Sheet

GENERAL INFORMATION		LOCATION	
Project Label:	PCAP	Summit 1-40 RS	
Project Name:	01/26/2013		
Plot Name:	Devil's Toilet		
Plot No.:	1363		
End date (if > 1 day):	/ /		
Party:	S. Catella		
Role**:	Plot leader		
R. Eagle	Assist		
R. Ballard	Woody		
A. Bonkowski	Woody		
** Roles: Co-leader, Ass. Guide, Owner, Taxonomist, etc.			
PLOT NOT SAMPLED:			
□ Other			
□ Perm. water			
□ Paved			
□ Slope			
□ Safety			
SAMPLING QUALITY*			
Effort Level:			
Very thorough			
Accurate			
Hurried			
Data			
TAXONOMIC ACCURACY			
high	modera.	low	not samp!
vascular	X	n/a	n/a
bryo	X	X	X
lichen	X	X	X
TAXONOMIC STANDARD			
Authority: G&C			
Pub Date: 1998			
Minimum required fields in Bold and Underlined			

Diagram showing a plot layout with a grid of squares. A point is marked with a circle and labeled 'GPS location'. A key indicates symbols for plot origin, point, photo taken, and location of permanent posts.

NOTES: Include Layout (any unusual shape details), Location (directions and landscape content), Rationale (why here), and Veg Characterization (description of community, dominants, strata, BROWSE). Additional notes in space on back.

Location: Park at 12470 along ~~Red~~ Valley View Rd, knock on door to ask permission

Plot is ~ 100 down the hill behind the house.

Latitude: 41.34706

Longitude: 81.59277

Coord. Accuracy: □ m □ ft 100 i. +-

Rationale: GRTS

Veg. Char.: Canopy - Entire plot was dominated by black maple. Some *Quercus rubra*, *velutina* and *duglans nigra* shaded in.

Shrub - Dominated by Spicelbush and *Lonicera maackii*, and some *Berberis*. Elms one & two.

Herb - Heavy in mod and in the light gap with typical *satellite* wetter species: *verbascum*, *polygamum* esp. the plot like *Coreopsis*, various ferns, and *komarovii*.

*Definitions and values in CM PCAP FOM v. 1.0 and CVS Field Guide

CLEVELAND METROPARKS Plant Community Assessment Program - Background Data Sheet

Project Label: PCAP Plot No.: 1363

Project Name: 01Br_2013

Page 2 of 2

MODIFIED NATURE RESERVE CLASS*

CODE (on separate form): 601

COMMUNITY NAME: Mesic Floodplain

*Mixed? Mesophytic
Wet land...
upland...*

HOMOGENEITY

- Homogeneous
- Conspicuous inclusions
- Compositional trend across the plot
- Irregular/pattern mosaic

HYDROLOGIC REGIME*

- Upland (seldom flooded)
- Intermittently/seasonally saturated (seldom flooded)
- Permanently/Semipermanent, saturated (dry <1/yr, seldom flooded)
- Occasionally flooded (<1/yr)
- Temporarily flooded
- Intermittently flooded
- Semipermanently flooded
- Permanently flooded
- Tidal/Seiche flooded daily
- Tidal/Seiche flooded monthly
- Tidal/Seiche flooded irregular (e.g. wind, storms)
- Unknown

(by default unless plot is a wetland)

Additional notes & diagrams: (Representativeness of plot to the stand, successional status, maturity, etc.)
 GRTS point fell in a light gap from where two big trees had fallen recently. Ran a 1x5 along the slope so that the gap covered half of mod 1. The canopy was similar throughout the plot - black maple and the oaks/red maple shading in. Deer browse was extensive on spicelbush and honey suckle. Deer trail petered out 1/2 way through. Community designation is difficult because it looks like a floodplain but its high up on a slope. Invasives were extremely heavy north and west of the plot.

MODIFIED NATURE RESERVE CLASS*	Project Label:	PCAP	DISTURBANCES				
			type*	severity**	yr ago	% of plot	description
Human							
Natural							
Fire							
Cut							
Animal	<u>MINT</u>	<u>0</u>	<u>100</u>	<u>deer browse, trail</u>			
Other							


**L=low, ML=med low, M=med, MH=med high, H=high, VH=very high

Current Land Use: CMP

Former Land Use: UNK

EXAMPLES OF PERCENT OF AREA COVERED

The following graphic can be used for various data elements to convey "Amount of Quantity". NOTE: Within any given box, each quadrant contains the same total area covered, just different sized objects.



BROWSE RATING NARRATIVE DESCRIPTION

LOW OR NONE: there is no measurable browse line AND there are very few or no plants 1-m nested quadrat

and intensive module. In general, low values relate to less than 10 percent, by numbers of stems browsed.

MEDIUM LOW values include evidence of browse at about 10 percent of the stems with no significant impact to plant reproduction evident. In this rating, plants are browsed but preferential species are observed to be reproducing in numbers that appear normal or near-normal in comparison to low browse areas. For example, trilliums may flower and fruit, but jewelweed and arrowwood viburnum exhibit browse.

MEDIUM: browse affects greater than 10 percent and less than 25 percent of stems in the 1 m² nested quadrat and intensive module. A browse line is usually not evident or obvious for all classes and species of vegetation, but careful examination may show preferential browse and/or browse lines for some species of plants.


MEDIUM HIGH values include evidence of a browse line and 25 percent of stems browsed with very little vegetation regeneration evident. In this rating, for some species of plants, reproduction does not appear to occur or it is very severely limited.

HIGH: greater than 25 percent of the stems of plants in the 1 m² nested quadrat and intensive module AND a browse line is evident.

VERY HIGH values include extensive browse conditions, where the browse line is very evident AND almost all seedlings and herbs are severely browsed or missing.

Browse line may be 5 to 6 feet in height with no or little green growth beneath.


cover class	% cover	midpoint
1	solitary or few	0.001
2	0-1%	0.005
3	1-2%	0.015
4	2-5%	0.035
5	5-10%	0.075
6	10-25%	0.175
7	25-50%	0.375
8	50-75%	0.625
9	75-95%	0.850
10	95-100%	0.975





EXAMPLES OF PERCENT OF AREA COVERED

The following graphic can be used for various data elements to compare "Amount" or "Quantity". **NOTE:** Within any grid box, each quadrant contains the same total area covered, just different sized objects.



BROWSE RATING NARRATIVE DESCRIPTION

LOW OR NONE: there is no measurable browse line AND there are very few or no plants 1-m nested quadrat

and intensive module. In general, low values relate to less than 10 percent, by numbers, of stems browsed.

MEDIUM LOW values include evidence of browse at about 10 percent of the stems with no significant impact to plant reproduction evident. In this rating, plants are browsed but preferential species are observed to be reproducing in numbers that appear normal or near-normal in comparison to low browse areas. For example, trilliums may flower and fruit, but jewelweed and arrowwood viburnum exhibit browse.




MEDIUM: browse affects greater than 10 percent and less than 25 percent of stems in the 1 m² nested quadrat and intensive module. A browse line is usually not evident or obvious for all classes and species of vegetation, but careful examination may show preferential browse and/or browse lines for some species of plants.

MEDIUM HIGH values include evidence of a browse line and 25 percent of stems browsed with very little vegetation regeneration evident. In this rating, for some species of plants, reproduction does not appear to occur or it is very severely limited.

HIGH: greater than 25 percent of the stems of plants in the 1 m² nested quadrat and intensive module AND a browse line is evident. **VERY HIGH** values include extensive browse conditions, where the browse line is very evident AND almost all seedlings and herbs are severely browsed or missing. Browse line may be 5 to 6 feet in height with no or little green growth beneath.

cover class	% cover	midpoint
1	solitary or few	0.0001
2	0-1%	0.005
3	1-2%	0.015
4	2-5%	0.035
5	5-10%	0.075
6	10-25%	0.175
7	25-50%	0.375
8	50-75%	0.625
9	75-95%	0.850
10	95-100%	0.975

Nested Corners



CLEVELAND METROPARKS Plant Community Assessment Program Species Cover Data Sheet 2a

Project Label: PCAP

Project name: 01B5 2013

Page 3 of 4

Total modules: 5

5

Intensive modules: 4 Plot configuration: 1x5

Plot area (ha): .05



Cleveland Metroparks

Br = Browse Level. Use cover classes to describe amount of browse per species over entire plot

Strata - Cov. entire plot

T S H (F)(A) Br Species

Estimate for each intensive module:

mod corner mod corner

mod

corner

mod

corner

mod

corner

mod

corner

mod

corner

mod

corner

mod

corner

mod

corner

mod

corner

mod

corner

mod

corner

mod

corner

mod

corner

mod

corner

mod

corner

mod

corner

mod

corner

mod

corner

mod

corner

mod

corner

mod

corner

mod

corner

mod

corner

mod

corner

mod

corner

mod

corner

mod

corner

mod

corner

mod

corner

mod

corner

mod

corner

mod

corner

mod

corner

mod

corner

mod

corner

mod

corner

mod

corner

mod

corner

mod

corner

mod

corner

mod

corner

mod

corner

mod

corner

mod

corner

mod

corner

mod

corner

mod

corner

mod

corner

mod

corner

mod

corner

mod

corner

mod

corner

mod

corner

mod

corner

mod

corner

mod

corner

mod

corner

mod

corner

mod

corner

mod

corner

mod

corner

mod

corner

mod

corner

mod

corner

mod

corner

mod

corner

mod

corner

mod

corner

mod

corner

mod

corner

mod

corner

mod

corner

mod

corner

mod

corner

mod

corner

mod

corner

mod

corner

mod

corner

mod

corner

mod

corner

mod

corner

mod

corner

mod

corner

mod

corner

mod

corner

mod

corner

mod

corner

mod

corner

mod

corner

mod

corner

mod

corner

mod

corner

mod

corner

mod

corner

mod

corner

mod

corner

mod

corner

mod

corner

mod

corner

mod

corner

mod

corner

mod

corner

mod

corner

mod

corner

mod

corner

mod

corner

mod

corner

mod

corner

mod

corner

mod

corner

mod

corner

mod

corner

mod

corner

mod

corner

mod

corner

mod

corner

mod

corner

mod

corner

mod

corner

mod

corner

mod

corner

mod

corner

mod

corner

mod

corner

mod

corner

mod

corner

mod

corner

mod

corner

mod

corner

mod

corner

mod

corner

mod

corner

mod

corner

mod

corner

mod

corner

mod

corner

mod

corner

mod

corner

mod

corner

mod

corner


mod

corner

mod

EXAMPLES OF PERCENT OF AREA COVERED

The following graphic can be used for various data elements to convey "Amount" or "Quantity". **NOTE:** Within any given box each quadrant contains the same total area covered, just different sized objects.



BROWSE RATING NARRATIVE DESCRIPTION

LOW OR NONE: there is no measurable browse line AND there are very few or no plants 1-m nested quadrat

and intensive module. In general, low values relate to less than 10 percent, by numbers of stems browsed.

MEDIUM LOW values include evidence of browse at about 10 percent of the stems with no significant impact to plant reproduction evident. In this rating, plants are browsed but preferential species are observed to be reproducing in numbers that appear normal or near-normal in comparison to low browse areas. For example, trilliums may flower and fruit, but jewelweed

and arrowwood viburnum exhibit browse.


MEDIUM: browse affects greater than 10 percent and less than 25 percent of stems in the 1 m² nested quadrat and intensive module. A browse line is usually not evident or obvious for all classes and species of vegetation, but careful examination may show preferential browse and/or browse lines for some species of plants.

MEDIUM HIGH values include evidence of a browse line and 25 percent of stems browsed with very little vegetation regeneration evident. In this rating, for some species of plants, reproduction does not appear to occur or it is very severely limited.


HIGH: greater than 25 percent of the stems of plants in the 1 m² nested quadrat and intensive module AND a browse line is evident.

VERY HIGH values include extensive browse conditions, where the browse line is very evident AND almost all seedlings and herbs are severely browsed or missing. Browse line may be 5 to 6 feet in height with no or little green growth beneath.

cover class	% cover	midpoint
1	solitary or few	0.0001
2	0-1%	0.005
3	1-2%	0.015
4	2-5%	0.035
5	5-10%	0.075
6	10-25%	0.175
7	25-50%	0.375
8	50-75%	0.625
9	75-95%	0.850
10	95-100%	0.975



Nested Corners



Depth 4 = 0.1m²


Depth 5 = 0.01m²

Depth 3 = 1m²

Depth 4 = 0.1m²

Depth 2 = 10m²




Depth 1 = 100m²



KEY: ● Plot Origin ■ Module Number
● Corner Number ■ Intensive Corner

EXAMPLES OF PERCENT OF AREA COVERED

The following graphic can be used for various data elements to convey "Amount" of "Quantity". NOTE: Within any given box, each quadrant contains the same total area covered by different sized objects.



Nested Corners

Depth 5 = 0.01m²

Depth 1 = 100m²

Corner 2





Depth 2 = 10m²

Corner 3

Depth 4 = 0.1m²

Corner 4

Depth 3 = 1m²






MEDIUM HIGH values include evidence of a browse line and 25 percent of stems browsed with very little vegetation regeneration evident. In this rating, for some species of plants, reproduction does not appear to occur or it is very severely limited.

HIGH: greater than 25 percent of the stems of plants in the 1 m² nested quadrat and intensive module **AND** a browse line is evident.

VERY HIGH values include extensive browse conditions, where the browse line is very evident **AND** almost all seedlings and herbs are severely browsed or missing.

Browse line may be 5 to 6 feet in height with no or little green growth beneath.

Typical Plot:



BROWSE RATING NARRATIVE DESCRIPTION

LOW OR NONE: there is no measurable browse line **AND** there are very few or no plants 1-m nested quadrat and intensive module. In general, low values relate to less than 10 percent, by numbers of stems browsed.

MEDIUM LOW values include evidence of browse at about 10 percent of the stems with no significant impact to plant reproduction evident. In this rating, plants are browsed but preferential species are observed to be reproducing in numbers that appear normal or near-normal in comparison to low browse areas. For example, trilliums may flower and fruit, but jewelweed and arrowwood viburnum exhibit browse.

MEDIUM: browse affects greater than 10 percent and less than 25 percent of stems in the 1 m² nested quadrat and intensive module. A browse line is usually not evident or obvious for all classes and species of vegetation, but careful examination may show preferential browse and/or browse lines for some species of plants.

MEDIUM HIGH values include evidence of a browse line and 25 percent of stems browsed with very little vegetation regeneration evident. In this rating, for some species of plants, reproduction does not appear to occur or it is very severely limited.

HIGH: greater than 25 percent of the stems of plants in the 1 m² nested quadrat and intensive module **AND** a browse line is evident.

VERY HIGH values include extensive browse conditions, where the browse line is very evident **AND** almost all seedlings and herbs are severely browsed or missing.

Browse line may be 5 to 6 feet in height with no or little green growth beneath.


CLEVELAND METROPARKS Plant Community Assessment Program Natural Woody Stem Data Sheet

Project Label: PCAP Project Name: 01852013 Plot No.: 1B63

Page: 1 of 23
 © Cleveland Metroparks

mod #	species	c	voucher#	# stems 0-1.4m browsed	% sub shrub sample	# shrub clumps	size class (cm) woody stems >1.4m											
							1	2	3	4	5	6	7	8	9	10	11	
1	<i>Lindera benzoin</i>			2	11				1	2	3	4	5	6	7	8	9	10
1	<i>Carpinus caroliniana</i>																	
1	<i>Aesculus glabra</i>																	
1	<i>Acer nigrum</i>																	
1	<i>Juglans nigra</i>																	
1	<i>Betula thunbergii</i>																	
1	<i>Ulmus americana</i>																	
1	Standing dead																	
1	<i>Lonicera maackii</i>																	
1	<i>Fraxinus pennsylvanica</i>																	
1	<i>Rosa multiflora</i>																	
2	<i>Acer nigrum</i>																	
2	<i>Ulmus rubra</i>																	
2	Standing dead																	
2	<i>Ulmus americana</i>																	
2	<i>Lonicera maackii</i>																	
2	<i>Lindera benzoin</i>																	
2	<i>Berberis thunbergii</i>																	
2	<i>Rosa multiflora</i>																	
2	<i>Fraxinus sp.</i>																	
3	<i>Acer nigrum</i>																	
3	<i>Betula thunbergii</i>																	
3	<i>Vitis sp.</i>																	
3	<i>Arcs sylvestrum</i>																	


DBH Measurement Rules



Woody Stem Deer Browse

Record the number of stems/plants between 0.5-1.0 meters tall that exhibit evidence of this years deer browse.

Record using the tally system from 1 to 10



ASH CANOPY CONDITION

1. Healthy, full canopy: A healthy ash canopy is normally thinner than many other trees such as maple.
2. Thinning canopy: There aren't as many leaves as there ought to be, but all top branches exposed to sunlight have leaves.
3. Dieback: Canopy is thinning and some top branches exposed to sunlight are dead (have no leaves). Lower branches, not exposed to sunlight, die naturally and are not considered.
4. >50% Dieback: The canopy has less than half of the leaves that should be there and/or half of the top branches are dead.
5. Dead canopy: No leaves remain in the canopy portion of the tree. It still counts as a 5 even if there are epicormic sprouts below the canopy (lowest branch) on the trunk.



A

B

C

D

E

ASH CANOPY BREAKUP CONDITION (for dead trees):

(if an ash receives a score of 5 (dead) under canopy condition it must also receive a breakup condition rank as described below)

- All main branches contain fine twigs (newly dead).
- Over 50% of main branches have fine twigs.
- Less than 50% of main branches have fine twigs.
- Stem still standing and tertiary main branches present.
- Central stem still standing.

CLEVELAND METROPARKS Plant Community Assessment Program Natural Woody Stem Data Sheet

Project Label: PCAP

Project Name: OLB 2013

Plot No.: 1363

Page: 2 of 2

 Cleveland Metroparks

Explain subsample (additional room on back):

mod #	species	c	voucher#	# stems 0-1.4m browsed	% sub sample	# shrub clumps	size class (cm) woody stems >1.4m										>40 (record each tree)
							1	2	3	4	5	6	7	8	9	10	
3	<i>Liquidambar</i> <i>benzoin</i>			BB	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
3	<i>Lonicera</i> <i>strumosa</i>			BB	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
3	<i>Rosa</i> <i>multiflora</i>				0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
3	<i>Fraxinus</i> <i>penylvanica</i>																
4	<i>Maianthemum</i> <i>canadense</i>																
4	<i>Betula</i> <i>lutea</i>																
4	<i>Betula</i> <i>lutea</i>																
4	<i>Betula</i> <i>lutea</i>																
4	<i>Acer</i> <i>spicatum</i>																
4	<i>Acer</i> <i>spicatum</i>																
4	<i>Fraxinus</i> <i>penylvanica</i>			BB	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	43.5
4	<i>Lindera benzoin</i>																
4	<i>Rubus</i> <i>strumosa</i>																
4	<i>Fraxinus</i> <i>penylvanica</i>																
4	<i>Lonicera</i> <i>strumosa</i>																
4	<i>Acer</i> <i>nigrum</i>																
5	<i>Acer</i> <i>nigrum</i>																
5	<i>Prunus</i> <i>virginiana</i>																
5	<i>Prunus</i> <i>virginiana</i>																
5	<i>Prunus</i> <i>virginiana</i>																
5	<i>Smilax</i> autumnalis <i>spicata</i>			BB	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
5	<i>Barberis</i> <i>thunbergii</i>																
5	<i>Lonicera</i> <i>strumosa</i>																
5	<i>Parthenocissus</i> <i>quinquefolia</i>																
5	<i>Lingonum</i> <i>vilgare</i>																

CLEVELAND METROPARKS Plant Community Accesories

Project Label: PCAP

Environ Biol Fish (2007) 79:1–10

Project Name: 01Br2013 Plot No.: 1343

Plot No.: 1363

Page: 14

Of Cleveland Metroparks

ASH CANOPY BREAKUP CONDITION (for dead trees): If an ash receives a score of 5 (dead) under canopy condition it must also receive a breakup condition

www.english-test.net


8 C

rank as described below)

- A: All main branches contain fine twigs (newly dead).
- B: Over 50% of main branches have fine twigs.
- C: Less than 50% of main branches have fine twigs.
- D: Stem still standing and tertiary main branches present.

1. Healthy, full canopy: A healthy, full canopy is normally thicker than many other trees such as maple.
2. Thinning canopy: There aren't as many leaves as there ought to be, but all top branches exposed to sunlight have leaves.
3. Debarking: Canopy is thinning and some top branches exposed to sunlight are dead (have no leaves). Lower branches, not exposed to sunlight, die naturally and are not considered.
4. >50% Debarking: The canopy has less than half of the leaves that should be there and/or half of the top branches are dead.
5. Dead canopy: No leaves remain in the canopy portion of the tree. It still counts as 5 even if there are epicormic sprouts below the canopy (lowest branch) on the trunk.

ASH CANOPY CONDITION



Record the number of stems/plants between 0.5-1.0 meters tall that exhibit evidence of this year's deer browse. Record using the tally system from 1 to 10.

CLEVELAND METROPARKS Emerald Ash Borer - *Fraxinus* Sheet

Project Label: PCAP

Project Name: DIBR-2013

INTENSIVE MODULES ONLY TREES ≥ 10CM ONLY

Plot No.: 1343 Date: 7/24/2013

Page: 1 of 2

Module ID	Tree ID	Species	Dead c	Voucher #	DBH (cm)	Ht @ DBH	Ash condition	ASH ONLY		
								"Dead" condition	# Dead holes	Epicormic present
	1	NE ASH								
	2									
	3									
	4									
	5									
	6									
	7									
	8									
	9									
	10									
	11									
	12									
	13									
	14									
	15									
	16									
	17									
	18									
	19									
	20									
	21									
	22									
	23									
	24									
	25									

Baseline

*** Change intensive module numbers when necessary



Map all ash trees ≥ 10cm in each module using Tree ID number

- * If Ash Condition scores 5 (dead) provide breakup score (A-E)
- Count EAB exit holes 1.25mm x ≥ 1.5mm
- Woodpecker and epicormic marked present (1) or absent (0)

CLEVELAND METROPARKS Plant Community Assessment Program: Invasive Species Survey



Tier 1: Early detection/ Rapid response		Presence				GPS	Presence
		NE	SE	SW	NW		X: yes
<i>Microstegium vimineum</i>	Japanese stiltgrass						
<i>Ranunculus ficaria</i>	Lesser Celandine						
<i>Cynanchum louiseae</i> (vine)	Black Swallow-wort						
<i>Butomus umbellatus</i> (wetland)	Flowering Rush						
<i>Heracleum mantegazzianum</i>	Giant Hogweed						
Tier 2: Assess as Needed		# of Plants				comments	# of Plants
		NE	SE	SW	NW		
<i>Acer platanoides</i>	Norway Maple						
<i>Ailanthus altissima</i>	Tree of Heaven						
<i>Lonicera japonica</i> (vine)	Japanese Honeysuckle						
<i>Lythrum salicaria</i> (wetland)	Purple Loosestrife						
<i>Aegopodium podagraria</i> (G-cover)	Bishop's Goutweed						1: 1-10 2: 11-50. 3: 51-100 4: 101-1,000 5: >1,000
<i>Celastrus orbiculatus</i> (vine)	Asian Bittersweet						
<i>Torilis</i> sp.	Hedgeparsley						
<i>Conium maculatum</i>	Poison Hemlock						
<i>Rhamnus cathartica</i>	Common Buckthorn (shrub)						
<i>Berberis thunbergii</i>	Japanese Barberry (shrub)	4	2	2	3		# of Plants
<i>Alnus glutinosa</i>	European Alder						
<i>Dipsacus laciniatus</i>	Cut-leaf Teasel						
<i>Elaeagnus umbellata</i>	Autumn Olive (shrub)						
<i>Lonicera maackii</i>	Amur Honeysuckle (shrub)	2	2	2	2		
<i>Euonymus fortunei</i>	Wintercreeper						
Tier 3: Presence is of Interest		# of Plants				comments	1: 1-10 2: 11-50. 3: 51-100 4: 101-1,000 5: >1,000
		NE	SE	SW	NW		
<i>Convallaria majalis</i> (G-cover)	Lily of the Valley						
<i>Coronilla varia</i> (G-cover)	Crown Vetch						
<i>Eleutherococcus pentaphyllus</i>	Five-leaf Aralia (shrub)						
<i>Pachysandra terminalis</i> (G-cover)	Japanese Pachysandra						# of Plants
<i>Philadelphus coronarius</i>	Mock Orange (shrub)						
<i>Pulmonaria officinalis</i> (G-cover)	Lungwort						
<i>Rubus phoenicolasius</i>	Wineberry						
<i>Iris pseudacorus</i> (wetland)	Yellow Flag Iris						
<i>Ornithogalum umbellatum</i>	Star of Bethlehem						
<i>Viburnum opulus</i> var. <i>opulus</i>	European Cranberry (shrub)						1: 1-10 2: 11-50. 3: 51-100 4: 101-1,000 5: >1,000
<i>Viburnum plicatum</i>	Doublefile Viburnum (shrub)						
Tier 4: Widespread and abundant		Presence				comments	
		NE	SE	SW	NW		
<i>Alliaria petiolata</i>	Garlic Mustard	2	2	2	2		
<i>Ligustrum vulgare</i>	Common Privet (shrub)	2	1	1	2		
<i>L. morrowii</i> , <i>L. tatarica</i>	Bush Honeysuckles (shrub)	4	2	2	4		
<i>Phalaris arundinacea</i>	Reed Canarygrass						# of Plants
<i>Phragmites australis</i> (wetland)	Phragmites					<th data-kind="ghost"></th>	
<i>Polygonum cuspidatum</i>	Japanese Knotweed					<th data-kind="ghost"></th>	
<i>Frangula alnus</i>	Glossy Buckthorn (shrub)					<th data-kind="ghost"></th>	
<i>Rosa multiflora</i>	Multiflora Rose (shrub)	A	1	2	2	<th data-kind="ghost"></th>	
<i>Typha angustifolia</i> , <i>T. x glauca</i>	Cattails (wetland)					<th data-kind="ghost"></th>	
<i>Cirsium arvense</i>	Canada thistle						1: 1-10 2: 11-50. 3: 51-100 4: 101-1,000 5: >1,000
<i>Dipsacus fullonum</i>	Common Teasel					<th data-kind="ghost"></th>	
<i>Hesperis matronalis</i>	Dame's Rocket					<th data-kind="ghost"></th>	
<i>Vinca minor</i> (G-cover)	Periwinkle					<th data-kind="ghost"></th>	

Note: For Ground-cover plants record "stem #" but in comment field describe # of colonies and patch size (S,M, L)

4bCM PCAP Invasive species datasheet.xls last revised 6/11/2012 ceh

Natural Resources

STANDING BIOMASS (required for emergent wetlands) collected in 1 m clip plots (32x32 cm) from corners 1 and 3 in each intensive module. Required for VIBI-E score calculation. C=check when collected

Module #	C?	Corner	Corner

<input type="checkbox"/>	Headwater	<input type="checkbox"/>	Mainstem	<input type="checkbox"/>	Channel
<input type="checkbox"/>	SLOPE (ground water by biology or on a physical slope)	<input type="checkbox"/>		<input type="checkbox"/>	
<input type="checkbox"/>	FRINGING	<input type="checkbox"/>	Reservoir	<input type="checkbox"/>	Natural Lake
<input type="checkbox"/>	COASTAL (specify substrate)	<input type="checkbox"/>		<input type="checkbox"/>	
<input type="checkbox"/>	BOG (strongly, moderately, weakly, umbotrophic)	<input type="checkbox"/>		<input type="checkbox"/>	
<input type="checkbox"/>	FORREST	<input type="checkbox"/>	swamp forest	<input type="checkbox"/>	bog forest
<input type="checkbox"/>	EMERGENT	<input type="checkbox"/>	mush	<input type="checkbox"/>	wet meadow
<input type="checkbox"/>	SUBURB	<input type="checkbox"/>	shrub swamp	<input type="checkbox"/>	gall sh. bog
<input type="checkbox"/>		<input type="checkbox"/>	gall sh. fen	<input type="checkbox"/>	

Ohio EPA VIBI Plant Community Class (WETLANDS ONLY):
 FOREST swamp forest bog forest forest swamp
 EMERGENT mush wet meadow open bog
 SUBURB shrub swamp gall sh. bog gall sh. fen

Fit= Conf= Confi=

Fit= Conf= Confi=</

COVER BY STRATA

STRATUM	GENERAL FORM
Tree (generally >5 m)	Tree (overstory), very tall shrubs*, liana, epiphyte)
Shrub (generally 0.5 to 5 m)	Tree (sapling), shrub, liana, epiphyte)
Herb (Field)	Herb, dwarf-shrub**, tree (seedling***)
Floating	Floating
Aquatic (submerged)	Submerged

*Very tall shrubs are sometimes included in the tree stratum

**Can also include seedlings of shrubs, i.e. all shrubs <0.5m

***Tree seedlings are often defined as up to 1.4 m height or as <2.5 cm DBH in which case they would span the herb and shrub layers.





FIGURE 3-20.—Generalized section of Upper Devonian, Mississippian, and Lower Pennsylvanian formations in northeastern Ohio. Asterisks indicate units that are fossiliferous. This composite section represents about 400 meters of rock exposed across the area. The section is not to scale but the thicknesses indicated are proportional. The term "Waverly" is used in the older literature to refer to Mississippian rocks in Ohio. Some geologists use the European term "Carboniferous," which encompasses the Mississippian and Pennsylvanian Periods of the U.S. Many units have been named within the Cuyahoga Formation, but most units are local and cannot be traced over great distances. The Black Hand Member is a spectacular massive sandstone that is fairly widespread but discontinuous. See Hyde (1953), Hoover (1960), and Collins (1979) for more information on Mississippian rocks in Ohio. See figure 3-18 for explanation of rock types.

SOIL PIT DESCRIPTION: Excavate 20 cm plug with shovel. Describe using Munsell chart,

Soil pit module # 3 (one per entire Plot)

SOIL PIT DESCRIPTION:

SOIL SAMPLES Standard procedure: collect a soil sample of the top 10 cm of soil from center of each

SOIL SAMPLES Standard procedure: collect a sample of the top 10 cm of soil from center of each

111

111

Soil pit module # <u>2</u> (one part entire plot)	
5 cm	matrix color i04R 2i2
motile color	N/A
%motile	0
oxid tools	Y (N)
texture*	1
redox features**	Y (N)
hyd. cond.***	1 S (N) D
matrix color	2-5Y 3/3
motile color	N/A
oxid tools	Y (N)
depth	20 cm
Soil Collection Module Horizons (A, B, C)	
2,3,4,5 composted	
A	
Web Soil Survey Information:	
Soil Series Type: CyF - Cotton-Oshtemo complex	
Soil Series Source: Ohio Soil Survey	
Landform type: Valley sides, kames	
Depth to first Layer more than 80 inches	
100 cm	
Parent Material: Outwash	
DRAINAGE*	
□ Excessively dry □ Somewhat excessively dry	
□ Well drained □ Moderately well drained	
Underlying Earth Surface*	
(Sum = 100%)	
Percent	(Percent $\leq 100\%$)
Histsol	
Mineral Soil	
Gravel/Cobble*	
Boulders**	
Bedrock	
*Gravel-Cobble = 1/16-10"	
*Boulders = > 10 in	
*** > 5 cm in diameter	
**** > 5 cm in diameter	
Ground Cover	
Percent	
Coarse Woody Debris***	
Fine Woody Debris***	
Litter	
Duff (Fern + Humus)	
Bryophytes-Lichen	
Water	
Bare Soil	
Road/Trail	
Other	

**** 5 cm in diameter

Refer to texture classes on reverse side	
hydro. cond. ***	I S (M) D

COVER BY STRATA		estimate using midpoints of 5, ex: 3, 8, 13	%
Strata	Height Range (cm)		



	Percent盖被 (盖被)	Total Cover %
Tree	5 -	33
Shrub	5 - 5	53
Herb	0 - 5	28
(Floating)* (Aquatic)*	-	0

SEE BACK OF PAGE FOR "TYPICAL" STRATA DESCRIPTIONS. STRATA CAN VARY BY COVER TYPE

6aCM PCAP Soils_Crown cover Landform Standing Biomass Data Sheet v02-11-1999

PERCENT MOTTLES (USE CLASS CODES):

Class	Code	Criteria: % of Surface Area Covered
Conv.	NASIS	
Few	f	< 2
Common	c	2 to < 20
Many	m	≥ 20



SOIL TEXTURE: Record the code for the soil texture of the 5 cm and 20 cm layers. To estimate texture, collect a soil sample from the appropriate layer and moisten it with water to the consistency of modeling clay/wet newspaper; the sample should be wet enough that all of the particles are saturated but excess water does not freely flow from the sample when squeezed. Attempt to roll the sample into a ball. If the soil will not stay in a ball and has a grainy texture, the texture is either sandy or coarse sandy. If the soil does form a ball, squeeze the sample between your fingers and attempt to form a self-supporting ribbon. Samples which form both a ball and a ribbon should be coded as clayey; samples which form a ball but not a ribbon should be coded as loamy.

0= Organic

1= Loamy

2= Clayey



3= Sandy

4= Coarse Sand

9= Not measured - make plot note


Geomorphic Component - Three-dimensional descriptors of parts of landforms or microfeatures that are best applied to areas. Unique descriptors are available for Hills, Terraces, Mountains, and Flat Plains; e.g., (for Hills) nose slope or NS.

Hills	Code	NASIS
PDP		
interfluve	IF	IF
head slope	HS	HS
nose slope	NS	NS
side slope	SS	SS
base slope	---	BS



Hillslope - Profile Position (Hillslope Position In PDP) - Two-dimensional descriptors of parts of line segments (i.e., slope position) along a transect that runs up and down the slope: e.g., backslope or BS. This is best applied to transects or points, not areas.

Position	Code
summit	SU
shoulder	SH
backslope	BS
footslope	FS
toeslope	TS



HYDROLOGIC REGIME Modified from Grossman et al 1998. (Frequency and duration of flooding.)

UPLAND: Not a wetland. Very rarely flooded.

INTERMITTENTLY/SEASONALLY SATURATED: Dry at least once per year. Surface water is seldom present, but substrate is saturated to surface for extended periods during the growing season.

PERMANENTLY/SEMIOPENANTLY SATURATED: Dry less than once per year. Surface water is seldom present, but substrate is saturated to surface for extended periods during the growing season. Equivalent to Cowardin's Saturated modifier.

OCCASIONALLY FLOODED: Surface water can be present for brief periods during growing season, but not in most years. Often characterizes flood-plain upper terraces.

TEMPORARILY FLOODED: Surface water present for brief periods during growing season, but water table usually lies well below soil surface. Often characterizes flood-plain levees and lower terraces. Equivalent to Cowardin's Temporary modifier.

INTERMITTENTLY FLOODED: Substrate is usually exposed, but surface water can be present for variable periods without detectable seasonal periodicity. Inundation is not predictable to a given season and is dependent upon highly localized rain storms. This modifier was developed for use in the arid West for water regimes of Playa lakes, intermittent streams, and dry washes but can be used in other parts of the U.S. where appropriate. This modifier can be applied to both wetland and non-wetland situations. Equivalent to Cowardin's Intermittently Flooded modifier.

SEMIOPENANTLY FLOODED (exposed <1/year): Surface water persists throughout the growing season in most years. Land surface is normally saturated when water level drops below soil surface. Includes Cowardin's Intermittently Exposed and Semipermanently Flooded modifiers.

PERMANENTLY FLOODED: Water covers the land surface at all times of the year in all years. Equivalent to Cowardin's "permanently flooded".

UNKNOWN: The hydrologic regime cannot be determined from the available information.

FORM B-1: BUFFER SAMPLE PLOTS (Front)

Reviewed by (Initial): _____

Site ID:

PCAPBr 1363

DATE: 07 / 24 / 2013

Location:

● AA Center ON OS OE OW

Fill in bubble(s) if plot(s) could not be sampled and flag →
 Plot 1 Plot 2 Plot 3

Buffer Natural Cover Strata

Fill in bubbles for all that apply: Canopy Type: D = Deciduous; E = Evergreen. Leaf Type: B = Broadleaf; N = Needle Leaf. Absent: No tree canopy.
 Strata Section: Fill in appropriate cover class bubble for each strata type for each plot. 0 = Absent; 1 = Sparse(<10%); 2=Moderate(10-40%); 3 = Heavy (40-75%); 4 = Very Heavy (>75%)

Buffer Plot 1	Canopy Type: <input checked="" type="radio"/> D <input type="radio"/> E		Absent: <input type="radio"/>	Buffer Plot 2	Canopy Type: <input type="radio"/> D <input checked="" type="radio"/> E		Absent: <input type="radio"/>	Buffer Plot 3	Canopy Type: <input type="radio"/> D <input checked="" type="radio"/> E		Absent: <input type="radio"/>
	Leaf Type: <input checked="" type="radio"/> B <input type="radio"/> N	Flag			Leaf Type: <input type="radio"/> B <input checked="" type="radio"/> N	Flag			Leaf Type: <input type="radio"/> B <input checked="" type="radio"/> N	Flag	
Big Trees (>0.3m DBH)	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Small Trees (<0.3m DBH)	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Woody Shrubs, Saplings (0.5m-5m HIGH)	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Woody Shrubs, Saplings (<0.5m HIGH)	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Herbs, Forbs and Grasses	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Bare ground	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Litter, duff	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Rock	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Water	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Submerged Vegetation	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

Stressor Presence/Absence - Confirm that a filled data bubble indicates presence and an unfilled bubble indicates absence by filling this bubble.

Residential and Urban Stressors				Hydrology Stressors				Agricultural & Rural Stressors							
Fill bubble if present - Plot	1	2	3	Flag	Fill bubble if present - Plot	1	2	3	Flag	Fill bubble if present - Plot	1	2	3	Flag	
Road - gravel	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Ditches, Channelization	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Pasture/Hay	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		
Road - two lane	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Dike/Dam/Road/RR Bed (IMPEDE FLOW)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Range	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		
Road - four lane	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Water Level Control Structure	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Row Crops	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		
Parking Lot/Pavement	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Excavation, Dredging	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Fallow Field (RECENT-RESTING ROW CROP FIELD)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		
Golf Course	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Fill/Soil Banks	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Fallow Field (OLD - GRASS, SHRUBS, TREES)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		
Lawn/Park	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Freshly Deposited Sediment (UNVEGETATED)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Nursery	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		
Suburban Residential	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Soil Loss/Root Exposure	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Dairy	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		
Urban/Multifamily	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Wall/Riprap	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Orchard	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		
Landfill	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Inlets, Outlets	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Confined Animal Feeding	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		
Dumping	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Point Source/Pipe (EFFLUENT OR STORMWATER)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Rural Residential	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		
Trash	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Impervious surface input (SHEETFLOW)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Gravel Pit	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		
Other: _____	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Other: _____	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Irrigation	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		
Other: _____	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Other: _____	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Other: _____	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		

Industrial Development Stressors				Habitat/Vegetation Stressors											
Fill bubble if present - Plot	1	2	3	Flag	Fill bubble if present - Plot	1	2	3	Flag	Fill bubble if present - Plot	1	2	3	Flag	
Oil Drilling	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Forest Clear Cut	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Herbicide Use	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		
Gas Wells	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Forest Selective Cut	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Mowing/Shrub Cutting	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		
Mine (surface)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Tree Plantation	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Trails	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		
Mine (underground)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Tree Canopy Herbivory (INSECT)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Soil Compaction (ANIMAL OR HUMAN)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		
Military	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Shrub Layer Browsed (WILD OR DOMESTIC)	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>		Offroad vehicle damage	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		
Other: _____	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Highly Grazed Grasses (OVERALL <3" HIGH)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Soil erosion (FROM WIND, WATER, OR OVERUSE)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		
Other: _____	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Recently Burned Forest Canopy	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Other: _____	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		
Other: _____	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Recently Burned Grassland (BLACKENED)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Other: _____	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		

Flag codes: K = No measurement made, U = Suspect measurement., F1,F2, etc. = misc. flags assigned by each field crew.

Explain all flags in comment section on the back of this form

2428168304

Buffer Sample Plots 05/27/2011

FORM B-1: BUFFER SAMPLE PLOTS - TARGETED ALIEN SPECIES (Back)

Reviewed by (Initial): _____

Site ID: FCAR B6363

DATE: 07/24/2013

• Confirm a filled data bubble indicates presence and an unfilled bubble indicates absence by filling in this bubble

Fill bubble if present - Plot	1	2	3	Flag	Fill bubble if present - Plot	1	2	3	Flag	Fill bubble if present - Plot	1	2	3	Flag
Eurasian Watermilfoil	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Purple Loosestrife	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Johnson Grass	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Water hyacinth	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Knotweed	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Kudzu	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Yellow Floating Heart	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Japanese Knotweed	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Multiflora Rose	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Giant Salvinia	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Perennial Pepperweed	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Common Buckthorn	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Garlic Mustard	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Giant Reed	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Himalayan Blackberry	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Poison Hemlock	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Cheatgrass	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Tamarisk	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Mile-A-Minute Weed	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Reed Canary Grass	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Other: _____	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Birdsfoot Trefoil	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Common Reed	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Other: _____	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Canada Thistle	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Leafy Spurge	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Other: _____	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
										Other: _____	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	

PLOT COORDINATES

Provide GPS coordinates at the center of the Buffer Plot (#3) at the far end of each Buffer Transect and for the Buffer Plot at the AA CENTER. Indicate the location of the plot coordinates by filling in the appropriate bubble.

If Buffer Plot 3 can not be accessed, take the coordinates at the nearest practicable location ALONG THE TRANSECT. This is important because all Buffer Plots are centered on the Buffer Transects and the coordinates will indicate the location of the transect. Fill in the "nearest practicable location" bubble, fill in the flag box, and describe where the coordinates were taken and why in the comment section below. The coordinates of the nearest practicable location can be either placed as close to the center of Plot 3 as possible or at the center of the last accessible Buffer Plot.

Location of coordinates (choose one):

Flap

AA CENTER N3 S3 E3 W3 Nearest practicable location (flag and comment below)

Latitude North

41.34692

Longitude West

081.59282

Use Decimal Degrees: NAD83

7966623548

FORM B-1: BUFFER SAMPLE PLOTS (Front)

Reviewed by (Initial): _____

Site ID:

PCAPBr1363

DATE: 07/24/2013

Location:

○ AA Center

○ N

○ OS

○ OE

○ OW

Fill in bubble(s) if plot(s) could not be sampled and flag →

○ Plot 1

○ Plot 2

● Plot 3

1

Buffer Natural Cover Strata

Fill in bubbles for all that apply: Canopy Type: D = Deciduous; E = Evergreen. Leaf Type: B = Broadleaf, N = Needle Leaf. Absent: No tree canopy. Strata Section: Fill in appropriate cover class bubble for each strata type for each plot. 0 = Absent; 1 = Sparse(<10%); 2 = Moderate(10-40%); 3 = Heavy (40-75%); 4 = Very Heavy (>75%)

Buffer Plot 1	Canopy Type: <input checked="" type="radio"/> D <input type="radio"/> E		Absent: <input type="radio"/>	Buffer Plot 2	Canopy Type: <input checked="" type="radio"/> D <input type="radio"/> E		Absent: <input type="radio"/>	Buffer Plot 3	Canopy Type: <input checked="" type="radio"/> D <input type="radio"/> E		Absent: <input type="radio"/>
	Leaf Type: <input checked="" type="radio"/> B <input type="radio"/> N	Flag			Leaf Type: <input checked="" type="radio"/> B <input type="radio"/> N	Flag			Leaf Type: <input checked="" type="radio"/> B <input type="radio"/> N	Flag	
Big Trees (>0.3m DBH)	<input checked="" type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Small Trees (<0.3m DBH)	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Woody Shrubs, Saplings (0.5m-5m HIGH)	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Woody Shrubs, Saplings (<0.5m HIGH)	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Herbs, Forbs and Grasses	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Bare ground	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Litter, duff	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Rock	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Water	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Submerged Vegetation	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	

Stressor Presence/Absence - Confirm that a filled data bubble indicates presence and an unfilled bubble indicates absence by filling this bubble.

Residential and Urban Stressors				Hydrology Stressors				Agricultural & Rural Stressors							
Fill bubble if present - Plot	1	2	3	Flag	Fill bubble if present - Plot	1	2	3	Flag	Fill bubble if present - Plot	1	2	3	Flag	
Road - gravel	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Ditches, Channelization	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Pasture/Hay	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		
Road - two lane	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Dike/Dam/Road/RR Bed (IMPEDE FLOW)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Range	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		
Road - four lane	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Water Level Control Structure	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Row Crops	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		
Parking Lot/Pavement	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Excavation, Dredging	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Fallow Field (RECENT-RESTING ROW CROP FIELD)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		
Golf Course	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Fill/Spoil Banks	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Fallow Field (OLD - GRASS, SHRUBS, TREES)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		
Lawn/Park	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Freshly Deposited Sediment (UNVEGETATED)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Nursery	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		
Suburban Residential	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Soil Loss/Root Exposure	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Dairy	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		
Urban/Multifamily	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Wall/Riprap	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Orchard	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		
Landfill	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Inlets, Outlets	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Confined Animal Feeding	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		
Dumping	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Point Source/Pipe (EFFLUENT OR STORMWATER)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Rural Residential	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		
Trash	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Impervious surface input (SHEETFLOW)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Gravel Pit	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		
Other: _____	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Other: _____	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Irrigation	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		
Other: _____	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Other: _____	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Other: _____	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		

Industrial Development Stressors

Fill bubble if present - Plot	1	2	3	Flag	Habitat/Vegetation Stressors									
					Fill bubble if present - Plot	1	2	3	Flag					
Oil Drilling	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Forest Clear Cut	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Herbicide Use	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Gas Wells	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Forest Selective Cut	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Mowing/Shrub Cutting	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Mine (surface)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Tree Plantation	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Trails	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Mine (underground)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Tree Canopy Herbivory (INSECT)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Soil Compaction (ANIMAL OR HUMAN)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Military	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Shrub Layer Browsed (WILD OR DOMESTIC)	<input checked="" type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	1	Offroad vehicle damage	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Other: _____	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Highly Grazed Grasses (OVERALL <3" HIGH)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Soil erosion (FROM WIND, WATER, OR OVERUSE)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Other: _____	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Recently Burned Forest Canopy	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Other: _____	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Other: _____	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Recently Burned Grassland (BLACKENED)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Other: _____	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	

Flag codes: K = No measurement made, U = Suspect measurement. F1,F2, etc. = misc. flags assigned by each field crew.

Explain all flags in comment section on the back of this form

2428168304

Buffer Sample Plots 05/27/2011

FORM B-1: BUFFER SAMPLE PLOTS - TARGETED ALIEN SPECIES (Back)

Reviewed by (initial): _____

Site ID: PCAPBr1363

DATE: 07 / 24 / 2013

• Confirm a filled data bubble indicates presence and an unfilled bubble indicates absence by filling in this bubble

Fill bubble if present - Plot	1	2	3	Flag	Fill bubble if present - Plot	1	2	3	Flag	Fill bubble if present - Plot	1	2	3	Flag
Eurasian Watermilfoil	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		Purple Loosestrife	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		Johnson Grass	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Water hyacinth	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		Knotweed	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		Kudzu	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Yellow Floating Heart	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		Japanese Knotweed	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		Multiflora Rose	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Y
Giant Salvinia	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		Perennial Pepperweed	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		Common Buckthorn	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Garlic Mustard	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		Giant Reed	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		Himalayan Blackberry	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Poison Hemlock	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		Cheatgrass	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		Tamarisk	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Mile-A-Minute Weed	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		Reed Canary Grass	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		Other: _____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Birdsfoot Trefoil	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		Common Reed	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		Other: _____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Canada Thistle	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		Leafy Spurge	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		Other: _____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
										Other: _____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

PLOT COORDINATES

Provide GPS coordinates at the center of the Buffer Plot (#3) at the far end of each Buffer Transect and for the Buffer Plot at the AA CENTER. Indicate the location of the plot coordinates by filling in the appropriate bubble.

If Buffer Plot 3 can not be accessed, take the coordinates at the nearest practicable location **ALONG THE TRANSECT**. This is important because all Buffer Plots are centered on the Buffer Transects and the coordinates will indicate the location of the transect. Fill in the "nearest practicable location" bubble, fill in the flag box, and describe where the coordinates were taken and why in the comment section below. The coordinates of the nearest practicable location can be either placed as close to the center of Plot 3 as possible or at the center of the last accessible Buffer Plot.

Location of coordinates (choose one):

Location of observation (check one): AA CENTER N3 S3 E3 W3 Nearest practicable location (flag and comment below)

Flag

Latitude North 41.34730 Longitude West 081.59299
Use Decimal Degrees: NAD83

Use Decimal Degrees; NAD83

7966623548

FORM B-1: BUFFER SAMPLE PLOTS (Front)

Reviewed by (Initial): _____

Site ID:

PCAPB 1363

DATE: 07/24/2013

Location:

○ AA Center ON OS ● E OW

Fill in bubble(s) if plot(s) could not be sampled and flag →
 Plot 1 Plot 2 Plot 3

Buffer Natural Cover Strata

Fill in bubbles for all that apply: Canopy Type: D = Deciduous; E = Evergreen. Leaf Type: B = Broadleaf; N = Needle Leaf. Absent: No tree canopy.

Strata Section: Fill in appropriate cover class bubble for each strata type for each plot. 0 = Absent; 1 = Sparse(<10%); 2=Moderate(10-40%); 3 = Heavy (40-75%); 4 = Very Heavy (>75%)

Buffer Plot 1	Canopy Type: <input type="radio"/> D <input type="radio"/> E		Absent: <input type="radio"/>	Buffer Plot 2	Canopy Type: <input type="radio"/> D <input type="radio"/> E		Absent: <input type="radio"/>	Buffer Plot 3	Canopy Type: <input type="radio"/> D <input type="radio"/> E		Absent: <input type="radio"/>
	Leaf Type: <input type="radio"/> B <input type="radio"/> N	Flag			Leaf Type: <input type="radio"/> B <input type="radio"/> N	Flag			Leaf Type: <input type="radio"/> B <input type="radio"/> N	Flag	
Big Trees (>0.3m DBH)	<input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4		<input type="radio"/>	Big Trees (>0.3m DBH)	<input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4		<input type="radio"/>	Big Trees (>0.3m DBH)	<input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4		<input type="radio"/>
Small Trees (<0.3m DBH)	<input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4		<input type="radio"/>	Small Trees (<0.3m DBH)	<input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4		<input type="radio"/>	Small Trees (<0.3m DBH)	<input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4		<input type="radio"/>
Woody Shrubs, Saplings (0.5m-5m HIGH)	<input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4		<input type="radio"/>	Woody Shrubs, Saplings (0.5m-5m HIGH)	<input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4		<input type="radio"/>	Woody Shrubs, Saplings (0.5m-5m HIGH)	<input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4		<input type="radio"/>
Woody Shrubs, Saplings (<0.5m HIGH)	<input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4		<input type="radio"/>	Woody Shrubs, Saplings (<0.5m HIGH)	<input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4		<input type="radio"/>	Woody Shrubs, Saplings (<0.5m HIGH)	<input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4		<input type="radio"/>
Herbs, Forbs and Grasses	<input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4		<input type="radio"/>	Herbs, Forbs and Grasses	<input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4		<input type="radio"/>	Herbs, Forbs and Grasses	<input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4		<input type="radio"/>
Bare ground	<input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4		<input type="radio"/>	Bare ground	<input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4		<input type="radio"/>	Bare ground	<input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4		<input type="radio"/>
Litter, duff	<input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4		<input type="radio"/>	Litter, duff	<input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4		<input type="radio"/>	Litter, duff	<input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4		<input type="radio"/>
Rock	<input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4		<input type="radio"/>	Rock	<input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4		<input type="radio"/>	Rock	<input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4		<input type="radio"/>
Water	<input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4		<input type="radio"/>	Water	<input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4		<input type="radio"/>	Water	<input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4		<input type="radio"/>
Submerged Vegetation	<input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4		<input type="radio"/>	Submerged Vegetation	<input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4		<input type="radio"/>	Submerged Vegetation	<input type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4		<input type="radio"/>

Stressor Presence/Absence - Confirm that a filled data bubble indicates presence and an unfilled bubble indicates absence by filling this bubble.

Residential and Urban Stressors				Hydrology Stressors				Agricultural & Rural Stressors							
Fill bubble if present - Plot	1	2	3	Flag	Fill bubble if present - Plot	1	2	3	Flag	Fill bubble if present - Plot	1	2	3	Flag	
Road - gravel	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Ditches, Channelization	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Pasture/Hay	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		
Road - two lane	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Dike/Dam/Road/RR Bed (IMPEDE FLOW)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Range	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		
Road - four lane	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Water Level Control Structure	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Row Crops	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		
Parking Lot/Pavement	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Excavation, Dredging	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Fallow Field (RECENT-RESTING ROW CROP FIELD)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		
Golf Course	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Fill/Spoil Banks	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Fallow Field (OLD - GRASS, SHRUBS TREES)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		
Lawn/Park	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Freshly Deposited Sediment (UNVEGETATED)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Nursery	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		
Suburban Residential	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Soil Loss/Root Exposure	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Dairy	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		
Urban/Multifamily	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Wall/Riprap	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Orchard	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		
Landfill	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Inlets, Outlets	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Confined Animal Feeding	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		
Dumping	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Point Source/Pipe (EFFLUENT OR STORMWATER)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Rural Residential	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		
Trash	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Impervious surface input (SHEETFLOW)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Gravel Pit	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		
Other: _____	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Other: _____	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Irrigation	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		
Other: _____	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Other: _____	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Other: _____	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		

Industrial Development Stressors				Habitat/Vegetation Stressors											
Fill bubble if present - Plot	1	2	3	Flag	Fill bubble if present - Plot	1	2	3	Flag	Fill bubble if present - Plot	1	2	3	Flag	
Oil Drilling	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Forest Clear Cut	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Herbicide Use	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		
Gas Wells	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Forest Selective Cut	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Mowing/Shrub Cutting	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		
Mine (surface)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Tree Plantation	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Trails	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		
Mine (underground)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Tree Canopy Herbivory (INSECT)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Soil Compaction (ANIMAL OR HUMAN)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		
Military	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Shrub Layer Browsed (WILD OR DOMESTIC)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Offroad vehicle damage	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		
Other: _____	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Highly Grazed Grasses (OVERALL <3" HIGH)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Soil erosion (FROM WIND, WATER, OR OVERUSE)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		
Other: _____	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Recently Burned Forest	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Other: _____	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		
Other: _____	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Canopy	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Other: _____	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		
					Recently Burned Grassland (BLACKENED)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>							

Flag codes: K = No measurement made, U = Suspect measurement., F1,F2, etc. = misc. flags assigned by each field crew.
 Explain all flags in comment section on the back of this form

Buffer Sample Plots 05/27/2011

2428168304

FORM B-1: BUFFER SAMPLE PLOTS - TARGETED ALIEN SPECIES (Back)

Reviewed by (Initial): _____

Site ID: PCBLS1363

DATE: 07 / 24 / 2013

Confirm a filled data bubble indicates presence and an unfilled bubble indicates absence by filling in this bubble

Fill bubble if present - Plot	1	2	3	Flag	Fill bubble if present - Plot	1	2	3	Flag	Fill bubble if present - Plot	1	2	3	Flag
Eurasian Watermilfoil	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		Purple Loosestrife	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		Johnson Grass	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Water hyacinth	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		Knotweed	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		Kudzu	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Yellow Floating Heart	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		Japanese Knotweed	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		Multiflora Rose	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Giant Salvinia	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		Perennial Pepperweed	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		Common Buckthorn	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Garlic Mustard	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		Giant Reed	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		Himalayan Blackberry	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Poison Hemlock	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		Cheatgrass	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		Tamarisk	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Mile-A-Minute Weed	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		Reed Canary Grass	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		Other: _____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Birdsfoot Trefoil	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		Common Reed	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		Other: _____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Canada Thistle	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		Leafy Spurge	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		Other: _____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
										Other: _____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

PLOT COORDINATES

Provide GPS coordinates at the center of the Buffer Plot (#3) at the far end of each Buffer Transect and for the Buffer Plot at the AA CENTER. Indicate the location of the plot coordinates by filling in the appropriate bubble.

If Buffer Plot 3 can not be accessed, take the coordinates at the nearest practicable location **ALONG THE TRANSECT**. This is important because all Buffer Plots are centered on the Buffer Transects and the coordinates will indicate the location of the transect. Fill in the "nearest practicable location" bubble, fill in the flag box, and describe where the coordinates were taken and why in the comment section below. The coordinates of the nearest practicable location can be either placed as close to the center of Plot 3 as possible or at the center of the last accessible Buffer Plot.

Location of coordinates (choose one):

QAA CENTER Q N3 Q S3 F3 Q W3 Nearest practicable location (flag and comment below)

Flag

Latitude North 41.34720

Longitude West 0 8 1 59 1 38

Use Decimal Degrees: NAD83

7966623548

FORM B-1: BUFFER SAMPLE PLOTS (Front)

Reviewed by (Initial): _____

Site ID: PCAPBc1363

DATE: 07/24/2013

Location: OAA Center	ON	OS	OE	OW	Fill in bubble(s) if plot(s) could not be sampled and flag →	i
					O Plot 1 O Plot 2 ● Plot 3	

Buffer Natural Cover Strata

Fill in bubbles for all that apply. Canopy Type: D = Deciduous; E = Evergreen. Leaf Type: B = Broadleaf; N = Needle Leaf. Absent: No tree canopy. Strata Section: Fill in appropriate cover class bubble for each strata type for each plot. 0 = Absent; 1 = Sparse(<10%); 2=Moderate(10-40%); 3 = Heavy (40-75%); 4 = Very Heavy (>75%)

Buffer Plot 1	Canopy Type: D E		Absent: 0	Buffer Plot 2	Canopy Type: D E		Absent: 0	Buffer Plot 3	Canopy Type: D E		Absent: 0
	Leaf Type: B N	Flag	Leaf Type: B N		Leaf Type: B N	Flag	Leaf Type: B N		Leaf Type: B N	Flag	
Big Trees (>0.3m DBH)	0 1 2 3 4		Big Trees (>0.3m DBH)	0 1 2 3 4		Big Trees (>0.3m DBH)	0 1 2 3 4		Big Trees (>0.3m DBH)	0 1 2 3 4	
Small Trees (<0.3m DBH)	0 1 2 3 4		Small Trees (<0.3m DBH)	0 1 2 3 4		Small Trees (<0.3m DBH)	0 1 2 3 4		Small Trees (<0.3m DBH)	0 1 2 3 4	
Woody Shrubs, Saplings (0.5m-5m HIGH)	0 1 2 3 4		Woody Shrubs, Saplings (0.5m-5m HIGH)	0 1 2 3 4		Woody Shrubs, Saplings (0.5m-5m HIGH)	0 1 2 3 4		Woody Shrubs, Saplings (0.5m-5m HIGH)	0 1 2 3 4	
Woody Shrubs, Saplings (<0.5m HIGH)	0 1 2 3 4		Woody Shrubs, Saplings (<0.5m HIGH)	0 1 2 3 4		Woody Shrubs, Saplings (<0.5m HIGH)	0 1 2 3 4		Woody Shrubs, Saplings (<0.5m HIGH)	0 1 2 3 4	
Herbs, Forbs and Grasses	0 1 2 3 4		Herbs, Forbs and Grasses	0 1 2 3 4		Herbs, Forbs and Grasses	0 1 2 3 4		Herbs, Forbs and Grasses	0 1 2 3 4	
Bare ground	0 1 2 3 4		Bare ground	0 1 2 3 4		Bare ground	0 1 2 3 4		Bare ground	0 1 2 3 4	
Litter, duff	0 1 2 3 4		Litter, duff	0 1 2 3 4		Litter, duff	0 1 2 3 4		Litter, duff	0 1 2 3 4	
Rock	0 1 2 3 4		Rock	0 1 2 3 4		Rock	0 1 2 3 4		Rock	0 1 2 3 4	
Water	0 1 2 3 4		Water	0 1 2 3 4		Water	0 1 2 3 4		Water	0 1 2 3 4	
Submerged Vegetation	0 1 2 3 4		Submerged Vegetation	0 1 2 3 4		Submerged Vegetation	0 1 2 3 4		Submerged Vegetation	0 1 2 3 4	

Stressor Presence/Absence - Confirm that a filled data bubble indicates presence and an unfilled bubble indicates absence by filling this bubble.

Residential and Urban Stressors				Hydrology Stressors				Agricultural & Rural Stressors							
Fill bubble if present - Plot	1	2	3	Flag	Fill bubble if present - Plot	1	2	3	Flag	Fill bubble if present - Plot	1	2	3	Flag	
Road - gravel	○	○	○		Ditches, Channelization	○	○	○		Pasture/Hay	○	○	○		
Road - two lane	○	○	○		Dike/Dam/Road/RR Bed (IMPEDE FLOW)	○	○	○		Range	○	○	○		
Road - four lane	○	○	○		Water Level Control Structure	○	○	○		Row Crops	○	○	○		
Parking Lot/Pavement	○	○	○		Excavation, Dredging	○	○	○		Fallow Field (RECENT-RESTING ROW CROP FIELD)	○	○	○		
Golf Course	○	○	○		Fill/Soil Banks	○	○	○		Fallow Field (OLD - GRASS, SHRUBS, TREES)	○	○	○		
Lawn/Park	○	○	○		Freshly Deposited Sediment (UNVEGETATED)	○	○	○		Nursery	○	○	○		
Suburban Residential	○	○	○		Soil Loss/Root Exposure	○	○	○		Dairy	○	○	○		
Urban/Multifamily	○	○	○		Wall/Riprap	○	○	○		Orchard	○	○	○		
Landfill	○	○	○		Inlets, Outlets	○	○	○		Confined Animal Feeding	○	○	○		
Dumping	○	○	○		Point Source/Pipe (EFFLUENT OR STORMWATER)	○	○	○		Rural Residential	○	○	○		
Trash	○	○	○		Impervious surface Input (SHEETFLOW)	○	○	○		Gravel Pit	○	○	○		
Other: _____	○	○	○		Other: _____	○	○	○		Irrigation	○	○	○		
Other: _____	○	○	○		Other: _____	○	○	○		Other: _____	○	○	○		

Industrial Development Stressors				Habitat/Vegetation Stressors											
Fill bubble if present - Plot	1	2	3	Flag	Fill bubble if present - Plot	1	2	3	Flag	Fill bubble if present - Plot	1	2	3	Flag	
Oil Drilling	○	○	○		Forest Clear Cut	○	○	○		Herbicide Use	○	○	○		
Gas Wells	○	○	○		Forest Selective Cut	○	○	○		Mowing/Shrub Cutting	○	○	○		
Mine (surface)	○	○	○		Tree Plantation	○	○	○		Trails	○	○	○		
Mine (underground)	○	○	○		Tree Canopy Herbivory (INSECT)	○	○	○		Soil Compaction (ANIMAL OR HUMAN)	○	○	○		
Military	○	○	○		Shrub Layer Browsed (WILD OR DOMESTIC)	●	●	○		Offroad vehicle damage	○	○	○		
Other: _____	○	○	○		Highly Grazed Grasses (OVERALL <3" HIGH)	○	○	○		Soil erosion (FROM WIND, WATER, OR OVERUSE)	○	○	○		
Other: _____	○	○	○		Recently Burned Forest Canopy	○	○	○		Other: _____	○	○	○		
Other: _____	○	○	○		Recently Burned Grassland (BLACKENED)	○	○	○		Other: _____	○	○	○		

Flag codes: K = No measurement made, U = Suspect measurement., F1, F2, etc. = misc. flags assigned by each field crew.
Explain all flags in comment section on the back of this form

Buffer Sample Plots 05/27/2011

2428168304

FORM B-1: BUFFER SAMPLE PLOTS - TARGETED ALIEN SPECIES (Back)

Reviewed by (initials):

Site ID: PCAPB1363

DATE: 07/24/2013

• Confirm a filled data bubble indicates presence and an unfilled bubble indicates absence by filling in this bubble

Fill bubble if present - Plot	1	2	3	Flag	Fill bubble if present - Plot	1	2	3	Flag	Fill bubble if present - Plot	1	2	3	Flag
Eurasian Watermilfoil	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Purple Loosestrife	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Johnson Grass	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Water hyacinth	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Knotweed	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Kudzu	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Yellow Floating Heart	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Japanese Knotweed	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Multiflora Rose	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Giant Salvinia	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Perennial Pepperweed	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Common Buckthorn	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Garlic Mustard	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Giant Reed	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Himalayan Blackberry	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Poison Hemlock	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Cheatgrass	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Tamarisk	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Mile-A-Minute Weed	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Reed Canary Grass	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Other: _____	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Birdsfoot Trefoil	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Common Reed	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Other: _____	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Canada Thistle	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Leafy Spurge	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Other: _____	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
										Other: _____	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	

PLOT COORDINATES

Provide GPS coordinates at the center of the Buffer Plot (#3) at the far end of each Buffer Transect and for the Buffer Plot at the AA CENTER. Indicate the location of the plot coordinates by filling in the appropriate bubble.

If Buffer Plot 3 can not be accessed, take the coordinates at the nearest practicable location ALONG THE TRANSECT. This is important because all Buffer Plots are centered on the Buffer Transects and the coordinates will indicate the location of the transect. Fill in the "nearest practicable location" bubble, fill in the flag box, and describe where the coordinates were taken and why in the comment section below. The coordinates of the nearest practicable location can be either placed as close to the center of Plot 3 as possible or at the center of the last accessible Buffer Plot.

Location of coordinates (choose one):

Flag

AA CENTER N3 S3 E3 W3 Nearest practicable location (flag and comment below)

Latitude North 4

41.34669

Longitude West

681.59367

Use Decimal Degrees; NAD83

FORM B-1: BUFFER SAMPLE PLOTS (Front)

Reviewed by (Initial): _____

Site ID: PCARBF1363

DATE: 07/24/2013

Location: O AA Center ON OS E OW						Fill in bubble(s) if plot(s) could not be sampled and flag →					
			O Plot 1			O Plot 2			O Plot 3		

Buffer Natural Cover Strata

Fill in bubbles for all that apply: Canopy Type: D = Deciduous; E = Evergreen. Leaf Type: B = Broadleaf; N = Needle Leaf. Absent: No tree canopy.

Strata Section: Fill in appropriate cover class bubble for each strata type for each plot. 0 = Absent; 1 = Sparse(<10%); 2=Moderate(10-40%); 3 = Heavy (40-75%); 4 = Very Heavy (>75%)

Buffer Plot 1	Canopy Type: D E		Absent: 0		Buffer Plot 2	Canopy Type: D E		Absent: 0		Buffer Plot 3	Canopy Type: D E		Absent: 0				
	Leaf Type: B	N	Flag	Leaf Type: B	N	Leaf Type: B	N	Flag	Leaf Type: B		N	Flag	Leaf Type: B	N			
Big Trees (>0.3m DBH)	0	1	2	3	4	Big Trees (>0.3m DBH)	0	1	2	3	4	Big Trees (>0.3m DBH)	0	1	2	3	4
Small Trees (<0.3m DBH)	0	1	2	3	4	Small Trees (<0.3m DBH)	0	1	2	3	4	Small Trees (<0.3m DBH)	0	1	2	3	4
Woody Shrubs, Saplings (0.5m-5m HIGH)	0	1	2	3	4	Woody Shrubs, Saplings (0.5m-5m HIGH)	0	1	2	3	4	Woody Shrubs, Saplings (0.5m-5m HIGH)	0	1	2	3	4
Woody Shrubs, Saplings (<0.5m HIGH)	0	1	2	3	4	Woody Shrubs, Saplings (<0.5m HIGH)	0	1	2	3	4	Woody Shrubs, Saplings (<0.5m HIGH)	0	1	2	3	4
Herbs, Forbs and Grasses	0	1	2	3	4	Herbs, Forbs and Grasses	0	1	2	3	4	Herbs, Forbs and Grasses	0	1	2	3	4
Bare ground	0	1	2	3	4	Bare ground	0	1	2	3	4	Bare ground	0	1	2	3	4
Litter, duff	0	1	2	3	4	Litter, duff	0	1	2	3	4	Litter, duff	0	1	2	3	4
Rock	0	1	2	3	4	Rock	0	1	2	3	4	Rock	0	1	2	3	4
Water	0	1	2	3	4	Water	0	1	2	3	4	Water	0	1	2	3	4
Submerged Vegetation	0	1	2	3	4	Submerged Vegetation	0	1	2	3	4	Submerged Vegetation	0	1	2	3	4

Stressor Presence/Absence - Confirm that a filled data bubble indicates presence and an unfilled bubble indicates absence by filling this bubble.

Residential and Urban Stressors				Hydrology Stressors				Agricultural & Rural Stressors							
Fill bubble if present - Plot	1	2	3	Flag	Fill bubble if present - Plot	1	2	3	Flag	Fill bubble if present - Plot	1	2	3	Flag	
Road - gravel	0	0	0		Ditches, Channelization	0	0	0		Pasture/Hay	0	0	0		
Road - two lane	0	0	0		Dike/Dam/Road/RR Bed (IMPEDE FLOW)	0	0	0		Range	0	0	0		
Road - four lane	0	0	0		Water Level Control Structure	0	0	0		Row Crops	0	0	0		
Parking Lot/Pavement	0	0	0		Excavation, Dredging	0	0	0		Fallow Field (RECENT-RESTING ROW CROP FIELD)	0	0	0		
Golf Course	0	0	0		Fill/Spoil Banks	0	0	0		Fallow Field (OLD - GRASS, SHRUBS, TREES)	0	0	0		
Lawn/Park	0	0	0		Freshly Deposited Sediment (UNVEGETATED)	0	0	0		Nursery	0	0	0		
Suburban Residential	0	0	0		Soil Loss/Root Exposure	0	0	0		Dairy	0	0	0		
Urban/Multifamily	0	0	0		Wall/Riprap	0	0	0		Orchard	0	0	0		
Landfill	0	0	0		Inlets, Outlets	0	0	0		Confined Animal Feeding	0	0	0		
Dumping	0	1	2	3	Point Source/Pipe (EFFLUENT OR STORMWATER)	0	0	0		Rural Residential	0	0	0		
Trash	0	1	2	3	Impervious surface input (SHEETFLOW)	0	0	0		Gravel Pit	0	0	0		
Other: _____	0	0	0		Other: _____	0	0	0		Irrigation	0	0	0		
Other: _____	0	0	0		Other: _____	0	0	0		Other: _____	0	0	0		

Industrial Development Stressors				Habitat/Vegetation Stressors											
Fill bubble if present - Plot	1	2	3	Flag	Fill bubble if present - Plot	1	2	3	Flag	Fill bubble if present - Plot	1	2	3	Flag	
Oil Drilling	0	0	0		Forest Clear Cut	0	0	0		Herbicide Use	0	0	0		
Gas Wells	0	0	0		Forest Selective Cut	0	0	0		Mowing/Shrub Cutting	0	0	0		
Mine (surface)	0	0	0		Tree Plantation	0	0	0		Trails	0	0	0		
Mine (underground)	0	0	0		Tree Canopy Herbivory (INSECT)	0	0	0		Soil Compaction (ANIMAL OR HUMAN)	0	0	0		
Military	0	0	0		Shrub Layer Browsed (WILD OR DOMESTIC)	0	1	2	3	Offroad vehicle damage	0	0	0		
Other: _____	0	0	0		Highly Grazed Grasses (OVERALL <3' HIGH)	0	0	0		Soil erosion (FROM WIND, WATER, OR OVERUSE)	0	0	0		
Other: _____	0	0	0		Recently Burned Forest Canopy	0	0	0		Other: _____	0	0	0		
Other: _____	0	0	0		Recently Burned Grassland (BLACKENED)	0	0	0		Other: _____	0	0	0		

Flag codes: K = No measurement made, U = Suspect measurement, F1, F2, etc. = misc. flags assigned by each field crew.
Explain all flags in comment section on the back of this form

2428168304

Buffer Sample Plots 05/27/2011

FORM B-1: BUFFER SAMPLE PLOTS - TARGETED ALIEN SPECIES (Back)

Reviewed by (initials):

Site ID: PCABR1303

DATE: 07 / 24 / 2013

Confirm a filled data bubble indicates presence and an unfilled bubble indicates absence by filling in this bubble

Fill bubble if present - Plot	1	2	3	Flag	Fill bubble if present - Plot	1	2	3	Flag	Fill bubble if present - Plot	1	2	3	Flag
Eurasian Watermilfoil	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Purple Loosestrife	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Johnson Grass	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Water hyacinth	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Knotweed	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Kudzu	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Yellow Floating Heart	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Japanese Knotweed	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Multiflora Rose	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Giant Salvinia	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Perennial Pepperweed	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Common Buckthorn	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Garlic Mustard	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Giant Reed	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Himalayan Blackberry	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Poison Hemlock	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Cheatgrass	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Tamarisk	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Mile-A-Minute Weed	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Reed Canary Grass	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Other: _____	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Birdsfoot Trefoil	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Common Reed	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Other: _____	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Canada Thistle	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Leafy Spurge	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Other: _____	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
										Other: _____	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	

PLOT COORDINATES

Provide GPS coordinates at the center of the Buffer Plot (#3) at the far end of each Buffer Transect and for the Buffer Plot at the AA CENTER. Indicate the location of the plot coordinates by filling in the appropriate bubble.

If Buffer Plot 3 can not be accessed, take the coordinates at the nearest practicable location ALONG THE TRANSECT. This is important because all Buffer Plots are centered on the Buffer Transects and the coordinates will indicate the location of the transect. Fill in the "nearest practicable location" bubble, fill in the flag box, and describe where the coordinates were taken and why in the comment section below. The coordinates of the nearest practicable location can be either placed as close to the center of Plot 3 as possible or at the center of the last accessible Buffer Plot.

Location of coordinates (choose one):

Flag

AA CENTER N3 S3 E3 W3 Nearest practicable location (flag and permanent marker)

Latitude North A 1.34720

Longitude West $^{\circ} 81.59 \mid 38$

Use Decimal Degrees: NAD83