01 / RESULTS AT A GLANCE

Daylight factor rises. Sun hours fall.

Two-version simulation comparison / Sample report

Metrics, result maps and essential study conditions only.

Version A → Version B

Studies: Daylight factor / Sun hours
Subject: Illustrative analysis grids
Purpose: Report layout and drawing preview

DAYLIGHT FACTOR / MEAN DF

+0.66 pp

A 1.65% → B 2.31%

DF is a percentage; its absolute change is in percentage points.

SUN HOURS / MEAN

-0.96 h

A 3.28 h → B 2.31 h

Area-weighted mean over the analysis plane.

DATA COVERAGE / A-B MATCHING

100 %

Identical coordinates and grids within each study

384 daylight pairs; 864 sun-hours pairs. No missing values.

01 **The two metrics move in different directions.**

In this example, B has a higher mean daylight factor and fewer mean sun hours on the outdoor analysis plane. A rise in one metric does not establish an overall better option. See figures D-01 to S-03.

02 **Differences can be located in specific analysis zones.**

Pages 3–4 show A/B maps with shared extents and scales, alongside separate difference maps. Page 5 gives zone-level values. The diagrams locate analysis results; they do not introduce the site or design.

Reading guide

02 Study conditions and comparability 02
03 Daylight-factor comparison 03
04 Sun-hours comparison 04
05 Zones and distributions 05
06 Metrics and data notes 06

02 / COMPARABILITY

Establish the scope and conditions first.

Maps share coordinates, sample spacing and extents. The settings below are illustrative assumptions, not records from completed project simulations.

STUDY CONDITIONS / SAMPLE

Condition	Baseline A	Option B	Status
Version / data ID	A / DEMO-A	B / DEMO-B	Identified
Daylight analysis plane	Level 01 · 12 × 8 m · 96 m²	Same as A	Matched
Sun-hours analysis plane	Outdoor plane · 18 × 12 m · 216 m²	Same as A	Matched
Grid / sample matching	0.5 × 0.5 m; matching coordinates	Same as A	Matched
Daylight plane height	0.80 m (example input)	Same as A	Matched
Daylight metric	Static daylight factor; not sDA / ASE	Same as A	Matched
Sun-hours date / period	2026-03-20 · 08:00–18:00 (assumed)	Same as A	Matched
Time zone / north	America/Vancouver · North 0° (assumed)	Same as A	Matched
Weather / solver	No EPW or solver used	No EPW or solver used	Example only
Result source	Example function A; not a real run	Example function B; not a real run	Source stated

What makes real runs comparable?

Check units, level or region, analysis plane, grid, study period, weather source and key settings for the selected runs. Results with different settings may be shown together, but the mismatch must be stated; all differences cannot be attributed to model changes.

Limits of this sample

This PDF demonstrates report presentation only. No solver was used. It establishes neither physical causation nor regulatory compliance. A real report must use saved simulation runs and traceable settings.

03 / DAYLIGHT FACTOR

B has a higher mean daylight factor than A.

384 paired samples · Level 01 · 96 m² · Analysis plane 0.80 m

1.65% → 2.31%

Mean difference +0.66 pp / Relative change +39.8%

Baseline A

DF / %




Fig. D-01 · Baseline A · Same analysis extent

Option B

DF / %




Fig. D-02 · Option B · Same analysis extent

Difference B − A

Δ / pp




Fig. D-03 · Difference B − A · Same analysis extent

How to read the maps

A/B share a 0–6% scale; darker colors indicate higher DF. The separate, zero-centered difference map shows percentage-point changes. The dashed line divides the plane into D1 (south) and D2 (north). This is an illustrative analysis grid, not an exported floor model.

A numerical change does not establish causation.

In this dataset, every B sample exceeds A. The mean rises by 0.66 pp. Static DF is not annual sDA or ASE. This map does not establish annual daylight, glare performance or the effect of any individual building element.

> Area with DF ≥ 2%: A 29.2%; B 45.3%; change +16.1 pp. This threshold demonstrates area statistics; it is not a compliance target.

04 / SUN HOURS

B has fewer sun hours on the outdoor analysis plane.

864 paired samples · Outdoor analysis plane · 216 m² · Assumed period 08:00–18:00

3.28 h → 2.31 h

Mean difference -0.96 h / Relative change -29.4%

Baseline A

Sun hours / h




Fig. S-01 · Baseline A · Same analysis extent

Option B

Sun hours / h




Fig. S-02 · Option B · Same analysis extent

Difference B − A

Δ / h




Fig. S-03 · Difference B − A · Same analysis extent

Where is the reduction greatest?

The difference map shows B−A, with negative values in warm colors. The reduction is greater in the eastern half, S2. Both absolute maps use the same 0–8 h scale; scales are not stretched separately to exaggerate the difference.

What does this indicate?

Lower outdoor sun hours and higher indoor DF coexist in this synthetic dataset. Whether this meets the brief depends on project goals, season and use. A reduction in sun hours is not automatically treated as beneficial or adverse.

> Area with sun hours ≥ 2 h: A 80.9%; B 58.2%; change -22.7 pp. This statistic applies only to this example plane and study period, not the whole site or year.

05 / SPATIAL BREAKDOWN

Use zone-level values to explain the overall mean.

Zones match the dashed boundaries and IDs on the maps. Every sample has a corresponding A/B value.

Extents: figures D-01 / S-01

Analysis zone	Area	Metric	Baseline A	Option B	Difference B − A
D1 / South	48 m²	DF mean	2.47 %	3.29 %	+0.83 pp
D2 / North	48 m²	DF mean	0.83 %	1.32 %	+0.49 pp
S1 / West	108 m²	Sun hours mean	4.07 h	3.26 h	-0.81 h
S2 / East	108 m²	Sun hours mean	2.48 h	1.37 h	-1.12 h

Daylight factor / Area distribution

Share of the 96 m² analysis plane in each bin. Intervals include the lower bound and exclude the upper bound.




Fig. D-04 · A in gray; B in teal. Bins describe the distribution; they are not pass/fail categories.

Sun hours / Area distribution

Share of the 216 m² analysis plane in each bin. Intervals include the lower bound and exclude the upper bound.




Fig. S-04 · A in gray; B in teal. Shares are calculated from all equal-area grid cells.

06 / METRICS & DATA NOTES

Trace each finding to an explicit value.

Complete metrics and calculation notes. pp = percentage points. Relative change = (B−A) / |A| × 100%.

Simulation	Metric	Baseline A	Option B	Absolute difference	Relative change
Daylight factor	Mean DF	1.65 %	2.31 %	+0.66 pp	+39.8%
Daylight factor	Area with DF ≥ 2%	29.2 %	45.3 %	+16.1 pp	+55.4%
Sun hours	Mean sun hours	3.28 h	2.31 h	-0.96 h	-29.4%
Sun hours	Area with sun hours ≥ 2 h	80.9 %	58.2 %	-22.7 pp	-28.0%

Calculation and drawing conventions

- Equal-area grid: 0.5 × 0.5 m; each cell covers 0.25 m².
- Means are area-weighted across all valid cells.
- A/B coordinates match; no interpolation, resampling or missing values.
- Difference = B−A. Absolute changes in DF and area shares use pp.
- A/B maps share fixed scales; differences use a separate symmetric scale.
- Maps are vector-based with searchable text; linework marks extents and zones only.

Sources, limits and production requirements

All values come from deterministic example functions in the accompanying script, not a PlotCloud solver or an actual project. Relative changes are calculated before display rounding. These values demonstrate how metrics, maps, differences and tables can be presented.

A production export should bind model versions and run IDs, preserving settings, result timestamps, methods and source values. If spatial values are unavailable, omit the difference map and explain the gap; do not substitute another run.

Sample deliverable This PDF is a printable layout example. It does not mean the website already provides this report exporter, and it is not a project assessment or proof of compliance.