

How to Set up a Plug

1 Navigate to <u>area.alexandrejublot.com/plugs</u>





4 Type the name of the plug you want.

Setup the Trigger

Create a new PLUG:D

Awesome YouTube Notifier!

Prigger

Action


Values

ADD STEP

! Trigger will be the event that will start the sequence of actions you will define later.

In this example we will use YouTube as a trigger by using the video publishing event to send a Discord message with the video informations.

6 Click on "Service" in the "Trigger" card to select the service that will be used to start the plug.



Click on the service you want to use.

Ex: YouTube

Action

Service

starton

twitter

github

youtube

discord


docker-hub

outlook

drive

etherscan

Selecting the service allow you to pick an event asstiociated with it by clicking on "Event".



Click on the event you want to use.
Ex: "New Video From Channel"


Action

Service
youtube
Event

New Video From Channel
New Video From My Channel
New Stream From Channel
New Stream From Channel
New Upcoming From Channel

New Upcoming From My Channel

(May not be required) Some services and events require additionals values to work. Click on "Values" to check the required fields.



(May not be required) If you need to fill some "weird" variables (like "id", "token", etc...) you will probably need to read the service documentation to understand what are the corresponding values.

(!)

Congratulation! The first step to setup the plug is now completed, now you need to setup at least one action that will be executed when the Trigger is started.

Setup the first Action

Values

Select variable

UCh-wfwBSPmkYdM9_hNK98sg


ADD STEP

Action

Values

ADD STEP

CANCEL DELETE CREATE



Select the service that will be used by your action.

Ex: discord

ADD STEP

Action

twitter

github

youtube

discord

docker-hub

outlook

etherscan

drive

ACTION

Action

Action

Action

Action

Action


Action

Action


Action


Values

Click on the action you want to use. Ex: "Post a private message"



(May not be required) Some services and actions require additionals values to work. Click on "Values" to check the required fields.






(Optional) Use Variables in "Values" Sections

At any moment in the "Values" section of an action, you can use "variables" to add the data created by a previous action or by the trigger.


Click on the text field where you want to add a variable and then click on "Select variable" on top of it.

Ex: Add to a message the channel and video informations (the result of the trigger)




Click on the variable you want to use, each new trigger or action is separated by a bold section title. This allows you to choose the right variable for a specific action or trigger.

Ex: "Channel Title"






Selecting a variable will add a special tag to your input field. It should look like "\${X.X}", this a normal behaviour, it represents the value you have selected and will be updated dynamically when executed!



(Optional) Add more than one action



(Optional) Delete an action



Alert! Be very carefull when deleting an action, this will not update all the variables of your actions. You will need to select them all again to have the correct tag.

Click on the trash icon in the action card you want to delete.

277542601807233024


The Channel "\${0.channelTitle}" published a vi

ADD STEP

Action

Service

Create the plug



(!)


If you are redirected to the plug page and can see your plug, congratulations! You have successfully created your plug.


Help about "Service X not connected"



If you have an error while creating the plug because you are not connected, you can follow this procedure to avoid loosing your plug.

Simply ignore the error message.





27 Then go back to your plug creation page and click save again.