

# COMMERCIAL PLOTS — DEVELOPMENT CONTROLS

UBBL Delhi 2016 · Annexure VI (MPD-2021) Table 5.4 · Amendments up to Feb 2020

## COMMERCIAL CENTRES — FAR, COVERAGE & PARKING (Table 5.4)

| Use / Premises                                                               | Ground Coverage (%) | Max FAR | Height | Parking (ECS/100 sq.m) | Key Remarks                                                                 |
|------------------------------------------------------------------------------|---------------------|---------|--------|------------------------|-----------------------------------------------------------------------------|
| Convenience Shopping Centre / Local Shopping Centre / Local Commercial Areas | 40%                 | 100     | 15 m   | 2                      | 10% addl. coverage for atrium in LSC                                        |
| Service Market                                                               | 40%                 | 100     | 15 m   | 2                      | —                                                                           |
| Organised Informal Bazaar                                                    | 40%                 | 40      | 8 m    | —                      | —                                                                           |
| Community Centre / Non-hierarchical Commercial Centre                        | 25%                 | 125     | NR*    | 3                      | 10% addl. coverage for atrium                                               |
| District Centre / Sub-CBD / Sub-City Level Commercial                        | 25%                 | 150     | NR*    | 3                      | 10% addl. coverage for atrium                                               |
| Metropolitan City Centre / CBD (Connaught Place & Extension)                 | 25%                 | 150     | NR*    | 3                      | Existing height maintained at CP; no basement in middle circle              |
| Commercial Complex (Fire Brigade Lane / Janpath Lane)                        | 25%                 | 150     | NR*    | 3                      | Coverage & FAR on presently available plot area                             |
| Hotel — plot below 30 m ROW                                                  | 40%                 | 325     | NR*    | 3                      | Max 10% addl. coverage for atrium; max 20% FAR for commercial office/retail |
| Hotel — plot on 30 m ROW and above                                           | 40%                 | 375     | NR*    | 3                      | Enhanced FAR subject to payment of prescribed charges                       |
| Service Apartments                                                           | 30%                 | 225     | NR*    | 2                      | Min plot 2,000 sq.m; max apartment 60 sq.m BU                               |

|                                                         |     |     |      |                |                                                          |
|---------------------------------------------------------|-----|-----|------|----------------|----------------------------------------------------------|
| Any other commercial centre                             | 25% | 100 | NR*  | 3              | Subject to statutory clearances                          |
| Commercial component with Railway / MRTS / ISBT Station | 80% | 200 | 20 m | 3              | Setbacks not mandatory; stilts for parking in rebuilding |
| Motels                                                  | 40% | 175 | NR*  | 3 per 100 sq.m | Must face min 30 m ROW road                              |
| Wholesale Market / Integrated Freight Complex           | 30% | 80  | NR*  | 3              | Commercial office max 25% of total floor area            |

*⚠️ \*NR = No restriction on height, subject to AAI / Delhi Fire Service / other statutory clearances. \*\*Ground Coverage up to 50% for hotels where AAI height restriction applies.*

#### MINIMUM SETBACKS FOR COMMERCIAL PLOTS (Table 17.1)

| Plot Size (sq.m)   | Front (m) | Rear (m) | Side-1 (m) | Side-2 (m) | Notes |
|--------------------|-----------|----------|------------|------------|-------|
| Up to 60           | 0         | 0        | —          | —          | —     |
| Above 60–150       | 3         | 1.5 avg  | —          | —          | —     |
| Above 150–300      | 4         | 2 avg    | —          | —          | —     |
| Above 300–500      | 4         | 3        | 3          | —          | —     |
| Above 500–2,000    | 6         | 3        | 3          | 3          | —     |
| Above 2,000–10,000 | 9         | 6        | 6          | 6          | —     |
| Above 10,000       | 15        | 12       | 12         | 12         | —     |

*⚠️ Setbacks NOT mandatory for commercial components with Railway / MRTS / ISBT. If permissible coverage not achievable, preceding category setbacks may apply.*

#### GENERAL PARKING STANDARDS (Table 17.2)

| Use Premises | Parking Standard (ECS / 100 sq.m floor area) |
|--------------|----------------------------------------------|
| Residential  | 2.0 ECS / 100 sq.m                           |
| Commercial   | 3.0 ECS / 100 sq.m                           |

|                                 |                    |
|---------------------------------|--------------------|
| Manufacturing / Industrial      | 2.0 ECS / 100 sq.m |
| Government                      | 1.8 ECS / 100 sq.m |
| Public & Semi-Public Facilities | 2.0 ECS / 100 sq.m |