

INSTITUTIONAL — HOSPITAL / TERTIARY & SUPER SPECIALTY HEALTH CARE

UBBL Delhi 2016 · Annexure VI (MPD-2021) Table 13.2 · MPD-2021 Chapter 13 · Amendments up to Feb 2020

FAR & GROUND COVERAGE — HOSPITAL / TERTIARY HEALTH CARE CENTRE

Parameter / ROW Condition	Ground Coverage	Max FAR	Height	Notes
Plot on ROW < 24 m	Max 40% (+5% addl. for multi-level parking)	250	No restriction (NR)*	Building-to-building distances as per BBL & fire tender movement requirements
Plot on ROW 24 m – 30 m	Max 40% (+5% addl. for multi-level parking)	300	No restriction (NR)*	Building-to-building distances as per BBL & fire tender movement requirements
Plot on ROW ≥ 30 m	Max 40% (+5% addl. for multi-level parking)	375	No restriction (NR)*	Building-to-building distances as per BBL & fire tender movement requirements
Plot in MRTS / Major Transport Corridor Influence Zone	Max 40% (+5% addl. for multi-level parking)	50% more than applicable ROW-based FAR	No restriction (NR)*	Additional 50% FAR over the applicable ROW-based FAR (e.g. 375 → 562 on ≥30m ROW)

Δ *NR = No height restriction, subject to clearance from AAI / Delhi Fire Service (DFS) / Delhi Metropolitan Authority (DMA) / National Monument Authority (NMA). DFS may allow no height restriction for healthcare with commensurate fire & life safety measures. Height restriction of 30 m in hospital buildings to be reviewed with Fire Dept. GNCTD.

GROUND COVERAGE — DETAILED RULES

Item	Norm / Value
Standard maximum ground coverage	Decided by inter-se building-to-building distances as per BBL & fire tender movement; absolute ceiling = 40%
Additional coverage for multi-level podium parking	+5% additional ground coverage permissible (total up to 45%)
Atrium allowance	Max +10% additional ground coverage for atrium; 25% of the utilised atrium coverage counted towards FAR
Multi-level podium parking	Permissible within building envelope lines, free from FAR and ground coverage
Plot size restriction in residential areas	Hospital plot size restricted to max 1.5 ha in residential areas; min 18 m ROW on at least one side; preference for 3-side open plot

MINIMUM SETBACKS (Table 17.1 — Non-Residential Plotted Development)

Plot Size (sq.m)	Front (m)	Rear (m)	Side-1 (m)	Side-2 (m)
Up to 60	0	0	—	—
Above 60 – 150	3	1.5 avg	—	—
Above 150 – 300	4	2 avg	—	—
Above 300 – 500	4	3	3	—
Above 500 – 2,000	6	3	3	3
Above 2,000 – 10,000	9	6	6	6
Above 10,000 (≤1.5 ha →15,000 sq.m)	15	12	12	12

i Hospital plots in residential areas capped at 1.5 ha (15,000 sq.m). Typical large hospital plot (e.g. 5,000–15,000 sq.m): Front 9–15 m | Rear 6–12 m | Side 6–12 m. If permissible coverage not achievable with these setbacks, preceding category setbacks may apply.

PARKING NORMS				
Category	Parking Standard	Space: Open	Space: Basement / Podium	Notes
Hospital / Tertiary Health Care Centre	2.0 ECS per 100 sq.m floor area	23 sq.m/ECS	32 sq.m/ECS (basement) 16 sq.m/ECS (automated)	Multi-level podium parking free from FAR & ground coverage
Other health facilities (maternity, nursing home, polyclinic)	2.0 ECS per 100 sq.m floor area	23 sq.m/ECS	32 sq.m/ECS	Standard hospital parking norm applies
Nursing & Paramedic Institute	2.0 ECS per 100 sq.m floor area	23 sq.m/ECS	32 sq.m/ECS	—
<i>! Parking misused is liable to municipalisation / takeover by Local Body. Multi-level with ramps = 30 sq.m/ECS Automated multilevel = 16 sq.m/ECS Open = 23 sq.m/ECS Covered ground floor = 28 sq.m/ECS.</i>				

WHAT IS EXCLUDED FROM FAR — HOSPITALS			
Element / Space	FAR Treatment	Ground Coverage Treatment	Source / Condition
Common waiting halls & reception areas	FREE from FAR	Counted in GC	Table 13.2, Other Control 5
Fire staircases	FREE from FAR	Counted in GC	Table 13.2, Other Control 5
Service floor (height ≤ 1.8 m)	FREE from FAR	Not counted in GC	Table 13.2, Other Control 6
Multi-level podium parking	FREE from FAR	FREE from GC	Table 13.2, Other Control 4
Basement (parking, services, back-office*)	FREE from FAR	Not counted	*With prior agency approval; kitchen, laundry, radiology lab also permitted
Residential for essential staff (≤25% of FAR)	Counted in FAR	Counted in GC	Table 13.2, Other Control 1 — up to 25% of permitted FAR
Dormitory / hostel for patient attendants	Counted in FAR	Counted in GC	Included in the 25% residential allowance above
Crèche	Counted in FAR	Counted in GC	Included in the 25% residential allowance above
Community space / religious shrine / chemist / bank counter	Counted in FAR	Counted in GC	Max 300 sq.m of floor area on hospital / medical college sites

SUPER SPECIALTY HOSPITALS — SPECIFIC CONTROLS & BED NORMS	
Parameter	Norm
Plot area per bed — General Hospital / Tertiary HCC	80 sq.m of gross floor area per bed (governs minimum plot area sizing)
Plot area per bed — Super Specialty Hospital (certified by competent authority)	Up to 80 sq.m per bed (same norm; gross area worked out @ up to 80 sq.m/bed)
Plot area per bed — Maternity / Nursing home / Family Welfare / other health centres	60 sq.m of gross floor area per bed
Enhanced FAR for existing premises	Permitted subject to payment of prescribed charges by Authority / land owning agency and other clearances
Environment clearance	Mandatory (bio-waste generation); zero discharge for sewerage enforced at promoter's cost
Power requirement	Additional power from grid; captive generation until grid supply available

Bed count determination	As per permissible FAR, community needs and demand studies — not a fixed cap
Industrial plot conversion to hospital (≤100 beds)	Permissible on plots ≥3,000 sq.m abutting 24 m ROW; under industrial DCN with conversion charges
<i>i</i> Basement permitted for: parking services (AC plant, water storage, boiler, ESS, HT/LT panels, transformer, control room, pump house, generator) staff locker/changing room staff dining (no kitchen) CSSD back-office kitchen laundry radiology lab other essential hospital services — all with prior agency approval.	