






Practice programming exos in delightful Learning eXperience

Architecture



Architecture



Technologies

- Rust
- Notify
- Similar
- Syntect
- Ratatui
- Serde + Toml

PLX


```
Solution
#include <stdio.h>

int main(int argc, char *argv[]) {
    if (argc < 3)
        printf("Error: missing argument firstname and legs number");
    else
        printf("The dog is %s and has %s legs\n", argv[1], argv[2]);
}
```




Ratatui

A Rust crate for cooking up Terminal User Interfaces




CI - Contributing

Contribution Workflow



CI - Release

Release Workflow



Work convention

- Versioning: Semantic Versioning (semver)
- Changelog: Keep a Changelog
- Commits: Conventional commits

docs: add docs to app file



AndreCostaaa committed 3 days ago

test: runner now sends process created event



AndreCostaaa committed 3 days ago · ✓ 3 / 3

refactor: refactor out exo done state




AndreCostaaa committed 3 days ago · ✗ 1 / 3

feat: all checks passed util fn



AndreCostaaa committed 3 days ago

File Architecture



...

Challenges

- Learn Rust as you go
- Cross platform problems

Future features

- Show errors in the UI
- UI
- Support Java, cmake, xmake...
- Teachers review mode

Questions ?