






SPCYCLOCONVERTER * - Simulink academic use
SIMULATION
DEBUG
MODELING
FORMAT
APPS
New
Open
Save
Print
FILE
Library Browser
LIBRARY
Log Signals
Add Viewer
Signal Table
PREPARE
Stop Time
0.5
Normal
Fast Restart
Step Back
Run
Step Forward
Stop
SIMULATE
Data Inspector
Logic Analyzer
Bird's-Eye Scope
Simulation Manager
REVIEW RESULTS
Model Browser
Property Inspector
SPCYCLOCONVERTER
Continuous
powergui
NOT
[T1]
[T2]
[T11]
[T22]
RMS
69.23
Scope
File
Tools
View
Simulation
Help
Ready
Sample based
Offset=0
T=0.500
Cycloconverter
Activate Windows
Go to Settings to activate Windows.
100%
auto(ode23tb)
11:50 AM
9/26/2026



SPCYCLOCONVERTER * - Simulink academic use
SIMULATION
DEBUG
MODELING
FORMAT
APPS
New
Open
Save
Print
FILE
Library Browser
LIBRARY
Log Signals
Add Viewer
Signal Table
PREPARE
Stop Time
0.5
Normal
Fast Restart
Step Back
Run
Step Forward
Stop
SIMULATE
Data Inspector
Logic Analyzer
Bird's-Eye Scope
Simulation Manager
REVIEW RESULTS
Model Browser
SPCYCLOCONVERTER
Property Inspector
Continuous
powergui
1
5/60
50
0
NOT LOGICAL OPERATOR
NOT
IDEAL SWITCH
1
1/60
50
(1/60)*((180+5)/360)
[T22]
[T11]
1
1/60
50
(1/60)*(5)/360)
[T1]
[T2]
ac voltage source
100
0
60
0
5
VOLTAGE MEASUREMENT
RMS
RMS
[T22]
[T11]
THYRISTOR
[T1]
69.23
DISPLAY
PULSE GENERATOR
1
1/60
50
(1/60)*((180+5)/360)
[T2]
GOTO
1
1/60
50
(1/60)*((5)/360)
Scope
File
Tools
View
Simulation
Help
100
50
0
-50
-100
0
0.1
0.2
0.3
0.4
0.5
Ready
Sample based
Offset=0
T=0.500
Cycloconverter
MODELING-
MODEL SETTNG
MX STEP SIZE-1e-4
Activate Windows
Go to Settings to activate Windows.
Ready
100%
auto(ode23tb)
11:50 AM
9/26/2026



FBINVERTER * - Simulink academic use
SIMULATION
DEBUG
MODELING
FORMAT
APPS
New
Open
Save
Print
FILE
Library Browser
LIBRARY
Log Signals
Add Viewer
Signal Table
PREPARE
Stop Time
0.5
Normal
Fast Restart
Step Back
Run
Step Forward
Stop
SIMULATE
Data Inspector
Logic Analyzer
Bird's-Eye Scope
Simulation Manager
REVIEW RESULTS
Model Browser
Property Inspector
FBINVERTER
Continuous
powergui
[A]
NOT
[B]
Scope
File
Tools
View
Simulation
Help
100
80
60
40
20
0
110
105
100
95
90
0
0.05
0.1
0.15
0.2
0.25
0.3
0.35
0.4
0.45
0.5
Ready
Sample based
T=0.500
Single-Phase Inverter
SINGLE PHASE FULL BRIDGE HBRIDGE DC-AC
Activate Windows
Go to Settings to activate Windows.
Ready
80%
auto(ode23tb)
11:53 AM
9/26/2026



FBINVERTER * - Simulink academic use
SIMULATION
DEBUG
MODELING
FORMAT
APPS
New
Open
Save
Print
Library Browser
Log Signals
Add Viewer
Signal Table
Stop Time
0.5
Normal
Fast Restart
Step Back
Run
Step Forward
Stop
Data Inspector
Logic Analyzer
Bird's-Eye Scope
Simulation Manager
FILE
LIBRARY
PREPARE
SIMULATE
REVIEW RESULTS
Model Browser
Property Inspector
FBINVERTER
PULSE GENERATOR
1
1/60
50
0
Continuous
powergui
GOTO
NOT
1e-4
IGBT
DIODE
100e-6
DC VOLTAGE SOURCE
FROM
VOLTGE MEASUREMENT
Scope
File
Tools
View
Simulation
Help
Ready
Sample based
T=0.500
Single-Phase Inverter
SINGLE PHASE FULL BRIDGE HBRIDGE DC-AC
Activate Windows
Go to Settings to activate Windows.
80%
auto(ode23tb)
11:53 AM
9/26/2026



THREEPR * - Simulink academic use
SIMULATION
DEBUG
MODELING
FORMAT
APPS
New
Open
Save
Print
FILE
Library Browser
LIBRARY
Log Signals
Add Viewer
Signal Table
PREPARE
Stop Time
1
Normal
Fast Restart
Step Back
Run
Step Forward
Stop
SIMULATE
Data Inspector
Logic Analyzer
Bird's-Eye Scope
Simulation Manager
REVIEW
Model Browser
THREEPR
Continuous
powergui
3
2
-31.05
Scope
File
Tools
View
Simulation
Help
Ready
Sample based
T=1.000
3-Phase Rectifier
3PHASE FULL BRIDGE AC-DC
Activate Windows
Go to Settings to activate Windows.
View 1 warning
100%
11:58 AM
9/26/2026


THREEPR * - Simulink academic use
SIMULATION
DEBUG
MODELING
FORMAT
APPS
New
Open
Save
Print
Library Browser
Log Signals
Add Viewer
Signal Table
Stop Time
1
Normal
Fast Restart
Step Back
Run
Step Forward
Stop
Data Inspector
Logic Analyzer
Bird's-Eye Scope
Simulation Manager
FILE
LIBRARY
PREPARE
SIMULATE
REVIEW
Model Browser
THREEPR
Continuous
powergui
THYRISTOR
PULSE GENERATOE
1
0.02
33.3333
60*(0.02/360)
PULSE GENERATOE
1
0.02
33.3333
180*(0.02/360)
PULSE GENERATOE
1
0.02
33.3333
300*(0.02/360)
-120
-240
PHASE DEGREE
OTHER SAME AS 1ST ONE
AC VOLTAGE SOURCE
230*1.414
0
50
0
VOLTAGE
PULSE GENERATOE
1
0.02
33.3333
240*(0.02/360)
PULSE GENERATOE
1
0.02
33.3333
360*(0.02/360)
PULSE GENERATOE
1
0.02
33.3333
120*(0.02/360)
10
BRANCH
VOLTAGE AND
CURRENT
DEMUX
3
MULTIMTTER
ADD ALL 3 USRC
MEAN
2
MULTIMTTER
ADD UB AND IB
-31.05
3PHASE FULL BRIDGE AC-DC
3-Phase Rectifier
Ready
View 1 warning
100%
Scope
File
Tools
View
Simulation
Help
Ready
Sample based
T=1.000
Ready
Sample based
T=1.000
Activate Windows
Go to Settings to activate Windows.
11:58 AM
9/26/2026


SIMULATION
DEBUG
MODELING
FORMAT
APPS
New
Open
Save
Print
FILE
Library Browser
LIBRARY
Log Signals
Add Viewer
Signal Table
PREPARE
Stop Time
2
Normal
Fast Restart
Step Back
Run
Step Forward
Stop
SIMULATE
Data Inspector
Logic Analyzer
Bird's-Eye Scope
Simulation Manager
REVIEW RESULTS
Model Browser
Library Browser
Enter search term
Library
Search Results: power gui
<< >> Page 0 of 0 (0 Blocks found)
No search results found for 'power gui'
untitled1
Continuous
powergui
[A]
[B]
[C]
g
m
D
S
-85.65
BUCKBOOST DC-DC
Property Inspector
Ready
125%
auto(ode23tb)
26°C
Light rain
Search
ENG
US
16:03
27-07-2026


SIMULATION
DEBUG
MODELING
FORMAT
APPS
New
Open
Save
Print
FILE
Library Browser
LIBRARY
Log Signals
Add Viewer
Signal Table
PREPARE
Stop Time
2
Normal
Fast Restart
Step Back
Run
Step Forward
Stop
SIMULATE
Data Inspector
Logic Analyzer
Bird's-Eye Scope
Simulation Manager
REVIEW RESULTS
Library Browser
Enter search term
Library
Search Results: power gui
<< >> Page 0 of 0 (0 Blocks found)
No search results found for 'power gui'
Model Browser
Property Inspector
untitled1
Continuous
powergui
[A]
FROM
[B]
[C]
[C]
GOTO
MOSFET
DIODE
CURRENT MEASUREMENT
VOLTGE MEASUREMENT
VOLTGE MEASUREMENT
[B]
GOTO
-85.65
[A]
GOTO
BUCKBOOST DC-DC
Ready
125%
auto(ode23tb)
26°C
Light rain
Search
ENG
US
16:03
27-07-2026


SIMULATION
DEBUG
MODELING
FORMAT
APPS
New
Open
Save
Print
FILE
Library Browser
LIBRARY
Log Signals
Add Viewer
Signal Table
PREPARE
Stop Time
2
Normal
Fast Restart
Step Back
Pause
Step Forward
Stop
SIMULATE
Data Inspector
Logic Analyzer
Bird's-Eye Scope
Simulation Manager
REVIEW RESULTS
Model Browser
Library Browser
Enter search term
Library
Search Results: power gui
<<>> Page 0 of 0 (0 Blocks found)
No search results found for 'power gui'
untitled1
Continuous
powergui
IGBT
[A]
[B]
[C]
0
CUK-DC-DC
Property Inspector
Running
100%
T=0.676
33%
auto(ode23tb)
26°C
Cloudy
Search
ENG
US
16:12
27-07-2026



PID LOGIC GATES

ved * - Simulink academic use

SIMULATION | DEBUG | MODELING | FORMAT | APPS | SCOPE


New | Open | Save | Print | Library Browser | Log Signals | Add Viewer | Signal Table | Stop Time 20 | Normal | Fast Restart | Step Back | Run | Step Forward | Stop | Data Inspector | Logic Analyzer | Bird's-Eye Scope | Simulation Manager


FILE | LIBRARY | PREPARE | SIMULATE | REVIEW RESULTS

ved

ved

To create a connection, click a port, terminator, or line segment, and then click a compatible, highlighted model element. More information. Do not show again





PID FIRST ORDER

Ready | View 1 warning | 60% | auto(ode45)

28°C Mostly cloudy | Search | ENG IN | 13:31 21-08-2026

ved * - Simulink academic use

SIMULATION | DEBUG | MODELING | FORMAT | APPS | SCOPE

New | Open | Save | Print | Library Browser | Log Signals | Add Viewer | Signal Table | Stop Time 20 | Normal | Fast Restart | Step Back | Run | Step Forward | Stop | Data Inspector | Logic Analyzer | Bird's-Eye Scope | Simulation Manager


FILE | LIBRARY | PREPARE | SIMULATE | REVIEW RESULTS

Model Browser | Property Inspector

ved

ved


To create a connection, click a port, terminator, or line segment, and then click a compatible, highlighted model element. More information. Do not show again




PID SECOND ORDER

Ready | 80% | auto(ode45)


28°C Partly sunny | Search | ENG IN | 13:34 21-08-2026


INTEGRATOR
SUM
GAIN
SUM
DERIVATIVE
N-[1 6 10]
D-[1 7 0 1]
PID


Bodacious Allis
Circuits
Schematic
Components
Simulator time: 00:00:30
Code
Stop Simulation
Send To
Components
Basic
Search
Resistor
LED
Pushbutton
Potentiomet...
Capacitor
Slideswitch
9V Battery
Coin Cell 3V Battery
1.5V Battery
Breadboard Small
micro:bit
Arduino Uno R3
Temp: 174.98C
Press: 13.44Pa


Name	Type	Value
Cycle	Timer	
Z0	Bool	False
Z1	Bool	False
Z2	Bool	False
X0	Bool	False
TimeOnZ0	Time	3000
TimeOnZ1	Time	5000
TimeOnZ2	Time	7000
SystemOn	Bool	False
2ClkTmr	Timer	
Counter	Counter	
2Clicks	Bool	False
0	Number	0

CONVEYOR BELT



Add new variable Bool Submit

Discover more



DC MOTOR SPEED CONTROL