1) Downloading the files from server and notifying the user.

```
initialize global intocunter to 0
                                                                                                                              hen SEENTCSC ... Initialize
                                                                                                                                if is empty call TinyDB1 . GetValue
                                                                                                                                                                       tag SEIETO
         ialize global struri to https://drive.google.com/uc?export=download&id=
                                                                                                                                                          valuelfTagNotThere | " | " | " |
         fialize global listfilenameDrive to the make a list the OB7LOKsoQ16TzVGFIMk1IZXFGQ1U
                                                                                                                                then call Notifier1 ... ShowAlert
                                                                                                                                                                DOWNLOADING FILES PLEASE WAIT.....
                                                      0B7LOKsoQ16TzTldTNnBtcXFRMjA
                                                      0B7LOKsoQ16TzYWdjcU10OWNWc1U
                                                                                                                                      set Web1 . SaveResponse to true !
                                                                                                                                      call nextfile *
                                                      0B7L0KsoQ16TzWTV0QzdhVVhwQVE
                                                      0B7LOKsoQ16TzTXJ8bGl3SnVkeHc
                                                                                                                                 else call ready.
                                                      0B7LOKsoQ16TzcGpxTGZ1b1oxQ3M
                                                      0B7L0KsoQ16TzSkd1VTdKQTFrQ00
                                                      0B7LOKsoQ16TzZFhZUktSUHp2Znc
                                                                                                                               en SS 7 .Click
                                                      0B7LOKsoQ16TzTIJtaURYbnhXemc
                                                                                                                                set ActivityStarter1 • . DataUri • to file:///storage/emulated/0/Android/data/com.spha...
                                                      0B7LOKsoQ16TzTTgxRFNjUDNqX28
                                                                                                                                call (ActivityStarter1 . StartActivity
                                                      0B7LOKsoQ18TzYlE2VlRFejYxQjQ
                                                      0B7L0KsoQ18TzRWxlSkJsVHM4eFU
                                                      0B7LOKsoQ16TzYUFIREdCMUpxTzA
                                                                                                                             when EDC . Click
                                                      0B7L0KsoQ16TzZkFpV0VKN1k2Vmc
                                                                                                                                set ActivityStarter1 . DataUri to file:///storage/emulated/0/Android/data/com.spha...
                                                                                                                                 call ActivityStarter1 .StartActivity
                                                     0B7LOKsoQ16TzT2RGWVlvbGxTQ0k
       when Web1 .GotFile
        url responseCode responseType fileName
                                                                                                                               en Network_Theory .Click
       do set global intdownloaded to to get global intdownloaded + 1
                                                                                                                                set ActivityStarter1 . DataUri to file:///storage/emulated/0/Android/data/com.spha...
           initialize local numberoffiles to length of list list get global listfilenameDrive
                                                                                                                                call ActivityStarter1 . StartActivity
           in set STATUS . Text to ( to join ( * DOWNLOADING *
                                                                                               get (global intdownloaded *
                                                                  100 / get numberoffiles
                                                                                                                                n DS / Click
                                                                                                                                set ActivityStarter1 . DataUri to file://storage/emulated/0/Android/data/com.spha...
                                                    % DONE
                                                                                                                                call (ActivityStarter1 ) StartActivity
              set STATUS . Width to 0
                                                 SEENTCSC . Width . / / get numberoffles . x get global intdownloaded .
                        get (global intdownloaded 1) = 1) get (numberoffiles 1)
               then call TinyDB1 . StoreValue
                                                                                                                                                                                                             tag SEETO
                                  valueToStore DONE SE ETC
0
                    call ready 1
                    call nextfile *
ings
```

2)Storing and accessing the files in the user's android device.

```
set ActivityStarter1 . DataUri to file:///storage/emulated/0/Android/data/com.spha...
                                                                                                                        set ActivityStarter1 . DataUri to file:///storage/emulated/0/Android/data/com.spha...
                                                                                                                        call ActivityStarter1 .StartActivity
    call ActivityStarter1 .StartActivity
  hen EMIT . Click
                                                                                                                      hen CS . Click
    set ActivityStarter1 . DataUri to file:///storage/emulated/0/Android/data/com.spha...
                                                                                                                       set ActivityStarter1 • . DataUri • to | file://storage/emulated/0/Android/data/com.spha... •
    call ActivityStarter1 .StartActivity
                                                                                                                        call ActivityStarter1 . StartActivity
 when EM_3 .Click
                                                                                                                   initialize global strpath to Android/data/com.spharm.android/se/ETC/
    set (ActivityStarter1 **) . DataUri ** to | ** file:///storage/emulated/0/Android/data/com.spha... **
    call ActivityStarter1 .StartActivity
                                                                                                                     to ready
                                                                                                                    do call Notifier St. ShowAlert
                                                                                                                                          notice READY
do set global intcounter to 10 get global intcounter 1 + 1
                                                                                                                    initialize global (listfilename) to 🚺 make a list
                                                                                                                                                                  AC E.pdf
    set Web1 . ResponseFileName to to join get global strpath to
                                                                                                                                                                  CO E.pdf
                                                      select list item list get global listfilename
                                                                                                                                                                  CS E.pdf
                                                                index get global intcounter
                                                                                                                                                                  DE E.pdf
     set Web1 . Univ to join get global struri
                                                                                                                                                                 DS&A E.pdf
                                      select list item list get global listfilenameDrive
                                                                                                                                                                 ED&C E.pdf
                                               index get global intcounter 1
                                                                                                                                                                 EMIT E.pdf
    call Web1 .Get
                                                                                                                                                                 IC E.pdf
                                                                                                                                                                 M3 E.pdf
initialize global (intdownloaded) to 0
                                                                                                                                                                 NT E.pdf
                                                                                                                                                                 OOP E.pdf
  hen (AC ) .Click
                                                                                                                                                                 SS E.pdf
    set ActivityStarter1 . DataUri to file:///storage/emulated/0/Android/data/com.spha...
                                                                                                                                                                 SSKILL E.pdf
    call ActivityStarter1 . StartActivity
                                                                                                                                                                 SE2014OCT E.pdf
                                                                                                                                                                 SE2015MAY E.pdf
```

```
when CO . Click
do set (ActivityStarter1 • ) . DataUri • ) to ( | file:///storage/emulated/0/Android/data/com.spha...)
    call ActivityStarter1 ... StartActivity
when OOP .Click
do set ActivityStarter1 . DataUri to file:///storage/emulated/0/Android/data/com.spha...
    call ActivityStarter1 ... StartActivity
when SEENTCSC . ErrorOccurred
component functionName errorNumber message
do call Notifier1 .ShowMessageDialog
                                        join get message
                                                   In In ERROR DURING DOWNLOAD, PLEASE RESTART THE APP
                                  title
                                        join Error
                                                   get errorNumber
                                         OK -
                             buttonText
when MAY2015 . Click
do set ActivityStarter1 . DataUri to file:///storage/emulated/0/Android/data/com.spha...
    call ActivityStarter1 ... StartActivity
when OCT2014 . Click
do set (ActivityStarter1 ) . DataUri ) to file:///storage/emulated/0/Android/data/com.spha... )
    call ActivityStarter1 .StartActivity
when Soft_Skill .Click
do set ActivityStarter1 . DataUri to file:///storage/emulated/0/Android/data/com.spha...
    call ActivityStarter1 . StartActivity
```