4.8 Пакетные менеджеры linux debпакеты

Успешный пайплайн: https://gitlab.com/xokage/exchangeservice/-/pipelines/566313173

(https://gitlab.com/xokage/exchangeservice/-/pipelines/566313173)

Ветка deb: https://gitlab.com/xokage/exchangeservice/-/tree/deb

(https://gitlab.com/xokage/exchangeservice/-/tree/deb)

```
🥠 .gitlab-ci.yml 🔋 662 bytes
 1 stages:
 2 - deb-build
    - deb-install
     - deb-remove # List of stages for jobs, and their order of executio
 5
 6
 7 build deb:
 8 stage: deb-build
 9 script:
- dpkg-deb --build . ./mydeb.deb
11 artifacts:
      paths:
13

   ./mydeb.deb

14
    tags:
     - "dev"
15
16
17 build docker deb:
18 stage: deb-install
19 script:
      - sudo dpkg --install mydeb.deb
21
       - ls -la /deb

   cd /deb && docker build -t deb docker:latest .

23

   docker images

24 tags:
      - "dev"
25
26 allow_failure: false
27
28 deb remove:
29
     stage: deb-remove
30
      allow_failure: false
     tags:
31
32
          - "dev"
33
      rules:
34
        when: manual
35
      script:

   sudo dpkg --remove myexchange
```

Три стейджа, последний для удаления не обязательный, по кнопке.

Первая джоба собирает и кладет локально деб архив.

Вторая джоба следующего стейджа подхватывает артефакт предыдущий джобы,

устанавливает ее, в корне появится папка deb, в ней проект с Dockerfile. Переходим туда(чтобы ничего не сломалось), собираем образ.

Третья джоба, можно удалить пакет и все файлы этого пакета.