



Theories, Sites, Toposes: Relating and studying mathematical theories through topos-theoretic 'bridges'

Olivia Caramello

<https://doi.org/10.1093/oso/9780198758914.001.0001>

Published: 21 December 2017

Online ISBN: 9780191818752

Print ISBN: 9780198758914

END MATTER

Index

Published: 21 December 2017

Subject: [Geometry, Pure Mathematics](#)

Collection: [Oxford Scholarship Online](#)

Index

- J*-ideal 20
- ∞ -pretopos 35
- Amalgamation property 332
- Arity (of a function symbol) 23
- Associated sheaf functor 16
- Atom 137
 - of a topos 328
- Axiom (of a theory) 25
- Bi-interpretation 49
- Booleanization
 - of a theory 131, 338
 - of a topos 130
- Boundary
 - of a subtopos 326
- Bridge (topos-theoretic)
 - arch of 74
 - deck of 70
 - technique 69
- Cartesianization
 - of a geometric theory 26
- Categorical equivalence 73
- Category
 - of elements 20
 - Boolean coherent 33
 - cartesian 10
 - cartesian closed 15
 - Cauchy-complete 18
 - coherent 32
 - effective regular 34
 - essentially small 89, 198
 - finitely accessible 260
 - geometric 32
 - Heyting 33
 - indexed 140
 - internal to a topos 140
 - positive coherent 35
 - regular 31
 - well-powered 32
- Cauchy completion 195
- Cell
 - 0-cell 83
 - 1-cell 83
 - 2-cell 83
- Classifying arrow (of a subobject) 16
- Classifying topos 55
 - for a cartesian theory 57, 64
 - for a coherent theory 57

- for a geometric theory 55, 57
- for a propositional theory 63
- for a regular theory 57
- for a universal Horn theory 57
- for Boolean algebras 65
- for commutative rings with unit 65
- for integral domains 66
- for intervals 67
- for local rings 65

Closure

- of a sieve 84

Closure operation 41

- universal 41

Coherent category

- Boolean 33
- positive 35

Colimit 15

- as tensor product 146
- of an indexed functor 142
- of an internal diagram 142

Comparison Lemma 14

Completeness

- classical (for coherent logic) 52
- strong 51

Completeness theorem

- for coherent logic 52

Cone

- universal 14

Congruence 268

Constant symbol 23

Context 25

- canonical 25
- suitable 25

Continuous G -set 13

Continuous map 18

p. 364 $\hookrightarrow$ De Morgan's law 131

Deduction system 27

- for Grothendieck topologies 94

Definability theorem (for theories of presheaf type) 201

DeMorganization

- of a theory 131
- of a topos 131

Derivation 27

Diaconescu's equivalence 22

Diagram

- internal to a topos 140

Direct image 18

Discrete fibration 141

Discrete opfibration 141

- Double negation
 - topology 11
 - universal closure operation 41
- Duality 73
- Effectivization (of a regular category) 34
- Elementary morphism 38
- Epimorphic family 12
- Equivalence
 - categorical 73
 - Morita (of theories) 70
 - proof-theoretic 94
 - syntactic (of theories) 89
- Expansion
 - fully faithful 267
 - hyperconnected 242
 - localic 242
 - of a geometric theory 242
- Exponential 15
- Filter
 - prime 65
- Formula
 - $\mathbb{T}$ -Boolean 202
 - $\mathbb{T}$ -complete 329
 - $\mathbb{T}$ -consistent 134
 - $\mathbb{T}$ -indecomposable 329
 - $\mathbb{T}$ -irreducible 203, 329
 - $\mathbb{T}$ -stably consistent 131
 - $\mathbb{T}$ -compact 355
 - $\mathbb{T}$ -supercompact 355
 - atomic 25
 - cartesian 26
 - coherent 25
 - first-order 25
 - geometric 25
 - Horn 25
 - in context 25
 - infinitary 25
 - provably equivalent 46
 - regular 25
- Fraïssé's theorem 331
- Frame 11
 - homomorphism 11
- Frobenius axiom 28
- Function symbol 23
- Functor
 - cartesian 10, 38
 - coherent 38
 - conservative 38
 - continuous (for a Grothendieck topology) 22

- cover-preserving 10
- filtering 21
- final 151
- flat 21
- full 140
- geometric 38
- global sections 18
- Heyting 38
- indexed 140
- indexed category of elements of 144
- internal 141
- logical 39
- regular 38
- Galois theory 340
- Geometric category 32
- Geometric inclusion
 - dense-closed factorization 132
 - skeletal 133
- Geometric morphism 17
 - coherent 62
 - essential 18
 - hyperconnected 242
 - inclusion 19
 - localic 242
 - regular 62
 - sujection 19
 - surjection-inclusion factorization of 134
- Geometric theory 26, 53
 - countably categorical 336
 - expansion of 242
 - presheaf completion of 247
 - propositional 26
 - quotient of 89
 - subtheory of 215
 - syntactically equivalent to 89
- Geometric transformation 18
- Giraud's theorem 14
- Grothendieck topology 10, 85
 - associated $\mathbb{T}$ -quotient of 93
 - atomic 11
 - canonical (on a locale) 11
 - $\hookrightarrow$ coherent 48
 - dense 11
 - double negation 11
 - generated by a family of (pre)sieves 84
 - generators for 86
 - geometric 48
 - Heyting implication of Grothendieck topologies 111
 - induced 14

- of finite type 289
 - operations on Grothendieck topologies 108
 - proof-theoretic interpretation 94
 - pseudocomplement of 111
 - regular 48
 - rigid 202, 295
 - subcanonical 13, 339, 344
 - trivial 11
- Grothendieck topos 12
- Groupoid
 - localic 13
 - topological 13, 39
- Heyting algebra 10
 - complete 10
 - internal to a Grothendieck topos 108
 - internal to a topos 40
- Heyting category 33
- Heyting implication
 - of Grothendieck topologies 111
 - of theories 115
- Ideal
 - for a Grothendieck topology 20
 - maximal 347
 - prime 66, 347
- Image 31
 - direct 18
 - inverse 18
 - of an arrow 31
- Inclusion (geometric) 19
- Indexed category 140
 - $\mathcal{C}$ -full subcategory of 151
 - filtered 144
 - final subcategory of 151
 - having small homs at 1 143
 - localization of 143
 - locally small 143
 - strictly final subcategory of 151
- Indexed functor
 - colimit of 142
 - final 151
 - full 140
- Inductive completion 199, 284
- Inference rule 27
- Infinitary positivization (of a geometric category) 35
- Internal category
 - externalization of 142
- Internal diagram
 - colimit of 142
 - indexation of 145

- Internal hom 143, 210
- Internal language 34
- Interpretation 49
 - cartesian 60
 - coherent 60
 - faithful 251
 - geometric 60
 - regular 60
- Interval 66
- Invariant (topos-theoretic) 69
- Inverse image 18
- Joint embedding property 332
- Kan extension 18
- Kripke-Joyal semantics 44
- Language
 - first-order 23
 - internal 34
- Lattice 10
 - distributive 350
- Law of excluded middle 28
- Lawvere-Tierney topology 41
- Limit 14
 - finite fc 340
 - inductive 15
 - projective 14
- Lindenbaum-Tarski algebra 64
- Local operator 41
 - closed 128
 - dense 125
 - double negation 41
 - open 124
 - order between local operators 115
 - quasi-closed 124
 - relativization of 121
- Locale 11
- Localic groupoid 13
- Localization
 - of an indexed category 143
- Logic 28
 - algebraic 29
 - classical first-order 29
 - coherent 29
 - fragment of 77
 - fragments of 28
 - geometric 29
 - Horn 29
 - $\hookrightarrow$ intuitionistic first-order 29
 - regular 29
- Model (of a theory) 37

- J -homogeneous 276
- S -homogeneous 275
- finite 294, 305
- finitely generated 259, 301
- finitely presentable 205
- finitely presented 64, 205
- strongly finitely presented 213
- universal (in a classifying topos) 56
- universal (in a syntactic category) 47
- Monomorphism
 - strict 343
- Morita-equivalence 59, 70
 - for associative rings with unit 72
 - for geometric theories 59
 - for inverse semigroups 73
 - for small categories 72
 - for topological groups 72
- Morleyization 54
- Morphism
 - of sites 10
 - geometric 17
 - of structures 30
- Negation (of a subobject) 33
- Object
 - $\mathcal{C}$ -homogeneous 332
 - $\mathcal{C}$ -ultrahomogeneous 332
 - $\mathcal{C}$ -universal 333
 - coherent 61, 354
 - compact 61
 - decidable 255, 256
 - indecomposable 328
 - irreducible 61, 206, 328
 - of homomorphisms 210
 - of morphisms 143
 - stably irreducible 354
 - subterminal 1, 13
 - supercoherent 61, 354
 - supercompact 61
- Order
 - between Grothendieck topologies 108
 - between local operators 115
 - between theories 113
- Ore condition
 - right 11
- Point (of a topos) 19
- Positivization (of a coherent category) 35
- Presheaf 12
- Presheaf completion (of a geometric theory) 247
- Presieve 84

- Pretopology 85
- Pretopos 35
- Proof 27
- Pseudocomplement (of a subobject) 33
- Quotient
 - associated $\mathbb{T}$ -topology of 93
 - induced $\mathbb{T}$ -topology of 280
 - of a geometric theory 89
 - of a model 259
- Reflector 42
- Regular category 31
 - effective 34
- Relation symbol 23
- Relativization of a local operator 121
- Right Ore condition 11
- Rule of inference 27
- Sentence 24
- Separating family
 - of objects 12
 - of points 19
- Sequent 25
 - cartesian 26
 - coherent 25
 - derivable 29
 - equivalent to 89
 - first-order 25
 - geometric 25
 - Horn 25
 - provable 29
 - regular 25
 - satisfied in M 37
- Sequent calculus 27
- Sheaf 12
 - for a closure operation 41
 - for a Grothendieck topology 12
 - on a locale 13
 - on a site 12
 - on a space 13
- Sierpiński space 66
- Sierpiński topos 66
- Sieve 10
 - J -closed 17
 - J -closure of 84
 - J -covering 10
 - composite 85
 - generated by a presieve 84
 - principal 86
 - stably non-empty 11
- Signature

- canonical 34
- first-order 23
- p. 367 ↳ Site 10
 - atomic 276, 330
 - coherent 354
 - locally connected 330
 - morphism of sites 10
 - of definition 12
 - regular 354
 - syntactic 48
- Site characterization 69, 74
- Sort 23
- Soundness theorem 51
- Space
 - extrememally disconnected 75
 - sober 20
- Spectrum 73
 - Cole 73
 - Gelfand 352
 - maximal 347
 - prime 347
 - Zariski 346
- Strict monomorphism 343
- Structure
 - finitely generated 259
- Structure (for a signature) 30
 - homomorphism 30
 - tautological 34
- Subcategory
 - J -dense 13
- Subobject 15
 - classifying arrow of 16
 - complemented 33
 - dense 42
 - negation of 33
 - pseudocomplement of 33
- Subobject classifier 16
- Subterminal object 1
- Subterminal topology 20
- Subtopos 19
 - closed 128
 - dense 125
 - of points of a topos 138
 - open 126
 - quasi-closed 129
- Sujection (geometric) 19
- Surjection-inclusion factorization 19
- Syntactic category 45
 - algebraic (for a universal Horn theory) 46

- classical (for a first-order theory) 46
- for a cartesian theory 46
- for a coherent theory 46
- for a first-order theory 46
- for a geometric theory 45, 46
- for a regular theory 46
- Syntactic equivalence (of theories) 89
- Tensor product 146
- Term (in formal language) 24
- Theory 25
 - finite-limit part of 26
 - algebraic 25, 26
 - atomic 137
 - Boolean 136
 - Booleanization of 131, 338
 - cartesian 26
 - cartesianization of 26
 - coherent 26
 - complete 55, 137, 335
 - completions of 138, 336
 - contradictory 113, 137
 - countably categorical 336
 - DeMorganization of 131
 - first-order 25
 - geometric 26
 - having enough set-based models 51
 - Horn 26
 - Morita-equivalent 59
 - Morleyization of 54
 - of a structure 134
 - of abelian ℓ -groups with strong unit 322
 - of abstract circles 307
 - of algebraic extensions of a field 317
 - of decidable objects 306
 - of Diers fields 312
 - of fields 312
 - of fields of finite characteristic which are algebraic over their prime field 337
 - of finite sets 310
 - of groups (and its injectivization) 318
 - of locally finite groups 320
 - of MV-algebras 323
 - of presheaf type 4, 197
 - of separable extensions of a field 318
 - of small categories 26
 - of vector spaces over a field 321
 - presentation of 89
 - presheaf completion of 247
 - propositional 26, 63
 - regular 26

- subtheory of 215
- universal Horn 26
- with enough set-based models 138

Topology

- atomic 11
- canonical (on a locale) 11
- dense 11
- double negation 11
- Grothendieck 10
- Lawvere–Tierney 41
- ↳ syntactic 48
- trivial 11

p. 368

Topos

- as a ‘bridge’ 69
- atomic 137, 329, 334
- Boolean 136
- Booleanization of 130
- classifying 55
- coherent 59
- Connes’ 307
- degenerate 135
- DeMorganization of 131
- elementary 39
- epicyclic 310
- equivalent to a presheaf topos 329
- Grothendieck 12
- having enough points 19
- localic 13, 63
- locally connected 329
- of cyclic sets 307
- of simplicial sets 66
- point of 19
- Schanuel 337
- Sierpiński 66
- trivial 135
- two-valued 135, 137, 335
- with enough points 138
- Zariski 65

Type (of a function symbol) 23

Universal closure operation 41

Variable 23

- bound 23
- free 23

Yoneda lemma

- 2-dimensional 83