

Subject Index

- Alexandroff, P., vii, 18
- algebra, 273
 - σ -, 273
- Alster, K., 205, 206, 250
- Amir, D., 179, 205
- Anderson, R. D., 238
- Argyros, S., vii, viii, ix, x, 1, 18, 19, 20, 43, 76, 86, 111, 116, 117, 118, 119, 120, 122, 123, 124, 125, 135, 141, 146, 151, 156, 158, 159, 174, 175, 176, 177, 179, 184, 196, 197, 202, 205, 206, 207, 258
- Argyros' ramification lemma, 1
- Arhangel'skii, A. V., vii, 205
- arrow notation
 - $\alpha \rightarrow (\kappa)_\lambda^n$, 8
 - $\alpha \rightarrow (\alpha, \xi)^2$, 11
 - $\alpha \vdash (\alpha, \xi)^2$, 11
- β -extremally disconnected, 121
- Bachmann, H., 18, 258
- Bagley, R. W., 41
- Baire, R., 263, 275, 276, 279
- Baire category theorem, 262
- Baire measure, 275
- Baire set, 275
- Balcar, B., 118, 120, 121, 123
- Banach, S., xi, 86, 117, 121, 122, 123, 130, 135, 172, 173, 175, 176, 179, 204, 207, 280
- base, 261
- basic set, 45
- basically disconnected, 270
- Bell, M. G., 177, 202
- Benyamini, Y., 20, 206, 250
- Berberian, S. K., 275
- Bishop, E., 248
- Bloch, G., 18
- Bockstein, M., 18, 248
- Borel, É., 124, 125, 129, 131, 132, 134, 140, 141, 143, 144, 145, 146, 158, 159, 161, 162, 172, 173, 176, 275, 276, 277, 278, 279, 280
- Borel measure, 275
- Borel set, 275
- box topology, 44
- branch, 255
- Broverman, S., 85
- Bukovský, L., 42
- C-embedded, 264
- C-embedded, 264
- C*-embedded, 264
- cal, cal $\mathcal{F}$, 126
- Całczyńska-Karłowicz, M., 19, 76
- calibre α , 22
- calibre (α, β) , 22
- calibre (α, β, γ) , 21
- canonical base, 44
- canonical projection, 271
- Cantor, G., 41, 152
- Carathéodory, C., 146, 274
- Carathéodory completion, 274
- cardinal, 251
 - limit, 251
 - non-limit, 251
 - regular, 252
 - singular, 252
 - strongly inaccessible, 254
 - strongly κ -inaccessible, 254
 - successor, 251
 - weakly compact, 257
- Category I, 262
- Category II, 262
- c.c.c., 35
 - productively, 35, 103
- Čech, E., 132, 173, 178, 208, 218, 231, 236, 264, 265, 266
- cellular family, 29
- cellular number, 40
- CH, 257
- chain, 251
- cofinality, 251
- Cohen, P. J., 201
- Comfort, W. W., 18, 19, 41, 42, 76, 84,

- 204, 217, 229, 249, 258, 262, 265, 266, 273
- compact, 261
- compact-calibre α , 22
- compact-calibre (α, β) , 22
- compact-calibre (α, β, γ) , 21
- complete Boolean algebra, 270
- completely regular, 261
- Connel, E. H., 41
- continuum hypothesis, 257
 - generalized, 257
- Corson, H. H., xi, 84, 179, 204, 205, 206, 207, 247, 248, 250
- countable chain condition, 36
- Dashiell, F. K., 179
- Davies, R. O., 18, 19
- Day, M. M., 179
- Dedekind, J. W. R., vii, 17, 75
- dense, 261
 - nowhere, 262
- density character, 261
- depends on, 231
- determined, (basic set), 153
- Devlin, K. J., 203
- Dieudonné, J., 231, 236, 248, 264, 265
- Dieudonné topological completion, 265
- Dirichlet, P. G. L., 17, 75
- van Douwen, E. K., 76, 124, 178, 207
- Dunford, N., 279
- Dushnik, B., 18
- Eberlein, W., xi, 20, 204, 205, 206, 250
- Efimov, B., 42, 76, 249
- Engelking, R., 76, 247, 249
- Erdős, P., vii, ix, x, 18, 19, 20, 24, 42, 43, 45, 48, 51, 55, 58, 75, 76, 86, 116, 119, 124, 138, 164, 175, 177, 178, 197, 232, 240
- Erdős-Rado theorem, 5
 - extension to singular cardinals, 13
- exceptional set, 78
- extremally disconnected, 270
 - β -, 121
- family, cellular, 29
 - independent, 118
 - large locally finite, 31
 - locally finite, 22
 - quasi-disjoint, 4
- filter, 270
 - proper, 270
- finite intersection property, 261
- finitely additive measure, 273
- first-countable, 244
- Fleissner, W., 20, 175
- Fodor, G., 18, 20
- Fraenkel, A. A., 251
- Franěk, F., 118, 120, 121, 123
- Franklin, S. P., 265
- free set, 17
- Fremlin, D. H., 176, 202
- Freyd, P., 264
- Frolik, Z., 41, 228, 229
- Fuhrken, G., 18
- G_δ -dense, 240
- G_δ -point, 240
- G_δ -set, 240
- Gaifman, H., vii, x, 111, 119, 124, 147, 176, 177, 197, 206
- Galvin, F., vii, x, 20, 42, 111, 119, 125, 178, 180, 184, 190, 196, 197, 200, 203, 207
- GCH, 257
- generalized continuum hypothesis, 257
- generalized rectangle, 44
- generalized Σ -product, 79
- Gerlits, J., 20, 43, 76, 78, 85
- Gillman, L., 264, 265, 266
- Ginsburg, J., 20, 85
- Gleason, A. M., 116, 118, 127, 132, 134, 135, 147, 152, 159, 163, 172, 174, 181, 183, 186, 194, 248, 271, 272, 273
- Gleason space, 272
- Glicksberg, I., 41, 76, 249
- Gödel, K., 196, 202, 203
- Goodner, D. B., 123
- Gul'ko, S. P., 204, 205, 206, 250
- Haar, A., 117, 137, 140, 143, 154, 172, 279
- Haar measure, 279
- Hagler, J., 19
- Hahn, H., 130, 172, 280
- Hahn-Banach theorem, 280
- Hajnal, A., vii, x, 18, 19, 20, 125, 177, 178, 197, 200
- Halmos, P. R., 176, 275
- Haratomi, K., 42
- Hausdorff, F., vii, 263, 268
- Hausdorff space, 261
- Haydon, R., 19, 20, 123, 135, 174, 175, 206
- Hebert, D. J., 172
- Hedrlin, Z., 87, 116
- height, 256

- Herink, C., 202
 Herrlich, H., 264, 265
 Hewitt, E., 41, 76, 168, 231, 236, 262, 264, 274, 275, 279, 280
 Hewitt realcompactification, 265
 Hilbert, D., 20, 239
 homogeneous (for partition), 8
 homogeneous space, 172
 Hopf, E., 275, 276
 Horn, A., x, 176, 177
 Hung, H. H., 177
 Hušek, M., 248, 249

 independent family, 118
 inductive, 250
 injective, 123
 irreducible function, 272
 Isbell, J. R., 41, 248, 249, 265
 isomorphic measure algebras, 276

 Jech, T. J., 203
 Jensen, J. L. W. V., 175
 Jensen, R. B., 119, 196, 202, 203
 Jerison, M., 264, 265, 266
 Johnsråten, H., 203
 Jourdain, P. E. B., 253
 Juhász, I., vii, 20, 40, 76, 77, 87, 116, 117, 121, 202

 κ -box topology, 44
 (κ , κ)-chain condition, 146
 κ - Σ -product, 79
 Kalamidas, N., 122, 123, 124, 141, 173, 175, 176, 195, 197, 201
 Karłowicz, M., *see* Całcynska-Karłowicz, M.
 Keisler, H. J., 19, 200, 204
 Kelley, J. L., 123, 124, 172, 249
 Kemperman, J. H. B., 76
 Kennison, J. F., 265
 Kister, J. M., 249
 Klee, V., 179, 239
 Knaster, B., x, 40, 175, 180, 206
 König, D., 31
 König, J., 253, 254
 Koumoullis, G., 124, 171, 178
 Kunen, K., vii, x, 85, 111, 119, 175, 180, 196, 197, 200, 201, 202, 204
 Kurepa, G., 19, 41, 87, 116, 203

 λ -Souslin number, 29
 L-space, 175
 Lacey, H. E., 172

 large locally finite family, 31
 Laver, R., vii, x, 111, 119, 180, 190, 196, 197, 200, 203
 Lazard, D., 20
 Lebesgue, H., 124, 134, 175
 level, 256
 Lévy, A., 203
 Lindelöf, E., 175, 237, 248
 Lindenstrauss, J., 179, 205
 linear functional, 280
 positive, 280
 linked, 177
 locally finite, 22
 Łoś, J., 18
 Losert, V., 175
 Lusin, N., vii, 151, 206, 263
 Lusin set, 262

 M -embedded, 264
 MacNeille, H. M., 273
 Mägerl, G., 173, 174
 Maharam, D., 76, 141, 279
 makes, 34
 Malyhin, V. I., 202
 Marczewski, E., 18, 40, 75, 76, 168, 175, 262
 Mardesić, S., 41
 Marek, W., 19
 Martin, D. A., 175, 180, 201, 202, 203
 Martin's axiom, 201
 Marty, R. H., 248
 Máté, A., 18
 Mazur, S., 18
 McKnight, J. D., 41
 measurable set, 274
 measure, 274
 Baire, 275
 Borel, 275
 Carathéodory, 274
 countably additive, 274
 finite, 274
 finitely additive, 273
 normal, 276
 probability, 274
 product, 274
 regular, 275
 σ -additive, 274
 strictly positive, 125
 measure algebra, 276
 measure space, 274
 measure-calibre, 162
 Mercourakis, S., 205, 206, 207
 Mibu, Y., 248

- Michael, E. A., 18, 250
 Miščenko, A., 42, 248
 Moore, R. L., 178
 Mostowski, A., 19, 42
 Mycielski, J., 76

 Nachbin, L., 123, 264
 Nagata, J., 205
 Namioka, I., 173, 174, 206
 Negrepontis, S., 18, 19, 20, 41, 42, 76,
 116, 121, 123, 158, 171, 174, 175,
 176, 177, 179, 196, 204, 205, 206,
 207, 217, 249, 250, 258, 262, 265,
 266, 273
 Neumer, W., 18
 Noble, N., 19, 41, 76, 248, 249
 norm (ultrafilter), 268
 normal measure, 276
 normal space, 242
 Novák, J., 18
 nowhere dense, 262
 null set, 274

 O'Callaghan, L., 20
 order (in tree), 256
 order-preserving, 252
 order type, 251
 ordinal, 251
 limit, 251
 non-limit, 251
 successor, 251
 Oxtoby, J. C., 77, 174, 263

 π -base, 261
 π -weight, 261
 $\mathcal{P}_1$ -space, 123
 P_s -space, 263
 P_s -homogeneous, 8
 Papić, P., 41
 Pełczyński, A., 20, 123, 174, 175
 Phelps, R. R., 179
 Piccard, S., 20
 Pixley, C., 167, 168, 169, 171, 178
 Pixley–Roy space, 168
 point-homogeneous, 172
 Pol, R., 205, 206, 250
 Pondiczery, E. S., 76, 168, 262
 Pospíšil, B., 268
 precalibre α , 36
 precalibre (α, ρ) , 35
 pressing-down lemma, 4
 Prikry, K., 203
 probability measure, 274

 productively c.c.c., 35, 183
 property (*), 125
 property (**), 126
 property $(*(\alpha))$, 177
 property $(**(\alpha))$, 177
 property $(**)_\theta$, 173
 property (K), 36, 135
 property K_ω , 36, 135
 property $K_{\omega,n}$, 36, 135
 property P_ω , 183
 pseudobase, 261
 pseudo- (α, β) -compact, 22
 pseudo- α -compact, 22
 pseudocompact, 22
 pseudoweight, 120, 261

 quasi-disjoint family, 4

 Rado, R., ix, 18, 19, 24, 43, 45, 48, 51, 55,
 58, 75, 76, 86, 138, 164, 177, 187,
 232, 240
 Rainwater, J., 273
 Ramsey, F. P., vii, 18
 realcompact, 264
 rectangle, 44
 refinement, 31
 reflexive, 35
 regular cardinal, 252
 regular space, 261
 regular-open set, 271
 representative, 87
 restriction set, 44
 Riesz, F., 131, 172, 280
 Riesz representation theorem, 279
 Rosenthal, H., 87, 117, 122, 123, 135,
 174, 176, 204
 Ross, K. A., 248, 249, 279
 Rowbottom, F., 202
 Roy, P., 167, 168, 169, 171, 178
 Rubin, M., x, 176
 Rudin, M. E., 46, 200, 202, 204, 206, 250
 Rudin, W., 280

 σ -algebra, 273
 σ -complete Boolean algebra, 270
 σ - m -linked, 177
 Σ -product, 79
 Šapirovskii, B. E., vii, 121, 202, 206
 Sapounakis, A., 124, 178
 Schwartz, J. T., 280
 Semadeni, Z., 279
 separated at level n , 153
 Shanin, N. A., vii, viii, 18, 19, 40, 42
 75, 76, 248

- Shelah, S., vii, viii, ix, x, 19, 43, 76, 85, 117, 120, 176, 204
- Shoenfield, J. R., 202
- Sikorski, R., 172, 269, 273, 278
- Silver, J. H., 203
- Simpson, S. G., 19
- singular cardinal, 252
- van der Slot, J., 249, 264, 265
- Solovay, R. M., 201, 202
- Sorgenfrey, R. H., 249
- Souslin, M., vii, x, 41, 42, 202, 203, 208
- Souslin number, 30
- space, 259
- β -extremally disconnected, 121
 - basically disconnected, 270
 - compact, 261
 - completely regular, 261
 - extremally disconnected, 270
 - first-countable, 244
 - Gleason, 271
 - Hausdorff, 261
 - homogeneous, 172
 - L-, 175
 - measure, 274
 - normal, 242
 - $\mathcal{P}_1$ -, 123
 - Pixley–Roy, 168
 - point-homogeneous, 172
 - realcompact, 264
 - regular, 261
 - topologically complete, 264
- Specker, E., 20
- Spivak, M., 175
- Starbird, T., 20
- Štěpánek, P., 42
- Stone, A. H., 248, 249
- Stone, M. H., 124, 132, 134, 143, 145, 146, 172, 173, 176, 178, 203, 208, 218, 231, 236, 248, 264, 265, 266, 270, 271, 273, 276, 277
- Stone–Čech compactification, 265
- Stone extension, 204
- Stone isomorphism, 270
- Stone, space, 270
- strictly convex, 178
- strictly positive measure, 125
- Stromberg, K. R., 274, 275, 280
- strongly inaccessible, 254
- strongly κ -inaccessible, 254
- sub- κ -uniform, 269
- successor cardinal, 251
- successor ordinal, 251
- supremum norm, 280
- Szpilrajn, E., *see* Marczewski, E., Talagrand, M., 20, 173, 175, 204, 205, 206
- Tall, F. D., 85, 175, 202
- Tarski, A., x, 42, 171, 176, 177, 257, 258, 260
- Tarski's recursion formula, 257
- Tennenbaum, S., 201, 203
- Tietze, H., 249
- topologically complete, 264
- transitive, 35
- tree, 256
- Troyanski, S. L., 207
- Tsarpalias, A., vii, ix, 1, 20, 86, 116, 117, 119, 120, 122, 175, 250
- Tulcea, A. I., 178
- Tychonoff, A., 264
- type (of ultrafilter), 267
- type (of well-ordered set), 251
- Ulam, S., 123
- Ulmer, M. D., 19, 231, 248, 249
- ultrafilter,
 - norm of, 268
 - of Boolean algebra, 270
 - sub- κ -uniform, 269
 - type of, 267
 - uniform, 268
- unbounded, 252
- uniform ultrafilter, 268
- Urysohn, P., vii, 18, 242
- $V = L$, 202
- Vašák, L., 205
- Verbeek, A., 19
- Vopěnka, P., 42
- Wage, M., xi, 200, 202, 206, 250
- Walker, R. C., 265, 266
- Waszak, L., 205
- weakly α -compact, 236
- weakly compact cardinal, 257
- Weierstrass, K., 248
- weight, 261
- Weil, A., 264
- Weiss, W. A. R., 202
- Williams, N. H., 18
- Woods, R. G., 20
- Zachariades, Th., 122, 202
- Zermelo, E., 251, 253
- Zermelo–Fraenkel set theory, 251
- ZFC, 251
- Zorn, M., 251
- Zorn's lemma 251