

A

- access structures
 - about, 18
- acyclic graphs
 - JPC, 220
- Adaptive Optimization System
 - Jikes RVM, 246
- address modes
 - Tandem computers, 182
- affordances
 - defined, 351
- agents
 - about, 345
 - wrapping operations into objects, 341–345
- Akademey
 - KDE, 286
- Akonadi
 - KDE platform, 287–303
- algorithms
 - versus data, 111
- application context
 - Lifetouch, 68
- application facades
 - Lifetouch, 76
- application-as-service model
 - Facebook, 136
- applications
 - on Facebook, 135, 136–141
 - handling data in resource-oriented architectures, 102
 - n-tier models, 135
 - PIM on KDE, 288
- apropos commands
 - GNU Emacs, 274
- architects
 - role of, 6
 - software architects, 7
- architectural maps

- London Underground as, 27
- architecture, 3–24, 25–42
 - (see also end-user application architectures; languages; models; software architecture; systems architecture)
 - context in, 47
 - evaluation of, 19
 - examples of ideal architectures, 20
 - factors in, 41
 - versus design, 9
- asynchronous I/O
 - Guardian operating system, 192
- asynchronous notifications
 - event channels in Xen, 168
- audio architecture
 - filters and pipelines, 34
- auditing
 - JPC, 230
- authentication
 - Facebook Platform, 122
- automatic propagation
 - defined, xvii

B

- batching
 - method calls, 125
- beans files
 - Lifetouch, 68
- binding (see dynamic binding)
- bindings
 - Lifetouch, 74
- Blaauw, Gerrit
 - on complexity, 12
- board layouts
 - Tandem computers, 178
- boot image runner
 - Jikes RVM, 245
- bootstrapping

We'd like to hear your suggestions for improving our indexes. Send email to index@oreilly.com.