

Contents

1	Core Emacs	3
1.1	Editing	3
1.1.1	Cut C-v	3
1.1.2	Copy M-w	3
1.1.3	Paste C-v	3
1.1.4	Undo C-x u	3
1.1.5	Redo C-M-_	3
1.1.6	Select all C-x h	3
1.1.7	Repeat previous command N times: C-x z (where there are N z's)	3
1.1.8	Transpose:	3
1.1.9	Save C-x C-s	4
1.1.10	Save As C-x C-w	4
1.2	Movement	4
1.2.1	Start of line C-a	4
1.2.2	Set mark C-_	4
1.2.3	End of line C-e	4
1.2.4	Start of buffer M-<	4
1.2.5	End of buffer M->	4
1.2.6	Start of function M-C-a	4
1.2.7	End of function M-C-e	4
1.2.8	Forward one word M-f	4
1.2.9	Backwards one word M-b	4
1.2.10	Incremental Search	4
1.2.11	Comment/uncomment region M-;	4
1.3	Windows and buffers	6
1.3.1	New window below current C-x 2	6
1.3.2	New window to right of current C-x 3	6
1.3.3	Delete active window C-x 0	6
1.3.4	Delete all other windows C-x 1	6
1.3.5	Swith to named buffer C-x b	6
1.3.6	List all buffers C-x C-b	6
1.3.7	Nest buffer C-x ->	6
1.3.8	Prev buffer C-x <-	6
1.3.9	Widen buffer C-x }	6
1.3.10	Enlarge vertically C-x ^	6
1.3.11	Narrow buffer C-x {	6

2	Dired	6
2.1	Start dired C-x d	6
2.2	Mark a file for deletion d	6
2.3	Execute deletions x	6
2.4	Compress a file c	6
2.5	Copy a file C	6
2.6	Rename mrked file R	6
2.7	Touch file T	6
2.8	Create new directory +	6
2.9	Refresh dired view g	6
2.10	View the current file v	6
2.11	Visit the marked file f	6
2.12	Visit marked file in another window o	6
3	Git commands	6
3.1	to revert to an earlier version of a file in repow/commit SHA1, create a new branch	6
4	Basic org commands	7
4.1	Export oto PDF C-c C-c l o	7
4.2	Demote M-C- ->	7
4.3	Promote line M-C- <-	7
5	Bookmarks	7
5.1	Bookmark specific file C-x r m	7
5.2	Open bookmarked file C-x r b	7
5.3	List bookmarks C-x r l	7

1 Core Emacs

1.1 Editing

1.1.1 Cut C-v

1.1.2 Copy M-w

1.1.3 Paste C-v

1.1.4 Undo C-x u

1.1.5 Redo C-M-__

1.1.6 Select all C-x h

1.1.7 Repeat previous command N times: C-x z (where there are N z's)

1.1.8 Transpose:

1. 2 characters C-t
2. 2 words M-t
3. 2 lines C-x C-t

- 1.1.9 Save C-x C-s
- 1.1.10 Save As C-x C-w
- 1.2 Movement
 - 1.2.1 Start of line C-a
 - 1.2.2 Set mark C-_
 - 1.2.3 End of line C-e
 - 1.2.4 Start of buffer M-<
 - 1.2.5 End of buffer M->
 - 1.2.6 Start of function M-C-a
 - 1.2.7 End of function M-C-e
 - 1.2.8 Forward one word M-f
 - 1.2.9 Backwards one word M-b
 - 1.2.10 Incremental Search
 - 1.2.11 Comment/uncomment region M-;
 - 1. Forward M-f
 - 2. Backward M-b

1.3 Windows and buffers

- 1.3.1 New window below current C-x 2
- 1.3.2 New window to right of current C-x 3
- 1.3.3 Delete active window C-x 0
- 1.3.4 Delete all other windows C-x 1
- 1.3.5 Switch to named buffer C-x b
- 1.3.6 List all buffers C-x C-b
- 1.3.7 Next buffer C-x ->
- 1.3.8 Prev buffer C-x <-
- 1.3.9 Widen buffer C-x }
- 1.3.10 Enlarge vertically C-x ^
- 1.3.11 Narrow buffer C-x {

2 Dired

- 2.1 Start dired C-x d
- 2.2 Mark a file for deletion d
- 2.3 Execute deletions x
- 2.4 Compress a file c
- 2.5 Copy a file C
- 2.6 Rename marked file R
- 2.7 Touch file T
- 2.8 Create new directory +
- 2.9 Refresh dired view g
- 2.10 View the current file v
- 2.11 Visit the marked file f
- 2.12 Visit marked file in another window o

3 Git commands

- 3.1 to revert to an earlier version of a file in repow/commit
SHA1, create a new branch

called "tmp". Then do a "git checkout <SHA of older version>". Git will say "HEAD detached". To resolve, use "git branch tmp", "git checkout

master" and "git merge tmp".

4 Basic org commands

4.1 Export to PDF C-c C-c l o

4.2 Demote M-C- ->

4.3 Promote line M-C- <-

5 Bookmarks

5.1 Bookmark specific file C-x r m

5.2 Open bookmarked file C-x r b

5.3 List bookmarks C-x r l