UNIVERSIDAD MARIANO GALVEZ DE GUATEMALA FACULTAD DE INGENIERIA EN SISTEMAS SISTEMAS OPERATIVOS II ING. EDY RAMIREZ



NOMBRE	NUMERO DE CARNE
Pablo Miguel Chávez Chocojay	7590-22-3566
Silvia Izabel Cotzajay Alvarez	7590-22-14192

Fase 1 y 2 del proyecto

Guatemala, 12/04/2025

```
nttps://neip.upuntu.com
 * Management:
                   https://landscape.canonical.com
 * Support:
                  https://ubuntu.com/pro
El mantenimiento de seguridad expandido para Applications está desactivado
Se pueden aplicar 0 actualizaciones de forma inmediata.
Active ESM Apps para recibir futuras actualizaciones de seguridad adicionales.
Vea https://ubuntu.com/esm o ejecute «sudo pro status»
The list of available updates is more than a week old.
To check for new updates run: sudo apt update
Last login: Sat Apr 12 11:41:37 2025 from 192.168.171.181
pablo@maquina2:~$ 1s
          Documentos Imágenes Plantillas sent Vídeos
Descargas Escritorio Música Público
pablo@maquina2:~$ cd Escritorio/
pablo@maquina2:~/Escritorio$ 1s
33.txt 414 archivol049.txt pablo.txt prueba2
pablo@maquina2:~/Escritorio$ echo "archivo de prueba" | mutt -s "Silvia y Pablo"
-a "/home/pablo/Escritorio/archivol049.txt" -- eramirezc30@miumg.edu.gt
pablo@maquina2:~/Escritorio$
pablo@maquina2: ~/Escritorio
                                                                   – 🗆 X
by others.
** (process:3464): WARNING **: 11:44:26.110: `gateway4` has been deprecated, use
default routes instead.
See the 'Default routes' section of the documentation for more details.
pablo@maquina2:~$ sudo systemctl restart isc-dhcp-server
pablo@maquina2:~$ ssh pablo^C
pablo@maquina2:~$ ssh pablo@192.168.171.64
The authenticity of host '192.168.171.64 (192.168.171.64)' can't be established.
ED25519 key fingerprint is SHA256:XTjhutBnWLflHascw0xyr7IinpOio2m8CX7qRzGOnHg.
This host key is known by the following other names/addresses:
   ~/.ssh/known_hosts:5: [hashed name]
Are you sure you want to continue connecting (yes/no/[fingerprint])? yes
Warning: Permanently added '192.168.171.64' (ED25519) to the list of known hosts
pablo@192.168.171.64's password:
Welcome to Ubuntu 24.04.2 LTS (GNU/Linux 6.11.0-21-generic x86 64)
 * Documentation: https://help.ubuntu.com
                  https://landscape.canonical.com
 * Management:
                  https://ubuntu.com/pro
 * Support:
```

El mantenimiento de seguridad expandido para Applications está desactivado

```
Se pueden aplicar 47 actualizaciones de forma inmediata.
29 de estas son actualizaciones de seguridad estándares.
Para ver estas actualizaciones adicionales, ejecute: apt list --upgradable
Active ESM Apps para recibir futuras actualizaciones de seguridad adicionales.
Vea https://ubuntu.com/esm o ejecute «sudo pro status»
Last login: Fri Apr 11 21:49:02 2025 from 192.168.0.105
pablo@maquina2:~$ sudo nano /etc/netplan/00-server-config.yaml
[sudo] contraseña para pablo:
pablo@maquina2:~$ sudo nano /etc/netplan/00-installer-config.yaml
pablo@maquina2:~$ sudo netplan apply
** (generate:3344): WARNING **: 11:47:27.126: Permissions for /etc/netplan/00-in
staller-config.yaml are too open. Netplan configuration should NOT be accessible
by others.
** (generate:3344): WARNING **: 11:47:27.126: `gateway4` has been deprecated, us
default routes instead.
See the 'Default routes' section of the documentation for more details.
** (process:3342): WARNING **: 11:47:28.466: Permissions for /etc/netplan/00-ins
taller-config.yaml are too open. Netplan configuration should NOT be accessible
```

```
See the 'Default routes' section of the documentation for more details.
** (process:3342): WARNING **: 11:47:28.798: Permissions for /etc/netplan/00-ins
taller-config.yaml are too open. Netplan configuration should NOT be accessible
by others.
** (process:3342): WARNING **: 11:47:28.798: `qateway4` has been deprecated, use
default routes instead.
See the 'Default routes' section of the documentation for more details.
pablo@maquina2:~$ sudo systemctl restart isc-dhcp-server
pablo@maquina2:~$ ip a
1: lo: <LOOPBACK,UP,LOWER UP> mtu 65536 qdisc noqueue state UNKNOWN group defaul
t qlen 1000
    link/loopback 00:00:00:00:00:00 brd 00:00:00:00:00:00
    inet 127.0.0.1/8 scope host lo
       valid lft forever preferred lft forever
    inet6 ::1/128 scope host noprefixroute
       valid lft forever preferred lft forever
2: enp0s3: <BROADCAST,MULTICAST,UP,LOWER UP> mtu 1500 qdisc fq codel state UP gr
oup default glen 1000
    link/ether 08:00:27:04:98:b3 brd ff:ff:ff:ff:ff
    inet 192.168.1.100/24 brd 192.168.1.255 scope global noprefixroute enp0s3
       valid lft forever preferred lft forever
    inet 192.168.1.101/24 brd 192.168.1.255 scope global secondary dynamic nopre
```

```
fixroute enp0s3
      valid lft 3567sec preferred lft 3567sec
3: enp0s8: <BROADCAST,MULTICAST,UP,LOWER UP> mtu 1500 qdisc fq codel state UP gr
oup default glen 1000
   link/ether 08:00:27:98:2c:4d brd ff:ff:ff:ff:ff
    inet 192.168.171.64/24 brd 192.168.171.255 scope global dynamic noprefixrout
e enp0s8
      valid 1ft 3562sec preferred 1ft 3562sec
pablo@maquina2:~$ ifconfig
enp0s3: flags=4163<UP,BROADCAST,RUNNING,MULTICAST> mtu 1500
       inet 192.168.1.100 netmask 255.255.255.0 broadcast 192.168.1.255
       ether 08:00:27:04:98:b3 txqueuelen 1000 (Ethernet)
       RX packets 407 bytes 31675 (31.6 KB)
       RX errors 0 dropped 0 overruns 0 frame 0
       TX packets 429 bytes 36709 (36.7 KB)
       TX errors 0 dropped 0 overruns 0 carrier 0 collisions 0
enp0s8: flags=4163<UP,BROADCAST,RUNNING,MULTICAST> mtu 1500
       inet 192.168.171.64 netmask 255.255.255.0 broadcast 192.168.171.255
       ether 08:00:27:98:2c:4d txqueuelen 1000 (Ethernet)
       RX packets 3892 bytes 724235 (724.2 KB)
       RX errors 0 dropped 0 overruns 0 frame 0
       TX packets 3165 bytes 339560 (339.5 KB)
```

```
TX errors 0 dropped 0 overruns 0 carrier 0 collisions 0
lo: flags=73<UP,LOOPBACK,RUNNING> mtu 65536
       inet 127.0.0.1 netmask 255.0.0.0
       inet6 ::1 prefixlen 128 scopeid 0x10<host>
       loop txqueuelen 1000 (Bucle local)
       RX packets 459 bytes 42333 (42.3 KB)
       RX errors 0 dropped 0 overruns 0 frame 0
       TX packets 459 bytes 42333 (42.3 KB)
       TX errors 0 dropped 0 overruns 0 carrier 0 collisions 0
pablo@maquina2:~$ ip a
l: lo: <LOOPBACK,UP,LOWER UP> mtu 65536 qdisc noqueue state UNKNOWN group defaul
t qlen 1000
   link/loopback 00:00:00:00:00:00 brd 00:00:00:00:00:00
   inet 127.0.0.1/8 scope host lo
      valid lft forever preferred lft forever
    inet6 ::1/128 scope host noprefixroute
      valid lft forever preferred lft forever
2: enp0s3: <BROADCAST,MULTICAST,UP,LOWER UP> mtu 1500 qdisc fq_code1 state UP gr
```

```
oup default glen 1000
    link/ether 08:00:27:04:98:b3 brd ff:ff:ff:ff:ff:ff
   inet 192.168.1.100/24 brd 192.168.1.255 scope global noprefixroute enp0s3
      valid lft forever preferred lft forever
    inet 192.168.1.101/24 brd 192.168.1.255 scope global secondary dynamic nopre
fixroute enp0s3
      valid 1ft 3524sec preferred 1ft 3524sec
3: enp0s8: <BROADCAST,MULTICAST,UP,LOWER UP> mtu 1500 qdisc fq codel state UP gr
oup default qlen 1000
    link/ether 08:00:27:98:2c:4d brd ff:ff:ff:ff:ff
    inet 192.168.171.64/24 brd 192.168.171.255 scope global dynamic noprefixrout
e enp0s8
      valid 1ft 3519sec preferred 1ft 3519sec
pablo@maquina2:~$ exit
cerrar sesión
Connection to 192.168.171.64 closed.
pablo@maquina2:~$ sudo nano /etc/dhcp/dhcpd.config
pablo@maquina2:~$ sudo nano /etc/dhcp/dhcpd.conf
pablo@maquina2:~$ sudo netplan apply
** (generate:4409): WARNING **: 11:50:44.899: Permissions for /etc/netplan/00-in
staller-config.yaml are too open. Netplan configuration should NOT be accessible
** (generate:4409): WARNING **: ll:50:44.901: `gateway4` has been deprecated, us
e default routes instead.
See the 'Default routes' section of the documentation for more details.
** (process:4384): WARNING **: 11:50:47.015: Permissions for /etc/netplan/00-ins
taller-config.yaml are too open. Netplan configuration should NOT be accessible
by others.
** (process:4384): WARNING **: 11:50:47.018: `gateway4` has been deprecated, use
default routes instead.
See the 'Default routes' section of the documentation for more details.
** (process:4384): WARNING **: 11:50:47.452: Permissions for /etc/netplan/00-ins
taller-config.yaml are too open. Netplan configuration should NOT be accessible
by others.
** (process:4384): WARNING **: ll:50:47.453: `gateway4` has been deprecated, use
default routes instead.
See the 'Default routes' section of the documentation for more details.
pablo@maquina2:~$ sudo systemctl restart isc-dhcp-server
pablo@maquina2:~$ ssh pablo@192.168.171.64
pablo@192.168.171.64's password:
Welcome to Ubuntu 24.04.2 LTS (GNU/Linux 6.11.0-21-generic x86_64)
```

```
* Documentation: https://help.ubuntu.com
 * Management:
                 https://landscape.canonical.com
 * Support:
                  https://ubuntu.com/pro
El mantenimiento de seguridad expandido para Applications está desactivado
Se pueden aplicar 47 actualizaciones de forma inmediata.
29 de estas son actualizaciones de seguridad estándares.
Para ver estas actualizaciones adicionales, ejecute: apt list --upgradable
Active ESM Apps para recibir futuras actualizaciones de seguridad adicionales.
Vea https://ubuntu.com/esm o ejecute «sudo pro status»
Last login: Sat Apr 12 11:46:08 2025 from 192.168.171.27
pablo@maquina2:~$ sudo nano /etc/netplan/00-installer-config.yaml
[sudo] contraseña para pablo:
pablo@maquina2:~$ sudo netplan apply
** (generate:3843): WARNING **: 11:53:01.200: Permissions for /etc/netplan/00-in
staller-config.yaml are too open. Netplan configuration should NOT be accessible
by others.
```

```
** (process:3841): WARNING **: 11:53:03.156: `gateway4` has been deprecated, use
default routes instead.
See the 'Default routes' section of the documentation for more details.
pablo@maquina2:~$ sudo systemctl restart isc-dhcp-server
pablo@maquina2:~$ ip a

    lo: <LOOPBACK,UP,LOWER UP> mtu 65536 qdisc noqueue state UNKNOWN group defaul

glen 1000
   link/loopback 00:00:00:00:00:00 brd 00:00:00:00:00
   inet 127.0.0.1/8 scope host lo
      valid lft forever preferred lft forever
   inet6 ::1/128 scope host noprefixroute
      valid lft forever preferred lft forever
2: enp0s3: <BROADCAST,MULTICAST,UP,LOWER UP> mtu 1500 qdisc fq codel state UP gr
oup default glen 1000
   link/ether 08:00:27:04:98:b3 brd ff:ff:ff:ff:ff
   inet 192.168.1.100/24 brd 192.168.1.255 scope global noprefixroute enp0s3
      valid lft forever preferred lft forever
   inet 192.168.1.200/24 brd 192.168.1.255 scope global secondary dynamic nopre
```

```
fixroute enp0s3
       valid lft 3577sec preferred lft 3577sec
3: enp0s8: <BROADCAST,MULTICAST,UP,LOWER UP> mtu 1500 qdisc fq codel state UP gr
oup default glen 1000
    link/ether 08:00:27:98:2c:4d brd ff:ff:ff:ff:ff
    inet 192.168.171.64/24 brd 192.168.171.255 scope global dynamic noprefixrout
      valid 1ft 3574sec preferred 1ft 3574sec
pablo@maquina2:~$ ls
         Documentos Escritorio Música Plantillas sent Vídeos
33.txt
                                  pablo.txt Público
pablo@maquina2:~$ cd Escritorio/
ablo@maquina2:~/Escritorio$ nano archivol049.txt
pablo@maquina2:~/Escritorio$ nano archivol049.txt
pablo@maquina2:~/Escritorio$ ftp 192.168.171.24
ftp: Can't connect to `192.168.171.24:21': No existe ninguna ruta hasta el «host
ftp: Can't connect to `192.168.171.24:ftp'
ftp>
ftp> bye
pablo@maquina2:~/Escritorio$
pablo@maquina2:~/Escritorio$ ftp 192.168.171.27
Connected to 192.168.171.27.
220 (vsFTPd 3.0.5)
Name (192.168.171.27:pablo): pablo
331 Please specify the password.
Password:
230 Login successful.
Remote system type is UNIX.
Using binary mode to transfer files.
ftp> ls
229 Entering Extended Passive Mode (|||40085|)
150 Here comes the directory listing.
drwxrwxr-x 2 1000
                       1000
                                     4096 Mar 29 16:20 414
```

4096 Feb 06 23:19 Descargas

4096 Feb 06 23:19 Documentos

4096 Mar 29 16:20 Escritorio

4096 Feb 06 23:19 Plantillas

4096 Feb 06 23:19 Imágenes

4096 Feb 06 23:19 Música

4096 Feb 06 23:19 Público

4096 Feb 06 23:19 Vídeos

2599 Mar 28 22:27 sent

drwxr-xr-x 2 1000

drwxr-xr-x 2 1000

2 1000

-rw----- 1 1000 1000

drwxr-xr-x 4 1000

drwxr-xr-x 2 1000

drwxr-xr-x 2 1000

drwxr-xr-x 2 1000

drwxr-xr-x 2 1000

drwxr-xr-x

1000

1000

1000

1000

1000

1000

1000

1000

```
1000
                                     4096 Mar 18 00:00 snap
226 Directory send OK.
ftp> cd Escritorio
250 Directory successfully changed.
ftp> put archivol049.txt
local: archivol049.txt remote: archivol049.txt
229 Entering Extended Passive Mode (|||40096|)
150 Ok to send data.
100% |****************************** 30 39.69 KiB/s
                                                                     00:00 ETA
226 Transfer complete.
30 bytes sent in 00:00 (7.86 KiB/s)
ftp> bye
221 Goodbye.
pablo@maquina2:~/Escritorio$ ssh pablo221 Goodbye.
^C
pablo@maquina2:~/Escritorio$ ssh pablo@192.168.171.27
The authenticity of host '192.168.171.27 (192.168.171.27)' can't be established.
ED25519 key fingerprint is SHA256:XTjhutBnWLflHascw0xyr7IinpOio2m8CX7qRzGOnHg.
This host key is known by the following other names/addresses:
    ~/.ssh/known hosts:5: [hashed name]
   ~/.ssh/known hosts:8: [hashed name]
Are you sure you want to continue connecting (yes/no/[fingerprint])? yes
Warning: Permanently added '192.168.171.27' (ED25519) to the list of known hosts
pablo@192.168.171.27's password:
```

```
Are you sure you want to continue connecting (yes/no/[fingerprint])? yes
Warning: Permanently added '192.168.171.27' (ED25519) to the list of known hosts
.
pablo@192.168.171.27's password:
Permission denied, please try again.
pablo@192.168.171.27's password:
Welcome to Ubuntu 24.04.2 LTS (GNU/Linux 6.11.0-21-generic x86_64)

* Documentation: https://help.ubuntu.com
* Management: https://landscape.canonical.com
* Support: https://ubuntu.com/pro

El mantenimiento de seguridad expandido para Applications está desactivado

Se pueden aplicar 0 actualizaciones de forma inmediata.

Active ESM Apps para recibir futuras actualizaciones de seguridad adicionales.
Vea https://ubuntu.com/esm o ejecute «sudo pro status»
```