Module05 homework, Q3

Steve Simon

Dates: This file was created on 2020-07-14 and last modified on 2021-07-01.

Purpose: Answer M05-Q03. Use the ehr database and write a SQL query that will list all the table names.

Note: this solution uses R and SQLite. An alternate solution using SAS and Oracle is also available.

Note: Some of the names used in this code are arbitrary and you can choose whatever names you want. To emphasize which names can be modified at your discretion, I am using names of famous statisticians.

The statistician being honored in this code is George Box.

Here is the approach using SQL commands.

```
library(sqldf)
## Loading required package: gsubfn
## Loading required package: proto
## Loading required package: RSQLite
box <- dbConnect(SQLite(),</pre>
 dbname="../data/ehr.sqlite")
george <- dbGetQuery(conn=box,</pre>
    select tbl_name from sqlite_master
")
george
##
         tbl_name
## 1
        encounter
## 2 patient_type
## 3
         hospital
dbDisconnect(conn=box)
```

Here is an alternative approach using an R function. You don't have to do your homework both ways; I'm just showing different methods.

```
library(sqldf)
box <- dbConnect(SQLite(),
   dbname="../data/ehr.sqlite")
dbListTables(conn=box)

## [1] "encounter" "hospital" "patient_type"</pre>
```

dbDisconnect(conn=box)