
Obs	id	admitdate	foldate	los	lenfol	fstat	age	gender	bmi	time_yrs
1	1	03/13/19	03/19/19	4	6	1	65	0	31.3813	0.01643
2	2	01/14/19	01/23/19	5	374	1	88	1	22.6579	1.02396
3	3	02/17/19	10/04/20	5	2421	1	77	0	27.8789	6.62834
4	4	04/07/19	07/14/19	9	98	1	81	1	21.4788	0.26831
5	5	02/09/19	05/29/19	4	1205	1	78	0	30.7060	3.29911
6	6	01/16/19	09/11/20	7	2065	1	82	1	26.4529	5.65366
7	7	01/17/19	10/15/19	3	1002	1	66	1	35.7115	2.74333
8	8	11/15/19	11/24/20	56	2201	1	81	1	28.2768	6.02601
9	9	08/18/19	02/23/19	5	189	1	76	0	27.1208	0.51745
10	10	07/22/19	12/31/20	9	2719	0	40	0	21.7897	7.44422

### Kaplan-Meier curve for WHAS100 data

#### The LIFETEST Procedure



Summary of the Number of Censored and Uncensored Values				
Total	Failed	Censored	Percent Censored	
100	51	49	49.00	

Monday, September 17, 2018 05:21:59 PM **3** 

# Comparison of survival for gender for WHAS100 data

### The LIFETEST Procedure

Summary of the Number of Censored and Uncensored Values					
			Percent Censored		
1	0	65	28	37	56.92
2	1	35	23	12	34.29
Total		100	51	49	49.00

#### The LIFETEST Procedure

## Testing Homogeneity of Survival Curves for time\_yrs over Strata


Rank Statistics					
gender	Wilcoxon				
0	-6.6200	-459.00			
1	6.6200	459.00			

Covariance Matrix for the Log-Rank Statistics					
gender	0	1			
0	11.0351	-11.0351			
1	-11.0351	11.0351			

Covariance Matrix for the Wilcoxon Statistics					
gender	0	1			
0	60848.0	-60848.0			
1	-60848.0	60848.0			

Test of Equality over Strata					
Test	Chi-Square	DF	Pr > Chi-Square		
Log-Rank	3.9714	1	0.0463		
Wilcoxon	3.4624	1	0.0628		
-2Log(LR)	4.4183	1	0.0356		

#### The LIFETEST Procedure



Model Information			
Data Set	SURVIVAL.WHAS100		
Dependent Variable	time_yrs		
Censoring Variable	fstat		
Censoring Value(s)	0		
Ties Handling	BRESLOW		

Number of Observations Read	
Number of Observations Used	100


	Summary of the Number of Event and Censored Values				
	Total	Event	Censored	Percent Censored	
ľ	100	51	49	49.00	

Convergence Status
Convergence criterion (GCONV=1E-8) satisfied.


Model Fit Statistics				
Criterion	Without Covariates	With Covariates		
-2 LOG L	418.239	414.485		
AIC	418.239	416.485		
SBC	418.239	418.416		

Testing Global Null Hypothesis: BETA=0					
Test	Chi-Square	DF	Pr > ChiSq		
Likelihood Ratio	3.7548 1 0.		0.0527		
Score	3.9678	1	0.0464		
Wald	3.8705	1	0.0491		

Analysis of Maximum Likelihood Estimates						
Parameter DF Parameter Standard Chi-Square Pr > ChiSq Ratio						
gender	1	0.55555	0.28238	3.8705	0.0491	1.743



#### The PHREG Procedure



Reference Set of Covariates for Plotting gender 0.350000

Model Information			
Data Set	SURVIVAL.WHAS100		
Dependent Variable	time_yrs		
Censoring Variable	fstat		
Censoring Value(s)	0		
Ties Handling	BRESLOW		

Number of Observations Read	100
Number of Observations Used	100


	Summary of the Number of Event and Censored Values				
	Total	Event	Censored	Percent Censored	
ľ	100	51	49	49.00	


Convergence Status
Convergence criterion (GCONV=1E-8) satisfied.


Model Fit Statistics				
Criterion	Without Covariates	With Covariates		
-2 LOG L	418.239	414.485		
AIC	418.239	416.485		
SBC	418.239	418.416		


Testing Global Null Hypothesis: BETA=0					
Test	Chi-Square	DF	Pr > ChiSq		
Likelihood Ratio	3.7548 1 0.		0.0527		
Score	3.9678	1	0.0464		
Wald	3.8705	1	0.0491		

Analysis of Maximum Likelihood Estimates						
Parameter DF Parameter Standard Chi-Square Pr > ChiSq Ratio						
gender	1	0.55555	0.28238	3.8705	0.0491	1.743









#### The PHREG Procedure

Model Information			
Data Set	WORK.TEMP		
Dependent Variable	time_yrs		
Censoring Variable	fstat		
Censoring Value(s)	0		
Ties Handling	BRESLOW		

Number of Observations Read	
Number of Observations Used	100

Class Level Information						
Class	Value	Design Variables				
age_gp	0-59	1	0	0		
	60-69	0	1	0		
	70-79	0	0	1		
	>=80	0	0	0		

Summary of the Number of Event and Censored Values				
Total	Event	Censored	Percent Censored	
100	51	49	49.00	

Convergence Status Convergence criterion (GCONV=1E-8) satisfied.

Model Fit Statistics					
Criterion	Without Covariates	With Covariates			
-2 LOG L	418.239	402.917			
AIC	418.239	408.917			
SBC	418.239	414.712			

Testing Global Null Hypothesis: BETA=0						
Test	Chi-Square	DF	Pr > ChiSq			
Likelihood Ratio	15.3224	3	0.0016			
Score	15.5579	3	0.0014			
Wald	14.0090	3	0.0029			

Type 3 Tests					
Effect	DF	Wald Chi-Square	Pr > ChiSq		
	3	14.0090	0.0029		

Analysis of Maximum Likelihood Estimates								
Parameter		DF	Parameter Estimate	Standard Error	Chi-Square	Pr > ChiSq	Hazard Ratio	Label
age_gp	0-59	1	-1.26299	0.41554	9.2379	0.0024	0.283	age_gp 0-59
age_gp	60-69	1	-1.21612	0.43751	7.7263	0.0054	0.296	age_gp 60-69
age_gp	70-79	1	-0.27739	0.34491	0.6468	0.4213	0.758	age_gp 70-79

Model Information			
Data Set	SURVIVAL.WHAS100		
Dependent Variable time_yrs			
Censoring Variable	fstat		
Censoring Value(s)	0		
Ties Handling	BRESLOW		

Number of Observations Read	100
Number of Observations Used	

	Summary of the Number of Event and Censored Values				
	Total	Event	Censored	Percent Censored	
ľ	100	51	49	49.00	

Convergence Status
Convergence criterion (GCONV=1E-8) satisfied.

Model Fit Statistics					
Criterion	Without Covariates	With Covariates			
-2 LOG L	418.239	400.888			
AIC	418.239	402.888			
SBC	418.239	404.820			

Testing Global Null Hypothesis: BETA=0						
Test	Chi-Square	DF	Pr > ChiSq			
Likelihood Ratio	17.3516	1	<.0001			
Score	15.6273	1	<.0001			
Wald	14.5989	1	0.0001			

Analysis of Maximum Likelihood Estimates						
Parameter	DF	Parameter Estimate	Standard Error	Chi-Square	Pr > ChiSq	Hazard Ratio
age	1	0.04566	0.01195	14.5989	0.0001	1.047