

Seed-outcome prediction: full results

Contents

1	Tables: overall accuracy	3
1.1	Unweighted DDIM	3
1.2	Weighted DDIM	9
1.3	Unweighted Flow matching	14
1.4	Weighted Flow matching	19
1.5	Unweighted Heun	24
1.6	Weighted Heun	29
1.7	Unweighted RK45	34
1.8	Weighted RK45	39
1.9	Unweighted DPM-Solver++(2M)	44
1.10	Weighted DPM-Solver++(2M)	49
2	Heatmaps	54
2.1	Unweighted DDIM, $T = 250$	54
2.2	Unweighted DDIM, $T = 500$	59
2.3	Unweighted DDIM, $T = 750$	64
2.4	Weighted DDIM, $T = 250$	69
2.5	Weighted DDIM, $T = 500$	74
2.6	Weighted DDIM, $T = 750$	79
2.7	Unweighted Flow matching, $T = 250$	84
2.8	Unweighted Flow matching, $T = 500$	89
2.9	Unweighted Flow matching, $T = 750$	94
2.10	Weighted Flow matching, $T = 250$	99
2.11	Weighted Flow matching, $T = 500$	104
2.12	Weighted Flow matching, $T = 750$	109
2.13	Unweighted Heun, $T = 250$	114
2.14	Unweighted Heun, $T = 500$	119
2.15	Unweighted Heun, $T = 750$	124
2.16	Weighted Heun, $T = 250$	129
2.17	Weighted Heun, $T = 500$	134
2.18	Weighted Heun, $T = 750$	139
2.19	Unweighted RK45, $T = 250$	144
2.20	Unweighted RK45, $T = 500$	149
2.21	Unweighted RK45, $T = 750$	154
2.22	Weighted RK45, $T = 250$	159
2.23	Weighted RK45, $T = 500$	164
2.24	Weighted RK45, $T = 750$	169

2.25	Unweighted DPM-Solver++(2M), $T = 250$	174
2.26	Unweighted DPM-Solver++(2M), $T = 500$	179
2.27	Unweighted DPM-Solver++(2M), $T = 750$	184
2.28	Weighted DPM-Solver++(2M), $T = 250$	189
2.29	Weighted DPM-Solver++(2M), $T = 500$	194
2.30	Weighted DPM-Solver++(2M), $T = 750$	199
3	Accuracy against dimension	204
3.1	Unweighted DDIM vs flow matching	204
3.2	Unweighted DDIM	207
3.3	Unweighted Flow matching	209
3.4	Unweighted Heun	211
3.5	Unweighted RK45	213
3.6	Unweighted DPM-Solver++(2M)	215
3.7	Weighted DDIM vs flow matching	217
3.8	Weighted DDIM	220
3.9	Weighted Flow matching	222
3.10	Weighted Heun	224
3.11	Weighted RK45	226
3.12	Weighted DPM-Solver++(2M)	228

1 Tables: overall accuracy

The experimental setup, and how these tables and heatmaps are generated, are described in the separate document `experimental_setup.tex`.

Each table reports overall outcome accuracy (% , mean over 3 runs) on the (K, d) grid, $d \leq 512$, for one anchor budget, with $T = 250, 500, 750$ as sub-columns of each predictor; the best predictor at each T is in bold. Heatmaps show overall accuracy, mode F1 and hallucination F1 for each predictor, one per T and anchor budget. $K = 16, d = 2$ was not run (-). The last section plots the overall accuracy against d for $T = 250, 500, 750$, averaged over K (band: ± 1 standard deviation across K), for every sampler, variant and anchor budget.

1.1 Unweighted DDIM

Table 1: **Unweighted DDIM, 2,000 anchors per mode.** Overall outcome accuracy (% , mean over 3 runs) at $T = 250, 500, 750$ (sub-columns); best predictor per T in bold.

K	d	k NN			w- k NN			quadratic			polar		
		250	500	750	250	500	750	250	500	750	250	500	750
2	2	98.0	98.5	98.5	96.0	96.2	97.2	98.1	98.8	98.9	98.9	99.5	99.5
2	4	91.7	91.6	91.6	88.9	89.5	90.2	97.9	98.8	98.8	98.6	99.5	99.4
2	8	82.6	82.0	81.8	83.9	84.9	87.0	97.1	98.6	98.6	97.5	99.3	99.2
2	16	80.3	78.9	78.8	83.6	74.4	66.2	95.1	97.8	97.8	95.5	97.9	97.8
2	32	80.3	74.9	74.3	76.1	73.9	72.6	84.3	95.5	95.7	92.3	96.5	96.7
2	64	80.8	71.5	70.2	62.9	80.0	77.6	36.2	60.7	64.9	85.2	94.4	94.7
2	128	82.9	69.3	66.3	53.6	70.9	73.2	29.6	39.5	41.0	72.4	93.4	94.2
2	256	83.9	67.4	62.5	55.2	64.7	68.1	24.1	37.3	38.9	56.0	91.8	93.1
2	512	85.5	67.6	59.9	57.3	73.9	63.0	20.7	35.4	37.5	39.9	85.8	89.7
4	2	91.6	97.5	96.3	90.6	96.1	94.7	90.7	93.3	92.7	92.1	98.1	96.7
4	4	83.8	84.0	83.7	80.9	87.4	86.8	91.4	93.9	93.1	92.4	97.7	96.6
4	8	70.3	69.4	69.2	82.1	82.7	81.4	93.5	95.2	94.8	94.3	97.6	97.1
4	16	64.4	62.1	62.0	83.2	81.5	82.2	94.1	95.5	95.4	94.5	95.5	95.3
4	32	63.1	56.8	56.4	80.3	71.7	67.0	86.8	92.5	92.7	91.6	93.6	93.3
4	64	64.5	51.7	50.5	68.9	75.8	73.9	40.8	71.0	73.4	85.7	91.7	91.5
4	128	67.9	47.6	44.9	51.3	67.5	61.5	20.3	29.4	31.1	69.8	91.2	91.4
4	256	70.5	45.0	40.1	51.3	65.8	58.4	14.2	21.4	21.3	49.6	88.0	90.1
4	512	72.3	43.8	36.2	51.2	62.2	40.2	11.9	13.6	13.2	32.7	80.2	86.4
8	2	95.7	96.7	96.5	94.6	95.2	93.6	82.6	83.5	83.6	96.2	96.9	96.6
8	4	79.2	79.3	78.7	84.8	85.1	84.5	88.2	90.2	89.4	90.3	96.0	94.9
8	8	60.8	60.2	60.0	77.6	78.9	76.1	91.5	92.6	92.2	93.8	96.4	95.7
8	16	51.2	49.4	49.3	78.5	76.0	76.7	91.2	92.4	92.0	93.2	94.5	93.9
8	32	48.8	43.0	42.8	78.9	73.8	73.7	85.8	89.5	89.5	91.3	92.8	92.0
8	64	49.8	37.0	36.2	78.8	68.3	66.6	47.0	71.0	72.3	86.7	90.2	89.7
8	128	53.8	32.4	30.6	59.6	54.2	58.6	15.1	29.8	32.7	70.2	88.5	88.8
8	256	57.3	28.9	25.6	51.7	53.6	43.2	9.0	16.2	16.2	46.5	86.6	88.1
8	512	59.8	27.1	21.7	50.8	49.2	35.9	7.2	7.1	6.3	29.4	77.9	84.0
16	2	—	—	—	—	—	—	—	—	—	—	—	—
16	4	77.1	77.4	77.2	82.8	84.8	79.1	87.4	88.8	88.8	92.1	94.6	94.1
16	8	52.9	52.4	52.1	73.2	76.4	75.2	88.0	89.6	89.3	91.4	94.2	93.4
16	16	40.8	39.6	39.6	74.6	72.5	72.2	89.2	90.7	90.5	92.7	93.4	93.0
16	32	36.8	32.5	32.4	77.0	70.3	70.0	83.4	87.1	87.2	90.9	91.8	91.3
16	64	36.9	26.6	26.2	75.7	63.5	61.8	50.5	69.5	70.5	86.4	89.1	88.7
16	128	40.9	21.7	20.7	53.3	49.1	45.2	12.0	34.4	37.9	71.4	86.7	86.5
16	256	45.1	18.2	16.3	51.1	43.5	35.8	5.0	15.0	15.7	44.4	81.9	84.4
16	512	48.0	16.3	13.1	51.8	41.9	26.0	3.9	5.3	4.6	28.0	73.4	79.5

Table 2: **Unweighted DDIM, 5,000 anchors per mode.** Overall outcome accuracy (% , mean over 3 runs) at $T = 250, 500, 750$ (sub-columns); best predictor per T in bold.

K	d	k NN			w- k NN			quadratic			polar		
		250	500	750	250	500	750	250	500	750	250	500	750
2	2	98.6	99.1	99.1	97.0	97.6	97.7	98.1	98.8	98.8	99.0	99.5	99.5
2	4	93.2	93.2	93.2	84.1	92.6	92.5	98.0	98.9	98.9	98.5	99.5	99.4
2	8	84.2	83.5	83.5	83.8	79.4	85.1	97.5	98.8	98.8	97.6	99.4	99.3
2	16	80.6	79.3	79.4	76.2	86.1	85.8	95.8	98.3	98.3	96.6	99.0	98.9
2	32	80.7	75.9	75.4	77.8	75.9	71.6	87.3	97.1	97.2	93.5	98.5	98.5
2	64	81.8	72.6	71.3	65.1	77.1	78.4	46.2	92.0	93.0	86.2	97.0	97.2
2	128	83.8	70.2	67.4	57.5	66.0	61.1	30.0	43.7	46.9	71.5	95.3	95.8
2	256	84.9	68.6	63.5	58.8	70.5	50.7	25.1	37.1	39.5	51.6	94.4	95.5
2	512	86.2	68.8	60.8	60.4	71.0	65.1	19.6	34.1	37.8	32.2	90.9	94.1
4	2	92.0	98.4	96.9	91.4	97.3	95.9	90.8	93.2	92.6	92.1	98.1	96.7
4	4	86.5	87.0	86.8	84.3	87.7	88.5	91.3	93.9	93.1	92.5	97.9	96.7
4	8	72.6	71.6	71.3	82.0	81.2	85.0	93.8	95.3	94.9	94.6	98.1	97.4
4	16	65.5	63.3	63.2	79.9	83.5	83.0	95.0	96.3	96.2	96.3	97.5	97.2
4	32	64.1	58.3	58.0	81.9	82.0	81.2	90.2	95.0	95.1	94.2	96.8	96.5
4	64	65.8	53.1	52.0	68.5	77.7	75.5	63.2	89.0	89.6	88.4	95.4	95.2
4	128	69.2	49.1	46.3	51.7	71.3	68.5	23.9	43.7	49.7	69.5	94.0	94.3
4	256	72.3	46.3	41.2	54.4	62.8	53.7	16.4	25.5	27.5	47.4	91.6	93.1
4	512	73.7	45.1	37.0	55.2	64.1	50.4	11.3	16.9	17.9	25.4	86.7	91.2
8	2	96.3	97.6	97.3	95.5	95.9	96.1	82.3	83.2	83.3	96.2	96.9	96.6
8	4	82.8	83.4	82.9	85.7	87.2	86.0	88.1	90.2	89.5	90.3	96.2	95.0
8	8	63.6	63.0	62.9	79.5	78.5	76.6	91.7	92.9	92.5	94.2	96.9	96.3
8	16	52.8	51.0	50.9	78.1	76.1	76.6	92.1	93.3	92.9	94.6	96.2	95.4
8	32	50.1	44.6	44.3	82.0	74.6	71.9	89.7	92.7	92.5	93.7	95.9	95.1
8	64	51.3	38.5	37.7	74.8	69.7	68.6	70.8	85.5	85.8	89.6	94.3	93.8
8	128	55.5	33.7	31.8	51.8	62.5	60.2	21.2	48.2	53.8	72.2	93.1	93.2
8	256	59.4	30.1	26.6	53.4	42.9	44.2	10.9	22.4	25.8	47.4	91.1	92.0
8	512	61.9	28.1	22.4	54.6	53.6	37.1	7.0	11.5	12.0	25.3	85.4	89.3
16	2	—	—	—	—	—	—	—	—	—	—	—	—
16	4	81.4	81.8	81.6	85.1	87.1	85.5	87.4	88.9	88.8	92.1	94.7	94.2
16	8	56.3	55.7	55.4	75.0	75.2	75.9	88.3	89.8	89.5	91.9	94.8	94.0
16	16	42.9	41.8	41.7	75.2	73.5	71.6	90.1	91.5	91.2	93.8	94.8	94.4
16	32	38.2	34.0	33.9	78.2	72.2	71.3	87.5	90.5	90.5	93.0	94.2	93.8
16	64	38.5	28.0	27.6	77.2	66.5	65.1	72.4	83.0	83.4	90.0	93.0	92.6
16	128	42.8	22.9	21.8	65.1	58.6	55.7	20.0	50.4	54.6	74.1	91.3	91.1
16	256	47.4	19.1	17.1	51.6	36.6	32.4	6.9	23.7	29.0	49.2	88.0	89.5
16	512	50.4	17.1	13.6	53.5	44.1	26.2	4.0	10.0	11.1	28.8	79.7	84.4

Table 3: **Unweighted DDIM, 10,000 anchors per mode.** Overall outcome accuracy (% , mean over 3 runs) at $T = 250, 500, 750$ (sub-columns); best predictor per T in bold.

K	d	k NN			w- k NN			quadratic			polar		
		250	500	750	250	500	750	250	500	750	250	500	750
2	2	98.8	99.4	99.4	97.9	97.5	98.3	98.0	98.7	98.8	99.0	99.5	99.5
2	4	94.2	94.3	94.3	85.8	91.6	92.7	98.2	99.0	99.0	98.5	99.5	99.4
2	8	85.6	84.6	84.5	83.1	90.3	77.8	97.5	98.9	98.9	97.6	99.4	99.4
2	16	81.1	79.7	79.6	81.0	83.0	82.7	96.0	98.6	98.5	96.9	99.2	99.2
2	32	81.1	76.5	76.0	75.3	79.9	85.7	88.7	97.8	97.9	94.2	99.1	99.1
2	64	82.1	73.2	72.0	64.0	78.8	61.5	50.4	95.1	95.6	86.7	98.3	98.4
2	128	84.6	71.0	68.1	59.8	66.2	60.0	21.7	69.1	75.5	70.9	96.7	97.0
2	256	85.6	69.3	64.2	60.8	61.0	71.8	25.1	38.2	41.6	48.8	95.6	96.5
2	512	86.8	69.3	61.4	62.5	59.9	59.5	18.2	34.3	38.6	29.3	93.0	95.9
4	2	92.2	98.8	97.1	91.9	97.7	96.3	90.8	93.3	92.8	92.1	98.2	96.7
4	4	88.3	89.2	88.8	88.1	89.0	85.0	91.5	93.9	93.1	92.5	97.9	96.7
4	8	74.5	73.4	73.0	82.2	84.5	86.0	94.0	95.4	95.0	94.7	98.2	97.5
4	16	66.5	64.4	64.3	80.5	81.5	83.5	95.4	96.7	96.5	96.6	97.9	97.6
4	32	64.9	59.2	58.9	81.8	80.3	80.1	91.6	96.2	96.2	95.1	98.0	97.5
4	64	66.6	54.1	53.0	64.2	77.1	67.6	67.7	92.6	93.0	89.7	97.0	96.7
4	128	70.3	50.1	47.3	54.1	65.7	57.8	24.7	74.2	77.8	70.4	96.0	96.2
4	256	73.3	47.1	41.9	56.9	65.9	61.4	18.0	29.6	34.4	46.7	93.8	95.2
4	512	74.8	46.1	37.8	57.6	51.1	40.1	11.2	20.1	22.5	22.7	89.0	93.6
8	2	96.6	97.9	97.7	95.9	97.0	97.0	82.5	83.3	83.4	96.2	96.9	96.6
8	4	85.0	86.0	85.4	86.4	88.7	84.8	88.2	90.2	89.5	90.3	96.2	95.0
8	8	65.9	65.3	65.1	80.8	80.3	74.0	91.7	92.9	92.6	94.3	97.1	96.4
8	16	54.1	52.3	52.1	76.2	76.9	78.0	92.4	93.6	93.1	95.0	96.8	95.9
8	32	51.2	45.8	45.6	81.0	77.1	76.9	91.1	93.9	93.7	94.2	96.8	96.0
8	64	52.3	39.6	38.8	79.5	69.5	70.7	76.4	89.8	89.9	91.0	95.6	95.1
8	128	56.9	34.7	32.8	54.5	66.2	62.1	29.4	72.5	74.5	74.5	95.2	95.1
8	256	60.7	31.0	27.4	56.0	54.0	47.5	12.4	29.3	37.3	48.7	94.2	94.6
8	512	63.2	29.0	23.0	54.7	51.3	36.0	7.1	15.2	18.4	24.6	88.5	92.5
16	2	—	—	—	—	—	—	—	—	—	—	—	—
16	4	84.2	84.9	84.7	87.1	87.7	85.2	87.9	89.3	89.2	92.2	94.8	94.2
16	8	59.2	58.6	58.4	76.6	78.1	78.1	88.7	90.2	89.7	91.9	95.1	94.3
16	16	44.5	43.4	43.3	71.5	69.8	73.7	90.9	92.1	91.8	94.2	95.5	95.0
16	32	39.3	35.2	35.1	78.5	72.8	72.2	89.7	92.2	92.1	93.4	95.1	94.7
16	64	39.5	28.9	28.5	76.7	68.4	67.2	79.8	88.2	88.4	90.8	94.3	93.8
16	128	44.1	23.8	22.7	63.7	60.6	57.1	33.3	70.3	72.0	75.9	92.8	92.3
16	256	48.9	19.8	17.6	54.2	44.7	38.9	9.3	31.8	40.5	51.7	91.0	91.3
16	512	51.9	17.6	14.0	54.1	48.5	30.6	4.6	15.0	20.4	30.0	83.8	87.1

Table 4: **Unweighted DDIM, 15,000 anchors per mode.** Overall outcome accuracy (% , mean over 3 runs) at $T = 250, 500, 750$ (sub-columns); best predictor per T in bold.

K	d	k NN			w- k NN			quadratic			polar		
		250	500	750	250	500	750	250	500	750	250	500	750
2	2	98.9	99.5	99.4	98.0	98.0	98.4	98.1	98.8	98.8	99.0	99.5	99.5
2	4	94.8	94.9	94.9	91.5	91.4	89.0	98.1	99.0	99.0	98.5	99.5	99.4
2	8	86.1	85.2	85.3	82.6	90.1	87.5	97.6	98.9	98.9	97.6	99.4	99.3
2	16	81.5	80.2	80.1	69.9	79.7	86.4	96.1	98.7	98.6	96.9	99.2	99.2
2	32	81.3	76.8	76.4	78.6	84.7	85.4	88.9	98.1	98.1	94.4	99.2	99.2
2	64	82.4	73.7	72.5	61.1	74.8	71.3	51.2	96.0	96.4	87.0	98.8	98.8
2	128	84.7	71.3	68.4	61.0	68.7	64.0	10.7	83.1	87.4	70.3	97.0	97.3
2	256	85.9	69.7	64.6	61.9	72.9	59.9	24.0	39.7	43.9	47.6	96.2	97.0
2	512	87.1	69.9	61.6	63.6	63.7	60.3	19.5	35.2	38.9	27.1	94.1	96.2
4	2	92.3	98.9	97.2	92.1	98.0	96.5	90.8	93.3	92.8	92.1	98.2	96.7
4	4	89.1	90.2	89.8	88.3	89.7	87.1	91.5	93.9	93.1	92.5	97.9	96.7
4	8	75.2	74.2	73.9	85.1	80.5	86.5	94.0	95.4	94.9	94.8	98.3	97.6
4	16	67.0	64.9	64.8	82.7	81.9	82.2	95.5	96.8	96.6	96.7	98.1	97.7
4	32	65.3	59.8	59.5	85.4	80.4	80.8	92.0	96.6	96.6	95.3	98.2	97.8
4	64	67.1	54.8	53.7	76.7	78.2	73.9	68.5	93.9	94.2	90.2	97.3	97.0
4	128	70.6	50.5	47.8	55.5	74.4	68.0	18.5	82.6	85.0	69.7	96.7	96.9
4	256	73.8	47.6	42.3	58.2	63.4	47.6	17.8	34.5	41.9	46.3	95.2	96.3
4	512	75.3	46.4	38.0	58.8	66.8	47.4	11.6	21.7	25.4	22.0	91.3	94.6
8	2	96.7	98.0	97.8	96.3	97.6	97.2	82.5	83.4	83.5	96.2	96.9	96.5
8	4	86.1	87.4	86.8	87.1	88.5	87.7	88.3	90.2	89.4	90.4	96.2	95.0
8	8	67.2	66.5	66.3	81.3	81.0	82.3	91.8	93.0	92.6	94.4	97.2	96.5
8	16	54.8	53.0	52.9	78.0	77.5	77.2	92.5	93.7	93.2	95.1	97.0	96.0
8	32	51.7	46.4	46.1	82.1	76.3	76.5	91.6	94.4	94.1	94.3	97.0	96.1
8	64	52.9	40.2	39.4	76.3	72.9	70.6	78.1	91.4	91.5	91.2	95.9	95.4
8	128	57.4	35.1	33.3	55.9	63.0	57.9	29.1	80.2	81.4	74.1	95.9	95.7
8	256	61.5	31.3	27.7	54.9	57.6	49.2	13.7	35.0	44.7	49.0	95.2	95.6
8	512	64.0	29.4	23.3	50.9	55.4	36.3	6.9	17.9	23.5	25.0	90.3	93.5
16	2	—	—	—	—	—	—	—	—	—	—	—	—
16	4	85.6	86.4	86.2	87.7	87.3	87.4	88.6	89.8	89.5	92.2	95.0	94.4
16	8	60.7	60.1	59.8	78.6	79.6	79.2	89.9	91.0	90.2	91.9	95.3	94.5
16	16	45.4	44.3	44.3	71.6	71.7	73.3	92.1	93.2	92.8	94.4	95.8	95.4
16	32	39.9	35.8	35.6	78.6	71.6	72.2	91.5	93.5	93.4	93.8	95.3	95.0
16	64	40.1	29.5	29.1	81.4	69.8	68.7	84.3	91.0	91.1	90.3	94.9	94.5
16	128	44.7	24.1	23.1	54.0	57.5	57.6	41.1	80.3	80.9	77.7	94.0	93.5
16	256	49.8	20.1	17.9	52.6	49.8	37.2	11.0	36.9	46.2	52.7	91.8	92.0
16	512	52.9	17.9	14.2	51.3	52.1	27.5	4.8	17.1	25.5	29.8	86.6	88.2

Table 5: **Unweighted DDIM, 20,000 anchors per mode.** Overall outcome accuracy (% , mean over 3 runs) at $T = 250, 500, 750$ (sub-columns); best predictor per T in bold.

K	d	k NN			w- k NN			quadratic			polar		
		250	500	750	250	500	750	250	500	750	250	500	750
2	2	99.0	99.5	99.5	98.6	98.5	98.4	98.1	98.8	98.9	99.0	99.5	99.5
2	4	95.2	95.2	95.2	90.9	91.1	91.4	98.2	98.9	99.0	98.5	99.5	99.4
2	8	86.5	85.6	85.5	83.5	90.4	84.6	97.6	98.9	98.8	97.6	99.4	99.4
2	16	81.5	80.5	80.4	80.1	83.5	85.6	96.3	98.7	98.6	96.9	99.3	99.2
2	32	81.5	77.0	76.7	76.7	81.8	80.1	89.0	98.3	98.3	94.5	99.2	99.2
2	64	82.5	73.9	72.8	61.4	84.5	80.3	51.0	96.5	97.0	87.2	98.9	99.0
2	128	84.9	71.7	68.7	61.9	73.7	72.8	9.3	88.3	91.3	70.6	97.6	97.8
2	256	86.0	70.0	64.8	62.7	60.8	54.6	21.7	41.9	47.2	46.7	96.7	97.5
2	512	87.3	70.0	61.7	64.3	63.3	47.3	18.0	35.2	39.3	26.3	94.5	96.7
4	2	92.4	98.9	97.3	91.9	98.1	96.7	90.8	93.2	92.7	92.1	98.2	96.6
4	4	89.7	90.9	90.6	87.4	89.1	90.0	91.6	94.0	93.1	92.5	97.9	96.7
4	8	75.9	74.8	74.4	85.1	86.5	86.6	94.0	95.4	94.9	94.7	98.3	97.6
4	16	67.2	65.2	65.2	83.2	82.6	80.7	95.5	96.8	96.6	96.6	98.1	97.7
4	32	65.6	60.2	59.9	83.0	80.8	81.9	92.2	96.8	96.8	95.3	98.3	97.8
4	64	67.3	55.1	54.0	77.7	76.8	71.9	68.9	94.5	94.8	90.3	97.6	97.3
4	128	70.9	50.8	48.1	56.3	71.9	67.3	17.3	86.2	88.1	69.4	97.0	97.1
4	256	74.1	47.9	42.7	58.8	66.6	63.1	17.9	39.6	48.3	46.6	95.6	96.5
4	512	75.7	46.8	38.3	59.6	56.0	46.4	12.1	23.1	27.7	22.1	91.6	95.3
8	2	96.7	98.1	97.9	96.5	97.5	97.3	83.2	84.2	84.3	96.3	97.0	96.7
8	4	86.8	88.4	87.7	86.4	89.3	87.4	88.8	90.5	89.6	90.4	96.3	95.1
8	8	68.1	67.4	67.2	81.1	82.8	82.6	92.2	93.2	92.8	94.4	97.2	96.5
8	16	55.4	53.6	53.5	76.3	76.8	77.5	93.0	94.0	93.5	95.2	97.2	96.2
8	32	51.9	46.6	46.4	81.2	76.8	75.7	92.3	94.8	94.5	94.4	97.0	96.2
8	64	53.2	40.6	39.9	82.8	75.1	72.1	80.1	92.6	92.6	91.5	96.2	95.6
8	128	57.9	35.5	33.6	56.8	62.7	65.3	29.1	84.5	85.3	75.3	95.9	95.8
8	256	61.8	31.6	28.0	53.2	46.0	48.8	14.6	40.4	49.9	50.3	95.2	95.5
8	512	64.6	29.8	23.6	51.8	57.8	39.1	7.4	19.5	27.0	25.2	91.6	93.8
16	2	—	—	—	—	—	—	—	—	—	—	—	—
16	4	86.5	87.5	87.2	87.8	88.7	88.9	88.4	89.5	89.2	92.2	95.1	94.5
16	8	61.7	61.1	60.9	78.7	77.3	79.6	90.4	91.3	90.5	91.9	95.4	94.6
16	16	45.9	44.9	44.9	73.6	72.1	72.0	92.7	93.8	93.3	94.4	96.0	95.5
16	32	40.2	36.1	36.1	78.1	72.3	71.4	92.4	94.3	94.1	93.9	95.6	95.2
16	64	40.6	29.9	29.5	80.1	69.9	69.5	86.4	92.5	92.5	90.1	95.2	94.8
16	128	45.2	24.4	23.3	59.0	57.7	53.1	45.1	84.9	85.2	79.0	94.5	94.0
16	256	50.3	20.4	18.2	50.9	44.0	42.8	12.3	41.9	50.5	53.6	92.8	92.6
16	512	53.5	18.2	14.4	52.3	45.4	34.0	5.2	18.9	29.5	29.6	88.3	89.1

Table 6: **Weighted DDIM, 2,000 anchors per mode.** Overall outcome accuracy (% , mean over 3 runs) at $T = 250, 500, 750$ (sub-columns); best predictor per T in bold.

K	d	k NN			w- k NN			quadratic			polar		
		250	500	750	250	500	750	250	500	750	250	500	750
2	2	96.3	98.5	98.3	95.5	96.9	96.7	95.0	97.8	98.5	96.7	99.4	98.6
2	4	90.7	91.4	91.5	87.2	90.1	86.4	94.7	97.7	98.4	96.1	99.4	98.8
2	8	81.7	81.7	81.9	79.3	78.6	82.5	93.1	96.4	97.0	95.1	99.2	98.7
2	16	79.0	78.4	78.6	79.7	85.0	85.7	91.5	95.7	96.4	94.0	98.0	97.5
2	32	79.0	74.4	74.2	78.3	83.3	73.0	82.4	94.4	95.2	91.1	96.6	96.5
2	64	79.5	70.7	69.7	62.7	79.2	72.6	37.2	62.0	66.1	83.9	94.2	94.9
2	128	81.7	68.9	66.2	53.6	78.7	67.6	29.4	39.5	41.1	71.4	92.9	94.0
2	256	83.0	67.0	62.3	55.2	64.5	54.8	24.0	37.2	38.8	55.6	91.0	92.3
2	512	84.7	67.2	59.8	57.3	73.6	63.2	20.7	35.4	37.6	39.7	85.5	89.6
4	2	91.5	97.6	96.4	90.8	95.8	95.6	89.2	93.0	93.0	91.8	98.0	96.6
4	4	82.5	84.0	83.8	82.8	84.9	87.0	88.0	92.9	92.5	90.2	97.5	96.2
4	8	68.9	68.8	68.8	75.8	81.2	81.7	89.5	93.9	94.1	92.4	97.5	96.6
4	16	62.8	61.7	62.0	74.6	81.0	81.1	88.5	93.1	94.0	90.5	95.1	95.1
4	32	61.8	56.2	56.1	79.1	76.4	78.0	82.7	90.2	91.2	89.7	93.4	93.5
4	64	63.5	51.6	50.7	65.8	74.7	72.6	40.8	71.0	73.7	82.6	91.8	92.0
4	128	67.1	47.6	45.2	50.7	66.9	57.0	20.2	29.4	31.2	68.2	90.2	91.0
4	256	69.8	45.0	40.2	51.0	67.5	55.3	14.2	21.4	21.5	48.9	86.5	88.8
4	512	71.9	43.9	36.4	51.1	61.7	43.6	11.9	13.6	13.1	32.5	78.9	85.6
8	2	93.9	96.7	96.1	93.2	95.7	94.9	80.1	81.6	81.8	94.1	96.6	96.1
8	4	77.7	78.8	78.5	79.6	86.2	85.5	85.3	89.4	89.2	89.2	96.0	94.8
8	8	59.4	59.2	59.2	75.6	77.8	77.7	88.6	91.4	91.4	92.4	96.2	95.6
8	16	49.9	48.7	48.7	74.2	75.0	74.0	86.3	90.4	90.7	90.7	94.4	93.7
8	32	48.0	42.9	42.9	73.9	72.5	72.7	81.6	87.8	88.5	88.5	92.8	92.0
8	64	49.0	36.8	36.1	74.3	62.5	63.5	46.1	70.4	72.2	84.7	90.2	89.9
8	128	53.0	32.3	30.7	56.3	57.7	53.0	15.0	29.6	32.6	66.6	87.2	88.4
8	256	56.5	28.8	25.7	50.9	50.7	43.3	8.9	16.2	16.2	45.4	84.8	87.6
8	512	59.2	27.1	21.8	50.4	42.9	29.9	7.2	7.1	6.3	29.0	76.4	83.3
16	2	—	—	—	—	—	—	—	—	—	—	—	—
16	4	76.4	76.8	76.7	83.5	82.9	83.1	86.3	87.5	87.5	92.6	94.7	94.2
16	8	51.7	51.6	51.5	69.7	73.1	73.1	86.0	88.7	88.6	91.1	94.2	93.5
16	16	39.8	39.0	39.1	70.5	70.2	70.2	86.1	89.6	89.8	90.9	93.5	93.2
16	32	36.1	32.2	32.1	71.0	68.6	67.4	80.2	85.9	86.4	88.6	91.7	91.3
16	64	36.3	26.4	26.0	71.7	62.4	61.6	49.6	69.0	70.3	85.0	89.1	88.9
16	128	40.1	21.5	20.6	51.8	48.3	50.8	11.8	34.1	37.7	68.7	86.9	86.6
16	256	44.5	18.0	16.2	50.1	40.3	33.9	5.0	14.9	15.7	43.5	82.3	84.5
16	512	47.5	16.2	13.1	51.1	42.2	26.3	3.9	5.2	4.7	27.6	72.5	79.2

1.2 Weighted DDIM

Table 7: **Weighted DDIM, 5,000 anchors per mode.** Overall outcome accuracy (% , mean over 3 runs) at $T = 250, 500, 750$ (sub-columns); best predictor per T in bold.

K	d	k NN			w- k NN			quadratic			polar		
		250	500	750	250	500	750	250	500	750	250	500	750
2	2	96.6	99.1	98.6	96.0	97.3	97.6	95.1	97.9	98.7	96.7	99.4	98.6
2	4	92.1	93.0	93.2	89.9	90.8	88.5	94.6	97.7	98.4	96.1	99.4	98.8
2	8	83.5	83.5	83.5	79.8	83.9	82.6	93.3	96.5	97.1	95.2	99.3	98.8
2	16	79.4	78.9	79.2	76.3	82.3	82.8	91.6	95.9	96.7	93.8	98.8	98.4
2	32	79.5	75.4	75.3	76.4	77.6	81.4	84.5	95.6	96.6	91.9	98.4	98.0
2	64	80.2	72.0	71.0	64.9	78.0	79.5	46.7	91.6	93.0	85.3	97.0	97.0
2	128	82.6	69.9	67.3	57.5	61.3	67.3	29.9	43.7	47.0	70.5	94.9	95.8
2	256	84.0	68.2	63.4	58.9	74.9	51.1	25.1	37.1	39.6	51.4	93.4	94.4
2	512	85.5	68.5	60.6	60.4	57.7	51.2	19.7	34.1	38.0	32.1	90.2	93.0
4	2	91.9	98.5	96.9	91.2	97.2	96.3	89.3	92.9	92.8	91.8	98.1	96.6
4	4	85.3	87.1	87.0	85.2	83.0	89.3	88.0	93.0	92.5	90.3	97.7	96.3
4	8	71.2	71.1	71.0	76.7	82.1	81.9	89.6	94.1	94.3	92.8	98.0	96.8
4	16	64.2	63.0	63.2	73.8	80.7	81.7	88.7	93.5	94.6	91.8	97.4	96.8
4	32	62.8	57.6	57.6	77.3	79.9	80.3	84.9	92.0	93.2	90.4	96.0	96.2
4	64	64.6	53.1	52.3	68.0	76.7	75.0	61.1	87.5	89.0	85.2	94.1	94.3
4	128	68.3	49.0	46.6	51.2	73.8	61.3	23.7	43.5	49.7	68.0	93.8	93.3
4	256	71.2	46.2	41.4	54.1	59.9	53.2	16.3	25.5	27.6	46.9	90.6	92.7
4	512	73.4	45.1	37.4	55.0	63.6	42.5	11.3	16.9	18.5	25.1	85.2	90.6
8	2	94.5	97.6	96.8	93.4	95.9	95.8	79.8	81.4	81.6	94.1	96.6	96.1
8	4	81.3	83.2	82.8	77.1	83.2	82.8	85.2	89.3	89.2	89.2	96.1	95.0
8	8	62.4	62.3	62.2	76.0	77.1	76.7	88.8	91.7	91.7	92.7	96.9	96.2
8	16	51.5	50.4	50.4	73.0	73.9	73.0	86.8	91.1	91.3	91.8	96.1	95.2
8	32	49.2	44.4	44.3	76.9	73.5	73.8	84.2	90.3	91.1	89.5	95.7	94.9
8	64	50.4	38.3	37.7	70.3	68.9	67.8	67.9	84.2	85.3	87.2	93.9	93.7
8	128	54.5	33.6	31.9	50.7	57.1	59.9	21.0	47.9	53.8	68.3	92.5	92.7
8	256	58.6	30.0	26.7	52.6	50.6	44.2	10.8	22.4	25.8	46.6	90.8	91.4
8	512	61.3	28.1	22.5	54.2	53.0	36.8	7.0	11.5	12.1	25.3	84.6	89.0
16	2	—	—	—	—	—	—	—	—	—	—	—	—
16	4	81.0	81.5	81.3	85.5	86.2	84.3	86.5	87.7	87.7	92.6	94.8	94.3
16	8	55.2	55.0	54.9	71.0	72.5	75.0	86.2	88.9	88.8	91.4	94.8	94.0
16	16	41.9	41.1	41.2	71.6	68.4	71.1	86.9	90.4	90.6	91.8	94.9	94.5
16	32	37.4	33.6	33.6	74.1	69.9	69.4	83.3	88.8	89.3	89.6	94.0	93.7
16	64	37.7	27.7	27.4	70.6	61.8	60.1	69.6	82.0	82.9	87.5	92.2	92.3
16	128	42.1	22.7	21.7	55.2	57.5	54.8	19.8	50.1	54.6	71.3	90.8	90.8
16	256	46.8	19.0	17.1	50.7	36.4	33.5	6.9	23.6	28.9	48.2	88.4	89.0
16	512	49.8	17.0	13.6	52.7	43.7	28.8	3.9	9.9	11.2	28.1	79.0	84.6

Table 8: **Weighted DDIM, 10,000 anchors per mode.** Overall outcome accuracy (% , mean over 3 runs) at $T = 250, 500, 750$ (sub-columns); best predictor per T in bold.

K	d	k NN			w- k NN			quadratic			polar		
		250	500	750	250	500	750	250	500	750	250	500	750
2	2	96.7	99.4	98.7	96.4	97.9	97.8	95.2	98.0	98.7	96.7	99.4	98.6
2	4	93.2	94.2	94.3	88.9	85.4	90.6	94.6	97.7	98.4	96.1	99.4	98.8
2	8	84.5	84.4	84.6	83.6	81.2	83.3	93.3	96.5	97.1	95.2	99.3	98.8
2	16	80.2	79.3	79.5	77.8	79.0	83.3	91.9	96.0	96.9	93.8	99.1	98.5
2	32	79.9	75.9	75.8	74.3	84.9	67.8	85.4	95.9	97.0	91.6	99.0	98.2
2	64	80.7	72.7	71.9	67.8	79.0	72.3	49.5	94.4	95.6	85.2	98.1	98.0
2	128	83.6	70.5	68.0	59.8	67.7	72.1	21.6	68.9	75.3	70.0	96.6	97.0
2	256	84.7	69.0	64.1	60.8	63.5	53.4	25.2	38.3	41.8	48.4	94.4	95.4
2	512	86.1	69.0	61.1	62.5	59.8	52.9	18.2	34.3	38.8	29.2	92.2	94.0
4	2	92.1	98.8	97.1	91.7	98.0	96.7	89.2	92.9	92.9	91.8	98.1	96.6
4	4	86.9	89.2	88.9	84.0	88.0	88.0	88.2	93.0	92.5	90.3	97.7	96.3
4	8	72.9	72.8	72.7	77.8	84.2	80.3	89.7	94.1	94.3	92.8	98.1	96.9
4	16	65.0	64.2	64.4	72.8	80.9	83.0	88.8	93.7	94.8	91.9	97.8	97.2
4	32	63.5	58.7	58.7	77.2	78.6	80.7	85.5	92.7	93.9	90.4	97.0	97.3
4	64	65.2	54.0	53.4	66.7	77.6	77.1	64.2	90.6	92.3	86.5	95.7	95.7
4	128	69.0	50.0	47.6	53.6	62.5	66.0	24.4	73.6	77.7	68.2	95.8	95.0
4	256	72.4	47.1	42.2	56.5	63.6	62.0	17.9	29.5	34.5	46.2	93.8	93.3
4	512	74.4	46.0	37.9	57.4	51.7	50.1	11.3	20.1	22.7	22.4	88.0	93.2
8	2	94.8	97.9	97.0	94.0	97.2	96.5	79.9	81.5	81.7	94.2	96.6	96.1
8	4	83.5	85.9	85.5	80.9	84.9	86.9	85.2	89.3	89.1	89.2	96.1	95.0
8	8	64.8	64.7	64.5	76.1	75.7	80.1	88.8	91.7	91.7	92.8	97.1	96.3
8	16	52.8	51.7	51.7	72.8	74.2	75.6	87.2	91.3	91.6	92.0	96.6	95.6
8	32	50.3	45.6	45.6	76.0	75.5	75.4	84.9	91.1	92.0	89.7	96.4	95.8
8	64	51.5	39.4	38.8	76.5	70.9	70.2	72.5	88.0	89.2	87.6	94.4	94.6
8	128	55.9	34.6	32.9	53.2	60.5	61.5	28.8	71.9	74.5	71.0	94.5	94.2
8	256	59.8	31.0	27.5	55.1	58.6	44.6	12.3	29.2	37.2	47.8	93.9	93.4
8	512	62.6	28.9	23.1	54.3	53.1	38.7	7.1	15.1	18.4	24.5	88.1	90.3
16	2	—	—	—	—	—	—	—	—	—	—	—	—
16	4	84.0	84.6	84.4	86.2	87.0	86.4	86.9	88.1	88.1	92.7	94.9	94.4
16	8	58.1	57.9	57.7	73.7	76.7	74.4	86.8	89.3	89.2	91.5	95.1	94.3
16	16	43.5	42.8	42.9	69.2	71.6	70.0	87.7	91.2	91.4	92.1	95.5	95.1
16	32	38.4	34.8	34.8	73.4	70.3	70.6	85.0	90.3	90.9	89.8	94.9	94.5
16	64	38.8	28.6	28.3	74.0	66.8	66.4	76.0	86.8	87.6	87.3	93.0	93.2
16	128	43.3	23.5	22.5	61.3	59.1	56.7	32.7	69.9	71.9	73.3	92.0	91.8
16	256	48.2	19.6	17.6	53.1	44.9	43.0	9.3	31.6	40.4	50.4	91.1	90.8
16	512	51.4	17.6	14.1	53.3	48.0	29.5	4.5	14.8	20.4	29.2	83.7	86.7

Table 9: **Weighted DDIM, 15,000 anchors per mode.** Overall outcome accuracy (% , mean over 3 runs) at $T = 250, 500, 750$ (sub-columns); best predictor per T in bold.

K	d	k NN			w- k NN			quadratic			polar		
		250	500	750	250	500	750	250	500	750	250	500	750
2	2	96.8	99.5	98.7	96.5	98.2	97.9	95.1	97.9	98.6	96.7	99.4	98.6
2	4	93.6	94.7	95.0	90.2	90.9	92.5	94.6	97.7	98.4	96.1	99.4	98.8
2	8	85.0	85.1	85.2	81.6	84.3	81.4	93.3	96.5	97.1	95.2	99.3	98.8
2	16	80.7	79.8	80.0	69.2	79.0	75.8	91.9	96.0	96.9	93.8	99.1	98.5
2	32	80.0	76.3	76.3	75.7	85.2	84.2	85.3	96.0	97.1	91.5	99.0	98.2
2	64	81.2	73.0	72.2	61.5	79.4	82.4	50.1	95.1	96.2	85.3	98.3	98.3
2	128	83.7	71.0	68.3	61.0	68.6	62.4	10.6	82.8	87.5	69.5	97.1	97.3
2	256	85.2	69.4	64.5	61.9	69.8	72.6	24.1	39.7	44.0	47.0	95.0	95.9
2	512	86.4	69.5	61.5	63.6	60.8	53.8	19.5	35.1	39.3	27.0	93.1	94.4
4	2	92.2	98.9	97.2	92.0	98.0	96.7	89.2	92.9	92.9	91.8	98.1	96.7
4	4	87.7	90.3	90.0	83.2	90.1	90.4	88.3	93.1	92.6	90.4	97.7	96.3
4	8	74.0	73.9	73.6	81.2	82.1	82.8	89.7	94.1	94.3	92.8	98.2	97.0
4	16	65.5	64.8	65.1	75.7	76.0	76.9	88.8	93.8	94.9	92.0	97.9	97.2
4	32	64.1	59.3	59.3	75.0	80.5	74.9	85.8	92.9	94.1	90.5	97.1	97.5
4	64	65.6	54.5	53.8	69.6	78.1	78.4	64.7	91.4	93.2	86.5	96.2	96.1
4	128	69.3	50.4	48.0	54.9	73.8	66.0	18.3	81.9	85.0	67.4	96.5	95.2
4	256	72.8	47.6	42.6	57.8	68.0	53.1	17.8	34.4	41.9	46.2	94.8	93.3
4	512	74.7	46.5	38.4	58.6	63.3	48.7	11.6	21.7	25.6	21.7	90.8	93.0
8	2	94.9	98.0	97.2	94.6	97.5	96.6	80.0	81.6	81.8	94.2	96.6	96.1
8	4	84.6	87.4	86.9	84.6	87.0	88.4	85.2	89.3	89.2	89.3	96.1	95.0
8	8	66.1	66.0	65.8	77.7	79.3	80.7	88.8	91.7	91.7	92.9	97.1	96.4
8	16	53.5	52.4	52.5	73.5	75.7	75.8	87.3	91.5	91.7	92.1	96.8	95.8
8	32	50.7	46.0	46.1	75.2	74.8	74.2	85.2	91.4	92.3	89.5	96.4	95.8
8	64	51.9	39.9	39.3	69.2	70.2	69.4	73.7	89.2	90.4	87.7	94.4	94.7
8	128	56.5	35.1	33.3	54.6	59.3	53.5	28.4	79.3	81.3	69.9	94.9	94.6
8	256	60.7	31.3	27.8	54.1	60.5	49.9	13.6	34.8	44.7	47.9	94.8	94.2
8	512	63.4	29.4	23.4	50.6	57.4	36.5	6.9	17.8	23.6	25.0	89.4	90.5
16	2	—	—	—	—	—	—	—	—	—	—	—	—
16	4	85.5	86.2	86.0	87.2	87.8	86.8	87.6	88.7	88.6	92.7	95.0	94.6
16	8	59.5	59.4	59.2	76.1	76.4	76.6	88.2	90.4	89.9	91.5	95.3	94.5
16	16	44.3	43.7	43.8	68.3	71.7	69.8	89.0	92.5	92.6	92.3	95.9	95.4
16	32	39.0	35.3	35.3	73.9	69.3	70.3	86.7	91.7	92.3	90.5	95.1	94.7
16	64	39.4	29.1	28.8	76.5	68.0	65.7	79.8	89.3	90.2	86.6	94.0	94.2
16	128	43.9	23.9	22.9	52.5	49.6	53.0	40.2	79.6	80.7	75.3	92.4	92.7
16	256	49.1	20.0	17.9	51.7	44.2	37.0	10.9	36.7	46.2	51.6	92.0	91.5
16	512	52.3	17.9	14.3	50.7	47.3	27.1	4.7	16.9	25.6	29.1	86.4	88.0

Table 10: **Weighted DDIM, 20,000 anchors per mode.** Overall outcome accuracy (% , mean over 3 runs) at $T = 250, 500, 750$ (sub-columns); best predictor per T in bold.

K	d	k NN			w- k NN			quadratic			polar		
		250	500	750	250	500	750	250	500	750	250	500	750
2	2	96.8	99.5	98.7	96.6	98.5	98.1	95.1	97.9	98.6	96.7	99.4	98.6
2	4	94.0	95.1	95.3	90.7	90.4	90.6	94.7	97.8	98.5	96.1	99.4	98.8
2	8	85.2	85.5	85.5	83.9	87.0	90.5	93.4	96.5	97.2	95.2	99.3	98.8
2	16	80.8	80.1	80.3	75.3	78.5	76.2	91.9	96.0	96.9	93.8	99.1	98.5
2	32	80.2	76.6	76.6	75.4	81.2	80.7	85.3	96.0	97.2	91.3	99.0	98.3
2	64	81.0	73.1	72.2	66.2	71.3	63.6	50.4	95.5	96.7	85.4	98.4	98.4
2	128	83.8	71.2	68.6	61.8	73.4	73.3	9.3	88.0	91.3	69.4	97.5	97.7
2	256	85.2	69.7	64.7	62.7	63.3	55.1	21.8	42.0	47.3	46.3	95.6	96.6
2	512	86.5	69.6	61.6	64.3	53.8	61.2	17.9	35.2	40.1	26.1	93.4	94.9
4	2	92.2	99.0	97.2	92.0	98.2	96.7	89.3	92.9	92.9	91.8	98.1	96.6
4	4	88.1	91.0	90.6	86.5	90.8	90.7	88.2	93.1	92.5	90.3	97.7	96.3
4	8	74.6	74.5	74.3	81.0	83.8	84.3	89.7	94.0	94.2	92.9	98.2	97.0
4	16	65.8	65.2	65.5	78.1	80.9	76.6	88.8	93.8	94.9	92.0	98.0	97.2
4	32	64.3	59.6	59.7	76.1	79.7	79.3	85.9	93.0	94.3	90.7	97.3	97.5
4	64	66.0	55.1	54.4	67.8	78.9	78.9	65.0	91.9	93.8	87.2	96.1	95.9
4	128	69.7	50.7	48.3	55.7	70.5	68.6	17.0	85.3	88.0	67.2	96.6	95.3
4	256	73.0	47.9	43.0	58.5	62.9	56.3	17.8	39.4	48.2	46.6	94.9	93.1
4	512	75.2	46.9	38.6	59.4	55.6	43.7	12.1	23.1	27.7	21.7	91.2	92.8
8	2	95.0	98.0	97.2	94.6	97.5	96.8	80.8	82.5	82.7	94.2	96.8	96.2
8	4	85.3	88.4	87.9	80.8	89.4	88.2	85.9	89.8	89.5	89.3	96.1	95.0
8	8	67.0	66.8	66.7	78.9	79.5	79.8	89.3	92.1	92.1	92.9	97.2	96.4
8	16	54.1	53.0	53.1	73.2	75.7	75.8	87.7	91.9	92.1	92.2	97.0	95.9
8	32	50.9	46.3	46.3	76.0	74.5	75.2	85.8	91.9	92.8	89.5	96.5	95.9
8	64	52.3	40.4	39.8	70.5	72.2	70.5	75.1	90.1	91.4	87.3	94.3	94.6
8	128	56.9	35.4	33.6	55.5	64.3	61.4	28.4	83.3	85.1	71.7	94.9	94.7
8	256	61.0	31.6	28.1	52.5	49.1	48.8	14.5	40.2	49.9	49.4	94.8	94.1
8	512	63.9	29.8	23.7	51.5	57.0	39.1	7.4	19.4	26.9	25.1	91.2	90.6
16	2	—	—	—	—	—	—	—	—	—	—	—	—
16	4	86.4	87.3	87.0	86.8	88.1	86.2	87.6	88.7	88.5	92.7	95.1	94.7
16	8	60.5	60.4	60.2	76.0	76.4	76.4	88.9	90.9	90.3	91.6	95.4	94.6
16	16	44.9	44.3	44.4	71.2	70.2	71.5	89.9	93.4	93.3	92.3	96.0	95.5
16	32	39.4	35.7	35.7	73.0	69.8	69.3	87.5	92.6	93.2	90.8	95.3	94.7
16	64	39.8	29.6	29.2	74.8	68.5	67.7	81.4	90.7	91.6	85.7	94.7	94.7
16	128	44.4	24.2	23.2	57.1	57.8	53.4	43.9	83.9	84.9	77.3	92.6	92.9
16	256	49.5	20.3	18.2	50.1	44.9	35.1	12.2	41.8	50.5	52.2	92.9	92.1
16	512	52.9	18.1	14.4	51.6	44.9	28.9	5.1	18.8	29.7	28.9	87.8	88.6

Table 11: **Unweighted Flow matching, 2,000 anchors per mode.** Overall outcome accuracy (% , mean over 3 runs) at $T = 250, 500, 750$ (sub-columns); best predictor per T in bold.

K	d	k NN			w- k NN			quadratic			polar		
		250	500	750	250	500	750	250	500	750	250	500	750
2	2	98.5	98.5	98.5	96.6	96.6	96.6	99.0	99.0	99.0	99.7	99.7	99.7
2	4	91.5	91.5	91.5	90.2	90.2	90.2	98.7	98.7	98.7	99.5	99.5	99.5
2	8	81.8	81.8	81.8	89.0	89.0	89.0	98.7	98.7	98.7	99.3	99.3	99.3
2	16	78.8	78.8	78.8	79.4	69.7	69.7	97.9	97.9	97.9	97.9	97.9	97.9
2	32	74.3	74.3	74.3	72.4	63.2	63.2	95.9	95.9	95.9	96.8	96.8	96.8
2	64	69.9	70.0	70.0	76.8	76.8	76.8	67.4	65.7	65.7	95.2	94.9	94.8
2	128	66.0	65.9	65.9	72.6	72.6	72.6	40.8	41.2	41.2	94.5	94.5	94.5
2	256	62.2	62.2	62.2	66.8	66.8	66.7	38.9	38.9	38.9	93.5	93.4	93.4
2	512	59.1	59.1	59.1	60.6	60.5	60.7	37.5	37.6	37.2	90.4	90.8	89.9
4	2	97.5	97.5	97.5	96.4	96.4	96.4	93.4	93.4	93.4	98.1	98.1	98.1
4	4	83.9	83.9	83.9	89.4	89.4	89.4	94.1	94.1	94.1	97.9	97.9	97.9
4	8	69.2	69.2	69.2	83.2	83.2	83.2	95.2	95.2	95.2	97.6	97.6	97.6
4	16	62.0	62.0	62.0	82.9	82.9	82.9	95.7	95.7	95.7	95.3	95.3	95.3
4	32	56.3	56.2	56.2	67.5	65.7	65.7	92.7	92.7	92.7	93.5	93.5	93.5
4	64	50.2	50.3	50.3	74.0	74.0	74.0	74.6	74.0	74.0	92.4	91.6	91.6
4	128	44.5	44.4	44.4	63.3	63.3	63.3	30.9	31.0	31.0	92.0	91.9	91.9
4	256	39.5	39.5	39.5	52.8	52.7	52.7	21.2	21.2	21.2	90.4	90.4	90.4
4	512	35.5	35.5	35.5	39.2	39.2	39.2	12.8	12.8	12.8	87.1	87.1	87.1
8	2	96.9	96.9	96.9	96.0	96.0	96.0	83.4	83.4	83.4	97.1	97.1	97.1
8	4	79.3	79.3	79.3	86.6	86.6	86.5	90.2	90.2	90.2	96.4	96.4	96.4
8	8	60.0	59.9	59.9	78.3	78.3	78.3	92.6	92.6	92.6	96.3	96.3	96.3
8	16	49.2	49.2	49.2	76.4	76.4	76.4	92.6	92.6	92.6	94.3	94.3	94.3
8	32	42.7	42.7	42.7	73.3	73.3	73.3	89.8	89.8	89.8	92.7	92.7	92.7
8	64	36.1	36.2	36.2	66.2	66.2	66.2	72.8	72.9	72.9	90.4	90.2	90.2
8	128	30.2	30.2	30.2	57.6	57.6	57.6	32.8	33.1	33.1	89.5	89.5	89.5
8	256	25.3	25.3	25.3	43.6	43.6	43.6	16.0	16.0	16.0	88.3	88.2	88.3
8	512	21.4	21.4	21.4	36.4	32.1	32.1	5.9	5.9	5.9	84.6	84.6	84.6
16	2	—	—	—	—	—	—	—	—	—	—	—	—
16	4	77.3	77.3	77.3	84.9	84.7	84.7	89.0	89.0	89.0	95.0	95.0	95.0
16	8	52.2	52.2	52.2	74.8	74.8	74.8	89.6	89.6	89.6	94.3	94.3	94.3
16	16	39.4	39.4	39.4	72.1	72.1	72.1	90.7	90.7	90.7	93.3	93.3	93.3
16	32	32.2	32.2	32.2	69.6	69.7	69.7	87.3	87.3	87.3	91.7	91.7	91.7
16	64	26.1	26.1	26.1	62.0	62.0	62.0	70.9	71.0	71.0	89.2	89.2	89.2
16	128	20.5	20.5	20.5	46.7	46.7	46.7	38.0	38.2	38.2	86.6	86.7	86.6
16	256	16.2	16.1	16.1	36.3	36.2	36.2	15.6	15.6	15.6	84.4	84.5	84.4
16	512	13.0	13.0	13.0	23.1	23.1	23.1	3.8	3.8	3.8	80.9	81.0	81.0

1.3 Unweighted Flow matching

Table 12: **Unweighted Flow matching, 5,000 anchors per mode.** Overall outcome accuracy (% , mean over 3 runs) at $T = 250, 500, 750$ (sub-columns); best predictor per T in bold.

K	d	k NN			w- k NN			quadratic			polar		
		250	500	750	250	500	750	250	500	750	250	500	750
2	2	99.1	99.1	99.1	97.7	97.7	97.7	98.9	98.9	98.9	99.7	99.7	99.7
2	4	93.1	93.1	93.1	90.2	90.2	90.2	98.9	98.9	98.9	99.5	99.5	99.5
2	8	83.4	83.4	83.4	82.4	82.2	82.2	98.9	98.9	98.9	99.5	99.5	99.5
2	16	79.4	79.4	79.4	85.9	85.9	85.9	98.4	98.4	98.4	99.0	99.0	99.0
2	32	75.4	75.4	75.4	84.9	84.9	84.9	97.4	97.4	97.4	98.6	98.6	98.6
2	64	71.2	71.2	71.2	78.2	78.2	78.2	93.4	93.3	93.3	97.3	97.4	97.4
2	128	66.9	67.0	67.0	63.3	63.3	63.3	47.8	47.6	47.6	96.2	96.2	96.2
2	256	63.1	63.1	63.1	55.4	55.4	55.4	39.8	39.8	39.8	95.9	95.9	95.9
2	512	60.0	59.9	59.9	62.5	62.6	62.5	37.9	38.0	37.5	94.6	94.5	94.7
4	2	98.4	98.4	98.4	96.8	96.8	96.8	93.3	93.3	93.3	98.2	98.2	98.2
4	4	87.0	87.0	87.0	88.6	87.6	87.6	94.1	94.1	94.1	98.0	98.0	98.0
4	8	71.4	71.4	71.4	85.5	85.5	85.5	95.4	95.4	95.4	98.2	98.2	98.2
4	16	63.1	63.1	63.1	82.3	82.2	82.2	96.5	96.5	96.5	97.5	97.5	97.5
4	32	57.9	57.8	57.8	80.8	80.8	80.8	95.1	95.1	95.1	96.9	96.9	96.9
4	64	51.8	51.8	51.8	75.3	75.3	75.3	89.8	89.9	89.9	95.1	95.3	95.3
4	128	45.8	46.0	46.0	67.8	67.8	67.8	50.7	51.0	51.0	94.7	94.8	94.8
4	256	40.7	40.7	40.7	51.3	51.2	51.2	27.5	27.4	27.4	93.5	93.5	93.5
4	512	36.4	36.4	36.4	48.6	48.5	48.5	17.6	17.6	17.6	91.4	91.4	91.4
8	2	97.8	97.8	97.8	96.2	96.5	96.4	83.1	83.1	83.1	97.1	97.1	97.1
8	4	83.5	83.5	83.4	87.8	87.8	87.9	90.3	90.3	90.3	96.6	96.6	96.6
8	8	62.8	62.8	62.8	80.7	80.7	80.7	92.9	92.9	92.9	96.9	96.9	96.9
8	16	50.8	50.8	50.8	76.1	76.1	76.1	93.5	93.5	93.5	96.1	96.1	96.1
8	32	44.2	44.3	44.3	75.8	75.8	75.8	92.9	93.0	93.0	95.9	95.9	95.9
8	64	37.7	37.6	37.6	66.8	66.8	66.8	86.3	86.3	86.3	94.8	94.8	94.8
8	128	31.5	31.5	31.5	54.4	54.4	54.4	54.4	54.5	54.5	93.6	93.8	93.8
8	256	26.2	26.2	26.2	47.9	47.9	47.9	26.0	26.0	26.0	92.5	92.5	92.5
8	512	22.0	22.0	22.0	33.0	30.3	30.3	11.7	11.7	11.7	89.6	89.6	89.7
16	2	—	—	—	—	—	—	—	—	—	—	—	—
16	4	81.8	81.8	81.8	84.8	84.8	84.8	89.0	89.0	89.0	95.1	95.1	95.1
16	8	55.5	55.5	55.5	75.8	75.8	75.8	89.8	89.8	89.8	94.9	94.9	94.9
16	16	41.6	41.5	41.5	71.6	71.6	71.6	91.5	91.5	91.5	94.7	94.7	94.7
16	32	33.8	33.8	33.8	71.7	71.7	71.7	90.5	90.5	90.5	94.2	94.2	94.2
16	64	27.5	27.5	27.5	65.6	65.6	65.6	83.7	83.8	83.8	93.2	93.3	93.3
16	128	21.6	21.5	21.5	52.2	52.2	52.2	55.3	55.4	55.4	91.7	91.6	91.6
16	256	17.0	17.0	17.0	38.9	38.9	38.8	29.3	29.3	29.3	89.3	89.3	89.3
16	512	13.5	13.5	13.5	29.9	29.9	29.9	10.4	10.4	10.4	86.2	86.0	86.1

Table 13: **Unweighted Flow matching, 10,000 anchors per mode.** Overall outcome accuracy (% , mean over 3 runs) at $T = 250, 500, 750$ (sub-columns); best predictor per T in bold.

K	d	k NN			w- k NN			quadratic			polar		
		250	500	750	250	500	750	250	500	750	250	500	750
2	2	99.5	99.5	99.5	97.8	97.8	97.8	98.9	98.9	98.9	99.7	99.7	99.7
2	4	94.3	94.3	94.3	87.1	87.1	87.1	99.0	99.0	99.0	99.5	99.5	99.5
2	8	84.5	84.6	84.5	83.2	83.2	83.4	98.9	98.9	98.9	99.5	99.5	99.5
2	16	80.0	80.0	80.0	83.0	83.0	83.0	98.6	98.6	98.6	99.2	99.2	99.2
2	32	75.9	76.0	76.0	72.6	72.6	72.6	98.0	98.0	98.0	99.2	99.2	99.2
2	64	72.0	71.9	71.9	71.4	76.1	76.1	95.9	95.8	95.8	98.5	98.5	98.5
2	128	67.7	67.8	67.8	70.8	76.3	76.3	76.4	76.2	76.2	97.1	97.2	97.2
2	256	63.8	63.8	63.8	70.5	70.5	70.5	42.2	42.2	42.2	97.0	97.0	97.0
2	512	60.4	60.5	60.4	63.9	64.0	64.0	38.9	38.9	38.4	96.5	96.2	96.2
4	2	98.8	98.8	98.8	97.8	97.7	97.7	93.4	93.4	93.4	98.2	98.1	98.1
4	4	89.1	89.1	89.1	86.5	86.5	86.5	94.1	94.2	94.2	98.1	98.1	98.1
4	8	73.0	73.1	73.0	86.2	86.2	86.2	95.5	95.5	95.5	98.3	98.3	98.3
4	16	64.3	64.3	64.3	84.1	84.1	84.1	96.8	96.8	96.8	97.9	97.9	97.9
4	32	58.8	58.8	58.8	76.2	76.2	76.2	96.2	96.2	96.2	98.1	97.9	97.9
4	64	52.8	52.8	52.8	68.0	66.5	66.5	93.2	93.2	93.2	97.2	97.1	97.1
4	128	46.9	47.0	47.0	65.1	70.7	70.7	78.4	78.3	78.3	96.5	96.6	96.5
4	256	41.5	41.5	41.5	56.6	56.9	56.9	35.2	35.2	35.2	95.5	95.5	95.5
4	512	37.1	37.1	37.1	38.9	38.9	38.9	22.3	22.3	22.3	94.1	94.1	94.1
8	2	98.1	98.1	98.1	97.0	97.1	97.2	83.3	83.3	83.3	97.0	97.0	97.0
8	4	86.1	86.1	86.1	87.5	87.5	87.5	90.3	90.3	90.3	96.6	96.6	96.6
8	8	65.1	65.0	65.1	79.4	79.4	79.4	92.9	92.9	92.9	97.1	97.1	97.1
8	16	52.2	52.2	52.2	77.3	77.3	77.3	93.8	93.8	93.8	96.7	96.7	96.7
8	32	45.5	45.3	45.3	76.8	76.9	76.9	94.1	94.1	94.1	96.9	96.9	96.9
8	64	38.8	38.7	38.7	71.3	68.8	68.8	90.4	90.4	90.4	96.3	96.3	96.3
8	128	32.5	32.6	32.6	58.0	56.3	56.3	75.2	75.1	75.1	95.7	95.7	95.7
8	256	27.0	27.0	27.0	43.8	43.8	43.8	38.3	38.3	38.3	94.6	94.6	94.6
8	512	22.6	22.6	22.6	38.5	38.8	38.8	18.3	18.2	18.2	92.9	92.9	92.9
16	2	—	—	—	—	—	—	—	—	—	—	—	—
16	4	84.9	84.9	84.9	85.5	85.2	85.2	89.5	89.5	89.5	95.2	95.2	95.2
16	8	58.4	58.4	58.4	77.6	77.6	77.6	90.2	90.2	90.2	95.2	95.2	95.2
16	16	43.2	43.2	43.2	69.5	69.5	69.5	92.2	92.2	92.2	95.3	95.3	95.3
16	32	35.0	34.8	34.8	71.5	71.5	71.5	92.2	92.2	92.2	95.1	95.2	95.2
16	64	28.5	28.4	28.4	67.5	67.5	67.5	88.7	88.7	88.7	94.4	94.7	94.6
16	128	22.4	22.4	22.4	55.8	54.4	54.4	72.6	72.5	72.5	93.4	93.3	93.2
16	256	17.5	17.5	17.5	40.5	40.4	40.4	41.3	41.3	41.3	91.8	91.8	91.8
16	512	13.9	13.9	13.9	30.3	30.3	30.3	20.4	20.4	20.4	88.1	88.0	87.9

Table 14: **Unweighted Flow matching, 15,000 anchors per mode.** Overall outcome accuracy (% , mean over 3 runs) at $T = 250, 500, 750$ (sub-columns); best predictor per T in bold.

K	d	k NN			w- k NN			quadratic			polar		
		250	500	750	250	500	750	250	500	750	250	500	750
2	2	99.6	99.6	99.6	98.4	98.5	98.5	98.9	98.9	98.9	99.7	99.7	99.7
2	4	94.9	94.9	94.9	91.4	91.4	91.4	99.0	99.0	99.0	99.5	99.5	99.5
2	8	85.3	85.2	85.3	89.9	89.9	89.9	98.9	99.0	98.9	99.5	99.5	99.5
2	16	80.1	80.1	80.1	78.3	74.1	74.3	98.7	98.7	98.7	99.3	99.3	99.3
2	32	76.4	76.3	76.3	85.3	80.8	80.8	98.3	98.3	98.3	99.3	99.4	99.4
2	64	72.2	72.4	72.4	81.6	66.6	66.6	96.5	96.6	96.6	98.9	98.9	98.9
2	128	68.2	68.3	68.3	71.6	62.9	62.9	88.3	88.3	88.3	97.7	97.7	97.7
2	256	64.0	64.0	64.0	51.6	51.6	51.6	44.8	44.8	44.8	97.4	97.4	97.4
2	512	60.7	60.7	60.7	57.4	57.5	64.6	39.2	39.4	39.4	96.7	96.9	96.8
4	2	98.9	98.9	98.9	98.1	98.1	98.1	93.4	93.4	93.4	98.2	98.2	98.2
4	4	90.1	90.1	90.1	87.9	87.9	87.9	94.2	94.2	94.2	98.1	98.1	98.1
4	8	73.9	73.9	73.9	86.5	86.5	86.5	95.5	95.5	95.5	98.4	98.4	98.4
4	16	64.7	64.7	64.7	83.9	83.9	83.9	96.9	96.9	96.9	98.0	98.0	98.0
4	32	59.4	59.3	59.3	82.0	80.6	80.6	96.5	96.5	96.5	98.4	98.3	98.3
4	64	53.3	53.5	53.4	77.6	75.4	75.4	94.3	94.3	94.3	97.8	97.5	97.5
4	128	47.5	47.5	47.5	71.4	68.0	67.9	85.6	85.7	85.7	97.3	97.2	97.2
4	256	41.9	41.9	41.9	55.6	55.6	55.6	43.0	43.0	43.0	96.5	96.5	96.5
4	512	37.3	37.3	37.3	48.7	48.6	48.6	25.4	25.4	25.4	95.2	95.2	95.2
8	2	98.3	98.3	98.3	97.6	97.6	97.6	83.4	83.4	83.4	97.1	97.0	97.1
8	4	87.5	87.5	87.5	89.8	89.8	89.8	90.3	90.3	90.3	96.6	96.6	96.6
8	8	66.3	66.3	66.3	82.0	82.0	82.0	93.0	92.9	93.0	97.2	97.2	97.2
8	16	52.8	52.8	52.8	78.4	78.4	78.4	93.9	93.9	93.9	96.9	96.9	96.9
8	32	46.1	46.0	46.0	76.6	76.1	76.1	94.5	94.5	94.5	97.0	97.1	97.1
8	64	39.3	39.3	39.3	72.9	71.1	71.1	91.9	91.9	91.9	96.8	96.8	96.7
8	128	33.0	33.1	33.1	51.0	54.5	54.5	81.8	81.8	81.8	96.4	96.3	96.3
8	256	27.3	27.3	27.3	42.7	42.7	42.7	45.7	45.8	45.8	95.7	95.7	95.7
8	512	22.9	22.9	22.9	35.9	35.9	35.9	23.9	23.9	23.9	93.8	94.0	93.9
16	2	—	—	—	—	—	—	—	—	—	—	—	—
16	4	86.5	86.5	86.5	89.0	89.0	89.0	89.9	89.9	89.9	95.3	95.3	95.3
16	8	59.9	59.9	59.9	79.4	79.4	79.4	90.9	90.9	90.9	95.5	95.5	95.5
16	16	44.2	44.1	44.1	73.6	73.4	73.4	93.2	93.2	93.2	95.7	95.7	95.7
16	32	35.5	35.5	35.5	71.4	70.9	70.9	93.5	93.5	93.5	95.3	95.4	95.4
16	64	28.9	29.0	29.0	66.7	68.3	68.3	91.4	91.5	91.5	95.3	95.3	95.3
16	128	22.9	22.9	22.9	56.3	57.3	57.3	81.3	81.4	81.4	93.9	94.0	94.0
16	256	17.8	17.8	17.8	41.4	41.4	41.4	47.0	47.1	47.1	92.4	92.4	92.4
16	512	14.2	14.2	14.2	32.2	32.2	32.2	25.9	25.9	25.9	89.3	89.4	89.4

Table 15: **Unweighted Flow matching, 20,000 anchors per mode.** Overall outcome accuracy (% , mean over 3 runs) at $T = 250, 500, 750$ (sub-columns); best predictor per T in bold.

K	d	k NN			w- k NN			quadratic			polar		
		250	500	750	250	500	750	250	500	750	250	500	750
2	2	99.6	99.6	99.6	98.6	98.6	98.6	98.9	98.9	98.9	99.7	99.7	99.7
2	4	95.2	95.2	95.2	93.7	93.8	93.8	99.0	99.0	99.0	99.5	99.5	99.5
2	8	85.5	85.5	85.5	86.5	86.5	86.5	98.9	99.0	98.9	99.5	99.5	99.5
2	16	80.2	80.2	80.2	81.5	82.5	82.5	98.8	98.8	98.8	99.4	99.4	99.4
2	32	76.7	76.6	76.6	76.8	78.0	78.0	98.5	98.4	98.4	99.4	99.4	99.4
2	64	72.5	72.7	72.7	81.7	80.8	80.8	97.1	97.1	97.1	99.1	99.2	99.2
2	128	68.6	68.5	68.5	72.1	63.5	63.5	91.8	91.7	91.7	97.9	98.0	98.0
2	256	64.4	64.4	64.4	58.8	58.8	58.8	48.4	48.4	48.4	97.6	97.7	97.6
2	512	60.8	60.8	60.9	58.1	57.9	65.0	39.8	40.4	40.0	97.1	97.2	97.1
4	2	98.9	98.9	98.9	98.2	98.3	98.3	93.4	93.4	93.4	98.2	98.2	98.2
4	4	90.8	90.8	90.8	89.6	89.6	89.6	94.2	94.2	94.2	98.1	98.1	98.1
4	8	74.5	74.5	74.5	87.4	87.4	87.4	95.5	95.5	95.5	98.4	98.5	98.4
4	16	65.1	65.1	65.1	82.3	82.3	82.3	97.0	97.0	97.0	98.1	98.1	98.1
4	32	59.8	59.7	59.7	80.1	81.7	81.7	96.7	96.7	96.7	98.4	98.5	98.5
4	64	53.9	53.8	53.8	75.9	78.6	78.6	95.0	95.0	95.0	97.8	97.9	97.9
4	128	47.9	47.9	47.9	65.6	61.7	61.7	88.4	88.4	88.4	97.7	97.5	97.5
4	256	42.2	42.2	42.2	60.4	60.4	60.4	49.7	49.7	49.7	97.0	97.0	97.0
4	512	37.6	37.6	37.6	47.6	47.5	47.5	28.1	28.1	28.1	95.9	95.9	95.9
8	2	98.3	98.3	98.3	97.5	97.7	97.7	84.1	84.1	84.1	97.2	97.2	97.1
8	4	88.4	88.4	88.4	89.4	89.4	89.4	90.6	90.6	90.6	96.7	96.7	96.7
8	8	67.2	67.2	67.2	82.5	82.5	82.5	93.2	93.2	93.2	97.3	97.3	97.3
8	16	53.3	53.3	53.3	77.3	77.2	77.2	94.2	94.2	94.2	97.1	97.1	97.1
8	32	46.3	46.4	46.4	76.8	76.6	76.6	95.0	95.0	95.0	97.1	97.2	97.2
8	64	39.8	39.8	39.8	72.4	72.8	72.8	93.1	93.1	93.1	96.9	97.0	97.0
8	128	33.3	33.3	33.3	52.0	61.0	61.0	85.5	85.5	85.5	96.5	96.7	96.7
8	256	27.6	27.6	27.6	47.5	47.5	47.5	51.2	51.2	51.2	95.9	95.9	95.9
8	512	23.2	23.2	23.2	37.8	37.8	37.8	27.7	27.7	27.7	94.4	94.4	94.4
16	2	—	—	—	—	—	—	—	—	—	—	—	—
16	4	87.5	87.5	87.5	89.4	89.4	89.4	89.7	89.7	89.7	95.5	95.5	95.5
16	8	60.9	60.9	60.9	78.8	79.2	79.2	91.2	91.2	91.2	95.6	95.6	95.6
16	16	44.8	44.7	44.7	72.0	72.0	72.0	93.8	93.8	93.8	95.8	95.8	95.8
16	32	35.9	35.9	35.9	72.0	71.3	71.3	94.2	94.2	94.2	95.5	95.6	95.6
16	64	29.4	29.4	29.4	69.4	67.7	67.7	92.9	92.9	92.9	95.8	95.7	95.7
16	128	23.2	23.2	23.2	58.5	55.5	55.5	85.4	85.4	85.4	94.6	94.7	94.7
16	256	18.1	18.1	18.1	45.5	44.0	44.0	51.4	51.4	51.4	92.9	92.8	92.8
16	512	14.3	14.3	14.3	29.1	29.1	29.1	30.4	30.4	30.4	90.1	90.1	90.2

Table 16: **Weighted Flow matching, 2,000 anchors per mode.** Overall outcome accuracy (% , mean over 3 runs) at $T = 250, 500, 750$ (sub-columns); best predictor per T in bold.

K	d	k NN			w- k NN			quadratic			polar		
		250	500	750	250	500	750	250	500	750	250	500	750
2	2	98.5	98.5	98.5	97.8	97.8	97.8	97.6	97.6	97.6	99.5	99.5	99.5
2	4	91.2	91.2	91.2	89.1	89.1	86.2	97.6	97.6	97.6	99.5	99.5	99.5
2	8	81.8	81.8	81.8	88.6	89.4	89.4	96.2	96.2	96.2	99.3	99.3	99.3
2	16	78.4	78.4	78.4	85.1	85.1	85.1	95.1	95.1	95.1	98.0	98.0	98.0
2	32	74.0	74.0	74.0	81.5	81.5	81.5	94.1	94.1	94.1	96.8	96.8	96.8
2	64	69.4	69.4	69.4	77.0	77.0	77.0	64.9	64.9	66.6	93.0	93.1	94.0
2	128	65.4	65.4	65.4	72.9	72.9	72.9	41.4	41.4	41.4	91.9	91.9	91.9
2	256	61.7	61.7	61.6	46.1	46.1	60.1	39.0	39.0	39.1	89.7	89.6	89.5
2	512	58.8	58.8	58.8	61.1	61.1	61.1	37.8	37.8	37.8	87.7	87.1	87.1
4	2	97.6	97.6	97.6	95.6	95.6	95.6	93.0	93.0	93.0	98.2	98.2	98.2
4	4	84.0	84.0	84.0	84.6	87.0	87.0	92.8	92.8	92.8	97.7	97.7	97.7
4	8	68.8	68.7	68.7	79.3	79.3	79.3	93.8	93.8	93.8	97.5	97.5	97.5
4	16	61.8	61.7	61.7	80.3	80.3	80.3	92.6	92.6	92.6	95.2	95.2	95.2
4	32	55.8	55.8	55.8	76.9	76.9	76.9	89.9	89.9	89.9	93.4	93.4	93.4
4	64	50.6	50.5	50.4	71.3	71.3	71.3	73.2	73.3	73.7	91.6	91.6	91.4
4	128	44.8	44.8	44.8	57.5	57.5	57.5	31.1	31.1	31.1	90.0	89.9	90.0
4	256	39.9	39.9	39.9	46.9	46.9	51.7	21.4	21.4	21.4	85.6	85.5	84.9
4	512	35.8	35.9	35.8	38.3	46.9	38.3	12.9	12.8	12.9	82.3	82.5	82.3
8	2	97.0	97.0	97.0	95.0	95.1	95.1	81.4	81.4	81.4	96.9	97.0	97.0
8	4	78.9	78.9	78.9	86.2	86.2	86.2	89.4	89.4	89.4	96.3	96.3	96.3
8	8	59.1	59.1	59.1	78.8	78.8	78.8	91.4	91.4	91.4	96.3	96.3	96.3
8	16	48.5	48.5	48.5	72.8	74.2	74.2	90.2	90.2	90.2	94.2	94.2	94.2
8	32	42.6	42.6	42.6	71.6	71.6	71.6	87.7	87.7	87.7	92.8	92.8	92.8
8	64	36.0	36.0	35.9	62.6	62.6	62.6	72.3	72.3	72.3	90.2	90.2	90.3
8	128	30.2	30.2	30.2	56.3	56.3	56.3	32.7	32.7	32.7	88.4	88.4	88.4
8	256	25.3	25.3	25.3	42.5	42.5	41.3	16.0	15.9	15.9	85.9	85.9	85.7
8	512	21.5	21.5	21.5	33.0	33.0	33.0	5.9	5.9	5.9	80.0	79.9	79.9
16	2	—	—	—	—	—	—	—	—	—	—	—	—
16	4	76.8	76.8	76.8	83.6	83.6	83.6	87.6	87.6	87.6	95.1	95.1	95.1
16	8	51.4	51.4	51.4	72.2	72.2	72.2	88.7	88.7	88.7	94.3	94.3	94.3
16	16	38.8	38.8	38.8	69.3	69.3	69.3	89.6	89.6	89.6	93.4	93.4	93.4
16	32	31.9	31.9	31.9	66.9	66.9	66.9	86.0	86.0	86.0	91.8	91.8	91.8
16	64	25.8	25.8	25.8	61.1	61.1	61.1	70.5	70.5	70.5	89.1	89.1	89.2
16	128	20.2	20.2	20.2	49.3	49.3	49.3	37.8	37.8	37.8	86.1	86.1	86.1
16	256	16.0	15.9	16.0	38.0	36.6	36.6	15.4	15.4	15.4	83.7	83.7	83.9
16	512	12.8	12.8	12.8	24.6	24.3	24.3	3.7	3.7	3.7	77.9	77.8	78.0

1.4 Weighted Flow matching

Table 17: **Weighted Flow matching, 5,000 anchors per mode.** Overall outcome accuracy (% , mean over 3 runs) at $T = 250, 500, 750$ (sub-columns); best predictor per T in bold.

K	d	k NN			w- k NN			quadratic			polar		
		250	500	750	250	500	750	250	500	750	250	500	750
2	2	99.1	99.1	99.1	97.8	97.8	97.8	97.7	97.7	97.7	99.5	99.5	99.5
2	4	93.0	93.0	93.0	91.5	91.5	91.5	97.6	97.6	97.6	99.5	99.5	99.5
2	8	83.4	83.4	83.4	88.3	88.3	88.3	96.3	96.3	96.3	99.5	99.5	99.5
2	16	79.1	79.1	79.1	85.6	85.5	85.6	95.3	95.3	95.3	98.9	98.9	98.9
2	32	75.1	75.1	75.1	79.1	79.1	79.1	95.0	95.0	95.0	98.5	98.5	98.5
2	64	71.0	70.9	70.8	78.2	78.2	78.2	92.3	92.2	92.5	96.9	96.8	97.0
2	128	66.5	66.5	66.5	58.2	58.2	58.2	47.7	47.7	47.7	94.3	94.3	94.3
2	256	62.7	62.7	62.6	49.3	49.2	49.2	40.0	40.0	40.0	90.6	90.6	90.5
2	512	59.5	59.4	59.4	63.1	63.0	63.0	38.2	38.1	38.1	88.7	88.6	88.6
4	2	98.5	98.5	98.5	97.6	97.6	97.6	93.0	93.0	93.0	98.2	98.2	98.2
4	4	87.2	87.2	87.2	89.6	89.6	89.6	92.9	92.9	92.9	97.9	97.9	97.9
4	8	71.0	71.0	71.0	81.6	81.6	81.6	94.0	94.0	94.0	98.0	98.0	98.0
4	16	63.0	63.0	63.0	77.3	77.3	77.3	93.0	93.0	93.0	97.5	97.5	97.5
4	32	57.3	57.3	57.3	78.9	78.9	79.5	91.5	91.5	91.5	96.1	96.2	96.1
4	64	51.9	51.8	51.9	74.6	74.6	74.6	87.7	87.6	87.6	94.6	94.4	93.7
4	128	46.2	46.2	46.2	63.7	63.7	63.7	50.7	50.7	50.7	93.9	93.9	93.9
4	256	41.0	41.0	41.0	60.7	60.6	58.4	27.6	27.6	27.7	90.3	90.3	90.7
4	512	36.6	36.7	36.6	44.9	43.5	44.9	17.6	18.1	17.6	86.2	86.3	86.2
8	2	98.0	98.0	98.0	96.5	96.5	96.5	81.2	81.2	81.2	96.9	96.9	96.9
8	4	83.2	83.2	83.2	82.3	82.2	82.2	89.4	89.4	89.4	96.4	96.4	96.4
8	8	62.1	62.1	62.1	76.5	76.5	76.5	91.7	91.7	91.7	96.9	96.9	96.9
8	16	50.2	50.2	50.2	73.0	73.0	73.0	90.9	90.9	90.9	96.0	96.0	96.0
8	32	44.0	44.0	44.0	72.4	72.5	72.5	89.9	89.9	89.9	95.7	95.7	95.7
8	64	37.4	37.5	37.5	67.0	66.9	66.9	84.8	84.7	84.8	93.8	93.9	94.1
8	128	31.5	31.5	31.5	55.7	55.7	55.7	54.2	54.2	54.2	92.5	92.5	92.5
8	256	26.3	26.2	26.3	45.9	47.4	44.4	25.8	25.8	25.8	91.3	91.3	91.1
8	512	22.1	22.1	22.1	35.3	35.3	35.3	11.7	11.7	11.6	87.5	87.3	87.3
16	2	—	—	—	—	—	—	—	—	—	—	—	—
16	4	81.5	81.5	81.5	84.8	84.8	84.8	87.8	87.8	87.8	95.2	95.2	95.2
16	8	54.8	54.8	54.8	74.4	74.6	74.6	88.9	88.9	88.9	94.9	94.9	94.9
16	16	41.0	41.0	41.0	71.2	71.2	71.2	90.4	90.4	90.4	94.8	94.8	94.8
16	32	33.3	33.3	33.3	69.6	69.5	69.5	88.7	88.7	88.7	94.1	94.1	94.1
16	64	27.1	27.1	27.1	59.4	59.1	59.1	82.6	82.6	82.6	92.5	92.5	92.3
16	128	21.3	21.3	21.3	50.9	50.8	50.8	55.2	55.2	55.2	90.2	90.2	90.2
16	256	16.8	16.8	16.8	36.9	36.9	38.3	28.9	28.9	29.0	89.3	89.2	89.0
16	512	13.4	13.4	13.4	27.2	27.2	29.5	10.3	10.3	10.3	84.4	84.2	84.4

Table 18: **Weighted Flow matching, 10,000 anchors per mode.** Overall outcome accuracy (% , mean over 3 runs) at $T = 250, 500, 750$ (sub-columns); best predictor per T in bold.

K	d	k NN			w- k NN			quadratic			polar		
		250	500	750	250	500	750	250	500	750	250	500	750
2	2	99.4	99.4	99.4	98.3	98.4	98.4	97.8	97.8	97.8	99.5	99.5	99.5
2	4	94.2	94.2	94.2	90.9	90.9	88.0	97.6	97.6	97.6	99.6	99.6	99.6
2	8	84.4	84.4	84.4	83.7	83.7	83.7	96.3	96.3	96.3	99.5	99.5	99.5
2	16	79.7	79.3	79.3	86.0	86.0	86.0	95.4	95.4	95.4	99.1	99.1	99.1
2	32	75.5	75.5	75.5	72.4	67.9	67.9	95.2	95.2	95.2	99.1	99.1	99.1
2	64	71.6	71.7	71.7	62.2	62.2	81.6	94.4	94.4	94.5	97.7	97.7	97.9
2	128	67.4	67.4	67.4	76.6	76.6	76.6	75.6	75.6	75.6	95.8	95.8	95.8
2	256	63.4	63.4	63.4	57.9	57.9	57.9	42.4	42.4	42.4	91.6	91.6	91.2
2	512	59.9	60.0	60.0	64.4	57.1	57.1	39.2	39.0	39.0	88.2	89.0	89.0
4	2	98.8	98.8	98.8	97.8	97.8	97.8	92.9	92.9	92.9	98.2	98.2	98.2
4	4	89.2	89.2	89.2	85.1	85.1	85.1	93.0	93.0	93.0	97.9	98.0	97.9
4	8	72.7	72.7	72.7	81.7	81.7	81.7	94.0	94.0	94.0	98.2	98.2	98.2
4	16	64.3	64.2	64.2	82.4	82.4	82.4	93.2	93.2	93.2	97.9	97.9	97.9
4	32	58.3	58.3	58.3	78.4	78.3	78.3	92.1	92.1	92.1	97.1	97.1	97.1
4	64	53.0	53.0	53.0	72.1	74.1	76.2	90.1	90.1	90.1	95.7	95.5	95.3
4	128	47.2	47.2	47.2	65.8	65.7	65.7	77.3	77.3	77.3	95.8	95.8	95.8
4	256	41.9	41.8	41.7	51.8	51.8	60.4	35.2	35.2	35.0	94.0	94.0	94.2
4	512	37.4	37.2	37.4	36.9	41.5	36.9	22.5	22.5	22.5	91.0	90.7	91.0
8	2	98.4	98.4	98.4	97.5	97.5	97.5	81.3	81.3	81.3	96.9	96.9	96.9
8	4	86.0	86.0	86.0	85.6	85.6	85.6	89.4	89.4	89.4	96.4	96.4	96.4
8	8	64.5	64.5	64.5	78.0	78.0	78.0	91.7	91.7	91.7	97.2	97.2	97.1
8	16	51.6	51.6	51.6	75.3	76.1	76.1	91.1	91.1	91.1	96.5	96.5	96.5
8	32	45.4	45.3	45.3	74.2	74.2	74.2	90.7	90.7	90.7	96.4	96.4	96.4
8	64	38.5	38.5	38.6	66.6	66.6	69.3	88.2	88.2	88.3	94.6	94.5	94.7
8	128	32.6	32.6	32.6	57.0	57.0	57.0	74.5	74.5	74.5	93.8	93.7	93.7
8	256	27.0	27.0	27.0	45.1	45.1	47.4	38.0	38.0	37.9	93.1	93.1	93.2
8	512	22.8	22.8	22.8	39.0	38.9	38.9	18.1	18.1	18.1	91.8	91.8	91.8
16	2	—	—	—	—	—	—	—	—	—	—	—	—
16	4	84.7	84.7	84.7	86.9	86.9	86.9	88.3	88.3	88.3	95.3	95.3	95.3
16	8	57.7	57.7	57.7	74.9	74.9	74.9	89.4	89.4	89.4	95.2	95.2	95.2
16	16	42.6	42.6	42.6	70.7	70.7	70.7	91.1	91.2	91.2	95.4	95.5	95.5
16	32	34.5	34.5	34.5	70.1	70.1	70.1	90.2	90.2	90.2	95.0	95.0	95.0
16	64	28.0	28.0	28.1	65.2	65.1	65.6	87.0	87.0	87.0	93.5	93.5	93.1
16	128	22.1	22.1	22.1	52.8	52.7	52.7	72.1	72.1	72.1	91.3	91.3	91.4
16	256	17.3	17.3	17.3	37.0	35.0	44.6	41.1	41.1	41.1	90.7	90.7	90.9
16	512	13.8	13.8	13.8	29.5	29.5	29.5	20.1	20.1	20.1	86.7	86.5	86.6

Table 19: **Weighted Flow matching, 15,000 anchors per mode.** Overall outcome accuracy (% , mean over 3 runs) at $T = 250, 500, 750$ (sub-columns); best predictor per T in bold.

K	d	k NN			w- k NN			quadratic			polar		
		250	500	750	250	500	750	250	500	750	250	500	750
2	2	99.6	99.6	99.6	98.5	98.5	98.5	97.7	97.7	97.7	99.5	99.5	99.5
2	4	94.8	94.8	94.8	92.6	92.6	92.6	97.6	97.6	97.6	99.6	99.6	99.6
2	8	84.9	84.9	84.9	83.1	83.1	83.1	96.3	96.3	96.3	99.5	99.5	99.5
2	16	79.9	79.8	79.9	75.2	75.2	75.2	95.4	95.4	95.4	99.2	99.1	99.1
2	32	76.0	76.0	76.0	85.6	85.6	85.6	95.3	95.2	95.2	99.1	99.1	99.1
2	64	72.0	72.0	71.9	71.8	71.8	82.3	94.9	94.9	94.9	98.0	97.8	98.0
2	128	67.9	67.9	67.9	68.8	68.8	68.8	87.8	87.8	87.8	96.5	96.5	96.5
2	256	63.6	63.6	63.7	52.1	52.1	65.0	45.2	45.2	44.9	91.8	91.7	91.6
2	512	60.2	60.2	60.2	50.7	57.9	57.9	39.7	39.5	39.5	88.4	88.6	88.5
4	2	98.9	98.9	98.9	98.2	98.2	98.2	93.0	93.0	93.0	98.2	98.2	98.2
4	4	90.3	90.3	90.3	90.2	91.0	91.0	93.0	93.0	93.0	97.9	97.9	97.9
4	8	73.5	73.5	73.5	82.7	82.7	82.7	93.9	93.9	93.9	98.3	98.3	98.3
4	16	64.8	64.9	64.9	74.9	74.9	74.9	93.2	93.2	93.2	98.0	98.0	98.0
4	32	59.0	58.9	58.9	71.4	71.5	71.4	92.3	92.3	92.3	97.2	97.2	97.2
4	64	53.6	53.5	53.5	74.5	74.5	75.6	90.8	90.7	90.8	96.0	95.5	95.8
4	128	47.7	47.7	47.7	64.4	65.1	64.4	84.4	84.4	84.4	95.9	95.9	95.9
4	256	42.2	42.2	42.1	55.7	55.7	52.1	42.8	42.8	42.8	95.5	95.5	95.4
4	512	37.5	37.7	37.5	54.2	47.2	54.2	25.6	25.7	25.6	93.6	93.0	93.5
8	2	98.5	98.5	98.5	97.8	97.6	97.6	81.4	81.4	81.4	96.9	96.9	96.9
8	4	87.4	87.4	87.4	89.1	89.1	89.1	89.4	89.4	89.4	96.4	96.4	96.4
8	8	65.8	65.8	65.8	81.4	81.4	81.4	91.8	91.8	91.8	97.2	97.2	97.2
8	16	52.3	52.3	52.3	75.4	75.4	75.4	91.3	91.2	91.3	96.8	96.7	96.7
8	32	45.8	45.8	45.8	73.9	73.9	73.9	91.0	91.0	91.0	96.5	96.5	96.5
8	64	39.1	39.1	39.1	70.6	70.6	68.5	89.4	89.4	89.3	94.8	94.6	94.6
8	128	33.1	33.0	33.0	58.7	58.7	58.7	80.8	80.9	80.9	93.8	93.8	93.8
8	256	27.4	27.4	27.3	41.8	41.8	47.9	45.5	45.5	45.6	93.9	93.9	93.8
8	512	23.0	23.0	23.0	38.7	38.7	38.7	23.7	23.7	23.7	93.1	93.0	93.0
16	2	—	—	—	—	—	—	—	—	—	—	—	—
16	4	86.3	86.3	86.3	87.8	87.8	87.8	88.9	88.9	88.9	95.5	95.5	95.5
16	8	59.1	59.1	59.1	76.7	76.7	76.7	90.3	90.3	90.3	95.4	95.4	95.4
16	16	43.5	43.6	43.5	69.5	69.3	69.3	92.5	92.5	92.5	95.7	95.8	95.8
16	32	35.1	35.0	35.0	70.2	70.2	70.2	91.5	91.5	91.5	95.3	95.3	95.3
16	64	28.5	28.5	28.5	66.2	66.2	66.7	89.4	89.4	89.3	94.5	94.3	94.4
16	128	22.6	22.6	22.6	53.1	53.1	53.1	80.5	80.5	80.5	91.5	91.5	91.5
16	256	17.6	17.6	17.6	40.6	39.8	35.4	46.9	46.9	47.0	90.7	90.9	91.1
16	512	14.0	14.0	14.0	28.3	28.3	30.6	25.6	25.6	25.7	87.7	87.6	87.4

Table 20: **Weighted Flow matching, 20,000 anchors per mode.** Overall outcome accuracy (% , mean over 3 runs) at $T = 250, 500, 750$ (sub-columns); best predictor per T in bold.

K	d	k NN			w- k NN			quadratic			polar		
		250	500	750	250	500	750	250	500	750	250	500	750
2	2	99.6	99.6	99.6	98.6	98.6	98.6	97.7	97.7	97.7	99.5	99.5	99.5
2	4	95.1	95.1	95.1	90.3	90.2	90.2	97.6	97.6	97.6	99.6	99.6	99.6
2	8	85.3	85.3	85.3	89.8	89.7	89.6	96.3	96.3	96.3	99.5	99.5	99.5
2	16	80.0	80.2	80.1	79.1	79.2	79.2	95.4	95.4	95.4	99.2	99.1	99.1
2	32	76.4	76.4	76.4	81.4	81.4	81.4	95.3	95.3	95.3	99.1	99.1	99.1
2	64	72.2	72.3	71.9	82.4	68.1	77.4	95.2	95.2	95.2	97.9	98.0	98.0
2	128	68.1	68.1	68.1	69.3	69.3	69.3	91.2	91.2	91.2	96.6	96.6	96.6
2	256	64.0	64.0	63.9	65.6	65.6	59.5	48.6	48.6	48.4	92.4	92.4	92.7
2	512	60.4	60.4	60.4	51.2	51.3	51.3	40.7	40.0	40.0	88.6	88.9	88.9
4	2	99.0	99.0	99.0	98.2	98.1	98.4	93.0	93.0	93.0	98.2	98.2	98.2
4	4	91.0	90.9	90.9	91.0	91.0	91.0	93.0	93.0	93.0	97.9	97.9	97.9
4	8	74.2	74.2	74.2	82.8	82.8	82.8	93.9	93.9	93.9	98.3	98.3	98.3
4	16	65.2	65.3	65.2	75.5	75.5	75.5	93.3	93.2	93.2	98.1	98.1	98.1
4	32	59.2	59.2	59.2	78.0	77.9	77.9	92.3	92.3	92.3	97.3	97.3	97.3
4	64	54.0	53.9	54.1	75.7	74.9	76.2	91.1	91.1	91.1	95.9	95.4	95.7
4	128	48.0	48.0	48.0	57.3	57.3	57.3	86.7	86.7	86.7	96.2	96.2	96.2
4	256	42.4	42.4	42.5	55.3	55.3	57.7	49.4	49.4	49.3	95.5	95.5	95.8
4	512	37.9	37.8	37.9	51.1	40.4	51.0	28.1	28.0	28.2	94.4	94.1	94.4
8	2	98.6	98.6	98.6	98.0	98.0	98.0	82.3	82.3	82.3	97.1	97.0	97.1
8	4	88.4	88.4	88.4	88.5	88.6	88.6	89.9	89.9	89.9	96.5	96.5	96.5
8	8	66.6	66.6	66.6	81.6	81.6	81.6	92.2	92.2	92.2	97.3	97.3	97.3
8	16	52.8	52.8	52.9	74.7	74.7	74.7	91.8	91.7	91.7	96.9	96.9	96.9
8	32	46.1	46.1	46.1	74.6	74.6	74.6	91.4	91.4	91.4	96.6	96.6	96.6
8	64	39.5	39.5	39.6	69.4	69.9	69.5	90.2	90.2	90.2	94.9	94.5	94.6
8	128	33.3	33.3	33.3	59.0	59.0	59.0	84.2	84.2	84.2	93.7	93.7	93.7
8	256	27.6	27.6	27.7	48.2	50.1	45.9	51.0	51.0	51.0	93.9	93.9	93.7
8	512	23.2	23.2	23.2	34.8	34.7	34.7	27.4	27.4	27.4	93.6	93.6	93.5
16	2	—	—	—	—	—	—	—	—	—	—	—	—
16	4	87.4	87.3	87.3	88.8	88.8	88.8	88.9	88.9	88.9	95.6	95.6	95.6
16	8	60.1	60.1	60.1	76.5	76.5	76.5	90.8	90.8	90.8	95.6	95.6	95.6
16	16	44.1	44.1	44.1	69.9	69.9	69.9	93.3	93.3	93.3	95.9	95.9	95.9
16	32	35.4	35.4	35.4	70.1	70.1	70.1	92.4	92.4	92.4	95.3	95.3	95.3
16	64	29.0	29.0	29.0	64.0	64.3	67.2	90.6	90.6	90.6	95.0	94.9	95.1
16	128	22.9	22.9	22.9	48.9	48.9	48.9	84.2	84.2	84.2	92.0	92.0	92.0
16	256	17.8	17.8	17.9	42.8	42.8	42.1	51.3	51.3	51.4	91.1	91.1	91.3
16	512	14.1	14.1	14.1	25.3	25.3	25.3	30.0	30.1	30.0	88.5	88.5	88.5

Table 21: **Unweighted Heun, 2,000 anchors per mode.** Overall outcome accuracy (% , mean over 3 runs) at $T = 250, 500, 750$ (sub-columns); best predictor per T in bold.

K	d	k NN			w- k NN			quadratic			polar		
		250	500	750	250	500	750	250	500	750	250	500	750
2	2	98.0	98.4	98.4	95.9	96.1	97.2	98.2	98.8	98.8	99.0	99.5	99.6
2	4	91.6	91.5	91.4	88.8	89.3	90.1	97.9	98.7	98.7	98.6	99.5	99.4
2	8	82.5	81.8	81.7	83.8	84.8	86.9	97.1	98.5	98.4	97.7	99.2	99.2
2	16	80.1	78.7	78.6	83.4	74.3	66.2	95.2	97.6	97.6	95.7	97.7	97.7
2	32	79.9	74.6	74.0	76.0	73.8	72.5	84.5	95.2	95.5	92.6	96.3	96.4
2	64	80.5	71.1	69.6	62.9	79.7	77.3	37.8	63.0	67.2	85.8	94.3	94.6
2	128	82.4	68.7	65.6	53.7	70.5	72.8	30.6	39.6	40.6	73.8	93.2	93.8
2	256	82.7	66.5	61.8	55.2	64.4	60.6	24.5	37.2	38.4	57.3	91.2	91.9
2	512	83.7	66.2	58.7	57.2	72.8	62.2	21.6	35.4	37.3	41.9	85.3	88.5
4	2	91.7	97.5	96.2	90.6	96.0	94.6	90.8	93.3	92.7	92.1	98.1	96.6
4	4	83.8	83.9	83.6	80.9	87.3	86.7	91.5	93.9	93.1	92.5	97.7	96.6
4	8	70.2	69.3	69.0	82.0	82.6	81.3	93.5	95.1	94.7	94.4	97.6	97.0
4	16	64.2	62.0	61.9	83.1	81.4	82.1	94.1	95.4	95.3	94.7	95.4	95.1
4	32	62.9	56.5	56.2	80.1	71.6	66.9	87.0	92.3	92.5	91.9	93.4	93.1
4	64	64.2	51.5	50.2	68.8	75.5	73.5	41.8	71.7	74.1	86.6	92.1	91.9
4	128	67.3	47.1	44.4	51.4	67.2	61.2	20.6	29.4	30.9	70.3	91.0	91.4
4	256	69.7	44.5	39.6	51.5	65.3	54.2	14.8	21.7	21.3	50.7	87.6	89.3
4	512	71.0	43.1	35.6	51.5	61.6	40.2	12.8	14.5	14.1	34.5	80.2	85.4
8	2	95.7	96.7	96.5	94.5	95.2	93.5	82.7	83.5	83.6	96.2	96.9	96.6
8	4	79.2	79.2	78.7	84.8	85.0	84.4	88.3	90.2	89.4	90.3	96.0	94.8
8	8	60.8	60.1	59.9	77.5	78.8	76.1	91.5	92.6	92.2	93.8	96.3	95.7
8	16	51.1	49.3	49.2	78.4	75.9	76.6	91.2	92.4	91.9	93.3	94.4	93.8
8	32	48.6	42.9	42.6	78.8	73.6	73.5	85.9	89.4	89.3	91.5	92.6	91.9
8	64	49.5	36.9	36.0	78.6	68.0	66.3	47.6	71.2	72.5	87.4	90.2	89.7
8	128	53.4	32.0	30.3	59.6	54.1	58.3	15.5	30.0	32.7	71.2	88.6	88.8
8	256	56.7	28.6	25.4	51.8	53.3	43.8	9.6	16.7	16.6	47.5	86.4	87.4
8	512	59.2	26.9	21.6	51.0	51.0	34.2	8.1	8.6	7.6	31.2	77.9	83.1
16	2	—	—	—	—	—	—	—	—	—	—	—	—
16	4	77.1	77.4	77.2	82.7	84.8	79.0	87.5	88.9	88.8	92.1	94.7	94.1
16	8	52.8	52.3	52.1	73.2	76.3	75.1	88.1	89.6	89.3	91.4	94.2	93.4
16	16	40.7	39.6	39.5	74.5	72.4	72.2	89.3	90.6	90.4	92.7	93.3	92.9
16	32	36.6	32.4	32.3	76.9	70.2	69.9	83.5	87.0	87.1	91.1	91.6	91.1
16	64	36.8	26.5	26.1	75.5	63.3	61.6	51.1	69.6	70.6	86.9	88.9	88.5
16	128	40.4	21.6	20.6	53.4	49.0	45.1	12.4	34.4	37.8	71.7	86.2	86.2
16	256	44.8	18.0	16.2	51.3	43.4	36.8	5.7	15.5	16.2	45.5	81.9	83.6
16	512	47.6	16.2	13.0	52.0	41.7	22.2	4.8	6.2	5.5	29.0	73.7	79.4

1.5 Unweighted Heun

Table 22: **Unweighted Heun, 5,000 anchors per mode.** Overall outcome accuracy (% , mean over 3 runs) at $T = 250, 500, 750$ (sub-columns); best predictor per T in bold.

K	d	k NN			w- k NN			quadratic			polar		
		250	500	750	250	500	750	250	500	750	250	500	750
2	2	98.6	99.0	99.0	96.9	97.5	97.6	98.1	98.7	98.8	99.0	99.5	99.6
2	4	93.2	93.1	93.0	84.0	92.5	92.4	98.1	98.8	98.8	98.6	99.5	99.4
2	8	84.0	83.3	83.3	83.7	79.3	85.0	97.5	98.7	98.6	97.8	99.3	99.2
2	16	80.4	79.1	79.0	76.2	85.9	85.6	95.9	98.1	98.0	96.9	98.9	98.8
2	32	80.4	75.6	75.4	77.6	75.8	71.5	87.5	96.8	97.0	94.0	98.3	98.2
2	64	81.3	72.2	70.8	65.1	76.9	78.2	48.0	91.7	92.7	86.7	96.6	96.7
2	128	83.2	69.6	66.6	57.6	71.2	55.3	30.9	44.1	47.2	72.5	95.1	95.3
2	256	83.7	67.7	62.6	58.8	70.0	69.5	25.6	37.1	39.6	52.9	93.8	94.5
2	512	84.4	67.4	59.5	60.2	70.1	64.2	20.5	34.2	37.7	34.2	90.6	92.7
4	2	92.1	98.4	96.8	91.4	97.3	95.8	90.9	93.2	92.6	92.1	98.2	96.6
4	4	86.5	87.0	86.7	84.3	87.6	88.4	91.4	93.9	93.1	92.6	97.8	96.7
4	8	72.5	71.5	71.2	81.9	81.2	84.9	93.9	95.3	94.8	94.7	98.0	97.3
4	16	65.3	63.1	63.0	79.8	83.3	82.9	95.1	96.2	96.0	96.5	97.4	97.1
4	32	63.9	58.1	57.8	81.8	81.8	81.0	90.3	94.8	94.9	94.6	96.6	96.5
4	64	65.5	53.0	51.8	68.5	77.4	75.2	63.8	88.8	89.3	88.9	94.8	94.5
4	128	68.7	48.5	45.8	51.8	71.4	66.8	24.3	44.3	49.8	71.2	94.2	94.1
4	256	71.5	45.8	40.7	54.5	62.5	48.9	16.8	25.8	27.7	48.5	91.2	92.6
4	512	72.5	44.3	36.4	55.2	63.5	49.9	12.2	17.7	18.5	27.2	86.7	90.0
8	2	96.3	97.5	97.3	95.5	95.8	96.0	82.3	83.2	83.3	96.2	96.9	96.6
8	4	82.8	83.4	82.8	85.7	87.2	85.9	88.2	90.3	89.5	90.4	96.2	95.0
8	8	63.6	63.0	62.8	79.4	78.4	76.6	91.8	92.9	92.5	94.2	96.9	96.2
8	16	52.6	50.9	50.8	78.0	76.0	76.5	92.2	93.2	92.8	94.7	96.1	95.3
8	32	49.9	44.4	44.2	81.8	74.5	71.8	89.8	92.6	92.4	93.9	95.7	94.9
8	64	51.0	38.3	37.5	74.7	69.5	68.3	71.3	85.4	85.7	90.1	94.2	93.6
8	128	55.2	33.4	31.6	51.9	61.1	58.7	21.6	48.2	53.5	73.2	93.3	92.8
8	256	58.8	29.8	26.3	53.5	43.0	48.4	11.4	22.8	26.1	48.5	91.0	91.8
8	512	61.1	27.8	22.2	54.7	51.7	36.7	8.0	12.7	13.0	26.8	85.0	88.3
16	2	—	—	—	—	—	—	—	—	—	—	—	—
16	4	81.3	81.8	81.6	85.1	87.0	85.5	87.5	88.9	88.9	92.2	94.7	94.2
16	8	56.2	55.7	55.4	75.0	75.2	75.8	88.3	89.8	89.5	91.9	94.8	93.9
16	16	42.8	41.7	41.7	75.1	73.4	71.5	90.1	91.5	91.2	93.8	94.7	94.3
16	32	38.0	33.9	33.8	78.1	72.0	71.2	87.6	90.4	90.3	93.1	94.1	93.5
16	64	38.2	27.8	27.4	77.0	66.3	64.9	72.7	82.9	83.3	90.4	92.6	92.2
16	128	42.4	22.7	21.6	58.8	55.5	52.7	20.3	50.5	54.6	74.9	91.5	91.2
16	256	47.0	19.0	16.9	51.8	36.8	41.5	7.5	24.1	29.2	50.2	88.2	89.2
16	512	49.9	16.9	13.5	53.6	43.9	29.0	4.8	10.8	11.8	29.9	80.1	84.8

Table 23: **Unweighted Heun, 10,000 anchors per mode.** Overall outcome accuracy (% , mean over 3 runs) at $T = 250, 500, 750$ (sub-columns); best predictor per T in bold.

K	d	k NN			w- k NN			quadratic			polar		
		250	500	750	250	500	750	250	500	750	250	500	750
2	2	98.8	99.3	99.3	97.8	97.4	98.2	98.1	98.7	98.8	99.0	99.6	99.6
2	4	94.2	94.2	94.1	85.7	91.5	92.6	98.2	98.9	98.9	98.6	99.5	99.4
2	8	85.4	84.4	84.4	83.0	90.2	77.7	97.6	98.7	98.7	97.8	99.3	99.2
2	16	81.0	79.5	79.5	80.9	82.8	82.6	96.2	98.3	98.2	97.1	99.1	99.0
2	32	80.7	76.2	75.8	75.2	79.8	85.4	89.0	97.6	97.6	94.6	99.0	98.9
2	64	81.5	72.7	71.6	68.1	78.0	74.6	50.6	94.9	95.4	87.1	98.1	98.0
2	128	83.5	70.3	67.4	59.7	71.9	68.0	22.2	68.6	75.0	71.6	96.4	96.4
2	256	84.4	68.4	63.3	60.7	60.8	52.8	25.6	38.3	41.5	50.1	95.1	95.6
2	512	85.0	67.9	60.1	62.2	59.7	58.9	19.2	34.4	38.5	31.3	92.9	94.3
4	2	92.3	98.7	97.0	91.9	97.7	96.2	90.9	93.3	92.8	92.2	98.2	96.6
4	4	88.3	89.1	88.7	88.1	88.9	84.9	91.6	94.0	93.1	92.6	97.9	96.7
4	8	74.4	73.1	72.9	82.1	84.4	85.9	94.0	95.3	94.8	94.8	98.2	97.5
4	16	66.3	64.2	64.1	80.4	81.4	83.4	95.5	96.5	96.2	96.7	97.8	97.4
4	32	64.6	59.0	58.8	81.7	80.1	79.9	91.8	96.0	95.9	95.4	97.8	97.2
4	64	66.1	53.9	52.9	69.9	76.9	71.9	67.3	92.3	92.7	90.2	96.8	96.6
4	128	69.8	49.8	46.9	54.2	63.2	64.8	25.4	73.8	77.5	71.2	96.1	95.9
4	256	72.5	46.6	41.5	56.9	65.4	58.5	18.3	29.8	34.5	47.8	93.8	94.6
4	512	73.5	45.3	37.1	57.5	51.2	40.3	12.2	20.7	23.0	24.5	89.2	92.5
8	2	96.6	97.9	97.7	95.9	96.9	96.9	82.5	83.3	83.5	96.3	96.9	96.6
8	4	85.0	86.0	85.4	86.4	88.6	84.7	88.3	90.3	89.5	90.4	96.2	95.0
8	8	65.8	65.3	65.0	80.7	80.2	74.0	91.8	93.0	92.5	94.3	97.0	96.4
8	16	53.8	52.1	52.1	76.1	76.8	77.8	92.5	93.5	93.0	95.1	96.7	95.8
8	32	51.0	45.7	45.4	80.8	76.9	76.7	91.2	93.8	93.5	94.4	96.7	95.6
8	64	52.2	39.5	38.7	78.9	71.0	69.4	76.4	89.6	89.8	91.5	95.4	94.9
8	128	56.6	34.5	32.6	54.6	64.5	56.4	29.8	72.4	74.5	74.6	95.3	95.0
8	256	60.1	30.7	27.1	56.1	53.8	49.5	12.8	29.5	37.4	49.8	94.4	94.2
8	512	62.4	28.7	22.7	54.8	50.1	34.0	8.1	16.1	19.1	26.1	89.2	92.1
16	2	—	—	—	—	—	—	—	—	—	—	—	—
16	4	84.2	84.9	84.6	87.1	87.7	85.1	87.9	89.4	89.3	92.2	94.8	94.2
16	8	59.1	58.6	58.3	76.6	78.0	78.1	88.8	90.2	89.7	91.9	95.1	94.2
16	16	44.3	43.3	43.4	71.5	69.8	73.6	90.9	92.1	91.8	94.2	95.4	94.9
16	32	39.2	35.1	34.8	78.4	72.6	72.1	89.8	92.1	92.0	93.5	94.9	94.4
16	64	39.4	28.9	28.4	80.3	68.1	67.3	80.0	88.0	88.2	91.5	93.8	93.3
16	128	43.9	23.6	22.5	60.4	50.9	52.4	33.8	70.3	71.9	76.8	93.1	92.6
16	256	48.5	19.6	17.5	54.3	44.7	42.5	9.8	32.0	40.7	52.7	91.2	91.7
16	512	51.5	17.5	14.0	54.3	48.3	28.1	5.2	15.5	20.9	31.1	84.3	87.4

Table 24: **Unweighted Heun, 15,000 anchors per mode.** Overall outcome accuracy (% , mean over 3 runs) at $T = 250, 500, 750$ (sub-columns); best predictor per T in bold.

K	d	k NN			w- k NN			quadratic			polar		
		250	500	750	250	500	750	250	500	750	250	500	750
2	2	98.9	99.4	99.4	97.9	97.9	98.3	98.1	98.8	98.8	99.0	99.6	99.5
2	4	94.8	94.8	94.8	91.4	91.2	88.9	98.2	98.9	98.9	98.6	99.5	99.4
2	8	85.9	85.1	85.3	82.5	89.9	87.4	97.7	98.7	98.7	97.8	99.3	99.2
2	16	81.5	80.0	79.8	69.9	79.6	86.3	96.4	98.4	98.3	97.1	99.1	99.0
2	32	81.0	76.5	76.0	78.5	84.5	86.0	89.2	97.8	97.8	94.8	99.2	99.1
2	64	82.0	73.1	72.0	65.7	80.4	67.0	51.8	95.8	96.1	87.7	98.6	98.5
2	128	83.9	70.7	67.8	61.0	82.0	77.1	11.5	83.0	87.2	71.5	97.1	97.0
2	256	84.7	68.7	63.6	61.8	72.3	53.8	24.6	39.7	44.0	48.9	95.9	96.1
2	512	85.4	68.4	60.3	63.3	63.4	59.7	20.4	35.2	38.8	29.1	94.1	94.7
4	2	92.4	98.9	97.1	92.1	98.0	96.4	90.8	93.3	92.8	92.2	98.2	96.6
4	4	89.1	90.1	89.8	88.3	89.6	87.0	91.6	94.0	93.1	92.6	97.8	96.7
4	8	75.1	74.0	73.8	85.0	80.4	86.4	94.0	95.3	94.9	94.8	98.2	97.5
4	16	66.6	64.7	64.6	82.6	81.8	82.0	95.6	96.6	96.3	96.8	97.9	97.5
4	32	65.1	59.6	59.2	85.2	80.2	80.4	92.2	96.3	96.3	95.6	98.1	97.5
4	64	66.6	54.5	53.4	76.9	79.1	71.6	68.8	93.6	93.9	90.7	97.5	97.1
4	128	70.4	50.2	47.4	55.4	68.8	68.0	19.5	82.7	84.8	71.0	96.9	96.8
4	256	73.0	47.1	41.9	58.2	63.1	54.9	18.3	34.6	41.9	47.5	95.3	95.8
4	512	74.0	45.6	37.4	58.7	66.1	47.1	12.5	22.3	25.8	23.8	91.7	93.7
8	2	96.7	98.0	97.8	96.3	97.4	97.1	82.6	83.4	83.6	96.2	96.9	96.6
8	4	86.1	87.4	86.7	87.0	88.4	87.6	88.3	90.3	89.5	90.4	96.2	95.0
8	8	67.2	66.5	66.3	81.2	80.9	82.2	91.9	93.0	92.6	94.4	97.1	96.4
8	16	54.6	52.9	52.8	77.8	77.4	77.1	92.6	93.6	93.1	95.1	96.8	95.9
8	32	51.5	46.2	45.8	82.0	76.2	76.5	91.7	94.2	94.0	94.5	96.8	95.9
8	64	52.7	40.0	39.2	79.8	71.2	69.8	78.4	91.2	91.3	91.7	95.9	95.4
8	128	57.3	35.0	33.0	55.9	62.4	55.5	29.7	80.0	81.1	76.0	95.8	95.8
8	256	60.8	31.0	27.4	55.0	57.3	51.4	14.1	35.1	44.8	50.1	95.5	95.3
8	512	63.2	29.1	23.0	51.2	55.2	35.4	7.8	18.5	24.1	26.7	91.1	93.2
16	2	—	—	—	—	—	—	—	—	—	—	—	—
16	4	85.6	86.4	86.2	87.6	87.2	87.4	88.6	89.8	89.5	92.2	95.0	94.4
16	8	60.6	60.0	59.8	78.5	79.5	79.2	89.9	91.0	90.3	91.9	95.3	94.4
16	16	45.2	44.2	44.2	71.6	71.7	73.2	92.1	93.1	92.7	94.3	95.7	95.2
16	32	39.7	35.6	35.4	78.5	71.5	70.9	91.6	93.4	93.3	93.9	95.1	94.9
16	64	40.0	29.4	29.0	81.3	69.5	68.6	84.6	90.8	90.9	90.8	94.6	94.2
16	128	44.6	24.0	22.9	61.8	60.1	52.2	41.8	80.3	80.8	78.2	93.7	93.3
16	256	49.4	20.0	17.8	52.8	49.6	41.7	11.4	37.0	46.2	53.7	92.2	91.6
16	512	52.4	17.8	14.2	51.5	51.8	29.5	5.4	17.6	26.0	30.8	87.1	89.0

Table 25: **Unweighted Heun, 20,000 anchors per mode.** Overall outcome accuracy (% , mean over 3 runs) at $T = 250, 500, 750$ (sub-columns); best predictor per T in bold.

K	d	k NN			w- k NN			quadratic			polar		
		250	500	750	250	500	750	250	500	750	250	500	750
2	2	99.0	99.5	99.5	98.5	98.4	98.3	98.1	98.8	98.8	99.0	99.6	99.5
2	4	95.2	95.1	95.1	90.8	91.0	91.3	98.2	98.9	98.9	98.6	99.5	99.4
2	8	86.3	85.4	85.4	83.4	90.3	84.6	97.7	98.7	98.7	97.8	99.3	99.2
2	16	81.6	80.2	79.7	80.0	83.4	85.5	96.4	98.4	98.4	97.2	99.2	99.1
2	32	81.2	76.7	76.3	76.6	81.6	83.7	89.3	98.0	97.9	94.9	99.2	99.1
2	64	82.1	73.4	72.2	68.8	84.4	82.2	51.9	96.2	96.4	87.7	98.7	98.6
2	128	84.0	71.0	68.2	61.6	73.4	72.5	10.1	87.6	90.7	71.4	97.5	97.3
2	256	84.8	69.0	63.9	62.5	60.6	54.5	22.4	41.9	47.0	48.1	96.5	96.5
2	512	85.5	68.6	60.4	63.9	62.9	47.4	19.0	35.3	39.3	28.3	94.6	95.3
4	2	92.5	98.9	97.2	91.9	98.1	96.6	90.9	93.3	92.7	92.2	98.2	96.6
4	4	89.6	90.8	90.5	87.3	89.0	89.9	91.6	94.0	93.1	92.6	97.9	96.7
4	8	75.8	74.6	74.3	85.0	86.4	86.5	94.1	95.3	94.9	94.8	98.2	97.5
4	16	67.1	65.1	65.0	83.1	82.5	80.6	95.7	96.7	96.3	96.8	98.0	97.7
4	32	65.3	59.9	59.7	82.8	80.7	79.4	92.4	96.5	96.5	95.7	98.1	97.6
4	64	67.0	54.8	53.7	70.4	80.3	78.0	69.4	94.2	94.4	90.6	97.5	97.2
4	128	70.6	50.4	47.8	56.3	67.2	61.9	18.1	85.9	87.7	70.3	97.1	97.2
4	256	73.2	47.4	42.2	58.8	66.2	54.7	18.4	39.6	48.1	47.7	95.9	96.1
4	512	74.4	46.0	37.7	59.5	55.9	46.2	13.0	23.6	28.0	23.9	92.3	94.6
8	2	96.8	98.1	97.9	96.5	97.4	97.2	83.2	84.2	84.3	96.3	97.0	96.6
8	4	86.8	88.3	87.6	86.3	89.2	87.2	88.8	90.6	89.6	90.5	96.2	95.0
8	8	68.0	67.3	67.1	81.0	82.8	82.5	92.2	93.3	92.8	94.4	97.2	96.4
8	16	55.1	53.5	53.3	76.3	76.6	77.3	93.0	94.0	93.3	95.2	97.0	96.1
8	32	51.7	46.5	46.3	81.0	76.7	76.3	92.4	94.6	94.4	94.7	96.9	96.0
8	64	53.1	40.5	39.7	80.6	74.4	71.8	80.5	92.4	92.4	91.8	96.0	95.5
8	128	57.5	35.3	33.4	56.9	67.0	56.6	29.6	84.2	84.9	75.1	96.3	95.9
8	256	61.2	31.3	27.7	53.3	46.1	51.5	15.1	40.5	49.7	51.4	95.5	95.6
8	512	63.6	29.4	23.2	54.5	57.9	35.9	8.3	20.1	27.3	26.8	92.3	93.8
16	2	—	—	—	—	—	—	—	—	—	—	—	—
16	4	86.5	87.4	87.1	87.8	88.6	88.8	88.5	89.5	89.2	92.3	95.1	94.5
16	8	61.6	61.1	60.8	78.6	77.3	79.5	90.4	91.3	90.5	91.9	95.4	94.6
16	16	45.8	44.8	44.9	73.5	72.1	71.9	92.7	93.7	93.3	94.4	95.8	95.4
16	32	40.1	36.0	35.9	78.0	72.2	71.4	92.5	94.1	94.0	94.1	95.4	95.1
16	64	40.4	29.8	29.3	81.6	70.2	69.2	86.8	92.2	92.2	90.7	95.0	94.6
16	128	45.0	24.3	23.2	60.6	59.3	58.2	45.7	84.7	84.9	79.7	94.6	94.0
16	256	49.8	20.3	18.1	51.1	44.1	36.2	12.8	42.0	50.3	54.6	93.2	92.7
16	512	53.0	18.0	14.3	52.5	45.4	32.3	5.8	19.4	30.0	30.7	88.8	89.6

Table 26: **Weighted Heun, 2,000 anchors per mode.** Overall outcome accuracy (% , mean over 3 runs) at $T = 250, 500, 750$ (sub-columns); best predictor per T in bold.

K	d	k NN			w- k NN			quadratic			polar		
		250	500	750	250	500	750	250	500	750	250	500	750
2	2	96.2	98.4	98.2	95.4	96.8	96.7	95.0	97.8	98.5	96.7	99.4	98.6
2	4	90.7	91.3	91.4	87.2	90.0	86.3	94.7	97.7	98.4	96.2	99.4	98.7
2	8	81.5	81.5	81.7	79.3	78.5	82.5	93.1	96.2	96.9	95.2	99.1	98.6
2	16	78.8	78.2	78.3	79.6	84.8	85.5	91.6	95.5	96.2	94.2	97.8	97.3
2	32	78.7	74.1	73.9	78.1	83.0	72.9	82.6	94.2	94.9	91.5	96.4	96.2
2	64	79.0	70.3	69.3	62.7	78.9	72.4	37.6	62.7	66.8	84.5	93.7	94.3
2	128	81.0	68.3	65.7	53.7	78.1	67.3	29.6	39.4	41.1	72.3	92.6	93.6
2	256	82.0	66.0	61.4	55.2	64.1	54.6	25.2	37.1	38.7	56.8	90.4	91.5
2	512	83.0	66.0	58.6	57.2	67.9	62.4	21.6	35.5	37.4	41.8	85.6	87.9
4	2	91.5	97.6	96.3	90.8	95.7	95.5	89.3	93.0	93.0	91.9	98.1	96.5
4	4	82.5	83.9	83.7	82.7	84.9	86.9	88.1	93.0	92.5	90.3	97.5	96.2
4	8	68.8	68.7	68.7	75.7	81.1	81.6	89.5	93.8	94.0	92.5	97.5	96.5
4	16	62.6	61.5	61.8	74.6	80.8	80.9	88.5	93.0	93.8	90.7	95.0	94.9
4	32	61.5	56.0	55.9	78.9	76.2	77.8	82.9	90.0	91.0	90.0	93.2	93.3
4	64	63.2	51.3	50.4	65.8	74.4	72.3	41.2	71.2	73.8	83.4	91.6	91.6
4	128	66.6	47.2	44.9	50.9	66.5	56.9	20.4	29.5	31.3	69.0	89.8	90.5
4	256	69.3	44.5	39.8	51.2	66.9	54.9	15.0	21.7	21.8	50.1	86.1	88.1
4	512	70.6	43.1	35.8	51.4	61.1	44.8	12.9	14.6	14.1	34.4	78.8	84.6
8	2	94.0	96.7	96.1	93.2	95.7	94.9	80.1	81.6	81.9	94.2	96.7	96.1
8	4	77.7	78.8	78.5	79.6	86.2	85.4	85.4	89.4	89.2	89.2	96.0	94.8
8	8	59.3	59.2	59.1	75.5	77.7	77.6	88.6	91.4	91.4	92.4	96.2	95.6
8	16	49.8	48.6	48.6	74.1	74.9	73.9	86.3	90.4	90.6	90.8	94.2	93.5
8	32	47.8	42.8	42.7	73.8	72.3	72.5	81.7	87.7	88.3	88.7	92.7	91.8
8	64	48.7	36.6	35.9	74.1	62.4	63.3	46.6	70.7	72.4	85.1	90.1	89.7
8	128	52.6	32.1	30.5	56.3	57.5	52.8	15.3	29.8	32.7	67.4	87.0	88.0
8	256	56.3	28.6	25.5	49.8	50.5	43.2	9.7	16.7	16.6	46.5	84.5	87.1
8	512	58.7	26.9	21.6	50.6	48.9	37.2	8.1	8.6	7.7	31.1	77.0	82.7
16	2	—	—	—	—	—	—	—	—	—	—	—	—
16	4	76.4	76.8	76.7	83.5	82.8	83.1	86.4	87.5	87.5	92.6	94.7	94.2
16	8	51.7	51.6	51.4	69.7	73.1	73.0	86.1	88.7	88.6	91.1	94.2	93.5
16	16	39.7	39.0	39.0	70.4	70.2	70.1	86.1	89.6	89.8	90.9	93.4	93.1
16	32	36.0	32.1	32.1	71.0	68.4	67.3	80.3	85.8	86.3	88.7	91.5	91.1
16	64	36.1	26.2	25.9	71.5	62.2	61.4	50.1	69.2	70.5	85.6	89.0	88.7
16	128	39.9	21.4	20.5	52.0	48.1	50.6	12.2	34.2	37.8	69.4	86.8	86.5
16	256	44.3	17.9	16.1	50.6	40.2	33.9	5.8	15.5	16.2	44.1	82.2	84.2
16	512	47.1	16.1	13.0	51.3	38.8	25.4	4.8	6.3	5.5	28.2	73.5	78.3

1.6 Weighted Heun

Table 27: **Weighted Heun, 5,000 anchors per mode.** Overall outcome accuracy (% , mean over 3 runs) at $T = 250, 500, 750$ (sub-columns); best predictor per T in bold.

K	d	k NN			w- k NN			quadratic			polar		
		250	500	750	250	500	750	250	500	750	250	500	750
2	2	96.6	99.1	98.5	95.9	97.2	97.5	95.1	97.9	98.7	96.7	99.4	98.6
2	4	92.1	92.9	93.1	89.8	90.7	88.4	94.7	97.7	98.4	96.2	99.4	98.7
2	8	83.3	83.3	83.4	79.8	83.8	82.5	93.3	96.4	97.0	95.3	99.2	98.7
2	16	79.3	78.7	79.0	76.2	82.2	82.7	91.7	95.7	96.5	94.1	98.8	98.2
2	32	79.8	75.3	75.2	76.3	77.4	81.2	85.0	95.5	96.3	92.2	98.1	97.7
2	64	79.9	71.6	70.7	64.9	77.8	79.2	47.5	91.1	92.5	85.6	96.2	96.5
2	128	81.9	69.3	66.8	57.5	61.2	67.0	30.1	43.7	47.0	71.4	94.5	95.2
2	256	82.7	67.3	62.6	58.7	74.2	51.2	25.7	37.2	39.6	52.5	92.8	93.4
2	512	83.7	67.0	59.4	60.2	67.4	57.8	20.6	34.6	37.8	34.1	90.0	91.7
4	2	91.9	98.5	96.8	91.2	96.9	96.2	89.4	92.9	92.9	91.9	98.1	96.6
4	4	85.3	87.1	86.9	85.2	82.9	89.2	88.1	93.0	92.5	90.4	97.7	96.3
4	8	71.1	71.0	70.9	76.7	82.0	81.8	89.7	94.0	94.2	92.8	97.9	96.7
4	16	64.0	62.8	63.1	73.7	80.5	81.5	88.8	93.4	94.4	91.9	97.4	96.7
4	32	62.6	57.5	57.5	77.2	79.6	80.0	84.9	91.8	92.9	91.3	96.3	96.4
4	64	64.2	52.9	52.1	67.9	76.3	74.7	61.6	87.4	88.9	86.2	94.2	93.8
4	128	67.8	48.7	46.2	51.4	73.3	61.0	23.9	43.5	49.6	68.8	93.5	92.9
4	256	70.8	45.7	40.9	54.3	59.6	52.9	16.8	25.7	27.8	48.0	90.2	91.9
4	512	72.1	44.3	36.6	55.1	63.0	47.1	12.3	17.8	18.6	27.0	85.2	89.2
8	2	94.5	97.5	96.8	93.4	95.9	95.7	79.8	81.4	81.7	94.1	96.6	96.1
8	4	81.3	83.1	82.8	77.1	83.2	82.8	85.3	89.4	89.2	89.3	96.1	95.0
8	8	62.3	62.2	62.1	76.0	77.0	76.7	88.8	91.7	91.7	92.8	96.8	96.1
8	16	51.5	50.3	50.3	72.9	73.8	73.0	86.9	91.0	91.3	91.8	96.0	95.1
8	32	49.1	44.3	44.3	76.8	73.3	73.6	84.3	90.2	91.0	89.9	95.5	94.6
8	64	50.1	38.0	37.4	70.2	68.6	67.5	68.7	84.2	85.3	87.2	93.4	93.4
8	128	54.2	33.4	31.7	50.9	56.9	59.6	21.2	47.9	53.7	69.1	92.4	92.4
8	256	57.9	29.8	26.5	52.9	50.4	44.1	11.3	22.7	26.1	47.6	90.7	91.0
8	512	60.4	27.8	22.3	54.3	47.1	36.8	8.1	12.7	13.1	26.8	84.3	87.9
16	2	—	—	—	—	—	—	—	—	—	—	—	—
16	4	81.0	81.5	81.3	85.5	86.1	84.2	86.6	87.7	87.7	92.6	94.8	94.3
16	8	55.1	55.0	54.8	71.0	72.4	75.0	86.3	88.9	88.8	91.4	94.8	94.0
16	16	41.8	41.2	41.2	71.5	68.4	71.0	86.9	90.4	90.6	91.8	94.8	94.4
16	32	37.3	33.6	33.6	74.0	69.8	69.3	83.5	88.7	89.3	89.9	93.8	93.4
16	64	37.6	27.5	27.2	70.5	61.6	60.0	70.3	82.0	82.9	88.2	92.4	92.2
16	128	41.8	22.5	21.6	55.3	57.1	54.5	20.0	50.1	54.5	72.1	90.8	90.8
16	256	46.3	18.9	16.9	51.2	36.6	33.6	7.3	24.0	29.2	49.9	88.5	88.9
16	512	49.2	16.9	13.5	52.8	42.9	26.4	4.8	10.8	11.8	28.9	79.6	84.1

Table 28: **Weighted Heun, 10,000 anchors per mode.** Overall outcome accuracy (% , mean over 3 runs) at $T = 250, 500, 750$ (sub-columns); best predictor per T in bold.

K	d	k NN			w- k NN			quadratic			polar		
		250	500	750	250	500	750	250	500	750	250	500	750
2	2	96.7	99.4	98.6	96.3	97.8	97.7	95.2	98.0	98.7	96.7	99.4	98.6
2	4	93.1	94.1	94.2	88.8	85.4	90.5	94.6	97.6	98.4	96.2	99.4	98.7
2	8	84.4	84.3	84.4	83.5	81.2	83.2	93.4	96.4	97.0	95.3	99.2	98.7
2	16	79.9	79.2	79.3	77.8	78.8	83.2	91.9	95.8	96.6	94.1	99.1	98.3
2	32	79.9	75.8	75.7	74.3	84.7	67.8	85.3	95.6	96.7	91.9	98.8	98.1
2	64	80.3	72.2	71.5	67.8	77.7	76.5	50.0	94.1	95.2	86.3	97.8	97.7
2	128	82.9	70.0	67.4	59.7	67.4	71.7	22.2	68.7	75.0	70.9	96.3	96.5
2	256	83.5	68.1	63.2	60.8	63.2	53.3	25.1	38.3	41.7	49.8	93.9	94.3
2	512	84.3	67.8	59.9	62.2	67.5	59.2	19.2	34.8	38.5	31.2	92.0	92.8
4	2	92.1	98.8	97.0	91.7	98.0	96.6	89.3	92.9	92.9	91.9	98.1	96.6
4	4	86.9	89.1	88.9	83.9	87.9	87.9	88.3	93.1	92.6	90.4	97.7	96.3
4	8	72.8	72.7	72.6	77.8	84.1	80.2	89.7	94.0	94.3	92.9	98.0	96.8
4	16	64.9	64.0	64.2	72.8	80.8	82.8	88.9	93.6	94.6	92.2	97.7	97.0
4	32	63.4	58.6	58.6	77.1	78.5	80.4	85.6	92.4	93.6	91.0	96.8	97.0
4	64	64.9	53.9	53.2	66.8	76.9	76.0	64.3	90.3	91.9	86.9	95.3	95.3
4	128	68.5	49.7	47.2	53.7	62.3	65.6	24.9	73.5	77.5	69.0	95.8	94.7
4	256	71.4	46.6	41.7	56.5	63.2	61.4	18.1	29.7	34.6	47.5	93.6	92.7
4	512	73.0	45.2	37.3	57.4	51.7	44.4	12.3	20.7	23.1	24.3	88.2	91.9
8	2	94.8	97.9	97.0	94.0	97.2	96.5	80.0	81.5	81.7	94.2	96.6	96.1
8	4	83.5	85.9	85.5	80.9	84.8	86.8	85.2	89.3	89.2	89.3	96.1	94.9
8	8	64.8	64.6	64.5	76.0	75.6	80.0	88.8	91.7	91.7	92.8	97.0	96.3
8	16	52.8	51.7	51.6	72.7	74.1	75.5	87.1	91.2	91.5	92.2	96.5	95.5
8	32	50.1	45.4	45.4	75.9	75.4	75.2	85.1	91.0	91.9	90.0	96.2	95.4
8	64	51.3	39.3	38.6	71.6	71.0	69.9	72.9	87.8	88.9	88.0	94.2	94.2
8	128	55.6	34.4	32.7	53.4	60.3	61.1	29.3	71.9	74.3	71.7	94.5	94.1
8	256	59.3	30.7	27.2	55.2	58.2	44.6	12.7	29.4	37.3	49.5	94.1	93.2
8	512	61.8	28.7	22.8	54.4	50.0	35.6	8.1	16.0	19.1	26.1	88.6	89.8
16	2	—	—	—	—	—	—	—	—	—	—	—	—
16	4	84.0	84.6	84.4	86.2	86.9	86.4	87.0	88.2	88.1	92.7	94.9	94.4
16	8	58.0	57.9	57.7	73.6	76.6	74.4	86.8	89.4	89.2	91.5	95.0	94.2
16	16	43.5	42.9	42.8	69.2	71.5	70.0	87.7	91.1	91.3	92.1	95.4	95.0
16	32	38.2	34.5	34.5	73.3	70.2	70.5	85.1	90.2	90.8	90.0	94.6	94.3
16	64	38.7	28.6	28.2	73.4	65.8	65.4	76.4	86.6	87.5	88.1	92.8	92.9
16	128	43.0	23.4	22.4	61.3	58.8	56.4	33.2	69.8	71.8	74.0	92.1	91.8
16	256	47.7	19.5	17.4	53.3	44.8	42.8	9.7	31.8	40.5	51.4	91.3	90.8
16	512	50.9	17.5	13.9	53.5	47.9	30.4	5.2	15.6	20.7	30.0	83.8	87.2

Table 29: **Weighted Heun, 15,000 anchors per mode.** Overall outcome accuracy (% , mean over 3 runs) at $T = 250, 500, 750$ (sub-columns); best predictor per T in bold.

K	d	k NN			w- k NN			quadratic			polar		
		250	500	750	250	500	750	250	500	750	250	500	750
2	2	96.8	99.5	98.7	96.4	98.1	97.8	95.1	97.9	98.6	96.7	99.4	98.6
2	4	93.6	94.6	94.8	90.1	90.8	92.3	94.6	97.6	98.4	96.2	99.4	98.7
2	8	84.8	84.8	85.0	81.5	84.2	81.3	93.4	96.3	97.0	95.3	99.3	98.7
2	16	80.1	79.5	79.8	69.2	78.9	75.8	92.0	95.8	96.6	94.1	99.1	98.3
2	32	79.9	75.9	75.9	71.6	81.8	83.6	85.6	95.7	96.8	91.9	98.9	98.1
2	64	80.7	72.6	71.8	65.5	83.4	71.3	51.1	94.9	95.9	86.0	98.1	98.0
2	128	83.0	70.4	67.8	60.9	68.3	62.2	11.5	82.7	87.1	70.3	96.9	96.8
2	256	83.8	68.4	63.6	61.9	69.2	71.8	24.7	39.8	44.0	48.3	94.7	94.8
2	512	84.7	68.1	60.2	63.3	65.7	60.1	20.4	35.0	38.9	29.0	92.9	93.0
4	2	92.2	98.9	97.1	91.8	97.9	96.6	89.3	92.9	92.9	91.9	98.1	96.6
4	4	87.7	90.2	89.9	83.2	90.0	90.3	88.4	93.1	92.6	90.4	97.7	96.2
4	8	73.9	73.6	73.7	81.1	82.1	82.7	89.8	94.0	94.2	92.9	98.1	96.9
4	16	65.4	64.5	64.9	75.6	75.9	76.8	88.9	93.7	94.7	92.1	97.8	97.0
4	32	63.8	59.0	59.1	74.5	80.1	78.6	85.8	92.6	93.8	91.0	97.0	97.2
4	64	65.3	54.3	53.6	72.8	76.7	73.2	65.3	91.1	92.9	87.2	95.8	95.7
4	128	68.8	50.0	47.6	55.0	73.3	65.6	19.0	81.7	84.8	68.2	96.5	94.9
4	256	72.0	47.1	42.1	57.8	67.4	52.9	18.4	34.5	41.9	47.8	94.9	92.8
4	512	73.4	45.6	37.6	58.5	62.8	52.1	12.6	22.3	25.9	23.6	91.2	91.9
8	2	94.9	98.0	97.1	94.6	97.5	96.5	80.1	81.6	81.8	94.2	96.6	96.1
8	4	84.6	87.4	86.9	84.6	86.9	88.3	85.3	89.4	89.2	89.3	96.1	94.9
8	8	66.0	65.8	65.8	77.6	79.2	80.6	88.9	91.7	91.7	92.9	97.0	96.3
8	16	53.6	52.5	52.3	73.4	75.6	75.7	87.3	91.4	91.7	92.3	96.7	95.6
8	32	50.4	45.8	45.8	76.2	74.1	73.6	85.4	91.3	92.2	89.9	96.3	95.6
8	64	51.8	39.8	39.2	75.6	69.8	70.5	74.2	89.1	90.2	88.0	94.2	94.5
8	128	56.1	34.8	33.1	54.7	59.1	53.4	29.1	79.2	81.1	70.7	95.0	94.5
8	256	60.0	31.0	27.5	54.2	60.1	49.6	14.2	34.9	44.6	49.6	95.1	94.0
8	512	62.5	29.0	23.1	50.9	56.8	41.8	7.8	18.4	24.0	26.7	90.6	90.2
16	2	—	—	—	—	—	—	—	—	—	—	—	—
16	4	85.4	86.2	86.0	87.1	87.8	86.7	87.7	88.8	88.6	92.7	95.0	94.6
16	8	59.4	59.3	59.2	76.0	76.3	76.5	88.2	90.4	89.9	91.5	95.2	94.5
16	16	44.2	43.6	43.7	68.2	71.7	69.8	89.0	92.5	92.5	92.2	95.7	95.3
16	32	38.8	35.1	35.1	72.7	70.6	70.7	86.7	91.6	92.2	90.6	95.0	94.6
16	64	39.2	29.1	28.8	76.0	67.6	66.6	80.1	89.1	90.0	86.8	93.8	93.9
16	128	43.6	23.8	22.8	52.7	49.6	52.8	40.8	79.5	80.5	76.0	92.5	92.6
16	256	48.6	19.8	17.7	50.5	44.2	37.1	11.4	36.8	46.2	52.9	92.2	91.5
16	512	51.7	17.8	14.1	51.5	45.8	28.5	5.5	17.6	25.8	30.1	87.0	87.7

Table 30: **Weighted Heun, 20,000 anchors per mode.** Overall outcome accuracy (% , mean over 3 runs) at $T = 250, 500, 750$ (sub-columns); best predictor per T in bold.

K	d	k NN			w- k NN			quadratic			polar		
		250	500	750	250	500	750	250	500	750	250	500	750
2	2	96.8	99.5	98.7	96.5	98.4	98.0	95.1	97.9	98.6	96.7	99.4	98.6
2	4	94.0	95.0	95.2	90.6	90.3	90.5	94.7	97.7	98.4	96.2	99.4	98.8
2	8	85.1	85.1	85.5	83.8	86.9	90.3	93.4	96.4	97.0	95.3	99.3	98.7
2	16	80.0	79.3	80.0	75.3	78.4	76.1	91.8	95.7	96.7	94.1	99.2	98.3
2	32	79.9	76.1	76.2	69.0	80.0	83.8	85.6	95.7	96.8	91.8	99.0	98.1
2	64	80.9	72.9	72.1	68.5	83.6	74.0	51.1	95.1	96.2	86.1	98.3	98.0
2	128	83.1	70.6	68.1	61.7	73.0	72.9	10.2	87.8	90.9	70.2	97.4	97.2
2	256	83.9	68.7	63.8	62.6	63.1	55.0	22.8	42.0	47.2	48.0	95.3	95.6
2	512	84.7	68.3	60.3	63.9	70.4	47.8	18.9	35.2	39.4	28.1	93.6	93.4
4	2	92.2	99.0	97.2	92.0	98.1	96.6	89.4	93.0	92.9	91.9	98.1	96.6
4	4	88.1	90.9	90.5	86.4	90.7	90.6	88.3	93.1	92.5	90.4	97.7	96.3
4	8	74.5	74.3	74.2	80.9	83.7	84.2	89.8	93.9	94.2	93.0	98.1	96.9
4	16	65.9	65.1	65.3	78.0	80.7	76.5	89.0	93.8	94.7	92.3	97.9	97.1
4	32	64.1	59.4	59.5	75.4	79.2	80.0	86.0	92.7	93.9	91.0	97.1	97.2
4	64	65.6	54.7	54.0	67.2	72.0	76.7	65.7	91.6	93.5	87.1	96.0	95.9
4	128	69.1	50.3	48.0	55.8	70.2	68.2	17.8	85.1	87.7	68.0	96.7	95.1
4	256	72.2	47.4	42.5	58.5	62.5	56.0	18.5	39.5	48.2	47.8	95.1	92.7
4	512	73.9	46.1	38.0	59.3	55.5	45.8	13.1	23.6	28.2	23.6	91.8	91.7
8	2	95.0	98.0	97.2	94.6	97.4	96.7	80.8	82.5	82.7	94.3	96.8	96.2
8	4	85.3	88.4	87.8	80.8	89.3	88.1	85.9	89.8	89.5	89.4	96.1	95.0
8	8	66.9	66.8	66.6	78.9	79.4	79.7	89.3	92.1	92.0	92.9	97.1	96.4
8	16	54.1	53.0	52.9	73.1	75.6	75.7	87.8	91.9	92.0	92.4	97.0	95.8
8	32	50.8	46.3	46.3	76.6	74.9	74.5	85.9	91.7	92.6	89.8	96.4	95.7
8	64	52.1	40.2	39.6	74.6	72.4	71.5	75.7	90.0	91.2	87.9	94.0	94.4
8	128	56.5	35.1	33.4	55.5	64.0	61.1	29.2	83.2	84.9	72.5	95.0	94.7
8	256	60.4	31.4	27.9	50.4	49.1	48.6	15.0	40.3	49.8	50.0	95.1	94.0
8	512	62.9	29.3	23.3	54.1	57.4	40.4	8.3	20.1	27.3	26.8	91.8	90.3
16	2	—	—	—	—	—	—	—	—	—	—	—	—
16	4	86.4	87.2	87.0	86.8	88.1	86.2	87.7	88.7	88.5	92.8	95.1	94.7
16	8	60.5	60.4	60.2	75.9	76.4	76.4	88.9	90.9	90.2	91.6	95.4	94.6
16	16	44.8	44.2	44.3	71.1	70.2	71.4	89.8	93.3	93.2	92.3	95.9	95.4
16	32	39.2	35.5	35.5	73.2	69.7	68.8	87.6	92.5	93.1	91.1	95.1	94.6
16	64	39.6	29.4	29.1	74.4	68.3	67.7	81.8	90.4	91.3	86.5	94.3	94.3
16	128	44.1	24.1	23.1	57.2	57.6	53.2	44.6	83.7	84.6	78.0	92.7	92.9
16	256	49.1	20.2	18.1	50.8	44.8	35.3	12.8	41.8	50.4	53.0	93.2	92.2
16	512	52.3	18.0	14.2	51.7	49.4	33.9	5.9	19.4	29.7	30.0	88.5	88.8

Table 31: **Unweighted RK45, 2,000 anchors per mode.** Overall outcome accuracy (% , mean over 3 runs) at $T = 250, 500, 750$ (sub-columns); best predictor per T in bold.

K	d	k NN			w- k NN			quadratic			polar		
		250	500	750	250	500	750	250	500	750	250	500	750
2	2	98.0	98.4	98.4	95.9	96.1	97.2	98.2	98.8	98.8	99.0	99.5	99.6
2	4	91.6	91.5	91.4	88.8	89.3	90.1	97.9	98.7	98.7	98.6	99.5	99.4
2	8	82.5	81.8	81.7	83.8	84.9	86.9	97.1	98.5	98.4	97.7	99.2	99.2
2	16	80.1	78.7	78.6	83.5	74.3	66.2	95.2	97.6	97.6	95.7	97.7	97.7
2	32	80.0	74.6	74.0	76.0	73.8	72.5	84.5	95.2	95.5	92.6	96.3	96.4
2	64	80.3	71.1	69.7	62.9	79.7	77.3	36.4	60.6	67.2	85.8	94.1	94.7
2	128	82.2	68.7	65.7	53.7	70.5	72.8	29.7	39.5	41.0	73.2	93.1	93.7
2	256	83.0	66.5	61.7	55.2	64.4	54.2	25.4	37.2	38.7	57.1	91.2	92.3
2	512	83.8	66.3	58.6	57.2	68.1	62.3	21.6	35.5	37.0	41.9	86.0	88.1
4	2	91.7	97.5	96.2	90.6	96.0	94.6	90.8	93.3	92.7	92.1	98.1	96.6
4	4	83.8	83.9	83.6	80.9	87.3	86.7	91.5	93.9	93.1	92.5	97.7	96.6
4	8	70.2	69.3	69.0	82.0	82.6	81.3	93.5	95.1	94.7	94.4	97.6	97.0
4	16	64.2	62.0	61.9	83.1	81.4	82.1	94.1	95.4	95.3	94.7	95.3	95.1
4	32	62.9	56.5	56.2	80.1	71.6	66.9	87.0	92.3	92.5	91.9	93.4	93.1
4	64	64.1	51.5	50.2	68.8	75.5	73.5	40.9	70.9	74.1	86.2	91.4	92.0
4	128	67.5	47.3	44.6	51.4	67.2	61.2	20.5	29.5	31.1	70.5	90.9	90.9
4	256	70.0	44.5	39.5	51.5	65.3	46.3	15.0	21.7	21.6	50.7	87.6	89.3
4	512	71.0	43.1	35.6	51.5	61.6	40.2	12.8	14.5	14.0	34.5	80.2	85.5
8	2	95.7	96.7	96.5	94.5	95.2	93.5	82.7	83.5	83.6	96.2	96.9	96.6
8	4	79.2	79.2	78.7	84.8	85.0	84.4	88.3	90.2	89.4	90.3	96.0	94.8
8	8	60.8	60.1	59.9	77.5	78.8	76.1	91.5	92.6	92.2	93.8	96.3	95.7
8	16	51.1	49.3	49.2	78.4	75.9	76.6	91.2	92.4	91.9	93.3	94.4	93.8
8	32	48.6	42.9	42.6	78.8	73.6	73.5	85.9	89.4	89.3	91.5	92.6	91.9
8	64	49.6	36.8	36.0	78.6	68.0	66.3	47.2	70.9	72.5	87.2	90.0	89.8
8	128	53.5	32.2	30.3	59.6	54.1	58.3	15.4	29.9	32.8	70.9	88.2	88.4
8	256	57.0	28.6	25.4	50.4	53.3	43.8	9.8	16.7	16.6	47.4	86.4	87.5
8	512	58.9	26.7	21.6	51.0	42.4	34.2	8.1	8.2	7.6	30.8	78.2	83.2
16	2	—	—	—	—	—	—	—	—	—	—	—	—
16	4	77.1	77.4	77.2	82.7	84.8	79.0	87.5	88.9	88.8	92.1	94.7	94.1
16	8	52.8	52.3	52.1	73.2	76.3	75.1	88.1	89.6	89.3	91.4	94.2	93.4
16	16	40.7	39.6	39.5	74.5	72.4	72.2	89.3	90.6	90.4	92.7	93.3	92.9
16	32	36.6	32.4	32.3	76.9	70.2	69.9	83.5	87.0	87.1	91.1	91.6	91.1
16	64	36.8	26.5	26.1	75.5	63.3	61.6	50.7	69.4	70.6	86.8	88.9	88.5
16	128	40.6	21.6	20.6	53.4	49.0	45.1	12.3	34.5	38.0	72.1	86.7	86.4
16	256	45.0	18.1	16.2	51.6	43.4	32.8	5.8	15.5	16.2	45.0	81.9	84.0
16	512	47.5	16.1	13.0	52.0	42.8	26.0	4.8	6.1	5.4	28.7	74.2	79.4

1.7 Unweighted RK45

Table 32: **Unweighted RK45, 5,000 anchors per mode.** Overall outcome accuracy (% , mean over 3 runs) at $T = 250, 500, 750$ (sub-columns); best predictor per T in bold.

K	d	k NN			w- k NN			quadratic			polar		
		250	500	750	250	500	750	250	500	750	250	500	750
2	2	98.6	99.0	99.0	96.9	97.5	97.6	98.1	98.7	98.8	99.0	99.5	99.6
2	4	93.2	93.1	93.0	84.0	92.5	92.4	98.1	98.8	98.8	98.6	99.5	99.4
2	8	84.0	83.3	83.3	83.7	79.3	85.0	97.5	98.7	98.6	97.8	99.3	99.2
2	16	80.3	79.0	79.1	76.2	85.9	85.6	95.9	98.1	98.0	96.8	98.9	98.8
2	32	80.8	75.8	75.1	77.6	75.8	71.5	87.5	96.9	96.9	93.8	98.2	98.2
2	64	81.3	72.2	70.8	65.1	76.9	78.2	46.7	91.6	92.7	86.8	96.7	96.7
2	128	83.1	69.7	66.8	57.5	65.8	60.9	30.2	43.7	46.8	72.4	94.9	95.2
2	256	83.7	67.7	62.7	58.7	70.0	57.0	25.8	37.1	39.5	52.8	93.8	94.7
2	512	84.5	67.4	59.5	60.2	67.7	57.4	20.5	34.6	37.3	34.2	90.8	92.8
4	2	92.1	98.4	96.8	91.4	97.3	95.8	90.9	93.2	92.6	92.2	98.2	96.6
4	4	86.5	87.0	86.7	84.3	87.6	88.4	91.4	93.9	93.1	92.6	97.8	96.7
4	8	72.5	71.5	71.2	81.9	81.2	84.9	93.9	95.3	94.8	94.7	98.0	97.3
4	16	65.3	63.0	63.1	79.8	83.3	82.9	95.1	96.2	96.0	96.5	97.4	97.0
4	32	64.0	58.1	57.7	81.8	81.8	81.0	90.3	94.9	94.9	94.4	96.8	96.3
4	64	65.5	52.9	51.8	68.5	77.4	75.2	63.6	88.8	89.3	89.0	95.1	94.5
4	128	68.7	48.8	46.0	51.8	70.9	68.1	24.1	43.7	49.7	70.2	93.7	93.9
4	256	71.5	45.8	40.7	54.6	62.5	53.1	16.8	25.8	27.6	48.2	91.2	92.6
4	512	72.5	44.3	36.4	55.2	63.5	49.9	12.2	17.7	18.5	27.2	86.7	90.0
8	2	96.3	97.5	97.3	95.5	95.8	96.0	82.3	83.2	83.3	96.2	96.9	96.6
8	4	82.8	83.4	82.8	85.7	87.2	85.9	88.2	90.3	89.5	90.4	96.2	95.0
8	8	63.6	63.0	62.8	79.4	78.4	76.6	91.8	92.9	92.5	94.2	96.9	96.2
8	16	52.6	50.9	50.7	78.0	76.0	76.5	92.2	93.3	92.8	94.7	96.2	95.3
8	32	50.0	44.5	44.2	81.8	74.5	71.8	89.8	92.6	92.4	93.9	95.7	94.9
8	64	51.1	38.4	37.5	74.7	69.5	68.3	71.1	85.4	85.8	90.1	94.1	93.6
8	128	55.2	33.4	31.6	52.0	62.2	59.8	21.4	48.2	53.7	73.0	93.0	93.0
8	256	58.7	29.8	26.4	53.6	43.0	48.0	11.4	22.8	26.0	48.7	91.1	92.0
8	512	61.2	28.0	22.2	54.8	52.3	36.7	7.9	12.9	13.0	27.5	85.2	88.3
16	2	—	—	—	—	—	—	—	—	—	—	—	—
16	4	81.3	81.8	81.6	85.1	87.0	85.5	87.5	88.9	88.9	92.1	94.7	94.2
16	8	56.2	55.7	55.4	75.0	75.2	75.8	88.3	89.8	89.5	91.9	94.8	93.9
16	16	42.8	41.7	41.6	75.1	73.4	71.5	90.1	91.5	91.2	93.8	94.8	94.3
16	32	38.0	33.9	33.8	78.1	72.0	71.2	87.6	90.4	90.4	93.2	94.0	93.6
16	64	38.3	27.9	27.4	77.0	66.3	64.9	72.7	82.9	83.3	90.4	92.8	92.2
16	128	42.5	22.8	21.7	65.1	58.3	55.4	20.3	50.4	54.6	74.8	91.4	91.1
16	256	47.0	19.0	17.0	52.1	36.8	37.0	7.4	24.1	29.2	50.7	88.2	88.8
16	512	50.0	16.9	13.5	53.6	41.0	26.4	4.7	10.7	11.8	29.8	80.0	84.5

Table 33: **Unweighted RK45, 10,000 anchors per mode.** Overall outcome accuracy (% , mean over 3 runs) at $T = 250, 500, 750$ (sub-columns); best predictor per T in bold.

K	d	k NN			w- k NN			quadratic			polar		
		250	500	750	250	500	750	250	500	750	250	500	750
2	2	98.8	99.3	99.3	97.8	97.4	98.2	98.0	98.7	98.8	99.0	99.6	99.6
2	4	94.2	94.2	94.1	85.7	91.5	92.6	98.2	98.9	98.9	98.6	99.5	99.4
2	8	85.4	84.5	84.4	83.0	90.2	77.7	97.6	98.7	98.7	97.8	99.3	99.2
2	16	80.9	79.5	79.8	80.9	82.8	82.6	96.1	98.2	98.2	97.1	99.1	99.0
2	32	81.0	76.2	75.8	75.2	79.8	85.4	88.5	97.5	97.6	94.6	99.0	98.9
2	64	81.7	72.8	71.6	64.1	78.5	74.6	50.9	94.8	95.4	87.3	98.0	98.0
2	128	83.9	70.4	67.6	59.8	66.0	59.8	22.3	69.0	75.3	71.7	96.4	96.4
2	256	84.5	68.4	63.5	60.8	60.8	58.8	25.1	38.3	41.5	50.1	95.1	95.7
2	512	85.1	68.2	59.9	62.2	69.3	52.5	19.2	34.7	38.1	31.2	93.0	94.2
4	2	92.3	98.7	97.0	91.9	97.7	96.2	90.9	93.3	92.8	92.2	98.2	96.6
4	4	88.3	89.1	88.7	88.1	88.9	84.9	91.6	94.0	93.1	92.6	97.9	96.7
4	8	74.4	73.3	72.9	82.1	84.4	85.9	94.0	95.3	94.8	94.8	98.2	97.5
4	16	66.3	64.1	64.2	80.4	81.4	83.4	95.4	96.5	96.3	96.8	97.8	97.4
4	32	64.9	59.1	58.7	81.7	80.1	79.9	91.6	95.9	96.0	95.2	97.6	97.1
4	64	66.3	53.9	52.9	64.2	76.8	71.9	68.2	92.4	92.7	90.3	96.9	96.6
4	128	69.8	49.7	46.9	54.2	65.5	57.6	25.2	74.1	77.6	71.2	96.0	95.9
4	256	72.4	46.6	41.5	56.9	65.4	54.0	18.1	29.8	34.7	47.7	93.8	94.8
4	512	73.5	45.3	37.1	57.5	51.2	40.3	12.2	20.7	23.0	24.5	89.2	92.6
8	2	96.6	97.9	97.7	95.9	96.9	96.9	82.5	83.3	83.5	96.2	96.9	96.6
8	4	85.0	86.0	85.4	86.4	88.6	84.7	88.3	90.3	89.5	90.4	96.2	95.0
8	8	65.8	65.2	65.0	80.7	80.2	74.0	91.8	92.9	92.5	94.3	97.1	96.3
8	16	54.0	52.2	52.1	76.1	76.8	77.8	92.5	93.5	93.0	95.1	96.7	95.7
8	32	50.9	45.6	45.2	80.9	76.9	76.7	91.2	93.8	93.5	94.4	96.5	95.8
8	64	52.1	39.4	38.7	79.3	69.4	69.4	76.7	89.6	89.8	91.5	95.3	94.9
8	128	56.5	34.4	32.6	54.6	65.8	61.8	29.8	72.5	74.4	75.2	95.2	95.0
8	256	60.2	30.7	27.1	56.1	53.8	46.3	12.8	29.5	37.5	50.3	94.4	94.2
8	512	62.6	28.7	22.7	52.3	54.8	34.0	8.0	16.2	19.1	26.5	88.5	92.1
16	2	—	—	—	—	—	—	—	—	—	—	—	—
16	4	84.2	84.9	84.6	87.1	87.7	85.1	87.9	89.4	89.3	92.2	94.8	94.2
16	8	59.1	58.5	58.3	76.6	78.0	78.1	88.8	90.2	89.7	91.9	95.1	94.2
16	16	44.5	43.4	43.3	71.5	69.8	73.6	90.9	92.1	91.8	94.2	95.4	94.9
16	32	39.1	34.9	34.8	78.4	72.6	72.1	89.8	92.1	92.0	93.7	94.9	94.5
16	64	39.4	28.8	28.4	76.5	68.2	67.3	80.2	88.0	88.2	91.2	93.9	93.3
16	128	43.8	23.6	22.5	63.7	60.2	56.8	33.7	70.3	71.9	76.6	92.9	92.4
16	256	48.5	19.6	17.5	54.4	44.7	37.4	9.7	31.9	40.6	52.8	91.3	91.5
16	512	51.5	17.4	13.9	54.3	42.1	30.6	5.2	15.4	20.8	30.6	84.6	87.3

Table 34: **Unweighted RK45, 15,000 anchors per mode.** Overall outcome accuracy (% , mean over 3 runs) at $T = 250, 500, 750$ (sub-columns); best predictor per T in bold.

K	d	k NN			w- k NN			quadratic			polar		
		250	500	750	250	500	750	250	500	750	250	500	750
2	2	98.9	99.4	99.4	97.9	97.9	98.3	98.1	98.8	98.8	99.0	99.6	99.5
2	4	94.8	94.8	94.8	91.4	91.2	88.9	98.2	98.9	98.9	98.6	99.5	99.4
2	8	85.9	85.0	85.1	82.5	89.9	87.4	97.7	98.8	98.7	97.8	99.3	99.2
2	16	81.2	79.8	79.8	69.9	79.6	86.3	96.2	98.4	98.3	97.1	99.1	99.0
2	32	81.0	76.4	76.0	71.6	86.8	83.8	89.0	97.8	97.8	94.8	99.2	99.1
2	64	82.0	73.3	72.0	61.2	74.6	67.0	51.8	95.8	96.1	87.6	98.6	98.5
2	128	84.0	70.8	67.8	60.9	68.4	63.8	11.6	82.9	87.1	71.2	96.8	96.7
2	256	84.7	68.8	63.6	61.9	72.4	53.5	24.7	39.7	44.1	48.6	95.9	96.2
2	512	85.4	68.5	60.2	63.3	65.9	59.7	20.4	34.9	39.0	29.0	94.0	94.9
4	2	92.4	98.9	97.1	92.1	98.0	96.4	90.8	93.3	92.8	92.2	98.2	96.6
4	4	89.1	90.1	89.8	88.3	89.6	87.0	91.6	94.0	93.1	92.6	97.8	96.7
4	8	75.1	74.0	73.7	85.0	80.4	86.4	94.0	95.3	94.8	94.8	98.2	97.5
4	16	66.9	64.7	64.5	82.6	81.8	82.0	95.6	96.5	96.3	96.8	97.9	97.4
4	32	65.3	59.6	59.2	81.6	80.5	80.5	92.1	96.3	96.4	95.6	98.0	97.5
4	64	66.7	54.5	53.4	76.6	77.9	71.7	69.0	93.6	93.9	90.8	97.3	97.1
4	128	70.1	50.1	47.4	55.6	74.0	67.7	19.2	82.5	84.7	70.5	96.8	96.7
4	256	73.0	47.1	41.9	58.1	63.1	50.0	18.5	34.6	41.9	47.9	95.3	95.8
4	512	74.1	45.7	37.4	58.7	66.1	47.1	12.5	22.2	25.8	23.8	91.8	93.7
8	2	96.7	98.0	97.8	96.3	97.4	97.1	82.6	83.4	83.5	96.2	96.9	96.5
8	4	86.1	87.4	86.7	87.0	88.4	87.6	88.3	90.3	89.5	90.4	96.2	95.0
8	8	67.2	66.5	66.2	81.2	80.9	82.2	91.9	93.0	92.6	94.4	97.1	96.4
8	16	54.7	52.9	52.7	77.8	77.4	77.1	92.6	93.6	93.1	95.2	96.9	95.9
8	32	51.3	46.1	46.0	82.1	77.0	76.5	91.7	94.2	94.0	94.5	96.8	96.0
8	64	52.6	40.0	39.2	76.2	72.6	69.8	78.5	91.2	91.3	91.8	95.7	95.4
8	128	57.0	34.9	33.0	56.0	62.8	57.7	29.7	80.1	81.2	74.8	95.9	95.5
8	256	60.7	31.0	27.4	55.0	57.3	50.6	14.3	35.1	44.6	50.5	95.5	95.4
8	512	63.4	29.2	23.0	53.7	58.4	35.4	8.0	18.7	24.1	26.7	91.2	93.2
16	2	—	—	—	—	—	—	—	—	—	—	—	—
16	4	85.6	86.4	86.2	87.6	87.2	87.4	88.6	89.8	89.5	92.2	95.0	94.4
16	8	60.6	60.1	59.8	78.5	79.5	79.2	89.9	91.0	90.2	91.9	95.3	94.4
16	16	45.3	44.2	44.3	71.6	71.7	73.2	92.1	93.1	92.8	94.3	95.7	95.2
16	32	39.6	35.6	35.5	77.8	71.0	70.7	91.6	93.4	93.2	93.9	95.1	94.9
16	64	40.0	29.4	29.0	81.1	69.5	68.6	84.7	90.8	90.9	90.8	94.6	94.2
16	128	44.5	24.0	22.9	54.1	57.3	57.3	41.7	80.2	80.7	78.4	94.1	93.6
16	256	49.3	20.0	17.8	51.4	49.6	42.9	11.5	37.0	46.1	54.0	92.2	92.4
16	512	52.4	17.8	14.1	52.1	38.1	27.7	5.5	17.7	25.8	30.5	86.7	88.5

Table 35: **Unweighted RK45, 20,000 anchors per mode.** Overall outcome accuracy (% , mean over 3 runs) at $T = 250, 500, 750$ (sub-columns); best predictor per T in bold.

K	d	k NN			w- k NN			quadratic			polar		
		250	500	750	250	500	750	250	500	750	250	500	750
2	2	99.0	99.5	99.5	98.5	98.4	98.3	98.1	98.8	98.8	99.0	99.6	99.5
2	4	95.2	95.1	95.1	90.8	91.0	91.3	98.2	98.9	98.9	98.6	99.5	99.4
2	8	86.3	85.5	85.4	83.4	90.3	84.6	97.7	98.8	98.7	97.8	99.3	99.2
2	16	81.2	79.7	79.9	80.0	83.4	85.5	96.4	98.5	98.4	97.1	99.2	99.1
2	32	81.2	76.6	76.3	73.7	84.1	82.3	89.3	98.0	97.9	94.9	99.2	99.1
2	64	82.0	73.5	72.2	61.5	80.0	82.2	51.5	96.3	96.4	87.8	98.8	98.6
2	128	84.2	71.1	68.2	61.8	73.3	72.4	10.2	88.1	90.9	71.5	97.5	97.3
2	256	84.8	69.1	64.1	62.7	60.7	60.2	22.8	41.9	47.3	48.2	96.5	96.5
2	512	85.5	68.6	60.5	64.0	70.7	53.8	19.0	35.2	39.4	28.2	94.8	95.1
4	2	92.5	98.9	97.2	91.9	98.1	96.6	90.9	93.3	92.7	92.2	98.2	96.6
4	4	89.6	90.8	90.5	87.3	89.0	89.9	91.6	94.0	93.1	92.6	97.9	96.7
4	8	75.8	74.7	74.3	85.0	86.4	86.5	94.1	95.3	94.9	94.8	98.3	97.5
4	16	67.0	65.0	65.0	83.1	82.5	80.6	95.6	96.5	96.4	96.7	98.0	97.5
4	32	65.5	60.0	59.6	80.0	78.4	81.5	92.3	96.5	96.6	95.7	98.1	97.6
4	64	66.9	54.9	53.7	77.5	78.5	78.0	69.4	94.3	94.5	90.9	97.5	97.2
4	128	70.4	50.4	47.8	56.4	71.6	67.0	18.0	86.0	87.8	70.2	97.1	96.9
4	256	73.3	47.4	42.2	59.0	66.2	60.5	18.6	39.6	48.2	47.8	95.9	96.5
4	512	74.5	46.0	37.7	59.5	55.9	46.2	13.0	23.6	28.0	23.9	92.3	94.7
8	2	96.8	98.1	97.9	96.5	97.4	97.2	83.2	84.2	84.3	96.3	97.0	96.7
8	4	86.8	88.3	87.7	86.3	89.2	87.2	88.9	90.6	89.6	90.4	96.2	95.0
8	8	68.0	67.3	67.1	81.0	82.8	82.5	92.2	93.2	92.7	94.4	97.2	96.4
8	16	55.2	53.4	53.2	76.3	76.6	77.3	93.0	93.9	93.4	95.3	97.1	96.1
8	32	51.7	46.5	46.4	81.7	72.3	76.5	92.4	94.6	94.4	94.6	96.9	96.0
8	64	53.0	40.4	39.7	82.6	71.7	71.8	80.5	92.3	92.4	92.0	95.9	95.5
8	128	57.5	35.2	33.3	56.9	62.5	64.9	29.8	84.3	85.1	76.0	96.0	95.7
8	256	61.3	31.3	27.7	50.9	46.1	53.8	15.1	40.5	49.9	50.8	95.5	95.6
8	512	63.8	29.5	23.2	51.9	56.2	35.9	8.2	20.3	27.3	26.8	92.6	93.8
16	2	—	—	—	—	—	—	—	—	—	—	—	—
16	4	86.5	87.5	87.2	87.8	88.6	88.8	88.5	89.5	89.2	92.2	95.1	94.5
16	8	61.6	61.1	60.8	78.6	77.3	79.5	90.4	91.3	90.5	91.9	95.4	94.5
16	16	45.8	44.9	44.9	73.5	72.1	71.9	92.7	93.8	93.3	94.4	95.9	95.4
16	32	40.0	35.9	36.0	77.1	72.3	71.9	92.5	94.2	94.0	94.2	95.5	95.1
16	64	40.4	29.8	29.3	79.9	69.9	69.3	86.7	92.2	92.3	90.6	95.0	94.6
16	128	44.9	24.3	23.2	59.1	57.5	53.0	45.8	84.7	84.9	79.7	94.6	94.0
16	256	49.9	20.3	18.1	51.6	44.1	41.3	12.8	42.0	50.3	54.4	93.2	92.8
16	512	53.2	18.1	14.3	52.4	43.9	33.9	5.9	19.3	29.8	30.7	88.9	89.4

Table 36: **Weighted RK45, 2,000 anchors per mode.** Overall outcome accuracy (% , mean over 3 runs) at $T = 250, 500, 750$ (sub-columns); best predictor per T in bold.

K	d	k NN			w- k NN			quadratic			polar		
		250	500	750	250	500	750	250	500	750	250	500	750
2	2	96.2	98.4	98.2	95.4	96.8	96.7	95.0	97.8	98.5	96.7	99.4	98.6
2	4	90.7	91.3	91.4	87.2	90.0	86.3	94.7	97.7	98.4	96.2	99.4	98.7
2	8	81.5	81.5	81.7	79.3	78.5	82.5	93.1	96.2	96.9	95.2	99.1	98.6
2	16	78.8	78.2	78.3	79.6	84.8	85.5	91.6	95.5	96.2	94.2	97.8	97.3
2	32	78.7	74.1	73.9	78.1	83.0	72.9	82.6	94.2	94.9	91.5	96.4	96.2
2	64	79.0	70.3	69.3	62.7	78.9	72.4	37.6	62.7	66.8	84.5	93.7	94.4
2	128	81.0	68.3	65.7	53.7	78.1	67.3	29.6	39.4	41.1	72.3	92.6	93.6
2	256	81.9	66.1	61.4	55.2	64.1	54.6	24.4	37.1	38.7	57.0	90.4	91.5
2	512	83.0	65.9	58.5	57.3	72.5	62.5	21.6	35.4	37.1	41.8	85.0	87.6
4	2	91.5	97.6	96.3	90.8	95.7	95.5	89.3	93.0	93.0	91.9	98.1	96.5
4	4	82.5	83.9	83.7	82.7	84.9	86.9	88.1	93.0	92.5	90.3	97.5	96.2
4	8	68.8	68.7	68.7	75.7	81.1	81.6	89.5	93.8	94.0	92.5	97.5	96.5
4	16	62.6	61.5	61.8	74.6	80.8	80.9	88.5	93.0	93.8	90.7	95.0	94.9
4	32	61.5	56.0	55.9	78.9	76.2	77.8	82.9	90.0	91.0	90.0	93.2	93.3
4	64	63.2	51.3	50.4	65.8	74.4	72.3	41.2	71.2	73.8	83.4	91.6	91.6
4	128	66.6	47.2	44.9	50.9	66.5	56.9	20.4	29.5	31.3	69.0	89.8	90.5
4	256	69.0	44.5	39.8	51.1	66.9	54.9	14.8	21.7	21.8	50.1	86.1	88.1
4	512	70.6	43.1	35.8	51.4	61.1	44.8	12.9	14.6	14.1	34.4	78.8	84.6
8	2	94.0	96.7	96.1	93.2	95.7	94.9	80.1	81.6	81.9	94.2	96.7	96.1
8	4	77.7	78.8	78.5	79.6	86.2	85.4	85.4	89.4	89.2	89.2	96.0	94.8
8	8	59.3	59.2	59.1	75.5	77.7	77.6	88.6	91.4	91.4	92.4	96.2	95.6
8	16	49.8	48.6	48.6	74.1	74.9	73.9	86.3	90.4	90.6	90.8	94.2	93.6
8	32	47.8	42.8	42.7	73.8	72.4	72.5	81.7	87.7	88.3	88.7	92.7	91.8
8	64	48.7	36.6	35.9	74.1	62.4	63.3	46.6	70.7	72.4	85.1	90.1	89.7
8	128	52.6	32.1	30.5	56.3	57.5	52.8	15.3	29.8	32.7	67.4	87.0	88.0
8	256	56.0	28.6	25.5	51.1	50.5	43.2	9.5	16.7	16.6	46.4	84.5	87.1
8	512	58.7	26.9	21.6	50.6	48.9	37.2	8.1	8.6	7.7	31.1	77.1	82.7
16	2	—	—	—	—	—	—	—	—	—	—	—	—
16	4	76.4	76.8	76.7	83.5	82.8	83.1	86.4	87.5	87.5	92.6	94.7	94.2
16	8	51.7	51.6	51.4	69.7	73.1	73.0	86.1	88.7	88.6	91.1	94.2	93.5
16	16	39.7	39.0	39.0	70.4	70.2	70.1	86.1	89.6	89.8	90.9	93.4	93.1
16	32	36.0	32.1	32.1	71.0	68.4	67.3	80.3	85.8	86.3	88.7	91.5	91.1
16	64	36.1	26.2	25.9	71.5	62.2	61.4	50.1	69.2	70.5	85.6	89.0	88.7
16	128	39.9	21.4	20.5	52.0	48.1	50.6	12.2	34.2	37.8	69.4	86.8	86.5
16	256	44.1	17.9	16.1	50.3	40.2	33.9	5.7	15.4	16.2	44.5	82.2	84.2
16	512	47.0	16.1	13.0	51.2	42.0	25.4	4.8	6.2	5.5	28.7	72.8	78.3

1.8 Weighted RK45

Table 37: **Weighted RK45, 5,000 anchors per mode.** Overall outcome accuracy (% , mean over 3 runs) at $T = 250, 500, 750$ (sub-columns); best predictor per T in bold.

K	d	k NN			w- k NN			quadratic			polar		
		250	500	750	250	500	750	250	500	750	250	500	750
2	2	96.6	99.1	98.5	95.9	97.2	97.5	95.1	97.9	98.7	96.7	99.4	98.6
2	4	92.1	92.9	93.1	89.8	90.7	88.4	94.7	97.7	98.4	96.2	99.4	98.7
2	8	83.3	83.3	83.4	79.8	83.8	82.5	93.3	96.4	97.0	95.3	99.2	98.7
2	16	79.2	78.7	79.0	76.2	82.2	82.7	91.7	95.7	96.5	94.0	98.7	98.2
2	32	79.8	75.1	75.0	76.3	77.4	81.2	85.0	95.4	96.3	92.2	98.2	97.7
2	64	79.9	71.6	70.7	64.9	77.8	79.2	47.5	91.1	92.5	85.6	96.2	96.5
2	128	82.0	69.3	66.8	57.5	61.2	67.0	30.1	43.7	47.0	71.4	94.6	95.3
2	256	82.9	67.3	62.6	58.8	74.2	51.2	25.5	37.1	39.6	52.7	92.9	93.5
2	512	83.7	67.1	59.4	60.2	57.5	51.0	20.6	34.3	37.3	34.1	89.9	91.7
4	2	91.9	98.5	96.8	91.2	96.9	96.2	89.4	92.9	92.9	91.9	98.1	96.6
4	4	85.3	87.1	86.9	85.2	82.9	89.2	88.1	93.0	92.5	90.4	97.7	96.3
4	8	71.1	71.0	70.9	76.7	82.0	81.8	89.7	94.0	94.2	92.8	97.9	96.7
4	16	64.0	62.8	63.1	73.7	80.5	81.5	88.8	93.4	94.4	91.9	97.3	96.7
4	32	62.6	57.4	57.4	77.2	79.6	80.0	84.9	91.9	93.0	91.3	95.8	96.1
4	64	64.2	52.9	52.1	67.9	76.3	74.7	61.6	87.4	88.9	86.2	94.2	93.8
4	128	67.8	48.7	46.2	51.4	73.3	61.0	23.9	43.5	49.6	68.8	93.5	92.9
4	256	70.4	45.7	40.9	54.2	59.7	52.9	16.8	25.7	27.8	48.1	90.2	91.9
4	512	72.1	44.3	36.6	55.1	63.0	47.1	12.2	17.7	18.6	27.0	85.2	89.3
8	2	94.5	97.5	96.8	93.4	95.9	95.7	79.8	81.4	81.7	94.2	96.6	96.1
8	4	81.3	83.2	82.8	77.1	83.2	82.8	85.3	89.4	89.2	89.3	96.1	95.0
8	8	62.3	62.2	62.1	76.0	77.0	76.7	88.8	91.7	91.7	92.8	96.8	96.1
8	16	51.4	50.2	50.3	72.9	73.8	73.0	86.9	91.0	91.3	91.8	96.0	95.1
8	32	49.1	44.3	44.2	76.8	73.3	73.6	84.3	90.2	90.9	89.9	95.5	94.7
8	64	50.1	38.0	37.4	70.2	68.6	67.5	68.7	84.2	85.3	87.2	93.4	93.4
8	128	54.2	33.4	31.7	50.9	56.9	59.6	21.2	47.9	53.7	69.1	92.4	92.5
8	256	58.1	29.8	26.5	52.8	50.4	44.1	11.3	22.7	26.0	47.6	90.8	91.0
8	512	60.4	27.8	22.3	54.3	47.1	36.8	8.0	12.7	13.0	26.7	84.3	87.9
16	2	—	—	—	—	—	—	—	—	—	—	—	—
16	4	81.0	81.5	81.3	85.5	86.1	84.2	86.6	87.7	87.7	92.6	94.8	94.3
16	8	55.1	55.0	54.8	71.0	72.4	75.0	86.3	88.9	88.8	91.4	94.8	94.0
16	16	41.8	41.1	41.2	71.5	68.4	71.1	86.9	90.4	90.6	91.7	94.8	94.4
16	32	37.3	33.5	33.5	74.0	69.8	69.3	83.5	88.7	89.3	89.9	93.8	93.4
16	64	37.6	27.6	27.2	70.5	61.6	60.0	70.2	82.0	82.9	88.2	92.4	92.2
16	128	41.8	22.5	21.6	55.3	57.1	54.5	20.0	50.1	54.5	72.0	90.8	90.8
16	256	46.4	18.9	16.9	50.9	36.6	33.6	7.4	24.0	29.2	49.3	88.5	88.9
16	512	49.3	16.8	13.5	52.8	43.5	26.4	4.8	10.7	11.8	29.3	79.5	84.1

Table 38: **Weighted RK45, 10,000 anchors per mode.** Overall outcome accuracy (% , mean over 3 runs) at $T = 250, 500, 750$ (sub-columns); best predictor per T in bold.

K	d	k NN			w- k NN			quadratic			polar		
		250	500	750	250	500	750	250	500	750	250	500	750
2	2	96.7	99.4	98.6	96.3	97.8	97.7	95.2	98.0	98.7	96.7	99.4	98.6
2	4	93.1	94.1	94.2	88.8	85.4	90.5	94.6	97.6	98.4	96.2	99.4	98.7
2	8	84.5	84.2	84.4	83.5	81.2	83.2	93.4	96.4	97.0	95.3	99.3	98.7
2	16	79.7	79.3	79.6	77.8	78.8	83.2	91.9	95.7	96.6	94.1	99.0	98.3
2	32	79.8	75.7	75.7	74.3	84.7	67.8	85.5	95.6	96.6	92.0	98.8	98.0
2	64	80.3	72.2	71.5	67.8	77.7	76.5	50.0	94.1	95.2	86.3	97.8	97.7
2	128	82.9	70.0	67.4	59.7	67.5	71.7	22.2	68.7	75.0	70.8	96.3	96.5
2	256	83.6	68.1	63.2	60.7	63.2	53.3	25.6	38.3	41.7	49.8	94.0	94.4
2	512	84.3	67.6	59.8	62.2	59.5	52.8	19.2	34.4	38.2	31.1	92.1	92.6
4	2	92.1	98.8	97.0	91.7	98.0	96.6	89.3	92.9	92.9	91.9	98.1	96.6
4	4	86.9	89.1	88.9	83.9	87.9	87.9	88.3	93.1	92.6	90.4	97.7	96.2
4	8	73.1	72.7	72.6	77.8	84.1	80.2	89.7	94.0	94.3	93.0	98.0	96.8
4	16	65.0	64.1	64.4	72.8	80.8	82.9	88.9	93.6	94.6	92.2	97.7	96.9
4	32	63.4	58.4	58.4	77.1	78.5	80.4	85.6	92.5	93.7	91.0	96.6	96.8
4	64	64.9	53.9	53.2	66.8	76.9	76.0	64.3	90.3	91.9	86.8	95.3	95.3
4	128	68.5	49.7	47.2	53.7	62.3	65.7	24.9	73.5	77.5	69.0	95.8	94.7
4	256	71.6	46.6	41.7	56.5	63.2	61.4	18.3	29.7	34.6	47.3	93.7	92.7
4	512	73.1	45.2	37.3	57.4	51.7	44.4	12.3	20.7	23.1	24.2	88.2	91.9
8	2	94.8	97.9	97.0	94.0	97.2	96.5	80.0	81.5	81.7	94.2	96.6	96.1
8	4	83.5	85.9	85.5	80.9	84.8	86.8	85.3	89.3	89.2	89.3	96.1	95.0
8	8	64.7	64.7	64.5	76.0	75.6	80.0	88.8	91.7	91.7	92.8	97.0	96.3
8	16	52.8	51.6	51.6	72.7	74.1	75.5	87.1	91.3	91.5	92.2	96.5	95.5
8	32	50.0	45.2	45.2	75.9	75.4	75.2	85.1	90.9	91.8	90.1	96.3	95.6
8	64	51.3	39.3	38.6	71.6	71.0	69.9	72.8	87.8	88.9	88.0	94.2	94.3
8	128	55.6	34.4	32.7	53.4	60.3	61.1	29.3	71.9	74.3	71.7	94.5	94.1
8	256	59.3	30.7	27.2	55.2	58.2	44.6	12.7	29.4	37.3	48.9	94.1	93.3
8	512	61.8	28.7	22.8	54.4	50.0	35.6	8.1	16.0	19.1	26.0	88.6	89.8
16	2	—	—	—	—	—	—	—	—	—	—	—	—
16	4	84.0	84.6	84.4	86.2	86.9	86.4	87.0	88.2	88.1	92.7	94.9	94.4
16	8	58.0	57.9	57.7	73.6	76.6	74.4	86.8	89.4	89.2	91.5	95.0	94.2
16	16	43.4	42.8	42.8	69.2	71.5	70.0	87.6	91.1	91.3	92.1	95.4	95.0
16	32	38.3	34.5	34.5	73.3	70.2	70.5	85.1	90.2	90.8	90.1	94.7	94.3
16	64	38.7	28.6	28.2	73.4	65.8	65.4	76.3	86.6	87.5	88.1	92.8	92.9
16	128	43.0	23.4	22.4	61.3	58.8	56.4	33.2	69.8	71.8	74.0	92.1	91.8
16	256	47.8	19.5	17.5	53.3	44.8	42.8	9.7	31.8	40.5	51.4	91.4	90.8
16	512	50.9	17.4	13.9	53.5	47.8	30.4	5.2	15.4	20.7	30.3	84.2	87.2

Table 39: **Weighted RK45, 15,000 anchors per mode.** Overall outcome accuracy (% , mean over 3 runs) at $T = 250, 500, 750$ (sub-columns); best predictor per T in bold.

K	d	k NN			w- k NN			quadratic			polar		
		250	500	750	250	500	750	250	500	750	250	500	750
2	2	96.8	99.5	98.7	96.4	98.1	97.8	95.1	97.9	98.6	96.7	99.4	98.6
2	4	93.6	94.6	94.8	90.1	90.8	92.3	94.6	97.6	98.4	96.2	99.4	98.7
2	8	85.2	84.9	85.0	81.5	84.2	81.3	93.5	96.4	97.0	95.3	99.3	98.7
2	16	80.1	79.5	79.8	69.2	78.9	75.8	92.0	95.8	96.6	94.1	99.1	98.2
2	32	79.8	75.8	75.8	71.6	84.5	84.8	85.6	95.6	96.7	91.8	99.0	98.1
2	64	80.7	72.6	71.8	65.5	83.4	71.3	51.1	94.9	95.9	86.0	98.1	98.0
2	128	83.0	70.4	67.8	60.9	68.3	62.2	11.5	82.7	87.1	70.3	97.0	96.8
2	256	84.0	68.4	63.6	61.8	69.2	71.8	24.6	39.8	44.0	48.4	94.7	94.9
2	512	84.7	68.0	60.0	63.3	60.6	47.0	20.4	35.2	39.1	29.0	93.2	93.2
4	2	92.2	98.9	97.1	92.0	97.9	96.6	89.3	92.9	92.9	91.9	98.1	96.6
4	4	87.7	90.2	89.9	83.2	90.0	90.3	88.4	93.1	92.6	90.4	97.7	96.2
4	8	73.9	73.8	73.7	81.1	82.1	82.7	89.6	94.0	94.2	93.0	98.1	96.9
4	16	65.4	64.6	64.8	75.6	75.9	76.8	88.9	93.7	94.7	92.2	97.8	97.0
4	32	63.8	59.1	59.1	74.5	80.6	77.8	85.9	92.7	93.9	91.0	96.9	97.2
4	64	65.3	54.4	53.6	72.8	76.7	73.2	65.3	91.1	92.9	87.2	95.8	95.7
4	128	68.8	50.0	47.6	55.0	73.3	65.6	19.0	81.7	84.8	68.2	96.6	95.0
4	256	72.0	47.1	42.1	57.7	67.5	52.9	18.2	34.5	41.9	47.4	95.0	92.8
4	512	73.4	45.6	37.6	58.5	62.8	52.1	12.6	22.3	25.9	23.5	91.2	92.0
8	2	94.9	98.0	97.1	94.6	97.5	96.5	80.1	81.6	81.8	94.2	96.6	96.1
8	4	84.6	87.4	86.9	84.6	86.9	88.3	85.3	89.4	89.2	89.3	96.1	94.9
8	8	66.0	65.9	65.8	77.6	79.2	80.6	88.8	91.7	91.7	92.9	97.1	96.3
8	16	53.5	52.3	52.3	73.5	75.6	75.7	87.3	91.4	91.6	92.3	96.8	95.7
8	32	50.4	45.9	45.9	76.2	74.5	74.5	85.4	91.2	92.2	90.0	96.2	95.6
8	64	51.8	39.8	39.2	75.7	69.8	70.5	74.2	89.1	90.2	88.0	94.2	94.5
8	128	56.1	34.8	33.1	54.7	59.1	53.4	29.1	79.2	81.1	70.7	95.0	94.5
8	256	60.1	31.0	27.5	54.2	60.1	49.6	14.0	34.9	44.6	49.0	95.1	94.0
8	512	62.6	29.1	23.1	50.9	56.8	41.8	7.8	18.4	24.0	26.7	90.6	90.2
16	2	—	—	—	—	—	—	—	—	—	—	—	—
16	4	85.4	86.2	86.0	87.1	87.8	86.7	87.7	88.8	88.6	92.7	95.0	94.6
16	8	59.4	59.3	59.2	76.0	76.3	76.5	88.2	90.4	89.9	91.5	95.3	94.5
16	16	44.2	43.6	43.7	68.2	71.7	69.8	89.0	92.4	92.5	92.2	95.7	95.3
16	32	38.8	35.2	35.2	72.7	69.1	70.4	86.7	91.6	92.2	90.7	95.0	94.6
16	64	39.2	29.1	28.8	76.0	67.6	66.6	80.1	89.2	90.0	86.8	93.8	93.9
16	128	43.6	23.8	22.8	52.7	49.6	52.8	40.8	79.5	80.5	76.0	92.5	92.7
16	256	48.6	19.8	17.8	51.8	44.2	37.1	11.4	36.8	46.2	52.6	92.2	91.5
16	512	51.8	17.7	14.1	50.9	47.1	28.5	5.4	17.5	25.8	30.2	87.0	87.8

Table 40: **Weighted RK45, 20,000 anchors per mode.** Overall outcome accuracy (% , mean over 3 runs) at $T = 250, 500, 750$ (sub-columns); best predictor per T in bold.

K	d	k NN			w- k NN			quadratic			polar		
		250	500	750	250	500	750	250	500	750	250	500	750
2	2	96.8	99.5	98.7	96.5	98.4	98.0	95.1	97.9	98.6	96.7	99.4	98.6
2	4	93.9	95.0	95.2	90.6	90.3	90.5	94.7	97.7	98.5	96.2	99.4	98.7
2	8	85.3	85.4	85.5	83.8	86.9	90.3	93.5	96.4	97.0	95.3	99.3	98.7
2	16	80.1	79.6	79.9	75.3	78.4	76.1	92.0	95.8	96.6	94.1	99.1	98.2
2	32	79.9	76.2	76.3	69.0	83.4	84.3	85.7	95.7	96.8	91.8	99.0	98.1
2	64	80.9	72.9	72.1	68.4	83.6	74.0	51.1	95.1	96.2	86.1	98.3	98.0
2	128	83.1	70.6	68.1	61.7	73.0	72.9	10.1	87.8	91.0	70.2	97.4	97.2
2	256	84.1	68.7	63.8	62.5	63.1	55.0	22.4	42.0	47.2	47.7	95.3	95.6
2	512	84.7	68.2	60.3	64.0	53.9	54.2	18.9	35.3	39.5	28.0	93.5	93.2
4	2	92.2	99.0	97.2	92.0	98.1	96.6	89.4	93.0	92.9	91.9	98.1	96.6
4	4	88.1	90.9	90.5	86.4	90.7	90.6	88.4	93.1	92.6	90.4	97.7	96.3
4	8	74.5	74.3	74.2	80.9	83.7	84.2	89.7	94.0	94.2	93.0	98.1	96.9
4	16	65.6	64.9	65.2	78.0	80.7	76.5	89.0	93.7	94.8	92.2	97.9	97.0
4	32	64.2	59.5	59.5	75.4	80.0	79.3	86.1	92.7	94.0	91.1	97.1	97.3
4	64	65.6	54.7	54.0	67.2	72.0	76.7	65.7	91.6	93.5	87.1	96.0	95.9
4	128	69.2	50.3	48.0	55.8	70.2	68.2	17.8	85.1	87.7	68.0	96.7	95.1
4	256	72.2	47.4	42.5	58.4	62.5	56.0	18.3	39.5	48.2	47.7	95.2	92.7
4	512	73.9	46.1	38.0	59.3	55.5	45.8	13.1	23.6	28.2	23.6	91.8	91.8
8	2	95.0	98.0	97.2	94.6	97.4	96.7	80.8	82.5	82.7	94.2	96.8	96.2
8	4	85.3	88.4	87.9	80.8	89.3	88.1	86.0	89.8	89.5	89.4	96.1	95.0
8	8	66.8	66.7	66.6	78.9	79.4	79.7	89.3	92.1	92.1	92.9	97.1	96.4
8	16	54.0	52.8	52.8	73.1	75.6	75.7	87.8	91.9	92.0	92.4	96.9	95.8
8	32	50.8	46.3	46.3	76.6	74.2	75.1	85.9	91.7	92.6	90.0	96.3	95.7
8	64	52.1	40.2	39.6	74.6	72.4	71.5	75.7	90.0	91.2	87.9	94.0	94.4
8	128	56.5	35.1	33.4	55.5	64.1	61.1	29.2	83.2	84.9	72.5	95.0	94.7
8	256	60.4	31.4	27.9	52.7	49.1	48.6	14.9	40.3	49.8	50.5	95.1	94.0
8	512	62.9	29.3	23.3	54.1	57.4	40.4	8.3	20.1	27.3	26.7	91.8	90.3
16	2	—	—	—	—	—	—	—	—	—	—	—	—
16	4	86.4	87.2	87.0	86.8	88.1	86.2	87.7	88.7	88.5	92.8	95.2	94.7
16	8	60.5	60.3	60.2	75.9	76.4	76.4	88.9	90.9	90.2	91.5	95.4	94.6
16	16	44.8	44.3	44.3	71.1	70.2	71.4	89.8	93.3	93.2	92.3	95.8	95.4
16	32	39.2	35.6	35.6	73.2	69.9	70.0	87.6	92.5	93.1	91.1	95.1	94.6
16	64	39.6	29.4	29.1	74.4	68.3	67.7	81.8	90.4	91.3	86.5	94.3	94.3
16	128	44.1	24.1	23.1	57.2	57.6	53.3	44.6	83.7	84.6	78.0	92.7	92.9
16	256	49.1	20.2	18.1	50.3	44.8	35.3	12.7	41.8	50.4	53.2	93.2	92.2
16	512	52.4	17.9	14.2	51.8	44.8	33.9	5.8	19.3	29.7	30.1	88.4	88.8

Table 41: **Unweighted DPM-Solver++(2M), 2,000 anchors per mode.** Overall outcome accuracy (% , mean over 3 runs) at $T = 250, 500, 750$ (sub-columns); best predictor per T in bold.

K	d	k NN			w- k NN			quadratic			polar		
		250	500	750	250	500	750	250	500	750	250	500	750
2	2	98.0	98.4	98.4	95.9	96.0	97.2	98.2	98.8	98.8	99.0	99.5	99.6
2	4	91.6	91.5	91.4	88.8	89.3	90.0	97.9	98.7	98.7	98.6	99.5	99.4
2	8	82.4	81.7	81.6	83.8	84.8	86.9	97.1	98.4	98.4	97.7	99.2	99.1
2	16	80.0	78.6	78.5	83.4	74.3	66.2	95.2	97.5	97.5	95.7	97.7	97.6
2	32	79.8	74.5	73.9	75.9	73.7	72.4	84.6	95.2	95.4	92.7	96.2	96.3
2	64	80.3	71.0	69.5	62.9	79.7	77.2	37.8	60.6	67.2	85.9	94.0	94.5
2	128	82.0	68.6	65.5	53.8	70.4	72.7	29.8	39.5	41.0	73.5	92.9	93.6
2	256	82.4	66.3	61.4	55.2	72.2	67.2	26.0	37.3	38.7	57.3	91.2	92.0
2	512	83.2	65.9	58.4	57.2	67.9	61.9	21.8	35.5	37.3	42.5	85.7	88.4
4	2	91.7	97.5	96.2	90.6	96.0	94.5	90.8	93.3	92.7	92.1	98.1	96.6
4	4	83.8	83.9	83.6	80.9	87.3	86.7	91.5	93.9	93.1	92.5	97.7	96.6
4	8	70.2	69.2	69.0	82.0	82.6	81.2	93.5	95.1	94.7	94.4	97.5	97.0
4	16	64.1	61.9	61.8	83.0	81.4	82.0	94.1	95.3	95.2	94.7	95.3	95.1
4	32	62.8	56.5	56.1	80.1	71.5	66.9	87.0	92.3	92.4	92.0	93.3	93.0
4	64	64.1	51.4	50.2	68.8	75.4	73.4	41.8	70.9	74.0	86.8	91.3	91.8
4	128	67.3	47.1	44.3	51.5	67.1	61.1	20.6	29.5	31.0	70.8	90.7	91.1
4	256	69.6	44.2	39.5	51.5	66.0	57.7	15.5	21.8	21.7	51.4	87.5	89.0
4	512	70.7	42.9	35.4	51.5	61.4	40.2	13.1	14.8	14.3	35.0	80.0	85.1
8	2	95.7	96.7	96.5	94.5	95.2	93.5	82.7	83.5	83.6	96.2	96.9	96.6
8	4	79.2	79.2	78.6	84.7	85.0	84.4	88.3	90.2	89.4	90.3	96.0	94.8
8	8	60.8	60.1	59.9	77.5	78.8	76.1	91.5	92.6	92.2	93.8	96.3	95.6
8	16	51.1	49.3	49.2	78.4	75.9	76.6	91.2	92.3	91.9	93.3	94.3	93.7
8	32	48.6	42.9	42.6	78.7	73.5	73.5	86.0	89.4	89.3	91.6	92.5	91.8
8	64	49.5	36.8	36.0	78.6	67.9	66.2	47.7	70.9	72.5	87.5	89.9	89.6
8	128	53.4	32.1	30.2	59.6	54.1	58.2	15.5	30.0	33.0	71.1	88.0	88.7
8	256	56.7	28.5	25.3	50.5	47.9	43.0	9.9	16.9	16.7	47.7	86.1	87.3
8	512	58.9	26.8	21.5	51.1	50.9	34.1	8.4	9.0	7.9	31.7	77.6	82.8
16	2	—	—	—	—	—	—	—	—	—	—	—	—
16	4	77.1	77.4	77.2	82.7	84.8	79.0	87.5	88.9	88.8	92.1	94.7	94.1
16	8	52.8	52.3	52.1	73.1	76.3	75.1	88.1	89.6	89.3	91.4	94.1	93.4
16	16	40.7	39.5	39.5	74.5	72.4	72.1	89.3	90.6	90.4	92.7	93.3	92.9
16	32	36.6	32.4	32.3	76.9	70.1	69.8	83.5	87.0	87.1	91.1	91.5	91.1
16	64	36.8	26.5	26.1	75.4	63.2	61.5	51.1	69.4	70.6	87.0	88.8	88.4
16	128	40.6	21.6	20.5	53.5	49.0	45.1	12.4	34.6	37.9	72.3	86.6	86.2
16	256	44.8	18.0	16.1	51.6	43.7	35.7	6.0	15.7	16.4	45.3	81.5	83.9
16	512	47.5	16.1	13.0	52.0	41.7	26.1	5.0	6.4	5.7	29.3	73.7	79.3

1.9 Unweighted DPM-Solver++(2M)

Table 42: **Unweighted DPM-Solver++(2M), 5,000 anchors per mode.** Overall outcome accuracy (% , mean over 3 runs) at $T = 250, 500, 750$ (sub-columns); best predictor per T in bold.

K	d	k NN			w- k NN			quadratic			polar		
		250	500	750	250	500	750	250	500	750	250	500	750
2	2	98.6	99.0	99.0	96.9	97.5	97.6	98.1	98.7	98.8	99.0	99.5	99.6
2	4	93.1	93.0	93.0	84.0	92.5	92.3	98.1	98.8	98.8	98.6	99.5	99.4
2	8	84.0	83.2	83.2	83.7	79.3	85.0	97.5	98.6	98.6	97.8	99.3	99.2
2	16	80.3	79.0	79.0	76.2	85.8	85.6	95.9	98.0	98.0	97.0	98.8	98.7
2	32	80.4	75.7	75.1	77.6	75.8	71.5	87.7	96.8	96.8	94.0	98.1	98.1
2	64	81.1	72.1	70.7	65.1	76.8	78.1	48.1	91.7	92.5	86.8	96.6	96.6
2	128	82.9	69.5	66.5	57.5	65.7	55.3	30.3	43.7	47.0	72.6	94.8	95.1
2	256	83.4	67.5	62.4	58.7	74.4	50.7	25.7	37.3	39.4	52.8	93.7	94.2
2	512	84.0	67.0	59.2	60.1	67.4	50.7	20.8	34.6	37.7	34.8	90.4	92.2
4	2	92.1	98.4	96.8	91.3	97.3	95.8	90.9	93.2	92.6	92.1	98.2	96.6
4	4	86.5	87.0	86.7	84.3	87.6	88.4	91.4	93.9	93.1	92.6	97.8	96.6
4	8	72.5	71.5	71.1	81.8	81.2	84.9	93.9	95.2	94.8	94.7	98.0	97.3
4	16	65.3	63.0	63.0	79.8	83.3	82.8	95.1	96.1	96.0	96.5	97.3	97.0
4	32	64.0	58.1	57.7	81.7	81.7	80.9	90.4	94.8	94.8	94.8	96.7	96.2
4	64	65.4	52.8	51.8	68.4	77.3	75.1	63.9	88.8	89.3	89.1	95.0	94.3
4	128	68.5	48.6	45.8	51.9	70.8	66.7	24.1	43.7	50.1	70.5	93.5	94.0
4	256	71.2	45.7	40.6	54.6	66.8	53.4	16.9	25.8	27.7	48.5	91.0	92.0
4	512	72.1	44.1	36.2	55.3	63.3	49.7	12.5	17.9	18.7	27.7	86.4	89.5
8	2	96.3	97.5	97.3	95.5	95.8	96.0	82.3	83.2	83.4	96.2	96.9	96.6
8	4	82.8	83.4	82.8	85.7	87.2	85.9	88.2	90.3	89.5	90.3	96.2	95.0
8	8	63.5	62.9	62.8	79.4	78.4	76.6	91.8	92.9	92.5	94.2	96.8	96.2
8	16	52.6	50.8	50.7	78.0	75.9	76.5	92.2	93.2	92.8	94.7	96.0	95.2
8	32	50.0	44.5	44.1	81.8	74.4	71.8	89.9	92.5	92.3	93.9	95.6	94.8
8	64	50.9	38.3	37.5	74.6	69.4	68.3	71.4	85.3	85.7	90.3	94.0	93.5
8	128	55.1	33.4	31.5	52.0	62.1	58.7	21.5	48.2	53.6	73.2	92.8	92.9
8	256	58.7	29.7	26.3	53.6	52.0	44.1	11.4	22.8	26.2	48.6	91.2	91.3
8	512	60.8	27.7	22.1	54.8	51.6	36.6	8.3	13.0	13.2	27.3	84.6	87.9
16	2	—	—	—	—	—	—	—	—	—	—	—	—
16	4	81.3	81.8	81.6	85.1	87.0	85.4	87.5	88.9	88.9	92.1	94.7	94.2
16	8	56.2	55.7	55.4	75.0	75.1	75.8	88.3	89.8	89.5	91.8	94.8	93.9
16	16	42.7	41.6	41.6	75.1	73.4	71.5	90.1	91.4	91.2	93.8	94.7	94.2
16	32	38.0	33.9	33.8	78.1	72.0	71.1	87.6	90.3	90.3	93.2	93.9	93.5
16	64	38.2	27.9	27.4	77.0	66.2	64.8	72.8	82.9	83.3	90.5	92.7	92.0
16	128	42.5	22.7	21.6	65.1	58.2	52.7	20.3	50.4	54.7	74.9	91.3	90.9
16	256	46.9	19.0	16.9	51.9	42.4	32.6	7.5	24.2	29.3	50.8	87.8	89.2
16	512	49.8	16.9	13.5	53.6	43.9	26.5	5.0	11.0	12.0	30.2	80.0	84.4

Table 43: **Unweighted DPM-Solver++(2M), 10,000 anchors per mode.** Overall outcome accuracy (% , mean over 3 runs) at $T = 250, 500, 750$ (sub-columns); best predictor per T in bold.

K	d	k NN			w- k NN			quadratic			polar		
		250	500	750	250	500	750	250	500	750	250	500	750
2	2	98.8	99.3	99.3	97.8	97.4	98.2	98.1	98.7	98.8	99.0	99.6	99.6
2	4	94.2	94.2	94.1	85.7	91.5	92.5	98.2	98.9	98.9	98.6	99.5	99.4
2	8	85.4	84.4	84.4	83.0	90.1	77.7	97.6	98.7	98.6	97.8	99.3	99.2
2	16	80.9	79.7	79.7	80.8	82.8	82.5	96.1	98.2	98.1	97.1	99.1	99.0
2	32	80.7	76.1	75.5	75.2	79.7	85.3	88.8	97.4	97.5	94.7	98.9	98.8
2	64	81.3	72.7	71.5	68.1	78.4	74.6	50.7	94.7	95.3	87.3	97.9	97.9
2	128	83.7	70.3	67.3	59.8	65.9	76.3	22.4	69.0	74.7	72.0	96.2	96.2
2	256	84.1	68.4	63.1	60.7	61.6	70.8	25.2	38.1	41.5	50.5	95.0	95.1
2	512	84.5	67.8	59.7	62.1	69.1	52.4	19.5	34.8	38.6	31.8	92.7	93.7
4	2	92.3	98.7	97.0	91.8	97.7	96.1	90.9	93.3	92.8	92.1	98.2	96.6
4	4	88.3	89.1	88.7	88.0	88.9	84.9	91.6	94.0	93.1	92.6	97.8	96.7
4	8	74.3	73.2	72.9	82.0	84.4	85.9	94.0	95.3	94.8	94.8	98.1	97.4
4	16	66.3	64.2	64.1	80.3	81.4	83.3	95.4	96.4	96.2	96.8	97.7	97.3
4	32	64.6	59.0	58.6	81.6	80.1	79.9	91.7	95.9	95.9	95.5	97.7	97.3
4	64	66.0	53.8	52.8	69.9	76.7	71.8	67.5	92.3	92.6	90.4	96.7	96.5
4	128	69.7	49.6	46.9	54.3	65.4	62.8	25.4	74.1	77.3	71.4	95.8	95.8
4	256	72.1	46.6	41.3	56.9	62.1	60.7	18.1	29.8	34.5	47.9	93.6	94.3
4	512	73.1	45.1	37.0	57.5	51.2	40.3	12.4	20.9	23.1	25.0	88.8	92.1
8	2	96.6	97.9	97.7	95.9	96.9	96.9	82.5	83.3	83.5	96.2	96.9	96.6
8	4	85.0	86.0	85.4	86.4	88.6	84.7	88.3	90.3	89.5	90.4	96.2	95.0
8	8	65.8	65.2	64.9	80.7	80.2	74.0	91.8	92.9	92.5	94.3	97.0	96.3
8	16	53.9	52.2	52.0	76.1	76.8	77.8	92.5	93.5	93.0	95.1	96.6	95.7
8	32	50.7	45.4	45.5	80.8	76.9	76.6	91.2	93.7	93.5	94.6	96.4	95.7
8	64	52.1	39.3	38.7	78.9	69.3	69.3	76.5	89.6	89.7	91.7	95.3	94.7
8	128	56.4	34.4	32.6	54.6	65.7	56.7	30.0	72.4	74.3	75.4	95.1	94.8
8	256	59.9	30.6	27.1	53.7	55.3	47.3	12.9	29.6	37.5	50.3	93.9	94.1
8	512	62.1	28.5	22.6	54.8	50.0	34.0	8.3	16.3	19.3	26.6	88.8	91.6
16	2	—	—	—	—	—	—	—	—	—	—	—	—
16	4	84.2	84.9	84.6	87.0	87.6	85.1	87.9	89.4	89.3	92.2	94.8	94.2
16	8	59.1	58.5	58.3	76.6	78.0	78.0	88.8	90.2	89.7	91.9	95.1	94.2
16	16	44.4	43.4	43.3	71.5	69.8	73.5	90.9	92.1	91.8	94.2	95.3	94.8
16	32	39.0	34.9	35.0	78.4	72.6	72.1	89.8	92.0	92.0	93.7	94.8	94.4
16	64	39.4	28.7	28.4	80.3	68.1	67.2	80.1	88.0	88.2	91.6	93.9	93.2
16	128	43.8	23.6	22.4	63.7	60.1	53.7	33.8	70.3	71.9	76.8	92.8	92.4
16	256	48.4	19.6	17.5	54.4	38.4	38.8	9.8	32.0	40.6	53.0	91.6	91.1
16	512	51.4	17.4	13.9	54.3	48.2	30.6	5.4	15.7	20.9	31.4	84.3	87.2

Table 44: **Unweighted DPM-Solver++(2M), 15,000 anchors per mode.** Overall outcome accuracy (% , mean over 3 runs) at $T = 250, 500, 750$ (sub-columns); best predictor per T in bold.

K	d	k NN			w- k NN			quadratic			polar		
		250	500	750	250	500	750	250	500	750	250	500	750
2	2	98.9	99.4	99.4	97.9	97.9	98.3	98.1	98.8	98.8	99.0	99.6	99.5
2	4	94.8	94.8	94.8	91.4	91.2	88.9	98.2	98.9	98.9	98.6	99.5	99.4
2	8	85.9	85.4	85.3	82.5	89.9	87.4	97.7	98.7	98.6	97.8	99.3	99.2
2	16	81.1	79.8	79.8	69.9	79.6	86.2	96.2	98.3	98.3	97.2	99.1	99.0
2	32	80.7	76.3	76.0	72.4	86.7	85.1	89.3	97.7	97.7	94.9	99.1	98.9
2	64	81.8	73.2	71.9	65.7	74.6	66.9	51.9	95.6	96.0	87.8	98.5	98.3
2	128	83.8	70.6	67.8	60.9	68.4	71.9	11.8	82.8	87.0	71.4	96.6	96.7
2	256	84.3	68.6	63.5	61.8	62.4	59.6	25.0	40.0	43.8	49.4	95.8	95.6
2	512	84.9	68.1	60.1	63.2	65.7	53.2	20.7	35.0	39.1	29.6	93.6	94.2
4	2	92.4	98.8	97.1	92.0	98.0	96.3	90.8	93.3	92.8	92.1	98.2	96.6
4	4	89.1	90.1	89.8	88.2	89.6	87.0	91.6	94.0	93.1	92.6	97.8	96.7
4	8	75.1	74.1	73.8	85.0	80.4	86.3	94.1	95.3	94.8	94.8	98.2	97.5
4	16	66.7	64.6	64.5	82.5	81.7	82.0	95.6	96.5	96.3	96.9	97.8	97.4
4	32	65.0	59.5	59.2	82.2	80.4	80.5	92.2	96.2	96.3	95.7	97.9	97.5
4	64	66.5	54.4	53.3	76.9	77.8	71.6	68.9	93.5	93.8	90.8	97.0	97.0
4	128	69.9	50.0	47.4	55.6	73.8	63.5	19.5	82.4	84.8	70.7	96.6	96.5
4	256	72.8	47.0	41.7	58.1	60.3	47.6	18.6	34.6	41.8	48.2	94.8	95.5
4	512	73.7	45.4	37.2	58.7	65.9	47.0	12.8	22.4	25.9	24.3	91.4	93.2
8	2	96.7	98.0	97.8	96.3	97.4	97.1	82.6	83.4	83.6	96.2	96.9	96.6
8	4	86.1	87.4	86.7	87.0	88.4	87.6	88.4	90.3	89.5	90.4	96.2	95.0
8	8	67.1	66.5	66.3	81.2	80.9	82.2	91.9	93.0	92.6	94.4	97.1	96.4
8	16	54.6	52.8	52.7	77.8	77.3	77.1	92.6	93.6	93.1	95.2	96.8	95.9
8	32	51.4	46.0	45.9	82.3	77.0	76.3	91.7	94.1	93.9	94.6	96.7	95.8
8	64	52.6	40.0	39.2	79.7	72.5	69.8	78.5	91.1	91.2	91.8	95.7	95.2
8	128	56.9	34.8	33.1	56.1	62.7	63.7	29.9	80.0	81.1	75.0	95.7	95.3
8	256	60.7	31.0	27.3	55.0	60.8	48.9	14.4	35.1	44.7	50.4	95.1	95.2
8	512	62.9	29.0	22.9	51.2	55.0	35.5	8.0	18.7	24.2	27.2	90.8	92.7
16	2	—	—	—	—	—	—	—	—	—	—	—	—
16	4	85.6	86.4	86.2	87.6	87.2	87.4	88.6	89.8	89.5	92.2	95.0	94.4
16	8	60.6	60.0	59.8	78.5	79.5	79.1	89.9	91.0	90.2	91.9	95.3	94.4
16	16	45.3	44.3	44.2	71.6	71.6	73.2	92.1	93.1	92.7	94.3	95.6	95.2
16	32	39.7	35.6	35.5	77.4	71.0	72.0	91.6	93.3	93.2	93.9	95.0	94.7
16	64	40.0	29.3	29.0	81.3	69.4	68.6	84.7	90.8	90.8	90.9	94.5	94.1
16	128	44.4	24.0	22.9	54.1	57.2	57.7	41.9	80.2	80.8	78.6	94.0	93.0
16	256	49.2	19.9	17.8	51.4	48.2	37.3	11.6	36.9	46.2	54.3	92.4	91.8
16	512	52.3	17.8	14.1	51.5	51.6	27.8	5.6	17.8	25.9	31.1	87.1	88.4

Table 45: **Unweighted DPM-Solver++(2M), 20,000 anchors per mode.** Overall outcome accuracy (% , mean over 3 runs) at $T = 250, 500, 750$ (sub-columns); best predictor per T in bold.

K	d	k NN			w- k NN			quadratic			polar		
		250	500	750	250	500	750	250	500	750	250	500	750
2	2	99.0	99.5	99.5	98.5	98.3	98.3	98.1	98.8	98.8	99.0	99.6	99.5
2	4	95.1	95.1	95.0	90.8	91.0	91.3	98.2	98.9	98.9	98.6	99.5	99.4
2	8	86.3	85.4	85.4	83.4	90.3	84.5	97.7	98.7	98.6	97.8	99.3	99.2
2	16	81.2	79.8	79.8	80.0	83.4	85.4	96.4	98.4	98.3	97.2	99.1	99.0
2	32	80.9	76.5	76.3	77.6	84.0	79.9	89.5	97.9	97.8	95.0	99.1	99.0
2	64	82.0	73.3	72.1	68.8	84.1	82.1	52.0	96.1	96.3	87.8	98.7	98.4
2	128	84.0	70.9	68.1	61.8	73.2	72.4	10.4	88.0	90.6	71.7	97.3	97.1
2	256	84.7	68.8	63.7	62.5	63.1	54.5	23.2	42.3	47.1	49.0	96.2	96.2
2	512	85.0	68.2	60.2	63.8	70.4	66.5	19.3	35.3	39.8	28.8	94.4	94.8
4	2	92.5	98.9	97.2	91.9	98.1	96.6	90.9	93.3	92.7	92.2	98.2	96.6
4	4	89.7	90.8	90.4	87.3	88.9	89.9	91.7	94.0	93.1	92.6	97.9	96.7
4	8	75.7	74.7	74.3	84.9	86.3	86.4	94.1	95.3	94.8	94.8	98.2	97.5
4	16	67.0	65.0	64.9	83.0	82.4	80.5	95.7	96.5	96.3	96.9	97.9	97.5
4	32	65.3	59.9	59.7	80.8	78.4	81.6	92.5	96.4	96.5	95.8	98.0	97.5
4	64	66.9	54.7	53.6	70.4	76.4	77.9	69.5	94.2	94.3	90.7	97.4	97.1
4	128	70.3	50.3	47.7	56.5	71.4	56.8	18.2	85.9	87.6	70.4	96.9	96.7
4	256	73.1	47.3	42.1	58.9	57.5	62.4	18.8	39.7	48.2	48.2	95.7	95.8
4	512	74.1	45.8	37.5	59.5	55.9	46.2	13.2	23.7	28.1	24.4	91.9	94.2
8	2	96.7	98.1	97.8	96.4	97.4	97.2	83.2	84.2	84.3	96.3	97.0	96.7
8	4	86.8	88.4	87.6	86.3	89.2	87.2	88.9	90.6	89.6	90.4	96.2	95.0
8	8	68.0	67.3	67.1	81.0	82.7	82.5	92.2	93.2	92.8	94.4	97.2	96.4
8	16	55.1	53.3	53.2	76.2	76.6	77.3	93.0	93.9	93.3	95.2	97.0	96.0
8	32	51.7	46.5	46.2	81.5	72.3	75.6	92.5	94.6	94.3	94.8	96.8	95.9
8	64	53.0	40.4	39.7	80.6	74.7	71.7	80.6	92.3	92.3	92.0	95.9	95.3
8	128	57.4	35.2	33.4	57.0	62.4	60.0	30.0	84.3	84.9	76.2	95.8	95.8
8	256	61.1	31.3	27.6	50.9	60.5	48.5	15.0	40.4	49.8	52.6	95.5	95.1
8	512	63.3	29.3	23.1	54.5	57.8	36.0	8.5	20.3	27.5	27.3	92.0	93.4
16	2	—	—	—	—	—	—	—	—	—	—	—	—
16	4	86.5	87.5	87.1	87.8	88.6	88.8	88.5	89.5	89.2	92.2	95.1	94.5
16	8	61.6	61.0	60.8	78.6	77.3	79.5	90.4	91.3	90.5	91.9	95.4	94.5
16	16	45.8	44.9	44.8	73.5	72.1	71.9	92.7	93.7	93.3	94.4	95.8	95.3
16	32	40.0	36.0	35.9	77.8	72.3	71.3	92.5	94.1	93.9	94.2	95.3	94.9
16	64	40.4	29.7	29.3	81.5	69.6	69.2	86.9	92.2	92.2	90.8	94.8	94.5
16	128	44.9	24.3	23.2	59.1	57.5	55.9	45.9	84.6	84.9	79.9	94.5	94.0
16	256	49.8	20.2	18.1	51.2	45.1	42.6	12.9	41.9	50.4	54.6	93.0	92.5
16	512	52.9	18.0	14.3	52.5	45.4	33.8	6.0	19.5	29.9	31.0	88.8	89.3

Table 46: **Weighted DPM-Solver++(2M), 2,000 anchors per mode.** Overall outcome accuracy (% , mean over 3 runs) at $T = 250, 500, 750$ (sub-columns); best predictor per T in bold.

K	d	k NN			w- k NN			quadratic			polar		
		250	500	750	250	500	750	250	500	750	250	500	750
2	2	96.2	98.4	98.2	95.4	96.8	96.6	95.0	97.8	98.5	96.7	99.4	98.6
2	4	90.7	91.2	91.3	87.2	90.0	86.3	94.7	97.7	98.3	96.2	99.4	98.7
2	8	81.5	81.5	81.6	79.3	78.5	82.5	93.2	96.2	96.8	95.2	99.1	98.6
2	16	78.7	78.1	78.3	79.5	84.7	85.5	91.7	95.4	96.1	94.2	97.8	97.2
2	32	78.6	74.0	73.9	78.1	82.9	72.9	82.7	94.1	94.9	91.6	96.3	96.1
2	64	78.9	70.2	69.2	62.7	78.8	72.3	37.7	61.9	66.0	84.6	93.8	94.4
2	128	81.2	68.1	65.3	53.7	78.0	67.2	30.6	39.7	41.1	72.9	92.4	93.1
2	256	81.5	66.1	61.5	55.2	61.0	54.4	24.6	37.1	38.4	57.4	90.0	91.2
2	512	82.5	65.5	58.1	57.2	60.1	62.2	21.8	35.5	37.0	42.4	86.2	87.2
4	2	91.5	97.6	96.3	90.8	95.7	95.5	89.3	93.0	93.0	91.9	98.1	96.5
4	4	82.5	83.9	83.7	82.7	84.9	86.9	88.1	93.0	92.5	90.3	97.5	96.1
4	8	68.8	68.7	68.7	75.7	81.1	81.5	89.5	93.8	94.0	92.5	97.4	96.5
4	16	62.6	61.5	61.8	74.6	80.8	80.9	88.5	92.9	93.8	90.7	95.0	94.9
4	32	61.5	56.0	55.9	78.9	76.2	77.7	82.9	89.9	90.9	90.1	93.1	93.2
4	64	63.1	51.2	50.4	65.8	74.3	72.2	41.2	70.9	73.5	83.5	91.4	91.5
4	128	66.2	47.0	44.7	50.9	66.4	56.8	20.5	29.4	31.1	69.2	89.9	90.9
4	256	68.8	44.4	39.8	51.2	56.5	52.9	14.9	21.6	21.5	50.4	85.5	87.8
4	512	70.2	42.9	35.6	51.5	60.9	44.7	13.2	14.9	14.4	34.9	78.6	84.2
8	2	93.9	96.7	96.1	93.1	95.7	94.9	80.1	81.6	81.9	94.2	96.6	96.1
8	4	77.7	78.8	78.5	79.6	86.1	85.4	85.4	89.4	89.2	89.2	96.0	94.8
8	8	59.3	59.1	59.1	75.5	77.6	77.5	88.6	91.4	91.4	92.4	96.2	95.5
8	16	49.8	48.5	48.6	74.0	74.9	73.9	86.3	90.3	90.6	90.8	94.2	93.5
8	32	47.8	42.8	42.7	73.7	72.3	72.4	81.7	87.7	88.3	88.7	92.6	91.7
8	64	48.7	36.6	35.9	74.0	62.4	63.3	46.7	70.3	72.0	85.2	89.9	89.5
8	128	52.5	32.0	30.3	56.3	57.4	52.8	15.4	29.8	32.8	68.4	87.8	88.5
8	256	55.9	28.5	25.3	51.1	50.1	40.6	9.7	16.9	16.8	46.7	83.6	86.7
8	512	58.4	26.8	21.4	50.7	48.8	30.1	8.4	9.0	7.8	31.6	76.8	82.1
16	2	—	—	—	—	—	—	—	—	—	—	—	—
16	4	76.4	76.8	76.7	83.5	82.8	83.0	86.4	87.5	87.5	92.6	94.7	94.2
16	8	51.7	51.6	51.4	69.7	73.0	73.0	86.1	88.7	88.6	91.0	94.2	93.5
16	16	39.7	38.9	39.0	70.4	70.1	70.1	86.1	89.6	89.8	90.8	93.4	93.0
16	32	36.0	32.1	32.0	70.9	68.4	67.2	80.3	85.8	86.3	88.8	91.4	91.0
16	64	36.1	26.2	25.9	71.4	62.1	61.3	50.1	68.9	70.2	85.7	88.8	88.5
16	128	39.7	21.3	20.4	52.0	48.1	50.5	12.3	34.2	37.7	69.4	85.9	86.0
16	256	44.0	17.9	16.1	50.4	44.0	34.1	5.9	15.6	16.2	44.8	81.3	83.3
16	512	47.0	16.0	12.9	51.4	41.9	24.0	5.0	6.5	5.9	28.8	72.7	78.5

1.10 Weighted DPM-Solver++(2M)

Table 47: **Weighted DPM-Solver++(2M), 5,000 anchors per mode.** Overall outcome accuracy (% , mean over 3 runs) at $T = 250, 500, 750$ (sub-columns); best predictor per T in bold.

K	d	k NN			w- k NN			quadratic			polar		
		250	500	750	250	500	750	250	500	750	250	500	750
2	2	96.6	99.0	98.5	95.9	97.2	97.5	95.1	97.9	98.6	96.7	99.4	98.6
2	4	92.1	92.9	93.0	89.8	90.6	88.4	94.7	97.6	98.4	96.2	99.4	98.7
2	8	83.3	83.2	83.3	79.7	83.8	82.5	93.4	96.3	96.9	95.4	99.2	98.6
2	16	79.2	78.6	78.9	76.2	82.1	82.7	91.8	95.6	96.4	94.2	98.7	98.1
2	32	79.3	75.0	75.2	76.2	77.4	81.1	84.9	95.3	96.2	92.4	98.1	97.6
2	64	79.8	71.5	70.5	64.9	77.7	79.1	47.7	91.3	92.6	85.7	96.6	96.5
2	128	81.9	69.1	66.4	57.6	63.8	64.3	30.9	44.1	47.1	71.3	94.7	95.2
2	256	82.6	66.9	62.3	58.8	61.1	63.4	25.7	37.3	39.7	53.1	92.5	93.0
2	512	83.2	66.7	59.0	60.1	64.6	51.0	20.9	34.8	37.3	34.7	89.8	91.2
4	2	91.9	98.5	96.8	91.2	97.1	96.1	89.4	92.9	92.9	91.9	98.1	96.5
4	4	85.3	87.0	86.9	85.2	82.9	89.1	88.2	93.0	92.5	90.4	97.7	96.2
4	8	71.1	71.0	70.9	76.6	82.0	81.8	89.7	94.0	94.2	92.8	97.9	96.7
4	16	63.9	62.8	63.0	73.7	80.5	81.5	88.8	93.4	94.3	91.9	97.3	96.6
4	32	62.5	57.3	57.5	77.1	79.6	80.0	85.2	91.8	92.8	90.8	95.7	96.3
4	64	64.1	52.8	52.0	67.9	76.2	74.6	61.7	87.2	88.7	86.3	93.7	93.8
4	128	67.5	48.4	46.1	51.4	61.3	67.1	24.2	44.2	50.0	69.6	93.5	93.0
4	256	70.2	45.6	40.8	54.2	55.7	50.2	16.9	25.7	27.9	48.4	90.9	91.8
4	512	71.7	44.1	36.4	55.1	62.8	47.0	12.6	18.0	18.8	27.6	84.9	88.8
8	2	94.5	97.5	96.8	93.4	95.8	95.7	79.8	81.4	81.7	94.1	96.6	96.1
8	4	81.3	83.1	82.8	77.1	83.2	82.8	85.3	89.4	89.2	89.3	96.1	94.9
8	8	62.3	62.2	62.1	76.0	77.0	76.7	88.8	91.7	91.7	92.7	96.8	96.1
8	16	51.4	50.2	50.2	72.9	73.8	73.0	86.9	91.0	91.2	91.8	95.9	95.0
8	32	49.1	44.3	44.3	76.7	73.3	73.6	84.3	90.1	90.9	89.9	95.4	94.6
8	64	50.0	38.1	37.5	70.2	68.6	67.5	68.7	84.0	85.1	87.3	93.6	93.3
8	128	54.2	33.3	31.6	50.9	61.1	56.5	21.4	48.0	53.6	70.1	92.5	92.4
8	256	57.9	29.6	26.3	52.8	55.1	50.0	11.4	22.7	26.1	47.9	90.5	91.1
8	512	60.1	27.7	22.0	54.3	47.1	36.6	8.3	13.0	13.2	27.2	84.0	87.9
16	2	—	—	—	—	—	—	—	—	—	—	—	—
16	4	81.0	81.5	81.3	85.5	86.1	84.2	86.6	87.7	87.7	92.6	94.8	94.3
16	8	55.1	55.0	54.8	71.0	72.4	74.9	86.3	88.9	88.8	91.4	94.7	93.9
16	16	41.8	41.1	41.1	71.5	68.4	71.0	86.9	90.4	90.6	91.8	94.7	94.3
16	32	37.3	33.5	33.5	74.0	69.7	69.3	83.5	88.7	89.3	89.8	93.7	93.3
16	64	37.5	27.5	27.2	70.5	61.6	60.0	70.3	81.8	82.7	88.3	91.9	91.9
16	128	41.5	22.4	21.4	56.9	52.5	53.5	20.1	50.3	54.7	72.3	90.7	90.5
16	256	46.3	18.7	16.8	50.9	45.0	41.3	7.6	24.1	29.2	49.5	88.1	88.8
16	512	49.2	16.8	13.5	52.9	43.5	29.1	5.1	11.0	12.1	29.5	79.3	84.1

Table 48: **Weighted DPM-Solver++(2M), 10,000 anchors per mode.** Overall outcome accuracy (% , mean over 3 runs) at $T = 250, 500, 750$ (sub-columns); best predictor per T in bold.

K	d	k NN			w- k NN			quadratic			polar		
		250	500	750	250	500	750	250	500	750	250	500	750
2	2	96.7	99.4	98.6	96.3	97.8	97.7	95.2	98.0	98.7	96.7	99.4	98.6
2	4	93.1	94.0	94.2	88.8	85.4	90.5	94.6	97.6	98.4	96.2	99.4	98.7
2	8	84.5	84.2	84.4	83.5	81.2	83.2	93.5	96.3	96.9	95.3	99.2	98.7
2	16	79.9	79.0	79.2	77.7	78.8	83.1	91.9	95.7	96.5	94.2	98.9	98.3
2	32	79.4	75.6	75.6	74.3	84.6	67.8	85.4	95.5	96.6	92.1	98.7	98.0
2	64	80.2	72.2	71.4	67.8	78.7	72.1	50.1	94.1	95.1	86.5	97.7	97.5
2	128	82.4	69.8	67.2	59.7	60.4	71.4	22.2	68.3	74.7	70.8	96.2	96.3
2	256	83.2	67.8	62.9	60.7	70.1	59.1	25.7	38.2	41.6	50.2	93.7	94.2
2	512	83.8	67.4	59.4	62.1	57.0	52.7	19.5	35.1	38.2	31.7	91.8	92.0
4	2	92.1	98.8	97.0	91.6	97.9	96.6	89.3	92.9	92.9	91.9	98.1	96.6
4	4	86.9	89.1	88.8	83.9	87.9	87.9	88.3	93.1	92.6	90.4	97.7	96.2
4	8	73.0	72.7	72.6	77.7	84.1	80.2	89.7	94.0	94.2	93.0	98.0	96.8
4	16	64.9	63.9	64.2	72.8	80.8	82.8	88.9	93.5	94.6	92.2	97.6	97.0
4	32	63.4	58.4	58.5	77.1	78.4	80.4	85.9	92.4	93.5	91.0	96.5	96.9
4	64	64.8	53.7	53.0	66.8	77.2	76.7	64.4	90.3	91.9	87.0	95.4	95.3
4	128	68.5	49.6	47.1	53.7	63.5	67.7	25.2	73.1	77.1	69.0	95.5	94.2
4	256	71.4	46.5	41.6	56.5	71.5	61.7	18.4	29.7	34.6	47.7	93.5	92.0
4	512	72.7	45.0	37.1	57.4	51.7	44.4	12.6	20.9	23.3	24.8	87.8	91.4
8	2	94.8	97.9	97.0	94.0	97.2	96.4	80.0	81.5	81.7	94.2	96.6	96.1
8	4	83.5	85.9	85.5	80.9	84.8	86.8	85.3	89.4	89.2	89.3	96.1	94.9
8	8	64.7	64.6	64.4	76.0	75.6	80.0	88.8	91.7	91.7	92.8	97.0	96.2
8	16	52.8	51.5	51.5	72.7	74.1	75.4	87.1	91.2	91.5	92.2	96.5	95.4
8	32	49.9	45.1	45.3	75.9	75.3	75.2	85.1	90.9	91.8	90.2	96.2	95.3
8	64	51.3	39.2	38.6	71.5	70.5	69.8	72.9	87.8	88.9	88.1	94.2	94.2
8	128	55.6	34.4	32.7	53.3	64.7	55.1	29.4	71.8	74.3	71.2	94.6	93.9
8	256	59.1	30.4	27.0	55.2	57.2	46.3	12.8	29.4	37.3	49.2	93.7	93.0
8	512	61.5	28.5	22.7	54.4	49.9	38.5	8.4	16.3	19.2	26.6	88.3	89.5
16	2	—	—	—	—	—	—	—	—	—	—	—	—
16	4	84.0	84.6	84.4	86.2	86.9	86.4	87.0	88.2	88.1	92.7	94.9	94.4
16	8	58.0	57.8	57.7	73.6	76.6	74.4	86.8	89.3	89.2	91.5	95.0	94.2
16	16	43.5	42.7	42.8	69.2	71.5	69.9	87.7	91.2	91.3	92.1	95.4	94.9
16	32	38.2	34.5	34.5	73.2	70.1	70.4	85.1	90.1	90.7	90.2	94.6	94.2
16	64	38.6	28.5	28.2	73.4	66.4	66.0	76.4	86.6	87.4	88.2	92.7	92.8
16	128	43.0	23.3	22.3	55.0	48.3	53.7	33.3	69.8	71.8	74.0	91.8	91.7
16	256	47.7	19.4	17.4	53.3	42.1	39.6	9.8	31.9	40.6	51.7	91.6	90.6
16	512	50.7	17.4	13.9	53.6	47.7	28.9	5.5	15.6	21.0	30.6	84.1	86.8

Table 49: **Weighted DPM-Solver++(2M), 15,000 anchors per mode.** Overall outcome accuracy (% , mean over 3 runs) at $T = 250, 500, 750$ (sub-columns); best predictor per T in bold.

K	d	k NN			w- k NN			quadratic			polar		
		250	500	750	250	500	750	250	500	750	250	500	750
2	2	96.8	99.5	98.7	96.4	98.1	97.8	95.1	97.9	98.6	96.7	99.4	98.6
2	4	93.5	94.6	94.8	90.1	90.8	92.3	94.6	97.6	98.4	96.2	99.4	98.7
2	8	85.1	84.9	84.9	81.5	84.1	81.3	93.5	96.3	96.9	95.3	99.2	98.7
2	16	80.1	79.5	79.7	69.2	78.9	75.8	92.0	95.7	96.5	94.2	98.9	98.3
2	32	79.1	75.7	75.9	76.5	84.5	83.5	85.7	95.5	96.7	91.9	98.9	98.0
2	64	80.6	72.5	71.7	65.5	79.0	82.0	51.2	94.7	95.6	86.2	98.0	97.8
2	128	82.8	70.2	67.8	60.9	81.5	72.2	11.7	82.7	87.1	70.5	96.9	96.8
2	256	83.7	68.2	63.3	61.7	65.0	60.1	24.8	39.8	44.1	48.8	94.6	94.9
2	512	84.2	67.8	59.7	63.2	58.1	47.1	20.6	35.2	39.0	29.5	92.7	92.6
4	2	92.2	98.9	97.1	91.8	97.9	96.6	89.3	92.9	92.9	91.9	98.1	96.6
4	4	87.7	90.2	89.9	83.2	90.0	90.3	88.4	93.1	92.6	90.4	97.7	96.2
4	8	73.8	73.8	73.4	81.1	82.0	82.7	89.6	94.0	94.2	93.0	98.1	96.9
4	16	65.3	64.5	64.8	75.6	75.9	76.8	88.9	93.6	94.7	92.2	97.8	97.0
4	32	63.9	59.1	59.0	72.9	80.5	78.5	86.0	92.6	93.8	91.0	96.9	97.1
4	64	65.2	54.2	53.5	72.8	77.7	77.9	65.4	91.1	92.8	87.4	96.0	95.7
4	128	69.0	50.1	47.6	54.9	72.4	70.4	19.4	81.7	84.7	68.6	96.3	94.9
4	256	71.8	47.0	42.1	57.8	66.2	51.5	18.3	34.6	41.9	47.7	94.7	92.6
4	512	73.0	45.4	37.4	58.5	62.6	51.9	12.8	22.4	26.0	24.1	90.8	91.4
8	2	94.9	98.0	97.1	94.5	97.5	96.5	80.1	81.6	81.8	94.2	96.7	96.1
8	4	84.6	87.3	86.8	84.5	86.9	88.3	85.3	89.4	89.2	89.3	96.1	94.9
8	8	66.0	65.9	65.7	77.6	79.2	80.5	88.8	91.7	91.7	92.9	97.0	96.2
8	16	53.6	52.3	52.3	73.4	75.5	75.6	87.3	91.4	91.6	92.3	96.6	95.5
8	32	50.4	45.9	45.8	75.5	74.5	73.6	85.3	91.2	92.2	89.8	96.1	95.5
8	64	51.7	39.7	39.1	75.6	69.9	69.1	74.3	88.9	90.1	88.1	94.1	94.4
8	128	56.2	34.9	33.2	54.6	66.2	58.7	29.2	79.2	81.0	71.8	95.0	94.3
8	256	59.9	31.0	27.5	54.2	59.2	51.3	14.1	35.1	44.7	49.3	94.7	93.6
8	512	62.2	28.9	22.9	50.9	56.7	36.6	8.1	18.6	24.2	27.2	90.2	89.8
16	2	—	—	—	—	—	—	—	—	—	—	—	—
16	4	85.4	86.2	86.0	87.1	87.8	86.7	87.7	88.8	88.6	92.7	95.0	94.6
16	8	59.4	59.3	59.1	76.0	76.3	76.5	88.2	90.4	89.9	91.5	95.2	94.4
16	16	44.2	43.6	43.7	68.2	71.6	69.8	89.0	92.5	92.5	92.2	95.7	95.3
16	32	38.8	35.1	35.1	72.4	69.1	70.7	86.7	91.5	92.1	90.7	94.9	94.6
16	64	39.2	29.0	28.7	75.9	67.6	65.4	80.2	89.0	89.9	86.9	93.7	93.8
16	128	43.7	23.8	22.7	59.6	58.6	56.1	41.1	79.5	80.6	76.3	92.0	92.0
16	256	48.5	19.8	17.8	51.9	43.1	42.7	11.5	36.8	46.1	52.9	92.0	90.9
16	512	51.6	17.7	14.1	51.3	47.1	28.4	5.7	17.7	26.0	30.5	86.9	87.9

Table 50: **Weighted DPM-Solver++(2M), 20,000 anchors per mode.** Overall outcome accuracy (% , mean over 3 runs) at $T = 250, 500, 750$ (sub-columns); best predictor per T in bold.

K	d	k NN			w- k NN			quadratic			polar		
		250	500	750	250	500	750	250	500	750	250	500	750
2	2	96.8	99.5	98.7	96.5	98.4	97.9	95.1	97.9	98.6	96.7	99.4	98.6
2	4	94.0	95.0	95.1	90.6	90.3	90.5	94.7	97.7	98.4	96.2	99.4	98.7
2	8	85.2	85.3	85.2	83.8	86.9	90.3	93.5	96.3	97.0	95.3	99.2	98.7
2	16	79.9	79.8	80.0	75.3	78.4	76.1	91.8	95.7	96.6	94.1	98.9	98.3
2	32	79.4	76.1	76.1	75.9	83.4	83.7	85.7	95.6	96.8	91.9	98.9	98.0
2	64	80.8	72.5	71.7	68.4	71.1	63.5	51.2	95.1	96.1	86.2	98.1	97.9
2	128	83.0	70.6	68.0	61.5	68.5	72.7	10.2	87.3	90.6	70.4	97.2	97.0
2	256	83.8	68.4	63.5	62.4	67.1	54.9	22.6	42.0	47.1	48.1	94.8	95.0
2	512	84.2	67.9	59.9	63.8	67.8	54.1	19.2	35.8	39.5	28.6	93.2	92.7
4	2	92.2	99.0	97.1	92.0	98.1	96.6	89.4	93.0	92.9	91.9	98.1	96.6
4	4	88.1	90.9	90.5	86.4	90.7	90.5	88.3	93.1	92.5	90.4	97.7	96.2
4	8	74.4	74.3	74.1	80.9	83.6	84.1	89.7	94.0	94.1	93.0	98.1	96.9
4	16	65.8	65.0	65.3	77.9	80.7	76.5	89.0	93.6	94.7	92.3	97.8	97.0
4	32	64.1	59.4	59.4	75.0	79.9	79.9	86.0	92.7	93.9	91.1	97.0	97.1
4	64	65.6	54.8	54.0	67.2	78.5	78.4	65.8	91.6	93.4	87.2	95.9	95.5
4	128	69.1	50.2	47.9	55.7	64.4	59.1	18.0	84.7	87.4	68.3	96.5	94.9
4	256	72.0	47.3	42.4	58.4	64.1	60.9	18.4	39.5	48.1	48.0	94.9	92.7
4	512	73.5	45.8	37.8	59.3	55.4	45.7	13.3	23.8	28.3	24.1	91.3	91.2
8	2	95.0	98.0	97.2	94.6	97.4	96.7	80.8	82.5	82.7	94.2	96.8	96.2
8	4	85.3	88.3	87.8	80.8	89.3	88.1	85.9	89.8	89.5	89.4	96.1	95.0
8	8	66.8	66.7	66.6	78.8	79.4	79.7	89.3	92.1	92.0	92.9	97.1	96.3
8	16	54.0	52.8	52.9	73.0	75.5	75.6	87.8	91.8	92.0	92.4	96.8	95.7
8	32	50.6	46.2	46.2	75.7	74.2	74.5	85.9	91.7	92.5	89.9	96.2	95.7
8	64	52.0	40.1	39.5	74.6	71.8	70.3	75.8	89.9	91.1	88.0	94.0	94.3
8	128	56.4	35.2	33.4	55.4	61.8	57.9	29.1	83.0	84.7	71.1	95.0	94.7
8	256	60.3	31.4	27.8	52.7	56.0	48.7	15.0	40.1	49.7	50.8	95.0	94.0
8	512	62.6	29.2	23.2	54.1	57.2	39.0	8.6	20.3	27.4	27.2	91.5	90.0
16	2	—	—	—	—	—	—	—	—	—	—	—	—
16	4	86.4	87.2	87.0	86.8	88.1	86.1	87.7	88.7	88.5	92.8	95.2	94.7
16	8	60.4	60.3	60.2	75.9	76.4	76.4	88.9	90.9	90.2	91.5	95.4	94.5
16	16	44.7	44.2	44.3	71.1	70.1	71.4	89.8	93.3	93.2	92.3	95.8	95.4
16	32	39.1	35.5	35.5	73.0	69.9	68.8	87.7	92.4	93.0	91.2	95.0	94.5
16	64	39.6	29.4	29.1	74.3	68.2	67.4	81.9	90.3	91.2	86.6	94.4	94.4
16	128	44.1	24.0	23.0	58.6	57.7	57.4	44.8	83.7	84.5	78.1	92.5	92.8
16	256	49.0	20.1	18.0	50.4	39.9	36.8	12.8	41.8	50.3	53.5	92.7	92.0
16	512	52.2	17.9	14.3	51.8	44.8	32.2	6.1	19.4	30.0	30.4	88.3	88.5




Figure 1: **Unweighted DDIM, $T = 250$, 2,000 anchors per mode.** Overall accuracy, mode F1 and hallucination F1 (% , mean over 3 runs) per predictor (rows) on the (K, d) grid; empty cells were not run.

2 Heatmaps

2.1 Unweighted DDIM, $T = 250$




Figure 2: **Unweighted DDIM, $T = 250$, 5,000 anchors per mode.** Overall accuracy, mode F1 and hallucination F1 (% , mean over 3 runs) per predictor (rows) on the (K, d) grid; empty cells were not run.




Figure 3: **Unweighted DDIM, $T = 250$, 10,000 anchors per mode.** Overall accuracy, mode F1 and hallucination F1 (% , mean over 3 runs) per predictor (rows) on the (K, d) grid; empty cells were not run.




Figure 4: **Unweighted DDIM, $T = 250$, 15,000 anchors per mode.** Overall accuracy, mode F1 and hallucination F1 (% , mean over 3 runs) per predictor (rows) on the (K, d) grid; empty cells were not run.




Figure 5: **Unweighted DDIM, $T = 250$, 20,000 anchors per mode.** Overall accuracy, mode F1 and hallucination F1 (% , mean over 3 runs) per predictor (rows) on the (K, d) grid; empty cells were not run.




Figure 6: **Unweighted DDIM, $T = 500$, 2,000 anchors per mode.** Overall accuracy, mode F1 and hallucination F1 (% , mean over 3 runs) per predictor (rows) on the (K, d) grid; empty cells were not run.

2.2 Unweighted DDIM, $T = 500$




Figure 7: **Unweighted DDIM, $T = 500$, 5,000 anchors per mode.** Overall accuracy, mode F1 and hallucination F1 (% , mean over 3 runs) per predictor (rows) on the (K, d) grid; empty cells were not run.




Figure 8: **Unweighted DDIM, $T = 500$, 10,000 anchors per mode.** Overall accuracy, mode F1 and hallucination F1 (% , mean over 3 runs) per predictor (rows) on the (K, d) grid; empty cells were not run.




Figure 9: **Unweighted DDIM, $T = 500$, 15,000 anchors per mode.** Overall accuracy, mode F1 and hallucination F1 (% , mean over 3 runs) per predictor (rows) on the (K, d) grid; empty cells were not run.




Figure 10: **Unweighted DDIM**, $T = 500$, **20,000 anchors per mode**. Overall accuracy, mode F1 and hallucination F1 (% , mean over 3 runs) per predictor (rows) on the (K, d) grid; empty cells were not run.




Figure 11: **Unweighted DDIM, $T = 750$, 2,000 anchors per mode.** Overall accuracy, mode F1 and hallucination F1 (% , mean over 3 runs) per predictor (rows) on the (K, d) grid; empty cells were not run.

2.3 Unweighted DDIM, $T = 750$




Figure 12: **Unweighted DDIM, $T = 750$, 5,000 anchors per mode.** Overall accuracy, mode F1 and hallucination F1 (% , mean over 3 runs) per predictor (rows) on the (K, d) grid; empty cells were not run.




Figure 13: **Unweighted DDIM, $T = 750$, 10,000 anchors per mode.** Overall accuracy, mode F1 and hallucination F1 (% , mean over 3 runs) per predictor (rows) on the (K, d) grid; empty cells were not run.




Figure 14: **Unweighted DDIM, $T = 750$, 15,000 anchors per mode.** Overall accuracy, mode F1 and hallucination F1 (% , mean over 3 runs) per predictor (rows) on the (K, d) grid; empty cells were not run.




Figure 15: **Unweighted DDIM, $T = 750$, 20,000 anchors per mode.** Overall accuracy, mode F1 and hallucination F1 (% , mean over 3 runs) per predictor (rows) on the (K, d) grid; empty cells were not run.




Figure 16: **Weighted DDIM, $T = 250$, 2,000 anchors per mode.** Overall accuracy, mode F1 and hallucination F1 (% , mean over 3 runs) per predictor (rows) on the (K, d) grid; empty cells were not run.

2.4 Weighted DDIM, $T = 250$




Figure 17: **Weighted DDIM, $T = 250$, 5,000 anchors per mode.** Overall accuracy, mode F1 and hallucination F1 (% , mean over 3 runs) per predictor (rows) on the (K, d) grid; empty cells were not run.




Figure 18: **Weighted DDIM**, $T = 250$, **10,000 anchors per mode**. Overall accuracy, mode F1 and hallucination F1 (% , mean over 3 runs) per predictor (rows) on the (K, d) grid; empty cells were not run.




Figure 19: **Weighted DDIM**, $T = 250$, **15,000 anchors per mode**. Overall accuracy, mode F1 and hallucination F1 (% , mean over 3 runs) per predictor (rows) on the (K, d) grid; empty cells were not run.




Figure 20: **Weighted DDIM**, $T = 250$, **20,000 anchors per mode**. Overall accuracy, mode F1 and hallucination F1 (% , mean over 3 runs) per predictor (rows) on the (K, d) grid; empty cells were not run.




Figure 21: **Weighted DDIM, $T = 500$, 2,000 anchors per mode.** Overall accuracy, mode F1 and hallucination F1 (% , mean over 3 runs) per predictor (rows) on the (K, d) grid; empty cells were not run.

2.5 Weighted DDIM, $T = 500$




Figure 22: **Weighted DDIM, $T = 500$, 5,000 anchors per mode.** Overall accuracy, mode F1 and hallucination F1 (% , mean over 3 runs) per predictor (rows) on the (K, d) grid; empty cells were not run.




Figure 23: **Weighted DDIM**, $T = 500$, **10,000 anchors per mode**. Overall accuracy, mode F1 and hallucination F1 (% , mean over 3 runs) per predictor (rows) on the (K, d) grid; empty cells were not run.




Figure 24: **Weighted DDIM, $T = 500$, 15,000 anchors per mode.** Overall accuracy, mode F1 and hallucination F1 (% , mean over 3 runs) per predictor (rows) on the (K, d) grid; empty cells were not run.




Figure 25: **Weighted DDIM**, $T = 500$, **20,000 anchors per mode**. Overall accuracy, mode F1 and hallucination F1 (% , mean over 3 runs) per predictor (rows) on the (K, d) grid; empty cells were not run.




Figure 26: **Weighted DDIM, $T = 750$, 2,000 anchors per mode.** Overall accuracy, mode F1 and hallucination F1 (% , mean over 3 runs) per predictor (rows) on the (K, d) grid; empty cells were not run.

2.6 Weighted DDIM, $T = 750$




Figure 27: **Weighted DDIM, $T = 750$, 5,000 anchors per mode.** Overall accuracy, mode F1 and hallucination F1 (% , mean over 3 runs) per predictor (rows) on the (K, d) grid; empty cells were not run.




Figure 28: **Weighted DDIM, $T = 750$, 10,000 anchors per mode.** Overall accuracy, mode F1 and hallucination F1 (% , mean over 3 runs) per predictor (rows) on the (K, d) grid; empty cells were not run.




Figure 29: **Weighted DDIM, $T = 750$, 15,000 anchors per mode.** Overall accuracy, mode F1 and hallucination F1 (% , mean over 3 runs) per predictor (rows) on the (K, d) grid; empty cells were not run.




Figure 30: **Weighted DDIM, $T = 750$, 20,000 anchors per mode.** Overall accuracy, mode F1 and hallucination F1 (% , mean over 3 runs) per predictor (rows) on the (K, d) grid; empty cells were not run.




Figure 31: **Unweighted Flow matching, $T = 250$, 2,000 anchors per mode.** Overall accuracy, mode F1 and hallucination F1 (% , mean over 3 runs) per predictor (rows) on the (K, d) grid; empty cells were not run.

2.7 Unweighted Flow matching, $T = 250$




Figure 32: **Unweighted Flow matching, $T = 250$, 5,000 anchors per mode.** Overall accuracy, mode F1 and hallucination F1 (% , mean over 3 runs) per predictor (rows) on the (K, d) grid; empty cells were not run.




Figure 33: **Unweighted Flow matching**, $T = 250$, **10,000 anchors per mode**. Overall accuracy, mode F1 and hallucination F1 (% , mean over 3 runs) per predictor (rows) on the (K, d) grid; empty cells were not run.




Figure 34: **Unweighted Flow matching, $T = 250$, 15,000 anchors per mode.** Overall accuracy, mode F1 and hallucination F1 (% , mean over 3 runs) per predictor (rows) on the (K, d) grid; empty cells were not run.




Figure 35: **Unweighted Flow matching, $T = 250$, 20,000 anchors per mode.** Overall accuracy, mode F1 and hallucination F1 (% , mean over 3 runs) per predictor (rows) on the (K, d) grid; empty cells were not run.




Figure 36: **Unweighted Flow matching, $T = 500$, 2,000 anchors per mode.** Overall accuracy, mode F1 and hallucination F1 (% , mean over 3 runs) per predictor (rows) on the (K, d) grid; empty cells were not run.

2.8 Unweighted Flow matching, $T = 500$




Figure 37: **Unweighted Flow matching, $T = 500$, 5,000 anchors per mode.** Overall accuracy, mode F1 and hallucination F1 (% , mean over 3 runs) per predictor (rows) on the (K, d) grid; empty cells were not run.




Figure 38: **Unweighted Flow matching**, $T = 500$, **10,000 anchors per mode**. Overall accuracy, mode F1 and hallucination F1 (% , mean over 3 runs) per predictor (rows) on the (K, d) grid; empty cells were not run.




Figure 39: **Unweighted Flow matching, $T = 500$, 15,000 anchors per mode.** Overall accuracy, mode F1 and hallucination F1 (% , mean over 3 runs) per predictor (rows) on the (K, d) grid; empty cells were not run.




Figure 40: **Unweighted Flow matching, $T = 500$, 20,000 anchors per mode.** Overall accuracy, mode F1 and hallucination F1 (% , mean over 3 runs) per predictor (rows) on the (K, d) grid; empty cells were not run.




Figure 41: **Unweighted Flow matching, $T = 750$, 2,000 anchors per mode.** Overall accuracy, mode F1 and hallucination F1 (% , mean over 3 runs) per predictor (rows) on the (K, d) grid; empty cells were not run.

2.9 Unweighted Flow matching, $T = 750$




Figure 42: **Unweighted Flow matching, $T = 750$, 5,000 anchors per mode.** Overall accuracy, mode F1 and hallucination F1 (% , mean over 3 runs) per predictor (rows) on the (K, d) grid; empty cells were not run.




Figure 43: **Unweighted Flow matching**, $T = 750$, **10,000 anchors per mode**. Overall accuracy, mode F1 and hallucination F1 (% , mean over 3 runs) per predictor (rows) on the (K, d) grid; empty cells were not run.




Figure 44: **Unweighted Flow matching, $T = 750$, 15,000 anchors per mode.** Overall accuracy, mode F1 and hallucination F1 (% , mean over 3 runs) per predictor (rows) on the (K, d) grid; empty cells were not run.




Figure 45: **Unweighted Flow matching**, $T = 750$, **20,000 anchors per mode**. Overall accuracy, mode F1 and hallucination F1 (% , mean over 3 runs) per predictor (rows) on the (K, d) grid; empty cells were not run.




Figure 46: **Weighted Flow matching, $T = 250$, 2,000 anchors per mode.** Overall accuracy, mode F1 and hallucination F1 (% , mean over 3 runs) per predictor (rows) on the (K, d) grid; empty cells were not run.

2.10 Weighted Flow matching, $T = 250$




Figure 47: **Weighted Flow matching**, $T = 250$, **5,000 anchors per mode**. Overall accuracy, mode F1 and hallucination F1 (% , mean over 3 runs) per predictor (rows) on the (K, d) grid; empty cells were not run.




Figure 48: **Weighted Flow matching**, $T = 250$, **10,000 anchors per mode**. Overall accuracy, mode F1 and hallucination F1 (% , mean over 3 runs) per predictor (rows) on the (K, d) grid; empty cells were not run.




Figure 49: **Weighted Flow matching**, $T = 250$, **15,000 anchors per mode**. Overall accuracy, mode F1 and hallucination F1 (% , mean over 3 runs) per predictor (rows) on the (K, d) grid; empty cells were not run.




Figure 50: **Weighted Flow matching**, $T = 250$, **20,000 anchors per mode**. Overall accuracy, mode F1 and hallucination F1 (% , mean over 3 runs) per predictor (rows) on the (K, d) grid; empty cells were not run.




Figure 51: **Weighted Flow matching, $T = 500$, 2,000 anchors per mode.** Overall accuracy, mode F1 and hallucination F1 (% , mean over 3 runs) per predictor (rows) on the (K, d) grid; empty cells were not run.

2.11 Weighted Flow matching, $T = 500$




Figure 52: **Weighted Flow matching**, $T = 500$, **5,000 anchors per mode**. Overall accuracy, mode F1 and hallucination F1 (% , mean over 3 runs) per predictor (rows) on the (K, d) grid; empty cells were not run.




Figure 53: **Weighted Flow matching**, $T = 500$, **10,000 anchors per mode**. Overall accuracy, mode F1 and hallucination F1 (% , mean over 3 runs) per predictor (rows) on the (K, d) grid; empty cells were not run.




Figure 54: **Weighted Flow matching**, $T = 500$, **15,000 anchors per mode**. Overall accuracy, mode F1 and hallucination F1 (% , mean over 3 runs) per predictor (rows) on the (K, d) grid; empty cells were not run.




Figure 55: **Weighted Flow matching**, $T = 500$, **20,000 anchors per mode**. Overall accuracy, mode F1 and hallucination F1 (% , mean over 3 runs) per predictor (rows) on the (K, d) grid; empty cells were not run.




Figure 56: **Weighted Flow matching, $T = 750$, 2,000 anchors per mode.** Overall accuracy, mode F1 and hallucination F1 (% , mean over 3 runs) per predictor (rows) on the (K, d) grid; empty cells were not run.

2.12 Weighted Flow matching, $T = 750$




Figure 57: **Weighted Flow matching**, $T = 750$, **5,000 anchors per mode**. Overall accuracy, mode F1 and hallucination F1 (% , mean over 3 runs) per predictor (rows) on the (K, d) grid; empty cells were not run.




Figure 58: **Weighted Flow matching**, $T = 750$, **10,000 anchors per mode**. Overall accuracy, mode F1 and hallucination F1 (% , mean over 3 runs) per predictor (rows) on the (K, d) grid; empty cells were not run.




Figure 59: **Weighted Flow matching**, $T = 750$, **15,000 anchors per mode**. Overall accuracy, mode F1 and hallucination F1 (% , mean over 3 runs) per predictor (rows) on the (K, d) grid; empty cells were not run.




Figure 60: **Weighted Flow matching**, $T = 750$, **20,000 anchors per mode**. Overall accuracy, mode F1 and hallucination F1 (% , mean over 3 runs) per predictor (rows) on the (K, d) grid; empty cells were not run.




Figure 61: **Unweighted Heun, $T = 250$, 2,000 anchors per mode.** Overall accuracy, mode F1 and hallucination F1 (% , mean over 3 runs) per predictor (rows) on the (K, d) grid; empty cells were not run.

2.13 Unweighted Heun, $T = 250$




Figure 62: **Unweighted Heun, $T = 250$, 5,000 anchors per mode.** Overall accuracy, mode F1 and hallucination F1 (% , mean over 3 runs) per predictor (rows) on the (K, d) grid; empty cells were not run.




Figure 63: **Unweighted Heun**, $T = 250$, **10,000 anchors per mode**. Overall accuracy, mode F1 and hallucination F1 (% , mean over 3 runs) per predictor (rows) on the (K, d) grid; empty cells were not run.




Figure 64: **Unweighted Heun**, $T = 250$, **15,000 anchors per mode**. Overall accuracy, mode F1 and hallucination F1 (% , mean over 3 runs) per predictor (rows) on the (K, d) grid; empty cells were not run.




Figure 65: **Unweighted Heun**, $T = 250$, **20,000 anchors per mode**. Overall accuracy, mode F1 and hallucination F1 (% , mean over 3 runs) per predictor (rows) on the (K, d) grid; empty cells were not run.




Figure 66: **Unweighted Heun, $T = 500$, 2,000 anchors per mode.** Overall accuracy, mode F1 and hallucination F1 (% , mean over 3 runs) per predictor (rows) on the (K, d) grid; empty cells were not run.

2.14 Unweighted Heun, $T = 500$




Figure 67: **Unweighted Heun, $T = 500$, 5,000 anchors per mode.** Overall accuracy, mode F1 and hallucination F1 (% , mean over 3 runs) per predictor (rows) on the (K, d) grid; empty cells were not run.




Figure 68: **Unweighted Heun**, $T = 500$, **10,000 anchors per mode**. Overall accuracy, mode F1 and hallucination F1 (% , mean over 3 runs) per predictor (rows) on the (K, d) grid; empty cells were not run.




Figure 69: **Unweighted Heun**, $T = 500$, **15,000 anchors per mode**. Overall accuracy, mode F1 and hallucination F1 (% , mean over 3 runs) per predictor (rows) on the (K, d) grid; empty cells were not run.




Figure 70: **Unweighted Heun**, $T = 500$, **20,000 anchors per mode**. Overall accuracy, mode F1 and hallucination F1 (% , mean over 3 runs) per predictor (rows) on the (K, d) grid; empty cells were not run.




Figure 71: **Unweighted Heun, $T = 750$, 2,000 anchors per mode.** Overall accuracy, mode F1 and hallucination F1 (% , mean over 3 runs) per predictor (rows) on the (K, d) grid; empty cells were not run.

2.15 Unweighted Heun, $T = 750$




Figure 72: **Unweighted Heun, $T = 750$, 5,000 anchors per mode.** Overall accuracy, mode F1 and hallucination F1 (% , mean over 3 runs) per predictor (rows) on the (K, d) grid; empty cells were not run.




Figure 73: **Unweighted Heun, $T = 750$, 10,000 anchors per mode.** Overall accuracy, mode F1 and hallucination F1 (% , mean over 3 runs) per predictor (rows) on the (K, d) grid; empty cells were not run.




Figure 74: **Unweighted Heun, $T = 750$, 15,000 anchors per mode.** Overall accuracy, mode F1 and hallucination F1 (% , mean over 3 runs) per predictor (rows) on the (K, d) grid; empty cells were not run.




Figure 75: **Unweighted Heun, $T = 750$, 20,000 anchors per mode.** Overall accuracy, mode F1 and hallucination F1 (% , mean over 3 runs) per predictor (rows) on the (K, d) grid; empty cells were not run.




Figure 76: **Weighted Heun, $T = 250$, 2,000 anchors per mode.** Overall accuracy, mode F1 and hallucination F1 (% , mean over 3 runs) per predictor (rows) on the (K, d) grid; empty cells were not run.

2.16 Weighted Heun, $T = 250$




Figure 77: **Weighted Heun**, $T = 250$, **5,000 anchors per mode**. Overall accuracy, mode F1 and hallucination F1 (% , mean over 3 runs) per predictor (rows) on the (K, d) grid; empty cells were not run.




Figure 78: **Weighted Heun**, $T = 250$, **10,000 anchors per mode**. Overall accuracy, mode F1 and hallucination F1 (% , mean over 3 runs) per predictor (rows) on the (K, d) grid; empty cells were not run.




Figure 79: **Weighted Heun**, $T = 250$, **15,000 anchors per mode**. Overall accuracy, mode F1 and hallucination F1 (% , mean over 3 runs) per predictor (rows) on the (K, d) grid; empty cells were not run.




Figure 80: **Weighted Heun, $T = 250$, 20,000 anchors per mode.** Overall accuracy, mode F1 and hallucination F1 (% , mean over 3 runs) per predictor (rows) on the (K, d) grid; empty cells were not run.




Figure 81: **Weighted Heun, $T = 500$, 2,000 anchors per mode.** Overall accuracy, mode F1 and hallucination F1 (% , mean over 3 runs) per predictor (rows) on the (K, d) grid; empty cells were not run.

2.17 Weighted Heun, $T = 500$




Figure 82: **Weighted Heun**, $T = 500$, **5,000 anchors per mode**. Overall accuracy, mode F1 and hallucination F1 (% , mean over 3 runs) per predictor (rows) on the (K, d) grid; empty cells were not run.




Figure 83: **Weighted Heun**, $T = 500$, **10,000 anchors per mode**. Overall accuracy, mode F1 and hallucination F1 (% , mean over 3 runs) per predictor (rows) on the (K, d) grid; empty cells were not run.




Figure 84: **Weighted Heun, $T = 500$, 15,000 anchors per mode.** Overall accuracy, mode F1 and hallucination F1 (% , mean over 3 runs) per predictor (rows) on the (K, d) grid; empty cells were not run.




Figure 85: **Weighted Heun**, $T = 500$, **20,000 anchors per mode**. Overall accuracy, mode F1 and hallucination F1 (% , mean over 3 runs) per predictor (rows) on the (K, d) grid; empty cells were not run.




Figure 86: **Weighted Heun, $T = 750$, 2,000 anchors per mode.** Overall accuracy, mode F1 and hallucination F1 (% , mean over 3 runs) per predictor (rows) on the (K, d) grid; empty cells were not run.

2.18 Weighted Heun, $T = 750$




Figure 87: **Weighted Heun**, $T = 750$, **5,000 anchors per mode**. Overall accuracy, mode F1 and hallucination F1 (% , mean over 3 runs) per predictor (rows) on the (K, d) grid; empty cells were not run.




Figure 88: **Weighted Heun**, $T = 750$, **10,000 anchors per mode**. Overall accuracy, mode F1 and hallucination F1 (% , mean over 3 runs) per predictor (rows) on the (K, d) grid; empty cells were not run.




Figure 89: **Weighted Heun**, $T = 750$, **15,000 anchors per mode**. Overall accuracy, mode F1 and hallucination F1 (% , mean over 3 runs) per predictor (rows) on the (K, d) grid; empty cells were not run.




Figure 90: **Weighted Heun**, $T = 750$, **20,000 anchors per mode**. Overall accuracy, mode F1 and hallucination F1 (% , mean over 3 runs) per predictor (rows) on the (K, d) grid; empty cells were not run.




Figure 91: **Unweighted RK45, $T = 250$, 2,000 anchors per mode.** Overall accuracy, mode F1 and hallucination F1 (% , mean over 3 runs) per predictor (rows) on the (K, d) grid; empty cells were not run.

2.19 Unweighted RK45, $T = 250$




Figure 92: **Unweighted RK45**, $T = 250$, **5,000 anchors per mode**. Overall accuracy, mode F1 and hallucination F1 (% , mean over 3 runs) per predictor (rows) on the (K, d) grid; empty cells were not run.




Figure 93: **Unweighted RK45**, $T = 250$, **10,000 anchors per mode**. Overall accuracy, mode F1 and hallucination F1 (% , mean over 3 runs) per predictor (rows) on the (K, d) grid; empty cells were not run.




Figure 94: **Unweighted RK45**, $T = 250$, **15,000 anchors per mode**. Overall accuracy, mode F1 and hallucination F1 (% , mean over 3 runs) per predictor (rows) on the (K, d) grid; empty cells were not run.




Figure 95: **Unweighted RK45**, $T = 250$, **20,000 anchors per mode**. Overall accuracy, mode F1 and hallucination F1 (% , mean over 3 runs) per predictor (rows) on the (K, d) grid; empty cells were not run.




Figure 96: **Unweighted RK45, $T = 500$, 2,000 anchors per mode.** Overall accuracy, mode F1 and hallucination F1 (% , mean over 3 runs) per predictor (rows) on the (K, d) grid; empty cells were not run.

2.20 Unweighted RK45, $T = 500$




Figure 97: **Unweighted RK45**, $T = 500$, **5,000 anchors per mode**. Overall accuracy, mode F1 and hallucination F1 (% , mean over 3 runs) per predictor (rows) on the (K, d) grid; empty cells were not run.




Figure 98: **Unweighted RK45**, $T = 500$, **10,000 anchors per mode**. Overall accuracy, mode F1 and hallucination F1 (% , mean over 3 runs) per predictor (rows) on the (K, d) grid; empty cells were not run.




Figure 99: **Unweighted RK45**, $T = 500$, **15,000 anchors per mode**. Overall accuracy, mode F1 and hallucination F1 (% , mean over 3 runs) per predictor (rows) on the (K, d) grid; empty cells were not run.




Figure 100: **Unweighted RK45**, $T = 500$, **20,000 anchors per mode**. Overall accuracy, mode F1 and hallucination F1 (% , mean over 3 runs) per predictor (rows) on the (K, d) grid; empty cells were not run.




Figure 101: **Unweighted RK45, $T = 750$, 2,000 anchors per mode.** Overall accuracy, mode F1 and hallucination F1 (% , mean over 3 runs) per predictor (rows) on the (K, d) grid; empty cells were not run.

2.21 Unweighted RK45, $T = 750$




Figure 102: **Unweighted RK45**, $T = 750$, **5,000 anchors per mode**. Overall accuracy, mode F1 and hallucination F1 (% , mean over 3 runs) per predictor (rows) on the (K, d) grid; empty cells were not run.




Figure 103: **Unweighted RK45**, $T = 750$, **10,000 anchors per mode**. Overall accuracy, mode F1 and hallucination F1 (% , mean over 3 runs) per predictor (rows) on the (K, d) grid; empty cells were not run.




Figure 104: **Unweighted RK45**, $T = 750$, **15,000 anchors per mode**. Overall accuracy, mode F1 and hallucination F1 (% , mean over 3 runs) per predictor (rows) on the (K, d) grid; empty cells were not run.




Figure 105: **Unweighted RK45**, $T = 750$, **20,000 anchors per mode**. Overall accuracy, mode F1 and hallucination F1 (% , mean over 3 runs) per predictor (rows) on the (K, d) grid; empty cells were not run.




Figure 106: **Weighted RK45, $T = 250$, 2,000 anchors per mode.** Overall accuracy, mode F1 and hallucination F1 (% , mean over 3 runs) per predictor (rows) on the (K, d) grid; empty cells were not run.

2.22 Weighted RK45, $T = 250$




Figure 107: **Weighted RK45**, $T = 250$, **5,000 anchors per mode**. Overall accuracy, mode F1 and hallucination F1 (% , mean over 3 runs) per predictor (rows) on the (K, d) grid; empty cells were not run.




Figure 108: **Weighted RK45**, $T = 250$, **10,000 anchors per mode**. Overall accuracy, mode F1 and hallucination F1 (% , mean over 3 runs) per predictor (rows) on the (K, d) grid; empty cells were not run.




Figure 109: **Weighted RK45**, $T = 250$, **15,000 anchors per mode**. Overall accuracy, mode F1 and hallucination F1 (% , mean over 3 runs) per predictor (rows) on the (K, d) grid; empty cells were not run.




Figure 110: **Weighted RK45**, $T = 250$, **20,000 anchors per mode**. Overall accuracy, mode F1 and hallucination F1 (% , mean over 3 runs) per predictor (rows) on the (K, d) grid; empty cells were not run.




Figure 111: **Weighted RK45, $T = 500$, 2,000 anchors per mode.** Overall accuracy, mode F1 and hallucination F1 (% , mean over 3 runs) per predictor (rows) on the (K, d) grid; empty cells were not run.

2.23 Weighted RK45, $T = 500$




Figure 112: **Weighted RK45**, $T = 500$, **5,000 anchors per mode**. Overall accuracy, mode F1 and hallucination F1 (% , mean over 3 runs) per predictor (rows) on the (K, d) grid; empty cells were not run.




Figure 113: **Weighted RK45, $T = 500$, 10,000 anchors per mode.** Overall accuracy, mode F1 and hallucination F1 (% , mean over 3 runs) per predictor (rows) on the (K, d) grid; empty cells were not run.




Figure 114: **Weighted RK45, $T = 500$, 15,000 anchors per mode.** Overall accuracy, mode F1 and hallucination F1 (% , mean over 3 runs) per predictor (rows) on the (K, d) grid; empty cells were not run.




Figure 115: **Weighted RK45, $T = 500$, 20,000 anchors per mode.** Overall accuracy, mode F1 and hallucination F1 (% , mean over 3 runs) per predictor (rows) on the (K, d) grid; empty cells were not run.




Figure 116: **Weighted RK45, $T = 750$, 2,000 anchors per mode.** Overall accuracy, mode F1 and hallucination F1 (% , mean over 3 runs) per predictor (rows) on the (K, d) grid; empty cells were not run.

2.24 Weighted RK45, $T = 750$




Figure 117: **Weighted RK45, $T = 750$, 5,000 anchors per mode.** Overall accuracy, mode F1 and hallucination F1 (% , mean over 3 runs) per predictor (rows) on the (K, d) grid; empty cells were not run.




Figure 118: **Weighted RK45, $T = 750$, 10,000 anchors per mode.** Overall accuracy, mode F1 and hallucination F1 (% , mean over 3 runs) per predictor (rows) on the (K, d) grid; empty cells were not run.




Figure 119: **Weighted RK45, $T = 750$, 15,000 anchors per mode.** Overall accuracy, mode F1 and hallucination F1 (% , mean over 3 runs) per predictor (rows) on the (K, d) grid; empty cells were not run.




Figure 120: **Weighted RK45, $T = 750$, 20,000 anchors per mode.** Overall accuracy, mode F1 and hallucination F1 (% , mean over 3 runs) per predictor (rows) on the (K, d) grid; empty cells were not run.




Figure 121: **Unweighted DPM-Solver++(2M), $T = 250$, 2,000 anchors per mode.** Overall accuracy, mode F1 and hallucination F1 (% , mean over 3 runs) per predictor (rows) on the (K, d) grid; empty cells were not run.

2.25 Unweighted DPM-Solver++(2M), $T = 250$




Figure 122: **Unweighted DPM-Solver++(2M), $T = 250$, 5,000 anchors per mode.** Overall accuracy, mode F1 and hallucination F1 (% , mean over 3 runs) per predictor (rows) on the (K, d) grid; empty cells were not run.




Figure 123: **Unweighted DPM-Solver++(2M), $T = 250$, 10,000 anchors per mode.** Overall accuracy, mode F1 and hallucination F1 (% , mean over 3 runs) per predictor (rows) on the (K, d) grid; empty cells were not run.




Figure 124: **Unweighted DPM-Solver++(2M), $T = 250$, 15,000 anchors per mode.** Overall accuracy, mode F1 and hallucination F1 (% , mean over 3 runs) per predictor (rows) on the (K, d) grid; empty cells were not run.




Figure 125: **Unweighted DPM-Solver++(2M), $T = 250$, 20,000 anchors per mode.** Overall accuracy, mode F1 and hallucination F1 (% , mean over 3 runs) per predictor (rows) on the (K, d) grid; empty cells were not run.




Figure 126: **Unweighted DPM-Solver++(2M), $T = 500$, 2,000 anchors per mode.** Overall accuracy, mode F1 and hallucination F1 (% , mean over 3 runs) per predictor (rows) on the (K, d) grid; empty cells were not run.

2.26 Unweighted DPM-Solver++(2M), $T = 500$




Figure 127: **Unweighted DPM-Solver++(2M), $T = 500$, 5,000 anchors per mode.** Overall accuracy, mode F1 and hallucination F1 (% , mean over 3 runs) per predictor (rows) on the (K, d) grid; empty cells were not run.




Figure 128: **Unweighted DPM-Solver++(2M), $T = 500$, 10,000 anchors per mode.** Overall accuracy, mode F1 and hallucination F1 (% , mean over 3 runs) per predictor (rows) on the (K, d) grid; empty cells were not run.




Figure 129: **Unweighted DPM-Solver++(2M), $T = 500$, 15,000 anchors per mode.** Overall accuracy, mode F1 and hallucination F1 (% , mean over 3 runs) per predictor (rows) on the (K, d) grid; empty cells were not run.




Figure 130: **Unweighted DPM-Solver++(2M), $T = 500$, 20,000 anchors per mode.** Overall accuracy, mode F1 and hallucination F1 (% , mean over 3 runs) per predictor (rows) on the (K, d) grid; empty cells were not run.




Figure 131: **Unweighted DPM-Solver++(2M), $T = 750$, 2,000 anchors per mode.** Overall accuracy, mode F1 and hallucination F1 (% , mean over 3 runs) per predictor (rows) on the (K, d) grid; empty cells were not run.

2.27 Unweighted DPM-Solver++(2M), $T = 750$




Figure 132: **Unweighted DPM-Solver++(2M), $T = 750$, 5,000 anchors per mode.** Overall accuracy, mode F1 and hallucination F1 (% , mean over 3 runs) per predictor (rows) on the (K, d) grid; empty cells were not run.




Figure 133: **Unweighted DPM-Solver++(2M), $T = 750$, 10,000 anchors per mode.** Overall accuracy, mode F1 and hallucination F1 (% , mean over 3 runs) per predictor (rows) on the (K, d) grid; empty cells were not run.




Figure 134: **Unweighted DPM-Solver++(2M), $T = 750$, 15,000 anchors per mode.** Overall accuracy, mode F1 and hallucination F1 (% , mean over 3 runs) per predictor (rows) on the (K, d) grid; empty cells were not run.




Figure 135: **Unweighted DPM-Solver++(2M), $T = 750$, 20,000 anchors per mode.** Overall accuracy, mode F1 and hallucination F1 (% , mean over 3 runs) per predictor (rows) on the (K, d) grid; empty cells were not run.




Figure 136: **Weighted DPM-Solver++(2M)**, $T = 250$, **2,000 anchors per mode**. Overall accuracy, mode F1 and hallucination F1 (% , mean over 3 runs) per predictor (rows) on the (K, d) grid; empty cells were not run.

2.28 Weighted DPM-Solver++(2M), $T = 250$




Figure 137: **Weighted DPM-Solver++(2M)**, $T = 250$, **5,000 anchors per mode**. Overall accuracy, mode F1 and hallucination F1 (% , mean over 3 runs) per predictor (rows) on the (K, d) grid; empty cells were not run.




Figure 138: **Weighted DPM-Solver++(2M)**, $T = 250$, **10,000 anchors per mode**. Overall accuracy, mode F1 and hallucination F1 (% , mean over 3 runs) per predictor (rows) on the (K, d) grid; empty cells were not run.




Figure 139: **Weighted DPM-Solver++(2M)**, $T = 250$, **15,000 anchors per mode**. Overall accuracy, mode F1 and hallucination F1 (% , mean over 3 runs) per predictor (rows) on the (K, d) grid; empty cells were not run.




Figure 140: **Weighted DPM-Solver++(2M)**, $T = 250$, **20,000 anchors per mode**. Overall accuracy, mode F1 and hallucination F1 (% , mean over 3 runs) per predictor (rows) on the (K, d) grid; empty cells were not run.




Figure 141: **Weighted DPM-Solver++(2M)**, $T = 500$, **2,000 anchors per mode**. Overall accuracy, mode F1 and hallucination F1 (% , mean over 3 runs) per predictor (rows) on the (K, d) grid; empty cells were not run.

2.29 Weighted DPM-Solver++(2M), $T = 500$




Figure 142: **Weighted DPM-Solver++(2M)**, $T = 500$, **5,000 anchors per mode**. Overall accuracy, mode F1 and hallucination F1 (% , mean over 3 runs) per predictor (rows) on the (K, d) grid; empty cells were not run.




Figure 143: **Weighted DPM-Solver++(2M)**, $T = 500$, **10,000 anchors per mode**. Overall accuracy, mode F1 and hallucination F1 (% , mean over 3 runs) per predictor (rows) on the (K, d) grid; empty cells were not run.




Figure 144: **Weighted DPM-Solver++(2M)**, $T = 500$, **15,000 anchors per mode**. Overall accuracy, mode F1 and hallucination F1 (% , mean over 3 runs) per predictor (rows) on the (K, d) grid; empty cells were not run.




Figure 145: **Weighted DPM-Solver++(2M)**, $T = 500$, **20,000 anchors per mode**. Overall accuracy, mode F1 and hallucination F1 (% , mean over 3 runs) per predictor (rows) on the (K, d) grid; empty cells were not run.




Figure 146: **Weighted DPM-Solver++(2M)**, $T = 750$, **2,000 anchors per mode**. Overall accuracy, mode F1 and hallucination F1 (% , mean over 3 runs) per predictor (rows) on the (K, d) grid; empty cells were not run.

2.30 Weighted DPM-Solver++(2M), $T = 750$




Figure 147: **Weighted DPM-Solver++(2M)**, $T = 750$, **5,000 anchors per mode**. Overall accuracy, mode F1 and hallucination F1 (% , mean over 3 runs) per predictor (rows) on the (K, d) grid; empty cells were not run.




Figure 148: **Weighted DPM-Solver++(2M)**, $T = 750$, **10,000 anchors per mode**. Overall accuracy, mode F1 and hallucination F1 (% , mean over 3 runs) per predictor (rows) on the (K, d) grid; empty cells were not run.




Figure 149: **Weighted DPM-Solver++(2M)**, $T = 750$, **15,000 anchors per mode**. Overall accuracy, mode F1 and hallucination F1 (% , mean over 3 runs) per predictor (rows) on the (K, d) grid; empty cells were not run.




Figure 150: **Weighted DPM-Solver++(2M)**, $T = 750$, **20,000 anchors per mode**. Overall accuracy, mode F1 and hallucination F1 (% , mean over 3 runs) per predictor (rows) on the (K, d) grid; empty cells were not run.




Figure 151: **Unweighted, DDIM vs flow matching, 2,000 anchors per mode.** Overall accuracy (%) against d for $T = 250, 500, 750$, averaged over K (band: ± 1 standard deviation across K ; at $d = 2$ over $K = 2, 4, 8$).

3 Accuracy against dimension

3.1 Unweighted DDIM vs flow matching




Figure 152: **Unweighted, DDIM vs flow matching, 5,000 anchors per mode.** Overall accuracy (%) against d for $T = 250, 500, 750$, averaged over K (band: ± 1 standard deviation across K ; at $d = 2$ over $K = 2, 4, 8$).




Figure 153: **Unweighted, DDIM vs flow matching, 10,000 anchors per mode.** Overall accuracy (%) against d for $T = 250, 500, 750$, averaged over K (band: ± 1 standard deviation across K ; at $d = 2$ over $K = 2, 4, 8$).




Figure 154: **Unweighted, DDIM vs flow matching, 15,000 anchors per mode.** Overall accuracy (%) against d for $T = 250, 500, 750$, averaged over K (band: ± 1 standard deviation across K ; at $d = 2$ over $K = 2, 4, 8$).




Figure 155: **Unweighted, DDIM vs flow matching, 20,000 anchors per mode.** Overall accuracy (%) against d for $T = 250, 500, 750$, averaged over K (band: ± 1 standard deviation across K ; at $d = 2$ over $K = 2, 4, 8$).




Figure 156: **Unweighted, DDIM, 2,000 anchors per mode.** Overall accuracy (%) against d for $T = 250, 500, 750$, averaged over K (band: ± 1 standard deviation across K ; at $d = 2$ over $K = 2, 4, 8$).




Figure 157: **Unweighted, DDIM, 5,000 anchors per mode.** Overall accuracy (%) against d for $T = 250, 500, 750$, averaged over K (band: ± 1 standard deviation across K ; at $d = 2$ over $K = 2, 4, 8$).




Figure 158: **Unweighted, DDIM, 10,000 anchors per mode.** Overall accuracy (%) against d for $T = 250, 500, 750$, averaged over K (band: ± 1 standard deviation across K ; at $d = 2$ over $K = 2, 4, 8$).

3.2 Unweighted DDIM




Figure 159: **Unweighted, DDIM, 15,000 anchors per mode.** Overall accuracy (%) against d for $T = 250, 500, 750$, averaged over K (band: ± 1 standard deviation across K ; at $d = 2$ over $K = 2, 4, 8$).




Figure 160: **Unweighted, DDIM, 20,000 anchors per mode.** Overall accuracy (%) against d for $T = 250, 500, 750$, averaged over K (band: ± 1 standard deviation across K ; at $d = 2$ over $K = 2, 4, 8$).




Figure 161: **Unweighted, Flow matching, 2,000 anchors per mode.** Overall accuracy (%) against d for $T = 250, 500, 750$, averaged over K (band: ± 1 standard deviation across K ; at $d = 2$ over $K = 2, 4, 8$).




Figure 162: **Unweighted, Flow matching, 5,000 anchors per mode.** Overall accuracy (%) against d for $T = 250, 500, 750$, averaged over K (band: ± 1 standard deviation across K ; at $d = 2$ over $K = 2, 4, 8$).




Figure 163: **Unweighted, Flow matching, 10,000 anchors per mode.** Overall accuracy (%) against d for $T = 250, 500, 750$, averaged over K (band: ± 1 standard deviation across K ; at $d = 2$ over $K = 2, 4, 8$).

3.3 Unweighted Flow matching




Figure 164: **Unweighted, Flow matching, 15,000 anchors per mode.** Overall accuracy (%) against d for $T = 250, 500, 750$, averaged over K (band: ± 1 standard deviation across K ; at $d = 2$ over $K = 2, 4, 8$).




Figure 165: **Unweighted, Flow matching, 20,000 anchors per mode.** Overall accuracy (%) against d for $T = 250, 500, 750$, averaged over K (band: ± 1 standard deviation across K ; at $d = 2$ over $K = 2, 4, 8$).




Figure 166: **Unweighted, Heun, 2,000 anchors per mode.** Overall accuracy (%) against d for $T = 250, 500, 750$, averaged over K (band: ± 1 standard deviation across K ; at $d = 2$ over $K = 2, 4, 8$).




Figure 167: **Unweighted, Heun, 5,000 anchors per mode.** Overall accuracy (%) against d for $T = 250, 500, 750$, averaged over K (band: ± 1 standard deviation across K ; at $d = 2$ over $K = 2, 4, 8$).




Figure 168: **Unweighted, Heun, 10,000 anchors per mode.** Overall accuracy (%) against d for $T = 250, 500, 750$, averaged over K (band: ± 1 standard deviation across K ; at $d = 2$ over $K = 2, 4, 8$).

3.4 Unweighted Heun




Figure 169: **Unweighted, Heun, 15,000 anchors per mode.** Overall accuracy (%) against d for $T = 250, 500, 750$, averaged over K (band: ± 1 standard deviation across K ; at $d = 2$ over $K = 2, 4, 8$).




Figure 170: **Unweighted, Heun, 20,000 anchors per mode.** Overall accuracy (%) against d for $T = 250, 500, 750$, averaged over K (band: ± 1 standard deviation across K ; at $d = 2$ over $K = 2, 4, 8$).




Figure 171: **Unweighted, RK45, 2,000 anchors per mode.** Overall accuracy (%) against d for $T = 250, 500, 750$, averaged over K (band: ± 1 standard deviation across K ; at $d = 2$ over $K = 2, 4, 8$).




Figure 172: **Unweighted, RK45, 5,000 anchors per mode.** Overall accuracy (%) against d for $T = 250, 500, 750$, averaged over K (band: ± 1 standard deviation across K ; at $d = 2$ over $K = 2, 4, 8$).




Figure 173: **Unweighted, RK45, 10,000 anchors per mode.** Overall accuracy (%) against d for $T = 250, 500, 750$, averaged over K (band: ± 1 standard deviation across K ; at $d = 2$ over $K = 2, 4, 8$).

3.5 Unweighted RK45




Figure 174: **Unweighted, RK45, 15,000 anchors per mode.** Overall accuracy (%) against d for $T = 250, 500, 750$, averaged over K (band: ± 1 standard deviation across K ; at $d = 2$ over $K = 2, 4, 8$).




Figure 175: **Unweighted, RK45, 20,000 anchors per mode.** Overall accuracy (%) against d for $T = 250, 500, 750$, averaged over K (band: ± 1 standard deviation across K ; at $d = 2$ over $K = 2, 4, 8$).




Figure 176: **Unweighted, DPM-Solver++(2M), 2,000 anchors per mode.** Overall accuracy (%) against d for $T = 250, 500, 750$, averaged over K (band: ± 1 standard deviation across K ; at $d = 2$ over $K = 2, 4, 8$).




Figure 177: **Unweighted, DPM-Solver++(2M), 5,000 anchors per mode.** Overall accuracy (%) against d for $T = 250, 500, 750$, averaged over K (band: ± 1 standard deviation across K ; at $d = 2$ over $K = 2, 4, 8$).




Figure 178: **Unweighted, DPM-Solver++(2M), 10,000 anchors per mode.** Overall accuracy (%) against d for $T = 250, 500, 750$, averaged over K (band: ± 1 standard deviation across K ; at $d = 2$ over $K = 2, 4, 8$).

3.6 Unweighted DPM-Solver++(2M)




Figure 179: **Unweighted, DPM-Solver++(2M), 15,000 anchors per mode.** Overall accuracy (%) against d for $T = 250, 500, 750$, averaged over K (band: ± 1 standard deviation across K ; at $d = 2$ over $K = 2, 4, 8$).




Figure 180: **Unweighted, DPM-Solver++(2M), 20,000 anchors per mode.** Overall accuracy (%) against d for $T = 250, 500, 750$, averaged over K (band: ± 1 standard deviation across K ; at $d = 2$ over $K = 2, 4, 8$).




Figure 181: **Weighted, DDIM vs flow matching, 2,000 anchors per mode.** Overall accuracy (%) against d for $T = 250, 500, 750$, averaged over K (band: ± 1 standard deviation across K ; at $d = 2$ over $K = 2, 4, 8$).




Figure 182: **Weighted, DDIM vs flow matching, 5,000 anchors per mode.** Overall accuracy (%) against d for $T = 250, 500, 750$, averaged over K (band: ± 1 standard deviation across K ; at $d = 2$ over $K = 2, 4, 8$).

3.7 Weighted DDIM vs flow matching




Figure 183: **Weighted, DDIM vs flow matching, 10,000 anchors per mode.** Overall accuracy (%) against d for $T = 250, 500, 750$, averaged over K (band: ± 1 standard deviation across K ; at $d = 2$ over $K = 2, 4, 8$).




Figure 184: **Weighted, DDIM vs flow matching, 15,000 anchors per mode.** Overall accuracy (%) against d for $T = 250, 500, 750$, averaged over K (band: ± 1 standard deviation across K ; at $d = 2$ over $K = 2, 4, 8$).




Figure 185: **Weighted, DDIM vs flow matching, 20,000 anchors per mode.** Overall accuracy (%) against d for $T = 250, 500, 750$, averaged over K (band: ± 1 standard deviation across K ; at $d = 2$ over $K = 2, 4, 8$).




Figure 186: **Weighted, DDIM, 2,000 anchors per mode.** Overall accuracy (%) against d for $T = 250, 500, 750$, averaged over K (band: ± 1 standard deviation across K ; at $d = 2$ over $K = 2, 4, 8$).




Figure 187: **Weighted, DDIM, 5,000 anchors per mode.** Overall accuracy (%) against d for $T = 250, 500, 750$, averaged over K (band: ± 1 standard deviation across K ; at $d = 2$ over $K = 2, 4, 8$).




Figure 188: **Weighted, DDIM, 10,000 anchors per mode.** Overall accuracy (%) against d for $T = 250, 500, 750$, averaged over K (band: ± 1 standard deviation across K ; at $d = 2$ over $K = 2, 4, 8$).

3.8 Weighted DDIM




Figure 189: **Weighted, DDIM, 15,000 anchors per mode.** Overall accuracy (%) against d for $T = 250, 500, 750$, averaged over K (band: ± 1 standard deviation across K ; at $d = 2$ over $K = 2, 4, 8$).




Figure 190: **Weighted, DDIM, 20,000 anchors per mode.** Overall accuracy (%) against d for $T = 250, 500, 750$, averaged over K (band: ± 1 standard deviation across K ; at $d = 2$ over $K = 2, 4, 8$).




Figure 191: **Weighted, Flow matching, 2,000 anchors per mode.** Overall accuracy (%) against d for $T = 250, 500, 750$, averaged over K (band: ± 1 standard deviation across K ; at $d = 2$ over $K = 2, 4, 8$).




Figure 192: **Weighted, Flow matching, 5,000 anchors per mode.** Overall accuracy (%) against d for $T = 250, 500, 750$, averaged over K (band: ± 1 standard deviation across K ; at $d = 2$ over $K = 2, 4, 8$).




Figure 193: **Weighted, Flow matching, 10,000 anchors per mode.** Overall accuracy (%) against d for $T = 250, 500, 750$, averaged over K (band: ± 1 standard deviation across K ; at $d = 2$ over $K = 2, 4, 8$).

3.9 Weighted Flow matching




Figure 194: **Weighted, Flow matching, 15,000 anchors per mode.** Overall accuracy (%) against d for $T = 250, 500, 750$, averaged over K (band: ± 1 standard deviation across K ; at $d = 2$ over $K = 2, 4, 8$).




Figure 195: **Weighted, Flow matching, 20,000 anchors per mode.** Overall accuracy (%) against d for $T = 250, 500, 750$, averaged over K (band: ± 1 standard deviation across K ; at $d = 2$ over $K = 2, 4, 8$).




Figure 196: **Weighted, Heun, 2,000 anchors per mode.** Overall accuracy (%) against d for $T = 250, 500, 750$, averaged over K (band: ± 1 standard deviation across K ; at $d = 2$ over $K = 2, 4, 8$).




Figure 197: **Weighted, Heun, 5,000 anchors per mode.** Overall accuracy (%) against d for $T = 250, 500, 750$, averaged over K (band: ± 1 standard deviation across K ; at $d = 2$ over $K = 2, 4, 8$).




Figure 198: **Weighted, Heun, 10,000 anchors per mode.** Overall accuracy (%) against d for $T = 250, 500, 750$, averaged over K (band: ± 1 standard deviation across K ; at $d = 2$ over $K = 2, 4, 8$).

3.10 Weighted Heun




Figure 199: **Weighted, Heun, 15,000 anchors per mode.** Overall accuracy (%) against d for $T = 250, 500, 750$, averaged over K (band: ± 1 standard deviation across K ; at $d = 2$ over $K = 2, 4, 8$).




Figure 200: **Weighted, Heun, 20,000 anchors per mode.** Overall accuracy (%) against d for $T = 250, 500, 750$, averaged over K (band: ± 1 standard deviation across K ; at $d = 2$ over $K = 2, 4, 8$).




Figure 201: **Weighted, RK45, 2,000 anchors per mode.** Overall accuracy (%) against d for $T = 250, 500, 750$, averaged over K (band: ± 1 standard deviation across K ; at $d = 2$ over $K = 2, 4, 8$).




Figure 202: **Weighted, RK45, 5,000 anchors per mode.** Overall accuracy (%) against d for $T = 250, 500, 750$, averaged over K (band: ± 1 standard deviation across K ; at $d = 2$ over $K = 2, 4, 8$).




Figure 203: **Weighted, RK45, 10,000 anchors per mode.** Overall accuracy (%) against d for $T = 250, 500, 750$, averaged over K (band: ± 1 standard deviation across K ; at $d = 2$ over $K = 2, 4, 8$).

3.11 Weighted RK45




Figure 204: **Weighted, RK45, 15,000 anchors per mode.** Overall accuracy (%) against d for $T = 250, 500, 750$, averaged over K (band: ± 1 standard deviation across K ; at $d = 2$ over $K = 2, 4, 8$).




Figure 205: **Weighted, RK45, 20,000 anchors per mode.** Overall accuracy (%) against d for $T = 250, 500, 750$, averaged over K (band: ± 1 standard deviation across K ; at $d = 2$ over $K = 2, 4, 8$).




Figure 206: **Weighted, DPM-Solver++(2M), 2,000 anchors per mode.** Overall accuracy (%) against d for $T = 250, 500, 750$, averaged over K (band: ± 1 standard deviation across K ; at $d = 2$ over $K = 2, 4, 8$).




Figure 207: **Weighted, DPM-Solver++(2M), 5,000 anchors per mode.** Overall accuracy (%) against d for $T = 250, 500, 750$, averaged over K (band: ± 1 standard deviation across K ; at $d = 2$ over $K = 2, 4, 8$).




Figure 208: **Weighted, DPM-Solver++(2M), 10,000 anchors per mode.** Overall accuracy (%) against d for $T = 250, 500, 750$, averaged over K (band: ± 1 standard deviation across K ; at $d = 2$ over $K = 2, 4, 8$).

3.12 Weighted DPM-Solver++(2M)




Figure 209: **Weighted, DPM-Solver++(2M), 15,000 anchors per mode.** Overall accuracy (%) against d for $T = 250, 500, 750$, averaged over K (band: ± 1 standard deviation across K ; at $d = 2$ over $K = 2, 4, 8$).




Figure 210: **Weighted, DPM-Solver++(2M), 20,000 anchors per mode.** Overall accuracy (%) against d for $T = 250, 500, 750$, averaged over K (band: ± 1 standard deviation across K ; at $d = 2$ over $K = 2, 4, 8$).