1) Find all the documents in the collection restaurants.
   Query: `db.restaurants.find({});`
   Result: query_1.json
2) Find the fields restaurant_id, name, borough, and cuisine for all the documents in the collection restaurant.
   Query:
```
db.restaurants.find(
  {},
  {"restaurant_id": 1,
    "name":1,"borough":1,
    "cuisine" :1})
```
   Result: query_2.json

3) Find the first 5 restaurants which are in the borough Bronx.
   Query:
```
db.restaurants.find(
  {borough: 'Bronx'}
).limit(5)
```
   Result: query_3.json

4) Find the restaurant Id, name, borough, and cuisine for those restaurants which prepared dish except 'American' and 'Chinese' or restaurant's name begins with letter 'Wil'.
   Query:
```
db.restaurants.find(
  {$or: [
     { name: RegExp('^Wil')},
     { $and: [
          { cuisine: { $ne: 'American ' } },
          { cuisine: { $ne: 'Chinese' } } ]}]},
  {restaurant_id: 1,name: 1,borough: 1,cuisine: 1}
)
```

   Result: query_4.json

5) Find the restaurant name, borough, longitude and attitude, and cuisine for those restaurants which contain 'mon' as three letters somewhere in its name.
   Query:
```
db.restaurants.find(
  {name: {$regex: 'mon.*',$options: 'i'}},
  {name: 1,borough: 1,'address.coord': 1,cuisine: 1}
)
```
   Result: query_5.json

6) Find the restaurant Id, name, borough, and cuisine for those restaurants which belong to the borough Staten Island or Queens or Bronx or Brooklyn.
   Query:
```
db.restaurants.find(
  {borough: {$in: [ 'Staten Island', 'Queens', 'Bronx', 'Brooklyn']}},
  {restaurant_id: 1,name: 1,borough: 1,cuisine: 1}
)
```
   Result: query_6.json