





MCU (STM32G030)



STM32 DEBUG(POGO)



File: IO.kicad_sch

Power

File: Power.kicad_sch


CHANGE LOG

2023.06.12 (v0.1) : Initial release (but no PCB) 62.5mm x 62.5mm.
2023.06.13 (v0.2) : Fault DIP-SW footprint fixed and 0Q on 3v3 removed. 62.5mm -> 63.0mm
2023.08.11 (v0.3) : Vend side I/O contains vend/start on 2P side, then remove JAM signal.
Power domain feedback resistor has been tuned. 62.5mm -> 65.0mm

LambdaEE_Logo

Symbol_Extended:LamudaEE-12.3x7.6mm

backside--logo--ferris:ferris--back



considered universal legacy device such as vending and amusement m
Card payment acceptor mocking board
CC BY-SA 3.0

Jinwoo Park, pmnxis@gmail.com

Sheet:
File: BillMock-HW.kicad_sch

Title: Main Block

Size: A4 Date: 2023-08-11

KiCad E.D.A. kicad 7.0.6-0

Rev: 0.3


Id: 1/5

LICENSE : CC BY-SA 3.0 (pmnxis@gmail.com)




Power Domain



12V Input Jack



12V to 5V : Switching Regulator



5V to 3V3 : Linear Regulator



considered universal legacy device such as vending and amusement machine
Card payment acceptor mocking board
CC BY-SA 3.0

Jinwoo Park, pmnxis@gmail.com

Sheet: Power
File: Power.kicad_sch

Title: Power domain

Size: A4 Date: 2023-08-11



KiCad E.D.A. kicad 7.0.6-0

Rev: 0.3

Id: 2/5



Transducer ...
Sensor ...
Switch ...



VendSide

Vending Machine (Coin and bill-paper acceptor) side
Or some start button led and switch.
There're some 12v pull-up input lines with CD4050,
open-drain and push-pull output lines.

REAL0_VND \rightarrow REAL0_VND
REAL0_STR \rightarrow REAL0_STR
REAL1_VND \rightarrow REAL1_VND
REAL1_STR \rightarrow REAL1_STR
REAL0_INH \rightarrow REAL0_INH
REAL1_INH \rightarrow REAL1_INH

In * 4 , Out * 2

File: VendSide.kicad_sch

HostSide

GAME PCB or I/O Board Side
Emulate the vending device such as paper and coin acceptor.
Or emulate start button signal by some mode.
There're some 12v pull-up input lines with CD4050,
open-drain and push-pull output lines.


VIRT0_BSY \rightarrow VIRT0_BSY
VIRT0_VND \rightarrow VIRT0_VND
VIRT0_JAM \rightarrow VIRT0_JAM
VIRT0_STR \rightarrow VIRT0_STR
VIRT1_BSY \rightarrow VIRT1_BSY
VIRT1_VND \rightarrow VIRT1_VND
VIRT1_JAM \rightarrow VIRT1_JAM
VIRT1_STR \rightarrow VIRT1_STR
VIRT0_INH \rightarrow VIRT0_INH
VIRT1_INH \rightarrow VIRT1_INH

Out * 8 , In * 2


File: HostSide.kicad_sch



PCB ...
IO Board ...




Game IO Board



Sub RS232 Port (to connect PC)



Card Reader RS232 Port (Main)



5268-04 (22057045) alternative

5264-4AW C146138
A2506WR-04P C382524
A2505WR-4P C225440
HC-5264-4AW C2845827

R_RXD \rightarrow R_RXD
R_TXD \rightarrow R_TXD
PC_R_RX \rightarrow PC_R_RXD
PC_R_TX \rightarrow PC_R_TXD

considered universal legacy device such as vending and amusement m
Card payment acceptor mocking board
CC BY-SA 3.0

Jinwoo Park, pnmxis@gmail.com

Sheet: IO
File: IO.kicad_sch

Title: IO

Size: A4 Date: 2023-08-11







KiCad E.D.A. kicad 7.0.6-0

Rev: 0.3

Id: 3/5



PCB Side Open Drain Output





CHANGE LOG

Formal arcade system use Game PCB have pull up line on input, and this domain make drop to 0V very safely, even each pin's voltage level is different.



ULN2003AIDR has some issue COM line is shared, so we didn't used for separate voltage level. Q4:7 was changed to PMV100ENEA from IRFL014PBF. Because IRFL014PBF was obsoleted JLCPCB type. JLCPCB Assembly service don't have stock or option for PMV100. DMN100 and PESD_ is alternation for this assembly system.

2020-07-20 : DMN100 or PMV100 NMOS reduce to dual channel NMOS. Recommend is DMN3190LDW and Alternative is DMN2004DWK. Requirements : high desity, high current , Volt accept. Gate,D-S Protection.


2023-05-18 :
Dual-N : AO7800, Used for open-drain output
Dual-P : DMP2004VK, Used for inverse voltage input protect.
N+P CH : DMG1016V, N/P role both
Add B330 to inhibit reverse power output.



PCB Side extSignal Invert Input



Emulated player 1/2 side common signal
(Paper Acceptor, start button etc)



VIRT0_BSY -> VIRT0_BSY
VIRT0_VND -> VIRT0_VND
VIRT0_JAM -> VIRT0_JAM
VIRT0_STR -> VIRT0_STR

VIRT1_BSY -> VIRT1_BSY
VIRT1_VND -> VIRT1_VND
VIRT1_JAM -> VIRT1_JAM
VIRT1_STR -> VIRT1_STR

VIRT0_INH -> VIRT0_INH
VIRT1_INH -> VIRT1_INH

considered universal legacy device such as vending and amusement m
Card payment acceptor mocking board
CC BY-SA 3.0

Jinwoo Park, pmnxis@gmail.com

Sheet: HostSide

File: HostSide.kicad_sch

Title: Host Side

Size: A4 Date: 2023-08-11






KiCad E.D.A. kicad 7.0.6-0

Rev: 0.3

Id: 4/5



Vend Side Pull Up Input



CHANGE LOG



2020-07-16 : LTV217 Optocoupler is removed.
Replaced to high voltage input hex inverter.
TI CD4049UBDR recommend 1uA input.
TI require too few input current. So this design use
"ONSem MC14049UBDR2G", "Nxp HEF4049BT"

2020-07-20 : DMN100 or PMV100 NMOS reduce
to dual channel NMOS. DMN3190LDW or DMN2004DWK
Recommend is DMN3190LDW. Alternative is DMN2004DWK
Requirements : high desity, high current and voltage accept.
Gate,D-S Protection.


2023-05-18 :
Dual-N : A07800, Used for open-drain output
Dual-P : DMP2004VK, Used for inverse voltage input protect.
N+P CH : DMG1016V, N/P role both

2023-08-11 :
Dual-P : DMP2004VK changed to BSS84DW for bigger package
N+P CH : Remove DMG1016V for reduce BOM


Vend Side Push Pull Active Low



FE_REAL1_STR1
FE_REAL0_VND
Player 1 side common signal
(Paper Acceptor, start button etc)



Player 2 side purchase/start button and led



REAL0_VND → REAL0_VND
REAL0_STR → REAL0_STR
REAL1_VND → REAL1_VND
REAL1_STR → REAL1_STR
REAL1_INH → REAL1_INH
REAL1_VND → REAL1_VND

considered universal legacy device such as vending and amusement m
Card payment acceptor mocking board
CC BY-SA 3.0

Jinwoo Park, pmnxis@gmail.com

Sheet: VendSide

File: VendSide.kicad_sch

Title: Vend Side

Size: A4 Date: 2023-08-11

KiCad E.D.A. kicad 7.0.6-0

Rev: 0.3

Id: 5/5

